

This file documents the GNU C library.

This is Edition 0.10, last updated 2001-07-06, of *The GNU C Library Reference Manual*, for Version 2.3.x.

Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2001, 2002, 2003 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with the Invariant Sections being "Free Software Needs Free Documentation" and "GNU Lesser General Public License", the Front-Cover texts being (a) (see below), and with the Back-Cover Texts being (b) (see below). A copy of the license is included in the section entitled "GNU Free Documentation License".

(a) The FSF's Front-Cover Text is:

A GNU Manual

(b) The FSF's Back-Cover Text is:

You have freedom to copy and modify this GNU Manual, like GNU software. Copies published by the Free Software Foundation raise funds for GNU development.

---

Node: Top, Next: [Introduction](#), Previous: [\(dir\)](#), Up: [\(dir\)](#)

## Main Menu

This is Edition 0.10, last updated 2001-07-06, of *The GNU C Library Reference Manual*, for Version 2.3.x of the GNU C Library.

- [Introduction](#): Purpose of the GNU C Library.
- [Error Reporting](#): How library functions report errors.
- [Memory](#): Allocating virtual memory and controlling paging.
- [Character Handling](#): Character testing and conversion functions.
- [String and Array Utilities](#): Utilities for copying and comparing strings and arrays.
- [Character Set Handling](#): Support for extended character sets.
- [Locales](#): The country and language can affect the behavior of library functions.
- [Message Translation](#): How to make the program speak the user's language.

- [Searching and Sorting](#): General searching and sorting functions.
- [Pattern Matching](#): Matching shell ``globs" and regular expressions.
- [I/O Overview](#): Introduction to the I/O facilities.
- [I/O on Streams](#): High-level, portable I/O facilities.
- [Low-Level I/O](#): Low-level, less portable I/O.
- [File System Interface](#): Functions for manipulating files.
- [Pipes and FIFOs](#): A simple interprocess communication mechanism.
- [Sockets](#): A more complicated IPC mechanism, with networking support.
- [Low-Level Terminal Interface](#): How to change the characteristics of a terminal device.
- [Syslog](#): System logging and messaging.
- [Mathematics](#): Math functions, useful constants, random numbers.
- [Arithmetic](#): Low level arithmetic functions.
- [Date and Time](#): Functions for getting the date and time and formatting them nicely.
- [Resource Usage And Limitation](#): Functions for examining resource usage and getting and setting limits.
- [Non-Local Exits](#): Jumping out of nested function calls.
- [Signal Handling](#): How to send, block, and handle signals.
- [Program Basics](#): Writing the beginning and end of your program.
- [Processes](#): How to create processes and run other programs.
- [Job Control](#): All about process groups and sessions.
- [Name Service Switch](#): Accessing system databases.
- [Users and Groups](#): How users are identified and classified.
- [System Management](#): Controlling the system and getting information about it.
- [System Configuration](#): Parameters describing operating system limits.
- [Cryptographic Functions](#): DES encryption and password handling.
- [Debugging Support](#): Functions to help debugging applications.

## Add-ons

- [POSIX Threads](#): The standard threads library.

## Appendices

- [Language Features](#): C language features provided by the library.
- [Library Summary](#): A summary showing the syntax, header file, and derivation of each library feature.
- [Installation](#): How to install the GNU C library.
- [Maintenance](#): How to enhance and port the GNU C Library.
- [Contributors](#): Who wrote what parts of the GNU C library.

- [Free Manuals](#): Free Software Needs Free Documentation.
- [Copying](#): The GNU Lesser General Public License says how you can copy and share the GNU C Library.
- [Documentation License](#): This manual is under the GNU Free Documentation License.

## Indices

- [Concept Index](#): Index of concepts and names.
- [Type Index](#): Index of types and type qualifiers.
- [Function Index](#): Index of functions and function-like macros.
- [Variable Index](#): Index of variables and variable-like macros.
- [File Index](#): Index of programs and files.

--- The Detailed Node Listing ---

## Introduction

- [Getting Started](#): What this manual is for and how to use it.
- [Standards and Portability](#): Standards and sources upon which the GNU C library is based.
- [Using the Library](#): Some practical uses for the library.
- [Roadmap to the Manual](#): Overview of the remaining chapters in this manual.

## Standards and Portability

- [ISO C](#): The international standard for the C programming language.
- [POSIX](#): The ISO/IEC 9945 (aka IEEE 1003) standards for operating systems.
- [Berkeley Unix](#): BSD and SunOS.
- [SVID](#): The System V Interface Description.
- [XPG](#): The X/Open Portability Guide.

## Using the Library

- [Header Files](#): How to include the header files in your programs.
- [Macro Definitions](#): Some functions in the library may really be implemented as macros.
- [Reserved Names](#): The C standard reserves some names for the library, and some for users.
- [Feature Test Macros](#): How to control what names are defined.

## Error Reporting

- [Checking for Errors](#): How errors are reported by library functions.
- [Error Codes](#): Error code macros; all of these expand into integer constant values.
- [Error Messages](#): Mapping error codes onto error messages.

## Memory

- [Memory Concepts](#): An introduction to concepts and terminology.
- [Memory Allocation](#): Allocating storage for your program data
- [Locking Pages](#): Preventing page faults
- [Resizing the Data Segment](#): `brk`, `sbrk`

## Memory Allocation

- [Memory Allocation and C](#): How to get different kinds of allocation in C.
- [Unconstrained Allocation](#): The `malloc` facility allows fully general dynamic allocation.
- [Allocation Debugging](#): Finding memory leaks and not freed memory.
- [Obstacks](#): Obstacks are less general than `malloc` but more efficient and convenient.
- [Variable Size Automatic](#): Allocation of variable-sized blocks of automatic storage that are freed when the calling function returns.

## Unconstrained Allocation

- [Basic Allocation](#): Simple use of `malloc`.
- [Malloc Examples](#): Examples of `malloc`. `xmalloc`.
- [Freeing after Malloc](#): Use `free` to free a block you got with `malloc`.
- [Changing Block Size](#): Use `realloc` to make a block bigger or smaller.
- [Allocating Cleared Space](#): Use `calloc` to allocate a block and clear it.
- [Efficiency and Malloc](#): Efficiency considerations in use of these functions.
- [Aligned Memory Blocks](#): Allocating specially aligned memory.
- [Malloc Tunable Parameters](#): Use `malloc_t` to adjust allocation parameters.
- [Heap Consistency Checking](#): Automatic checking for errors.
- [Hooks for Malloc](#): You can use these hooks for debugging programs that use `malloc`.
- [Statistics of Malloc](#): Getting information about how much memory your program is using.
- [Summary of Malloc](#): Summary of `malloc` and related functions.

## Allocation Debugging

- [Tracing malloc](#): How to install the tracing functionality.
- [Using the Memory Debugger](#): Example programs excerpts.

- [Tips for the Memory Debugger](#): Some more or less clever ideas.
- [Interpreting the traces](#): What do all these lines mean?

## Obstacks

- [Creating Obstacks](#): How to declare an obstack in your program.
- [Preparing for Obstacks](#): Preparations needed before you can use obstacks.
- [Allocation in an Obstack](#): Allocating objects in an obstack.
- [Freeing Obstack Objects](#): Freeing objects in an obstack.
- [Obstack Functions](#): The obstack functions are both functions and macros.
- [Growing Objects](#): Making an object bigger by stages.
- [Extra Fast Growing](#): Extra-high-efficiency (though more complicated) growing objects.
- [Status of an Obstack](#): Inquiries about the status of an obstack.
- [Obstacks Data Alignment](#): Controlling alignment of objects in obstacks.
- [Obstack Chunks](#): How obstacks obtain and release chunks; efficiency considerations.
- [Summary of Obstacks](#):

## Variable Size Automatic

- [Alloca Example](#): Example of using `alloca`.
- [Advantages of Alloca](#): Reasons to use `alloca`.
- [Disadvantages of Alloca](#): Reasons to avoid `alloca`.
- [GNU C Variable-Size Arrays](#): Only in GNU C, here is an alternative method of allocating dynamically and freeing automatically.

## Locking Pages

- [Why Lock Pages](#): Reasons to read this section.
- [Locked Memory Details](#): Everything you need to know locked memory
- [Page Lock Functions](#): Here's how to do it.

## Character Handling

- [Classification of Characters](#): Testing whether characters are letters, digits, punctuation, etc.
- [Case Conversion](#): Case mapping, and the like.
- [Classification of Wide Characters](#): Character class determination for wide characters.
- [Using Wide Char Classes](#): Notes on using the wide character classes.
- [Wide Character Case Conversion](#): Mapping of wide characters.

## String and Array Utilities

- [Representation of Strings](#): Introduction to basic concepts.
- [String/Array Conventions](#): Whether to use a string function or an arbitrary array function.
- [String Length](#): Determining the length of a string.
- [Copying and Concatenation](#): Functions to copy the contents of strings and arrays.
- [String/Array Comparison](#): Functions for byte-wise and character-wise comparison.
- [Collation Functions](#): Functions for collating strings.
- [Search Functions](#): Searching for a specific element or substring.
- [Finding Tokens in a String](#): Splitting a string into tokens by looking for delimiters.
- [strfry](#): Function for flash-cooking a string.
- [Trivial Encryption](#): Obscuring data.
- [Encode Binary Data](#): Encoding and Decoding of Binary Data.
- [Argz and Envz Vectors](#): Null-separated string vectors.

## Argz and Envz Vectors

- [Argz Functions](#): Operations on argz vectors.
- [Envz Functions](#): Additional operations on environment vectors.

## Character Set Handling

- [Extended Char Intro](#): Introduction to Extended Characters.
- [Charset Function Overview](#): Overview about Character Handling Functions.
- [Restartable multibyte conversion](#): Restartable multibyte conversion Functions.
- [Non-reentrant Conversion](#): Non-reentrant Conversion Function.
- [Generic Charset Conversion](#): Generic Charset Conversion.

## Restartable multibyte conversion

- [Selecting the Conversion](#): Selecting the conversion and its properties.
- [Keeping the state](#): Representing the state of the conversion.
- [Converting a Character](#): Converting Single Characters.
- [Converting Strings](#): Converting Multibyte and Wide Character Strings.
- [Multibyte Conversion Example](#): A Complete Multibyte Conversion Example.

## Non-reentrant Conversion

- [Non-reentrant Character Conversion](#): Non-reentrant Conversion of Single Characters.
- [Non-reentrant String Conversion](#): Non-reentrant Conversion of Strings.
- [Shift State](#): States in Non-reentrant Functions.

## Generic Charset Conversion

- [Generic Conversion Interface](#): Generic Character Set Conversion Interface.
- [iconv Examples](#): A complete `iconv` example.
- [Other iconv Implementations](#): Some Details about other `iconv` Implementations.
- [glibc iconv Implementation](#): The `iconv` Implementation in the GNU C library.

## Locales

- [Effects of Locale](#): Actions affected by the choice of locale.
- [Choosing Locale](#): How the user specifies a locale.
- [Locale Categories](#): Different purposes for which you can select a locale.
- [Setting the Locale](#): How a program specifies the locale with library functions.
- [Standard Locales](#): Locale names available on all systems.
- [Locale Information](#): How to access the information for the locale.
- [Formatting Numbers](#): A dedicated function to format numbers.
- [Yes-or-No Questions](#): Check a Response against the locale.

## Locale Information

- [The Lame Way to Locale Data](#): ISO C's `localeconv`.
- [The Elegant and Fast Way](#): X/Open's `nl_langinfo`.

## The Lame Way to Locale Data

- [General Numeric](#): Parameters for formatting numbers and currency amounts.
- [Currency Symbol](#): How to print the symbol that identifies an amount of money (e.g. \$).
- [Sign of Money Amount](#): How to print the (positive or negative) sign for a monetary amount, if one exists.

## Message Translation

- [Message catalogs a la X/Open](#): The `catgets` family of functions.
- [The Uniforum approach](#): The `gettext` family of functions.

## Message catalogs a la X/Open

- [The catgets Functions](#): The `catgets` function family.
- [The message catalog files](#): Format of the message catalog files.
- [The gencat program](#): How to generate message catalogs files which can be used by the functions.
- [Common Usage](#): How to use the `catgets` interface.

## The Uniform approach

- [Message catalogs with gettext](#): The `gettext` family of functions.
- [Helper programs for gettext](#): Programs to handle message catalogs for `gettext`.

## Message catalogs with gettext

- [Translation with gettext](#): What has to be done to translate a message.
- [Locating gettext catalog](#): How to determine which catalog to be used.
- [Advanced gettext functions](#): Additional functions for more complicated situations.
- [Charset conversion in gettext](#): How to specify the output character set `gettext` uses.
- [GUI program problems](#): How to use `gettext` in GUI programs.
- [Using gettextized software](#): The possibilities of the user to influence the way `gettext` works.

## Searching and Sorting

- [Comparison Functions](#): Defining how to compare two objects. Since the sort and search facilities are general, you have to specify the ordering.
- [Array Search Function](#): The `bsearch` function.
- [Array Sort Function](#): The `qsort` function.
- [Search/Sort Example](#): An example program.
- [Hash Search Function](#): The `hsearch` function.
- [Tree Search Function](#): The `tsearch` function.

## Pattern Matching

- [Wildcard Matching](#): Matching a wildcard pattern against a single string.
- [Globbing](#): Finding the files that match a wildcard pattern.
- [Regular Expressions](#): Matching regular expressions against strings.
- [Word Expansion](#): Expanding shell variables, nested commands, arithmetic, and wildcards. This is what the shell does with shell commands.



## Globbering

- [Calling Glob](#): Basic use of `glob`.
- [Flags for Globbering](#): Flags that enable various options in `glob`.
- [More Flags for Globbering](#): GNU specific extensions to `glob`.

## Regular Expressions

- [POSIX Regexp Compilation](#): Using `regcomp` to prepare to match.
- [Flags for POSIX Regexprs](#): Syntax variations for `regcomp`.
- [Matching POSIX Regexprs](#): Using `regexexec` to match the compiled pattern that you get from `regcomp`.
- [Regexp Subexpressions](#): Finding which parts of the string were matched.
- [Subexpression Complications](#): Find points of which parts were matched.
- [Regexp Cleanup](#): Freeing storage; reporting errors.

## Word Expansion

- [Expansion Stages](#): What word expansion does to a string.
- [Calling Wordexp](#): How to call `wordexp`.
- [Flags for Wordexp](#): Options you can enable in `wordexp`.
- [Wordexp Example](#): A sample program that does word expansion.
- [Tilde Expansion](#): Details of how tilde expansion works.
- [Variable Substitution](#): Different types of variable substitution.

## I/O Overview

- [I/O Concepts](#): Some basic information and terminology.
- [File Names](#): How to refer to a file.

## I/O Concepts

- [Streams and File Descriptors](#): The GNU Library provides two ways to access the contents of files.
- [File Position](#): The number of bytes from the beginning of the file.

## File Names

- [Directories](#): Directories contain entries for files.

- [File Name Resolution](#): A file name specifies how to look up a file.
- [File Name Errors](#): Error conditions relating to file names.
- [File Name Portability](#): File name portability and syntax issues.

## I/O on Streams

- [Streams](#): About the data type representing a stream.
- [Standard Streams](#): Streams to the standard input and output devices are created for you.
- [Opening Streams](#): How to create a stream to talk to a file.
- [Closing Streams](#): Close a stream when you are finished with it.
- [Streams and Threads](#): Issues with streams in threaded programs.
- [Streams and I18N](#): Streams in internationalized applications.
- [Simple Output](#): Unformatted output by characters and lines.
- [Character Input](#): Unformatted input by characters and words.
- [Line Input](#): Reading a line or a record from a stream.
- [Unreading](#): Peeking ahead/pushing back input just read.
- [Block Input/Output](#): Input and output operations on blocks of data.
- [Formatted Output](#): `printf` and related functions.
- [Customizing Printf](#): You can define new conversion specifiers for `printf` and friends.
- [Formatted Input](#): `scanf` and related functions.
- [EOF and Errors](#): How you can tell if an I/O error happens.
- [Error Recovery](#): What you can do about errors.
- [Binary Streams](#): Some systems distinguish between text files and binary files.
- [File Positioning](#): About random-access streams.
- [Portable Positioning](#): Random access on peculiar ISO C systems.
- [Stream Buffering](#): How to control buffering of streams.
- [Other Kinds of Streams](#): Streams that do not necessarily correspond to an open file.
- [Formatted Messages](#): Print strictly formatted messages.

## Unreading

- [Unreading Idea](#): An explanation of unreading with pictures.
- [How Unread](#): How to call `ungetc` to do unreading.

## Formatted Output

- [Formatted Output Basics](#): Some examples to get you started.
- [Output Conversion Syntax](#): General syntax of conversion specifications.
- [Table of Output Conversions](#): Summary of output conversions and what they do.

- [Integer Conversions](#): Details about formatting of integers.
- [Floating-Point Conversions](#): Details about formatting of floating-point numbers.
- [Other Output Conversions](#): Details about formatting of strings, characters, pointers, and the like.
- [Formatted Output Functions](#): Descriptions of the actual functions.
- [Dynamic Output](#): Functions that allocate memory for the output.
- [Variable Arguments Output](#): `vprintf` and friends.
- [Parsing a Template String](#): What kinds of args does a given template call for?
- [Example of Parsing](#): Sample program using `parse_printf_format`.

## Customizing Printf

- [Registering New Conversions](#): Using `register_printf_function` to register a new output conversion.
- [Conversion Specifier Options](#): The handler must be able to get the options specified in the template when it is called.
- [Defining the Output Handler](#): Defining the handler and `arginfo` functions that are passed as arguments to `register_printf_function`.
- [Printf Extension Example](#): How to define a `printf` handler function.
- [Predefined Printf Handlers](#): Predefined `printf` handlers.

## Formatted Input

- [Formatted Input Basics](#): Some basics to get you started.
- [Input Conversion Syntax](#): Syntax of conversion specifications.
- [Table of Input Conversions](#): Summary of input conversions and what they do.
- [Numeric Input Conversions](#): Details of conversions for reading numbers.
- [String Input Conversions](#): Details of conversions for reading strings.
- [Dynamic String Input](#): String conversions that `malloc` the buffer.
- [Other Input Conversions](#): Details of miscellaneous other conversions.
- [Formatted Input Functions](#): Descriptions of the actual functions.
- [Variable Arguments Input](#): `vscanf` and friends.

## Stream Buffering

- [Buffering Concepts](#): Terminology is defined here.
- [Flushing Buffers](#): How to ensure that output buffers are flushed.
- [Controlling Buffering](#): How to specify what kind of buffering to use.

## Other Kinds of Streams

- [String Streams](#): Streams that get data from or put data in a string or memory buffer.
- [Obstack Streams](#): Streams that store data in an obstack.
- [Custom Streams](#): Defining your own streams with an arbitrary input data source and/or output data sink.

## Custom Streams

- [Streams and Cookies](#): The *cookie* records where to fetch or store data that is read or written.
- [Hook Functions](#): How you should define the four *hook functions* that a custom stream needs.

## Formatted Messages

- [Printing Formatted Messages](#): The `fmtmsg` function.
- [Adding Severity Classes](#): Add more severity classes.
- [Example](#): How to use `fmtmsg` and `addseverity`.

## Low-Level I/O

- [Opening and Closing Files](#): How to open and close file descriptors.
- [I/O Primitives](#): Reading and writing data.
- [File Position Primitive](#): Setting a descriptor's file position.
- [Descriptors and Streams](#): Converting descriptor to stream or vice-versa.
- [Stream/Descriptor Precautions](#): Precautions needed if you use both descriptors and streams.
- [Scatter-Gather](#): Fast I/O to discontinuous buffers.
- [Memory-mapped I/O](#): Using files like memory.
- [Waiting for I/O](#): How to check for input or output on multiple file descriptors.
- [Synchronizing I/O](#): Making sure all I/O actions completed.
- [Asynchronous I/O](#): Perform I/O in parallel.
- [Control Operations](#): Various other operations on file descriptors.
- [Duplicating Descriptors](#): `Fcntl` commands for duplicating file descriptors.
- [Descriptor Flags](#): `Fcntl` commands for manipulating flags associated with file descriptors.
- [File Status Flags](#): `Fcntl` commands for manipulating flags associated with open files.
- [File Locks](#): `Fcntl` commands for implementing file locking.
- [Interrupt Input](#): Getting an asynchronous signal when input arrives.
- [IOCTLs](#): Generic I/O Control operations.

## Stream/Descriptor Precautions

- [Linked Channels](#): Dealing with channels sharing a file position.
- [Independent Channels](#): Dealing with separately opened, unlinked channels.
- [Cleaning Streams](#): Cleaning a stream makes it safe to use another channel.

## Asynchronous I/O

- [Asynchronous Reads/Writes](#): Asynchronous Read and Write Operations.
- [Status of AIO Operations](#): Getting the Status of AIO Operations.
- [Synchronizing AIO Operations](#): Getting into a consistent state.
- [Cancel AIO Operations](#): Cancellation of AIO Operations.
- [Configuration of AIO](#): How to optimize the AIO implementation.

## File Status Flags

- [Access Modes](#): Whether the descriptor can read or write.
- [Open-time Flags](#): Details of `open`.
- [Operating Modes](#): Special modes to control I/O operations.
- [Getting File Status Flags](#): Fetching and changing these flags.

## File System Interface

- [Working Directory](#): This is used to resolve relative file names.
- [Accessing Directories](#): Finding out what files a directory contains.
- [Working with Directory Trees](#): Apply actions to all files or a selectable subset of a directory hierarchy.
- [Hard Links](#): Adding alternate names to a file.
- [Symbolic Links](#): A file that "points to" a file name.
- [Deleting Files](#): How to delete a file, and what that means.
- [Renaming Files](#): Changing a file's name.
- [Creating Directories](#): A system call just for creating a directory.
- [File Attributes](#): Attributes of individual files.
- [Making Special Files](#): How to create special files.
- [Temporary Files](#): Naming and creating temporary files.

## Accessing Directories

- [Directory Entries](#): Format of one directory entry.
- [Opening a Directory](#): How to open a directory stream.
- [Reading/Closing Directory](#): How to read directory entries from the stream.

- [Simple Directory Lister](#): A very simple directory listing program.
- [Random Access Directory](#): Rereading part of the directory already read with the same stream.
- [Scanning Directory Content](#): Get entries for user selected subset of contents in given directory.
- [Simple Directory Lister Mark II](#): Revised version of the program.

## File Attributes

- [Attribute Meanings](#): The names of the file attributes, and what their values mean.
- [Reading Attributes](#): How to read the attributes of a file.
- [Testing File Type](#): Distinguishing ordinary files, directories, links...
- [File Owner](#): How ownership for new files is determined, and how to change it.
- [Permission Bits](#): How information about a file's access mode is stored.
- [Access Permission](#): How the system decides who can access a file.
- [Setting Permissions](#): How permissions for new files are assigned, and how to change them.
- [Testing File Access](#): How to find out if your process can access a file.
- [File Times](#): About the time attributes of a file.
- [File Size](#): Manually changing the size of a file.

## Pipes and FIFOs

- [Creating a Pipe](#): Making a pipe with the `pipe` function.
- [Pipe to a Subprocess](#): Using a pipe to communicate with a child process.
- [FIFO Special Files](#): Making a FIFO special file.
- [Pipe Atomicity](#): When pipe (or FIFO) I/O is atomic.

## Sockets

- [Socket Concepts](#): Basic concepts you need to know about.
- [Communication Styles](#): Stream communication, datagrams and other styles.
- [Socket Addresses](#): How socket names ("addresses") work.
- [Interface Naming](#): Identifying specific network interfaces.
- [Local Namespace](#): Details about the local namespace.
- [Internet Namespace](#): Details about the Internet namespace.
- [Misc Namespaces](#): Other namespaces not documented fully here.
- [Open/Close Sockets](#): Creating sockets and destroying them.
- [Connections](#): Operations on sockets with connection state.
- [Datagrams](#): Operations on datagram sockets.
- [Inetd](#): Inetd is a daemon that starts servers on request. The most convenient way to write a server is to make it work with Inetd.

- [Socket Options](#): Miscellaneous low-level socket options.
- [Networks Database](#): Accessing the database of network names.

## Socket Addresses

- [Address Formats](#): About `struct sockaddr`.
- [Setting Address](#): Binding an address to a socket.
- [Reading Address](#): Reading the address of a socket.

## Local Namespace

- [Concepts](#): What you need to understand.
- [Details](#): Address format, symbolic names, etc.
- [Example](#): Example of creating a socket.

## Internet Namespace

- [Internet Address Formats](#): How socket addresses are specified in the Internet namespace.
- [Host Addresses](#): All about host addresses of Internet host.
- [Protocols Database](#): Referring to protocols by name.
- [Ports](#): Internet port numbers.
- [Services Database](#): Ports may have symbolic names.
- [Byte Order](#): Different hosts may use different byte ordering conventions; you need to canonicalize host address and port number.
- [Inet Example](#): Putting it all together.

## Host Addresses

- [Abstract Host Addresses](#): What a host number consists of.
- [Data type](#): Data type for a host number.
- [Functions](#): Functions to operate on them.
- [Names](#): Translating host names to host numbers.

## Open/Close Sockets

- [Creating a Socket](#): How to open a socket.
- [Closing a Socket](#): How to close a socket.
- [Socket Pairs](#): These are created like pipes.

## Connections

- [Connecting](#): What the client program must do.
- [Listening](#): How a server program waits for requests.
- [Accepting Connections](#): What the server does when it gets a request.
- [Who is Connected](#): Getting the address of the other side of a connection.
- [Transferring Data](#): How to send and receive data.
- [Byte Stream Example](#): An example program: a client for communicating over a byte stream socket in the Internet namespace.
- [Server Example](#): A corresponding server program.
- [Out-of-Band Data](#): This is an advanced feature.

## Transferring Data

- [Sending Data](#): Sending data with `send`.
- [Receiving Data](#): Reading data with `recv`.
- [Socket Data Options](#): Using `send` and `recv`.

## Datagrams

- [Sending Datagrams](#): Sending packets on a datagram socket.
- [Receiving Datagrams](#): Receiving packets on a datagram socket.
- [Datagram Example](#): An example program: packets sent over a datagram socket in the local namespace.
- [Example Receiver](#): Another program, that receives those packets.

## Inetd

- [Inetd Servers](#):
- [Configuring Inetd](#):

## Socket Options

- [Socket Option Functions](#): The basic functions for setting and getting socket options.
- [Socket-Level Options](#): Details of the options at the socket level.

## Low-Level Terminal Interface

- [Is It a Terminal](#): How to determine if a file is a terminal device, and what its name is.



- [I/O Queues](#): About flow control and typeahead.
- [Canonical or Not](#): Two basic styles of input processing.
- [Terminal Modes](#): How to examine and modify flags controlling details of terminal I/O: echoing, signals, editing. Posix.
- [BSD Terminal Modes](#): BSD compatible terminal mode setting
- [Line Control](#): Sending break sequences, clearing terminal buffers ...
- [Noncanon Example](#): How to read single characters without echo.
- [Pseudo-Terminals](#): How to open a pseudo-terminal.

## Terminal Modes

- [Mode Data Types](#): The data type `struct termios` and related types.
- [Mode Functions](#): Functions to read and set the terminal attributes.
- [Setting Modes](#): The right way to set terminal attributes reliably.
- [Input Modes](#): Flags controlling low-level input handling.
- [Output Modes](#): Flags controlling low-level output handling.
- [Control Modes](#): Flags controlling serial port behavior.
- [Local Modes](#): Flags controlling high-level input handling.
- [Line Speed](#): How to read and set the terminal line speed.
- [Special Characters](#): Characters that have special effects, and how to change them.
- [Noncanonical Input](#): Controlling how long to wait for input.

## Special Characters

- [Editing Characters](#): Special characters that terminate lines and delete text, and other editing functions.
- [Signal Characters](#): Special characters that send or raise signals to or for certain classes of processes.
- [Start/Stop Characters](#): Special characters that suspend or resume suspended output.
- [Other Special](#): Other special characters for BSD systems: they can discard output, and print status.

## Pseudo-Terminals

- [Allocation](#): Allocating a pseudo terminal.
- [Pseudo-Terminal Pairs](#): How to open both sides of a pseudo-terminal in a single operation.

## Syslog

- [Overview of Syslog](#): Overview of a system's Syslog facility
- [Submitting Syslog Messages](#): Functions to submit messages to Syslog

### Submitting Syslog Messages

- [openlog](#): Open connection to Syslog
- [syslog; vsyslog](#): Submit message to Syslog
- [closelog](#): Close connection to Syslog
- [setlogmask](#): Cause certain messages to be ignored
- [Syslog Example](#): Example of all of the above

### Mathematics

- [Mathematical Constants](#): Precise numeric values for often-used constants.
- [Trig Functions](#): Sine, cosine, tangent, and friends.
- [Inverse Trig Functions](#): Arcsine, arccosine, etc.
- [Exponents and Logarithms](#): Also pow and sqrt.
- [Hyperbolic Functions](#): sinh, cosh, tanh, etc.
- [Special Functions](#): Bessel, gamma, erf.
- [Errors in Math Functions](#): Known Maximum Errors in Math Functions.
- [Pseudo-Random Numbers](#): Functions for generating pseudo-random numbers.
- [FP Function Optimizations](#): Fast code or small code.

### Pseudo-Random Numbers

- [ISO Random](#): rand and friends.
- [BSD Random](#): random and friends.
- [SVID Random](#): drand48 and friends.

### Arithmetic

- [Integers](#): Basic integer types and concepts
- [Integer Division](#): Integer division with guaranteed rounding.
- [Floating Point Numbers](#): Basic concepts. IEEE 754.
- [Floating Point Classes](#): The five kinds of floating-point number.
- [Floating Point Errors](#): When something goes wrong in a calculation.
- [Rounding](#): Controlling how results are rounded.
- [Control Functions](#): Saving and restoring the FPU's state.
- [Arithmetic Functions](#): Fundamental operations provided by the library.

- [Complex Numbers](#): The types. Writing complex constants.
- [Operations on Complex](#): Projection, conjugation, decomposition.
- [Parsing of Numbers](#): Converting strings to numbers.
- [System V Number Conversion](#): An archaic way to convert numbers to strings.

## Floating Point Errors

- [FP Exceptions](#): IEEE 754 math exceptions and how to detect them.
- [Infinity and NaN](#): Special values returned by calculations.
- [Status bit operations](#): Checking for exceptions after the fact.
- [Math Error Reporting](#): How the math functions report errors.

## Arithmetic Functions

- [Absolute Value](#): Absolute values of integers and floats.
- [Normalization Functions](#): Extracting exponents and putting them back.
- [Rounding Functions](#): Rounding floats to integers.
- [Remainder Functions](#): Remainders on division, precisely defined.
- [FP Bit Twiddling](#): Sign bit adjustment. Adding epsilon.
- [FP Comparison Functions](#): Comparisons without risk of exceptions.
- [Misc FP Arithmetic](#): Max, min, positive difference, multiply-add.

## Parsing of Numbers

- [Parsing of Integers](#): Functions for conversion of integer values.
- [Parsing of Floats](#): Functions for conversion of floating-point values.

## Date and Time

- [Time Basics](#): Concepts and definitions.
- [Elapsed Time](#): Data types to represent elapsed times
- [Processor And CPU Time](#): Time a program has spent executing.
- [Calendar Time](#): Manipulation of "real" dates and times.
- [Setting an Alarm](#): Sending a signal after a specified time.
- [Sleeping](#): Waiting for a period of time.

## Processor And CPU Time

- [CPU Time](#): The `clock` function.

- [Processor Time](#): The `times` function.

## Calendar Time

- [Simple Calendar Time](#): Facilities for manipulating calendar time.
- [High-Resolution Calendar](#): A time representation with greater precision.
- [Broken-down Time](#): Facilities for manipulating local time.
- [High Accuracy Clock](#): Maintaining a high accuracy system clock.
- [Formatting Calendar Time](#): Converting times to strings.
- [Parsing Date and Time](#): Convert textual time and date information back into broken-down time values.
- [TZ Variable](#): How users specify the time zone.
- [Time Zone Functions](#): Functions to examine or specify the time zone.
- [Time Functions Example](#): An example program showing use of some of the time functions.

## Parsing Date and Time

- [Low-Level Time String Parsing](#): Interpret string according to given format.
- [General Time String Parsing](#): User-friendly function to parse data and time strings.

## Resource Usage And Limitation

- [Resource Usage](#): Measuring various resources used.
- [Limits on Resources](#): Specifying limits on resource usage.
- [Priority](#): Reading or setting process run priority.
- [Memory Resources](#): Querying memory available resources.
- [Processor Resources](#): Learn about the processors available.

## Priority

- [Absolute Priority](#): The first tier of priority. Posix
- [Realtime Scheduling](#): Scheduling among the process nobility
- [Basic Scheduling Functions](#): Get/set scheduling policy, priority
- [Traditional Scheduling](#): Scheduling among the vulgar masses
- [CPU Affinity](#): Limiting execution to certain CPUs

## Traditional Scheduling

- [Traditional Scheduling Intro](#):

- [Traditional Scheduling Functions](#):

## Memory Resources

- [Memory Subsystem](#): Overview about traditional Unix memory handling.
- [Query Memory Parameters](#): How to get information about the memory subsystem?

## Non-Local Exits

- [Intro](#): When and how to use these facilities.
- [Details](#): Functions for non-local exits.
- [Non-Local Exits and Signals](#): Portability issues.
- [System V contexts](#): Complete context control a la System V.

## Signal Handling

- [Concepts of Signals](#): Introduction to the signal facilities.
- [Standard Signals](#): Particular kinds of signals with standard names and meanings.
- [Signal Actions](#): Specifying what happens when a particular signal is delivered.
- [Defining Handlers](#): How to write a signal handler function.
- [Interrupted Primitives](#): Signal handlers affect use of `open`, `read`, `write` and other functions.
- [Generating Signals](#): How to send a signal to a process.
- [Blocking Signals](#): Making the system hold signals temporarily.
- [Waiting for a Signal](#): Suspending your program until a signal arrives.
- [Signal Stack](#): Using a Separate Signal Stack.
- [BSD Signal Handling](#): Additional functions for backward compatibility with BSD.

## Concepts of Signals

- [Kinds of Signals](#): Some examples of what can cause a signal.
- [Signal Generation](#): Concepts of why and how signals occur.
- [Delivery of Signal](#): Concepts of what a signal does to the process.

## Standard Signals

- [Program Error Signals](#): Used to report serious program errors.
- [Termination Signals](#): Used to interrupt and/or terminate the program.
- [Alarm Signals](#): Used to indicate expiration of timers.
- [Asynchronous I/O Signals](#): Used to indicate input is available.

- [Job Control Signals](#): Signals used to support job control.
- [Operation Error Signals](#): Used to report operational system errors.
- [Miscellaneous Signals](#): Miscellaneous Signals.
- [Signal Messages](#): Printing a message describing a signal.

## Signal Actions

- [Basic Signal Handling](#): The simple `signal` function.
- [Advanced Signal Handling](#): The more powerful `sigaction` function.
- [Signal and Sigaction](#): How those two functions interact.
- [Sigaction Function Example](#): An example of using the `sigaction` function.
- [Flags for Sigaction](#): Specifying options for signal handling.
- [Initial Signal Actions](#): How programs inherit signal actions.

## Defining Handlers

- [Handler Returns](#): Handlers that return normally, and what this means.
- [Termination in Handler](#): How handler functions terminate a program.
- [Longjmp in Handler](#): Nonlocal transfer of control out of a signal handler.
- [Signals in Handler](#): What happens when signals arrive while the handler is already occupied.
- [Merged Signals](#): When a second signal arrives before the first is handled.
- [Nonreentrancy](#): Do not call any functions unless you know they are reentrant with respect to signals.
- [Atomic Data Access](#): A single handler can run in the middle of reading or writing a single object.

## Atomic Data Access

- [Non-atomic Example](#): A program illustrating interrupted access.
- [Types](#): Data types that guarantee no interruption.
- [Usage](#): Proving that interruption is harmless.

## Generating Signals

- [Signaling Yourself](#): A process can send a signal to itself.
- [Signaling Another Process](#): Send a signal to another process.
- [Permission for kill](#): Permission for using `kill`.
- [Kill Example](#): Using `kill` for Communication.

## Blocking Signals

- [Why Block](#): The purpose of blocking signals.
- [Signal Sets](#): How to specify which signals to block.
- [Process Signal Mask](#): Blocking delivery of signals to your process during normal execution.
- [Testing for Delivery](#): Blocking to Test for Delivery of a Signal.
- [Blocking for Handler](#): Blocking additional signals while a handler is being run.
- [Checking for Pending Signals](#): Checking for Pending Signals
- [Remembering a Signal](#): How you can get almost the same effect as blocking a signal, by handling it and setting a flag to be tested later.

## Waiting for a Signal

- [Using Pause](#): The simple way, using pause.
- [Pause Problems](#): Why the simple way is often not very good.
- [Sigsuspend](#): Reliably waiting for a specific signal.

## BSD Signal Handling

- [BSD Handler](#): BSD Function to Establish a Handler.
- [Blocking in BSD](#): BSD Functions for Blocking Signals.

## Program Basics

- [Program Arguments](#): Parsing your program's command-line arguments.
- [Environment Variables](#): Less direct parameters affecting your program
- [System Calls](#): Requesting service from the system
- [Program Termination](#): Telling the system you're done; return status

## Program Arguments

- [Argument Syntax](#): By convention, options start with a hyphen.
- [Parsing Program Arguments](#): Ways to parse program options and arguments.

## Parsing Program Arguments

- [Getopt](#): Parsing program options using getopt.
- [Argp](#): Parsing program options using argp\_parse.
- [Suboptions](#): Some programs need more detailed options.
- [Suboptions Example](#): This shows how it could be done for mount.

## Environment Variables

- [Environment Access](#): How to get and set the values of environment variables.
- [Standard Environment](#): These environment variables have standard interpretations.

## Program Termination

- [Normal Termination](#): If a program calls `exit`, a process terminates normally.
- [Exit Status](#): The `exit` status provides information about why the process terminated.
- [Cleanups on Exit](#): A process can run its own cleanup functions upon normal termination.
- [Aborting a Program](#): The `abort` function causes abnormal program termination.
- [Termination Internals](#): What happens when a process terminates.

## Processes

- [Running a Command](#): The easy way to run another program.
- [Process Creation Concepts](#): An overview of the hard way to do it.
- [Process Identification](#): How to get the process ID of a process.
- [Creating a Process](#): How to fork a child process.
- [Executing a File](#): How to make a process execute another program.
- [Process Completion](#): How to tell when a child process has completed.
- [Process Completion Status](#): How to interpret the status value returned from a child process.
- [BSD Wait Functions](#): More functions, for backward compatibility.
- [Process Creation Example](#): A complete example program.

## Job Control

- [Concepts of Job Control](#): Jobs can be controlled by a shell.
- [Job Control is Optional](#): Not all POSIX systems support job control.
- [Controlling Terminal](#): How a process gets its controlling terminal.
- [Access to the Terminal](#): How processes share the controlling terminal.
- [Orphaned Process Groups](#): Jobs left after the user logs out.
- [Implementing a Shell](#): What a shell must do to implement job control.
- [Functions for Job Control](#): Functions to control process groups.

## Implementing a Shell

- [Data Structures](#): Introduction to the sample shell.
- [Initializing the Shell](#): What the shell must do to take responsibility for job control.



- [Launching Jobs](#): Creating jobs to execute commands.
- [Foreground and Background](#): Putting a job in foreground or background.
- [Stopped and Terminated Jobs](#): Reporting job status.
- [Continuing Stopped Jobs](#): How to continue a stopped job in the foreground or background.
- [Missing Pieces](#): Other parts of the shell.

## Functions for Job Control

- [Identifying the Terminal](#): Determining the controlling terminal's name.
- [Process Group Functions](#): Functions for manipulating process groups.
- [Terminal Access Functions](#): Functions for controlling terminal access.

## Name Service Switch

- [NSS Basics](#): What is this NSS good for.
- [NSS Configuration File](#): Configuring NSS.
- [NSS Module Internals](#): How does it work internally.
- [Extending NSS](#): What to do to add services or databases.

## NSS Configuration File

- [Services in the NSS configuration](#): Service names in the NSS configuration.
- [Actions in the NSS configuration](#): React appropriately to the lookup result.
- [Notes on NSS Configuration File](#): Things to take care about while configuring NSS.

## NSS Module Internals

- [NSS Module Names](#): Construction of the interface function of the NSS modules.
- [NSS Modules Interface](#): Programming interface in the NSS module functions.

## Extending NSS

- [Adding another Service to NSS](#): What is to do to add a new service.
- [NSS Module Function Internals](#): Guidelines for writing new NSS service functions.

## Users and Groups

- [User and Group IDs](#): Each user has a unique numeric ID; likewise for groups.
- [Process Persona](#): The user IDs and group IDs of a process.

- [Why Change Persona](#): Why a program might need to change its user and/or group IDs.
- [How Change Persona](#): Changing the user and group IDs.
- [Reading Persona](#): How to examine the user and group IDs.
  
- [Setting User ID](#): Functions for setting the user ID.
- [Setting Groups](#): Functions for setting the group IDs.
  
- [Enable/Disable Setuid](#): Turning setuid access on and off.
- [Setuid Program Example](#): The pertinent parts of one sample program.
- [Tips for Setuid](#): How to avoid granting unlimited access.
  
- [Who Logged In](#): Getting the name of the user who logged in, or of the real user ID of the current process.
  
- [User Accounting Database](#): Keeping information about users and various actions in databases.
  
- [User Database](#): Functions and data structures for accessing the user database.
- [Group Database](#): Functions and data structures for accessing the group database.
- [Database Example](#): Example program showing the use of database inquiry functions.
- [Netgroup Database](#): Functions for accessing the netgroup database.

### User Accounting Database

- [Manipulating the Database](#): Scanning and modifying the user accounting database.
- [XPG Functions](#): A standardized way for doing the same thing.
- [Logging In and Out](#): Functions from BSD that modify the user accounting database.

### User Database

- [User Data Structure](#): What each user record contains.
- [Lookup User](#): How to look for a particular user.
- [Scanning All Users](#): Scanning the list of all users, one by one.
- [Writing a User Entry](#): How a program can rewrite a user's record.

### Group Database

- [Group Data Structure](#): What each group record contains.
- [Lookup Group](#): How to look for a particular group.
- [Scanning All Groups](#): Scanning the list of all groups.

## Netgroup Database

- [Netgroup Data](#): Data in the Netgroup database and where it comes from.
- [Lookup Netgroup](#): How to look for a particular netgroup.
- [Netgroup Membership](#): How to test for netgroup membership.

## System Management

- [Host Identification](#): Determining the name of the machine.
- [Platform Type](#): Determining operating system and basic machine type
- [Filesystem Handling](#): Controlling/querying mounts
- [System Parameters](#): Getting and setting various system parameters

## Filesystem Handling

- [Mount Information](#): What is or could be mounted?
- [Mount-Unmount-Remount](#): Controlling what is mounted and how

## Mount Information

- [fstab](#): The `fstab` file
- [mtab](#): The `mtab` file
- [Other Mount Information](#): Other (non-libc) sources of mount information

## System Configuration

- [General Limits](#): Constants and functions that describe various process-related limits that have one uniform value for any given machine.
- [System Options](#): Optional POSIX features.
- [Version Supported](#): Version numbers of POSIX.1 and POSIX.2.
- [Sysconf](#): Getting specific configuration values of general limits and system options.
- [Minimums](#): Minimum values for general limits.
  
- [Limits for Files](#): Size limitations that pertain to individual files. These can vary between file systems or even from file to file.
- [Options for Files](#): Optional features that some files may support.
- [File Minimums](#): Minimum values for file limits.
- [Pathconf](#): Getting the limit values for a particular file.

- [Utility Limits](#): Capacity limits of some POSIX.2 utility programs.
- [Utility Minimums](#): Minimum allowable values of those limits.
- [String Parameters](#): Getting the default search path.

## Sysconf

- [Sysconf Definition](#): Detailed specifications of `sysconf`.
- [Constants for Sysconf](#): The list of parameters `sysconf` can read.
- [Examples of Sysconf](#): How to use `sysconf` and the parameter macros properly together.

## Cryptographic Functions

- [Legal Problems](#): This software can get you locked up, or worse.
- [getpass](#): Prompting the user for a password.
- [crypt](#): A one-way function for passwords.
- [DES Encryption](#): Routines for DES encryption.

## Debugging Support

- [Backtraces](#): Obtaining and printing a back trace of the current stack.

## POSIX Threads

- [Basic Thread Operations](#): Creating, terminating, and waiting for threads.
- [Thread Attributes](#): Tuning thread scheduling.
- [Cancellation](#): Stopping a thread before it's done.
- [Cleanup Handlers](#): Deallocating resources when a thread is canceled.
- [Mutexes](#): One way to synchronize threads.
- [Condition Variables](#): Another way.
- [POSIX Semaphores](#): And a third way.
- [Thread-Specific Data](#): Variables with different values in different threads.
- [Threads and Signal Handling](#): Why you should avoid mixing the two, and how to do it if you must.
- [Threads and Fork](#): Interactions between threads and the `fork` function.
- [Streams and Fork](#): Interactions between `stdio` streams and `fork`.
- [Miscellaneous Thread Functions](#): A grab bag of utility routines.

## Language Features

- [Consistency Checking](#): Using `assert` to abort if something "impossible" happens.
- [Variadic Functions](#): Defining functions with varying numbers of args.
- [Null Pointer Constant](#): The macro `NULL`.
- [Important Data Types](#): Data types for object sizes.
- [Data Type Measurements](#): Parameters of data type representations.

## Variadic Functions

- [Why Variadic](#): Reasons for making functions take variable arguments.
- [How Variadic](#): How to define and call variadic functions.
- [Variadic Example](#): A complete example.

## How Variadic

- [Variadic Prototypes](#): How to make a prototype for a function with variable arguments.
- [Receiving Arguments](#): Steps you must follow to access the optional argument values.
- [How Many Arguments](#): How to decide whether there are more arguments.
- [Calling Variadics](#): Things you need to know about calling variable arguments functions.
- [Argument Macros](#): Detailed specification of the macros for accessing variable arguments.
- [Old Varargs](#): The pre-ISO way of defining variadic functions.

## Data Type Measurements

- [Width of Type](#): How many bits does an integer type hold?
- [Range of Type](#): What are the largest and smallest values that an integer type can hold?
- [Floating Type Macros](#): Parameters that measure the floating point types.
- [Structure Measurement](#): Getting measurements on structure types.

## Floating Type Macros

- [Floating Point Concepts](#): Definitions of terminology.
- [Floating Point Parameters](#): Details of specific macros.
- [IEEE Floating Point](#): The measurements for one common representation.

## Installation

- [Configuring and compiling](#): How to compile and test GNU libc.
- [Running make install](#): How to install it once you've got it compiled.

- [Tools for Compilation](#): You'll need these first.
- [Supported Configurations](#): What it runs on, what it doesn't.
- [Linux](#): Specific advice for GNU/Linux systems.
- [Reporting Bugs](#): So they'll get fixed.

## Maintenance

- [Source Layout](#): How to add new functions or header files to the GNU C library.
- [Porting](#): How to port the GNU C library to a new machine or operating system.

## Porting

- [Hierarchy Conventions](#): The layout of the `sysdeps` hierarchy.
- [Porting to Unix](#): Porting the library to an average Unix-like system.

---

Node: Introduction, Next: [Error Reporting](#), Previous: [Top](#), Up: [Top](#)

# Introduction

The C language provides no built-in facilities for performing such common operations as input/output, memory management, string manipulation, and the like. Instead, these facilities are defined in a standard *library*, which you compile and link with your programs.

The GNU C library, described in this document, defines all of the library functions that are specified by the ISO C standard, as well as additional features specific to POSIX and other derivatives of the Unix operating system, and extensions specific to the GNU system.

The purpose of this manual is to tell you how to use the facilities of the GNU library. We have mentioned which features belong to which standards to help you identify things that are potentially non-portable to other systems. But the emphasis in this manual is not on strict portability.

- [Getting Started](#): What this manual is for and how to use it.
- [Standards and Portability](#): Standards and sources upon which the GNU C library is based.
- [Using the Library](#): Some practical uses for the library.
- [Roadmap to the Manual](#): Overview of the remaining chapters in this manual.

---

Node: Getting Started, Next: [Standards and Portability](#), Up: [Introduction](#)

## Getting Started

This manual is written with the assumption that you are at least somewhat familiar with the C programming language and basic programming concepts. Specifically, familiarity with ISO standard C (see [ISO C](#)), rather than "traditional" pre-ISO C dialects, is assumed.

The GNU C library includes several *header files*, each of which provides definitions and declarations for a group of related facilities; this information is used by the C compiler when processing your program. For example, the header file `stdio.h` declares facilities for performing input and output, and the header file `string.h` declares string processing utilities. The organization of this manual generally follows the same division as the header files.

If you are reading this manual for the first time, you should read all of the introductory material and skim the remaining chapters. There are a *lot* of functions in the GNU C library and it's not realistic to expect that you will be able to remember exactly *how* to use each and every one of them. It's more important to become generally familiar with the kinds of facilities that the library provides, so that when you are writing your programs you can recognize *when* to make use of library functions, and *where* in this manual you can find more specific information about them.

---

Node: Standards and Portability, Next: [Using the Library](#), Previous: [Getting Started](#), Up: [Introduction](#)

## Standards and Portability

This section discusses the various standards and other sources that the GNU C library is based upon. These sources include the ISO C and POSIX standards, and the System V and Berkeley Unix implementations.

The primary focus of this manual is to tell you how to make effective use of the GNU library facilities. But if you are concerned about making your programs compatible with these standards, or portable to operating systems other than GNU, this can affect how you use the library. This section gives you an overview of these standards, so that you will know what they are when they are mentioned in other parts of the manual.

See [Library Summary](#), for an alphabetical list of the functions and other symbols provided by the library. This list also states which standards each function or symbol comes from.

- [ISO C](#): The international standard for the C programming language.
- [POSIX](#): The ISO/IEC 9945 (aka IEEE 1003) standards for operating systems.
- [Berkeley Unix](#): BSD and SunOS.
- [SVID](#): The System V Interface Description.

- [XPG](#): The X/Open Portability Guide.

---

Node: ISO C, Next: [POSIX](#), Up: [Standards and Portability](#)

## ISO C

The GNU C library is compatible with the C standard adopted by the American National Standards Institute (ANSI): *American National Standard X3.159-1989--"ANSI C"* and later by the International Standardization Organization (ISO): *ISO/IEC 9899:1990, "Programming languages--C"*. We here refer to the standard as ISO C since this is the more general standard in respect of ratification. The header files and library facilities that make up the GNU library are a superset of those specified by the ISO C standard.

If you are concerned about strict adherence to the ISO C standard, you should use the `-ansi` option when you compile your programs with the GNU C compiler. This tells the compiler to define *only* ISO standard features from the library header files, unless you explicitly ask for additional features. See [Feature Test Macros](#), for information on how to do this.

Being able to restrict the library to include only ISO C features is important because ISO C puts limitations on what names can be defined by the library implementation, and the GNU extensions don't fit these limitations. See [Reserved Names](#), for more information about these restrictions.

This manual does not attempt to give you complete details on the differences between ISO C and older dialects. It gives advice on how to write programs to work portably under multiple C dialects, but does not aim for completeness.

---

Node: POSIX, Next: [Berkeley Unix](#), Previous: [ISO C](#), Up: [Standards and Portability](#)

## POSIX (The Portable Operating System Interface)

The GNU library is also compatible with the ISO *POSIX* family of standards, known more formally as the *Portable Operating System Interface for Computer Environments* (ISO/IEC 9945). They were also published as ANSI/IEEE Std 1003. POSIX is derived mostly from various versions of the Unix operating system.

The library facilities specified by the POSIX standards are a superset of those required by ISO C; POSIX specifies additional features for ISO C functions, as well as specifying new additional functions. In general, the additional requirements and functionality defined by the POSIX standards are aimed at providing lower-level support for a particular kind of operating system environment, rather than general



programming language support which can run in many diverse operating system environments.

The GNU C library implements all of the functions specified in *ISO/IEC 9945-1:1996, the POSIX System Application Program Interface*, commonly referred to as POSIX.1. The primary extensions to the ISO C facilities specified by this standard include file system interface primitives (see [File System Interface](#)), device-specific terminal control functions (see [Low-Level Terminal Interface](#)), and process control functions (see [Processes](#)).

Some facilities from *ISO/IEC 9945-2:1993, the POSIX Shell and Utilities standard* (POSIX.2) are also implemented in the GNU library. These include utilities for dealing with regular expressions and other pattern matching facilities (see [Pattern Matching](#)).

---

Node: Berkeley Unix, Next: [SVID](#), Previous: [POSIX](#), Up: [Standards and Portability](#)

## Berkeley Unix

The GNU C library defines facilities from some versions of Unix which are not formally standardized, specifically from the 4.2 BSD, 4.3 BSD, and 4.4 BSD Unix systems (also known as *Berkeley Unix*) and from *SunOS* (a popular 4.2 BSD derivative that includes some Unix System V functionality). These systems support most of the ISO C and POSIX facilities, and 4.4 BSD and newer releases of SunOS in fact support them all.

The BSD facilities include symbolic links (see [Symbolic Links](#)), the `select` function (see [Waiting for I/O](#)), the BSD signal functions (see [BSD Signal Handling](#)), and sockets (see [Sockets](#)).

---

Node: SVID, Next: [XPG](#), Previous: [Berkeley Unix](#), Up: [Standards and Portability](#)

## SVID (The System V Interface Description)

The *System V Interface Description* (SVID) is a document describing the AT&T Unix System V operating system. It is to some extent a superset of the POSIX standard (see [POSIX](#)).

The GNU C library defines most of the facilities required by the SVID that are not also required by the ISO C or POSIX standards, for compatibility with System V Unix and other Unix systems (such as SunOS) which include these facilities. However, many of the more obscure and less generally useful facilities required by the SVID are not included. (In fact, Unix System V itself does not provide them all.)

The supported facilities from System V include the methods for inter-process communication and shared memory, the `hsearch` and `drand48` families of functions, `fntmsg` and several of the mathematical functions.

---

Node: XPG, Previous: [SVID](#), Up: [Standards and Portability](#)

## XPG (The X/Open Portability Guide)

The X/Open Portability Guide, published by the X/Open Company, Ltd., is a more general standard than POSIX. X/Open owns the Unix copyright and the XPG specifies the requirements for systems which are intended to be a Unix system.

The GNU C library complies to the X/Open Portability Guide, Issue 4.2, with all extensions common to XSI (X/Open System Interface) compliant systems and also all X/Open UNIX extensions.

The additions on top of POSIX are mainly derived from functionality available in System V and BSD systems. Some of the really bad mistakes in System V systems were corrected, though. Since fulfilling the XPG standard with the Unix extensions is a precondition for getting the Unix brand chances are good that the functionality is available on commercial systems.

---

Node: Using the Library, Next: [Roadmap to the Manual](#), Previous: [Standards and Portability](#),  
Up: [Introduction](#)

## Using the Library

This section describes some of the practical issues involved in using the GNU C library.

- [Header Files](#): How to include the header files in your programs.
- [Macro Definitions](#): Some functions in the library may really be implemented as macros.
- [Reserved Names](#): The C standard reserves some names for the library, and some for users.
- [Feature Test Macros](#): How to control what names are defined.

---

Node: Header Files, Next: [Macro Definitions](#), Up: [Using the Library](#)

## Header Files

Libraries for use by C programs really consist of two parts: *header files* that define types and macros and

declare variables and functions; and the actual library or *archive* that contains the definitions of the variables and functions.

(Recall that in C, a *declaration* merely provides information that a function or variable exists and gives its type. For a function declaration, information about the types of its arguments might be provided as well. The purpose of declarations is to allow the compiler to correctly process references to the declared variables and functions. A *definition*, on the other hand, actually allocates storage for a variable or says what a function does.)

In order to use the facilities in the GNU C library, you should be sure that your program source files include the appropriate header files. This is so that the compiler has declarations of these facilities available and can correctly process references to them. Once your program has been compiled, the linker resolves these references to the actual definitions provided in the archive file.

Header files are included into a program source file by the `#include` preprocessor directive. The C language supports two forms of this directive; the first,

```
#include "header"
```

is typically used to include a header file *header* that you write yourself; this would contain definitions and declarations describing the interfaces between the different parts of your particular application. By contrast,

```
#include <file.h>
```

is typically used to include a header file `file.h` that contains definitions and declarations for a standard library. This file would normally be installed in a standard place by your system administrator. You should use this second form for the C library header files.

Typically, `#include` directives are placed at the top of the C source file, before any other code. If you begin your source files with some comments explaining what the code in the file does (a good idea), put the `#include` directives immediately afterwards, following the feature test macro definition (see [Feature Test Macros](#)).

For more information about the use of header files and `#include` directives, see [Header Files](#).

The GNU C library provides several header files, each of which contains the type and macro definitions and variable and function declarations for a group of related facilities. This means that your programs may need to include several header files, depending on exactly which facilities you are using.

Some library header files include other library header files automatically. However, as a matter of programming style, you should not rely on this; it is better to explicitly include all the header files required for the library facilities you are using. The GNU C library header files have been written in such a way that it doesn't matter if a header file is accidentally included more than once; including a header file a second time has no effect. Likewise, if your program needs to include multiple header files, the order in which they are included doesn't matter.

**Compatibility Note:** Inclusion of standard header files in any order and any number of times works in any ISO C implementation. However, this has traditionally not been the case in many older C implementations.

Strictly speaking, you don't *have to* include a header file to use a function it declares; you could declare the function explicitly yourself, according to the specifications in this manual. But it is usually better to include the header file because it may define types and macros that are not otherwise available and because it may define more efficient macro replacements for some functions. It is also a sure way to have the correct declaration.

---

Node: Macro Definitions, Next: [Reserved Names](#), Previous: [Header Files](#), Up: [Using the Library](#)

## Macro Definitions of Functions

If we describe something as a function in this manual, it may have a macro definition as well. This normally has no effect on how your program runs--the macro definition does the same thing as the function would. In particular, macro equivalents for library functions evaluate arguments exactly once, in the same way that a function call would. The main reason for these macro definitions is that sometimes they can produce an inline expansion that is considerably faster than an actual function call.

Taking the address of a library function works even if it is also defined as a macro. This is because, in this context, the name of the function isn't followed by the left parenthesis that is syntactically necessary to recognize a macro call.

You might occasionally want to avoid using the macro definition of a function--perhaps to make your program easier to debug. There are two ways you can do this:

- You can avoid a macro definition in a specific use by enclosing the name of the function in parentheses. This works because the name of the function doesn't appear in a syntactic context where it is recognizable as a macro call.
- You can suppress any macro definition for a whole source file by using the `#undef` preprocessor directive, unless otherwise stated explicitly in the description of that facility.

For example, suppose the header file `stdlib.h` declares a function named `abs` with

```
extern int abs (int);
```

and also provides a macro definition for `abs`. Then, in:

```
#include <stdlib.h>
int f (int *i) { return abs (++*i); }
```

the reference to `abs` might refer to either a macro or a function. On the other hand, in each of the following examples the reference is to a function and not a macro.

```
#include <stdlib.h>
int g (int *i) { return (abs) (++*i); }

#undef abs
int h (int *i) { return abs (++*i); }
```

Since macro definitions that double for a function behave in exactly the same way as the actual function version, there is usually no need for any of these methods. In fact, removing macro definitions usually just makes your program slower.

---

Node: [Reserved Names](#), Next: [Feature Test Macros](#), Previous: [Macro Definitions](#), Up: [Using the Library](#)

## Reserved Names

The names of all library types, macros, variables and functions that come from the ISO C standard are reserved unconditionally; your program **may not** redefine these names. All other library names are reserved if your program explicitly includes the header file that defines or declares them. There are several reasons for these restrictions:

- Other people reading your code could get very confused if you were using a function named `exit` to do something completely different from what the standard `exit` function does, for example. Preventing this situation helps to make your programs easier to understand and contributes to modularity and maintainability.
- It avoids the possibility of a user accidentally redefining a library function that is called by other library functions. If redefinition were allowed, those other functions would not work properly.
- It allows the compiler to do whatever special optimizations it pleases on calls to these functions, without the possibility that they may have been redefined by the user. Some library facilities, such as those for dealing with variadic arguments (see [Variadic Functions](#)) and non-local exits

(see [Non-Local Exits](#)), actually require a considerable amount of cooperation on the part of the C compiler, and with respect to the implementation, it might be easier for the compiler to treat these as built-in parts of the language.

In addition to the names documented in this manual, reserved names include all external identifiers (global functions and variables) that begin with an underscore (`_`) and all identifiers regardless of use that begin with either two underscores or an underscore followed by a capital letter are reserved names. This is so that the library and header files can define functions, variables, and macros for internal purposes without risk of conflict with names in user programs.

Some additional classes of identifier names are reserved for future extensions to the C language or the POSIX.1 environment. While using these names for your own purposes right now might not cause a problem, they do raise the possibility of conflict with future versions of the C or POSIX standards, so you should avoid these names.

- Names beginning with a capital `E` followed a digit or uppercase letter may be used for additional error code names. See [Error Reporting](#).
- Names that begin with either `is` or `to` followed by a lowercase letter may be used for additional character testing and conversion functions. See [Character Handling](#).
- Names that begin with `LC_` followed by an uppercase letter may be used for additional macros specifying locale attributes. See [Locales](#).
- Names of all existing mathematics functions (see [Mathematics](#)) suffixed with `f` or `l` are reserved for corresponding functions that operate on `float` and `long double` arguments, respectively.
- Names that begin with `SIG` followed by an uppercase letter are reserved for additional signal names. See [Standard Signals](#).
- Names that begin with `SIG_` followed by an uppercase letter are reserved for additional signal actions. See [Basic Signal Handling](#).
- Names beginning with `str`, `mem`, or `wcs` followed by a lowercase letter are reserved for additional string and array functions. See [String and Array Utilities](#).
- Names that end with `_t` are reserved for additional type names.

In addition, some individual header files reserve names beyond those that they actually define. You only need to worry about these restrictions if your program includes that particular header file.

- The header file `dirent.h` reserves names prefixed with `d_`.
- The header file `fcntl.h` reserves names prefixed with `l_`, `F_`, `O_`, and `S_`.
- The header file `grp.h` reserves names prefixed with `gr_`.
- The header file `limits.h` reserves names suffixed with `_MAX`.
- The header file `pwd.h` reserves names prefixed with `pw_`.
- The header file `signal.h` reserves names prefixed with `sa_` and `SA_`.
- The header file `sys/stat.h` reserves names prefixed with `st_` and `S_`.

- The header file `sys/times.h` reserves names prefixed with `tms_`.
- The header file `termios.h` reserves names prefixed with `c_`, `V`, `I`, `O`, and `TC`; and names prefixed with `B` followed by a digit.

Node: Feature Test Macros, Previous: [Reserved Names](#), Up: [Using the Library](#)

## Feature Test Macros

The exact set of features available when you compile a source file is controlled by which *feature test macros* you define.

If you compile your programs using `gcc -ansi`, you get only the ISO C library features, unless you explicitly request additional features by defining one or more of the feature macros. See [GNU CC Command Options](#), for more information about GCC options.

You should define these macros by using `#define` preprocessor directives at the top of your source code files. These directives *must* come before any `#include` of a system header file. It is best to make them the very first thing in the file, preceded only by comments. You could also use the `-D` option to GCC, but it's better if you make the source files indicate their own meaning in a self-contained way.

This system exists to allow the library to conform to multiple standards. Although the different standards are often described as supersets of each other, they are usually incompatible because larger standards require functions with names that smaller ones reserve to the user program. This is not mere pedantry -- it has been a problem in practice. For instance, some non-GNU programs define functions named `getline` that have nothing to do with this library's `getline`. They would not be compilable if all features were enabled indiscriminately.

This should not be used to verify that a program conforms to a limited standard. It is insufficient for this purpose, as it will not protect you from including header files outside the standard, or relying on semantics undefined within the standard.

### **`_POSIX_SOURCE`**

Macro

If you define this macro, then the functionality from the POSIX.1 standard (IEEE Standard 1003.1) is available, as well as all of the ISO C facilities.

The state of `_POSIX_SOURCE` is irrelevant if you define the macro `_POSIX_C_SOURCE` to a positive integer.

### **`_POSIX_C_SOURCE`**

Macro

Define this macro to a positive integer to control which POSIX functionality is made available. The greater the value of this macro, the more functionality is made available.

If you define this macro to a value greater than or equal to 1, then the functionality from the 1990 edition of the POSIX.1 standard (IEEE Standard 1003.1-1990) is made available.

If you define this macro to a value greater than or equal to 2, then the functionality from the 1992 edition of the POSIX.2 standard (IEEE Standard 1003.2-1992) is made available.

If you define this macro to a value greater than or equal to 199309L, then the functionality from the 1993 edition of the POSIX.1b standard (IEEE Standard 1003.1b-1993) is made available.

Greater values for `_POSIX_C_SOURCE` will enable future extensions. The POSIX standards process will define these values as necessary, and the GNU C Library should support them some time after they become standardized. The 1996 edition of POSIX.1 (ISO/IEC 9945-1: 1996) states that if you define `_POSIX_C_SOURCE` to a value greater than or equal to 199506L, then the functionality from the 1996 edition is made available.

## **`_BSD_SOURCE`**

Macro

If you define this macro, functionality derived from 4.3 BSD Unix is included as well as the ISO C, POSIX.1, and POSIX.2 material.

Some of the features derived from 4.3 BSD Unix conflict with the corresponding features specified by the POSIX.1 standard. If this macro is defined, the 4.3 BSD definitions take precedence over the POSIX definitions.

Due to the nature of some of the conflicts between 4.3 BSD and POSIX.1, you need to use a special *BSD compatibility library* when linking programs compiled for BSD compatibility. This is because some functions must be defined in two different ways, one of them in the normal C library, and one of them in the compatibility library. If your program defines `_BSD_SOURCE`, you must give the option `-lbsd-compat` to the compiler or linker when linking the program, to tell it to find functions in this special compatibility library before looking for them in the normal C library.

## **`_SVID_SOURCE`**

Macro

If you define this macro, functionality derived from SVID is included as well as the ISO C, POSIX.1, POSIX.2, and X/Open material.

## **`_XOPEN_SOURCE`**

Macro



**`_XOPEN_SOURCE_EXTENDED`**

Macro

If you define this macro, functionality described in the X/Open Portability Guide is included. This is a superset of the POSIX.1 and POSIX.2 functionality and in fact `_POSIX_SOURCE` and `_POSIX_C_SOURCE` are automatically defined.

As the unification of all Unices, functionality only available in BSD and SVID is also included.

If the macro `_XOPEN_SOURCE_EXTENDED` is also defined, even more functionality is available. The extra functions will make all functions available which are necessary for the X/Open Unix brand.

If the macro `_XOPEN_SOURCE` has the value 500 this includes all functionality described so far plus some new definitions from the Single Unix Specification, version 2.

**`_LARGEFILE_SOURCE`**

Macro

If this macro is defined some extra functions are available which rectify a few shortcomings in all previous standards. Specifically, the functions `fseeko` and `ftello` are available. Without these functions the difference between the ISO C interface (`fseek`, `ftell`) and the low-level POSIX interface (`lseek`) would lead to problems.

This macro was introduced as part of the Large File Support extension (LFS).

**`_LARGEFILE64_SOURCE`**

Macro

If you define this macro an additional set of functions is made available which enables 32 bit systems to use files of sizes beyond the usual limit of 2GB. This interface is not available if the system does not support files that large. On systems where the natural file size limit is greater than 2GB (i.e., on 64 bit systems) the new functions are identical to the replaced functions.

The new functionality is made available by a new set of types and functions which replace the existing ones. The names of these new objects contain 64 to indicate the intention, e.g., `off_t` vs. `off64_t` and `fseeko` vs. `fseeko64`.

This macro was introduced as part of the Large File Support extension (LFS). It is a transition interface for the period when 64 bit offsets are not generally used (see `_FILE_OFFSET_BITS`).

**`_FILE_OFFSET_BITS`**

Macro

This macro determines which file system interface shall be used, one replacing the other. Whereas `_LARGEFILE64_SOURCE` makes the 64 bit interface available as an additional interface, `_FILE_OFFSET_BITS` allows the 64 bit interface to replace the old interface.

If `_FILE_OFFSET_BITS` is undefined, or if it is defined to the value 32, nothing changes. The 32 bit interface is used and types like `off_t` have a size of 32 bits on 32 bit systems.

If the macro is defined to the value 64, the large file interface replaces the old interface. I.e., the functions are not made available under different names (as they are with `_LARGEFILE64_SOURCE`). Instead the old function names now reference the new functions, e. g., a call to `fseeko` now indeed calls `fseeko64`.

This macro should only be selected if the system provides mechanisms for handling large files. On 64 bit systems this macro has no effect since the `*64` functions are identical to the normal functions.

This macro was introduced as part of the Large File Support extension (LFS).

## `_ISOC99_SOURCE`

Macro

Until the revised ISO C standard is widely adopted the new features are not automatically enabled. The GNU libc nevertheless has a complete implementation of the new standard and to enable the new features the macro `_ISOC99_SOURCE` should be defined.

## `_GNU_SOURCE`

Macro

If you define this macro, everything is included: ISO C89, ISO C99, POSIX.1, POSIX.2, BSD, SVID, X/Open, LFS, and GNU extensions. In the cases where POSIX.1 conflicts with BSD, the POSIX definitions take precedence.

If you want to get the full effect of `_GNU_SOURCE` but make the BSD definitions take precedence over the POSIX definitions, use this sequence of definitions:

```
#define _GNU_SOURCE
#define _BSD_SOURCE
#define _SVID_SOURCE
```

Note that if you do this, you must link your program with the BSD compatibility library by passing the `-lbsd-compat` option to the compiler or linker. **Note:** If you forget to do this, you may get very strange errors at run time.

**\_REENTRANT**

Macro

**\_THREAD\_SAFE**

Macro

If you define one of these macros, reentrant versions of several functions get declared. Some of the functions are specified in POSIX.1c but many others are only available on a few other systems or are unique to GNU libc. The problem is the delay in the standardization of the thread safe C library interface.

Unlike on some other systems, no special version of the C library must be used for linking. There is only one version but while compiling this it must have been specified to compile as thread safe.

We recommend you use `_GNU_SOURCE` in new programs. If you don't specify the `-ansi` option to GCC and don't define any of these macros explicitly, the effect is the same as defining `_POSIX_C_SOURCE` to 2 and `_POSIX_SOURCE`, `_SVID_SOURCE`, and `_BSD_SOURCE` to 1.

When you define a feature test macro to request a larger class of features, it is harmless to define in addition a feature test macro for a subset of those features. For example, if you define `_POSIX_C_SOURCE`, then defining `_POSIX_SOURCE` as well has no effect. Likewise, if you define `_GNU_SOURCE`, then defining either `_POSIX_SOURCE` or `_POSIX_C_SOURCE` or `_SVID_SOURCE` as well has no effect.

Note, however, that the features of `_BSD_SOURCE` are not a subset of any of the other feature test macros supported. This is because it defines BSD features that take precedence over the POSIX features that are requested by the other macros. For this reason, defining `_BSD_SOURCE` in addition to the other feature test macros does have an effect: it causes the BSD features to take priority over the conflicting POSIX features.

---

Node: Roadmap to the Manual, Previous: [Using the Library](#), Up: [Introduction](#)

## Roadmap to the Manual

Here is an overview of the contents of the remaining chapters of this manual.

- [Error Reporting](#), describes how errors detected by the library are reported.
- [Language Features](#), contains information about library support for standard parts of the C language, including things like the `sizeof` operator and the symbolic constant `NULL`, how to write functions accepting variable numbers of arguments, and constants describing the ranges and other properties of the numerical types. There is also a simple debugging mechanism which allows you to put assertions in your code, and have diagnostic messages printed if the tests fail.
- [Memory](#), describes the GNU library's facilities for managing and using virtual and real memory, including dynamic allocation of virtual memory. If you do not know in advance how much

memory your program needs, you can allocate it dynamically instead, and manipulate it via pointers.

- [Character Handling](#), contains information about character classification functions (such as `isspace`) and functions for performing case conversion.
- [String and Array Utilities](#), has descriptions of functions for manipulating strings (null-terminated character arrays) and general byte arrays, including operations such as copying and comparison.
- [I/O Overview](#), gives an overall look at the input and output facilities in the library, and contains information about basic concepts such as file names.
- [I/O on Streams](#), describes I/O operations involving streams (or `FILE *` objects). These are the normal C library functions from `stdio.h`.
- [Low-Level I/O](#), contains information about I/O operations on file descriptors. File descriptors are a lower-level mechanism specific to the Unix family of operating systems.
- [File System Interface](#), has descriptions of operations on entire files, such as functions for deleting and renaming them and for creating new directories. This chapter also contains information about how you can access the attributes of a file, such as its owner and file protection modes.
- [Pipes and FIFOs](#), contains information about simple interprocess communication mechanisms. Pipes allow communication between two related processes (such as between a parent and child), while FIFOs allow communication between processes sharing a common file system on the same machine.
- [Sockets](#), describes a more complicated interprocess communication mechanism that allows processes running on different machines to communicate over a network. This chapter also contains information about Internet host addressing and how to use the system network databases.
- [Low-Level Terminal Interface](#), describes how you can change the attributes of a terminal device. If you want to disable echo of characters typed by the user, for example, read this chapter.
- [Mathematics](#), contains information about the math library functions. These include things like random-number generators and remainder functions on integers as well as the usual trigonometric and exponential functions on floating-point numbers.
- [Low-Level Arithmetic Functions](#), describes functions for simple arithmetic, analysis of floating-point values, and reading numbers from strings.
- [Searching and Sorting](#), contains information about functions for searching and sorting arrays. You can use these functions on any kind of array by providing an appropriate comparison function.
- [Pattern Matching](#), presents functions for matching regular expressions and shell file name patterns, and for expanding words as the shell does.
- [Date and Time](#), describes functions for measuring both calendar time and CPU time, as well as functions for setting alarms and timers.
- [Character Set Handling](#), contains information about manipulating characters and strings using character sets larger than will fit in the usual `char` data type.
- [Locales](#), describes how selecting a particular country or language affects the behavior of the library. For example, the locale affects collation sequences for strings and how monetary values

are formatted.

- [Non-Local Exits](#), contains descriptions of the `setjmp` and `longjmp` functions. These functions provide a facility for `goto`-like jumps which can jump from one function to another.
- [Signal Handling](#), tells you all about signals--what they are, how to establish a handler that is called when a particular kind of signal is delivered, and how to prevent signals from arriving during critical sections of your program.
- [Program Basics](#), tells how your programs can access their command-line arguments and environment variables.
- [Processes](#), contains information about how to start new processes and run programs.
- [Job Control](#), describes functions for manipulating process groups and the controlling terminal. This material is probably only of interest if you are writing a shell or other program which handles job control specially.
- [Name Service Switch](#), describes the services which are available for looking up names in the system databases, how to determine which service is used for which database, and how these services are implemented so that contributors can design their own services.
- [User Database](#), and [Group Database](#), tell you how to access the system user and group databases.
- [System Management](#), describes functions for controlling and getting information about the hardware and software configuration your program is executing under.
- [System Configuration](#), tells you how you can get information about various operating system limits. Most of these parameters are provided for compatibility with POSIX.
- [Library Summary](#), gives a summary of all the functions, variables, and macros in the library, with complete data types and function prototypes, and says what standard or system each is derived from.
- [Maintenance](#), explains how to build and install the GNU C library on your system, how to report any bugs you might find, and how to add new functions or port the library to a new system.

If you already know the name of the facility you are interested in, you can look it up in [Library Summary](#). This gives you a summary of its syntax and a pointer to where you can find a more detailed description. This appendix is particularly useful if you just want to verify the order and type of arguments to a function, for example. It also tells you what standard or system each function, variable, or macro is derived from.

---

Node: Error Reporting, Next: [Memory](#), Previous: [Introduction](#), Up: [Top](#)

## Error Reporting

Many functions in the GNU C library detect and report error conditions, and sometimes your programs need to check for these error conditions. For example, when you open an input file, you should verify that the file was actually opened correctly, and print an error message or take other appropriate action if the call to the library function failed.

This chapter describes how the error reporting facility works. Your program should include the header file `errno.h` to use this facility.

- [Checking for Errors](#): How errors are reported by library functions.
- [Error Codes](#): Error code macros; all of these expand into integer constant values.
- [Error Messages](#): Mapping error codes onto error messages.

---

Node: [Checking for Errors](#), Next: [Error Codes](#), Up: [Error Reporting](#)

## Checking for Errors

Most library functions return a special value to indicate that they have failed. The special value is typically `-1`, a null pointer, or a constant such as `EOF` that is defined for that purpose. But this return value tells you only that an error has occurred. To find out what kind of error it was, you need to look at the error code stored in the variable `errno`. This variable is declared in the header file `errno.h`.

`volatile int errno`

Variable

The variable `errno` contains the system error number. You can change the value of `errno`.

Since `errno` is declared `volatile`, it might be changed asynchronously by a signal handler; see [Defining Handlers](#). However, a properly written signal handler saves and restores the value of `errno`, so you generally do not need to worry about this possibility except when writing signal handlers.

The initial value of `errno` at program startup is zero. Many library functions are guaranteed to set it to certain nonzero values when they encounter certain kinds of errors. These error conditions are listed for each function. These functions do not change `errno` when they succeed; thus, the value of `errno` after a successful call is not necessarily zero, and you should not use `errno` to determine *whether* a call failed. The proper way to do that is documented for each function. *If* the call failed, you can examine `errno`.

Many library functions can set `errno` to a nonzero value as a result of calling other library functions which might fail. You should assume that any library function might alter `errno` when the function returns an error.

**Portability Note:** ISO C specifies `errno` as a "modifiable lvalue" rather than as a variable, permitting it to be implemented as a macro. For example, its expansion might involve a function call, like `*_errno ( )`. In fact, that is what it is on the GNU system itself. The GNU library, on

non-GNU systems, does whatever is right for the particular system.

There are a few library functions, like `sqrt` and `atan`, that return a perfectly legitimate value in case of an error, but also set `errno`. For these functions, if you want to check to see whether an error occurred, the recommended method is to set `errno` to zero before calling the function, and then check its value afterward.

All the error codes have symbolic names; they are macros defined in `errno.h`. The names start with `E` and an upper-case letter or digit; you should consider names of this form to be reserved names. See [Reserved Names](#).

The error code values are all positive integers and are all distinct, with one exception: `EWOULDBLOCK` and `EAGAIN` are the same. Since the values are distinct, you can use them as labels in a `switch` statement; just don't use both `EWOULDBLOCK` and `EAGAIN`. Your program should not make any other assumptions about the specific values of these symbolic constants.

The value of `errno` doesn't necessarily have to correspond to any of these macros, since some library functions might return other error codes of their own for other situations. The only values that are guaranteed to be meaningful for a particular library function are the ones that this manual lists for that function.

On non-GNU systems, almost any system call can return `EFAULT` if it is given an invalid pointer as an argument. Since this could only happen as a result of a bug in your program, and since it will not happen on the GNU system, we have saved space by not mentioning `EFAULT` in the descriptions of individual functions.

In some Unix systems, many system calls can also return `EFAULT` if given as an argument a pointer into the stack, and the kernel for some obscure reason fails in its attempt to extend the stack. If this ever happens, you should probably try using statically or dynamically allocated memory instead of stack memory on that system.

---

Node: Error Codes, Next: [Error Messages](#), Previous: [Checking for Errors](#), Up: [Error Reporting](#)

## Error Codes

The error code macros are defined in the header file `errno.h`. All of them expand into integer constant values. Some of these error codes can't occur on the GNU system, but they can occur using the GNU library on other systems.

int **EPERM**

Macro

Operation not permitted; only the owner of the file (or other resource) or processes with special privileges can perform the operation.

int **ENOENT** Macro

No such file or directory. This is a "file doesn't exist" error for ordinary files that are referenced in contexts where they are expected to already exist.

int **ESRCH** Macro

No process matches the specified process ID.

int **EINTR** Macro

Interrupted function call; an asynchronous signal occurred and prevented completion of the call. When this happens, you should try the call again.

You can choose to have functions resume after a signal that is handled, rather than failing with `EINTR`; see [Interrupted Primitives](#).

int **EIO** Macro

Input/output error; usually used for physical read or write errors.

int **ENXIO** Macro

No such device or address. The system tried to use the device represented by a file you specified, and it couldn't find the device. This can mean that the device file was installed incorrectly, or that the physical device is missing or not correctly attached to the computer.

int **E2BIG** Macro

Argument list too long; used when the arguments passed to a new program being executed with one of the `exec` functions (see [Executing a File](#)) occupy too much memory space. This condition never arises in the GNU system.

int **ENOEXEC** Macro

Invalid executable file format. This condition is detected by the `exec` functions; see [Executing a File](#).

int **EBADF** Macro



Bad file descriptor; for example, I/O on a descriptor that has been closed or reading from a descriptor open only for writing (or vice versa).

int **ECHILD** Macro

There are no child processes. This error happens on operations that are supposed to manipulate child processes, when there aren't any processes to manipulate.

int **EDEADLK** Macro

Deadlock avoided; allocating a system resource would have resulted in a deadlock situation. The system does not guarantee that it will notice all such situations. This error means you got lucky and the system noticed; it might just hang. See [File Locks](#), for an example.

int **ENOMEM** Macro

No memory available. The system cannot allocate more virtual memory because its capacity is full.

int **EACCES** Macro

Permission denied; the file permissions do not allow the attempted operation.

int **EFAULT** Macro

Bad address; an invalid pointer was detected. In the GNU system, this error never happens; you get a signal instead.

int **ENOTBLK** Macro

A file that isn't a block special file was given in a situation that requires one. For example, trying to mount an ordinary file as a file system in Unix gives this error.

int **EBUSY** Macro

Resource busy; a system resource that can't be shared is already in use. For example, if you try to delete a file that is the root of a currently mounted filesystem, you get this error.

int **EEXIST** Macro

File exists; an existing file was specified in a context where it only makes sense to specify a new file.

int **EXDEV** Macro

An attempt to make an improper link across file systems was detected. This happens not only when you use `link` (see [Hard Links](#)) but also when you rename a file with `rename` (see [Renaming Files](#)).

int **ENODEV** Macro

The wrong type of device was given to a function that expects a particular sort of device.

int **ENOTDIR** Macro

A file that isn't a directory was specified when a directory is required.

int **EISDIR** Macro

File is a directory; you cannot open a directory for writing, or create or remove hard links to it.

int **EINVAL** Macro

Invalid argument. This is used to indicate various kinds of problems with passing the wrong argument to a library function.

int **EMFILE** Macro

The current process has too many files open and can't open any more. Duplicate descriptors do count toward this limit.

In BSD and GNU, the number of open files is controlled by a resource limit that can usually be increased. If you get this error, you might want to increase the `RLIMIT_NOFILE` limit or make it unlimited; see [Limits on Resources](#).

int **ENFILE** Macro

There are too many distinct file openings in the entire system. Note that any number of linked channels count as just one file opening; see [Linked Channels](#). This error never occurs in the GNU system.

int **ENOTTY** Macro

Inappropriate I/O control operation, such as trying to set terminal modes on an ordinary file.

int **ETXTBSY** Macro

An attempt to execute a file that is currently open for writing, or write to a file that is currently being executed. Often using a debugger to run a program is considered having it open for writing and will cause this error. (The name stands for "text file busy".) This is not an error in the GNU system; the text is copied as necessary.

int **EFBIG** Macro

File too big; the size of a file would be larger than allowed by the system.

int **ENOSPC** Macro

No space left on device; write operation on a file failed because the disk is full.

int **ESPIPE** Macro

Invalid seek operation (such as on a pipe).

int **EROFS** Macro

An attempt was made to modify something on a read-only file system.

int **EMLINK** Macro

Too many links; the link count of a single file would become too large. `rename` can cause this error if the file being renamed already has as many links as it can take (see [Renaming Files](#)).

int **EPIPE** Macro

Broken pipe; there is no process reading from the other end of a pipe. Every library function that returns this error code also generates a `SIGPIPE` signal; this signal terminates the program if not handled or blocked. Thus, your program will never actually see `EPIPE` unless it has handled or blocked `SIGPIPE`.

int **EDOM** Macro

Domain error; used by mathematical functions when an argument value does not fall into the domain over which the function is defined.

int **ERANGE** Macro

Range error; used by mathematical functions when the result value is not representable because of overflow or underflow.

**int EAGAIN**

Macro

Resource temporarily unavailable; the call might work if you try again later. The macro `EWOULDBLOCK` is another name for `EAGAIN`; they are always the same in the GNU C library.

This error can happen in a few different situations:

- An operation that would block was attempted on an object that has non-blocking mode selected. Trying the same operation again will block until some external condition makes it possible to read, write, or connect (whatever the operation). You can use `select` to find out when the operation will be possible; see [Waiting for I/O](#).

**Portability Note:** In many older Unix systems, this condition was indicated by `EWOULDBLOCK`, which was a distinct error code different from `EAGAIN`. To make your program portable, you should check for both codes and treat them the same.

- A temporary resource shortage made an operation impossible. `fork` can return this error. It indicates that the shortage is expected to pass, so your program can try the call again later and it may succeed. It is probably a good idea to delay for a few seconds before trying it again, to allow time for other processes to release scarce resources. Such shortages are usually fairly serious and affect the whole system, so usually an interactive program should report the error to the user and return to its command loop.

**int EWOULDBLOCK**

Macro

In the GNU C library, this is another name for `EAGAIN` (above). The values are always the same, on every operating system.

C libraries in many older Unix systems have `EWOULDBLOCK` as a separate error code.

**int EINPROGRESS**

Macro

An operation that cannot complete immediately was initiated on an object that has non-blocking mode selected. Some functions that must always block (such as `connect`; see [Connecting](#)) never return `EAGAIN`. Instead, they return `EINPROGRESS` to indicate that the operation has begun and will take some time. Attempts to manipulate the object before the call completes return `EALREADY`. You can use the `select` function to find out when the pending operation has completed; see [Waiting for I/O](#).

**int EALREADY**

Macro

An operation is already in progress on an object that has non-blocking mode selected.

<b>int ENOTSOCK</b>	Macro
A file that isn't a socket was specified when a socket is required.	
<b>int EMSGSIZE</b>	Macro
The size of a message sent on a socket was larger than the supported maximum size.	
<b>int EPROTOTYPE</b>	Macro
The socket type does not support the requested communications protocol.	
<b>int ENOPROTOOPT</b>	Macro
You specified a socket option that doesn't make sense for the particular protocol being used by the socket. See <a href="#">Socket Options</a> .	
<b>int EPROTONOSUPPORT</b>	Macro
The socket domain does not support the requested communications protocol (perhaps because the requested protocol is completely invalid). See <a href="#">Creating a Socket</a> .	
<b>int ESOCKTNOSUPPORT</b>	Macro
The socket type is not supported.	
<b>int EOPNOTSUPP</b>	Macro
The operation you requested is not supported. Some socket functions don't make sense for all types of sockets, and others may not be implemented for all communications protocols. In the GNU system, this error can happen for many calls when the object does not support the particular operation; it is a generic indication that the server knows nothing to do for that call.	
<b>int EPFNOSUPPORT</b>	Macro
The socket communications protocol family you requested is not supported.	
<b>int EAFNOSUPPORT</b>	Macro
The address family specified for a socket is not supported; it is inconsistent with the protocol being used on the socket. See <a href="#">Sockets</a> .	
<b>int EADDRINUSE</b>	Macro

The requested socket address is already in use. See [Socket Addresses](#).

int **EADDRNOTAVAIL** Macro

The requested socket address is not available; for example, you tried to give a socket a name that doesn't match the local host name. See [Socket Addresses](#).

int **ENETDOWN** Macro

A socket operation failed because the network was down.

int **ENETUNREACH** Macro

A socket operation failed because the subnet containing the remote host was unreachable.

int **ENETRESET** Macro

A network connection was reset because the remote host crashed.

int **ECONNABORTED** Macro

A network connection was aborted locally.

int **ECONNRESET** Macro

A network connection was closed for reasons outside the control of the local host, such as by the remote machine rebooting or an unrecoverable protocol violation.

int **ENOBUFS** Macro

The kernel's buffers for I/O operations are all in use. In GNU, this error is always synonymous with `ENOMEM`; you may get one or the other from network operations.

int **EISCONN** Macro

You tried to connect a socket that is already connected. See [Connecting](#).

int **ENOTCONN** Macro

The socket is not connected to anything. You get this error when you try to transmit data over a socket, without first specifying a destination for the data. For a connectionless socket (for datagram protocols, such as UDP), you get `EDESTADDRREQ` instead.

int **EDESTADDRREQ** Macro

No default destination address was set for the socket. You get this error when you try to transmit data over a connectionless socket, without first specifying a destination for the data with `connect`.

int **ESHUTDOWN** Macro

The socket has already been shut down.

int **ETOOMANYREFS** Macro

???

int **ETIMEDOUT** Macro

A socket operation with a specified timeout received no response during the timeout period.

int **ECONNREFUSED** Macro

A remote host refused to allow the network connection (typically because it is not running the requested service).

int **ELOOP** Macro

Too many levels of symbolic links were encountered in looking up a file name. This often indicates a cycle of symbolic links.

int **ENAMETOOLONG** Macro

Filename too long (longer than `PATH_MAX`; see [Limits for Files](#)) or host name too long (in `gethostname` or `sethostname`; see [Host Identification](#)).

int **EHOSTDOWN** Macro

The remote host for a requested network connection is down.

int **EHOSTUNREACH** Macro

The remote host for a requested network connection is not reachable.

int **ENOTEMPTY** Macro

Directory not empty, where an empty directory was expected. Typically, this error occurs when you are trying to delete a directory.

int **EPROCLIM** Macro

This means that the per-user limit on new process would be exceeded by an attempted `fork`. See [Limits on Resources](#), for details on the `RLIMIT_NPROC` limit.

int **EUSERS** Macro

The file quota system is confused because there are too many users.

int **EDQUOT** Macro

The user's disk quota was exceeded.

int **ESTALE** Macro

Stale NFS file handle. This indicates an internal confusion in the NFS system which is due to file system rearrangements on the server host. Repairing this condition usually requires unmounting and remounting the NFS file system on the local host.

int **EREMOTE** Macro

An attempt was made to NFS-mount a remote file system with a file name that already specifies an NFS-mounted file. (This is an error on some operating systems, but we expect it to work properly on the GNU system, making this error code impossible.)

int **EBADRPC** Macro

???

int **ERPCMISMATCH** Macro

???

int **EPROGUNAVAIL** Macro

???

int **EPROGMISMATCH** Macro

???



int **EPROCUNAVAIL** Macro

???

int **ENOLCK** Macro

No locks available. This is used by the file locking facilities; see [File Locks](#). This error is never generated by the GNU system, but it can result from an operation to an NFS server running another operating system.

int **EFTYPE** Macro

Inappropriate file type or format. The file was the wrong type for the operation, or a data file had the wrong format.

On some systems `chmod` returns this error if you try to set the sticky bit on a non-directory file; see [Setting Permissions](#).

int **EAUTH** Macro

???

int **ENEEDAUTH** Macro

???

int **ENOSYS** Macro

Function not implemented. This indicates that the function called is not implemented at all, either in the C library itself or in the operating system. When you get this error, you can be sure that this particular function will always fail with `ENOSYS` unless you install a new version of the C library or the operating system.

int **ENOTSUP** Macro

Not supported. A function returns this error when certain parameter values are valid, but the functionality they request is not available. This can mean that the function does not implement a particular command or option value or flag bit at all. For functions that operate on some object given in a parameter, such as a file descriptor or a port, it might instead mean that only *that specific object* (file descriptor, port, etc.) is unable to support the other parameters given; different file descriptors might support different ranges of parameter values.

If the entire function is not available at all in the implementation, it returns `ENOSYS` instead.

int **EILSEQ** Macro

While decoding a multibyte character the function came along an invalid or an incomplete sequence of bytes or the given wide character is invalid.

int **EBACKGROUND** Macro

In the GNU system, servers supporting the `term` protocol return this error for certain operations when the caller is not in the foreground process group of the terminal. Users do not usually see this error because functions such as `read` and `write` translate it into a `SIGTTIN` or `SIGTTOU` signal. See [Job Control](#), for information on process groups and these signals.

int **EDIED** Macro

In the GNU system, opening a file returns this error when the file is translated by a program and the translator program dies while starting up, before it has connected to the file.

int **ED** Macro

The experienced user will know what is wrong.

int **EGREGIOUS** Macro

You did **what**?

int **EIEIO** Macro

Go home and have a glass of warm, dairy-fresh milk.

int **EGRATUITOUS** Macro

This error code has no purpose.

int **EBADMSG** Macro

int **EIDRM** Macro

int **EMULTIHOP** Macro

int **ENODATA** Macro

int <b>ENOLINK</b>	Macro
int <b>ENOMSG</b>	Macro
int <b>ENOSR</b>	Macro
int <b>ENOSTR</b>	Macro
int <b>E_OVERFLOW</b>	Macro
int <b>EPROTO</b>	Macro
int <b>ETIME</b>	Macro
int <b>ECANCELED</b>	Macro

Operation canceled; an asynchronous operation was canceled before it completed. See [Asynchronous I/O](#). When you call `aio_cancel`, the normal result is for the operations affected to complete with this error; see [Cancel AIO Operations](#).

*The following error codes are defined by the Linux/i386 kernel. They are not yet documented.*

int <b>ERESTART</b>	Macro
int <b>ECHRNG</b>	Macro
int <b>EL2NSYNC</b>	Macro
int <b>EL3HLT</b>	Macro
int <b>EL3RST</b>	Macro
int <b>ELNRNG</b>	Macro

int <b>EUNATCH</b>	Macro
int <b>ENOCSI</b>	Macro
int <b>EL2HLT</b>	Macro
int <b>EBADE</b>	Macro
int <b>EBADR</b>	Macro
int <b>EXFULL</b>	Macro
int <b>ENOANO</b>	Macro
int <b>EBADRQC</b>	Macro
int <b>EBADSLT</b>	Macro
int <b>EDEADLOCK</b>	Macro
int <b>EBFONT</b>	Macro
int <b>ENONET</b>	Macro
int <b>ENOPKG</b>	Macro
int <b>EADV</b>	Macro
int <b>ESRMNT</b>	Macro
int <b>ECOMM</b>	Macro

int <b>EDOTDOT</b>	Macro
int <b>ENOTUNIQ</b>	Macro
int <b>EBADFD</b>	Macro
int <b>EREMCHG</b>	Macro
int <b>ELIBACC</b>	Macro
int <b>ELIBBAD</b>	Macro
int <b>ELIBSCN</b>	Macro
int <b>ELIBMAX</b>	Macro
int <b>ELIBEXEC</b>	Macro
int <b>ESTRPIPE</b>	Macro
int <b>EUCLEAN</b>	Macro
int <b>ENOTNAM</b>	Macro
int <b>ENAVAIL</b>	Macro
int <b>EISNAM</b>	Macro
int <b>EREMOTEIO</b>	Macro
int <b>ENOMEDIUM</b>	Macro

---

Node: Error Messages, Previous: [Error Codes](#), Up: [Error Reporting](#)

## Error Messages

The library has functions and variables designed to make it easy for your program to report informative error messages in the customary format about the failure of a library call. The functions `strerror` and `perror` give you the standard error message for a given error code; the variable `program_invocation_short_name` gives you convenient access to the name of the program that encountered the error.

char \* **strerror** (*int errnum*) Function

The `strerror` function maps the error code (see [Checking for Errors](#)) specified by the *errnum* argument to a descriptive error message string. The return value is a pointer to this string.

The value *errnum* normally comes from the variable `errno`.

You should not modify the string returned by `strerror`. Also, if you make subsequent calls to `strerror`, the string might be overwritten. (But it's guaranteed that no library function ever calls `strerror` behind your back.)

The function `strerror` is declared in `string.h`.

char \* **strerror\_r** (*int errnum, char \*buf, size\_t n*) Function

The `strerror_r` function works like `strerror` but instead of returning the error message in a statically allocated buffer shared by all threads in the process, it returns a private copy for the thread. This might be either some permanent global data or a message string in the user supplied buffer starting at *buf* with the length of *n* bytes.

At most *n* characters are written (including the NUL byte) so it is up to the user to select the buffer large enough.

This function should always be used in multi-threaded programs since there is no way to guarantee the string returned by `strerror` really belongs to the last call of the current thread.

This function `strerror_r` is a GNU extension and it is declared in `string.h`.

void **perror** (*const char \*message*)

Function

This function prints an error message to the stream `stderr`; see [Standard Streams](#). The orientation of `stderr` is not changed.

If you call `perror` with a *message* that is either a null pointer or an empty string, `perror` just prints the error message corresponding to `errno`, adding a trailing newline.

If you supply a non-null *message* argument, then `perror` prefixes its output with this string. It adds a colon and a space character to separate the *message* from the error string corresponding to `errno`.

The function `perror` is declared in `stdio.h`.

`strerror` and `perror` produce the exact same message for any given error code; the precise text varies from system to system. On the GNU system, the messages are fairly short; there are no multi-line messages or embedded newlines. Each error message begins with a capital letter and does not include any terminating punctuation.

**Compatibility Note:** The `strerror` function was introduced in ISO C89. Many older C systems do not support this function yet.

Many programs that don't read input from the terminal are designed to exit if any system call fails. By convention, the error message from such a program should start with the program's name, sans directories. You can find that name in the variable `program_invocation_short_name`; the full file name is stored the variable `program_invocation_name`.

char \* **program\_invocation\_name**

Variable

This variable's value is the name that was used to invoke the program running in the current process. It is the same as `argv[0]`. Note that this is not necessarily a useful file name; often it contains no directory names. See [Program Arguments](#).

char \* **program\_invocation\_short\_name**

Variable

This variable's value is the name that was used to invoke the program running in the current process, with directory names removed. (That is to say, it is the same as `program_invocation_name` minus everything up to the last slash, if any.)

The library initialization code sets up both of these variables before calling `main`.

**Portability Note:** These two variables are GNU extensions. If you want your program to work with non-

GNU libraries, you must save the value of `argv[0]` in `main`, and then strip off the directory names yourself. We added these extensions to make it possible to write self-contained error-reporting subroutines that require no explicit cooperation from `main`.

Here is an example showing how to handle failure to open a file correctly. The function `open_sesame` tries to open the named file for reading and returns a stream if successful. The `fopen` library function returns a null pointer if it couldn't open the file for some reason. In that situation, `open_sesame` constructs an appropriate error message using the `strerror` function, and terminates the program. If we were going to make some other library calls before passing the error code to `strerror`, we'd have to save it in a local variable instead, because those other library functions might overwrite `errno` in the meantime.

```
#include <errno.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>

FILE *
open_sesame (char *name)
{
    FILE *stream;

    errno = 0;
    stream = fopen (name, "r");
    if (stream == NULL)
        {
            fprintf (stderr, "%s: Couldn't open file %s; %s\n",
                    program_invocation_short_name, name, strerror (errno));
            exit (EXIT_FAILURE);
        }
    else
        return stream;
}
```

Using `perror` has the advantage that the function is portable and available on all systems implementing ISO C. But often the text `perror` generates is not what is wanted and there is no way to extend or change what `perror` does. The GNU coding standard, for instance, requires error messages to be preceded by the program name and programs which read some input files should provide information about the input file name and the line number in case an error is encountered while reading the file. For these occasions there are two functions available which are widely used throughout the GNU project. These functions are declared in `error.h`.

`void error (int status, int errnum, const char *format, ...)`

Function



The `error` function can be used to report general problems during program execution. The *format* argument is a format string just like those given to the `printf` family of functions. The arguments required for the format can follow the *format* parameter. Just like `perror`, `error` also can report an error code in textual form. But unlike `perror` the error value is explicitly passed to the function in the *errnum* parameter. This eliminates the problem mentioned above that the error reporting function must be called immediately after the function causing the error since otherwise `errno` might have a different value.

The `error` prints first the program name. If the application defined a global variable `error_print_progname` and points it to a function this function will be called to print the program name. Otherwise the string from the global variable `program_name` is used. The program name is followed by a colon and a space which in turn is followed by the output produced by the format string. If the *errnum* parameter is non-zero the format string output is followed by a colon and a space, followed by the error message for the error code *errnum*. In any case the output is terminated with a newline.

The output is directed to the `stderr` stream. If the `stderr` wasn't oriented before the call it will be narrow-oriented afterwards.

The function will return unless the *status* parameter has a non-zero value. In this case the function will call `exit` with the *status* value for its parameter and therefore never return. If `error` returns the global variable `error_message_count` is incremented by one to keep track of the number of errors reported.

**void `error_at_line`** (*int status, int errnum, const char \*fname, unsigned int lineno, const char \*format, ...*) Function

The `error_at_line` function is very similar to the `error` function. The only difference are the additional parameters *fname* and *lineno*. The handling of the other parameters is identical to that of `error` except that between the program name and the string generated by the format string additional text is inserted.

Directly following the program name a colon, followed by the file name pointer to by *fname*, another colon, and a value of *lineno* is printed.

This additional output of course is meant to be used to locate an error in an input file (like a programming language source code file etc).

If the global variable `error_one_per_line` is set to a non-zero value `error_at_line` will avoid printing consecutive messages for the same file and line. Repetition which are not directly following each other are not caught.

Just like `error` this function only returned if `status` is zero. Otherwise `exit` is called with the non-zero value. If `error` returns the global variable `error_message_count` is incremented by one to keep track of the number of errors reported.

As mentioned above the `error` and `error_at_line` functions can be customized by defining a variable named `error_print_progname`.

`void (* error_print_progname ) (void)` Variable

If the `error_print_progname` variable is defined to a non-zero value the function pointed to is called by `error` or `error_at_line`. It is expected to print the program name or do something similarly useful.

The function is expected to be print to the `stderr` stream and must be able to handle whatever orientation the stream has.

The variable is global and shared by all threads.

`unsigned int error_message_count` Variable

The `error_message_count` variable is incremented whenever one of the functions `error` or `error_at_line` returns. The variable is global and shared by all threads.

`int error_one_per_line` Variable

The `error_one_per_line` variable influences only `error_at_line`. Normally the `error_at_line` function creates output for every invocation. If `error_one_per_line` is set to a non-zero value `error_at_line` keeps track of the last file name and line number for which an error was reported and avoid directly following messages for the same file and line. This variable is global and shared by all threads.

A program which read some input file and reports errors in it could look like this:

```
{
  char *line = NULL;
  size_t len = 0;
  unsigned int lineno = 0;

  error_message_count = 0;
  while (! feof_unlocked (fp))
    {
      ssize_t n = getline (&line, &len, fp);
      if (n <= 0)
        /* End of file or error.  */
    }
```

```

        break;
    ++lineno;

    /* Process the line. */
    ...

    if (Detect error in line)
        error_at_line (0, errval, filename, lineno,
                      "some error text %s", some_variable);
}

if (error_message_count != 0)
    error (EXIT_FAILURE, 0, "%u errors found", error_message_count);
}

```

`error` and `error_at_line` are clearly the functions of choice and enable the programmer to write applications which follow the GNU coding standard. The GNU libc additionally contains functions which are used in BSD for the same purpose. These functions are declared in `err.h`. It is generally advised to not use these functions. They are included only for compatibility.

void **warn** (*const char \*format, ...*)

Function

The `warn` function is roughly equivalent to a call like

```
error (0, errno, format, the parameters)
```

except that the global variables `error` respects and modifies are not used.

void **vwarn** (*const char \*format, va\_list*)

Function

The `vwarn` function is just like `warn` except that the parameters for the handling of the format string *format* are passed in as an value of type `va_list`.

void **warnx** (*const char \*format, ...*)

Function

The `warnx` function is roughly equivalent to a call like

```
error (0, 0, format, the parameters)
```

except that the global variables `error` respects and modifies are not used. The difference to `warn` is that no error number string is printed.

void **vwarnx** (*const char \*format, va\_list*) Function

The `vwarnx` function is just like `warnx` except that the parameters for the handling of the format string *format* are passed in as an value of type `va_list`.

void **err** (*int status, const char \*format, ...*) Function

The `err` function is roughly equivalent to a call like

```
error (status, errno, format, the parameters)
```

except that the global variables `error` respects and modifies are not used and that the program is exited even if *status* is zero.

void **verr** (*int status, const char \*format, va\_list*) Function

The `verr` function is just like `err` except that the parameters for the handling of the format string *format* are passed in as an value of type `va_list`.

void **errx** (*int status, const char \*format, ...*) Function

The `errx` function is roughly equivalent to a call like

```
error (status, 0, format, the parameters)
```

except that the global variables `error` respects and modifies are not used and that the program is exited even if *status* is zero. The difference to `err` is that no error number string is printed.

void **verrx** (*int status, const char \*format, va\_list*) Function

The `verrx` function is just like `errx` except that the parameters for the handling of the format string *format* are passed in as an value of type `va_list`.

Node: Memory, Next: [Character Handling](#), Previous: [Error Reporting](#), Up: [Top](#)

## Virtual Memory Allocation And Paging

This chapter describes how processes manage and use memory in a system that uses the GNU C library.

The GNU C Library has several functions for dynamically allocating virtual memory in various ways.

They vary in generality and in efficiency. The library also provides functions for controlling paging and allocation of real memory.

- [Memory Concepts](#): An introduction to concepts and terminology.
- [Memory Allocation](#): Allocating storage for your program data
- [Locking Pages](#): Preventing page faults
- [Resizing the Data Segment](#): `brk`, `sbrk`

Memory mapped I/O is not discussed in this chapter. See [Memory-mapped I/O](#).

---

Node: Memory Concepts, Next: [Memory Allocation](#), Up: [Memory](#)

## Process Memory Concepts

One of the most basic resources a process has available to it is memory. There are a lot of different ways systems organize memory, but in a typical one, each process has one linear virtual address space, with addresses running from zero to some huge maximum. It need not be contiguous; i.e. not all of these addresses actually can be used to store data.

The virtual memory is divided into pages (4 kilobytes is typical). Backing each page of virtual memory is a page of real memory (called a *frame*) or some secondary storage, usually disk space. The disk space might be swap space or just some ordinary disk file. Actually, a page of all zeroes sometimes has nothing at all backing it - there's just a flag saying it is all zeroes.

The same frame of real memory or backing store can back multiple virtual pages belonging to multiple processes. This is normally the case, for example, with virtual memory occupied by GNU C library code. The same real memory frame containing the `printf` function backs a virtual memory page in each of the existing processes that has a `printf` call in its program.

In order for a program to access any part of a virtual page, the page must at that moment be backed by ("connected to") a real frame. But because there is usually a lot more virtual memory than real memory, the pages must move back and forth between real memory and backing store regularly, coming into real memory when a process needs to access them and then retreating to backing store when not needed anymore. This movement is called *paging*.

When a program attempts to access a page which is not at that moment backed by real memory, this is known as a *page fault*. When a page fault occurs, the kernel suspends the process, places the page into a real page frame (this is called "paging in" or "faulting in"), then resumes the process so that from the process' point of view, the page was in real memory all along. In fact, to the process, all pages always seem to be in real memory. Except for one thing: the elapsed execution time of an instruction that would

normally be a few nanoseconds is suddenly much, much, longer (because the kernel normally has to do I/O to complete the page-in). For programs sensitive to that, the functions described in [Locking Pages](#) can control it.

Within each virtual address space, a process has to keep track of what is at which addresses, and that process is called memory allocation. Allocation usually brings to mind meting out scarce resources, but in the case of virtual memory, that's not a major goal, because there is generally much more of it than anyone needs. Memory allocation within a process is mainly just a matter of making sure that the same byte of memory isn't used to store two different things.

Processes allocate memory in two major ways: by `exec` and programmatically. Actually, forking is a third way, but it's not very interesting. See [Creating a Process](#).

Exec is the operation of creating a virtual address space for a process, loading its basic program into it, and executing the program. It is done by the "exec" family of functions (e.g. `exec1`). The operation takes a program file (an executable), it allocates space to load all the data in the executable, loads it, and transfers control to it. That data is most notably the instructions of the program (the *text*), but also literals and constants in the program and even some variables: C variables with the static storage class (see [Memory Allocation and C](#)).

Once that program begins to execute, it uses programmatic allocation to gain additional memory. In a C program with the GNU C library, there are two kinds of programmatic allocation: automatic and dynamic. See [Memory Allocation and C](#).

Memory-mapped I/O is another form of dynamic virtual memory allocation. Mapping memory to a file means declaring that the contents of certain range of a process' addresses shall be identical to the contents of a specified regular file. The system makes the virtual memory initially contain the contents of the file, and if you modify the memory, the system writes the same modification to the file. Note that due to the magic of virtual memory and page faults, there is no reason for the system to do I/O to read the file, or allocate real memory for its contents, until the program accesses the virtual memory. See [Memory-mapped I/O](#).

Just as it programmatically allocates memory, the program can programmatically deallocate (*free*) it. You can't free the memory that was allocated by `exec`. When the program exits or `execs`, you might say that all its memory gets freed, but since in both cases the address space ceases to exist, the point is really moot. See [Program Termination](#).

A process' virtual address space is divided into segments. A segment is a contiguous range of virtual addresses. Three important segments are:

- The *text segment* contains a program's instructions and literals and static constants. It is allocated

- by `exec` and stays the same size for the life of the virtual address space.
  - The *data segment* is working storage for the program. It can be preallocated and preloaded by `exec` and the process can extend or shrink it by calling functions as described in See [Resizing the Data Segment](#). Its lower end is fixed.
  - The *stack segment* contains a program stack. It grows as the stack grows, but doesn't shrink when the stack shrinks.
- 

Node: Memory Allocation, Next: [Locking Pages](#), Previous: [Memory Concepts](#), Up: [Memory](#)

## Allocating Storage For Program Data

This section covers how ordinary programs manage storage for their data, including the famous `malloc` function and some fancier facilities special the GNU C library and GNU Compiler.

- [Memory Allocation and C](#): How to get different kinds of allocation in C.
  - [Unconstrained Allocation](#): The `malloc` facility allows fully general dynamic allocation.
  - [Allocation Debugging](#): Finding memory leaks and not freed memory.
  - [Obstacks](#): Obstacks are less general than `malloc` but more efficient and convenient.
  - [Variable Size Automatic](#): Allocation of variable-sized blocks of automatic storage that are freed when the calling function returns.
- 

Node: Memory Allocation and C, Next: [Unconstrained Allocation](#), Up: [Memory Allocation](#)

## Memory Allocation in C Programs

The C language supports two kinds of memory allocation through the variables in C programs:

- *Static allocation* is what happens when you declare a static or global variable. Each static or global variable defines one block of space, of a fixed size. The space is allocated once, when your program is started (part of the `exec` operation), and is never freed.
- *Automatic allocation* happens when you declare an automatic variable, such as a function argument or a local variable. The space for an automatic variable is allocated when the compound statement containing the declaration is entered, and is freed when that compound statement is exited.

In GNU C, the size of the automatic storage can be an expression that varies. In other C implementations, it must be a constant.

A third important kind of memory allocation, *dynamic allocation*, is not supported by C variables but is

available via GNU C library functions.

## Dynamic Memory Allocation

*Dynamic memory allocation* is a technique in which programs determine as they are running where to store some information. You need dynamic allocation when the amount of memory you need, or how long you continue to need it, depends on factors that are not known before the program runs.

For example, you may need a block to store a line read from an input file; since there is no limit to how long a line can be, you must allocate the memory dynamically and make it dynamically larger as you read more of the line.

Or, you may need a block for each record or each definition in the input data; since you can't know in advance how many there will be, you must allocate a new block for each record or definition as you read it.

When you use dynamic allocation, the allocation of a block of memory is an action that the program requests explicitly. You call a function or macro when you want to allocate space, and specify the size with an argument. If you want to free the space, you do so by calling another function or macro. You can do these things whenever you want, as often as you want.

Dynamic allocation is not supported by C variables; there is no storage class "dynamic", and there can never be a C variable whose value is stored in dynamically allocated space. The only way to get dynamically allocated memory is via a system call (which is generally via a GNU C library function call), and the only way to refer to dynamically allocated space is through a pointer. Because it is less convenient, and because the actual process of dynamic allocation requires more computation time, programmers generally use dynamic allocation only when neither static nor automatic allocation will serve.

For example, if you want to allocate dynamically some space to hold a `struct foobar`, you cannot declare a variable of type `struct foobar` whose contents are the dynamically allocated space. But you can declare a variable of pointer type `struct foobar *` and assign it the address of the space. Then you can use the operators `*` and `->` on this pointer variable to refer to the contents of the space:

```
{
  struct foobar *ptr
    = (struct foobar *) malloc (sizeof (struct foobar));
  ptr->name = x;
  ptr->next = current_foobar;
  current_foobar = ptr;
}
```



---

Node: [Unconstrained Allocation](#), Next: [Allocation Debugging](#), Previous: [Memory Allocation and C](#),  
Up: [Memory Allocation](#)

## Unconstrained Allocation

The most general dynamic allocation facility is `malloc`. It allows you to allocate blocks of memory of any size at any time, make them bigger or smaller at any time, and free the blocks individually at any time (or never).

- [Basic Allocation](#): Simple use of `malloc`.
- [Malloc Examples](#): Examples of `malloc`. `xmalloc`.
- [Freeing after Malloc](#): Use `free` to free a block you got with `malloc`.
- [Changing Block Size](#): Use `realloc` to make a block bigger or smaller.
- [Allocating Cleared Space](#): Use `calloc` to allocate a block and clear it.
- [Efficiency and Malloc](#): Efficiency considerations in use of these functions.
- [Aligned Memory Blocks](#): Allocating specially aligned memory.
- [Malloc Tunable Parameters](#): Use `malloc_t` to adjust allocation parameters.
- [Heap Consistency Checking](#): Automatic checking for errors.
- [Hooks for Malloc](#): You can use these hooks for debugging programs that use `malloc`.
- [Statistics of Malloc](#): Getting information about how much memory your program is using.
- [Summary of Malloc](#): Summary of `malloc` and related functions.

---

Node: [Basic Allocation](#), Next: [Malloc Examples](#), Up: [Unconstrained Allocation](#)

## Basic Memory Allocation

To allocate a block of memory, call `malloc`. The prototype for this function is in `stdlib.h`.

`void * malloc (size_t size)` Function

This function returns a pointer to a newly allocated block *size* bytes long, or a null pointer if the block could not be allocated.

The contents of the block are undefined; you must initialize it yourself (or use `calloc` instead; see [Allocating Cleared Space](#)). Normally you would cast the value as a pointer to the kind of object that you want to store in the block. Here we show an example of doing so, and of initializing the space with zeros using the library function `memset` (see [Copying and Concatenation](#)):

```

struct foo *ptr;
...
ptr = (struct foo *) malloc (sizeof (struct foo));
if (ptr == 0) abort ();
memset (ptr, 0, sizeof (struct foo));

```

You can store the result of `malloc` into any pointer variable without a cast, because ISO C automatically converts the type `void *` to another type of pointer when necessary. But the cast is necessary in contexts other than assignment operators or if you might want your code to run in traditional C.

Remember that when allocating space for a string, the argument to `malloc` must be one plus the length of the string. This is because a string is terminated with a null character that doesn't count in the "length" of the string but does need space. For example:

```

char *ptr;
...
ptr = (char *) malloc (length + 1);

```

See [Representation of Strings](#), for more information about this.

---

Node: Malloc Examples, Next: [Freeing after Malloc](#), Previous: [Basic Allocation](#), Up: [Unconstrained Allocation](#)

## Examples of `malloc`

If no more space is available, `malloc` returns a null pointer. You should check the value of *every* call to `malloc`. It is useful to write a subroutine that calls `malloc` and reports an error if the value is a null pointer, returning only if the value is nonzero. This function is conventionally called `xmalloc`. Here it is:

```

void *
xmalloc (size_t size)
{
  register void *value = malloc (size);
  if (value == 0)
    fatal ("virtual memory exhausted");
  return value;
}

```

Here is a real example of using `malloc` (by way of `xmalloc`). The function `savestring` will copy

a sequence of characters into a newly allocated null-terminated string:

```
char *
savestring (const char *ptr, size_t len)
{
    register char *value = (char *) xmalloc (len + 1);
    value[len] = '\0';
    return (char *) memcpy (value, ptr, len);
}
```

The block that `malloc` gives you is guaranteed to be aligned so that it can hold any type of data. In the GNU system, the address is always a multiple of eight on most systems, and a multiple of 16 on 64-bit systems. Only rarely is any higher boundary (such as a page boundary) necessary; for those cases, use `memalign`, `posix_memalign` or `valloc` (see [Aligned Memory Blocks](#)).

Note that the memory located after the end of the block is likely to be in use for something else; perhaps a block already allocated by another call to `malloc`. If you attempt to treat the block as longer than you asked for it to be, you are liable to destroy the data that `malloc` uses to keep track of its blocks, or you may destroy the contents of another block. If you have already allocated a block and discover you want it to be bigger, use `realloc` (see [Changing Block Size](#)).

---

Node: [Freeing after Malloc](#), Next: [Changing Block Size](#), Previous: [Malloc Examples](#), Up: [Unconstrained Allocation](#)

## Freeing Memory Allocated with `malloc`

When you no longer need a block that you got with `malloc`, use the function `free` to make the block available to be allocated again. The prototype for this function is in `stdlib.h`.

`void free (void *ptr)`

Function

The `free` function deallocates the block of memory pointed at by `ptr`.

`void cfree (void *ptr)`

Function

This function does the same thing as `free`. It's provided for backward compatibility with SunOS; you should use `free` instead.

Freeing a block alters the contents of the block. **Do not expect to find any data (such as a pointer to the next block in a chain of blocks) in the block after freeing it.** Copy whatever you need out of the block before freeing it! Here is an example of the proper way to free all the blocks in a chain, and the

strings that they point to:

```

struct chain
{
    struct chain *next;
    char *name;
}

void
free_chain (struct chain *chain)
{
    while (chain != 0)
    {
        struct chain *next = chain->next;
        free (chain->name);
        free (chain);
        chain = next;
    }
}

```

Occasionally, `free` can actually return memory to the operating system and make the process smaller. Usually, all it can do is allow a later call to `malloc` to reuse the space. In the meantime, the space remains in your program as part of a free-list used internally by `malloc`.

There is no point in freeing blocks at the end of a program, because all of the program's space is given back to the system when the process terminates.

---

Node: [Changing Block Size](#), Next: [Allocating Cleared Space](#), Previous: [Freeing after Malloc](#),  
Up: [Unconstrained Allocation](#)

## Changing the Size of a Block

Often you do not know for certain how big a block you will ultimately need at the time you must begin to use the block. For example, the block might be a buffer that you use to hold a line being read from a file; no matter how long you make the buffer initially, you may encounter a line that is longer.

You can make the block longer by calling `realloc`. This function is declared in `stdlib.h`.

```
void * realloc (void *ptr, size_t newsize)
```

Function

The `realloc` function changes the size of the block whose address is *ptr* to be *newsize*.

Since the space after the end of the block may be in use, `realloc` may find it necessary to copy the block to a new address where more free space is available. The value of `realloc` is the new address of the block. If the block needs to be moved, `realloc` copies the old contents.

If you pass a null pointer for *ptr*, `realloc` behaves just like `malloc` (*newsize*). This can be convenient, but beware that older implementations (before ISO C) may not support this behavior, and will probably crash when `realloc` is passed a null pointer.

Like `malloc`, `realloc` may return a null pointer if no memory space is available to make the block bigger. When this happens, the original block is untouched; it has not been modified or relocated.

In most cases it makes no difference what happens to the original block when `realloc` fails, because the application program cannot continue when it is out of memory, and the only thing to do is to give a fatal error message. Often it is convenient to write and use a subroutine, conventionally called `xrealloc`, that takes care of the error message as `xmalloc` does for `malloc`:

```
void *
xrealloc (void *ptr, size_t size)
{
    register void *value = realloc (ptr, size);
    if (value == 0)
        fatal ("Virtual memory exhausted");
    return value;
}
```

You can also use `realloc` to make a block smaller. The reason you would do this is to avoid tying up a lot of memory space when only a little is needed. In several allocation implementations, making a block smaller sometimes necessitates copying it, so it can fail if no other space is available.

If the new size you specify is the same as the old size, `realloc` is guaranteed to change nothing and return the same address that you gave.

---

Node: [Allocating Cleared Space](#), Next: [Efficiency and Malloc](#), Previous: [Changing Block Size](#),  
Up: [Unconstrained Allocation](#)

## Allocating Cleared Space

The function `calloc` allocates memory and clears it to zero. It is declared in `stdlib.h`.

`void * calloc (size_t count, size_t eltsize)` Function

This function allocates a block long enough to contain a vector of *count* elements, each of size *eltsize*. Its contents are cleared to zero before `calloc` returns.

You could define `calloc` as follows:

```
void *
calloc (size_t count, size_t eltsize)
{
    size_t size = count * eltsize;
    void *value = malloc (size);
    if (value != 0)
        memset (value, 0, size);
    return value;
}
```

But in general, it is not guaranteed that `calloc` calls `malloc` internally. Therefore, if an application provides its own `malloc/realloc/free` outside the C library, it should always define `calloc`, too.

---

Node: Efficiency and Malloc, Next: [Aligned Memory Blocks](#), Previous: [Allocating Cleared Space](#),  
Up: [Unconstrained Allocation](#)

## Efficiency Considerations for `malloc`

As opposed to other versions, the `malloc` in the GNU C Library does not round up block sizes to powers of two, neither for large nor for small sizes. Neighboring chunks can be coalesced on a `free` no matter what their size is. This makes the implementation suitable for all kinds of allocation patterns without generally incurring high memory waste through fragmentation.

Very large blocks (much larger than a page) are allocated with `mmap` (anonymous or via `/dev/zero`) by this implementation. This has the great advantage that these chunks are returned to the system immediately when they are freed. Therefore, it cannot happen that a large chunk becomes "locked" in between smaller ones and even after calling `free` wastes memory. The size threshold for `mmap` to be used can be adjusted with `mallopt`. The use of `mmap` can also be disabled completely.

---

Node: Aligned Memory Blocks, Next: [Malloc Tunable Parameters](#), Previous: [Efficiency and Malloc](#),  
Up: [Unconstrained Allocation](#)

## Allocating Aligned Memory Blocks

The address of a block returned by `malloc` or `realloc` in the GNU system is always a multiple of eight (or sixteen on 64-bit systems). If you need a block whose address is a multiple of a higher power of two than that, use `memalign`, `posix_memalign`, or `valloc`. `memalign` is declared in `malloc.h` and `posix_memalign` is declared in `stdlib.h`.

With the GNU library, you can use `free` to free the blocks that `memalign`, `posix_memalign`, and `valloc` return. That does not work in BSD, however--BSD does not provide any way to free such blocks.

`void * memalign (size_t boundary, size_t size)` Function

The `memalign` function allocates a block of *size* bytes whose address is a multiple of *boundary*. The *boundary* must be a power of two! The function `memalign` works by allocating a somewhat larger block, and then returning an address within the block that is on the specified boundary.

`int posix_memalign (void **memptr, size_t alignment, size_t size)` Function

The `posix_memalign` function is similar to the `memalign` function in that it returns a buffer of *size* bytes aligned to a multiple of *alignment*. But it adds one requirement to the parameter *alignment*: the value must be a power of two multiple of `sizeof (void *)`.

If the function succeeds in allocation memory a pointer to the allocated memory is returned in *\*memptr* and the return value is zero. Otherwise the function returns an error value indicating the problem.

This function was introduced in POSIX 1003.1d.

`void * valloc (size_t size)` Function

Using `valloc` is like using `memalign` and passing the page size as the value of the second argument. It is implemented like this:

```
void *
valloc (size_t size)
{
    return memalign (getpagesize (), size);
}
```

[Query Memory Parameters](#) for more information about the memory subsystem.

[Blocks](#), Up: [Unconstrained Allocation](#)

## Malloc Tunable Parameters

You can adjust some parameters for dynamic memory allocation with the `mallopt` function. This function is the general SVID/XPG interface, defined in `malloc.h`.

`int mallopt` (*int param, int value*) Function

When calling `mallopt`, the *param* argument specifies the parameter to be set, and *value* the new value to be set. Possible choices for *param*, as defined in `malloc.h`, are:

`M_TRIM_THRESHOLD`

This is the minimum size (in bytes) of the top-most, releasable chunk that will cause `sbrk` to be called with a negative argument in order to return memory to the system.

`M_TOP_PAD`

This parameter determines the amount of extra memory to obtain from the system when a call to `sbrk` is required. It also specifies the number of bytes to retain when shrinking the heap by calling `sbrk` with a negative argument. This provides the necessary hysteresis in heap size such that excessive amounts of system calls can be avoided.

`M_MMAP_THRESHOLD`

All chunks larger than this value are allocated outside the normal heap, using the `mmap` system call. This way it is guaranteed that the memory for these chunks can be returned to the system on `free`. Note that requests smaller than this threshold might still be allocated via `mmap`.

`M_MMAP_MAX`

The maximum number of chunks to allocate with `mmap`. Setting this to zero disables all use of `mmap`.

---

Node: [Heap Consistency Checking](#), Next: [Hooks for Malloc](#), Previous: [Malloc Tunable Parameters](#),  
Up: [Unconstrained Allocation](#)

## Heap Consistency Checking

You can ask `malloc` to check the consistency of dynamic memory by using the `mcheck` function. This function is a GNU extension, declared in `mcheck.h`.

`int mcheck` (*void (\*abortfn) (enum mcheck\_status status)*) Function



Calling `mcheck` tells `malloc` to perform occasional consistency checks. These will catch things such as writing past the end of a block that was allocated with `malloc`.

The *abortfn* argument is the function to call when an inconsistency is found. If you supply a null pointer, then `mcheck` uses a default function which prints a message and calls `abort` (see [Aborting a Program](#)). The function you supply is called with one argument, which says what sort of inconsistency was detected; its type is described below.

It is too late to begin allocation checking once you have allocated anything with `malloc`. So `mcheck` does nothing in that case. The function returns `-1` if you call it too late, and `0` otherwise (when it is successful).

The easiest way to arrange to call `mcheck` early enough is to use the option `-lmcheck` when you link your program; then you don't need to modify your program source at all. Alternatively you might use a debugger to insert a call to `mcheck` whenever the program is started, for example these `gdb` commands will automatically call `mcheck` whenever the program starts:

```
(gdb) break main
Breakpoint 1, main (argc=2, argv=0xbffff964) at whatever.c:10
(gdb) command 1
Type commands for when breakpoint 1 is hit, one per line.
End with a line saying just "end".
>call mcheck(0)
>continue
>end
(gdb) ...
```

This will however only work if no initialization function of any object involved calls any of the `malloc` functions since `mcheck` must be called before the first such function.

`enum mcheck_status` **`mprobe`** (*void \*pointer*) Function

The `mprobe` function lets you explicitly check for inconsistencies in a particular allocated block. You must have already called `mcheck` at the beginning of the program, to do its occasional checks; calling `mprobe` requests an additional consistency check to be done at the time of the call.

The argument *pointer* must be a pointer returned by `malloc` or `realloc`. `mprobe` returns a value that says what inconsistency, if any, was found. The values are described below.

`enum mcheck_status` Data Type

This enumerated type describes what kind of inconsistency was detected in an allocated block, if any. Here are the possible values:

`MCHECK_DISABLED`

`mcheck` was not called before the first allocation. No consistency checking can be done.

`MCHECK_OK`

No inconsistency detected.

`MCHECK_HEAD`

The data immediately before the block was modified. This commonly happens when an array index or pointer is decremented too far.

`MCHECK_TAIL`

The data immediately after the block was modified. This commonly happens when an array index or pointer is incremented too far.

`MCHECK_FREE`

The block was already freed.

Another possibility to check for and guard against bugs in the use of `malloc`, `realloc` and `free` is to set the environment variable `MALLOC_CHECK_`. When `MALLOC_CHECK_` is set, a special (less efficient) implementation is used which is designed to be tolerant against simple errors, such as double calls of `free` with the same argument, or overruns of a single byte (off-by-one bugs). Not all such errors can be protected against, however, and memory leaks can result. If `MALLOC_CHECK_` is set to 0, any detected heap corruption is silently ignored; if set to 1, a diagnostic is printed on `stderr`; if set to 2, `abort` is called immediately. This can be useful because otherwise a crash may happen much later, and the true cause for the problem is then very hard to track down.

There is one problem with `MALLOC_CHECK_`: in `SUID` or `SGID` binaries it could possibly be exploited since diverging from the normal programs behavior it now writes something to the standard error descriptor. Therefore the use of `MALLOC_CHECK_` is disabled by default for `SUID` and `SGID` binaries. It can be enabled again by the system administrator by adding a file `/etc/suid-debug` (the content is not important it could be empty).

So, what's the difference between using `MALLOC_CHECK_` and linking with `-lmcheck`? `MALLOC_CHECK_` is orthogonal with respect to `-lmcheck`. `-lmcheck` has been added for backward compatibility. Both `MALLOC_CHECK_` and `-lmcheck` should uncover the same bugs - but using `MALLOC_CHECK_` you don't need to recompile your application.

---

Node: [Hooks for Malloc](#), Next: [Statistics of Malloc](#), Previous: [Heap Consistency Checking](#),  
Up: [Unconstrained Allocation](#)

## Memory Allocation Hooks

The GNU C library lets you modify the behavior of `malloc`, `realloc`, and `free` by specifying appropriate hook functions. You can use these hooks to help you debug programs that use dynamic memory allocation, for example.

The hook variables are declared in `malloc.h`.

### **`__malloc_hook`** Variable

The value of this variable is a pointer to the function that `malloc` uses whenever it is called. You should define this function to look like `malloc`; that is, like:

```
void *function (size_t size, const void *caller)
```

The value of *caller* is the return address found on the stack when the `malloc` function was called. This value allows you to trace the memory consumption of the program.

### **`__realloc_hook`** Variable

The value of this variable is a pointer to function that `realloc` uses whenever it is called. You should define this function to look like `realloc`; that is, like:

```
void *function (void *ptr, size_t size, const void *caller)
```

The value of *caller* is the return address found on the stack when the `realloc` function was called. This value allows you to trace the memory consumption of the program.

### **`__free_hook`** Variable

The value of this variable is a pointer to function that `free` uses whenever it is called. You should define this function to look like `free`; that is, like:

```
void function (void *ptr, const void *caller)
```

The value of *caller* is the return address found on the stack when the `free` function was called. This value allows you to trace the memory consumption of the program.

### **`__memalign_hook`** Variable

The value of this variable is a pointer to function that `memalign` uses whenever it is called. You should define this function to look like `memalign`; that is, like:

```
void *function (size_t alignment, size_t size, const void *caller)
```

The value of *caller* is the return address found on the stack when the `memalign` function was called. This value allows you to trace the memory consumption of the program.

You must make sure that the function you install as a hook for one of these functions does not call that function recursively without restoring the old value of the hook first! Otherwise, your program will get stuck in an infinite recursion. Before calling the function recursively, one should make sure to restore all the hooks to their previous value. When coming back from the recursive call, all the hooks should be resaved since a hook might modify itself.

## **\_\_malloc\_initialize\_hook**

Variable

The value of this variable is a pointer to a function that is called once when the `malloc` implementation is initialized. This is a weak variable, so it can be overridden in the application with a definition like the following:

```
void (*__malloc_initialize_hook) (void) = my_init_hook;
```

An issue to look out for is the time at which the `malloc` hook functions can be safely installed. If the hook functions call the `malloc`-related functions recursively, it is necessary that `malloc` has already properly initialized itself at the time when `__malloc_hook` etc. is assigned to. On the other hand, if the hook functions provide a complete `malloc` implementation of their own, it is vital that the hooks are assigned to *before* the very first `malloc` call has completed, because otherwise a chunk obtained from the ordinary, un-hooked `malloc` may later be handed to `__free_hook`, for example.

In both cases, the problem can be solved by setting up the hooks from within a user-defined function pointed to by `__malloc_initialize_hook`--then the hooks will be set up safely at the right time.

Here is an example showing how to use `__malloc_hook` and `__free_hook` properly. It installs a function that prints out information every time `malloc` or `free` is called. We just assume here that `realloc` and `memalign` are not used in our program.

```
/* Prototypes for __malloc_hook, __free_hook */
#include <malloc.h>

/* Prototypes for our hooks. */
```

```
static void *my_init_hook (void);
static void *my_malloc_hook (size_t, const void *);
static void my_free_hook (void*, const void *);

/* Override initializing hook from the C library. */
void (*__malloc_initialize_hook) (void) = my_init_hook;

static void
my_init_hook (void)
{
    old_malloc_hook = __malloc_hook;
    old_free_hook = __free_hook;
    __malloc_hook = my_malloc_hook;
    __free_hook = my_free_hook;
}

static void *
my_malloc_hook (size_t size, const void *caller)
{
    void *result;
    /* Restore all old hooks */
    __malloc_hook = old_malloc_hook;
    __free_hook = old_free_hook;
    /* Call recursively */
    result = malloc (size);
    /* Save underlying hooks */
    old_malloc_hook = __malloc_hook;
    old_free_hook = __free_hook;
    /* printf might call malloc, so protect it too. */
    printf ("malloc (%u) returns %p\n", (unsigned int) size, result);
    /* Restore our own hooks */
    __malloc_hook = my_malloc_hook;
    __free_hook = my_free_hook;
    return result;
}

static void *
my_free_hook (void *ptr, const void *caller)
{
    /* Restore all old hooks */
    __malloc_hook = old_malloc_hook;
    __free_hook = old_free_hook;
    /* Call recursively */
    free (ptr);
    /* Save underlying hooks */
    old_malloc_hook = __malloc_hook;
    old_free_hook = __free_hook;
    /* printf might call free, so protect it too. */
    printf ("freed pointer %p\n", ptr);
    /* Restore our own hooks */
}
```

```

    __malloc_hook = my_malloc_hook;
    __free_hook = my_free_hook;
}

main ()
{
    ...
}

```

The `mcheck` function (see [Heap Consistency Checking](#)) works by installing such hooks.

---

Node: [Statistics of Malloc](#), Next: [Summary of Malloc](#), Previous: [Hooks for Malloc](#), Up: [Unconstrained Allocation](#)

## Statistics for Memory Allocation with `malloc`

You can get information about dynamic memory allocation by calling the `mallinfo` function. This function and its associated data type are declared in `malloc.h`; they are an extension of the standard SVID/XPG version.

### **struct mallinfo**

Data Type

This structure type is used to return information about the dynamic memory allocator. It contains the following members:

`int arena`

This is the total size of memory allocated with `sbrk` by `malloc`, in bytes.

`int ordblks`

This is the number of chunks not in use. (The memory allocator internally gets chunks of memory from the operating system, and then carves them up to satisfy individual `malloc` requests; see [Efficiency and Malloc](#).)

`int smlks`

This field is unused.

`int hblks`

This is the total number of chunks allocated with `mmap`.

`int hblkhd`

This is the total size of memory allocated with `mmap`, in bytes.

`int usmlks`

This field is unused.

`int fsmblks`

This field is unused.

`int uordblks`

This is the total size of memory occupied by chunks handed out by `malloc`.

```
int fordblks
```

This is the total size of memory occupied by free (not in use) chunks.

```
int keepcost
```

This is the size of the top-most releasable chunk that normally borders the end of the heap (i.e. the high end of the virtual address space's data segment).

```
struct mallinfo mallinfo (void) Function
```

This function returns information about the current dynamic memory usage in a structure of type `struct mallinfo`.

Node: Summary of Malloc, Previous: [Statistics of Malloc](#), Up: [Unconstrained Allocation](#)

## Summary of `malloc`-Related Functions

Here is a summary of the functions that work with `malloc`:

```
void *malloc (size_t size)
```

Allocate a block of *size* bytes. See [Basic Allocation](#).

```
void free (void *addr)
```

Free a block previously allocated by `malloc`. See [Freeing after Malloc](#).

```
void *realloc (void *addr, size_t size)
```

Make a block previously allocated by `malloc` larger or smaller, possibly by copying it to a new location. See [Changing Block Size](#).

```
void *calloc (size_t count, size_t elsize)
```

Allocate a block of *count* \* *elsize* bytes using `malloc`, and set its contents to zero. See [Allocating Cleared Space](#).

```
void *valloc (size_t size)
```

Allocate a block of *size* bytes, starting on a page boundary. See [Aligned Memory Blocks](#).

```
void *memalign (size_t size, size_t boundary)
```

Allocate a block of *size* bytes, starting on an address that is a multiple of *boundary*. See [Aligned Memory Blocks](#).

```
int mallopt (int param, int value)
```

Adjust a tunable parameter. See [Malloc Tunable Parameters](#).

```
int mcheck (void (*abortfn) (void))
```

Tell `malloc` to perform occasional consistency checks on dynamically allocated memory, and to call *abortfn* when an inconsistency is found. See [Heap Consistency Checking](#).

```
void *(*__malloc_hook) (size_t size, const void *caller)
```

A pointer to a function that `malloc` uses whenever it is called.

```
void *(*__realloc_hook) (void *ptr, size_t size, const void *caller)
```

A pointer to a function that `realloc` uses whenever it is called.

```
void (*__free_hook) (void *ptr, const void *caller)
```

A pointer to a function that `free` uses whenever it is called.

```
void (*__memalign_hook) (size_t size, size_t alignment, const void *caller)
```

A pointer to a function that `memalign` uses whenever it is called.

```
struct mallinfo mallinfo (void)
```

Return information about the current dynamic memory usage. See [Statistics of Malloc](#).

Node: Allocation Debugging, Next: [Obstacks](#), Previous: [Unconstrained Allocation](#), Up: [Memory Allocation](#)

## Allocation Debugging

A complicated task when programming with languages which do not use garbage collected dynamic memory allocation is to find memory leaks. Long running programs must assure that dynamically allocated objects are freed at the end of their lifetime. If this does not happen the system runs out of memory, sooner or later.

The `malloc` implementation in the GNU C library provides some simple means to detect such leaks and obtain some information to find the location. To do this the application must be started in a special mode which is enabled by an environment variable. There are no speed penalties for the program if the debugging mode is not enabled.

- [Tracing malloc](#): How to install the tracing functionality.
- [Using the Memory Debugger](#): Example programs excerpts.
- [Tips for the Memory Debugger](#): Some more or less clever ideas.
- [Interpreting the traces](#): What do all these lines mean?

Node: Tracing malloc, Next: [Using the Memory Debugger](#), Up: [Allocation Debugging](#)

## How to install the tracing functionality

```
void mtrace (void)
```

Function



When the `mtrace` function is called it looks for an environment variable named `MALLOC_TRACE`. This variable is supposed to contain a valid file name. The user must have write access. If the file already exists it is truncated. If the environment variable is not set or it does not name a valid file which can be opened for writing nothing is done. The behavior of `malloc` etc. is not changed. For obvious reasons this also happens if the application is installed with the SUID or SGID bit set.

If the named file is successfully opened, `mtrace` installs special handlers for the functions `malloc`, `realloc`, and `free` (see [Hooks for Malloc](#)). From then on, all uses of these functions are traced and protocolled into the file. There is now of course a speed penalty for all calls to the traced functions so tracing should not be enabled during normal use.

This function is a GNU extension and generally not available on other systems. The prototype can be found in `mcheck.h`.

void **`muntrace`** (*void*)

Function

The `muntrace` function can be called after `mtrace` was used to enable tracing the `malloc` calls. If no (successful) call of `mtrace` was made `muntrace` does nothing.

Otherwise it deinstalls the handlers for `malloc`, `realloc`, and `free` and then closes the protocol file. No calls are protocolled anymore and the program runs again at full speed.

This function is a GNU extension and generally not available on other systems. The prototype can be found in `mcheck.h`.

---

Node: Using the Memory Debugger, Next: [Tips for the Memory Debugger](#), Previous: [Tracing malloc](#),  
Up: [Allocation Debugging](#)

## Example program excerpts

Even though the tracing functionality does not influence the runtime behavior of the program it is not a good idea to call `mtrace` in all programs. Just imagine that you debug a program using `mtrace` and all other programs used in the debugging session also trace their `malloc` calls. The output file would be the same for all programs and thus is unusable. Therefore one should call `mtrace` only if compiled for debugging. A program could therefore start like this:

```
#include <mcheck.h>

int
```

```

main (int argc, char *argv[])
{
#ifdef DEBUGGING
    mtrace ();
#endif
    ...
}

```

This is all what is needed if you want to trace the calls during the whole runtime of the program. Alternatively you can stop the tracing at any time with a call to `muntrace`. It is even possible to restart the tracing again with a new call to `mtrace`. But this can cause unreliable results since there may be calls of the functions which are not called. Please note that not only the application uses the traced functions, also libraries (including the C library itself) use these functions.

This last point is also why it is no good idea to call `muntrace` before the program terminated. The libraries are informed about the termination of the program only after the program returns from `main` or calls `exit` and so cannot free the memory they use before this time.

So the best thing one can do is to call `mtrace` as the very first function in the program and never call `muntrace`. So the program traces almost all uses of the `malloc` functions (except those calls which are executed by constructors of the program or used libraries).

---

Node: [Tips for the Memory Debugger](#), Next: [Interpreting the traces](#), Previous: [Using the Memory Debugger](#), Up: [Allocation Debugging](#)

## Some more or less clever ideas

You know the situation. The program is prepared for debugging and in all debugging sessions it runs well. But once it is started without debugging the error shows up. A typical example is a memory leak that becomes visible only when we turn off the debugging. If you foresee such situations you can still win. Simply use something equivalent to the following little program:

```

#include <mcheck.h>
#include <signal.h>

static void
enable (int sig)
{
    mtrace ();
    signal (SIGUSR1, enable);
}

```

```

}

static void
disable (int sig)
{
    muntrace ();
    signal (SIGUSR2, disable);
}

int
main (int argc, char *argv[])
{
    ...

    signal (SIGUSR1, enable);
    signal (SIGUSR2, disable);

    ...
}

```

I.e., the user can start the memory debugger any time s/he wants if the program was started with `MALLOC_TRACE` set in the environment. The output will of course not show the allocations which happened before the first signal but if there is a memory leak this will show up nevertheless.

---

Node: Interpreting the traces, Previous: [Tips for the Memory Debugger](#), Up: [Allocation Debugging](#)

## Interpreting the traces

If you take a look at the output it will look similar to this:

```

= Start
[0x8048209] - 0x8064cc8
[0x8048209] - 0x8064ce0
[0x8048209] - 0x8064cf8
[0x80481eb] + 0x8064c48 0x14
[0x80481eb] + 0x8064c60 0x14
[0x80481eb] + 0x8064c78 0x14
[0x80481eb] + 0x8064c90 0x14
= End

```

What this all means is not really important since the trace file is not meant to be read by a human. Therefore no attention is given to readability. Instead there is a program which comes with the GNU C library which interprets the traces and outputs a summary in an user-friendly way. The program is called `mtrace` (it is in fact a Perl script) and it takes one or two arguments. In any case the name of the file with the trace output must be specified. If an optional argument precedes the name of the trace file this must be the name of the program which generated the trace.

```
drepper$ mtrace tst-mtrace log
No memory leaks.
```

In this case the program `tst-mtrace` was run and it produced a trace file `log`. The message printed by `mtrace` shows there are no problems with the code, all allocated memory was freed afterwards.

If we call `mtrace` on the example trace given above we would get a different output:

```
drepper$ mtrace errlog
- 0x08064cc8 Free 2 was never alloc'd 0x8048209
- 0x08064ce0 Free 3 was never alloc'd 0x8048209
- 0x08064cf8 Free 4 was never alloc'd 0x8048209
```

Memory not freed:

```
-----
Address      Size      Caller
0x08064c48   0x14     at 0x80481eb
0x08064c60   0x14     at 0x80481eb
0x08064c78   0x14     at 0x80481eb
0x08064c90   0x14     at 0x80481eb
```

We have called `mtrace` with only one argument and so the script has no chance to find out what is meant with the addresses given in the trace. We can do better:

```
drepper$ mtrace tst errlog
- 0x08064cc8 Free 2 was never alloc'd /home/drepper/tst.c:39
- 0x08064ce0 Free 3 was never alloc'd /home/drepper/tst.c:39
- 0x08064cf8 Free 4 was never alloc'd /home/drepper/tst.c:39
```

Memory not freed:

```
-----
Address      Size      Caller
0x08064c48   0x14     at /home/drepper/tst.c:33
```

```
0x08064c60      0x14  at /home/drepper/tst.c:33
0x08064c78      0x14  at /home/drepper/tst.c:33
0x08064c90      0x14  at /home/drepper/tst.c:33
```

Suddenly the output makes much more sense and the user can see immediately where the function calls causing the trouble can be found.

Interpreting this output is not complicated. There are at most two different situations being detected. First, `free` was called for pointers which were never returned by one of the allocation functions. This is usually a very bad problem and what this looks like is shown in the first three lines of the output. Situations like this are quite rare and if they appear they show up very drastically: the program normally crashes.

The other situation which is much harder to detect are memory leaks. As you can see in the output the `mtrace` function collects all this information and so can say that the program calls an allocation function from line 33 in the source file `/home/drepper/tst-mtrace.c` four times without freeing this memory before the program terminates. Whether this is a real problem remains to be investigated.

---

Node: Obstacks, Next: [Variable Size Automatic](#), Previous: [Allocation Debugging](#), Up: [Memory Allocation](#)

## Obstacks

An *obstack* is a pool of memory containing a stack of objects. You can create any number of separate obstacks, and then allocate objects in specified obstacks. Within each obstack, the last object allocated must always be the first one freed, but distinct obstacks are independent of each other.

Aside from this one constraint of order of freeing, obstacks are totally general: an obstack can contain any number of objects of any size. They are implemented with macros, so allocation is usually very fast as long as the objects are usually small. And the only space overhead per object is the padding needed to start each object on a suitable boundary.

- [Creating Obstacks](#): How to declare an obstack in your program.
- [Preparing for Obstacks](#): Preparations needed before you can use obstacks.
- [Allocation in an Obstack](#): Allocating objects in an obstack.
- [Freeing Obstack Objects](#): Freeing objects in an obstack.
- [Obstack Functions](#): The obstack functions are both functions and macros.
- [Growing Objects](#): Making an object bigger by stages.

- [Extra Fast Growing](#): Extra-high-efficiency (though more complicated) growing objects.
- [Status of an Obstack](#): Inquiries about the status of an obstack.
- [Obstacks Data Alignment](#): Controlling alignment of objects in obstacks.
- [Obstack Chunks](#): How obstacks obtain and release chunks; efficiency considerations.
- [Summary of Obstacks](#):

Node: Creating Obstacks, Next: [Preparing for Obstacks](#), Up: [Obstacks](#)

## Creating Obstacks

The utilities for manipulating obstacks are declared in the header file `obstack.h`.

### **struct obstack**

Data Type

An obstack is represented by a data structure of type `struct obstack`. This structure has a small fixed size; it records the status of the obstack and how to find the space in which objects are allocated. It does not contain any of the objects themselves. You should not try to access the contents of the structure directly; use only the functions described in this chapter.

You can declare variables of type `struct obstack` and use them as obstacks, or you can allocate obstacks dynamically like any other kind of object. Dynamic allocation of obstacks allows your program to have a variable number of different stacks. (You can even allocate an obstack structure in another obstack, but this is rarely useful.)

All the functions that work with obstacks require you to specify which obstack to use. You do this with a pointer of type `struct obstack *`. In the following, we often say "an obstack" when strictly speaking the object at hand is such a pointer.

The objects in the obstack are packed into large blocks called *chunks*. The `struct obstack` structure points to a chain of the chunks currently in use.

The obstack library obtains a new chunk whenever you allocate an object that won't fit in the previous chunk. Since the obstack library manages chunks automatically, you don't need to pay much attention to them, but you do need to supply a function which the obstack library should use to get a chunk. Usually you supply a function which uses `malloc` directly or indirectly. You must also supply a function to free a chunk. These matters are described in the following section.

Node: Preparing for Obstacks, Next: [Allocation in an Obstack](#), Previous: [Creating Obstacks](#),  
Up: [Obstacks](#)

## Preparing for Using Obstacks

Each source file in which you plan to use the obstack functions must include the header file `obstack.h`, like this:

```
#include <obstack.h>
```

Also, if the source file uses the macro `obstack_init`, it must declare or define two functions or macros that will be called by the obstack library. One, `obstack_chunk_alloc`, is used to allocate the chunks of memory into which objects are packed. The other, `obstack_chunk_free`, is used to return chunks when the objects in them are freed. These macros should appear before any use of obstacks in the source file.

Usually these are defined to use `malloc` via the intermediary `xmalloc` (see [Unconstrained Allocation](#)). This is done with the following pair of macro definitions:

```
#define obstack_chunk_alloc xmalloc
#define obstack_chunk_free free
```

Though the memory you get using obstacks really comes from `malloc`, using obstacks is faster because `malloc` is called less often, for larger blocks of memory. See [Obstack Chunks](#), for full details.

At run time, before the program can use a `struct obstack` object as an obstack, it must initialize the obstack by calling `obstack_init`.

**int `obstack_init`** (*struct obstack \*obstack\_ptr*) Function

Initialize obstack *obstack\_ptr* for allocation of objects. This function calls the obstack's `obstack_chunk_alloc` function. If allocation of memory fails, the function pointed to by `obstack_alloc_failed_handler` is called. The `obstack_init` function always returns 1 (Compatibility notice: Former versions of obstack returned 0 if allocation failed).

Here are two examples of how to allocate the space for an obstack and initialize it. First, an obstack that is a static variable:

```
static struct obstack myobstack;
...
obstack_init (&myobstack);
```

Second, an obstack that is itself dynamically allocated:

```

struct obstack *myobstack_ptr
  = (struct obstack *) xmalloc (sizeof (struct obstack));

obstack_init (myobstack_ptr);

```

## obstack\_alloc\_failed\_handler

Variable

The value of this variable is a pointer to a function that `obstack` uses when `obstack_chunk_alloc` fails to allocate memory. The default action is to print a message and abort. You should supply a function that either calls `exit` (see [Program Termination](#)) or `longjmp` (see [Non-Local Exits](#)) and doesn't return.

```

void my_obstack_alloc_failed (void)
  ...
obstack_alloc_failed_handler = &my_obstack_alloc_failed;

```

---

Node: Allocation in an Obstack, Next: [Freeing Obstack Objects](#), Previous: [Preparing for Obstacks](#),  
Up: [Obstacks](#)

## Allocation in an Obstack

The most direct way to allocate an object in an obstack is with `obstack_alloc`, which is invoked almost like `malloc`.

```
void * obstack_alloc (struct obstack *obstack_ptr, int size)
```

Function

This allocates an uninitialized block of *size* bytes in an obstack and returns its address. Here *obstack\_ptr* specifies which obstack to allocate the block in; it is the address of the `struct obstack` object which represents the obstack. Each obstack function or macro requires you to specify an *obstack\_ptr* as the first argument.

This function calls the obstack's `obstack_chunk_alloc` function if it needs to allocate a new chunk of memory; it calls `obstack_alloc_failed_handler` if allocation of memory by `obstack_chunk_alloc` failed.

For example, here is a function that allocates a copy of a string *str* in a specific obstack, which is in the variable `string_obstack`:



```

struct obstack string_obstack;

char *
copystring (char *string)
{
    size_t len = strlen (string) + 1;
    char *s = (char *) obstack_alloc (&string_obstack, len);
    memcpy (s, string, len);
    return s;
}

```

To allocate a block with specified contents, use the function `obstack_copy`, declared like this:

`void * obstack_copy (struct obstack *obstack_ptr, void *address, int size)` Function

This allocates a block and initializes it by copying *size* bytes of data starting at *address*. It calls `obstack_alloc_failed_handler` if allocation of memory by `obstack_chunk_alloc` failed.

`void * obstack_copy0 (struct obstack *obstack_ptr, void *address, int size)` Function

Like `obstack_copy`, but appends an extra byte containing a null character. This extra byte is not counted in the argument *size*.

The `obstack_copy0` function is convenient for copying a sequence of characters into an obstack as a null-terminated string. Here is an example of its use:

```

char *
obstack_savestring (char *addr, int size)
{
    return obstack_copy0 (&myobstack, addr, size);
}

```

Contrast this with the previous example of `savestring` using `malloc` (see [Basic Allocation](#)).

Node: Freeing Obstack Objects, Next: [Obstack Functions](#), Previous: [Allocation in an Obstack](#),  
Up: [Obstacks](#)

## Freeing Objects in an Obstack

To free an object allocated in an obstack, use the function `obstack_free`. Since the obstack is a stack of objects, freeing one object automatically frees all other objects allocated more recently in the same

obstack.

void **obstack\_free** (*struct obstack \*obstack\_ptr, void \*object*) Function

If *object* is a null pointer, everything allocated in the obstack is freed. Otherwise, *object* must be the address of an object allocated in the obstack. Then *object* is freed, along with everything allocated in *obstack* since *object*.

Note that if *object* is a null pointer, the result is an uninitialized obstack. To free all memory in an obstack but leave it valid for further allocation, call `obstack_free` with the address of the first object allocated on the obstack:

```
obstack_free (obstack_ptr, first_object_allocated_ptr);
```

Recall that the objects in an obstack are grouped into chunks. When all the objects in a chunk become free, the obstack library automatically frees the chunk (see [Preparing for Obstacks](#)). Then other obstacks, or non-obstack allocation, can reuse the space of the chunk.

---

Node: Obstack Functions, Next: [Growing Objects](#), Previous: [Freeing Obstack Objects](#), Up: [Obstacks](#)

## Obstack Functions and Macros

The interfaces for using obstacks may be defined either as functions or as macros, depending on the compiler. The obstack facility works with all C compilers, including both ISO C and traditional C, but there are precautions you must take if you plan to use compilers other than GNU C.

If you are using an old-fashioned non-ISO C compiler, all the obstack "functions" are actually defined only as macros. You can call these macros like functions, but you cannot use them in any other way (for example, you cannot take their address).

Calling the macros requires a special precaution: namely, the first operand (the obstack pointer) may not contain any side effects, because it may be computed more than once. For example, if you write this:

```
obstack_alloc (get_obstack (), 4);
```

you will find that `get_obstack` may be called several times. If you use `*obstack_list_ptr++` as the obstack pointer argument, you will get very strange results since the incrementation may occur several times.

In ISO C, each function has both a macro definition and a function definition. The function definition is used if you take the address of the function without calling it. An ordinary call uses the macro definition by default, but you can request the function definition instead by writing the function name in parentheses, as shown here:

```
char *x;
void>(*funcp) ();
/* Use the macro. */
x = (char *) obstack_alloc (obptr, size);
/* Call the function. */
x = (char *) (obstack_alloc) (obptr, size);
/* Take the address of the function. */
funcp = obstack_alloc;
```

This is the same situation that exists in ISO C for the standard library functions. See [Macro Definitions](#).

**Warning:** When you do use the macros, you must observe the precaution of avoiding side effects in the first operand, even in ISO C.

If you use the GNU C compiler, this precaution is not necessary, because various language extensions in GNU C permit defining the macros so as to compute each argument only once.

---

Node: Growing Objects, Next: [Extra Fast Growing](#), Previous: [Obstack Functions](#), Up: [Obstacks](#)

## Growing Objects

Because memory in obstack chunks is used sequentially, it is possible to build up an object step by step, adding one or more bytes at a time to the end of the object. With this technique, you do not need to know how much data you will put in the object until you come to the end of it. We call this the technique of *growing objects*. The special functions for adding data to the growing object are described in this section.

You don't need to do anything special when you start to grow an object. Using one of the functions to add data to the object automatically starts it. However, it is necessary to say explicitly when the object is finished. This is done with the function `obstack_finish`.

The actual address of the object thus built up is not known until the object is finished. Until then, it always remains possible that you will add so much data that the object must be copied into a new chunk.

While the obstack is in use for a growing object, you cannot use it for ordinary allocation of another object. If you try to do so, the space already added to the growing object will become part of the other

object.

void **obstack\_blank** (*struct obstack \*obstack\_ptr, int size*) Function

The most basic function for adding to a growing object is `obstack_blank`, which adds space without initializing it.

void **obstack\_grow** (*struct obstack \*obstack\_ptr, void \*data, int size*) Function

To add a block of initialized space, use `obstack_grow`, which is the growing-object analogue of `obstack_copy`. It adds *size* bytes of data to the growing object, copying the contents from *data*.

void **obstack\_grow0** (*struct obstack \*obstack\_ptr, void \*data, int size*) Function

This is the growing-object analogue of `obstack_copy0`. It adds *size* bytes copied from *data*, followed by an additional null character.

void **obstack\_1grow** (*struct obstack \*obstack\_ptr, char c*) Function

To add one character at a time, use the function `obstack_1grow`. It adds a single byte containing *c* to the growing object.

void **obstack\_ptr\_grow** (*struct obstack \*obstack\_ptr, void \*data*) Function

Adding the value of a pointer one can use the function `obstack_ptr_grow`. It adds `sizeof (void *)` bytes containing the value of *data*.

void **obstack\_int\_grow** (*struct obstack \*obstack\_ptr, int data*) Function

A single value of type `int` can be added by using the `obstack_int_grow` function. It adds `sizeof (int)` bytes to the growing object and initializes them with the value of *data*.

void \* **obstack\_finish** (*struct obstack \*obstack\_ptr*) Function

When you are finished growing the object, use the function `obstack_finish` to close it off and return its final address.

Once you have finished the object, the obstack is available for ordinary allocation or for growing another object.

This function can return a null pointer under the same conditions as `obstack_alloc` (see [Allocation in an Obstack](#)).

When you build an object by growing it, you will probably need to know afterward how long it became. You need not keep track of this as you grow the object, because you can find out the length from the obstack just before finishing the object with the function `obstack_object_size`, declared as follows:

**int `obstack_object_size`** (*struct obstack \*obstack\_ptr*) Function

This function returns the current size of the growing object, in bytes. Remember to call this function *before* finishing the object. After it is finished, `obstack_object_size` will return zero.

If you have started growing an object and wish to cancel it, you should finish it and then free it, like this:

```
obstack_free (obstack_ptr, obstack_finish (obstack_ptr));
```

This has no effect if no object was growing.

You can use `obstack_blank` with a negative size argument to make the current object smaller. Just don't try to shrink it beyond zero length--there's no telling what will happen if you do that.

---

Node: Extra Fast Growing, Next: [Status of an Obstack](#), Previous: [Growing Objects](#), Up: [Obstacks](#)

## Extra Fast Growing Objects

The usual functions for growing objects incur overhead for checking whether there is room for the new growth in the current chunk. If you are frequently constructing objects in small steps of growth, this overhead can be significant.

You can reduce the overhead by using special "fast growth" functions that grow the object without checking. In order to have a robust program, you must do the checking yourself. If you do this checking in the simplest way each time you are about to add data to the object, you have not saved anything, because that is what the ordinary growth functions do. But if you can arrange to check less often, or check more efficiently, then you make the program faster.

The function `obstack_room` returns the amount of room available in the current chunk. It is declared as follows:

**int `obstack_room`** (*struct obstack \*obstack\_ptr*) Function

This returns the number of bytes that can be added safely to the current growing object (or to an object about to be started) in obstack *obstack* using the fast growth functions.

While you know there is room, you can use these fast growth functions for adding data to a growing object:

**void `obstack_1grow_fast`** (*struct obstack \*obstack-ptr, char c*) Function

The function `obstack_1grow_fast` adds one byte containing the character *c* to the growing object in obstack *obstack-ptr*.

**void `obstack_ptr_grow_fast`** (*struct obstack \*obstack-ptr, void \*data*) Function

The function `obstack_ptr_grow_fast` adds `sizeof (void *)` bytes containing the value of *data* to the growing object in obstack *obstack-ptr*.

**void `obstack_int_grow_fast`** (*struct obstack \*obstack-ptr, int data*) Function

The function `obstack_int_grow_fast` adds `sizeof (int)` bytes containing the value of *data* to the growing object in obstack *obstack-ptr*.

**void `obstack_blank_fast`** (*struct obstack \*obstack-ptr, int size*) Function

The function `obstack_blank_fast` adds *size* bytes to the growing object in obstack *obstack-ptr* without initializing them.

When you check for space using `obstack_room` and there is not enough room for what you want to add, the fast growth functions are not safe. In this case, simply use the corresponding ordinary growth function instead. Very soon this will copy the object to a new chunk; then there will be lots of room available again.

So, each time you use an ordinary growth function, check afterward for sufficient space using `obstack_room`. Once the object is copied to a new chunk, there will be plenty of space again, so the program will start using the fast growth functions again.

Here is an example:

```
void
add_string (struct obstack *obstack, const char *ptr, int len)
{
  while (len > 0)
  {
    int room = obstack_room (obstack);
    if (room == 0)
```

```

    {
        /* Not enough room. Add one character slowly,
           which may copy to a new chunk and make room. */
        obstack_lgrow (obstack, *ptr++);
        len--;
    }
else
    {
        if (room > len)
            room = len;
        /* Add fast as much as we have room for. */
        len -= room;
        while (room-- > 0)
            obstack_lgrow_fast (obstack, *ptr++);
    }
}
}

```

---

Node: Status of an Obstack, Next: [Obstacks Data Alignment](#), Previous: [Extra Fast Growing](#),  
Up: [Obstacks](#)

## Status of an Obstack

Here are functions that provide information on the current status of allocation in an obstack. You can use them to learn about an object while still growing it.

**void \* `obstack_base`** (*struct obstack \*obstack\_ptr*) Function

This function returns the tentative address of the beginning of the currently growing object in *obstack\_ptr*. If you finish the object immediately, it will have that address. If you make it larger first, it may outgrow the current chunk--then its address will change!

If no object is growing, this value says where the next object you allocate will start (once again assuming it fits in the current chunk).

**void \* `obstack_next_free`** (*struct obstack \*obstack\_ptr*) Function

This function returns the address of the first free byte in the current chunk of obstack *obstack\_ptr*. This is the end of the currently growing object. If no object is growing, `obstack_next_free` returns the same value as `obstack_base`.

**int `obstack_object_size`** (*struct obstack \*obstack\_ptr*) Function

This function returns the size in bytes of the currently growing object. This is equivalent to

```
obstack_next_free (obstack_ptr) - obstack_base (obstack_ptr)
```

---

Node: Obstacks Data Alignment, Next: [Obstack Chunks](#), Previous: [Status of an Obstack](#), Up: [Obstacks](#)

## Alignment of Data in Obstacks

Each obstack has an *alignment boundary*; each object allocated in the obstack automatically starts on an address that is a multiple of the specified boundary. By default, this boundary is 4 bytes.

To access an obstack's alignment boundary, use the macro `obstack_alignment_mask`, whose function prototype looks like this:

`int obstack_alignment_mask (struct obstack *obstack_ptr)` Macro

The value is a bit mask; a bit that is 1 indicates that the corresponding bit in the address of an object should be 0. The mask value should be one less than a power of 2; the effect is that all object addresses are multiples of that power of 2. The default value of the mask is 3, so that addresses are multiples of 4. A mask value of 0 means an object can start on any multiple of 1 (that is, no alignment is required).

The expansion of the macro `obstack_alignment_mask` is an lvalue, so you can alter the mask by assignment. For example, this statement:

```
obstack_alignment_mask (obstack_ptr) = 0;
```

has the effect of turning off alignment processing in the specified obstack.

Note that a change in alignment mask does not take effect until *after* the next time an object is allocated or finished in the obstack. If you are not growing an object, you can make the new alignment mask take effect immediately by calling `obstack_finish`. This will finish a zero-length object and then do proper alignment for the next object.

---

Node: Obstack Chunks, Next: [Summary of Obstacks](#), Previous: [Obstacks Data Alignment](#), Up: [Obstacks](#)

## Obstack Chunks



Obstacks work by allocating space for themselves in large chunks, and then parceling out space in the chunks to satisfy your requests. Chunks are normally 4096 bytes long unless you specify a different chunk size. The chunk size includes 8 bytes of overhead that are not actually used for storing objects. Regardless of the specified size, longer chunks will be allocated when necessary for long objects.

The obstack library allocates chunks by calling the function `obstack_chunk_alloc`, which you must define. When a chunk is no longer needed because you have freed all the objects in it, the obstack library frees the chunk by calling `obstack_chunk_free`, which you must also define.

These two must be defined (as macros) or declared (as functions) in each source file that uses `obstack_init` (see [Creating Obstacks](#)). Most often they are defined as macros like this:

```
#define obstack_chunk_alloc malloc
#define obstack_chunk_free free
```

Note that these are simple macros (no arguments). Macro definitions with arguments will not work! It is necessary that `obstack_chunk_alloc` or `obstack_chunk_free`, alone, expand into a function name if it is not itself a function name.

If you allocate chunks with `malloc`, the chunk size should be a power of 2. The default chunk size, 4096, was chosen because it is long enough to satisfy many typical requests on the obstack yet short enough not to waste too much memory in the portion of the last chunk not yet used.

**int `obstack_chunk_size`** (*struct obstack \*obstack\_ptr*) Macro

This returns the chunk size of the given obstack.

Since this macro expands to an lvalue, you can specify a new chunk size by assigning it a new value. Doing so does not affect the chunks already allocated, but will change the size of chunks allocated for that particular obstack in the future. It is unlikely to be useful to make the chunk size smaller, but making it larger might improve efficiency if you are allocating many objects whose size is comparable to the chunk size. Here is how to do so cleanly:

```
if (obstack_chunk_size (obstack_ptr) < new-chunk-size)
    obstack_chunk_size (obstack_ptr) = new-chunk-size;
```

---

Node: Summary of Obstacks, Previous: [Obstack Chunks](#), Up: [Obstacks](#)

## Summary of Obstack Functions

Here is a summary of all the functions associated with obstacks. Each takes the address of an obstack (`struct obstack *`) as its first argument.

- `void obstack_init (struct obstack *obstack-ptr)`  
Initialize use of an obstack. See [Creating Obstacks](#).
- `void *obstack_alloc (struct obstack *obstack-ptr, int size)`  
Allocate an object of *size* uninitialized bytes. See [Allocation in an Obstack](#).
- `void *obstack_copy (struct obstack *obstack-ptr, void *address, int size)`  
Allocate an object of *size* bytes, with contents copied from *address*. See [Allocation in an Obstack](#).
- `void *obstack_copy0 (struct obstack *obstack-ptr, void *address, int size)`  
Allocate an object of *size*+1 bytes, with *size* of them copied from *address*, followed by a null character at the end. See [Allocation in an Obstack](#).
- `void obstack_free (struct obstack *obstack-ptr, void *object)`  
Free *object* (and everything allocated in the specified obstack more recently than *object*). See [Freeing Obstack Objects](#).
- `void obstack_blank (struct obstack *obstack-ptr, int size)`  
Add *size* uninitialized bytes to a growing object. See [Growing Objects](#).
- `void obstack_grow (struct obstack *obstack-ptr, void *address, int size)`  
Add *size* bytes, copied from *address*, to a growing object. See [Growing Objects](#).
- `void obstack_grow0 (struct obstack *obstack-ptr, void *address, int size)`  
Add *size* bytes, copied from *address*, to a growing object, and then add another byte containing a null character. See [Growing Objects](#).
- `void obstack_lgrow (struct obstack *obstack-ptr, char data-char)`  
Add one byte containing *data-char* to a growing object. See [Growing Objects](#).
- `void *obstack_finish (struct obstack *obstack-ptr)`  
Finalize the object that is growing and return its permanent address. See [Growing Objects](#).
- `int obstack_object_size (struct obstack *obstack-ptr)`  
Get the current size of the currently growing object. See [Growing Objects](#).
- `void obstack_blank_fast (struct obstack *obstack-ptr, int size)`  
Add *size* uninitialized bytes to a growing object without checking that there is enough room. See [Extra Fast Growing](#).
- `void obstack_lgrow_fast (struct obstack *obstack-ptr, char data-char)`  
Add one byte containing *data-char* to a growing object without checking that there is enough room. See [Extra Fast Growing](#).
- `int obstack_room (struct obstack *obstack-ptr)`  
Get the amount of room now available for growing the current object. See [Extra Fast Growing](#).
- `int obstack_alignment_mask (struct obstack *obstack-ptr)`  
The mask used for aligning the beginning of an object. This is an lvalue. See [Obstacks Data Alignment](#).

`int obstack_chunk_size (struct obstack *obstack_ptr)`

The size for allocating chunks. This is an lvalue. See [Obstack Chunks](#).

`void *obstack_base (struct obstack *obstack_ptr)`

Tentative starting address of the currently growing object. See [Status of an Obstack](#).

`void *obstack_next_free (struct obstack *obstack_ptr)`

Address just after the end of the currently growing object. See [Status of an Obstack](#).

Node: Variable Size Automatic, Previous: [Obstacks](#), Up: [Memory Allocation](#)

## Automatic Storage with Variable Size

The function `alloca` supports a kind of half-dynamic allocation in which blocks are allocated dynamically but freed automatically.

Allocating a block with `alloca` is an explicit action; you can allocate as many blocks as you wish, and compute the size at run time. But all the blocks are freed when you exit the function that `alloca` was called from, just as if they were automatic variables declared in that function. There is no way to free the space explicitly.

The prototype for `alloca` is in `stdlib.h`. This function is a BSD extension.

`void * alloca (size_t size);`

Function

The return value of `alloca` is the address of a block of *size* bytes of memory, allocated in the stack frame of the calling function.

Do not use `alloca` inside the arguments of a function call--you will get unpredictable results, because the stack space for the `alloca` would appear on the stack in the middle of the space for the function arguments. An example of what to avoid is `foo (x, alloca (4), y)`.

- [Alloca Example](#): Example of using `alloca`.
- [Advantages of Alloca](#): Reasons to use `alloca`.
- [Disadvantages of Alloca](#): Reasons to avoid `alloca`.
- [GNU C Variable-Size Arrays](#): Only in GNU C, here is an alternative method of allocating dynamically and freeing automatically.

Node: Alloca Example, Next: [Advantages of Alloca](#), Up: [Variable Size Automatic](#)

## alloca Example

As an example of the use of `alloca`, here is a function that opens a file name made from concatenating two argument strings, and returns a file descriptor or minus one signifying failure:

```
int
open2 (char *str1, char *str2, int flags, int mode)
{
    char *name = (char *) alloca (strlen (str1) + strlen (str2) + 1);
    stpcpy (stpcpy (name, str1), str2);
    return open (name, flags, mode);
}
```

Here is how you would get the same results with `malloc` and `free`:

```
int
open2 (char *str1, char *str2, int flags, int mode)
{
    char *name = (char *) malloc (strlen (str1) + strlen (str2) + 1);
    int desc;
    if (name == 0)
        fatal ("virtual memory exceeded");
    stpcpy (stpcpy (name, str1), str2);
    desc = open (name, flags, mode);
    free (name);
    return desc;
}
```

As you can see, it is simpler with `alloca`. But `alloca` has other, more important advantages, and some disadvantages.

---

Node: [Advantages of Alloca](#), Next: [Disadvantages of Alloca](#), Previous: [Alloca Example](#), Up: [Variable Size Automatic](#)

## Advantages of `alloca`

Here are the reasons why `alloca` may be preferable to `malloc`:

- Using `alloca` wastes very little space and is very fast. (It is open-coded by the GNU C compiler.)
- Since `alloca` does not have separate pools for different sizes of block, space used for any size block can be reused for any other size. `alloca` does not cause memory fragmentation.
- Nonlocal exits done with `longjmp` (see [Non-Local Exits](#)) automatically free the space allocated

with `alloca` when they exit through the function that called `alloca`. This is the most important reason to use `alloca`.

To illustrate this, suppose you have a function `open_or_report_error` which returns a descriptor, like `open`, if it succeeds, but does not return to its caller if it fails. If the file cannot be opened, it prints an error message and jumps out to the command level of your program using `longjmp`. Let's change `open2` (see [Alloca Example](#)) to use this subroutine:

```
int
open2 (char *str1, char *str2, int flags, int mode)
{
    char *name = (char *) alloca (strlen (str1) + strlen (str2) +
1);
    strcpy (strcpy (name, str1), str2);
    return open_or_report_error (name, flags, mode);
}
```

Because of the way `alloca` works, the memory it allocates is freed even when an error occurs, with no special effort required.

By contrast, the previous definition of `open2` (which uses `malloc` and `free`) would develop a memory leak if it were changed in this way. Even if you are willing to make more changes to fix it, there is no easy way to do so.

---

Node: Disadvantages of Alloca, Next: [GNU C Variable-Size Arrays](#), Previous: [Advantages of Alloca](#), Up: [Variable Size Automatic](#)

## Disadvantages of `alloca`

These are the disadvantages of `alloca` in comparison with `malloc`:

- If you try to allocate more memory than the machine can provide, you don't get a clean error message. Instead you get a fatal signal like the one you would get from an infinite recursion; probably a segmentation violation (see [Program Error Signals](#)).
- Some non-GNU systems fail to support `alloca`, so it is less portable. However, a slower emulation of `alloca` written in C is available for use on systems with this deficiency.

---

Node: GNU C Variable-Size Arrays, Previous: [Disadvantages of Alloca](#), Up: [Variable Size Automatic](#)

## GNU C Variable-Size Arrays

In GNU C, you can replace most uses of `alloca` with an array of variable size. Here is how `open2` would look then:

```
int open2 (char *str1, char *str2, int flags, int mode)
{
    char name[strlen (str1) + strlen (str2) + 1];
    strcpy (strcpy (name, str1), str2);
    return open (name, flags, mode);
}
```

But `alloca` is not always equivalent to a variable-sized array, for several reasons:

- A variable size array's space is freed at the end of the scope of the name of the array. The space allocated with `alloca` remains until the end of the function.
- It is possible to use `alloca` within a loop, allocating an additional block on each iteration. This is impossible with variable-sized arrays.

**Note:** If you mix use of `alloca` and variable-sized arrays within one function, exiting a scope in which a variable-sized array was declared frees all blocks allocated with `alloca` during the execution of that scope.

---

Node: Resizing the Data Segment, Previous: [Locking Pages](#), Up: [Memory](#)

## Resizing the Data Segment

The symbols in this section are declared in `unistd.h`.

You will not normally use the functions in this section, because the functions described in [Memory Allocation](#) are easier to use. Those are interfaces to a GNU C Library memory allocator that uses the functions below itself. The functions below are simple interfaces to system calls.

int **brk** (*void \*addr*)

Function

`brk` sets the high end of the calling process' data segment to *addr*.

The address of the end of a segment is defined to be the address of the last byte in the segment plus 1.

The function has no effect if *addr* is lower than the low end of the data segment. (This is considered success, by the way).

The function fails if it would cause the data segment to overlap another segment or exceed the process' data storage limit (see [Limits on Resources](#)).

The function is named for a common historical case where data storage and the stack are in the same segment. Data storage allocation grows upward from the bottom of the segment while the stack grows downward toward it from the top of the segment and the curtain between them is called the *break*.

The return value is zero on success. On failure, the return value is `-1` and `errno` is set accordingly. The following `errno` values are specific to this function:

#### ENOMEM

The request would cause the data segment to overlap another segment or exceed the process' data storage limit.

`int sbrk (ptrdiff_t delta)`

Function

This function is the same as `brk` except that you specify the new end of the data segment as an offset *delta* from the current end and on success the return value is the address of the resulting end of the data segment instead of zero.

This means you can use `sbrk(0)` to find out what the current end of the data segment is.

---

Node: Locking Pages, Next: [Resizing the Data Segment](#), Previous: [Memory Allocation](#), Up: [Memory](#)

## Locking Pages

You can tell the system to associate a particular virtual memory page with a real page frame and keep it that way -- i.e. cause the page to be paged in if it isn't already and mark it so it will never be paged out and consequently will never cause a page fault. This is called *locking* a page.

The functions in this chapter lock and unlock the calling process' pages.

- [Why Lock Pages](#): Reasons to read this section.
- [Locked Memory Details](#): Everything you need to know locked memory
- [Page Lock Functions](#): Here's how to do it.

---

Node: Why Lock Pages, Next: [Locked Memory Details](#), Up: [Locking Pages](#)

## Why Lock Pages

Because page faults cause paged out pages to be paged in transparently, a process rarely needs to be concerned about locking pages. However, there are two reasons people sometimes are:

- Speed. A page fault is transparent only insofar as the process is not sensitive to how long it takes to do a simple memory access. Time-critical processes, especially realtime processes, may not be able to wait or may not be able to tolerate variance in execution speed.

A process that needs to lock pages for this reason probably also needs priority among other processes for use of the CPU. See [Priority](#).

In some cases, the programmer knows better than the system's demand paging allocator which pages should remain in real memory to optimize system performance. In this case, locking pages can help.

- Privacy. If you keep secrets in virtual memory and that virtual memory gets paged out, that increases the chance that the secrets will get out. If a password gets written out to disk swap space, for example, it might still be there long after virtual and real memory have been wiped clean.

Be aware that when you lock a page, that's one fewer page frame that can be used to back other virtual memory (by the same or other processes), which can mean more page faults, which means the system runs more slowly. In fact, if you lock enough memory, some programs may not be able to run at all for lack of real memory.

---

Node: Locked Memory Details, Next: [Page Lock Functions](#), Previous: [Why Lock Pages](#), Up: [Locking Pages](#)

## Locked Memory Details



A memory lock is associated with a virtual page, not a real frame. The paging rule is: If a frame backs at least one locked page, don't page it out.

Memory locks do not stack. I.e. you can't lock a particular page twice so that it has to be unlocked twice before it is truly unlocked. It is either locked or it isn't.

A memory lock persists until the process that owns the memory explicitly unlocks it. (But process termination and exec cause the virtual memory to cease to exist, which you might say means it isn't locked any more).

Memory locks are not inherited by child processes. (But note that on a modern Unix system, immediately after a fork, the parent's and the child's virtual address space are backed by the same real page frames, so the child enjoys the parent's locks). See [Creating a Process](#).

Because of its ability to impact other processes, only the superuser can lock a page. Any process can unlock its own page.

The system sets limits on the amount of memory a process can have locked and the amount of real memory it can have dedicated to it. See [Limits on Resources](#).

In Linux, locked pages aren't as locked as you might think. Two virtual pages that are not shared memory can nonetheless be backed by the same real frame. The kernel does this in the name of efficiency when it knows both virtual pages contain identical data, and does it even if one or both of the virtual pages are locked.

But when a process modifies one of those pages, the kernel must get it a separate frame and fill it with the page's data. This is known as a *copy-on-write page fault*. It takes a small amount of time and in a pathological case, getting that frame may require I/O.

To make sure this doesn't happen to your program, don't just lock the pages. Write to them as well, unless you know you won't write to them ever. And to make sure you have pre-allocated frames for your stack, enter a scope that declares a C automatic variable larger than the maximum stack size you will need, set it to something, then return from its scope.

---

Node: Page Lock Functions, Previous: [Locked Memory Details](#), Up: [Locking Pages](#)

## Functions To Lock And Unlock Pages

The symbols in this section are declared in `sys/mman.h`. These functions are defined by POSIX.1b, but their availability depends on your kernel. If your kernel doesn't allow these functions, they exist but

always fail. They *are* available with a Linux kernel.

**Portability Note:** POSIX.1b requires that when the `mlock` and `munlock` functions are available, the file `unistd.h` define the macro `_POSIX_MEMLOCK_RANGE` and the file `limits.h` define the macro `PAGESIZE` to be the size of a memory page in bytes. It requires that when the `mlockall` and `munlockall` functions are available, the `unistd.h` file define the macro `_POSIX_MEMLOCK`. The GNU C library conforms to this requirement.

`int mlock (const void *addr, size_t len)` Function

`mlock` locks a range of the calling process' virtual pages.

The range of memory starts at address *addr* and is *len* bytes long. Actually, since you must lock whole pages, it is the range of pages that include any part of the specified range.

When the function returns successfully, each of those pages is backed by (connected to) a real frame (is resident) and is marked to stay that way. This means the function may cause page-ins and have to wait for them.

When the function fails, it does not affect the lock status of any pages.

The return value is zero if the function succeeds. Otherwise, it is `-1` and `errno` is set accordingly. `errno` values specific to this function are:

`ENOMEM`

- At least some of the specified address range does not exist in the calling process' virtual address space.
- The locking would cause the process to exceed its locked page limit.

`EPERM`

The calling process is not superuser.

`EINVAL`

*len* is not positive.

`ENOSYS`

The kernel does not provide `mlock` capability.

You can lock *all* a process' memory with `mlockall`. You unlock memory with `munlock` or `munlockall`.

To avoid all page faults in a C program, you have to use `mlockall`, because some of the memory a program uses is hidden from the C code, e.g. the stack and automatic variables, and you wouldn't know what address to tell `mlock`.

**int munlock** (*const void \*addr, size\_t len*)

Function

`munlock` unlocks a range of the calling process' virtual pages.

`munlock` is the inverse of `mlock` and functions completely analogously to `mlock`, except that there is no `EPERM` failure.

**int mlockall** (*int flags*)

Function

`mlockall` locks all the pages in a process' virtual memory address space, and/or any that are added to it in the future. This includes the pages of the code, data and stack segment, as well as shared libraries, user space kernel data, shared memory, and memory mapped files.

*flags* is a string of single bit flags represented by the following macros. They tell `mlockall` which of its functions you want. All other bits must be zero.

`MCL_CURRENT`

Lock all pages which currently exist in the calling process' virtual address space.

`MCL_FUTURE`

Set a mode such that any pages added to the process' virtual address space in the future will be locked from birth. This mode does not affect future address spaces owned by the same process so `exec`, which replaces a process' address space, wipes out `MCL_FUTURE`. See [Executing a File](#).

When the function returns successfully, and you specified `MCL_CURRENT`, all of the process' pages are backed by (connected to) real frames (they are resident) and are marked to stay that way. This means the function may cause page-ins and have to wait for them.

When the process is in `MCL_FUTURE` mode because it successfully executed this function and specified `MCL_CURRENT`, any system call by the process that requires space be added to its virtual address space fails with `errno = ENOMEM` if locking the additional space would cause the process to exceed its locked page limit. In the case that the address space addition that can't be accommodated is stack expansion, the stack expansion fails and the kernel sends a `SIGSEGV` signal to the process.

When the function fails, it does not affect the lock status of any pages or the future locking mode.

The return value is zero if the function succeeds. Otherwise, it is `-1` and `errno` is set accordingly. `errno` values specific to this function are:

`ENOMEM`

- At least some of the specified address range does not exist in the calling process' virtual address space.
- The locking would cause the process to exceed its locked page limit.

EPERM

The calling process is not superuser.

EINVAL

Undefined bits in *flags* are not zero.

ENOSYS

The kernel does not provide `mlockall` capability.

You can lock just specific pages with `mlock`. You unlock pages with `munlockall` and `munlock`.

int **munlockall** (*void*)

Function

`munlockall` unlocks every page in the calling process' virtual address space and turn off `MCL_FUTURE` future locking mode.

The return value is zero if the function succeeds. Otherwise, it is `-1` and `errno` is set accordingly. The only way this function can fail is for generic reasons that all functions and system calls can fail, so there are no specific `errno` values.

---

Node: Character Handling, Next: [String and Array Utilities](#), Previous: [Memory](#), Up: [Top](#)

## Character Handling

Programs that work with characters and strings often need to classify a character--is it alphabetic, is it a digit, is it whitespace, and so on--and perform case conversion operations on characters. The functions in the header file `ctype.h` are provided for this purpose.

Since the choice of locale and character set can alter the classifications of particular character codes, all of these functions are affected by the current locale. (More precisely, they are affected by the locale currently selected for character classification--the `LC_CTYPE` category; see [Locale Categories](#).)

The ISO C standard specifies two different sets of functions. The one set works on `char` type characters, the other one on `wchar_t` wide characters (see [Extended Char Intro](#)).

- [Classification of Characters](#): Testing whether characters are letters, digits, punctuation, etc.

- [Case Conversion](#): Case mapping, and the like.
- [Classification of Wide Characters](#): Character class determination for wide characters.
- [Using Wide Char Classes](#): Notes on using the wide character classes.
- [Wide Character Case Conversion](#): Mapping of wide characters.

Node: Classification of Characters, Next: [Case Conversion](#), Up: [Character Handling](#)

## Classification of Characters

This section explains the library functions for classifying characters. For example, `isalpha` is the function to test for an alphabetic character. It takes one argument, the character to test, and returns a nonzero integer if the character is alphabetic, and zero otherwise. You would use it like this:

```
if (isalpha (c))
    printf ("The character '%c' is alphabetic.\n", c);
```

Each of the functions in this section tests for membership in a particular class of characters; each has a name starting with `is`. Each of them takes one argument, which is a character to test, and returns an `int` which is treated as a boolean value. The character argument is passed as an `int`, and it may be the constant value `EOF` instead of a real character.

The attributes of any given character can vary between locales. See [Locales](#), for more information on locales.

These functions are declared in the header file `ctype.h`.

**`int islower (int c)`** Function

Returns true if `c` is a lower-case letter. The letter need not be from the Latin alphabet, any alphabet representable is valid.

**`int isupper (int c)`** Function

Returns true if `c` is an upper-case letter. The letter need not be from the Latin alphabet, any alphabet representable is valid.

**`int isalpha (int c)`** Function

Returns true if *c* is an alphabetic character (a letter). If `islower` or `isupper` is true of a character, then `isalpha` is also true.

In some locales, there may be additional characters for which `isalpha` is true--letters which are neither upper case nor lower case. But in the standard "C" locale, there are no such additional characters.

`int isdigit (int c)` Function

Returns true if *c* is a decimal digit (0 through 9).

`int isalnum (int c)` Function

Returns true if *c* is an alphanumeric character (a letter or number); in other words, if either `isalpha` or `isdigit` is true of a character, then `isalnum` is also true.

`int isxdigit (int c)` Function

Returns true if *c* is a hexadecimal digit. Hexadecimal digits include the normal decimal digits 0 through 9 and the letters A through F and a through f.

`int ispunct (int c)` Function

Returns true if *c* is a punctuation character. This means any printing character that is not alphanumeric or a space character.

`int isspace (int c)` Function

Returns true if *c* is a *whitespace* character. In the standard "C" locale, `isspace` returns true for only the standard whitespace characters:

```
' '
  space
'\f'
  formfeed
'\n'
  newline
'\r'
  carriage return
'\t'
  horizontal tab
'\v'
  vertical tab
```

**int isblank** (*int c*) Function

Returns true if *c* is a blank character; that is, a space or a tab. This function is a GNU extension.

**int isgraph** (*int c*) Function

Returns true if *c* is a graphic character; that is, a character that has a glyph associated with it. The whitespace characters are not considered graphic.

**int isprint** (*int c*) Function

Returns true if *c* is a printing character. Printing characters include all the graphic characters, plus the space ( ) character.

**int iscntrl** (*int c*) Function

Returns true if *c* is a control character (that is, a character that is not a printing character).

**int isascii** (*int c*) Function

Returns true if *c* is a 7-bit unsigned char value that fits into the US/UK ASCII character set. This function is a BSD extension and is also an SVID extension.

Node: Case Conversion, Next: [Classification of Wide Characters](#), Previous: [Classification of Characters](#),  
Up: [Character Handling](#)

## Case Conversion

This section explains the library functions for performing conversions such as case mappings on characters. For example, `toupper` converts any character to upper case if possible. If the character can't be converted, `toupper` returns it unchanged.

These functions take one argument of type `int`, which is the character to convert, and return the converted character as an `int`. If the conversion is not applicable to the argument given, the argument is returned unchanged.

**Compatibility Note:** In pre-ISO C dialects, instead of returning the argument unchanged, these functions may fail when the argument is not suitable for the conversion. Thus for portability, you may need to write `islower(c) ? toupper(c) : c` rather than just `toupper(c)`.

These functions are declared in the header file `ctype.h`.

**int tolower** (*int c*) Function

If *c* is an upper-case letter, `tolower` returns the corresponding lower-case letter. If *c* is not an upper-case letter, *c* is returned unchanged.

**int toupper** (*int c*) Function

If *c* is a lower-case letter, `toupper` returns the corresponding upper-case letter. Otherwise *c* is returned unchanged.

**int toascii** (*int c*) Function

This function converts *c* to a 7-bit unsigned `char` value that fits into the US/UK ASCII character set, by clearing the high-order bits. This function is a BSD extension and is also an SVID extension.

**int \_tolower** (*int c*) Function

This is identical to `tolower`, and is provided for compatibility with the SVID. See [SVID](#).

**int \_toupper** (*int c*) Function

This is identical to `toupper`, and is provided for compatibility with the SVID.

Node: Classification of Wide Characters, Next: [Using Wide Char Classes](#), Previous: [Case Conversion](#),  
Up: [Character Handling](#)

## Character class determination for wide characters

Amendment 1 to ISO C90 defines functions to classify wide characters. Although the original ISO C90 standard already defined the type `wchar_t`, no functions operating on them were defined.

The general design of the classification functions for wide characters is more general. It allows extensions to the set of available classifications, beyond those which are always available. The POSIX standard specifies how extensions can be made, and this is already implemented in the GNU C library implementation of the `localedef` program.

The character class functions are normally implemented with bitsets, with a bitset per character. For a given character, the appropriate bitset is read from a table and a test is performed as to whether a certain bit is set. Which bit is tested for is determined by the class.



For the wide character classification functions this is made visible. There is a type classification type defined, a function to retrieve this value for a given class, and a function to test whether a given character is in this class, using the classification value. On top of this the normal character classification functions as used for `char` objects can be defined.

**wctype\_t** Data type

The `wctype_t` can hold a value which represents a character class. The only defined way to generate such a value is by using the `wctype` function.

This type is defined in `wctype.h`.

`wctype_t wctype (const char *property)` Function

The `wctype` returns a value representing a class of wide characters which is identified by the string *property*. Beside some standard properties each locale can define its own ones. In case no property with the given name is known for the current locale selected for the `LC_CTYPE` category, the function returns zero.

The properties known in every locale are:

```
"alnum" "alpha" "cntrl" "digit"
"graph" "lower" "print" "punct"
"space" "upper" "xdigit"
```

This function is declared in `wctype.h`.

To test the membership of a character to one of the non-standard classes the ISO C standard defines a completely new function.

`int iswctype (wint_t wc, wctype_t desc)` Function

This function returns a nonzero value if *wc* is in the character class specified by *desc*. *desc* must previously be returned by a successful call to `wctype`.

This function is declared in `wctype.h`.

To make it easier to use the commonly-used classification functions, they are defined in the C library. There is no need to use `wctype` if the property string is one of the known character classes. In some situations it is desirable to construct the property strings, and then it is important that `wctype` can also handle the standard classes.

**int iswalnum** (*wint\_t wc*)

Function

This function returns a nonzero value if *wc* is an alphanumeric character (a letter or number); in other words, if either `iswalpha` or `iswdigit` is true of a character, then `iswalnum` is also true.

This function can be implemented using

```
iswctype (wc, wctype ("alnum"))
```

It is declared in `wctype.h`.

**int iswalpha** (*wint\_t wc*)

Function

Returns true if *wc* is an alphabetic character (a letter). If `iswlower` or `iswupper` is true of a character, then `iswalpha` is also true.

In some locales, there may be additional characters for which `iswalpha` is true--letters which are neither upper case nor lower case. But in the standard "C" locale, there are no such additional characters.

This function can be implemented using

```
iswctype (wc, wctype ("alpha"))
```

It is declared in `wctype.h`.

**int iswcntrl** (*wint\_t wc*)

Function

Returns true if *wc* is a control character (that is, a character that is not a printing character).

This function can be implemented using

```
iswctype (wc, wctype ("cntrl"))
```

It is declared in `wctype.h`.

**int iswdigit** (*wint\_t wc*)

Function

Returns true if *wc* is a digit (e.g., 0 through 9). Please note that this function does not only return a nonzero value for *decimal* digits, but for all kinds of digits. A consequence is that code like the following will **not** work unconditionally for wide characters:

```
n = 0;
while (iswdigit (*wc))
{
    n *= 10;
    n += *wc++ - L'0';
}
```

This function can be implemented using

```
iswctype (wc, wctype ("digit"))
```

It is declared in `wctype.h`.

**int iswgraph** (*wint\_t wc*)

Function

Returns true if *wc* is a graphic character; that is, a character that has a glyph associated with it. The whitespace characters are not considered graphic.

This function can be implemented using

```
iswctype (wc, wctype ("graph"))
```

It is declared in `wctype.h`.

**int iswlower** (*wint\_t wc*)

Function

Returns true if *wc* is a lower-case letter. The letter need not be from the Latin alphabet, any alphabet representable is valid.

This function can be implemented using

```
iswctype (wc, wctype ("lower"))
```

It is declared in `wctype.h`.

**int iswprint** (*wint\_t wc*)

Function

Returns true if *wc* is a printing character. Printing characters include all the graphic characters, plus the space ( ) character.

This function can be implemented using

```
iswctype (wc, wctype ("print"))
```

It is declared in `wctype.h`.

int **iswpunct** (*wint\_t wc*)

Function

Returns true if *wc* is a punctuation character. This means any printing character that is not alphanumeric or a space character.

This function can be implemented using

```
iswctype (wc, wctype ("punct"))
```

It is declared in `wctype.h`.

int **iswspace** (*wint\_t wc*)

Function

Returns true if *wc* is a *whitespace* character. In the standard "C" locale, `iswspace` returns true for only the standard whitespace characters:

```
L' '
    space
L' \f '
    formfeed
L' \n '
    newline
L' \r '
    carriage return
L' \t '
    horizontal tab
L' \v '
    vertical tab
```

This function can be implemented using

```
iswctype (wc, wctype ("space"))
```

It is declared in `wctype.h`.

int **iswupper** (*wint\_t wc*)

Function

Returns true if *wc* is an upper-case letter. The letter need not be from the Latin alphabet, any alphabet representable is valid.

This function can be implemented using

```
iswctype (wc, wctype ("upper"))
```

It is declared in `wctype.h`.

int **iswxdigit** (*wint\_t wc*)

Function

Returns true if *wc* is a hexadecimal digit. Hexadecimal digits include the normal decimal digits 0 through 9 and the letters A through F and a through f.

This function can be implemented using

```
iswctype (wc, wctype ("xdigit"))
```

It is declared in `wctype.h`.

The GNU C library also provides a function which is not defined in the ISO C standard but which is available as a version for single byte characters as well.

int **iswblank** (*wint\_t wc*)

Function

Returns true if *wc* is a blank character; that is, a space or a tab. This function is a GNU extension.

It is declared in `wchar.h`.

---

Node: Using Wide Char Classes, Next: [Wide Character Case Conversion](#), Previous: [Classification of Wide Characters](#), Up: [Character Handling](#)

## Notes on using the wide character classes

The first note is probably not astonishing but still occasionally a cause of problems. The `iswXXX`

functions can be implemented using macros and in fact, the GNU C library does this. They are still available as real functions but when the `wctype.h` header is included the macros will be used. This is the same as the `char` type versions of these functions.

The second note covers something new. It can be best illustrated by a (real-world) example. The first piece of code is an excerpt from the original code. It is truncated a bit but the intention should be clear.

```
int
is_in_class (int c, const char *class)
{
    if (strcmp (class, "alnum") == 0)
        return isalnum (c);
    if (strcmp (class, "alpha") == 0)
        return isalpha (c);
    if (strcmp (class, "cntrl") == 0)
        return iscntrl (c);
    ...
    return 0;
}
```

Now, with the `wctype` and `iswctype` you can avoid the `if` cascades, but rewriting the code as follows is wrong:

```
int
is_in_class (int c, const char *class)
{
    wctype_t desc = wctype (class);
    return desc ? iswctype ((wint_t) c, desc) : 0;
}
```

The problem is that it is not guaranteed that the wide character representation of a single-byte character can be found using casting. In fact, usually this fails miserably. The correct solution to this problem is to write the code as follows:

```
int
is_in_class (int c, const char *class)
{
    wctype_t desc = wctype (class);
    return desc ? iswctype (btowc (c), desc) : 0;
}
```

See [Converting a Character](#), for more information on `btowc`. Note that this change probably does not improve the performance of the program a lot since the `wctype` function still has to make the string

comparisons. It gets really interesting if the `is_in_class` function is called more than once for the same class name. In this case the variable `desc` could be computed once and reused for all the calls. Therefore the above form of the function is probably not the final one.

---

Node: Wide Character Case Conversion, Previous: [Using Wide Char Classes](#), Up: [Character Handling](#)

## Mapping of wide characters.

The classification functions are also generalized by the ISO C standard. Instead of just allowing the two standard mappings, a locale can contain others. Again, the `localedef` program already supports generating such locale data files.

### `wctrans_t`

Data Type

This data type is defined as a scalar type which can hold a value representing the locale-dependent character mapping. There is no way to construct such a value apart from using the return value of the `wctrans` function.

This type is defined in `wctype.h`.

### `wctrans_t wctrans` (*const char \*property*)

Function

The `wctrans` function has to be used to find out whether a named mapping is defined in the current locale selected for the `LC_CTYPE` category. If the returned value is non-zero, you can use it afterwards in calls to `towctrans`. If the return value is zero no such mapping is known in the current locale.

Beside locale-specific mappings there are two mappings which are guaranteed to be available in every locale:

```
"tolower" "toupper"
```

These functions are declared in `wctype.h`.

### `wint_t towctrans` (*wint\_t wc, wctrans\_t desc*)

Function

`towctrans` maps the input character `wc` according to the rules of the mapping for which `desc` is a descriptor, and returns the value it finds. `desc` must be obtained by a successful call to `wctrans`.

This function is declared in `wctype.h`.

For the generally available mappings, the ISO C standard defines convenient shortcuts so that it is not necessary to call `wctrans` for them.

`wint_t` **tolower** (*wint\_t* *wc*) Function

If *wc* is an upper-case letter, `tolower` returns the corresponding lower-case letter. If *wc* is not an upper-case letter, *wc* is returned unchanged.

`tolower` can be implemented using

```
towctrans (wc, wctrans ("tolower"))
```

This function is declared in `wctype.h`.

`wint_t` **toupper** (*wint\_t* *wc*) Function

If *wc* is a lower-case letter, `toupper` returns the corresponding upper-case letter. Otherwise *wc* is returned unchanged.

`toupper` can be implemented using

```
towctrans (wc, wctrans ("toupper"))
```

This function is declared in `wctype.h`.

The same warnings given in the last section for the use of the wide character classification functions apply here. It is not possible to simply cast a `char` type value to a `wint_t` and use it as an argument to `towctrans` calls.

---

Node: String and Array Utilities, Next: [Character Set Handling](#), Previous: [Character Handling](#), Up: [Top](#)

## String and Array Utilities

Operations on strings (or arrays of characters) are an important part of many programs. The GNU C library provides an extensive set of string utility functions, including functions for copying, concatenating, comparing, and searching strings. Many of these functions can also operate on arbitrary regions of storage; for example, the `memcpy` function can be used to copy the contents of any kind of array.



It's fairly common for beginning C programmers to "reinvent the wheel" by duplicating this functionality in their own code, but it pays to become familiar with the library functions and to make use of them, since this offers benefits in maintenance, efficiency, and portability.

For instance, you could easily compare one string to another in two lines of C code, but if you use the built-in `strcmp` function, you're less likely to make a mistake. And, since these library functions are typically highly optimized, your program may run faster too.

- [Representation of Strings](#): Introduction to basic concepts.
- [String/Array Conventions](#): Whether to use a string function or an arbitrary array function.
- [String Length](#): Determining the length of a string.
- [Copying and Concatenation](#): Functions to copy the contents of strings and arrays.
- [String/Array Comparison](#): Functions for byte-wise and character-wise comparison.
- [Collation Functions](#): Functions for collating strings.
- [Search Functions](#): Searching for a specific element or substring.
- [Finding Tokens in a String](#): Splitting a string into tokens by looking for delimiters.
- [strfry](#): Function for flash-cooking a string.
- [Trivial Encryption](#): Obscuring data.
- [Encode Binary Data](#): Encoding and Decoding of Binary Data.
- [Argz and Envz Vectors](#): Null-separated string vectors.

---

Node: Representation of Strings, Next: [String/Array Conventions](#), Up: [String and Array Utilities](#)

## Representation of Strings

This section is a quick summary of string concepts for beginning C programmers. It describes how character strings are represented in C and some common pitfalls. If you are already familiar with this material, you can skip this section.

A *string* is an array of `char` objects. But string-valued variables are usually declared to be pointers of type `char *`. Such variables do not include space for the text of a string; that has to be stored somewhere else--in an array variable, a string constant, or dynamically allocated memory (see [Memory Allocation](#)). It's up to you to store the address of the chosen memory space into the pointer variable. Alternatively you can store a *null pointer* in the pointer variable. The null pointer does not point anywhere, so attempting to reference the string it points to gets an error.

"string" normally refers to multibyte character strings as opposed to wide character strings. Wide character strings are arrays of type `wchar_t` and as for multibyte character strings usually pointers of type `wchar_t *` are used.

By convention, a *null character*, `'\0'`, marks the end of a multibyte character string and the *null wide character*, `L'\0'`, marks the end of a wide character string. For example, in testing to see whether the `char *` variable `p` points to a null character marking the end of a string, you can write `!*p` or `*p == '\0'`.

A null character is quite different conceptually from a null pointer, although both are represented by the integer 0.

*String literals* appear in C program source as strings of characters between double-quote characters (`"`) where the initial double-quote character is immediately preceded by a capital L (ell) character (as in `L"foo"`). In ISO C, string literals can also be formed by *string concatenation*: `"a" "b"` is the same as `"ab"`. For wide character strings one can either use `L"a" L"b"` or `L"a" "b"`. Modification of string literals is not allowed by the GNU C compiler, because literals are placed in read-only storage.

Character arrays that are declared `const` cannot be modified either. It's generally good style to declare non-modifiable string pointers to be of type `const char *`, since this often allows the C compiler to detect accidental modifications as well as providing some amount of documentation about what your program intends to do with the string.

The amount of memory allocated for the character array may extend past the null character that normally marks the end of the string. In this document, the term *allocated size* is always used to refer to the total amount of memory allocated for the string, while the term *length* refers to the number of characters up to (but not including) the terminating null character.

A notorious source of program bugs is trying to put more characters in a string than fit in its allocated size. When writing code that extends strings or moves characters into a pre-allocated array, you should be very careful to keep track of the length of the text and make explicit checks for overflowing the array. Many of the library functions *do not* do this for you! Remember also that you need to allocate an extra byte to hold the null character that marks the end of the string.

Originally strings were sequences of bytes where each byte represents a single character. This is still true today if the strings are encoded using a single-byte character encoding. Things are different if the strings are encoded using a multibyte encoding (for more information on encodings see [Extended Char Intro](#)). There is no difference in the programming interface for these two kind of strings; the programmer has to be aware of this and interpret the byte sequences accordingly.

But since there is no separate interface taking care of these differences the byte-based string functions are sometimes hard to use. Since the count parameters of these functions specify bytes a call to `strncpy` could cut a multibyte character in the middle and put an incomplete (and therefore unusable) byte sequence in the target buffer.

To avoid these problems later versions of the ISO C standard introduce a second set of functions which are operating on *wide characters* (see [Extended Char Intro](#)). These functions don't have the problems the single-byte versions have since every wide character is a legal, interpretable value. This does not mean that cutting wide character strings at arbitrary points is without problems. It normally is for alphabet-based languages (except for non-normalized text) but languages based on syllables still have the problem that more than one wide character is necessary to complete a logical unit. This is a higher level problem which the C library functions are not designed to solve. But it is at least good that no invalid byte sequences can be created. Also, the higher level functions can also much easier operate on wide character than on multibyte characters so that a general advise is to use wide characters internally whenever text is more than simply copied.

The remaining of this chapter will discuss the functions for handling wide character strings in parallel with the discussion of the multibyte character strings since there is almost always an exact equivalent available.

---

Node: [String/Array Conventions](#), Next: [String Length](#), Previous: [Representation of Strings](#), Up: [String and Array Utilities](#)

## String and Array Conventions

This chapter describes both functions that work on arbitrary arrays or blocks of memory, and functions that are specific to null-terminated arrays of characters and wide characters.

Functions that operate on arbitrary blocks of memory have names beginning with `mem` and `wmem` (such as `memcpy` and `wmemcpy`) and invariably take an argument which specifies the size (in bytes and wide characters respectively) of the block of memory to operate on. The array arguments and return values for these functions have type `void *` or `wchar_t`. As a matter of style, the elements of the arrays used with the `mem` functions are referred to as "bytes". You can pass any kind of pointer to these functions, and the `sizeof` operator is useful in computing the value for the size argument. Parameters to the `wmem` functions must be of type `wchar_t *`. These functions are not really usable with anything but arrays of this type.

In contrast, functions that operate specifically on strings and wide character strings have names beginning with `str` and `wcs` respectively (such as `strcpy` and `wcsncpy`) and look for a null character to terminate the string instead of requiring an explicit size argument to be passed. (Some of these functions accept a specified maximum length, but they also check for premature termination with a null character.) The array arguments and return values for these functions have type `char *` and `wchar_t *` respectively, and the array elements are referred to as "characters" and "wide characters".

In many cases, there are both `mem` and `str/wcs` versions of a function. The one that is more appropriate to use depends on the exact situation. When your program is manipulating arbitrary arrays or blocks of

storage, then you should always use the mem functions. On the other hand, when you are manipulating null-terminated strings it is usually more convenient to use the `str/wcs` functions, unless you already know the length of the string in advance. The `wmem` functions should be used for wide character arrays with known size.

Some of the memory and string functions take single characters as arguments. Since a value of type `char` is automatically promoted into an value of type `int` when used as a parameter, the functions are declared with `int` as the type of the parameter in question. In case of the wide character function the situation is similarly: the parameter type for a single wide character is `wint_t` and not `wchar_t`. This would for many implementations not be necessary since the `wchar_t` is large enough to not be automatically promoted, but since the ISO C standard does not require such a choice of types the `wint_t` type is used.

---

Node: [String Length](#), Next: [Copying and Concatenation](#), Previous: [String/Array Conventions](#), Up: [String and Array Utilities](#)

## String Length

You can get the length of a string using the `strlen` function. This function is declared in the header file `string.h`.

`size_t` **strlen** (*const char \*s*) Function

The `strlen` function returns the length of the null-terminated string *s* in bytes. (In other words, it returns the offset of the terminating null character within the array.)

For example,

```
strlen ("hello, world")
=> 12
```

When applied to a character array, the `strlen` function returns the length of the string stored there, not its allocated size. You can get the allocated size of the character array that holds a string using the `sizeof` operator:

```
char string[32] = "hello, world";
sizeof (string)
=> 32
strlen (string)
=> 12
```

But beware, this will not work unless *string* is the character array itself, not a pointer to it. For example:

```
char string[32] = "hello, world";
char *ptr = string;
sizeof (string)
    => 32
sizeof (ptr)
    => 4 /* (on a machine with 4 byte pointers) */
```

This is an easy mistake to make when you are working with functions that take string arguments; those arguments are always pointers, not arrays.

It must also be noted that for multibyte encoded strings the return value does not have to correspond to the number of characters in the string. To get this value the string can be converted to wide characters and `wcslen` can be used or something like the following code can be used:

```
/* The input is in string.
   The length is expected in n. */
{
    mbstate_t t;
    char *scopy = string;
    /* In initial state. */
    memset (&t, '\0', sizeof (t));
    /* Determine number of characters. */
    n = mbsrtowcs (NULL, &scopy, strlen (scopy), &t);
}
```

This is cumbersome to do so if the number of characters (as opposed to bytes) is needed often it is better to work with wide characters.

The wide character equivalent is declared in `wchar.h`.

`size_t` **wcslen** (*const wchar\_t \*ws*)

Function

The `wcslen` function is the wide character equivalent to `strlen`. The return value is the number of wide characters in the wide character string pointed to by *ws* (this is also the offset of the terminating null wide character of *ws*).

Since there are no multi wide character sequences making up one character the return value is not only the offset in the array, it is also the number of wide characters.

This function was introduced in Amendment 1 to ISO C90.

`size_t` **strnlen** (*const char \*s, size\_t maxlen*)

Function

The `strnlen` function returns the length of the string *s* in bytes if this length is smaller than *maxlen* bytes. Otherwise it returns *maxlen*. Therefore this function is equivalent to `(strlen (s) < n ? strlen (s) : maxlen)` but it is more efficient and works even if the string *s* is not null-terminated.

```
char string[32] = "hello, world";
strnlen (string, 32)
=> 12
strnlen (string, 5)
=> 5
```

This function is a GNU extension and is declared in `string.h`.

`size_t` **wcsnlen** (*const wchar\_t \*ws, size\_t maxlen*)

Function

`wcsnlen` is the wide character equivalent to `strnlen`. The *maxlen* parameter specifies the maximum number of wide characters.

This function is a GNU extension and is declared in `wchar.h`.

---

Node: Copying and Concatenation, Next: [String/Array Comparison](#), Previous: [String Length](#), Up: [String and Array Utilities](#)

## Copying and Concatenation

You can use the functions described in this section to copy the contents of strings and arrays, or to append the contents of one string to another. The `str` and `mem` functions are declared in the header file `string.h` while the `wstr` and `wmem` functions are declared in the file `wchar.h`.

A helpful way to remember the ordering of the arguments to the functions in this section is that it corresponds to an assignment expression, with the destination array specified to the left of the source array. All of these functions return the address of the destination array.

Most of these functions do not work properly if the source and destination arrays overlap. For example, if the beginning of the destination array overlaps the end of the source array, the original contents of that part of the source array may get overwritten before it is copied. Even worse, in the case of the string functions, the null character marking the end of the string may be lost, and the copy function might get stuck in a loop trashing all the memory allocated to your program.

All functions that have problems copying between overlapping arrays are explicitly identified in this manual. In addition to functions in this section, there are a few others like `sprintf` (see [Formatted Output Functions](#)) and `scanf` (see [Formatted Input Functions](#)).

`void * memcpy (void *restrict to, const void *restrict from, size_t size)` Function

The `memcpy` function copies *size* bytes from the object beginning at *from* into the object beginning at *to*. The behavior of this function is undefined if the two arrays *to* and *from* overlap; use `memmove` instead if overlapping is possible.

The value returned by `memcpy` is the value of *to*.

Here is an example of how you might use `memcpy` to copy the contents of an array:

```
struct foo *oldarray, *newarray;
int arraysize;
...
memcpy (new, old, arraysize * sizeof (struct foo));
```

`wchar_t * wmemcpy (wchar_t *restrict wto, const wchar_t *restrict wfrom, size_t size)` Function

The `wmemcpy` function copies *size* wide characters from the object beginning at *wfrom* into the object beginning at *wto*. The behavior of this function is undefined if the two arrays *wto* and *wfrom* overlap; use `wmemmove` instead if overlapping is possible.

The following is a possible implementation of `wmemcpy` but there are more optimizations possible.

```
wchar_t *
wmemcpy (wchar_t *restrict wto, const wchar_t *restrict wfrom,
         size_t size)
{
    return (wchar_t *) memcpy (wto, wfrom, size * sizeof (wchar_t));
}
```

The value returned by `wmemcpy` is the value of *wto*.

This function was introduced in Amendment 1 to ISO C90.

`void * mempcpy (void *restrict to, const void *restrict from, size_t size)` Function

The `mempcpy` function is nearly identical to the `memcpy` function. It copies *size* bytes from the object beginning at `from` into the object pointed to by `to`. But instead of returning the value of `to` it returns a pointer to the byte following the last written byte in the object beginning at `to`. I.e., the value is `((void *) ((char *) to + size))`.

This function is useful in situations where a number of objects shall be copied to consecutive memory positions.

```
void *
combine (void *o1, size_t s1, void *o2, size_t s2)
{
    void *result = malloc (s1 + s2);
    if (result != NULL)
        mempcpy (mempcpy (result, o1, s1), o2, s2);
    return result;
}
```

This function is a GNU extension.

`wchar_t * wmempcpy (wchar_t *restrict wto, const wchar_t *restrict wfrom, size_t size)`      Function

The `wmempcpy` function is nearly identical to the `wmemcpy` function. It copies *size* wide characters from the object beginning at `wfrom` into the object pointed to by `wto`. But instead of returning the value of `wto` it returns a pointer to the wide character following the last written wide character in the object beginning at `wto`. I.e., the value is `wto + size`.

This function is useful in situations where a number of objects shall be copied to consecutive memory positions.

The following is a possible implementation of `wmempcpy` but there are more optimizations possible.

```
wchar_t *
wmempcpy (wchar_t *restrict wto, const wchar_t *restrict wfrom,
          size_t size)
{
    return (wchar_t *) memcpy (wto, wfrom, size * sizeof (wchar_t));
}
```

This function is a GNU extension.

`void * memmove (void *to, const void *from, size_t size)`      Function



`memmove` copies the *size* bytes at *from* into the *size* bytes at *to*, even if those two blocks of space overlap. In the case of overlap, `memmove` is careful to copy the original values of the bytes in the block at *from*, including those bytes which also belong to the block at *to*.

The value returned by `memmove` is the value of *to*.

`wchar_t * wmemmove (wchar *wto, const wchar_t *wfrom, size_t size)` Function

`wmemmove` copies the *size* wide characters at *wfrom* into the *size* wide characters at *wto*, even if those two blocks of space overlap. In the case of overlap, `wmemmove` is careful to copy the original values of the wide characters in the block at *wfrom*, including those wide characters which also belong to the block at *wto*.

The following is a possible implementation of `wmemcpy` but there are more optimizations possible.

```
wchar_t *
wmemcpy (wchar_t *restrict wto, const wchar_t *restrict wfrom,
         size_t size)
{
    return (wchar_t *) memcpy (wto, wfrom, size * sizeof (wchar_t));
}
```

The value returned by `wmemmove` is the value of *wto*.

This function is a GNU extension.

`void * memccpy (void *restrict to, const void *restrict from, int c, size_t size)` Function

This function copies no more than *size* bytes from *from* to *to*, stopping if a byte matching *c* is found. The return value is a pointer into *to* one byte past where *c* was copied, or a null pointer if no byte matching *c* appeared in the first *size* bytes of *from*.

`void * memset (void *block, int c, size_t size)` Function

This function copies the value of *c* (converted to an unsigned `char`) into each of the first *size* bytes of the object beginning at *block*. It returns the value of *block*.

`wchar_t * wmemset (wchar_t *block, wchar_t wc, size_t size)` Function

This function copies the value of *wc* into each of the first *size* wide characters of the object beginning at *block*. It returns the value of *block*.

`char * strcpy (char *restrict to, const char *restrict from)` Function

This copies characters from the string *from* (up to and including the terminating null character) into the string *to*. Like `memcpy`, this function has undefined results if the strings overlap. The return value is the value of *to*.

`wchar_t * wcsncpy (wchar_t *restrict wto, const wchar_t *restrict wfrom)` Function

This copies wide characters from the string *wfrom* (up to and including the terminating null wide character) into the string *wto*. Like `wmemcpy`, this function has undefined results if the strings overlap. The return value is the value of *wto*.

`char * strncpy (char *restrict to, const char *restrict from, size_t size)` Function

This function is similar to `strcpy` but always copies exactly *size* characters into *to*.

If the length of *from* is more than *size*, then `strncpy` copies just the first *size* characters. Note that in this case there is no null terminator written into *to*.

If the length of *from* is less than *size*, then `strncpy` copies all of *from*, followed by enough null characters to add up to *size* characters in all. This behavior is rarely useful, but it is specified by the ISO C standard.

The behavior of `strncpy` is undefined if the strings overlap.

Using `strncpy` as opposed to `strcpy` is a way to avoid bugs relating to writing past the end of the allocated space for *to*. However, it can also make your program much slower in one common case: copying a string which is probably small into a potentially large buffer. In this case, *size* may be large, and when it is, `strncpy` will waste a considerable amount of time copying null characters.

`wchar_t * wcsncpy (wchar_t *restrict wto, const wchar_t *restrict wfrom, size_t size)` Function

This function is similar to `wscpy` but always copies exactly *size* wide characters into *wto*.

If the length of *wfrom* is more than *size*, then `wcsncpy` copies just the first *size* wide characters. Note that in this case there is no null terminator written into *wto*.

If the length of *wfrom* is less than *size*, then `wcsncpy` copies all of *wfrom*, followed by enough null wide characters to add up to *size* wide characters in all. This behavior is rarely useful, but it is specified by the ISO C standard.

The behavior of `wcsncpy` is undefined if the strings overlap.

Using `wcsncpy` as opposed to `wscpy` is a way to avoid bugs relating to writing past the end of the allocated space for *wto*. However, it can also make your program much slower in one common case: copying a string which is probably small into a potentially large buffer. In this case, *size* may be large, and when it is, `wcsncpy` will waste a considerable amount of time copying null wide characters.

`char * strdup (const char *s)` Function

This function copies the null-terminated string *s* into a newly allocated string. The string is allocated using `malloc`; see [Unconstrained Allocation](#). If `malloc` cannot allocate space for the new string, `strdup` returns a null pointer. Otherwise it returns a pointer to the new string.

`wchar_t * wcsdup (const wchar_t *ws)` Function

This function copies the null-terminated wide character string *ws* into a newly allocated string. The string is allocated using `malloc`; see [Unconstrained Allocation](#). If `malloc` cannot allocate space for the new string, `wcsdup` returns a null pointer. Otherwise it returns a pointer to the new wide character string.

This function is a GNU extension.

`char * strndup (const char *s, size_t size)` Function

This function is similar to `strdup` but always copies at most *size* characters into the newly allocated string.

If the length of *s* is more than *size*, then `strndup` copies just the first *size* characters and adds a closing null terminator. Otherwise all characters are copied and the string is terminated.

This function is different to `strncpy` in that it always terminates the destination string.

`strndup` is a GNU extension.

`char * stpcpy (char *restrict to, const char *restrict from)` Function

This function is like `strcpy`, except that it returns a pointer to the end of the string *to* (that is, the address of the terminating null character `to + strlen (from)`) rather than the beginning.

For example, this program uses `stpcpy` to concatenate `foo` and `bar` to produce `foobar`, which it then prints.

```
#include <string.h>
#include <stdio.h>

int
main (void)
{
    char buffer[10];
    char *to = buffer;
    to = stpcpy (to, "foo");
    to = stpcpy (to, "bar");
    puts (buffer);
    return 0;
}
```

This function is not part of the ISO or POSIX standards, and is not customary on Unix systems, but we did not invent it either. Perhaps it comes from MS-DOG.

Its behavior is undefined if the strings overlap. The function is declared in `string.h`.

`wchar_t * wcpcpy (wchar_t *restrict wto, const wchar_t *restrict wfrom)` Function

This function is like `wcscopy`, except that it returns a pointer to the end of the string *wto* (that is, the address of the terminating null character `wto + strlen (wfrom)`) rather than the beginning.

This function is not part of ISO or POSIX but was found useful while developing the GNU C Library itself.

The behavior of `wcpcpy` is undefined if the strings overlap.

`wcpcpy` is a GNU extension and is declared in `wchar.h`.

`char * stpncpy (char *restrict to, const char *restrict from, size_t size)` Function

This function is similar to `strcpy` but copies always exactly *size* characters into *to*.

If the length of *from* is more than *size*, then `stpncpy` copies just the first *size* characters and returns a pointer to the character directly following the one which was copied last. Note that in this case there is no null terminator written into *to*.

If the length of *from* is less than *size*, then `stpncpy` copies all of *from*, followed by enough null characters to add up to *size* characters in all. This behavior is rarely useful, but it is implemented to be useful in contexts where this behavior of the `strncpy` is used. `stpncpy` returns a pointer to the *first* written null character.

This function is not part of ISO or POSIX but was found useful while developing the GNU C Library itself.

Its behavior is undefined if the strings overlap. The function is declared in `string.h`.

`wchar_t * wcpncpy (wchar_t *restrict wto, const wchar_t *restrict wfrom, size_t size)` Function

This function is similar to `wcpcpy` but copies always exactly *wsize* characters into *wto*.

If the length of *wfrom* is more than *size*, then `wcpncpy` copies just the first *size* wide characters and returns a pointer to the wide character directly following the last non-null wide character which was copied last. Note that in this case there is no null terminator written into *wto*.

If the length of *wfrom* is less than *size*, then `wcpncpy` copies all of *wfrom*, followed by enough null characters to add up to *size* characters in all. This behavior is rarely useful, but it is implemented to be useful in contexts where this behavior of the `wcsncpy` is used. `wcpncpy` returns a pointer to the *first* written null character.

This function is not part of ISO or POSIX but was found useful while developing the GNU C Library itself.

Its behavior is undefined if the strings overlap.

`wcpncpy` is a GNU extension and is declared in `wchar.h`.

char \* **strdupa** (*const char \*s*)

Macro

This macro is similar to `strdup` but allocates the new string using `alloca` instead of `malloc` (see [Variable Size Automatic](#)). This means of course the returned string has the same limitations as any block of memory allocated using `alloca`.

For obvious reasons `strdupa` is implemented only as a macro; you cannot get the address of this function. Despite this limitation it is a useful function. The following code shows a situation where using `malloc` would be a lot more expensive.

```
#include <paths.h>
#include <string.h>
#include <stdio.h>

const char path[] = _PATH_STDPATH;

int
main (void)
{
    char *wr_path = strdupa (path);
    char *cp = strtok (wr_path, ":");

    while (cp != NULL)
    {
        puts (cp);
        cp = strtok (NULL, ":");
    }
}
```

```

    }
    return 0;
}

```

Please note that calling `strtok` using *path* directly is invalid. It is also not allowed to call `strdupa` in the argument list of `strtok` since `strdupa` uses `alloca` (see [Variable Size Automatic](#)) can interfere with the parameter passing.

This function is only available if GNU CC is used.

`char * strndupa (const char *s, size_t size)` Macro

This function is similar to `strndup` but like `strdupa` it allocates the new string using `alloca` see [Variable Size Automatic](#). The same advantages and limitations of `strdupa` are valid for `strndupa`, too.

This function is implemented only as a macro, just like `strdupa`. Just as `strdupa` this macro also must not be used inside the parameter list in a function call.

`strndupa` is only available if GNU CC is used.

`char * strcat (char *restrict to, const char *restrict from)` Function

The `strcat` function is similar to `strcpy`, except that the characters from *from* are concatenated or appended to the end of *to*, instead of overwriting it. That is, the first character from *from* overwrites the null character marking the end of *to*.

An equivalent definition for `strcat` would be:

```

char *
strcat (char *restrict to, const char *restrict from)
{
    strcpy (to + strlen (to), from);
    return to;
}

```

This function has undefined results if the strings overlap.

`wchar_t * wscat (wchar_t *restrict wto, const wchar_t *restrict wfrom)` Function

The `wscat` function is similar to `wscopy`, except that the characters from *wfrom* are concatenated or appended to the end of *wto*, instead of overwriting it. That is, the first character from *wfrom* overwrites the null character marking the end of *wto*.

An equivalent definition for `wscat` would be:

```
wchar_t *
wscat (wchar_t *wto, const wchar_t *wfrom)
{
    wscopy (wto + wcslen (wto), wfrom);
    return wto;
}
```

This function has undefined results if the strings overlap.

Programmers using the `strcat` or `wscat` function (or the following `strncat` or `wcsncat` functions for that matter) can easily be recognized as lazy and reckless. In almost all situations the lengths of the participating strings are known (it better should be since how can one otherwise ensure the allocated size of the buffer is sufficient?) Or at least, one could know them if one keeps track of the results of the various function calls. But then it is very inefficient to use `strcat/wscat`. A lot of time is wasted finding the end of the destination string so that the actual copying can start. This is a common example:

```
/* This function concatenates arbitrarily many strings.  The last
   parameter must be NULL.  */
char *
concat (const char *str, ...)
{
    va_list ap, ap2;
    size_t total = 1;
    const char *s;
    char *result;

    va_start (ap, str);
    /* Actually va_copy, but this is the name more gcc versions
       understand.  */
    __va_copy (ap2, ap);

    /* Determine how much space we need.  */
    for (s = str; s != NULL; s = va_arg (ap, const char *))
        total += strlen (s);

    va_end (ap);

    result = (char *) malloc (total);
```



```

if (result != NULL)
{
    result[0] = '\0';

    /* Copy the strings. */
    for (s = str; s != NULL; s = va_arg (ap2, const char *))
        strcat (result, s);
}

va_end (ap2);

return result;
}

```

This looks quite simple, especially the second loop where the strings are actually copied. But these innocent lines hide a major performance penalty. Just imagine that ten strings of 100 bytes each have to be concatenated. For the second string we search the already stored 100 bytes for the end of the string so that we can append the next string. For all strings in total the comparisons necessary to find the end of the intermediate results sums up to 5500! If we combine the copying with the search for the allocation we can write this function more efficient:

```

char *
concat (const char *str, ...)
{
    va_list ap;
    size_t allocated = 100;
    char *result = (char *) malloc (allocated);
    char *wp;

    if (allocated != NULL)
    {
        char *newp;

        va_start (ap, atr);

        wp = result;
        for (s = str; s != NULL; s = va_arg (ap, const char *))
        {
            size_t len = strlen (s);

            /* Resize the allocated memory if necessary. */
            if (wp + len + 1 > result + allocated)
            {
                allocated = (allocated + len) * 2;
                newp = (char *) realloc (result, allocated);
                if (newp == NULL)
                {
                    free (result);

```

```

        return NULL;
    }
    wp = newp + (wp - result);
    result = newp;
}

wp = mempcpy (wp, s, len);
}

/* Terminate the result string.  */
*wp++ = '\0';

/* Resize memory to the optimal size.  */
newp = realloc (result, wp - result);
if (newp != NULL)
    result = newp;

va_end (ap);
}

return result;
}

```

With a bit more knowledge about the input strings one could fine-tune the memory allocation. The difference we are pointing to here is that we don't use `strcat` anymore. We always keep track of the length of the current intermediate result so we can save us the search for the end of the string and use `mempcpy`. Please note that we also don't use `strcpy` which might seem more natural since we handle with strings. But this is not necessary since we already know the length of the string and therefore can use the faster memory copying function. The example would work for wide characters the same way.

Whenever a programmer feels the need to use `strcat` she or he should think twice and look through the program whether the code cannot be rewritten to take advantage of already calculated results. Again: it is almost always unnecessary to use `strcat`.

`char * strncat (char *restrict to, const char *restrict from, size_t size)`

Function

This function is like `strcat` except that not more than *size* characters from *from* are appended to the end of *to*. A single null character is also always appended to *to*, so the total allocated size of *to* must be at least *size* + 1 bytes longer than its initial length.

The `strncat` function could be implemented like this:

```
char *
strncat (char *to, const char *from, size_t size)
{
    to[strlen (to) + size] = '\0';
    strncpy (to + strlen (to), from, size);
    return to;
}
```

The behavior of `strncat` is undefined if the strings overlap.

`wchar_t * wcsncat (wchar_t *restrict wto, const wchar_t *restrict wfrom, size_t size)` Function

This function is like `wscat` except that not more than *size* characters from *from* are appended to the end of *to*. A single null character is also always appended to *to*, so the total allocated size of *to* must be at least *size* + 1 bytes longer than its initial length.

The `wcsncat` function could be implemented like this:

```
wchar_t *
wcsncat (wchar_t *restrict wto, const wchar_t *restrict wfrom,
         size_t size)
{
    wto[wcslen (wto) + size] = L'\0';
    wcsncpy (wto + wcslen (wto), wfrom, size);
    return wto;
}
```

The behavior of `wcsncat` is undefined if the strings overlap.

Here is an example showing the use of `strncpy` and `strncat` (the wide character version is equivalent). Notice how, in the call to `strncat`, the *size* parameter is computed to avoid overflowing the character array buffer.

```
#include <string.h>
#include <stdio.h>

#define SIZE 10
```

```

static char buffer[SIZE];

main ()
{
    strncpy (buffer, "hello", SIZE);
    puts (buffer);
    strncat (buffer, ", world", SIZE - strlen (buffer) - 1);
    puts (buffer);
}

```

The output produced by this program looks like:

```

hello
hello, wo

```

**void bcopy** (*const void \*from, void \*to, size\_t size*) Function

This is a partially obsolete alternative for `memmove`, derived from BSD. Note that it is not quite equivalent to `memmove`, because the arguments are not in the same order and there is no return value.

**void bzero** (*void \*block, size\_t size*) Function

This is a partially obsolete alternative for `memset`, derived from BSD. Note that it is not as general as `memset`, because the only value it can store is zero.

---

Node: [String/Array Comparison](#), Next: [Collation Functions](#), Previous: [Copying and Concatenation](#),  
Up: [String and Array Utilities](#)

## String/Array Comparison

You can use the functions in this section to perform comparisons on the contents of strings and arrays. As well as checking for equality, these functions can also be used as the ordering functions for sorting operations. See [Searching and Sorting](#), for an example of this.

Unlike most comparison operations in C, the string comparison functions return a nonzero value if the strings are *not* equivalent rather than if they are. The sign of the value indicates the relative ordering of the first characters in the strings that are not equivalent: a negative value indicates that the first string is "less" than the second, while a positive value indicates that the first string is "greater".

The most common use of these functions is to check only for equality. This is canonically done with an expression like `! strcmp (s1, s2)`.

All of these functions are declared in the header file `string.h`.

**int memcmp** (*const void \*a1, const void \*a2, size\_t size*) Function

The function `memcmp` compares the *size* bytes of memory beginning at *a1* against the *size* bytes of memory beginning at *a2*. The value returned has the same sign as the difference between the first differing pair of bytes (interpreted as `unsigned char` objects, then promoted to `int`).

If the contents of the two blocks are equal, `memcmp` returns 0.

**int wmemcmp** (*const wchar\_t \*a1, const wchar\_t \*a2, size\_t size*) Function

The function `wmemcmp` compares the *size* wide characters beginning at *a1* against the *size* wide characters beginning at *a2*. The value returned is smaller than or larger than zero depending on whether the first differing wide character in *a1* is smaller or larger than the corresponding character in *a2*.

If the contents of the two blocks are equal, `wmemcmp` returns 0.

On arbitrary arrays, the `memcmp` function is mostly useful for testing equality. It usually isn't meaningful to do byte-wise ordering comparisons on arrays of things other than bytes. For example, a byte-wise comparison on the bytes that make up floating-point numbers isn't likely to tell you anything about the relationship between the values of the floating-point numbers.

`wmemcmp` is really only useful to compare arrays of type `wchar_t` since the function looks at `sizeof (wchar_t)` bytes at a time and this number of bytes is system dependent.

You should also be careful about using `memcmp` to compare objects that can contain "holes", such as the padding inserted into structure objects to enforce alignment requirements, extra space at the end of unions, and extra characters at the ends of strings whose length is less than their allocated size. The contents of these "holes" are indeterminate and may cause strange behavior when performing byte-wise comparisons. For more predictable results, perform an explicit component-wise comparison.

For example, given a structure type definition like:

```
struct foo
{
    unsigned char tag;
    union
    {
```

```

        double f;
        long i;
        char *p;
    } value;
};

```

you are better off writing a specialized comparison function to compare `struct foo` objects instead of comparing them with `memcmp`.

**int `strcmp`** (*const char \*s1, const char \*s2*) Function

The `strcmp` function compares the string *s1* against *s2*, returning a value that has the same sign as the difference between the first differing pair of characters (interpreted as unsigned `char` objects, then promoted to `int`).

If the two strings are equal, `strcmp` returns 0.

A consequence of the ordering used by `strcmp` is that if *s1* is an initial substring of *s2*, then *s1* is considered to be "less than" *s2*.

`strcmp` does not take sorting conventions of the language the strings are written in into account. To get that one has to use `strcoll`.

**int `wscmp`** (*const wchar\_t \*ws1, const wchar\_t \*ws2*) Function

The `wscmp` function compares the wide character string *ws1* against *ws2*. The value returned is smaller than or larger than zero depending on whether the first differing wide character in *ws1* is smaller or larger than the corresponding character in *ws2*.

If the two strings are equal, `wscmp` returns 0.

A consequence of the ordering used by `wscmp` is that if *ws1* is an initial substring of *ws2*, then *ws1* is considered to be "less than" *ws2*.

`wscmp` does not take sorting conventions of the language the strings are written in into account. To get that one has to use `wscoll`.

**int `strcasemp`** (*const char \*s1, const char \*s2*) Function

This function is like `strcmp`, except that differences in case are ignored. How uppercase and lowercase characters are related is determined by the currently selected locale. In the standard "C" locale the characters `Ä` and `ä` do not match but in a locale which regards these characters as parts of the alphabet they do match.

`strcasemp` is derived from BSD.

**int `wscasemp`** (*const wchar\_t \*ws1, const wchar\_T \*ws2*) Function

This function is like `wscmp`, except that differences in case are ignored. How uppercase and lowercase characters are related is determined by the currently selected locale. In the standard "C" locale the characters `Ä` and `ä` do not match but in a locale which regards these characters as parts of the alphabet they do match.

`wscasemp` is a GNU extension.

**int `strncmp`** (*const char \*s1, const char \*s2, size\_t size*) Function

This function is the similar to `strcmp`, except that no more than *size* wide characters are compared. In other words, if the two strings are the same in their first *size* wide characters, the return value is zero.

**int `wcsncmp`** (*const wchar\_t \*ws1, const wchar\_t \*ws2, size\_t size*) Function

This function is the similar to `wscmp`, except that no more than *size* wide characters are compared. In other words, if the two strings are the same in their first *size* wide characters, the return value is zero.

**int `strncasemp`** (*const char \*s1, const char \*s2, size\_t n*) Function

This function is like `strncmp`, except that differences in case are ignored. Like `strcasemp`, it is locale dependent how uppercase and lowercase characters are related.

`strncasemp` is a GNU extension.

**int `wcsncasemp`** (*const wchar\_t \*ws1, const wchar\_t \*s2, size\_t n*) Function

This function is like `wcsncmp`, except that differences in case are ignored. Like `wscasemp`, it is locale dependent how uppercase and lowercase characters are related.

`wcsncasemp` is a GNU extension.

Here are some examples showing the use of `strcmp` and `strncmp` (equivalent examples can be

constructed for the wide character functions). These examples assume the use of the ASCII character set. (If some other character set--say, EBCDIC--is used instead, then the glyphs are associated with different numeric codes, and the return values and ordering may differ.)

```
strcmp ("hello", "hello")
=> 0    /* These two strings are the same. */
strcmp ("hello", "Hello")
=> 32   /* Comparisons are case-sensitive. */
strcmp ("hello", "world")
=> -15  /* The character 'h' comes before 'w'. */
strcmp ("hello", "hello, world")
=> -44  /* Comparing a null character against a comma. */
strncmp ("hello", "hello, world", 5)
=> 0    /* The initial 5 characters are the same. */
strncmp ("hello, world", "hello, stupid world!!!", 5)
=> 0    /* The initial 5 characters are the same. */
```

**int strverscmp** (*const char \*s1, const char \*s2*)

Function

The `strverscmp` function compares the string *s1* against *s2*, considering them as holding indices/version numbers. Return value follows the same conventions as found in the `strcmp` function. In fact, if *s1* and *s2* contain no digits, `strverscmp` behaves like `strcmp`.

Basically, we compare strings normally (character by character), until we find a digit in each string - then we enter a special comparison mode, where each sequence of digits is taken as a whole. If we reach the end of these two parts without noticing a difference, we return to the standard comparison mode. There are two types of numeric parts: "integral" and "fractional" (those begin with a '0'). The types of the numeric parts affect the way we sort them:

- integral/integral: we compare values as you would expect.
- fractional/integral: the fractional part is less than the integral one. Again, no surprise.
- fractional/fractional: the things become a bit more complex. If the common prefix contains only leading zeroes, the longest part is less than the other one; else the comparison behaves normally.

```
strverscmp ("no digit", "no digit")
=> 0    /* same behavior as strcmp. */
strverscmp ("item#99", "item#100")
=> <0   /* same prefix, but 99 < 100. */
strverscmp ("alpha1", "alpha001")
=> >0   /* fractional part inferior to integral one. */
strverscmp ("part1_f012", "part1_f01")
=> >0   /* two fractional parts. */
strverscmp ("foo.009", "foo.0")
```



```
=> <0 /* idem, but with leading zeroes only. */
```

This function is especially useful when dealing with filename sorting, because filenames frequently hold indices/version numbers.

`strverscmp` is a GNU extension.

int **bcmp** (*const void \*a1, const void \*a2, size\_t size*)

Function

This is an obsolete alias for `memcmp`, derived from BSD.

---

Node: Collation Functions, Next: [Search Functions](#), Previous: [String/Array Comparison](#), Up: [String and Array Utilities](#)

## Collation Functions

In some locales, the conventions for lexicographic ordering differ from the strict numeric ordering of character codes. For example, in Spanish most glyphs with diacritical marks such as accents are not considered distinct letters for the purposes of collation. On the other hand, the two-character sequence `ll` is treated as a single letter that is collated immediately after `l`.

You can use the functions `strcoll` and `strxfrm` (declared in the headers file `string.h`) and `wscoll` and `wcsxfrm` (declared in the headers file `wchar`) to compare strings using a collation ordering appropriate for the current locale. The locale used by these functions in particular can be specified by setting the locale for the `LC_COLLATE` category; see [Locales](#).

In the standard C locale, the collation sequence for `strcoll` is the same as that for `strcmp`. Similarly, `wscoll` and `wscmp` are the same in this situation.

Effectively, the way these functions work is by applying a mapping to transform the characters in a string to a byte sequence that represents the string's position in the collating sequence of the current locale. Comparing two such byte sequences in a simple fashion is equivalent to comparing the strings with the locale's collating sequence.

The functions `strcoll` and `wscoll` perform this translation implicitly, in order to do one comparison. By contrast, `strxfrm` and `wcsxfrm` perform the mapping explicitly. If you are making multiple comparisons using the same string or set of strings, it is likely to be more efficient to use `strxfrm` or `wcsxfrm` to transform all the strings just once, and subsequently compare the transformed strings with `strcmp` or `wscmp`.

**int strcoll** (*const char \*s1, const char \*s2*)

Function

The `strcoll` function is similar to `strcmp` but uses the collating sequence of the current locale for collation (the `LC_COLLATE` locale).

**int wcsoll** (*const wchar\_t \*ws1, const wchar\_t \*ws2*)

Function

The `wscoll` function is similar to `wscmp` but uses the collating sequence of the current locale for collation (the `LC_COLLATE` locale).

Here is an example of sorting an array of strings, using `strcoll` to compare them. The actual sort algorithm is not written here; it comes from `qsort` (see [Array Sort Function](#)). The job of the code shown here is to say how to compare the strings while sorting them. (Later on in this section, we will show a way to do this more efficiently using `strxfrm`.)

```

/* This is the comparison function used with qsort. */

int
compare_elements (char **p1, char **p2)
{
    return strcoll (*p1, *p2);
}

/* This is the entry point--the function to sort
   strings using the locale's collating sequence. */

void
sort_strings (char **array, int nstrings)
{
    /* Sort temp_array by comparing the strings. */
    qsort (array, nstrings,
           sizeof (char *), compare_elements);
}

```

**size\_t strxfrm** (*char \*restrict to, const char \*restrict from, size\_t size*)

Function

The function `strxfrm` transforms the string *from* using the collation transformation determined by the locale currently selected for collation, and stores the transformed string in the array *to*. Up to *size* characters (including a terminating null character) are stored.

The behavior is undefined if the strings *to* and *from* overlap; see [Copying and Concatenation](#).

The return value is the length of the entire transformed string. This value is not affected by the value of *size*, but if it is greater or equal than *size*, it means that the transformed string did not entirely fit in the array *to*. In this case, only as much of the string as actually fits was stored. To get the whole transformed string, call `strxfrm` again with a bigger output array.

The transformed string may be longer than the original string, and it may also be shorter.

If *size* is zero, no characters are stored in *to*. In this case, `strxfrm` simply returns the number of characters that would be the length of the transformed string. This is useful for determining what size the allocated array should be. It does not matter what *to* is if *size* is zero; *to* may even be a null pointer.

`size_t` **wcsxfrm** (*wchar\_t* \*restrict *wto*, const *wchar\_t* \**wfrom*, *size\_t* *size*)

Function

The function `wcsxfrm` transforms wide character string *wfrom* using the collation transformation determined by the locale currently selected for collation, and stores the transformed string in the array *wto*. Up to *size* wide characters (including a terminating null character) are stored.

The behavior is undefined if the strings *wto* and *wfrom* overlap; see [Copying and Concatenation](#).

The return value is the length of the entire transformed wide character string. This value is not affected by the value of *size*, but if it is greater or equal than *size*, it means that the transformed wide character string did not entirely fit in the array *wto*. In this case, only as much of the wide character string as actually fits was stored. To get the whole transformed wide character string, call `wcsxfrm` again with a bigger output array.

The transformed wide character string may be longer than the original wide character string, and it may also be shorter.

If *size* is zero, no characters are stored in *to*. In this case, `wcsxfrm` simply returns the number of wide characters that would be the length of the transformed wide character string. This is useful for determining what size the allocated array should be (remember to multiply with `sizeof (wchar_t)`). It does not matter what *wto* is if *size* is zero; *wto* may even be a null pointer.

Here is an example of how you can use `strxfrm` when you plan to do many comparisons. It does the

same thing as the previous example, but much faster, because it has to transform each string only once, no matter how many times it is compared with other strings. Even the time needed to allocate and free storage is much less than the time we save, when there are many strings.

```

struct sorter { char *input; char *transformed; };

/* This is the comparison function used with qsort
   to sort an array of struct sorter. */

int
compare_elements (struct sorter *p1, struct sorter *p2)
{
    return strcmp (p1->transformed, p2->transformed);
}

/* This is the entry point--the function to sort
   strings using the locale's collating sequence. */

void
sort_strings_fast (char **array, int nstrings)
{
    struct sorter temp_array[nstrings];
    int i;

    /* Set up temp_array.  Each element contains
       one input string and its transformed string. */
    for (i = 0; i < nstrings; i++)
    {
        size_t length = strlen (array[i]) * 2;
        char *transformed;
        size_t transformed_length;

        temp_array[i].input = array[i];

        /* First try a buffer perhaps big enough.  */
        transformed = (char *) xmalloc (length);

        /* Transform array[i].  */
        transformed_length = strxfrm (transformed, array[i], length);

        /* If the buffer was not large enough, resize it
           and try again.  */
        if (transformed_length >= length)
        {
            /* Allocate the needed space. +1 for terminating
               NUL character.  */
            transformed = (char *) xrealloc (transformed,
                                             transformed_length + 1);

            /* The return value is not interesting because we know

```

```

        how long the transformed string is.  */
        (void) strxfrm (transformed, array[i],
                      transformed_length + 1);
    }

    temp_array[i].transformed = transformed;
}

/* Sort temp_array by comparing transformed strings. */
qsort (temp_array, sizeof (struct sorter),
       nstrings, compare_elements);

/* Put the elements back in the permanent array
   in their sorted order. */
for (i = 0; i < nstrings; i++)
    array[i] = temp_array[i].input;

/* Free the strings we allocated. */
for (i = 0; i < nstrings; i++)
    free (temp_array[i].transformed);
}

```

The interesting part of this code for the wide character version would look like this:

```

void
sort_strings_fast (wchar_t **array, int nstrings)
{
    ...
    /* Transform array[i].  */
    transformed_length = wcsxfrm (transformed, array[i], length);

    /* If the buffer was not large enough, resize it
       and try again.  */
    if (transformed_length >= length)
    {
        /* Allocate the needed space. +1 for terminating
           NUL character.  */
        transformed = (wchar_t *) xrealloc (transformed,
                                           (transformed_length + 1)
                                           * sizeof (wchar_t));

        /* The return value is not interesting because we know
           how long the transformed string is.  */
        (void) wcsxfrm (transformed, array[i],
                      transformed_length + 1);
    }
    ...
}

```

Note the additional multiplication with `sizeof (wchar_t)` in the `realloc` call.

**Compatibility Note:** The string collation functions are a new feature of ISO C90. Older C dialects have no equivalent feature. The wide character versions were introduced in Amendment 1 to ISO C90.

---

Node: Search Functions, Next: [Finding Tokens in a String](#), Previous: [Collation Functions](#), Up: [String and Array Utilities](#)

## Search Functions

This section describes library functions which perform various kinds of searching operations on strings and arrays. These functions are declared in the header file `string.h`.

`void * memchr (const void *block, int c, size_t size)` Function

This function finds the first occurrence of the byte *c* (converted to an unsigned `char`) in the initial *size* bytes of the object beginning at *block*. The return value is a pointer to the located byte, or a null pointer if no match was found.

`wchar_t * wmemchr (const wchar_t *block, wchar_t wc, size_t size)` Function

This function finds the first occurrence of the wide character *wc* in the initial *size* wide characters of the object beginning at *block*. The return value is a pointer to the located wide character, or a null pointer if no match was found.

`void * rawmemchr (const void *block, int c)` Function

Often the `memchr` function is used with the knowledge that the byte *c* is available in the memory block specified by the parameters. But this means that the *size* parameter is not really needed and that the tests performed with it at runtime (to check whether the end of the block is reached) are not needed.

The `rawmemchr` function exists for just this situation which is surprisingly frequent. The interface is similar to `memchr` except that the *size* parameter is missing. The function will look beyond the end of the block pointed to by *block* in case the programmer made an error in assuming that the byte *c* is present in the block. In this case the result is unspecified. Otherwise the return value is a pointer to the located byte.

This function is of special interest when looking for the end of a string. Since all strings are terminated by a null byte a call like

```
rawmemchr (str, '\0')
```

will never go beyond the end of the string.

This function is a GNU extension.

void \* **memrchr** (*const void \*block, int c, size\_t size*) Function

The function `memrchr` is like `memchr`, except that it searches backwards from the end of the block defined by *block* and *size* (instead of forwards from the front).

char \* **strchr** (*const char \*string, int c*) Function

The `strchr` function finds the first occurrence of the character *c* (converted to a `char`) in the null-terminated string beginning at *string*. The return value is a pointer to the located character, or a null pointer if no match was found.

For example,

```
strchr ("hello, world", 'l')
=> "llo, world"
strchr ("hello, world", '?')
=> NULL
```

The terminating null character is considered to be part of the string, so you can use this function get a pointer to the end of a string by specifying a null character as the value of the *c* argument. It would be better (but less portable) to use `strchrnul` in this case, though.

wchar\_t \* **wcschr** (*const wchar\_t \*wstring, int wc*) Function

The `wcschr` function finds the first occurrence of the wide character *wc* in the null-terminated wide character string beginning at *wstring*. The return value is a pointer to the located wide character, or a null pointer if no match was found.

The terminating null character is considered to be part of the wide character string, so you can use this function get a pointer to the end of a wide character string by specifying a null wide character as the value of the *wc* argument. It would be better (but less portable) to use `wcschrnul` in this case, though.

char \* **strchrnul** (*const char \*string, int c*) Function

`strchrnul` is the same as `strchr` except that if it does not find the character, it returns a pointer to string's terminating null character rather than a null pointer.

This function is a GNU extension.

`wchar_t * wcschrnul (const wchar_t *wstring, wchar_t wc)` Function

`wcschrnul` is the same as `wcschr` except that if it does not find the wide character, it returns a pointer to wide character string's terminating null wide character rather than a null pointer.

This function is a GNU extension.

One useful, but unusual, use of the `strchr` function is when one wants to have a pointer pointing to the NUL byte terminating a string. This is often written in this way:

```
s += strlen (s);
```

This is almost optimal but the addition operation duplicated a bit of the work already done in the `strlen` function. A better solution is this:

```
s = strchr (s, '\0');
```

There is no restriction on the second parameter of `strchr` so it could very well also be the NUL character. Those readers thinking very hard about this might now point out that the `strchr` function is more expensive than the `strlen` function since we have two abort criteria. This is right. But in the GNU C library the implementation of `strchr` is optimized in a special way so that `strchr` actually is faster.

`char * strrchr (const char *string, int c)` Function

The function `strrchr` is like `strchr`, except that it searches backwards from the end of the string *string* (instead of forwards from the front).

For example,

```
strrchr ("hello, world", 'l')
=> "ld"
```

`wchar_t * wcsrchr (const wchar_t *wstring, wchar_t c)` Function



The function `wcsrchr` is like `wcschr`, except that it searches backwards from the end of the string *wstring* (instead of forwards from the front).

`char * strstr (const char *haystack, const char *needle)` Function

This is like `strchr`, except that it searches *haystack* for a substring *needle* rather than just a single character. It returns a pointer into the string *haystack* that is the first character of the substring, or a null pointer if no match was found. If *needle* is an empty string, the function returns *haystack*.

For example,

```
strstr ("hello, world", "l")
=> "llo, world"
strstr ("hello, world", "wo")
=> "world"
```

`wchar_t * wcsstr (const wchar_t *haystack, const wchar_t *needle)` Function

This is like `wcschr`, except that it searches *haystack* for a substring *needle* rather than just a single wide character. It returns a pointer into the string *haystack* that is the first wide character of the substring, or a null pointer if no match was found. If *needle* is an empty string, the function returns *haystack*.

`wchar_t * wcswcs (const wchar_t *haystack, const wchar_t *needle)` Function

`wcswcs` is a deprecated alias for `wcsstr`. This is the name originally used in the X/Open Portability Guide before the Amendment 1 to ISO C90 was published.

`char * strcasestr (const char *haystack, const char *needle)` Function

This is like `strstr`, except that it ignores case in searching for the substring. Like `strcasestr`, it is locale dependent how uppercase and lowercase characters are related.

For example,

```
strcasestr ("hello, world", "L")
=> "llo, world"
strcasestr ("hello, World", "wo")
=> "World"
```

`void * memmem (const void *haystack, size_t haystack-len,  
const void *needle, size_t needle-len)`

Function

This is like `strstr`, but *needle* and *haystack* are byte arrays rather than null-terminated strings. *needle-len* is the length of *needle* and *haystack-len* is the length of *haystack*.

This function is a GNU extension.

`size_t strspn (const char *string, const char *skipset)`

Function

The `strspn` ("string span") function returns the length of the initial substring of *string* that consists entirely of characters that are members of the set specified by the string *skipset*. The order of the characters in *skipset* is not important.

For example,

```
strspn ("hello, world", "abcdefghijklmnopqrstuvwxyz")
=> 5
```

Note that "character" is here used in the sense of byte. In a string using a multibyte character encoding (abstract) character consisting of more than one byte are not treated as an entity. Each byte is treated separately. The function is not locale-dependent.

`size_t wcsspn (const wchar_t *wstring, const wchar_t *skipset)`

Function

The `wcsspn` ("wide character string span") function returns the length of the initial substring of *wstring* that consists entirely of wide characters that are members of the set specified by the string *skipset*. The order of the wide characters in *skipset* is not important.

`size_t strcspn (const char *string, const char *stopset)`

Function

The `strcspn` ("string complement span") function returns the length of the initial substring of *string* that consists entirely of characters that are *not* members of the set specified by the string *stopset*. (In other words, it returns the offset of the first character in *string* that is a member of the set *stopset*.)

For example,

```
strcspn ("hello, world", " \t\n,.;!?.")
=> 5
```

Note that "character" is here used in the sense of byte. In a string using a multibyte character

encoding (abstract) character consisting of more than one byte are not treated as an entity. Each byte is treated separately. The function is not locale-dependent.

`size_t wscspn (const wchar_t *wstring, const wchar_t *stopset)` Function

The `wscspn` ("wide character string complement span") function returns the length of the initial substring of *wstring* that consists entirely of wide characters that are *not* members of the set specified by the string *stopset*. (In other words, it returns the offset of the first character in *string* that is a member of the set *stopset*.)

`char * strpbrk (const char *string, const char *stopset)` Function

The `strpbrk` ("string pointer break") function is related to `strcspn`, except that it returns a pointer to the first character in *string* that is a member of the set *stopset* instead of the length of the initial substring. It returns a null pointer if no such character from *stopset* is found.

For example,

```
strpbrk ("hello, world", " \t\n,.;!?")
=> ", world"
```

Note that "character" is here used in the sense of byte. In a string using a multibyte character encoding (abstract) character consisting of more than one byte are not treated as an entity. Each byte is treated separately. The function is not locale-dependent.

`wchar_t * wcspbrk (const wchar_t *wstring, const wchar_t *stopset)` Function

The `wcspbrk` ("wide character string pointer break") function is related to `wscspn`, except that it returns a pointer to the first wide character in *wstring* that is a member of the set *stopset* instead of the length of the initial substring. It returns a null pointer if no such character from *stopset* is found.

## Compatibility String Search Functions

`char * index (const char *string, int c)` Function

`index` is another name for `strchr`; they are exactly the same. New code should always use `strchr` since this name is defined in ISO C while `index` is a BSD invention which never was available on System V derived systems.

`char * rindex (const char *string, int c)` Function

`rindex` is another name for `strrchr`; they are exactly the same. New code should always use `strrchr` since this name is defined in ISO C while `rindex` is a BSD invention which never was available on System V derived systems.

---

Node: Finding Tokens in a String, Next: [strfry](#), Previous: [Search Functions](#), Up: [String and Array Utilities](#)

## Finding Tokens in a String

It's fairly common for programs to have a need to do some simple kinds of lexical analysis and parsing, such as splitting a command string up into tokens. You can do this with the `strtok` function, declared in the header file `string.h`.

`char * strtok (char *restrict newstring, const char *restrict delimiters)` Function

A string can be split into tokens by making a series of calls to the function `strtok`.

The string to be split up is passed as the *newstring* argument on the first call only. The `strtok` function uses this to set up some internal state information. Subsequent calls to get additional tokens from the same string are indicated by passing a null pointer as the *newstring* argument. Calling `strtok` with another non-null *newstring* argument reinitializes the state information. It is guaranteed that no other library function ever calls `strtok` behind your back (which would mess up this internal state information).

The *delimiters* argument is a string that specifies a set of delimiters that may surround the token being extracted. All the initial characters that are members of this set are discarded. The first character that is *not* a member of this set of delimiters marks the beginning of the next token. The end of the token is found by looking for the next character that is a member of the delimiter set. This character in the original string *newstring* is overwritten by a null character, and the pointer to the beginning of the token in *newstring* is returned.

On the next call to `strtok`, the searching begins at the next character beyond the one that marked the end of the previous token. Note that the set of delimiters *delimiters* do not have to be the same on every call in a series of calls to `strtok`.

If the end of the string *newstring* is reached, or if the remainder of string consists only of delimiter characters, `strtok` returns a null pointer.

Note that "character" is here used in the sense of byte. In a string using a multibyte character encoding (abstract) character consisting of more than one byte are not treated as an entity. Each byte is treated separately. The function is not locale-dependent.

Note that "character" is here used in the sense of byte. In a string using a multibyte character encoding (abstract) character consisting of more than one byte are not treated as an entity. Each byte is treated separately. The function is not locale-dependent.

`wchar_t * wcstok (wchar_t *newstring, const char *delimiters)` Function

A string can be split into tokens by making a series of calls to the function `wcstok`.

The string to be split up is passed as the *newstring* argument on the first call only. The `wcstok` function uses this to set up some internal state information. Subsequent calls to get additional tokens from the same wide character string are indicated by passing a null pointer as the *newstring* argument. Calling `wcstok` with another non-null *newstring* argument reinitializes the state information. It is guaranteed that no other library function ever calls `wcstok` behind your back (which would mess up this internal state information).

The *delimiters* argument is a wide character string that specifies a set of delimiters that may surround the token being extracted. All the initial wide characters that are members of this set are discarded. The first wide character that is *not* a member of this set of delimiters marks the beginning of the next token. The end of the token is found by looking for the next wide character that is a member of the delimiter set. This wide character in the original wide character string *newstring* is overwritten by a null wide character, and the pointer to the beginning of the token in *newstring* is returned.

On the next call to `wcstok`, the searching begins at the next wide character beyond the one that marked the end of the previous token. Note that the set of delimiters *delimiters* do not have to be the same on every call in a series of calls to `wcstok`.

If the end of the wide character string *newstring* is reached, or if the remainder of string consists only of delimiter wide characters, `wcstok` returns a null pointer.

Note that "character" is here used in the sense of byte. In a string using a multibyte character encoding (abstract) character consisting of more than one byte are not treated as an entity. Each byte is treated separately. The function is not locale-dependent.

**Warning:** Since `strtok` and `wcstok` alter the string they is parsing, you should always copy the string to a temporary buffer before parsing it with `strtok/wcstok` (see [Copying and Concatenation](#)). If you allow `strtok` or `wcstok` to modify a string that came from another part of your program, you are asking for trouble; that string might be used for other purposes after `strtok` or `wcstok` has modified it, and it would not have the expected value.

The string that you are operating on might even be a constant. Then when `strtok` or `wcstok` tries to

modify it, your program will get a fatal signal for writing in read-only memory. See [Program Error Signals](#). Even if the operation of `strtok` or `wcstok` would not require a modification of the string (e.g., if there is exactly one token) the string can (and in the GNU libc case will) be modified.

This is a special case of a general principle: if a part of a program does not have as its purpose the modification of a certain data structure, then it is error-prone to modify the data structure temporarily.

The functions `strtok` and `wcstok` are not reentrant. See [Nonreentrancy](#), for a discussion of where and why reentrancy is important.

Here is a simple example showing the use of `strtok`.

```
#include <string.h>
#include <stddef.h>

...

const char string[] = "words separated by spaces -- and, punctuation!";
const char delimiters[] = " .,:!-";
char *token, *cp;

...

cp = strdupa (string);           /* Make writable copy. */
token = strtok (cp, delimiters); /* token => "words" */
token = strtok (NULL, delimiters); /* token => "separated" */
token = strtok (NULL, delimiters); /* token => "by" */
token = strtok (NULL, delimiters); /* token => "spaces" */
token = strtok (NULL, delimiters); /* token => "and" */
token = strtok (NULL, delimiters); /* token => "punctuation" */
token = strtok (NULL, delimiters); /* token => NULL */
```

The GNU C library contains two more functions for tokenizing a string which overcome the limitation of non-reentrancy. They are only available for multibyte character strings.

`char * strtok_r (char *newstring, const char *delimiters, char **save_ptr)` Function

Just like `strtok`, this function splits the string into several tokens which can be accessed by successive calls to `strtok_r`. The difference is that the information about the next token is stored in the space pointed to by the third argument, *save\_ptr*, which is a pointer to a string pointer. Calling `strtok_r` with a null pointer for *newstring* and leaving *save\_ptr* between the calls unchanged does the job without hindering reentrancy.

This function is defined in POSIX.1 and can be found on many systems which support multi-threading.

`char * strsep (char **string_ptr, const char *delimiter)` Function

This function has a similar functionality as `strtok_r` with the *newstring* argument replaced by the *save\_ptr* argument. The initialization of the moving pointer has to be done by the user. Successive calls to `strsep` move the pointer along the tokens separated by *delimiter*, returning the address of the next token and updating *string\_ptr* to point to the beginning of the next token.

One difference between `strsep` and `strtok_r` is that if the input string contains more than one character from *delimiter* in a row `strsep` returns an empty string for each pair of characters from *delimiter*. This means that a program normally should test for `strsep` returning an empty string before processing it.

This function was introduced in 4.3BSD and therefore is widely available.

Here is how the above example looks like when `strsep` is used.

```
#include <string.h>
#include <stddef.h>

...

const char string[] = "words separated by spaces -- and, punctuation!";
const char delimiters[] = " .,;:!--";
char *running;
char *token;

...

running = strdupa (string);
token = strsep (&running, delimiters); /* token => "words" */
token = strsep (&running, delimiters); /* token => "separated" */
token = strsep (&running, delimiters); /* token => "by" */
token = strsep (&running, delimiters); /* token => "spaces" */
token = strsep (&running, delimiters); /* token => "" */
token = strsep (&running, delimiters); /* token => "" */
token = strsep (&running, delimiters); /* token => "" */
```

```

token = strsep (&running, delimiters);    /* token => "and" */
token = strsep (&running, delimiters);    /* token => "" */
token = strsep (&running, delimiters);    /* token => "punctuation" */
token = strsep (&running, delimiters);    /* token => "" */
token = strsep (&running, delimiters);    /* token => NULL */

```

char \* **basename** (*const char \*filename*)

Function

The GNU version of the `basename` function returns the last component of the path in *filename*. This function is the preferred usage, since it does not modify the argument, *filename*, and respects trailing slashes. The prototype for `basename` can be found in `string.h`. Note, this function is overridden by the XPG version, if `libgen.h` is included.

Example of using GNU `basename`:

```

#include <string.h>

int
main (int argc, char *argv[])
{
    char *prog = basename (argv[0]);

    if (argc < 2)
    {
        fprintf (stderr, "Usage %s <arg>\n", prog);
        exit (1);
    }

    ...
}

```

**Portability Note:** This function may produce different results on different systems.

char \* **basename** (*char \*path*)

Function



This is the standard XPG defined `basename`. It is similar in spirit to the GNU version, but may modify the *path* by removing trailing `'/'` characters. If the *path* is made up entirely of `'/'` characters, then `"/"` will be returned. Also, if *path* is `NULL` or an empty string, then `."` is returned. The prototype for the XPG version can be found in `libgen.h`.

Example of using XPG `basename`:

```
#include <libgen.h>

int
main (int argc, char *argv[])
{
    char *prog;
    char *path = strdupa (argv[0]);

    prog = basename (path);

    if (argc < 2)
    {
        fprintf (stderr, "Usage %s <arg>\n", prog);
        exit (1);
    }

    ...
}
```

`char * dirname (char *path)`

Function

The `dirname` function is the compliment to the XPG version of `basename`. It returns the parent directory of the file specified by *path*. If *path* is `NULL`, an empty string, or contains no `'/'` characters, then `."` is returned. The prototype for this function can be found in `libgen.h`.

---

Node: `strfry`, Next: [Trivial Encryption](#), Previous: [Finding Tokens in a String](#), Up: [String and Array Utilities](#)

## **strfry**

The function below addresses the perennial programming quandary: "How do I take good data in string form and painlessly turn it into garbage?" This is actually a fairly simple task for C programmers who do not use the GNU C library string functions, but for programs based on the GNU C library, the `strfry` function is the preferred method for destroying string data.

The prototype for this function is in `string.h`.

`char * strfry (char *string)` Function

`strfry` creates a pseudorandom anagram of a string, replacing the input with the anagram in place. For each position in the string, `strfry` swaps it with a position in the string selected at random (from a uniform distribution). The two positions may be the same.

The return value of `strfry` is always *string*.

**Portability Note:** This function is unique to the GNU C library.

Node: Trivial Encryption, Next: [Encode Binary Data](#), Previous: [strfry](#), Up: [String and Array Utilities](#)

## Trivial Encryption

The `memfrob` function converts an array of data to something unrecognizable and back again. It is not encryption in its usual sense since it is easy for someone to convert the encrypted data back to clear text. The transformation is analogous to Usenet's "Rot13" encryption method for obscuring offensive jokes from sensitive eyes and such. Unlike Rot13, `memfrob` works on arbitrary binary data, not just text.

For true encryption, See [Cryptographic Functions](#).

This function is declared in `string.h`.

`void * memfrob (void *mem, size_t length)` Function

`memfrob` transforms (froblicates) each byte of the data structure at *mem*, which is *length* bytes long, by bitwise exclusive oring it with binary 00101010. It does the transformation in place and its return value is always *mem*.

Note that `memfrob` a second time on the same data structure returns it to its original state.

This is a good function for hiding information from someone who doesn't want to see it or doesn't want to see it very much. To really prevent people from retrieving the information, use stronger encryption such as that described in See [Cryptographic Functions](#).

**Portability Note:** This function is unique to the GNU C library.

Node: Encode Binary Data, Next: [Argz and Envz Vectors](#), Previous: [Trivial Encryption](#), Up: [String and Array Utilities](#)

## Encode Binary Data

To store or transfer binary data in environments which only support text one has to encode the binary data by mapping the input bytes to characters in the range allowed for storing or transferring. SVID systems (and nowadays XPG compliant systems) provide minimal support for this task.

char \* **l64a** (*long int n*) Function

This function encodes a 32-bit input value using characters from the basic character set. It returns a pointer to a 6 character buffer which contains an encoded version of *n*. To encode a series of bytes the user must copy the returned string to a destination buffer. It returns the empty string if *n* is zero, which is somewhat bizarre but mandated by the standard.

**Warning:** Since a static buffer is used this function should not be used in multi-threaded programs. There is no thread-safe alternative to this function in the C library.

**Compatibility Note:** The XPG standard states that the return value of `l64a` is undefined if *n* is negative. In the GNU implementation, `l64a` treats its argument as unsigned, so it will return a sensible encoding for any nonzero *n*; however, portable programs should not rely on this.

To encode a large buffer `l64a` must be called in a loop, once for each 32-bit word of the buffer. For example, one could do something like this:

```
char *
encode (const void *buf, size_t len)
{
    /* We know in advance how long the buffer has to be. */
    unsigned char *in = (unsigned char *) buf;
    char *out = malloc (6 + ((len + 3) / 4) * 6 + 1);
    char *cp = out;

    /* Encode the length. */
    /* Using `htonl' is necessary so that the data can be
       decoded even on machines with different byte order. */

    cp = mempcpy (cp, l64a (htonl (len)), 6);

    while (len > 3)
    {
        unsigned long int n = *in++;
        n = (n << 8) | *in++;
        n = (n << 8) | *in++;
        n = (n << 8) | *in++;
        len -= 4;
    }
}
```

```

    if (n)
        cp = memcpy (cp, l64a (htonl (n)), 6);
    else
        /* `l64a' returns the empty string for n==0, so we
           must generate its encoding (".....") by hand. */
        cp = strcpy (cp, ".....");
}
if (len > 0)
{
    unsigned long int n = *in++;
    if (--len > 0)
    {
        n = (n << 8) | *in++;
        if (--len > 0)
            n = (n << 8) | *in;
    }
    memcpy (cp, l64a (htonl (n)), 6);
    cp += 6;
}
*cp = '\0';
return out;
}

```

It is strange that the library does not provide the complete functionality needed but so be it.

To decode data produced with `l64a` the following function should be used.

`long int a64l (const char *string)`

Function

The parameter *string* should contain a string which was produced by a call to `l64a`. The function processes at least 6 characters of this string, and decodes the characters it finds according to the table below. It stops decoding when it finds a character not in the table, rather like `atoi`; if you have a buffer which has been broken into lines, you must be careful to skip over the end-of-line characters.

The decoded number is returned as a `long int` value.

The `l64a` and `a64l` functions use a base 64 encoding, in which each character of an encoded string represents six bits of an input word. These symbols are used for the base 64 digits:

	0	1	2	3	4	5	6	7
0	.	/	0	1	2	3	4	5
8	6	7	8	9	A	B	C	D
16	E	F	G	H	I	J	K	L

```
24 M N O P Q R S T
32 U V W X Y Z a b
40 c d e f g h i j
48 k l m n o p q r
56 s t u v w x y z
```

This encoding scheme is not standard. There are some other encoding methods which are much more widely used (UU encoding, MIME encoding). Generally, it is better to use one of these encodings.

---

Node: Argz and Envz Vectors, Previous: [Encode Binary Data](#), Up: [String and Array Utilities](#)

## Argz and Envz Vectors

*argz vectors* are vectors of strings in a contiguous block of memory, each element separated from its neighbors by null-characters (`'\0'`).

*Envz vectors* are an extension of argz vectors where each element is a name-value pair, separated by a `'='` character (as in a Unix environment).

- [Argz Functions](#): Operations on argz vectors.
- [Envz Functions](#): Additional operations on environment vectors.

---

Node: Argz Functions, Next: [Envz Functions](#), Up: [Argz and Envz Vectors](#)

## Argz Functions

Each argz vector is represented by a pointer to the first element, of type `char *`, and a size, of type `size_t`, both of which can be initialized to 0 to represent an empty argz vector. All argz functions accept either a pointer and a size argument, or pointers to them, if they will be modified.

The argz functions use `malloc/realloc` to allocate/grow argz vectors, and so any argz vector creating using these functions may be freed by using `free`; conversely, any argz function that may grow a string expects that string to have been allocated using `malloc` (those argz functions that only examine their arguments or modify them in place will work on any sort of memory). See [Unconstrained Allocation](#).

All argz functions that do memory allocation have a return type of `error_t`, and return 0 for success,

and ENOMEM if an allocation error occurs.

These functions are declared in the standard include file `argz.h`.

**error\_t argz\_create** (*char \*const argv[], char \*\*argz, size\_t \*argz\_len*) Function

The `argz_create` function converts the Unix-style argument vector *argv* (a vector of pointers to normal C strings, terminated by `(char *)0`; see [Program Arguments](#)) into an argz vector with the same elements, which is returned in *argz* and *argz\_len*.

**error\_t argz\_create\_sep** (*const char \*string, int sep, char \*\*argz, size\_t \*argz\_len*) Function

The `argz_create_sep` function converts the null-terminated string *string* into an argz vector (returned in *argz* and *argz\_len*) by splitting it into elements at every occurrence of the character *sep*.

**size\_t argz\_count** (*const char \*argz, size\_t arg\_len*) Function

Returns the number of elements in the argz vector *argz* and *argz\_len*.

**void argz\_extract** (*char \*argz, size\_t argz\_len, char \*\*argv*) Function

The `argz_extract` function converts the argz vector *argz* and *argz\_len* into a Unix-style argument vector stored in *argv*, by putting pointers to every element in *argz* into successive positions in *argv*, followed by a terminator of 0. *Argv* must be pre-allocated with enough space to hold all the elements in *argz* plus the terminating `(char *)0` (`(argz_count (argz, argz_len) + 1) * sizeof (char *)` bytes should be enough). Note that the string pointers stored into *argv* point into *argz*--they are not copies--and so *argz* must be copied if it will be changed while *argv* is still active. This function is useful for passing the elements in *argz* to an exec function (see [Executing a File](#)).

**void argz\_stringify** (*char \*argz, size\_t len, int sep*) Function

The `argz_stringify` converts *argz* into a normal string with the elements separated by the character *sep*, by replacing each `'\0'` inside *argz* (except the last one, which terminates the string) with *sep*. This is handy for printing *argz* in a readable manner.

**error\_t argz\_add** (*char \*\*argz, size\_t \*argz\_len, const char \*str*) Function

The `argz_add` function adds the string *str* to the end of the argz vector *\*argz*, and updates *\*argz* and *\*argz\_len* accordingly.

**error\_t argz\_add\_sep** (*char \*\*argz, size\_t \*argz\_len, const char \*str, int delim*) Function

The `argz_add_sep` function is similar to `argz_add`, but *str* is split into separate elements in the result at occurrences of the character *delim*. This is useful, for instance, for adding the components of a Unix search path to an argz vector, by using a value of `' : '` for *delim*.

`error_t argz_append (char **argz, size_t *argz_len, const char *buf, size_t buf_len)` Function

The `argz_append` function appends *buf\_len* bytes starting at *buf* to the argz vector *\*argz*, reallocating *\*argz* to accommodate it, and adding *buf\_len* to *\*argz\_len*.

`error_t argz_delete (char **argz, size_t *argz_len, char *entry)` Function

If *entry* points to the beginning of one of the elements in the argz vector *\*argz*, the `argz_delete` function will remove this entry and reallocate *\*argz*, modifying *\*argz* and *\*argz\_len* accordingly. Note that as destructive argz functions usually reallocate their argz argument, pointers into argz vectors such as *entry* will then become invalid.

`error_t argz_insert (char **argz, size_t *argz_len, char *before, const char *entry)` Function

The `argz_insert` function inserts the string *entry* into the argz vector *\*argz* at a point just before the existing element pointed to by *before*, reallocating *\*argz* and updating *\*argz* and *\*argz\_len*. If *before* is 0, *entry* is added to the end instead (as if by `argz_add`). Since the first element is in fact the same as *\*argz*, passing in *\*argz* as the value of *before* will result in *entry* being inserted at the beginning.

`char * argz_next (char *argz, size_t argz_len, const char *entry)` Function

The `argz_next` function provides a convenient way of iterating over the elements in the argz vector *argz*. It returns a pointer to the next element in *argz* after the element *entry*, or 0 if there are no elements following *entry*. If *entry* is 0, the first element of *argz* is returned.

This behavior suggests two styles of iteration:

```
char *entry = 0;
while ((entry = argz_next (argz, argz_len, entry)))
    action;
```

(the double parentheses are necessary to make some C compilers shut up about what they consider a questionable `while`-test) and:

```
char *entry;
for (entry = argz;
     entry;
     entry = argz_next (argz, argz_len, entry))
```

*action;*

Note that the latter depends on *argz* having a value of 0 if it is empty (rather than a pointer to an empty block of memory); this invariant is maintained for *argz* vectors created by the functions here.

`error_t argz_replace (char **argz, size_t *argz_len, const char *str, const char *with, unsigned *replace_count)`

Function

Replace any occurrences of the string *str* in *argz* with *with*, reallocating *argz* as necessary. If *replace\_count* is non-zero, *\*replace\_count* will be incremented by number of replacements performed.

---

Node: Envz Functions, Previous: [Argz Functions](#), Up: [Argz and Envz Vectors](#)

## Envz Functions

Envz vectors are just *argz* vectors with additional constraints on the form of each element; as such, *argz* functions can also be used on them, where it makes sense.

Each element in an envz vector is a name-value pair, separated by a '=' character; if multiple '=' characters are present in an element, those after the first are considered part of the value, and treated like all other non-' \0 ' characters.

If *no* '=' characters are present in an element, that element is considered the name of a "null" entry, as distinct from an entry with an empty value: `envz_get` will return 0 if given the name of null entry, whereas an entry with an empty value would result in a value of ""; `envz_entry` will still find such entries, however. Null entries can be removed with `envz_strip` function.

As with *argz* functions, envz functions that may allocate memory (and thus fail) have a return type of `error_t`, and return either 0 or `ENOMEM`.

These functions are declared in the standard include file `envz.h`.

`char * envz_entry (const char *envz, size_t envz_len, const char *name)`

Function

The `envz_entry` function finds the entry in *envz* with the name *name*, and returns a pointer to the whole entry--that is, the *argz* element which begins with *name* followed by a '=' character. If there is no entry with that name, 0 is returned.



char \* **envz\_get** (*const char \*envz, size\_t envz\_len, const char \*name*) Function

The `envz_get` function finds the entry in `envz` with the name `name` (like `envz_entry`), and returns a pointer to the value portion of that entry (following the '='). If there is no entry with that name (or only a null entry), 0 is returned.

error\_t **envz\_add** (*char \*\*envz, size\_t \*envz\_len, const char \*name, const char \*value*) Function

The `envz_add` function adds an entry to `*envz` (updating `*envz` and `*envz_len`) with the name `name`, and value `value`. If an entry with the same name already exists in `envz`, it is removed first. If `value` is 0, then the new entry will be the special null type of entry (mentioned above).

error\_t **envz\_merge** (*char \*\*envz, size\_t \*envz\_len, const char \*envz2, size\_t envz2\_len, int override*) Function

The `envz_merge` function adds each entry in `envz2` to `envz`, as if with `envz_add`, updating `*envz` and `*envz_len`. If `override` is true, then values in `envz2` will supersede those with the same name in `envz`, otherwise not.

Null entries are treated just like other entries in this respect, so a null entry in `envz` can prevent an entry of the same name in `envz2` from being added to `envz`, if `override` is false.

void **envz\_strip** (*char \*\*envz, size\_t \*envz\_len*) Function

The `envz_strip` function removes any null entries from `envz`, updating `*envz` and `*envz_len`.

---

Node: Character Set Handling, Next: [Locales](#), Previous: [String and Array Utilities](#), Up: [Top](#)

## Character Set Handling

Character sets used in the early days of computing had only six, seven, or eight bits for each character: there was never a case where more than eight bits (one byte) were used to represent a single character. The limitations of this approach became more apparent as more people grappled with non-Roman character sets, where not all the characters that make up a language's character set can be represented by  $2^8$  choices. This chapter shows the functionality that was added to the C library to support multiple character sets.

- [Extended Char Intro](#): Introduction to Extended Characters.
- [Charset Function Overview](#): Overview about Character Handling Functions.
- [Restartable multibyte conversion](#): Restartable multibyte conversion Functions.
- [Non-reentrant Conversion](#): Non-reentrant Conversion Function.

- [Generic Charset Conversion](#): Generic Charset Conversion.

---

Node: Extended Char Intro, Next: [Charset Function Overview](#), Up: [Character Set Handling](#)

## Introduction to Extended Characters

A variety of solutions is available to overcome the differences between character sets with a 1:1 relation between bytes and characters and character sets with ratios of 2:1 or 4:1. The remainder of this section gives a few examples to help understand the design decisions made while developing the functionality of the C library.

A distinction we have to make right away is between internal and external representation. *Internal representation* means the representation used by a program while keeping the text in memory. External representations are used when text is stored or transmitted through some communication channel. Examples of external representations include files waiting in a directory to be read and parsed.

Traditionally there has been no difference between the two representations. It was equally comfortable and useful to use the same single-byte representation internally and externally. This comfort level decreases with more and larger character sets.

One of the problems to overcome with the internal representation is handling text that is externally encoded using different character sets. Assume a program that reads two texts and compares them using some metric. The comparison can be usefully done only if the texts are internally kept in a common format.

For such a common format (= character set) eight bits are certainly no longer enough. So the smallest entity will have to grow: *wide characters* will now be used. Instead of one byte per character, two or four will be used instead. (Three are not good to address in memory and more than four bytes seem not to be necessary).

As shown in some other part of this manual, a completely new family has been created of functions that can handle wide character texts in memory. The most commonly used character sets for such internal wide character representations are Unicode and ISO 10646 (also known as UCS for Universal Character Set). Unicode was originally planned as a 16-bit character set; whereas, ISO 10646 was designed to be a 31-bit large code space. The two standards are practically identical. They have the same character repertoire and code table, but Unicode specifies added semantics. At the moment, only characters in the first 0x10000 code positions (the so-called Basic Multilingual Plane, BMP) have been assigned, but the assignment of more specialized characters outside this 16-bit space is already in progress. A number of encodings have been defined for Unicode and ISO 10646 characters: UCS-2 is a 16-bit word that can only represent characters from the BMP, UCS-4 is a 32-bit word than can represent any Unicode and ISO 10646 character, UTF-8 is an ASCII compatible encoding where ASCII characters are represented

by ASCII bytes and non-ASCII characters by sequences of 2-6 non-ASCII bytes, and finally UTF-16 is an extension of UCS-2 in which pairs of certain UCS-2 words can be used to encode non-BMP characters up to `0x10ffff`.

To represent wide characters the `char` type is not suitable. For this reason the ISO C standard introduces a new type that is designed to keep one character of a wide character string. To maintain the similarity there is also a type corresponding to `int` for those functions that take a single wide character.

## **wchar\_t**

Data type

This data type is used as the base type for wide character strings. In other words, arrays of objects of this type are the equivalent of `char[ ]` for multibyte character strings. The type is defined in `stddef.h`.

The ISO C90 standard, where `wchar_t` was introduced, does not say anything specific about the representation. It only requires that this type is capable of storing all elements of the basic character set. Therefore it would be legitimate to define `wchar_t` as `char`, which might make sense for embedded systems.

But for GNU systems `wchar_t` is always 32 bits wide and, therefore, capable of representing all UCS-4 values and, therefore, covering all of ISO 10646. Some Unix systems define `wchar_t` as a 16-bit type and thereby follow Unicode very strictly. This definition is perfectly fine with the standard, but it also means that to represent all characters from Unicode and ISO 10646 one has to use UTF-16 surrogate characters, which is in fact a multi-wide-character encoding. But resorting to multi-wide-character encoding contradicts the purpose of the `wchar_t` type.

## **wint\_t**

Data type

`wint_t` is a data type used for parameters and variables that contain a single wide character. As the name suggests this type is the equivalent of `int` when using the normal `char` strings. The types `wchar_t` and `wint_t` often have the same representation if their size is 32 bits wide but if `wchar_t` is defined as `char` the type `wint_t` must be defined as `int` due to the parameter promotion.

This type is defined in `wchar.h` and was introduced in Amendment 1 to ISO C90.

As there are for the `char` data type macros are available for specifying the minimum and maximum value representable in an object of type `wchar_t`.

## **wint\_t WCHAR\_MIN**

Macro

The macro `WCHAR_MIN` evaluates to the minimum value representable by an object of type `wint_t`.

This macro was introduced in Amendment 1 to ISO C90.

## `wint_t` **WCHAR\_MAX**

Macro

The macro `WCHAR_MAX` evaluates to the maximum value representable by an object of type `wint_t`.

This macro was introduced in Amendment 1 to ISO C90.

Another special wide character value is the equivalent to `EOF`.

## `wint_t` **WEOF**

Macro

The macro `WEOF` evaluates to a constant expression of type `wint_t` whose value is different from any member of the extended character set.

`WEOF` need not be the same value as `EOF` and unlike `EOF` it also need *not* be negative. In other words, sloppy code like

```
{
    int c;
    ...
    while ((c = getc (fp)) < 0)
        ...
}
```

has to be rewritten to use `WEOF` explicitly when wide characters are used:

```
{
    wint_t c;
    ...
    while ((c = wgetc (fp)) != WEOF)
        ...
}
```

This macro was introduced in Amendment 1 to ISO C90 and is defined in `wchar.h`.

These internal representations present problems when it comes to storing and transmittal. Because each single wide character consists of more than one byte, they are effected by byte-ordering. Thus, machines

with different endiannesses would see different values when accessing the same data. This byte ordering concern also applies for communication protocols that are all byte-based and, therefore require that the sender has to decide about splitting the wide character in bytes. A last (but not least important) point is that wide characters often require more storage space than a customized byte-oriented character set.

For all the above reasons, an external encoding that is different from the internal encoding is often used if the latter is UCS-2 or UCS-4. The external encoding is byte-based and can be chosen appropriately for the environment and for the texts to be handled. A variety of different character sets can be used for this external encoding (information that will not be exhaustively presented here-instead, a description of the major groups will suffice). All of the ASCII-based character sets fulfill one requirement: they are "filesystem safe." This means that the character ' / ' is used in the encoding *only* to represent itself. Things are a bit different for character sets like EBCDIC (Extended Binary Coded Decimal Interchange Code, a character set family used by IBM), but if the operation system does not understand EBCDIC directly the parameters-to-system calls have to be converted first anyhow.

- The simplest character sets are single-byte character sets. There can be only up to 256 characters (for 8 bit character sets), which is not sufficient to cover all languages but might be sufficient to handle a specific text. Handling of a 8 bit character sets is simple. This is not true for other kinds presented later, and therefore, the application one uses might require the use of 8 bit character sets.
- The ISO 2022 standard defines a mechanism for extended character sets where one character *can* be represented by more than one byte. This is achieved by associating a state with the text. Characters that can be used to change the state can be embedded in the text. Each byte in the text might have a different interpretation in each state. The state might even influence whether a given byte stands for a character on its own or whether it has to be combined with some more bytes.

In most uses of ISO 2022 the defined character sets do not allow state changes that cover more than the next character. This has the big advantage that whenever one can identify the beginning of the byte sequence of a character one can interpret a text correctly. Examples of character sets using this policy are the various EUC character sets (used by Sun's operations systems, EUC-JP, EUC-KR, EUC-TW, and EUC-CN) or Shift\_JIS (SJIS, a Japanese encoding).

But there are also character sets using a state that is valid for more than one character and has to be changed by another byte sequence. Examples for this are ISO-2022-JP, ISO-2022-KR, and ISO-2022-CN.

- Early attempts to fix 8 bit character sets for other languages using the Roman alphabet lead to character sets like ISO 6937. Here bytes representing characters like the acute accent do not produce output themselves: one has to combine them with other characters to get the desired result. For example, the byte sequence `0xc2 0x61` (non-spacing acute accent, followed by lower-case `a') to get the "small a with acute" character. To get the acute accent character on its own, one has to write `0xc2 0x20` (the non-spacing acute followed by a space).

Character sets like ISO 6937 are used in some embedded systems such as teletex.

- Instead of converting the Unicode or ISO 10646 text used internally, it is often also sufficient to simply use an encoding different than UCS-2/UCS-4. The Unicode and ISO 10646 standards even specify such an encoding: UTF-8. This encoding is able to represent all of ISO 10646 31 bits in a byte string of length one to six.

There were a few other attempts to encode ISO 10646 such as UTF-7, but UTF-8 is today the only encoding that should be used. In fact, with any luck UTF-8 will soon be the only external encoding that has to be supported. It proves to be universally usable and its only disadvantage is that it favors Roman languages by making the byte string representation of other scripts (Cyrillic, Greek, Asian scripts) longer than necessary if using a specific character set for these scripts. Methods like the Unicode compression scheme can alleviate these problems.

The question remaining is: how to select the character set or encoding to use. The answer: you cannot decide about it yourself, it is decided by the developers of the system or the majority of the users. Since the goal is interoperability one has to use whatever the other people one works with use. If there are no constraints, the selection is based on the requirements the expected circle of users will have. In other words, if a project is expected to be used in only, say, Russia it is fine to use KOI8-R or a similar character set. But if at the same time people from, say, Greece are participating one should use a character set that allows all people to collaborate.

The most widely useful solution seems to be: go with the most general character set, namely ISO 10646. Use UTF-8 as the external encoding and problems about users not being able to use their own language adequately are a thing of the past.

One final comment about the choice of the wide character representation is necessary at this point. We have said above that the natural choice is using Unicode or ISO 10646. This is not required, but at least encouraged, by the ISO C standard. The standard defines at least a macro `__STDC_ISO_10646__` that is only defined on systems where the `wchar_t` type encodes ISO 10646 characters. If this symbol is not defined one should avoid making assumptions about the wide character representation. If the programmer uses only the functions provided by the C library to handle wide character strings there should be no compatibility problems with other systems.

---

Node: [Charset Function Overview](#), Next: [Restartable multibyte conversion](#), Previous: [Extended Char Intro](#), Up: [Character Set Handling](#)

## Overview about Character Handling Functions

A Unix C library contains three different sets of functions in two families to handle character set

conversion. One of the function families (the most commonly used) is specified in the ISO C90 standard and, therefore, is portable even beyond the Unix world. Unfortunately this family is the least useful one. These functions should be avoided whenever possible, especially when developing libraries (as opposed to applications).

The second family of functions got introduced in the early Unix standards (XPG2) and is still part of the latest and greatest Unix standard: Unix 98. It is also the most powerful and useful set of functions. But we will start with the functions defined in Amendment 1 to ISO C90.

---

Node: Restartable multibyte conversion, Next: [Non-reentrant Conversion](#), Previous: [Charset Function Overview](#), Up: [Character Set Handling](#)

## Restartable Multibyte Conversion Functions

The ISO C standard defines functions to convert strings from a multibyte representation to wide character strings. There are a number of peculiarities:

- The character set assumed for the multibyte encoding is not specified as an argument to the functions. Instead the character set specified by the `LC_CTYPE` category of the current locale is used; see [Locale Categories](#).
- The functions handling more than one character at a time require NUL terminated strings as the argument (i.e., converting blocks of text does not work unless one can add a NUL byte at an appropriate place). The GNU C library contains some extensions to the standard that allow specifying a size, but basically they also expect terminated strings.

Despite these limitations the ISO C functions can be used in many contexts. In graphical user interfaces, for instance, it is not uncommon to have functions that require text to be displayed in a wide character string if the text is not simple ASCII. The text itself might come from a file with translations and the user should decide about the current locale, which determines the translation and therefore also the external encoding used. In such a situation (and many others) the functions described here are perfect. If more freedom while performing the conversion is necessary take a look at the `iconv` functions (see [Generic Charset Conversion](#)).

- [Selecting the Conversion](#): Selecting the conversion and its properties.
- [Keeping the state](#): Representing the state of the conversion.
- [Converting a Character](#): Converting Single Characters.
- [Converting Strings](#): Converting Multibyte and Wide Character Strings.
- [Multibyte Conversion Example](#): A Complete Multibyte Conversion Example.

Node: [Selecting the Conversion](#), Next: [Keeping the state](#), Up: [Restartable multibyte conversion](#)

## Selecting the conversion and its properties

We already said above that the currently selected locale for the `LC_CTYPE` category decides about the conversion that is performed by the functions we are about to describe. Each locale uses its own character set (given as an argument to `localedef`) and this is the one assumed as the external multibyte encoding. The wide character character set always is UCS-4, at least on GNU systems.

A characteristic of each multibyte character set is the maximum number of bytes that can be necessary to represent one character. This information is quite important when writing code that uses the conversion functions (as shown in the examples below). The ISO C standard defines two macros that provide this information.

int **MB\_LEN\_MAX** Macro

`MB_LEN_MAX` specifies the maximum number of bytes in the multibyte sequence for a single character in any of the supported locales. It is a compile-time constant and is defined in `limits.h`.

int **MB\_CUR\_MAX** Macro

`MB_CUR_MAX` expands into a positive integer expression that is the maximum number of bytes in a multibyte character in the current locale. The value is never greater than `MB_LEN_MAX`. Unlike `MB_LEN_MAX` this macro need not be a compile-time constant, and in the GNU C library it is not.

`MB_CUR_MAX` is defined in `stdlib.h`.

Two different macros are necessary since strictly ISO C90 compilers do not allow variable length array definitions, but still it is desirable to avoid dynamic allocation. This incomplete piece of code shows the problem:

```
{
  char buf[MB_LEN_MAX];
  ssize_t len = 0;

  while (! feof (fp))
    {
      fread (&buf[len], 1, MB_CUR_MAX - len, fp);
      /* ... process buf */
      len -= used;
    }
}
```



The code in the inner loop is expected to have always enough bytes in the array *buf* to convert one multibyte character. The array *buf* has to be sized statically since many compilers do not allow a variable size. The `fread` call makes sure that `MB_CUR_MAX` bytes are always available in *buf*. Note that it isn't a problem if `MB_CUR_MAX` is not a compile-time constant.

---

Node: Keeping the state, Next: [Converting a Character](#), Previous: [Selecting the Conversion](#),  
Up: [Restartable multibyte conversion](#)

## Representing the state of the conversion

In the introduction of this chapter it was said that certain character sets use a *stateful* encoding. That is, the encoded values depend in some way on the previous bytes in the text.

Since the conversion functions allow converting a text in more than one step we must have a way to pass this information from one call of the functions to another.

### `mbstate_t`

Data type

A variable of type `mbstate_t` can contain all the information about the *shift state* needed from one call to a conversion function to another.

`mbstate_t` is defined in `wchar.h`. It was introduced in Amendment 1 to ISO C90.

To use objects of type `mbstate_t` the programmer has to define such objects (normally as local variables on the stack) and pass a pointer to the object to the conversion functions. This way the conversion function can update the object if the current multibyte character set is stateful.

There is no specific function or initializer to put the state object in any specific state. The rules are that the object should always represent the initial state before the first use, and this is achieved by clearing the whole variable with code such as follows:

```
{
  mbstate_t state;
  memset (&state, '\0', sizeof (state));
  /* from now on state can be used.  */
  ...
}
```

When using the conversion functions to generate output it is often necessary to test whether the current state corresponds to the initial state. This is necessary, for example, to decide whether to emit escape

sequences to set the state to the initial state at certain sequence points. Communication protocols often require this.

int **mbstate\_t** (*const mbstate\_t \*ps*)

Function

The `mbstate_t` function determines whether the state object pointed to by *ps* is in the initial state. If *ps* is a null pointer or the object is in the initial state the return value is nonzero. Otherwise it is zero.

`mbstate_t` was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

Code using `mbstate_t` often looks similar to this:

```
{
  mbstate_t state;
  memset (&state, '\0', sizeof (state));
  /* Use state. */
  ...
  if (! mbstate_t (&state))
    {
      /* Emit code to return to initial state. */
      const wchar_t empty[] = L"";
      const wchar_t *srcp = empty;
      wcsrtombs (outbuf, &srcp, outbuflen, &state);
    }
  ...
}
```

The code to emit the escape sequence to get back to the initial state is interesting. The `wcsrtombs` function can be used to determine the necessary output code (see [Converting Strings](#)). Please note that on GNU systems it is not necessary to perform this extra action for the conversion from multibyte text to wide character text since the wide character encoding is not stateful. But there is nothing mentioned in any standard that prohibits making `wchar_t` using a stateful encoding.

---

Node: [Converting a Character](#), Next: [Converting Strings](#), Previous: [Keeping the state](#), Up: [Restartable multibyte conversion](#)

## Converting Single Characters

The most fundamental of the conversion functions are those dealing with single characters. Please note that this does not always mean single bytes. But since there is very often a subset of the multibyte character set that consists of single byte sequences, there are functions to help with converting bytes.

Frequently, ASCII is a subpart of the multibyte character set. In such a scenario, each ASCII character stands for itself, and all other characters have at least a first byte that is beyond the range 0 to 127.

`wint_t` **btowc** (*int* *c*)

Function

The `btowc` function ("byte to wide character") converts a valid single byte character *c* in the initial shift state into the wide character equivalent using the conversion rules from the currently selected locale of the `LC_CTYPE` category.

If `(unsigned char) c` is no valid single byte multibyte character or if *c* is EOF, the function returns `WEOF`.

Please note the restriction of *c* being tested for validity only in the initial shift state. No `mbstate_t` object is used from which the state information is taken, and the function also does not use any static state.

The `btowc` function was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

Despite the limitation that the single byte value always is interpreted in the initial state this function is actually useful most of the time. Most characters are either entirely single-byte character sets or they are extension to ASCII. But then it is possible to write code like this (not that this specific example is very useful):

```
wchar_t *
itow (unsigned long int val)
{
    static wchar_t buf[30];
    wchar_t *wcp = &buf[29];
    *wcp = L'\0';
    while (val != 0)
    {
        *--wcp = btowc ('0' + val % 10);
        val /= 10;
    }
    if (wcp == &buf[29])
        *--wcp = L'0';
    return wcp;
}
```

Why is it necessary to use such a complicated implementation and not simply cast `'0' + val % 10` to a wide character? The answer is that there is no guarantee that one can perform this kind of arithmetic on the character of the character set used for `wchar_t` representation. In other situations the bytes are not constant at compile time and so the compiler cannot do the work. In situations like this it is necessary `btowc`.

There also is a function for the conversion in the other direction.

int **wctob** (*wint\_t c*)

Function

The `wctob` function ("wide character to byte") takes as the parameter a valid wide character. If the multibyte representation for this character in the initial state is exactly one byte long, the return value of this function is this character. Otherwise the return value is EOF.

`wctob` was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

There are more general functions to convert single character from multibyte representation to wide characters and vice versa. These functions pose no limit on the length of the multibyte representation and they also do not require it to be in the initial state.

size\_t **mbrtowc** (*wchar\_t \*restrict pwc, const char \*restrict s, size\_t n, mbstate\_t \*restrict ps*)

Function

The `mbrtowc` function ("multibyte restartable to wide character") converts the next multibyte character in the string pointed to by *s* into a wide character and stores it in the wide character string pointed to by *pwc*. The conversion is performed according to the locale currently selected for the LC\_CTYPE category. If the conversion for the character set used in the locale requires a state, the multibyte string is interpreted in the state represented by the object pointed to by *ps*. If *ps* is a null pointer, a static, internal state variable used only by the `mbrtowc` function is used.

If the next multibyte character corresponds to the NUL wide character, the return value of the function is 0 and the state object is afterwards in the initial state. If the next *n* or fewer bytes form a correct multibyte character, the return value is the number of bytes starting from *s* that form the multibyte character. The conversion state is updated according to the bytes consumed in the conversion. In both cases the wide character (either the `L'\0'` or the one found in the conversion) is stored in the string pointed to by *pwc* if *pwc* is not null.

If the first *n* bytes of the multibyte string possibly form a valid multibyte character but there are more than *n* bytes needed to complete it, the return value of the function is `(size_t) - 2` and no value is stored. Please note that this can happen even if *n* has a value greater than or equal to `MB_CUR_MAX` since the input might contain redundant shift sequences.

If the first *n* bytes of the multibyte string cannot possibly form a valid multibyte character, no value is stored, the global variable `errno` is set to the value `EILSEQ`, and the function returns `(size_t) - 1`. The conversion state is afterwards undefined.

`mbrtowc` was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

Use of `mbrtowc` is straightforward. A function that copies a multibyte string into a wide character string while at the same time converting all lowercase characters into uppercase could look like this (this is not the final version, just an example; it has no error checking, and sometimes leaks memory):

```
wchar_t *
mbstowcs (const char *s)
{
    size_t len = strlen (s);
    wchar_t *result = malloc ((len + 1) * sizeof (wchar_t));
    wchar_t *wcp = result;
    wchar_t tmp[1];
    mbstate_t state;
    size_t nbytes;

    memset (&state, '\0', sizeof (state));
    while ((nbytes = mbrtowc (tmp, s, len, &state)) > 0)
    {
        if (nbytes >= (size_t) -2)
            /* Invalid input string. */
            return NULL;
        *wcp++ = towupper (tmp[0]);
        len -= nbytes;
        s += nbytes;
    }
    return result;
}
```

The use of `mbrtowc` should be clear. A single wide character is stored in `tmp[0]`, and the number of consumed bytes is stored in the variable `nbytes`. If the conversion is successful, the uppercase variant of the wide character is stored in the `result` array and the pointer to the input string and the number of available bytes is adjusted.

The only non-obvious thing about `mbrtowc` might be the way memory is allocated for the result. The above code uses the fact that there can never be more wide characters in the converted results than there are bytes in the multibyte input string. This method yields a pessimistic guess about the size of the result, and if many wide character strings have to be constructed this way or if the strings are long, the extra memory required to be allocated because the input string contains multibyte characters might be significant. The allocated memory block can be resized to the correct size before returning it, but a better solution might be to allocate just the right amount of space for the result right away. Unfortunately there is no function to compute the length of the wide character string directly from the multibyte string. There is, however, a function that does part of the work.

`size_t mbrlen (const char *restrict s, size_t n, mbstate_t *ps)`

Function

The `mbrlen` function ("multibyte restartable length") computes the number of at most  $n$  bytes starting at  $s$ , which form the next valid and complete multibyte character.

If the next multibyte character corresponds to the NUL wide character, the return value is 0. If the next  $n$  bytes form a valid multibyte character, the number of bytes belonging to this multibyte character byte sequence is returned.

If the the first  $n$  bytes possibly form a valid multibyte character but the character is incomplete, the return value is `(size_t) -2`. Otherwise the multibyte character sequence is invalid and the return value is `(size_t) -1`.

The multibyte sequence is interpreted in the state represented by the object pointed to by  $ps$ . If  $ps$  is a null pointer, a state object local to `mbrlen` is used.

`mbrlen` was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

The attentive reader now will note that `mbrlen` can be implemented as

```
mbrtowc (NULL, s, n, ps != NULL ? ps : &internal)
```

This is true and in fact is mentioned in the official specification. How can this function be used to determine the length of the wide character string created from a multibyte character string? It is not directly usable, but we can define a function `mbslen` using it:

```
size_t
mbslen (const char *s)
{
    mbstate_t state;
    size_t result = 0;
    size_t nbytes;
    memset (&state, '\0', sizeof (state));
    while ((nbytes = mbrlen (s, MB_LEN_MAX, &state)) > 0)
        {
            if (nbytes >= (size_t) -2)
                /* Something is wrong. */
                return (size_t) -1;
            s += nbytes;
            ++result;
        }
    return result;
}
```

This function simply calls `mbrlen` for each multibyte character in the string and counts the number of

function calls. Please note that we here use `MB_LEN_MAX` as the size argument in the `mbrlen` call. This is acceptable since a) this value is larger than the length of the longest multibyte character sequence and b) we know that the string *s* ends with a NUL byte, which cannot be part of any other multibyte character sequence but the one representing the NUL wide character. Therefore, the `mbrlen` function will never read invalid memory.

Now that this function is available (just to make this clear, this function is *not* part of the GNU C library) we can compute the number of wide character required to store the converted multibyte character string *s* using

```
wcs_bytes = (mbslen (s) + 1) * sizeof (wchar_t);
```

Please note that the `mbslen` function is quite inefficient. The implementation of `mbstowcs` with `mbslen` would have to perform the conversion of the multibyte character input string twice, and this conversion might be quite expensive. So it is necessary to think about the consequences of using the easier but imprecise method before doing the work twice.

`size_t wctomb` (*char \*restrict s, wchar\_t wc, mbstate\_t \*restrict ps*)

Function

The `wctomb` function ("wide character restartable to multibyte") converts a single wide character into a multibyte string corresponding to that wide character.

If *s* is a null pointer, the function resets the state stored in the objects pointed to by *ps* (or the internal `mbstate_t` object) to the initial state. This can also be achieved by a call like this:

```
wctombs (temp_buf, L'\0', ps)
```

since, if *s* is a null pointer, `wctomb` performs as if it writes into an internal buffer, which is guaranteed to be large enough.

If *wc* is the NUL wide character, `wctomb` emits, if necessary, a shift sequence to get the state *ps* into the initial state followed by a single NUL byte, which is stored in the string *s*.

Otherwise a byte sequence (possibly including shift sequences) is written into the string *s*. This only happens if *wc* is a valid wide character (i.e., it has a multibyte representation in the character set selected by locale of the `LC_CTYPE` category). If *wc* is no valid wide character, nothing is stored in the strings *s*, `errno` is set to `EILSEQ`, the conversion state in *ps* is undefined and the return value is `(size_t) -1`.

If no error occurred the function returns the number of bytes stored in the string *s*. This includes all bytes representing shift sequences.

One word about the interface of the function: there is no parameter specifying the length of the array *s*. Instead the function assumes that there are at least `MB_CUR_MAX` bytes available since this is the maximum length of any byte sequence representing a single character. So the caller has to make sure that there is enough space available, otherwise buffer overruns can occur.

`wcrtomb` was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

Using `wcrtomb` is as easy as using `mbrtowc`. The following example appends a wide character string to a multibyte character string. Again, the code is not really useful (or correct), it is simply here to demonstrate the use and some problems.

```
char *
mbscatwcs (char *s, size_t len, const wchar_t *ws)
{
    mbstate_t state;
    /* Find the end of the existing string. */
    char *wp = strchr (s, '\0');
    len -= wp - s;
    memset (&state, '\0', sizeof (state));
    do
    {
        size_t nbytes;
        if (len < MB_CUR_LEN)
        {
            /* We cannot guarantee that the next
               character fits into the buffer, so
               return an error. */
            errno = E2BIG;
            return NULL;
        }
        nbytes = wcrtomb (wp, *ws, &state);
        if (nbytes == (size_t) -1)
            /* Error in the conversion. */
            return NULL;
        len -= nbytes;
        wp += nbytes;
    }
    while (*ws++ != L'\0');
    return s;
}
```

First the function has to find the end of the string currently in the array *s*. The `strchr` call does this very efficiently since a requirement for multibyte character representations is that the NUL byte is never used except to represent itself (and in this context, the end of the string).



After initializing the state object the loop is entered where the first task is to make sure there is enough room in the array *s*. We abort if there are not at least `MB_CUR_LEN` bytes available. This is not always optimal but we have no other choice. We might have less than `MB_CUR_LEN` bytes available but the next multibyte character might also be only one byte long. At the time the `wcrtomb` call returns it is too late to decide whether the buffer was large enough. If this solution is unsuitable, there is a very slow but more accurate solution.

```

...
if (len < MB_CUR_LEN)
{
    mbstate_t temp_state;
    memcpy (&temp_state, &state, sizeof (state));
    if (wcrtomb (NULL, *ws, &temp_state) > len)
    {
        /* We cannot guarantee that the next
           character fits into the buffer, so
           return an error. */
        errno = E2BIG;
        return NULL;
    }
}
...

```

Here we perform the conversion that might overflow the buffer so that we are afterwards in the position to make an exact decision about the buffer size. Please note the `NULL` argument for the destination buffer in the new `wcrtomb` call; since we are not interested in the converted text at this point, this is a nice way to express this. The most unusual thing about this piece of code certainly is the duplication of the conversion state object, but if a change of the state is necessary to emit the next multibyte character, we want to have the same shift state change performed in the real conversion. Therefore, we have to preserve the initial shift state information.

There are certainly many more and even better solutions to this problem. This example is only provided for educational purposes.

---

Node: [Converting Strings](#), Next: [Multibyte Conversion Example](#), Previous: [Converting a Character](#),  
Up: [Restartable multibyte conversion](#)

## Converting Multibyte and Wide Character Strings

The functions described in the previous section only convert a single character at a time. Most operations to be performed in real-world programs include strings and therefore the ISO C standard also defines conversions on entire strings. However, the defined set of functions is quite limited; therefore,

the GNU C library contains a few extensions that can help in some important situations.

`size_t mbsrtowcs` (*wchar\_t \*restrict dst*, *const char \*\*restrict src*, *size\_t len*, *mbstate\_t \*restrict ps*) Function

The `mbsrtowcs` function ("multibyte string restartable to wide character string") converts an NUL-terminated multibyte character string at *\*src* into an equivalent wide character string, including the NUL wide character at the end. The conversion is started using the state information from the object pointed to by *ps* or from an internal object of `mbsrtowcs` if *ps* is a null pointer. Before returning, the state object is updated to match the state after the last converted character. The state is the initial state if the terminating NUL byte is reached and converted.

If *dst* is not a null pointer, the result is stored in the array pointed to by *dst*; otherwise, the conversion result is not available since it is stored in an internal buffer.

If *len* wide characters are stored in the array *dst* before reaching the end of the input string, the conversion stops and *len* is returned. If *dst* is a null pointer, *len* is never checked.

Another reason for a premature return from the function call is if the input string contains an invalid multibyte sequence. In this case the global variable `errno` is set to `EILSEQ` and the function returns `(size_t) -1`.

In all other cases the function returns the number of wide characters converted during this call. If *dst* is not null, `mbsrtowcs` stores in the pointer pointed to by *src* either a null pointer (if the NUL byte in the input string was reached) or the address of the byte following the last converted multibyte character.

`mbsrtowcs` was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

The definition of the `mbsrtowcs` function has one important limitation. The requirement that *dst* has to be a NUL-terminated string provides problems if one wants to convert buffers with text. A buffer is normally no collection of NUL-terminated strings but instead a continuous collection of lines, separated by newline characters. Now assume that a function to convert one line from a buffer is needed. Since the line is not NUL-terminated, the source pointer cannot directly point into the unmodified text buffer. This means, either one inserts the NUL byte at the appropriate place for the time of the `mbsrtowcs` function call (which is not doable for a read-only buffer or in a multi-threaded application) or one copies the line in an extra buffer where it can be terminated by a NUL byte. Note that it is not in general possible to limit the number of characters to convert by setting the parameter *len* to any specific value. Since it is not known how many bytes each multibyte character sequence is in length, one can only guess.

There is still a problem with the method of NUL-terminating a line right after the newline character, which could lead to very strange results. As said in the description of the `mbsrtowcs` function above

the conversion state is guaranteed to be in the initial shift state after processing the NUL byte at the end of the input string. But this NUL byte is not really part of the text (i.e., the conversion state after the newline in the original text could be something different than the initial shift state and therefore the first character of the next line is encoded using this state). But the state in question is never accessible to the user since the conversion stops after the NUL byte (which resets the state). Most stateful character sets in use today require that the shift state after a newline be the initial state-but this is not a strict guarantee. Therefore, simply NUL-terminating a piece of a running text is not always an adequate solution and, therefore, should never be used in generally used code.

The generic conversion interface (see [Generic Charset Conversion](#)) does not have this limitation (it simply works on buffers, not strings), and the GNU C library contains a set of functions that take additional parameters specifying the maximal number of bytes that are consumed from the input string. This way the problem of `mbsrtowcs`'s example above could be solved by determining the line length and passing this length to the function.

`size_t wcsrtoombs (char *restrict dst, const wchar_t **restrict src, size_t len, mbstate_t *restrict ps)` Function

The `wcsrtoombs` function ("wide character string restartable to multibyte string") converts the NUL-terminated wide character string at `*src` into an equivalent multibyte character string and stores the result in the array pointed to by `dst`. The NUL wide character is also converted. The conversion starts in the state described in the object pointed to by `ps` or by a state object locally to `wcsrtoombs` in case `ps` is a null pointer. If `dst` is a null pointer, the conversion is performed as usual but the result is not available. If all characters of the input string were successfully converted and if `dst` is not a null pointer, the pointer pointed to by `src` gets assigned a null pointer.

If one of the wide characters in the input string has no valid multibyte character equivalent, the conversion stops early, sets the global variable `errno` to `EILSEQ`, and returns `(size_t) -1`.

Another reason for a premature stop is if `dst` is not a null pointer and the next converted character would require more than `len` bytes in total to the array `dst`. In this case (and if `dst` is not a null pointer) the pointer pointed to by `src` is assigned a value pointing to the wide character right after the last one successfully converted.

Except in the case of an encoding error the return value of the `wcsrtoombs` function is the number of bytes in all the multibyte character sequences stored in `dst`. Before returning the state in the object pointed to by `ps` (or the internal object in case `ps` is a null pointer) is updated to reflect the state after the last conversion. The state is the initial shift state in case the terminating NUL wide character was converted.

The `wcsrtoombs` function was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

The restriction mentioned above for the `mbsrtowcs` function applies here also. There is no possibility of directly controlling the number of input characters. One has to place the NUL wide character at the correct place or control the consumed input indirectly via the available output array size (the `len` parameter).

`size_t mbsnrtowcs (wchar_t *restrict dst, const char **restrict src, size_t nmc, size_t len, mbstate_t *restrict ps)` Function

The `mbsnrtowcs` function is very similar to the `mbsrtowcs` function. All the parameters are the same except for `nmc`, which is new. The return value is the same as for `mbsrtowcs`.

This new parameter specifies how many bytes at most can be used from the multibyte character string. In other words, the multibyte character string `*src` need not be NUL-terminated. But if a NUL byte is found within the `nmc` first bytes of the string, the conversion stops here.

This function is a GNU extension. It is meant to work around the problems mentioned above. Now it is possible to convert a buffer with multibyte character text piece for piece without having to care about inserting NUL bytes and the effect of NUL bytes on the conversion state.

A function to convert a multibyte string into a wide character string and display it could be written like this (this is not a really useful example):

```
void
showmbs (const char *src, FILE *fp)
{
    mbstate_t state;
    int cnt = 0;
    memset (&state, '\0', sizeof (state));
    while (1)
    {
        wchar_t linebuf[100];
        const char *endp = strchr (src, '\n');
        size_t n;

        /* Exit if there is no more line. */
        if (endp == NULL)
            break;

        n = mbsnrtowcs (linebuf, &src, endp - src, 99, &state);
        linebuf[n] = L'\0';
        fprintf (fp, "line %d: \"%S\"\n", linebuf);
    }
}
```

There is no problem with the state after a call to `mbsnrtowcs`. Since we don't insert characters in the

strings that were not in there right from the beginning and we use *state* only for the conversion of the given buffer, there is no problem with altering the state.

`size_t wcsnrtoombs` (*char \*restrict dst, const wchar\_t \*\*restrict src, size\_t nwc, size\_t len, mbstate\_t \*restrict ps*) Function

The `wcsnrtoombs` function implements the conversion from wide character strings to multibyte character strings. It is similar to `wcsrtombs` but, just like `mbsnrto wcs`, it takes an extra parameter, which specifies the length of the input string.

No more than *nwc* wide characters from the input string *\*src* are converted. If the input string contains a NUL wide character in the first *nwc* characters, the conversion stops at this place.

The `wcsnrtoombs` function is a GNU extension and just like `mbsnrto wcs` helps in situations where no NUL-terminated input strings are available.

Node: Multibyte Conversion Example, Previous: [Converting Strings](#), Up: [Restartable multibyte conversion](#)

## A Complete Multibyte Conversion Example

The example programs given in the last sections are only brief and do not contain all the error checking, etc. Presented here is a complete and documented example. It features the `mbrtowc` function but it should be easy to derive versions using the other functions.

```
int
file_mbsrtowcs (int input, int output)
{
    /* Note the use of MB_LEN_MAX.
       MB_CUR_MAX cannot portably be used here.  */
    char buffer[BUFSIZ + MB_LEN_MAX];
    mbstate_t state;
    int filled = 0;
    int eof = 0;

    /* Initialize the state.  */
    memset (&state, '\0', sizeof (state));

    while (!eof)
        {
            ssize_t nread;
            ssize_t nwrite;
            char *inp = buffer;
            wchar_t outbuf[BUFSIZ];
```

```

wchar_t *outp = outbuf;

/* Fill up the buffer from the input file. */
nread = read (input, buffer + filled, BUFSIZ);
if (nread < 0)
  {
    perror ("read");
    return 0;
  }
/* If we reach end of file, make a note to read no more. */
if (nread == 0)
  eof = 1;

/* filled is now the number of bytes in buffer. */
filled += nread;

/* Convert those bytes to wide characters-as many as we can. */
while (1)
  {
    size_t thislen = mbrtowc (outp, inp, filled, &state);
    /* Stop converting at invalid character;
       this can mean we have read just the first part
       of a valid character. */
    if (thislen == (size_t) -1)
      break;
    /* We want to handle embedded NUL bytes
       but the return value is 0. Correct this. */
    if (thislen == 0)
      thislen = 1;
    /* Advance past this character. */
    inp += thislen;
    filled -= thislen;
    ++outp;
  }

/* Write the wide characters we just made. */
nwrite = write (output, outbuf,
               (outp - outbuf) * sizeof (wchar_t));
if (nwrite < 0)
  {
    perror ("write");
    return 0;
  }

/* See if we have a real invalid character. */
if ((eof && filled > 0) || filled >= MB_CUR_MAX)
  {
    error (0, 0, "invalid multibyte character");
    return 0;
  }

```

```
    /* If any characters must be carried forward,
       put them at the beginning of buffer. */
    if (filled > 0)
        memmove (inp, buffer, filled);
}

return 1;
}
```

---

Node: Non-reentrant Conversion, Next: [Generic Charset Conversion](#), Previous: [Restartable multibyte conversion](#), Up: [Character Set Handling](#)

## Non-reentrant Conversion Function

The functions described in the previous chapter are defined in Amendment 1 to ISO C90, but the original ISO C90 standard also contained functions for character set conversion. The reason that these original functions are not described first is that they are almost entirely useless.

The problem is that all the conversion functions described in the original ISO C90 use a local state. Using a local state implies that multiple conversions at the same time (not only when using threads) cannot be done, and that you cannot first convert single characters and then strings since you cannot tell the conversion functions which state to use.

These original functions are therefore usable only in a very limited set of situations. One must complete converting the entire string before starting a new one, and each string/text must be converted with the same function (there is no problem with the library itself; it is guaranteed that no library function changes the state of any of these functions). **For the above reasons it is highly requested that the functions described in the previous section be used in place of non-reentrant conversion functions.**

- [Non-reentrant Character Conversion](#): Non-reentrant Conversion of Single Characters.
- [Non-reentrant String Conversion](#): Non-reentrant Conversion of Strings.
- [Shift State](#): States in Non-reentrant Functions.

---

Node: Non-reentrant Character Conversion, Next: [Non-reentrant String Conversion](#), Up: [Non-reentrant Conversion](#)

## Non-reentrant Conversion of Single Characters

int **mbtowc** (*wchar\_t* \*restrict result, const char \*restrict string, size\_t size)

Function

The `mbtowc` ("multibyte to wide character") function when called with non-null *string* converts the first multibyte character beginning at *string* to its corresponding wide character code. It stores the result in *\*result*.

`mbtowc` never examines more than *size* bytes. (The idea is to supply for *size* the number of bytes of data you have in hand.)

`mbtowc` with non-null *string* distinguishes three possibilities: the first *size* bytes at *string* start with valid multibyte characters, they start with an invalid byte sequence or just part of a character, or *string* points to an empty string (a null character).

For a valid multibyte character, `mbtowc` converts it to a wide character and stores that in *\*result*, and returns the number of bytes in that character (always at least 1 and never more than *size*).

For an invalid byte sequence, `mbtowc` returns -1. For an empty string, it returns 0, also storing `'\0'` in *\*result*.

If the multibyte character code uses shift characters, then `mbtowc` maintains and updates a shift state as it scans. If you call `mbtowc` with a null pointer for *string*, that initializes the shift state to its standard initial value. It also returns nonzero if the multibyte character code in use actually has a shift state. See [Shift State](#).

int **wctomb** (char \*string, wchar\_t wchar)

Function

The `wctomb` ("wide character to multibyte") function converts the wide character code *wchar* to its corresponding multibyte character sequence, and stores the result in bytes starting at *string*. At most `MB_CUR_MAX` characters are stored.

`wctomb` with non-null *string* distinguishes three possibilities for *wchar*: a valid wide character code (one that can be translated to a multibyte character), an invalid code, and `L'\0'`.

Given a valid code, `wctomb` converts it to a multibyte character, storing the bytes starting at *string*. Then it returns the number of bytes in that character (always at least 1 and never more than `MB_CUR_MAX`).

If *wchar* is an invalid wide character code, `wctomb` returns -1. If *wchar* is `L'\0'`, it returns 0, also storing `'\0'` in *\*string*.

If the multibyte character code uses shift characters, then `wctomb` maintains and updates a shift state as it scans. If you call `wctomb` with a null pointer for *string*, that initializes the shift state to



its standard initial value. It also returns nonzero if the multibyte character code in use actually has a shift state. See [Shift State](#).

Calling this function with a *wchar* argument of zero when *string* is not null has the side-effect of reinitializing the stored shift state *as well as* storing the multibyte character ' \0 ' and returning 0.

Similar to `mbrlen` there is also a non-reentrant function that computes the length of a multibyte character. It can be defined in terms of `mbtowl`.

**int mblen** (*const char \*string, size\_t size*) Function

The `mblen` function with a non-null *string* argument returns the number of bytes that make up the multibyte character beginning at *string*, never examining more than *size* bytes. (The idea is to supply for *size* the number of bytes of data you have in hand.)

The return value of `mblen` distinguishes three possibilities: the first *size* bytes at *string* start with valid multibyte characters, they start with an invalid byte sequence or just part of a character, or *string* points to an empty string (a null character).

For a valid multibyte character, `mblen` returns the number of bytes in that character (always at least 1 and never more than *size*). For an invalid byte sequence, `mblen` returns -1. For an empty string, it returns 0.

If the multibyte character code uses shift characters, then `mblen` maintains and updates a shift state as it scans. If you call `mblen` with a null pointer for *string*, that initializes the shift state to its standard initial value. It also returns a nonzero value if the multibyte character code in use actually has a shift state. See [Shift State](#).

The function `mblen` is declared in `stdlib.h`.

---

Node: Non-reentrant String Conversion, Next: [Shift State](#), Previous: [Non-reentrant Character Conversion](#), Up: [Non-reentrant Conversion](#)

## Non-reentrant Conversion of Strings

For convenience the ISO C90 standard also defines functions to convert entire strings instead of single characters. These functions suffer from the same problems as their reentrant counterparts from Amendment 1 to ISO C90; see [Converting Strings](#).

**size\_t mbstowcs** (*wchar\_t \*wstring, const char \*string, size\_t size*) Function

The `mbstowcs` ("multibyte string to wide character string") function converts the null-terminated string of multibyte characters *string* to an array of wide character codes, storing not more than *size* wide characters into the array beginning at *wstring*. The terminating null character counts towards the size, so if *size* is less than the actual number of wide characters resulting from *string*, no terminating null character is stored.

The conversion of characters from *string* begins in the initial shift state.

If an invalid multibyte character sequence is found, the `mbstowcs` function returns a value of -1. Otherwise, it returns the number of wide characters stored in the array *wstring*. This number does not include the terminating null character, which is present if the number is less than *size*.

Here is an example showing how to convert a string of multibyte characters, allocating enough space for the result.

```
wchar_t *
mbstowcs_alloc (const char *string)
{
    size_t size = strlen (string) + 1;
    wchar_t *buf = xmalloc (size * sizeof (wchar_t));

    size = mbstowcs (buf, string, size);
    if (size == (size_t) -1)
        return NULL;
    buf = xrealloc (buf, (size + 1) * sizeof (wchar_t));
    return buf;
}
```

`size_t` **wcstombs** (*char \*string*, *const wchar\_t \*wstring*, *size\_t size*)

Function

The `wcstombs` ("wide character string to multibyte string") function converts the null-terminated wide character array *wstring* into a string containing multibyte characters, storing not more than *size* bytes starting at *string*, followed by a terminating null character if there is room. The conversion of characters begins in the initial shift state.

The terminating null character counts towards the size, so if *size* is less than or equal to the number of bytes needed in *wstring*, no terminating null character is stored.

If a code that does not correspond to a valid multibyte character is found, the `wcstombs` function returns a value of -1. Otherwise, the return value is the number of bytes stored in the array *string*. This number does not include the terminating null character, which is present if the number is less than *size*.

---

Node: Shift State, Previous: [Non-reentrant String Conversion](#), Up: [Non-reentrant Conversion](#)

## States in Non-reentrant Functions

In some multibyte character codes, the *meaning* of any particular byte sequence is not fixed; it depends on what other sequences have come earlier in the same string. Typically there are just a few sequences that can change the meaning of other sequences; these few are called *shift sequences* and we say that they set the *shift state* for other sequences that follow.

To illustrate shift state and shift sequences, suppose we decide that the sequence 0200 (just one byte) enters Japanese mode, in which pairs of bytes in the range from 0240 to 0377 are single characters, while 0201 enters Latin-1 mode, in which single bytes in the range from 0240 to 0377 are characters, and interpreted according to the ISO Latin-1 character set. This is a multibyte code that has two alternative shift states ("Japanese mode" and "Latin-1 mode"), and two shift sequences that specify particular shift states.

When the multibyte character code in use has shift states, then `mblen`, `mbtowc`, and `wctomb` must maintain and update the current shift state as they scan the string. To make this work properly, you must follow these rules:

- Before starting to scan a string, call the function with a null pointer for the multibyte character address--for example, `mblen (NULL, 0)`. This initializes the shift state to its standard initial value.
- Scan the string one character at a time, in order. Do not "back up" and rescan characters already scanned, and do not intersperse the processing of different strings.

Here is an example of using `mblen` following these rules:

```
void
scan_string (char *s)
{
    int length = strlen (s);

    /* Initialize shift state.  */
    mblen (NULL, 0);

    while (1)
    {
        int thischar = mblen (s, length);
        /* Deal with end of string and invalid characters.  */
        if (thischar == 0)
            break;
    }
}
```

```

    if (thischar == -1)
    {
        error ("invalid multibyte character");
        break;
    }
    /* Advance past this character.  */
    s += thischar;
    length -= thischar;
}
}

```

The functions `mblen`, `mbtowc` and `wctomb` are not reentrant when using a multibyte code that uses a shift state. However, no other library functions call these functions, so you don't have to worry that the shift state will be changed mysteriously.

---

Node: [Generic Charset Conversion](#), Previous: [Non-reentrant Conversion](#), Up: [Character Set Handling](#)

## Generic Charset Conversion

The conversion functions mentioned so far in this chapter all had in common that they operate on character sets that are not directly specified by the functions. The multibyte encoding used is specified by the currently selected locale for the `LC_CTYPE` category. The wide character set is fixed by the implementation (in the case of GNU C library it is always UCS-4 encoded ISO 10646).

This has of course several problems when it comes to general character conversion:

- For every conversion where neither the source nor the destination character set is the character set of the locale for the `LC_CTYPE` category, one has to change the `LC_CTYPE` locale using `setlocale`.

Changing the `LC_CTYPE` locale introduces major problems for the rest of the programs since several more functions (e.g., the character classification functions, see [Classification of Characters](#)) use the `LC_CTYPE` category.

- Parallel conversions to and from different character sets are not possible since the `LC_CTYPE` selection is global and shared by all threads.
- If neither the source nor the destination character set is the character set used for `wchar_t` representation, there is at least a two-step process necessary to convert a text using the functions above. One would have to select the source character set as the multibyte encoding, convert the text into a `wchar_t` text, select the destination character set as the multibyte encoding, and convert the wide character text to the multibyte (= destination) character set.

Even if this is possible (which is not guaranteed) it is a very tiring work. Plus it suffers from the other two raised points even more due to the steady changing of the locale.

The XPG2 standard defines a completely new set of functions, which has none of these limitations. They are not at all coupled to the selected locales, and they have no constraints on the character sets selected for source and destination. Only the set of available conversions limits them. The standard does not specify that any conversion at all must be available. Such availability is a measure of the quality of the implementation.

In the following text first the interface to `iconv` and then the conversion function, will be described. Comparisons with other implementations will show what obstacles stand in the way of portable applications. Finally, the implementation is described in so far as might interest the advanced user who wants to extend conversion capabilities.

- [Generic Conversion Interface](#): Generic Character Set Conversion Interface.
- [iconv Examples](#): A complete `iconv` example.
- [Other iconv Implementations](#): Some Details about other `iconv` Implementations.
- [glibc iconv Implementation](#): The `iconv` Implementation in the GNU C library.

---

Node: [Generic Conversion Interface](#), Next: [iconv Examples](#), Up: [Generic Charset Conversion](#)

## Generic Character Set Conversion Interface

This set of functions follows the traditional cycle of using a resource: open-use-close. The interface consists of three functions, each of which implements one step.

Before the interfaces are described it is necessary to introduce a data type. Just like other open-use-close interfaces the functions introduced here work using handles and the `iconv.h` header defines a special type for the handles used.

### `iconv_t` Data Type

This data type is an abstract type defined in `iconv.h`. The user must not assume anything about the definition of this type; it must be completely opaque.

Objects of this type can get assigned handles for the conversions using the `iconv` functions. The objects themselves need not be freed, but the conversions for which the handles stand for have to.

The first step is the function to create a handle.

`iconv_t iconv_open` (*const char \*tocode, const char \*fromcode*)

Function

The `iconv_open` function has to be used before starting a conversion. The two parameters this function takes determine the source and destination character set for the conversion, and if the implementation has the possibility to perform such a conversion, the function returns a handle.

If the wanted conversion is not available, the `iconv_open` function returns `(iconv_t) -1`. In this case the global variable `errno` can have the following values:

`EMFILE`

The process already has `OPEN_MAX` file descriptors open.

`ENFILE`

The system limit of open file is reached.

`ENOMEM`

Not enough memory to carry out the operation.

`EINVAL`

The conversion from *fromcode* to *tocode* is not supported.

It is not possible to use the same descriptor in different threads to perform independent conversions. The data structures associated with the descriptor include information about the conversion state. This must not be messed up by using it in different conversions.

An `iconv` descriptor is like a file descriptor as for every use a new descriptor must be created. The descriptor does not stand for all of the conversions from *fromset* to *toset*.

The GNU C library implementation of `iconv_open` has one significant extension to other implementations. To ease the extension of the set of available conversions, the implementation allows storing the necessary files with data and code in an arbitrary number of directories. How this extension must be written will be explained below (see [glibc iconv Implementation](#)). Here it is only important to say that all directories mentioned in the `GCONV_PATH` environment variable are considered only if they contain a file `gconv-modules`. These directories need not necessarily be created by the system administrator. In fact, this extension is introduced to help users writing and using their own, new conversions. Of course, this does not work for security reasons in SUID binaries; in this case only the system directory is considered and this normally is `prefix/lib/gconv`. The `GCONV_PATH` environment variable is examined exactly once at the first call of the `iconv_open` function. Later modifications of the variable have no effect.

The `iconv_open` function was introduced early in the X/Open Portability Guide, version 2. It is supported by all commercial Unices as it is required for the Unix branding. However, the quality and completeness of the implementation varies widely. The `iconv_open` function is declared in `iconv.h`.

The `iconv` implementation can associate large data structure with the handle returned by `iconv_open`. Therefore, it is crucial to free all the resources once all conversions are carried out and the conversion is not needed anymore.

**int `iconv_close` (*iconv\_t cd*)** Function

The `iconv_close` function frees all resources associated with the handle *cd*, which must have been returned by a successful call to the `iconv_open` function.

If the function call was successful the return value is 0. Otherwise it is -1 and `errno` is set appropriately. Defined error are:

`EBADF`

The conversion descriptor is invalid.

The `iconv_close` function was introduced together with the rest of the `iconv` functions in XPG2 and is declared in `iconv.h`.

The standard defines only one actual conversion function. This has, therefore, the most general interface: it allows conversion from one buffer to another. Conversion from a file to a buffer, vice versa, or even file to file can be implemented on top of it.

**size\_t `iconv` (*iconv\_t cd*, *char \*\*inbuf*, *size\_t \*inbytesleft*, *char \*\*outbuf*, *size\_t \*outbytesleft*)** Function

The `iconv` function converts the text in the input buffer according to the rules associated with the descriptor *cd* and stores the result in the output buffer. It is possible to call the function for the same text several times in a row since for stateful character sets the necessary state information is kept in the data structures associated with the descriptor.

The input buffer is specified by *\*inbuf* and it contains *\*inbytesleft* bytes. The extra indirection is necessary for communicating the used input back to the caller (see below). It is important to note that the buffer pointer is of type `char` and the length is measured in bytes even if the input text is encoded in wide characters.

The output buffer is specified in a similar way. *\*outbuf* points to the beginning of the buffer with at least *\*outbytesleft* bytes room for the result. The buffer pointer again is of type `char` and the length is measured in bytes. If *outbuf* or *\*outbuf* is a null pointer, the conversion is performed but no output is available.

If *inbuf* is a null pointer, the `iconv` function performs the necessary action to put the state of the conversion into the initial state. This is obviously a no-op for non-stateful encodings, but if the encoding has a state, such a function call might put some byte sequences in the output buffer, which perform the necessary state changes. The next call with *inbuf* not being a null pointer then

simply goes on from the initial state. It is important that the programmer never makes any assumption as to whether the conversion has to deal with states. Even if the input and output character sets are not stateful, the implementation might still have to keep states. This is due to the implementation chosen for the GNU C library as it is described below. Therefore an `iconv` call to reset the state should always be performed if some protocol requires this for the output text.

The conversion stops for one of three reasons. The first is that all characters from the input buffer are converted. This actually can mean two things: either all bytes from the input buffer are consumed or there are some bytes at the end of the buffer that possibly can form a complete character but the input is incomplete. The second reason for a stop is that the output buffer is full. And the third reason is that the input contains invalid characters.

In all of these cases the buffer pointers after the last successful conversion, for input and output buffer, are stored in *inbuf* and *outbuf*, and the available room in each buffer is stored in *inbytesleft* and *outbytesleft*.

Since the character sets selected in the `iconv_open` call can be almost arbitrary, there can be situations where the input buffer contains valid characters, which have no identical representation in the output character set. The behavior in this situation is undefined. The *current* behavior of the GNU C library in this situation is to return with an error immediately. This certainly is not the most desirable solution; therefore, future versions will provide better ones, but they are not yet finished.

If all input from the input buffer is successfully converted and stored in the output buffer, the function returns the number of non-reversible conversions performed. In all other cases the return value is `(size_t) -1` and `errno` is set appropriately. In such cases the value pointed to by *inbytesleft* is nonzero.

#### EILSEQ

The conversion stopped because of an invalid byte sequence in the input. After the call, *\*inbuf* points at the first byte of the invalid byte sequence.

#### E2BIG

The conversion stopped because it ran out of space in the output buffer.

#### EINVAL

The conversion stopped because of an incomplete byte sequence at the end of the input buffer.

#### EBADF

The *cd* argument is invalid.

The `iconv` function was introduced in the XPG2 standard and is declared in the `iconv.h` header.



The definition of the `iconv` function is quite good overall. It provides quite flexible functionality. The only problems lie in the boundary cases, which are incomplete byte sequences at the end of the input buffer and invalid input. A third problem, which is not really a design problem, is the way conversions are selected. The standard does not say anything about the legitimate names, a minimal set of available conversions. We will see how this negatively impacts other implementations, as demonstrated below.

---

Node: [iconv Examples](#), Next: [Other iconv Implementations](#), Previous: [Generic Conversion Interface](#),  
Up: [Generic Charset Conversion](#)

## A complete `iconv` example

The example below features a solution for a common problem. Given that one knows the internal encoding used by the system for `wchar_t` strings, one often is in the position to read text from a file and store it in wide character buffers. One can do this using `mbsrtowcs`, but then we run into the problems discussed above.

```
int
file2wcs (int fd, const char *charset, wchar_t *outbuf, size_t avail)
{
    char inbuf[BUFSIZ];
    size_t insize = 0;
    char *wrpstr = (char *) outbuf;
    int result = 0;
    iconv_t cd;

    cd = iconv_open ("WCHAR_T", charset);
    if (cd == (iconv_t) -1)
    {
        /* Something went wrong.  */
        if (errno == EINVAL)
            error (0, 0, "conversion from '%s' to wchar_t not available",
                  charset);
        else
            perror ("iconv_open");

        /* Terminate the output string.  */
        *outbuf = L'\0';

        return -1;
    }

    while (avail > 0)
    {
        size_t nread;
        size_t nconv;
```

```

char *inptr = inbuf;

/* Read more input.  */
nread = read (fd, inbuf + insize, sizeof (inbuf) - insize);
if (nread == 0)
  {
    /* When we come here the file is completely read.
       This still could mean there are some unused
       characters in the inbuf.  Put them back.  */
    if (lseek (fd, -insize, SEEK_CUR) == -1)
      result = -1;

    /* Now write out the byte sequence to get into the
       initial state if this is necessary.  */
    iconv (cd, NULL, NULL, &wrpstr, &avail);

    break;
  }
insize += nread;

/* Do the conversion.  */
nconv = iconv (cd, &inptr, &insize, &wrpstr, &avail);
if (nconv == (size_t) -1)
  {
    /* Not everything went right.  It might only be
       an unfinished byte sequence at the end of the
       buffer.  Or it is a real problem.  */
    if (errno == EINVAL)
      /* This is harmless.  Simply move the unused
         bytes to the beginning of the buffer so that
         they can be used in the next round.  */
      memmove (inbuf, inptr, insize);
    else
      {
        /* It is a real problem.  Maybe we ran out of
           space in the output buffer or we have invalid
           input.  In any case back the file pointer to
           the position of the last processed byte.  */
        lseek (fd, -insize, SEEK_CUR);
        result = -1;
        break;
      }
  }
}

/* Terminate the output string.  */
if (avail >= sizeof (wchar_t))
  *((wchar_t *) wrpstr) = L'\0';

if (iconv_close (cd) != 0)

```

```

    perror ("iconv_close");

    return (wchar_t *) wrptr - outbuf;
}

```

This example shows the most important aspects of using the `iconv` functions. It shows how successive calls to `iconv` can be used to convert large amounts of text. The user does not have to care about stateful encodings as the functions take care of everything.

An interesting point is the case where `iconv` returns an error and `errno` is set to `EINVAL`. This is not really an error in the transformation. It can happen whenever the input character set contains byte sequences of more than one byte for some character and texts are not processed in one piece. In this case there is a chance that a multibyte sequence is cut. The caller can then simply read the remainder of the takes and feed the offending bytes together with new character from the input to `iconv` and continue the work. The internal state kept in the descriptor is *not* unspecified after such an event as is the case with the conversion functions from the ISO C standard.

The example also shows the problem of using wide character strings with `iconv`. As explained in the description of the `iconv` function above, the function always takes a pointer to a `char` array and the available space is measured in bytes. In the example, the output buffer is a wide character buffer; therefore, we use a local variable `wrptr` of type `char *`, which is used in the `iconv` calls.

This looks rather innocent but can lead to problems on platforms that have tight restriction on alignment. Therefore the caller of `iconv` has to make sure that the pointers passed are suitable for access of characters from the appropriate character set. Since, in the above case, the input parameter to the function is a `wchar_t` pointer, this is the case (unless the user violates alignment when computing the parameter). But in other situations, especially when writing generic functions where one does not know what type of character set one uses and, therefore, treats text as a sequence of bytes, it might become tricky.

---

Node: Other iconv Implementations, Next: [glibc iconv Implementation](#), Previous: [iconv Examples](#),  
Up: [Generic Charset Conversion](#)

## Some Details about other `iconv` Implementations

This is not really the place to discuss the `iconv` implementation of other systems but it is necessary to know a bit about them to write portable programs. The above mentioned problems with the specification of the `iconv` functions can lead to portability issues.

The first thing to notice is that, due to the large number of character sets in use, it is certainly not practical to encode the conversions directly in the C library. Therefore, the conversion information must

come from files outside the C library. This is usually done in one or both of the following ways:

- The C library contains a set of generic conversion functions that can read the needed conversion tables and other information from data files. These files get loaded when necessary.

This solution is problematic as it requires a great deal of effort to apply to all character sets (potentially an infinite set). The differences in the structure of the different character sets is so large that many different variants of the table-processing functions must be developed. In addition, the generic nature of these functions make them slower than specifically implemented functions.

- The C library only contains a framework that can dynamically load object files and execute the conversion functions contained therein.

This solution provides much more flexibility. The C library itself contains only very little code and therefore reduces the general memory footprint. Also, with a documented interface between the C library and the loadable modules it is possible for third parties to extend the set of available conversion modules. A drawback of this solution is that dynamic loading must be available.

Some implementations in commercial Unices implement a mixture of these possibilities; the majority implement only the second solution. Using loadable modules moves the code out of the library itself and keeps the door open for extensions and improvements, but this design is also limiting on some platforms since not many platforms support dynamic loading in statically linked programs. On platforms without this capability it is therefore not possible to use this interface in statically linked programs. The GNU C library has, on ELF platforms, no problems with dynamic loading in these situations; therefore, this point is moot. The danger is that one gets acquainted with this situation and forgets about the restrictions on other systems.

A second thing to know about other `iconv` implementations is that the number of available conversions is often very limited. Some implementations provide, in the standard release (not special international or developer releases), at most 100 to 200 conversion possibilities. This does not mean 200 different character sets are supported; for example, conversions from one character set to a set of 10 others might count as 10 conversions. Together with the other direction this makes 20 conversion possibilities used up by one character set. One can imagine the thin coverage these platform provide. Some Unix vendors even provide only a handful of conversions, which renders them useless for almost all uses.

This directly leads to a third and probably the most problematic point. The way the `iconv` conversion functions are implemented on all known Unix systems and the availability of the conversion functions from character set A to B and the conversion from B to C does *not* imply that the conversion from A to C is available.

This might not seem unreasonable and problematic at first, but it is a quite big problem as one will

notice shortly after hitting it. To show the problem we assume to write a program that has to convert from A to C. A call like

```
cd = iconv_open ("C", "A");
```

fails according to the assumption above. But what does the program do now? The conversion is necessary; therefore, simply giving up is not an option.

This is a nuisance. The `iconv` function should take care of this. But how should the program proceed from here on? If it tries to convert to character set B, first the two `iconv_open` calls

```
cd1 = iconv_open ("B", "A");
```

and

```
cd2 = iconv_open ("C", "B");
```

will succeed, but how to find B?

Unfortunately, the answer is: there is no general solution. On some systems guessing might help. On those systems most character sets can convert to and from UTF-8 encoded ISO 10646 or Unicode text. Beside this only some very system-specific methods can help. Since the conversion functions come from loadable modules and these modules must be stored somewhere in the filesystem, one *could* try to find them and determine from the available file which conversions are available and whether there is an indirect route from A to C.

This example shows one of the design errors of `iconv` mentioned above. It should at least be possible to determine the list of available conversion programmatically so that if `iconv_open` says there is no such conversion, one could make sure this also is true for indirect routes.

---

Node: [glibc iconv Implementation](#), Previous: [Other iconv Implementations](#), Up: [Generic Charset Conversion](#)

## The `iconv` Implementation in the GNU C library

After reading about the problems of `iconv` implementations in the last section it is certainly good to note that the implementation in the GNU C library has none of the problems mentioned above. What follows is a step-by-step analysis of the points raised above. The evaluation is based on the current state

of the development (as of January 1999). The development of the `iconv` functions is not complete, but basic functionality has solidified.

The GNU C library's `iconv` implementation uses shared loadable modules to implement the conversions. A very small number of conversions are built into the library itself but these are only rather trivial conversions.

All the benefits of loadable modules are available in the GNU C library implementation. This is especially appealing since the interface is well documented (see below), and it, therefore, is easy to write new conversion modules. The drawback of using loadable objects is not a problem in the GNU C library, at least on ELF systems. Since the library is able to load shared objects even in statically linked binaries, static linking need not be forbidden in case one wants to use `iconv`.

The second mentioned problem is the number of supported conversions. Currently, the GNU C library supports more than 150 character sets. The way the implementation is designed the number of supported conversions is greater than 22350 (150 times 149). If any conversion from or to a character set is missing, it can be added easily.

Particularly impressive as it may be, this high number is due to the fact that the GNU C library implementation of `iconv` does not have the third problem mentioned above (i.e., whenever there is a conversion from a character set A to B and from B to C it is always possible to convert from A to C directly). If the `iconv_open` returns an error and sets `errno` to `EINVAL`, there is no known way, directly or indirectly, to perform the wanted conversion.

Triangulation is achieved by providing for each character set a conversion from and to UCS-4 encoded ISO 10646. Using ISO 10646 as an intermediate representation it is possible to *triangulate* (i.e., convert with an intermediate representation).

There is no inherent requirement to provide a conversion to ISO 10646 for a new character set, and it is also possible to provide other conversions where neither source nor destination character set is ISO 10646. The existing set of conversions is simply meant to cover all conversions that might be of interest.

All currently available conversions use the triangulation method above, making conversion run unnecessarily slow. If, for example, somebody often needs the conversion from ISO-2022-JP to EUC-JP, a quicker solution would involve direct conversion between the two character sets, skipping the input to ISO 10646 first. The two character sets of interest are much more similar to each other than to ISO 10646.

In such a situation one easily can write a new conversion and provide it as a better alternative. The GNU C library `iconv` implementation would automatically use the module implementing the conversion if it is specified to be more efficient.

## Format of `gconv-modules` files

All information about the available conversions comes from a file named `gconv-modules`, which can be found in any of the directories along the `GCONV_PATH`. The `gconv-modules` files are line-oriented text files, where each of the lines has one of the following formats:

- If the first non-whitespace character is a `#` the line contains only comments and is ignored.
- Lines starting with `alias` define an alias name for a character set. Two more words are expected on the line. The first word defines the alias name, and the second defines the original name of the character set. The effect is that it is possible to use the alias name in the `fromset` or `toset` parameters of `iconv_open` and achieve the same result as when using the real character set name.

This is quite important as a character set has often many different names. There is normally an official name but this need not correspond to the most popular name. Beside this many character sets have special names that are somehow constructed. For example, all character sets specified by the ISO have an alias of the form `ISO-IR-nnn` where *nnn* is the registration number. This allows programs that know about the registration number to construct character set names and use them in `iconv_open` calls. More on the available names and aliases follows below.

- Lines starting with `module` introduce an available conversion module. These lines must contain three or four more words.

The first word specifies the source character set, the second word the destination character set of conversion implemented in this module, and the third word is the name of the loadable module. The filename is constructed by appending the usual shared object suffix (normally `.so`) and this file is then supposed to be found in the same directory the `gconv-modules` file is in. The last word on the line, which is optional, is a numeric value representing the cost of the conversion. If this word is missing, a cost of 1 is assumed. The numeric value itself does not matter that much; what counts are the relative values of the sums of costs for all possible conversion paths. Below is a more precise description of the use of the cost value.

Returning to the example above where one has written a module to directly convert from `ISO-2022-JP` to `EUC-JP` and back. All that has to be done is to put the new module, let its name be `ISO2022JP-EUCJP.so`, in a directory and add a file `gconv-modules` with the following content in the same directory:

```
module ISO-2022-JP//      EUC-JP//          ISO2022JP-EUCJP      1
module EUC-JP//          ISO-2022-JP//      ISO2022JP-EUCJP      1
```

To see why this is sufficient, it is necessary to understand how the conversion used by `iconv` (and

described in the descriptor) is selected. The approach to this problem is quite simple.

At the first call of the `iconv_open` function the program reads all available `gconv-modules` files and builds up two tables: one containing all the known aliases and another that contains the information about the conversions and which shared object implements them.

## Finding the conversion path in `iconv`

The set of available conversions form a directed graph with weighted edges. The weights on the edges are the costs specified in the `gconv-modules` files. The `iconv_open` function uses an algorithm suitable for search for the best path in such a graph and so constructs a list of conversions that must be performed in succession to get the transformation from the source to the destination character set.

Explaining why the above `gconv-modules` file allows the `iconv` implementation to resolve the specific ISO-2022-JP to EUC-JP conversion module instead of the conversion coming with the library itself is straightforward. Since the latter conversion takes two steps (from ISO-2022-JP to ISO 10646 and then from ISO 10646 to EUC-JP), the cost is  $1+1 = 2$ . The above `gconv-modules` file, however, specifies that the new conversion modules can perform this conversion with only the cost of 1.

A mysterious item about the `gconv-modules` file above (and also the file coming with the GNU C library) are the names of the character sets specified in the `module` lines. Why do almost all the names end in `///`? And this is not all: the names can actually be regular expressions. At this point in time this mystery should not be revealed, unless you have the relevant spell-casting materials: ashes from an original DOS 6.2 boot disk burnt in effigy, a crucifix blessed by St. Emacs, assorted herbal roots from Central America, sand from Cebu, etc. Sorry! **The part of the implementation where this is used is not yet finished. For now please simply follow the existing examples. It'll become clearer once it is.**  
-drepper

A last remark about the `gconv-modules` is about the names not ending with `///`. A character set named `INTERNAL` is often mentioned. From the discussion above and the chosen name it should have become clear that this is the name for the representation used in the intermediate step of the triangulation. We have said that this is UCS-4 but actually that is not quite right. The UCS-4 specification also includes the specification of the byte ordering used. Since a UCS-4 value consists of four bytes, a stored value is effected by byte ordering. The internal representation is *not* the same as UCS-4 in case the byte ordering of the processor (or at least the running process) is not the same as the one required for UCS-4. This is done for performance reasons as one does not want to perform unnecessary byte-swapping operations if one is not interested in actually seeing the result in UCS-4. To avoid trouble with endianness, the internal representation consistently is named `INTERNAL` even on big-endian systems where the representations are identical.

## `iconv` module data structures



So far this section has described how modules are located and considered to be used. What remains to be described is the interface of the modules so that one can write new ones. This section describes the interface as it is in use in January 1999. The interface will change a bit in the future but, with luck, only in an upwardly compatible way.

The definitions necessary to write new modules are publicly available in the non-standard header `gconv.h`. The following text, therefore, describes the definitions from this header file. First, however, it is necessary to get an overview.

From the perspective of the user of `iconv` the interface is quite simple: the `iconv_open` function returns a handle that can be used in calls to `iconv`, and finally the handle is freed with a call to `iconv_close`. The problem is that the handle has to be able to represent the possibly long sequences of conversion steps and also the state of each conversion since the handle is all that is passed to the `iconv` function. Therefore, the data structures are really the elements necessary to understanding the implementation.

We need two different kinds of data structures. The first describes the conversion and the second describes the state etc. There are really two type definitions like this in `gconv.h`.

### **struct \_\_gconv\_step**

Data type

This data structure describes one conversion a module can perform. For each function in a loaded module with conversion functions there is exactly one object of this type. This object is shared by all users of the conversion (i.e., this object does not contain any information corresponding to an actual conversion; it only describes the conversion itself).

```
struct __gconv_loaded_object *__shlib_handle
const char *__modname
int __counter
```

All these elements of the structure are used internally in the C library to coordinate loading and unloading the shared. One must not expect any of the other elements to be available or initialized.

```
const char *__from_name
const char *__to_name
```

`__from_name` and `__to_name` contain the names of the source and destination character sets. They can be used to identify the actual conversion to be carried out since one module might implement conversions for more than one character set and/or direction.

```
gconv_fct __fct
gconv_init_fct __init_fct
gconv_end_fct __end_fct
```

These elements contain pointers to the functions in the loadable module. The interface will be explained below.

```
int __min_needed_from
```

```
int __max_needed_from
int __min_needed_to
int __max_needed_to;
```

These values have to be supplied in the `init` function of the module. The `__min_needed_from` value specifies how many bytes a character of the source character set at least needs. The `__max_needed_from` specifies the maximum value that also includes possible shift sequences.

The `__min_needed_to` and `__max_needed_to` values serve the same purpose as `__min_needed_from` and `__max_needed_from` but this time for the destination character set.

It is crucial that these values be accurate since otherwise the conversion functions will have problems or not work at all.

```
int __stateful
```

This element must also be initialized by the `init` function. `int __stateful` is nonzero if the source character set is stateful. Otherwise it is zero.

```
void *__data
```

This element can be used freely by the conversion functions in the module. `void *__data` can be used to communicate extra information from one call to another. `void *__data` need not be initialized if not needed at all. If `void *__data` element is assigned a pointer to dynamically allocated memory (presumably in the `init` function) it has to be made sure that the end function deallocates the memory. Otherwise the application will leak memory.

It is important to be aware that this data structure is shared by all users of this specification conversion and therefore the `__data` element must not contain data specific to one specific use of the conversion function.

```
struct __gconv_step_data
```

Data type

This is the data structure that contains the information specific to each use of the conversion functions.

```
char *__outbuf
```

```
char *__outbufend
```

These elements specify the output buffer for the conversion step. The `__outbuf` element points to the beginning of the buffer, and `__outbufend` points to the byte following the last byte in the buffer. The conversion function must not assume anything about the size of the buffer but it can be safely assumed there is room for at least one complete character in the output buffer.

Once the conversion is finished, if the conversion is the last step, the `__outbuf` element must be modified to point after the last byte written into the buffer to signal how much output is available. If this conversion step is not the last one, the element must not be modified. The `__outbufend` element must not be modified.

```
int __is_last
```

This element is nonzero if this conversion step is the last one. This information is necessary for the recursion. See the description of the conversion function internals below. This element must never be modified.

```
int __invocation_counter
```

The conversion function can use this element to see how many calls of the conversion function already happened. Some character sets require a certain prolog when generating output, and by comparing this value with zero, one can find out whether it is the first call and whether, therefore, the prolog should be emitted. This element must never be modified.

```
int __internal_use
```

This element is another one rarely used but needed in certain situations. It is assigned a nonzero value in case the conversion functions are used to implement `mbsrtowcs` et.al. (i. e., the function is not used directly through the `iconv` interface).

This sometimes makes a difference as it is expected that the `iconv` functions are used to translate entire texts while the `mbsrtowcs` functions are normally used only to convert single strings and might be used multiple times to convert entire texts.

But in this situation we would have problem complying with some rules of the character set specification. Some character sets require a prolog, which must appear exactly once for an entire text. If a number of `mbsrtowcs` calls are used to convert the text, only the first call must add the prolog. However, because there is no communication between the different calls of `mbsrtowcs`, the conversion functions have no possibility to find this out. The situation is different for sequences of `iconv` calls since the handle allows access to the needed information.

The `int __internal_use` element is mostly used together with `__invocation_counter` as follows:

```
if (!data->__internal_use
    && data->__invocation_counter == 0)
    /* Emit prolog.  */
    ...
```

This element must never be modified.

`mbstate_t *__statep`

The `__statep` element points to an object of type `mbstate_t` (see [Keeping the state](#)). The conversion of a stateful character set must use the object pointed to by `__statep` to store information about the conversion state. The `__statep` element itself must never be modified.

`mbstate_t __state`

This element must *never* be used directly. It is only part of this structure to have the needed space allocated.

## **iconv module interfaces**

With the knowledge about the data structures we now can describe the conversion function itself. To understand the interface a bit of knowledge is necessary about the functionality in the C library that loads the objects with the conversions.

It is often the case that one conversion is used more than once (i.e., there are several `iconv_open` calls for the same set of character sets during one program run). The `mbsrtowcs` et.al. functions in the GNU C library also use the `iconv` functionality, which increases the number of uses of the same functions even more.

Because of this multiple use of conversions, the modules do not get loaded exclusively for one conversion. Instead a module once loaded can be used by an arbitrary number of `iconv` or `mbsrtowcs` calls at the same time. The splitting of the information between conversion- function-specific information and conversion data makes this possible. The last section showed the two data structures used to do this.

This is of course also reflected in the interface and semantics of the functions that the modules must provide. There are three functions that must have the following names:

`gconv_init`

The `gconv_init` function initializes the conversion function specific data structure. This very same object is shared by all conversions that use this conversion and, therefore, no state information about the conversion itself must be stored in here. If a module implements more than one conversion, the `gconv_init` function will be called multiple times.

#### `gconv_end`

The `gconv_end` function is responsible for freeing all resources allocated by the `gconv_init` function. If there is nothing to do, this function can be missing. Special care must be taken if the module implements more than one conversion and the `gconv_init` function does not allocate the same resources for all conversions.

#### `gconv`

This is the actual conversion function. It is called to convert one block of text. It gets passed the conversion step information initialized by `gconv_init` and the conversion data, specific to this use of the conversion functions.

There are three data types defined for the three module interface functions and these define the interface.

`int (*__gconv_init_fct) (struct __gconv_step *)` Data type

This specifies the interface of the initialization function of the module. It is called exactly once for each conversion the module implements.

As explained in the description of the `struct __gconv_step` data structure above the initialization function has to initialize parts of it.

`__min_needed_from`

`__max_needed_from`

`__min_needed_to`

`__max_needed_to`

These elements must be initialized to the exact numbers of the minimum and maximum number of bytes used by one character in the source and destination character sets, respectively. If the characters all have the same size, the minimum and maximum values are the same.

`__stateful`

This element must be initialized to a nonzero value if the source character set is stateful. Otherwise it must be zero.

If the initialization function needs to communicate some information to the conversion function, this communication can happen using the `__data` element of the `__gconv_step` structure. But since this data is shared by all the conversions, it must not be modified by the conversion function. The example below shows how this can be used.

```
#define MIN_NEEDED_FROM      1
#define MAX_NEEDED_FROM     4
```

```

#define MIN_NEEDED_TO          4
#define MAX_NEEDED_TO          4

int
gconv_init (struct __gconv_step *step)
{
    /* Determine which direction.  */
    struct iso2022jp_data *new_data;
    enum direction dir = illegal_dir;
    enum variant var = illegal_var;
    int result;

    if (__strcasecmp (step->__from_name, "ISO-2022-JP//") == 0)
        {
            dir = from_iso2022jp;
            var = iso2022jp;
        }
    else if (__strcasecmp (step->__to_name, "ISO-2022-JP//") == 0)
        {
            dir = to_iso2022jp;
            var = iso2022jp;
        }
    else if (__strcasecmp (step->__from_name, "ISO-2022-JP-2//") == 0)
        {
            dir = from_iso2022jp;
            var = iso2022jp2;
        }
    else if (__strcasecmp (step->__to_name, "ISO-2022-JP-2//") == 0)
        {
            dir = to_iso2022jp;
            var = iso2022jp2;
        }

    result = __GCONV_NOCONV;
    if (dir != illegal_dir)
        {
            new_data = (struct iso2022jp_data *)
                malloc (sizeof (struct iso2022jp_data));

            result = __GCONV_NOMEM;
            if (new_data != NULL)
                {
                    new_data->dir = dir;
                    new_data->var = var;
                    step->__data = new_data;

                    if (dir == from_iso2022jp)
                        {
                            step->__min_needed_from = MIN_NEEDED_FROM;
                            step->__max_needed_from = MAX_NEEDED_FROM;
                        }
                }
        }
}

```

```

        step->__min_needed_to = MIN_NEEDED_TO;
        step->__max_needed_to = MAX_NEEDED_TO;
    }
    else
    {
        step->__min_needed_from = MIN_NEEDED_TO;
        step->__max_needed_from = MAX_NEEDED_TO;
        step->__min_needed_to = MIN_NEEDED_FROM;
        step->__max_needed_to = MAX_NEEDED_FROM + 2;
    }

    /* Yes, this is a stateful encoding.  */
    step->__stateful = 1;

    result = __GCONV_OK;
}
}

return result;
}

```

The function first checks which conversion is wanted. The module from which this function is taken implements four different conversions; which one is selected can be determined by comparing the names. The comparison should always be done without paying attention to the case.

Next, a data structure, which contains the necessary information about which conversion is selected, is allocated. The data structure `struct iso2022jp_data` is locally defined since, outside the module, this data is not used at all. Please note that if all four conversions this modules supports are requested there are four data blocks.

One interesting thing is the initialization of the `__min_` and `__max_` elements of the step data object. A single ISO-2022-JP character can consist of one to four bytes. Therefore the `MIN_NEEDED_FROM` and `MAX_NEEDED_FROM` macros are defined this way. The output is always the INTERNAL character set (aka UCS-4) and therefore each character consists of exactly four bytes. For the conversion from INTERNAL to ISO-2022-JP we have to take into account that escape sequences might be necessary to switch the character sets. Therefore the `__max_needed_to` element for this direction gets assigned `MAX_NEEDED_FROM + 2`. This takes into account the two bytes needed for the escape sequences to single the switching. The asymmetry in the maximum values for the two directions can be explained easily: when reading ISO-2022-JP text, escape sequences can be handled alone (i.e., it is not necessary to process a real character since the effect of the escape sequence can be recorded in the state information). The situation is different for the other direction. Since it is in general not known which character comes next, one cannot emit escape sequences to change the state in advance. This means the escape sequences that have to be emitted together with the next character. Therefore one needs more room than only for the character itself.

The possible return values of the initialization function are:

`__GCONV_OK`

The initialization succeeded

`__GCONV_NOCONV`

The requested conversion is not supported in the module. This can happen if the `gconv-modules` file has errors.

`__GCONV_NOMEM`

Memory required to store additional information could not be allocated.

The function called before the module is unloaded is significantly easier. It often has nothing at all to do; in which case it can be left out completely.

`void (*__gconv_end_fct) (struct gconv_step *)`

Data type

The task of this function is to free all resources allocated in the initialization function. Therefore only the `__data` element of the object pointed to by the argument is of interest. Continuing the example from the initialization function, the finalization function looks like this:

```
void
gconv_end (struct __gconv_step *data)
{
    free (data->__data);
}
```

The most important function is the conversion function itself, which can get quite complicated for complex character sets. But since this is not of interest here, we will only describe a possible skeleton for the conversion function.

`int (*__gconv_fct) (struct __gconv_step *, struct __gconv_step_data *, const char **, const char *, size_t *, int)`

Data type



The conversion function can be called for two basic reasons: to convert text or to reset the state. From the description of the `iconv` function it can be seen why the flushing mode is necessary. What mode is selected is determined by the sixth argument, an integer. This argument being nonzero means that flushing is selected.

Common to both modes is where the output buffer can be found. The information about this buffer is stored in the conversion step data. A pointer to this information is passed as the second argument to this function. The description of the `struct __gconv_step_data` structure has more information on the conversion step data.

What has to be done for flushing depends on the source character set. If the source character set is not stateful, nothing has to be done. Otherwise the function has to emit a byte sequence to bring the state object into the initial state. Once this all happened the other conversion modules in the chain of conversions have to get the same chance. Whether another step follows can be determined from the `__is_last` element of the step data structure to which the first parameter points.

The more interesting mode is when actual text has to be converted. The first step in this case is to convert as much text as possible from the input buffer and store the result in the output buffer. The start of the input buffer is determined by the third argument, which is a pointer to a pointer variable referencing the beginning of the buffer. The fourth argument is a pointer to the byte right after the last byte in the buffer.

The conversion has to be performed according to the current state if the character set is stateful. The state is stored in an object pointed to by the `__statep` element of the step data (second argument). Once either the input buffer is empty or the output buffer is full the conversion stops. At this point, the pointer variable referenced by the third parameter must point to the byte following the last processed byte (i.e., if all of the input is consumed, this pointer and the fourth parameter have the same value).

What now happens depends on whether this step is the last one. If it is the last step, the only thing that has to be done is to update the `__outbuf` element of the step data structure to point after the last written byte. This update gives the caller the information on how much text is available in the output buffer. In addition, the variable pointed to by the fifth parameter, which is of type `size_t`, must be incremented by the number of characters (*not bytes*) that were converted in a non-reversible way. Then, the function can return.

In case the step is not the last one, the later conversion functions have to get a chance to do their work. Therefore, the appropriate conversion function has to be called. The information about the functions is stored in the conversion data structures, passed as the first parameter. This information and the step data are stored in arrays, so the next element in both cases can be found by simple pointer arithmetic:

```

int
gconv (struct __gconv_step *step, struct __gconv_step_data *data,
       const char **inbuf, const char *inbufend, size_t *written,
       int do_flush)
{
    struct __gconv_step *next_step = step + 1;
    struct __gconv_step_data *next_data = data + 1;
    ...
}

```

The `next_step` pointer references the next step information and `next_data` the next data record. The call of the next function therefore will look similar to this:

```

next_step->__fct (next_step, next_data, &outerr, outbuf,
                written, 0)

```

But this is not yet all. Once the function call returns the conversion function might have some more to do. If the return value of the function is `__GCONV_EMPTY_INPUT`, more room is available in the output buffer. Unless the input buffer is empty the conversion, functions start all over again and process the rest of the input buffer. If the return value is not `__GCONV_EMPTY_INPUT`, something went wrong and we have to recover from this.

A requirement for the conversion function is that the input buffer pointer (the third argument) always point to the last character that was put in converted form into the output buffer. This is trivially true after the conversion performed in the current step, but if the conversion functions deeper downstream stop prematurely, not all characters from the output buffer are consumed and, therefore, the input buffer pointers must be backed off to the right position.

Correcting the input buffers is easy to do if the input and output character sets have a fixed width for all characters. In this situation we can compute how many characters are left in the output buffer and, therefore, can correct the input buffer pointer appropriately with a similar computation. Things are getting tricky if either character set has characters represented with variable length byte sequences, and it gets even more complicated if the conversion has to take care of the state. In these cases the conversion has to be performed once again, from the known state before the initial conversion (i.e., if necessary the state of the conversion has to be reset and the conversion loop has to be executed again). The difference now is that it is known how much input must be created, and the conversion can stop before converting the first unused character. Once this is done the input buffer pointers must be updated again and the function can return.

One final thing should be mentioned. If it is necessary for the conversion to know whether it is the first invocation (in case a prolog has to be emitted), the conversion function should increment the `__invocation_counter` element of the step data structure just before returning to the caller. See the description of the `struct __gconv_step_data` structure above for more information

on how this can be used.

The return value must be one of the following values:

`__GCONV_EMPTY_INPUT`

All input was consumed and there is room left in the output buffer.

`__GCONV_FULL_OUTPUT`

No more room in the output buffer. In case this is not the last step this value is propagated down from the call of the next conversion function in the chain.

`__GCONV_INCOMPLETE_INPUT`

The input buffer is not entirely empty since it contains an incomplete character sequence.

The following example provides a framework for a conversion function. In case a new conversion has to be written the holes in this implementation have to be filled and that is it.

```
int
gconv (struct __gconv_step *step, struct __gconv_step_data *data,
       const char **inbuf, const char *inbufend, size_t *written,
       int do_flush)
{
    struct __gconv_step *next_step = step + 1;
    struct __gconv_step_data *next_data = data + 1;
    gconv_fct fct = next_step->__fct;
    int status;

    /* If the function is called with no input this means we have
       to reset to the initial state. The possibly partly
       converted input is dropped. */
    if (do_flush)
    {
        status = __GCONV_OK;

        /* Possible emit a byte sequence which put the state object
           into the initial state. */

        /* Call the steps down the chain if there are any but only
           if we successfully emitted the escape sequence. */
        if (status == __GCONV_OK && ! data->__is_last)
            status = fct (next_step, next_data, NULL, NULL,
                          written, 1);
    }
    else
    {
        /* We preserve the initial values of the pointer variables. */
        const char *inptr = *inbuf;
        char *outbuf = data->__outbuf;
        char *outend = data->__outbufend;
    }
}
```

```

char *outptr;

do
  {
    /* Remember the start value for this round.  */
    inptr = *inbuf;
    /* The outbuf buffer is empty.  */
    outptr = outbuf;

    /* For stateful encodings the state must be safe here.  */

    /* Run the conversion loop.  status is set
       appropriately afterwards.  */

    /* If this is the last step, leave the loop. There is
       nothing we can do.  */
    if (data->__is_last)
      {
        /* Store information about how many bytes are
           available.  */
        data->__outbuf = outbuf;

        /* If any non-reversible conversions were performed,
           add the number to *written.  */

        break;
      }

    /* Write out all output that was produced.  */
    if (outbuf > outptr)
      {
        const char *outerr = data->__outbuf;
        int result;

        result = fct (next_step, next_data, &outerr,
                     outbuf, written, 0);

        if (result != __GCONV_EMPTY_INPUT)
          {
            if (outerr != outbuf)
              {
                /* Reset the input buffer pointer.  We
                   document here the complex case.  */
                size_t nstatus;

                /* Reload the pointers.  */
                *inbuf = inptr;
                outbuf = outptr;

                /* Possibly reset the state.  */

```

```

        /* Redo the conversion, but this time
           the end of the output buffer is at
           outerr.  */
    }

    /* Change the status.  */
    status = result;
}
else
    /* All the output is consumed, we can make
       another run if everything was ok.  */
    if (status == __GCONV_FULL_OUTPUT)
        status = __GCONV_OK;
}
}
while (status == __GCONV_OK);

/* We finished one use of this step.  */
++data->__invocation_counter;
}

return status;
}

```

This information should be sufficient to write new modules. Anybody doing so should also take a look at the available source code in the GNU C library sources. It contains many examples of working and optimized modules.

---

Node: Locales, Next: [Message Translation](#), Previous: [Character Set Handling](#), Up: [Top](#)

## Locales and Internationalization

Different countries and cultures have varying conventions for how to communicate. These conventions range from very simple ones, such as the format for representing dates and times, to very complex ones, such as the language spoken.

*Internationalization* of software means programming it to be able to adapt to the user's favorite conventions. In ISO C, internationalization works by means of *locales*. Each locale specifies a collection of conventions, one convention for each purpose. The user chooses a set of conventions by specifying a locale (via environment variables).

All programs inherit the chosen locale as part of their environment. Provided the programs are written to obey the choice of locale, they will follow the conventions preferred by the user.

- [Effects of Locale](#): Actions affected by the choice of locale.
- [Choosing Locale](#): How the user specifies a locale.
- [Locale Categories](#): Different purposes for which you can select a locale.
- [Setting the Locale](#): How a program specifies the locale with library functions.
- [Standard Locales](#): Locale names available on all systems.
- [Locale Information](#): How to access the information for the locale.
- [Formatting Numbers](#): A dedicated function to format numbers.
- [Yes-or-No Questions](#): Check a Response against the locale.

---

Node: Effects of Locale, Next: [Choosing Locale](#), Up: [Locales](#)

## What Effects a Locale Has

Each locale specifies conventions for several purposes, including the following:

- What multibyte character sequences are valid, and how they are interpreted (see [Character Set Handling](#)).
- Classification of which characters in the local character set are considered alphabetic, and upper- and lower-case conversion conventions (see [Character Handling](#)).
- The collating sequence for the local language and character set (see [Collation Functions](#)).
- Formatting of numbers and currency amounts (see [General Numeric](#)).
- Formatting of dates and times (see [Formatting Calendar Time](#)).
- What language to use for output, including error messages (see [Message Translation](#)).
- What language to use for user answers to yes-or-no questions (see [Yes-or-No Questions](#)).
- What language to use for more complex user input. (The C library doesn't yet help you implement this.)

Some aspects of adapting to the specified locale are handled automatically by the library subroutines. For example, all your program needs to do in order to use the collating sequence of the chosen locale is to use `strcoll` or `strxfrm` to compare strings.

Other aspects of locales are beyond the comprehension of the library. For example, the library can't automatically translate your program's output messages into other languages. The only way you can support output in the user's favorite language is to program this more or less by hand. The C library provides functions to handle translations for multiple languages easily.

This chapter discusses the mechanism by which you can modify the current locale. The effects of the current locale on specific library functions are discussed in more detail in the descriptions of those functions.

---

Node: Choosing Locale, Next: [Locale Categories](#), Previous: [Effects of Locale](#), Up: [Locales](#)

## Choosing a Locale

The simplest way for the user to choose a locale is to set the environment variable `LANG`. This specifies a single locale to use for all purposes. For example, a user could specify a hypothetical locale named `espana-castellano` to use the standard conventions of most of Spain.

The set of locales supported depends on the operating system you are using, and so do their names. We can't make any promises about what locales will exist, except for one standard locale called `C` or `POSIX`. Later we will describe how to construct locales.

A user also has the option of specifying different locales for different purposes--in effect, choosing a mixture of multiple locales.

For example, the user might specify the locale `espana-castellano` for most purposes, but specify the locale `usa-english` for currency formatting. This might make sense if the user is a Spanish-speaking American, working in Spanish, but representing monetary amounts in US dollars.

Note that both locales `espana-castellano` and `usa-english`, like all locales, would include conventions for all of the purposes to which locales apply. However, the user can choose to use each locale for a particular subset of those purposes.

---

Node: Locale Categories, Next: [Setting the Locale](#), Previous: [Choosing Locale](#), Up: [Locales](#)

## Categories of Activities that Locales Affect

The purposes that locales serve are grouped into *categories*, so that a user or a program can choose the locale for each category independently. Here is a table of categories; each name is both an environment variable that a user can set, and a macro name that you can use as an argument to `setlocale`.

`LC_COLLATE`

This category applies to collation of strings (functions `strcoll` and `strxfrm`); see [Collation Functions](#).

`LC_CTYPE`

This category applies to classification and conversion of characters, and to multibyte and wide characters; see [Character Handling](#), and [Character Set Handling](#).

#### LC\_MONETARY

This category applies to formatting monetary values; see [General Numeric](#).

#### LC\_NUMERIC

This category applies to formatting numeric values that are not monetary; see [General Numeric](#).

#### LC\_TIME

This category applies to formatting date and time values; see [Formatting Calendar Time](#).

#### LC\_MESSAGES

This category applies to selecting the language used in the user interface for message translation (see [The Uniform approach](#); see [Message catalogs a la X/Open](#)) and contains regular expressions for affirmative and negative responses.

#### LC\_ALL

This is not an environment variable; it is only a macro that you can use with `setlocale` to set a single locale for all purposes. Setting this environment variable overwrites all selections by the other `LC_*` variables or `LANG`.

#### LANG

If this environment variable is defined, its value specifies the locale to use for all purposes except as overridden by the variables above.

When developing the message translation functions it was felt that the functionality provided by the variables above is not sufficient. For example, it should be possible to specify more than one locale name. Take a Swedish user who better speaks German than English, and a program whose messages are output in English by default. It should be possible to specify that the first choice of language is Swedish, the second German, and if this also fails to use English. This is possible with the variable `LANGUAGE`. For further description of this GNU extension see [Using gettextized software](#).

---

Node: Setting the Locale, Next: [Standard Locales](#), Previous: [Locale Categories](#), Up: [Locales](#)

## How Programs Set the Locale

A C program inherits its locale environment variables when it starts up. This happens automatically. However, these variables do not automatically control the locale used by the library functions, because ISO C says that all programs start by default in the standard C locale. To use the locales specified by the environment, you must call `setlocale`. Call it as follows:

```
setlocale (LC_ALL, "");
```

to select a locale based on the user choice of the appropriate environment variables.



You can also use `setlocale` to specify a particular locale, for general use or for a specific category.

The symbols in this section are defined in the header file `locale.h`.

`char * setlocale (int category, const char *locale)` Function

The function `setlocale` sets the current locale for category *category* to *locale*. A list of all the locales the system provides can be created by running

```
locale -a
```

If *category* is `LC_ALL`, this specifies the locale for all purposes. The other possible values of *category* specify an single purpose (see [Locale Categories](#)).

You can also use this function to find out the current locale by passing a null pointer as the *locale* argument. In this case, `setlocale` returns a string that is the name of the locale currently selected for category *category*.

The string returned by `setlocale` can be overwritten by subsequent calls, so you should make a copy of the string (see [Copying and Concatenation](#)) if you want to save it past any further calls to `setlocale`. (The standard library is guaranteed never to call `setlocale` itself.)

You should not modify the string returned by `setlocale`. It might be the same string that was passed as an argument in a previous call to `setlocale`. One requirement is that the *category* must be the same in the call the string was returned and the one when the string is passed in as *locale* parameter.

When you read the current locale for category `LC_ALL`, the value encodes the entire combination of selected locales for all categories. In this case, the value is not just a single locale name. In fact, we don't make any promises about what it looks like. But if you specify the same "locale name" with `LC_ALL` in a subsequent call to `setlocale`, it restores the same combination of locale selections.

To be sure you can use the returned string encoding the currently selected locale at a later time, you must make a copy of the string. It is not guaranteed that the returned pointer remains valid over time.

When the *locale* argument is not a null pointer, the string returned by `setlocale` reflects the newly-modified locale.

If you specify an empty string for *locale*, this means to read the appropriate environment variable

and use its value to select the locale for *category*.

If a nonempty string is given for *locale*, then the locale of that name is used if possible.

If you specify an invalid locale name, `setlocale` returns a null pointer and leaves the current locale unchanged.

Here is an example showing how you might use `setlocale` to temporarily switch to a new locale.

```
#include <stddef.h>
#include <locale.h>
#include <stdlib.h>
#include <string.h>

void
with_other_locale (char *new_locale,
                  void (*subroutine) (int),
                  int argument)
{
    char *old_locale, *saved_locale;

    /* Get the name of the current locale.  */
    old_locale = setlocale (LC_ALL, NULL);

    /* Copy the name so it won't be clobbered by setlocale.  */
    saved_locale = strdup (old_locale);
    if (saved_locale == NULL)
        fatal ("Out of memory");

    /* Now change the locale and do some stuff with it.  */
    setlocale (LC_ALL, new_locale);
    (*subroutine) (argument);

    /* Restore the original locale.  */
    setlocale (LC_ALL, saved_locale);
    free (saved_locale);
}
```

**Portability Note:** Some ISO C systems may define additional locale categories, and future versions of the library will do so. For portability, assume that any symbol beginning with `LC_` might be defined in `locale.h`.

---

Node: Standard Locales, Next: [Locale Information](#), Previous: [Setting the Locale](#), Up: [Locales](#)

## Standard Locales

The only locale names you can count on finding on all operating systems are these three standard ones:

"C"

This is the standard C locale. The attributes and behavior it provides are specified in the ISO C standard. When your program starts up, it initially uses this locale by default.

"POSIX"

This is the standard POSIX locale. Currently, it is an alias for the standard C locale.

" "

The empty name says to select a locale based on environment variables. See [Locale Categories](#).

Defining and installing named locales is normally a responsibility of the system administrator at your site (or the person who installed the GNU C library). It is also possible for the user to create private locales. All this will be discussed later when describing the tool to do so.

If your program needs to use something other than the C locale, it will be more portable if you use whatever locale the user specifies with the environment, rather than trying to specify some non-standard locale explicitly by name. Remember, different machines might have different sets of locales installed.

---

Node: Locale Information, Next: [Formatting Numbers](#), Previous: [Standard Locales](#), Up: [Locales](#)

## Accessing Locale Information

There are several ways to access locale information. The simplest way is to let the C library itself do the work. Several of the functions in this library implicitly access the locale data, and use what information is provided by the currently selected locale. This is how the locale model is meant to work normally.

As an example take the `strftime` function, which is meant to nicely format date and time information (see [Formatting Calendar Time](#)). Part of the standard information contained in the `LC_TIME` category is the names of the months. Instead of requiring the programmer to take care of providing the translations the `strftime` function does this all by itself. `%A` in the format string is replaced by the appropriate weekday name of the locale currently selected by `LC_TIME`. This is an easy example, and wherever possible functions do things automatically in this way.

But there are quite often situations when there is simply no function to perform the task, or it is simply not possible to do the work automatically. For these cases it is necessary to access the information in the locale directly. To do this the C library provides two functions: `localeconv` and `nl_langinfo`. The former is part of ISO C and therefore portable, but has a brain-damaged interface. The second is part of the Unix interface and is portable in as far as the system follows the Unix standards.

- [The Lame Way to Locale Data](#): ISO C's `localeconv`.
- [The Elegant and Fast Way](#): X/Open's `nl_langinfo`.

Node: [The Lame Way to Locale Data](#), Next: [The Elegant and Fast Way](#), Up: [Locale Information](#)

## `localeconv`: It is portable but ...

Together with the `setlocale` function the ISO C people invented the `localeconv` function. It is a masterpiece of poor design. It is expensive to use, not extendable, and not generally usable as it provides access to only `LC_MONETARY` and `LC_NUMERIC` related information. Nevertheless, if it is applicable to a given situation it should be used since it is very portable. The function `strfmon` formats monetary amounts according to the selected locale using this information.

`struct lconv * localeconv (void)` Function

The `localeconv` function returns a pointer to a structure whose components contain information about how numeric and monetary values should be formatted in the current locale.

You should not modify the structure or its contents. The structure might be overwritten by subsequent calls to `localeconv`, or by calls to `setlocale`, but no other function in the library overwrites this value.

**struct lconv** Data Type

`localeconv`'s return value is of this data type. Its elements are described in the following subsections.

If a member of the structure `struct lconv` has type `char`, and the value is `CHAR_MAX`, it means that the current locale has no value for that parameter.

- [General Numeric](#): Parameters for formatting numbers and currency amounts.
- [Currency Symbol](#): How to print the symbol that identifies an amount of money (e.g. \$).
- [Sign of Money Amount](#): How to print the (positive or negative) sign for a monetary amount, if one exists.

Node: [General Numeric](#), Next: [Currency Symbol](#), Up: [The Lame Way to Locale Data](#)

## Generic Numeric Formatting Parameters

These are the standard members of `struct lconv`; there may be others.

`char *decimal_point`

`char *mon_decimal_point`

These are the decimal-point separators used in formatting non-monetary and monetary quantities, respectively. In the C locale, the value of `decimal_point` is `"."`, and the value of `mon_decimal_point` is `" "`.

`char *thousands_sep`

`char *mon_thousands_sep`

These are the separators used to delimit groups of digits to the left of the decimal point in formatting non-monetary and monetary quantities, respectively. In the C locale, both members have a value of `" "` (the empty string).

`char *grouping`

`char *mon_grouping`

These are strings that specify how to group the digits to the left of the decimal point. `grouping` applies to non-monetary quantities and `mon_grouping` applies to monetary quantities. Use either `thousands_sep` or `mon_thousands_sep` to separate the digit groups.

Each member of these strings is to be interpreted as an integer value of type `char`. Successive numbers (from left to right) give the sizes of successive groups (from right to left, starting at the decimal point.) The last member is either 0, in which case the previous member is used over and over again for all the remaining groups, or `CHAR_MAX`, in which case there is no more grouping--or, put another way, any remaining digits form one large group without separators.

For example, if `grouping` is `"\04\03\02"`, the correct grouping for the number 123456787654321 is 12, 34, 56, 78, 765, 4321. This uses a group of 4 digits at the end, preceded by a group of 3 digits, preceded by groups of 2 digits (as many as needed). With a separator of `,`, the number would be printed as `12,34,56,78,765,4321`.

A value of `"\03"` indicates repeated groups of three digits, as normally used in the U.S.

In the standard C locale, both `grouping` and `mon_grouping` have a value of `" "`. This value specifies no grouping at all.

`char int_frac_digits`

`char frac_digits`

These are small integers indicating how many fractional digits (to the right of the decimal point) should be displayed in a monetary value in international and local formats, respectively. (Most often, both members have the same value.)

In the standard C locale, both of these members have the value `CHAR_MAX`, meaning "unspecified". The ISO standard doesn't say what to do when you find this value; we recommend

printing no fractional digits. (This locale also specifies the empty string for `mon_decimal_point`, so printing any fractional digits would be confusing!)

---

Node: [Currency Symbol](#), Next: [Sign of Money Amount](#), Previous: [General Numeric](#), Up: [The Lame Way to Locale Data](#)

## Printing the Currency Symbol

These members of the `struct lconv` structure specify how to print the symbol to identify a monetary value--the international analog of \$ for US dollars.

Each country has two standard currency symbols. The *local currency symbol* is used commonly within the country, while the *international currency symbol* is used internationally to refer to that country's currency when it is necessary to indicate the country unambiguously.

For example, many countries use the dollar as their monetary unit, and when dealing with international currencies it's important to specify that one is dealing with (say) Canadian dollars instead of U.S. dollars or Australian dollars. But when the context is known to be Canada, there is no need to make this explicit--dollar amounts are implicitly assumed to be in Canadian dollars.

```
char *currency_symbol
```

The local currency symbol for the selected locale.

In the standard C locale, this member has a value of " " (the empty string), meaning "unspecified". The ISO standard doesn't say what to do when you find this value; we recommend you simply print the empty string as you would print any other string pointed to by this variable.

```
char *int_curr_symbol
```

The international currency symbol for the selected locale.

The value of `int_curr_symbol` should normally consist of a three-letter abbreviation determined by the international standard *ISO 4217 Codes for the Representation of Currency and Funds*, followed by a one-character separator (often a space).

In the standard C locale, this member has a value of " " (the empty string), meaning "unspecified". We recommend you simply print the empty string as you would print any other string pointed to by this variable.

```
char p_cs_precedes
```

```
char n_cs_precedes
```

```
char int_p_cs_precedes
```

```
char int_n_cs_precedes
```

These members are 1 if the `currency_symbol` or `int_curr_symbol` strings should precede the value of a monetary amount, or 0 if the strings should follow the value. The `p_cs_precedes` and `int_p_cs_precedes` members apply to positive amounts (or zero), and the `n_cs_precedes` and `int_n_cs_precedes` members apply to negative amounts.

In the standard C locale, all of these members have a value of `CHAR_MAX`, meaning "unspecified". The ISO standard doesn't say what to do when you find this value. We recommend printing the currency symbol before the amount, which is right for most countries. In other words, treat all nonzero values alike in these members.

The members with the `int_` prefix apply to the `int_curr_symbol` while the other two apply to `currency_symbol`.

```
char p_sep_by_space
```

```
char n_sep_by_space
```

```
char int_p_sep_by_space
```

```
char int_n_sep_by_space
```

These members are 1 if a space should appear between the `currency_symbol` or `int_curr_symbol` strings and the amount, or 0 if no space should appear. The `p_sep_by_space` and `int_p_sep_by_space` members apply to positive amounts (or zero), and the `n_sep_by_space` and `int_n_sep_by_space` members apply to negative amounts.

In the standard C locale, all of these members have a value of `CHAR_MAX`, meaning "unspecified". The ISO standard doesn't say what you should do when you find this value; we suggest you treat it as 1 (print a space). In other words, treat all nonzero values alike in these members.

The members with the `int_` prefix apply to the `int_curr_symbol` while the other two apply to `currency_symbol`. There is one specialty with the `int_curr_symbol`, though. Since all legal values contain a space at the end of the string one either prints this space (if the currency symbol must appear in front and must be separated) or one has to avoid printing this character at all (especially when at the end of the string).

---

Node: Sign of Money Amount, Previous: [Currency Symbol](#), Up: [The Lame Way to Locale Data](#)

## Printing the Sign of a Monetary Amount

These members of the `struct lconv` structure specify how to print the sign (if any) of a monetary

value.

```
char *positive_sign
```

```
char *negative_sign
```

These are strings used to indicate positive (or zero) and negative monetary quantities, respectively.

In the standard C locale, both of these members have a value of "" (the empty string), meaning "unspecified".

The ISO standard doesn't say what to do when you find this value; we recommend printing `positive_sign` as you find it, even if it is empty. For a negative value, print `negative_sign` as you find it unless both it and `positive_sign` are empty, in which case print `-` instead. (Failing to indicate the sign at all seems rather unreasonable.)

```
char p_sign_posn
```

```
char n_sign_posn
```

```
char int_p_sign_posn
```

```
char int_n_sign_posn
```

These members are small integers that indicate how to position the sign for nonnegative and negative monetary quantities, respectively. (The string used by the sign is what was specified with `positive_sign` or `negative_sign`.) The possible values are as follows:

0

The currency symbol and quantity should be surrounded by parentheses.

1

Print the sign string before the quantity and currency symbol.

2

Print the sign string after the quantity and currency symbol.

3

Print the sign string right before the currency symbol.

4

Print the sign string right after the currency symbol.

`CHAR_MAX`

"Unspecified". Both members have this value in the standard C locale.

The ISO standard doesn't say what you should do when the value is `CHAR_MAX`. We recommend you print the sign after the currency symbol.

The members with the `int_` prefix apply to the `int_curr_symbol` while the other two apply to `currency_symbol`.



Node: The Elegant and Fast Way, Previous: [The Lame Way to Locale Data](#), Up: [Locale Information](#)

## Pinpoint Access to Locale Data

When writing the X/Open Portability Guide the authors realized that the `localeconv` function is not enough to provide reasonable access to locale information. The information which was meant to be available in the locale (as later specified in the POSIX.1 standard) requires more ways to access it. Therefore the `nl_langinfo` function was introduced.

`char * nl_langinfo (nl_item item)` Function

The `nl_langinfo` function can be used to access individual elements of the locale categories. Unlike the `localeconv` function, which returns all the information, `nl_langinfo` lets the caller select what information it requires. This is very fast and it is not a problem to call this function multiple times.

A second advantage is that in addition to the numeric and monetary formatting information, information from the `LC_TIME` and `LC_MESSAGES` categories is available.

The type `nl_type` is defined in `nl_types.h`. The argument *item* is a numeric value defined in the header `langinfo.h`. The X/Open standard defines the following values:

### CODESET

`nl_langinfo` returns a string with the name of the coded character set used in the selected locale.

`ABDAY_1`

`ABDAY_2`

`ABDAY_3`

`ABDAY_4`

`ABDAY_5`

`ABDAY_6`

`ABDAY_7`

`nl_langinfo` returns the abbreviated weekday name. `ABDAY_1` corresponds to Sunday.

`DAY_1`

`DAY_2`

`DAY_3`

`DAY_4`

`DAY_5`

`DAY_6`

`DAY_7`

Similar to `ABDAY_1` etc., but here the return value is the unabbreviated weekday name.

`ABMON_1`

ABMON\_2  
ABMON\_3  
ABMON\_4  
ABMON\_5  
ABMON\_6  
ABMON\_7  
ABMON\_8  
ABMON\_9  
ABMON\_10  
ABMON\_11  
ABMON\_12

The return value is abbreviated name of the month. ABMON\_1 corresponds to January.

MON\_1  
MON\_2  
MON\_3  
MON\_4  
MON\_5  
MON\_6  
MON\_7  
MON\_8  
MON\_9  
MON\_10  
MON\_11  
MON\_12

Similar to ABMON\_1 etc., but here the month names are not abbreviated. Here the first value MON\_1 also corresponds to January.

AM\_STR  
PM\_STR

The return values are strings which can be used in the representation of time as an hour from 1 to 12 plus an am/pm specifier.

Note that in locales which do not use this time representation these strings might be empty, in which case the am/pm format cannot be used at all.

D\_T\_FMT

The return value can be used as a format string for `strftime` to represent time and date in a locale-specific way.

D\_FMT

The return value can be used as a format string for `strftime` to represent a date in a locale-specific way.

T\_FMT

The return value can be used as a format string for `strftime` to represent time in a locale-specific way.

`T_FMT_AMPM`

The return value can be used as a format string for `strftime` to represent time in the am/pm format.

Note that if the am/pm format does not make any sense for the selected locale, the return value might be the same as the one for `T_FMT`.

`ERA`

The return value represents the era used in the current locale.

Most locales do not define this value. An example of a locale which does define this value is the Japanese one. In Japan, the traditional representation of dates includes the name of the era corresponding to the then-emperor's reign.

Normally it should not be necessary to use this value directly. Specifying the `E` modifier in their format strings causes the `strftime` functions to use this information. The format of the returned string is not specified, and therefore you should not assume knowledge of it on different systems.

`ERA_YEAR`

The return value gives the year in the relevant era of the locale. As for `ERA` it should not be necessary to use this value directly.

`ERA_D_T_FMT`

This return value can be used as a format string for `strftime` to represent dates and times in a locale-specific era-based way.

`ERA_D_FMT`

This return value can be used as a format string for `strftime` to represent a date in a locale-specific era-based way.

`ERA_T_FMT`

This return value can be used as a format string for `strftime` to represent time in a locale-specific era-based way.

`ALT_DIGITS`

The return value is a representation of up to 100 values used to represent the values 0 to 99. As for `ERA` this value is not intended to be used directly, but instead indirectly through the `strftime` function. When the modifier `O` is used in a format which would otherwise use numerals to represent hours, minutes, seconds, weekdays, months, or weeks, the appropriate value for the locale is used instead.

`INT_CURR_SYMBOL`

The same as the value returned by `localeconv` in the `int_curr_symbol` element of the `struct lconv`.

`CURRENCY_SYMBOL``CRNCYSTR`

The same as the value returned by `localeconv` in the `currency_symbol` element of the struct `lconv`.

`CRNCYSTR` is a deprecated alias still required by Unix98.

#### `MON_DECIMAL_POINT`

The same as the value returned by `localeconv` in the `mon_decimal_point` element of the struct `lconv`.

#### `MON_THOUSANDS_SEP`

The same as the value returned by `localeconv` in the `mon_thousands_sep` element of the struct `lconv`.

#### `MON_GROUPING`

The same as the value returned by `localeconv` in the `mon_grouping` element of the struct `lconv`.

#### `POSITIVE_SIGN`

The same as the value returned by `localeconv` in the `positive_sign` element of the struct `lconv`.

#### `NEGATIVE_SIGN`

The same as the value returned by `localeconv` in the `negative_sign` element of the struct `lconv`.

#### `INT_FRAC_DIGITS`

The same as the value returned by `localeconv` in the `int_frac_digits` element of the struct `lconv`.

#### `FRAC_DIGITS`

The same as the value returned by `localeconv` in the `frac_digits` element of the struct `lconv`.

#### `P_CS_PRECEDES`

The same as the value returned by `localeconv` in the `p_cs_precedes` element of the struct `lconv`.

#### `P_SEP_BY_SPACE`

The same as the value returned by `localeconv` in the `p_sep_by_space` element of the struct `lconv`.

#### `N_CS_PRECEDES`

The same as the value returned by `localeconv` in the `n_cs_precedes` element of the struct `lconv`.

#### `N_SEP_BY_SPACE`

The same as the value returned by `localeconv` in the `n_sep_by_space` element of the struct `lconv`.

#### `P_SIGN_POSN`

The same as the value returned by `localeconv` in the `p_sign_posn` element of the struct `lconv`.

#### `N_SIGN_POSN`

The same as the value returned by `localeconv` in the `n_sign_posn` element of the

struct lconv.

INT\_P\_CS\_PRECEDES

The same as the value returned by `localeconv` in the `int_p_cs_precedes` element of the struct `lconv`.

INT\_P\_SEP\_BY\_SPACE

The same as the value returned by `localeconv` in the `int_p_sep_by_space` element of the struct `lconv`.

INT\_N\_CS\_PRECEDES

The same as the value returned by `localeconv` in the `int_n_cs_precedes` element of the struct `lconv`.

INT\_N\_SEP\_BY\_SPACE

The same as the value returned by `localeconv` in the `int_n_sep_by_space` element of the struct `lconv`.

INT\_P\_SIGN\_POSN

The same as the value returned by `localeconv` in the `int_p_sign_posn` element of the struct `lconv`.

INT\_N\_SIGN\_POSN

The same as the value returned by `localeconv` in the `int_n_sign_posn` element of the struct `lconv`.

DECIMAL\_POINT

RADIXCHAR

The same as the value returned by `localeconv` in the `decimal_point` element of the struct `lconv`.

The name `RADIXCHAR` is a deprecated alias still used in Unix98.

THOUSANDS\_SEP

THOUSEP

The same as the value returned by `localeconv` in the `thousands_sep` element of the struct `lconv`.

The name `THOUSEP` is a deprecated alias still used in Unix98.

GROUPING

The same as the value returned by `localeconv` in the `grouping` element of the struct `lconv`.

YESEXPR

The return value is a regular expression which can be used with the `regex` function to recognize a positive response to a yes/no question. The GNU C library provides the `rpmatch` function for easier handling in applications.

NOEXPR

The return value is a regular expression which can be used with the `regex` function to

recognize a negative response to a yes/no question.

#### YESSTR

The return value is a locale-specific translation of the positive response to a yes/no question.

Using this value is deprecated since it is a very special case of message translation, and is better handled by the message translation functions (see [Message Translation](#)).

The use of this symbol is deprecated. Instead message translation should be used.

#### NOSTR

The return value is a locale-specific translation of the negative response to a yes/no question. What is said for YESSTR is also true here.

The use of this symbol is deprecated. Instead message translation should be used.

The file `langinfo.h` defines a lot more symbols but none of them is official. Using them is not portable, and the format of the return values might change. Therefore we recommended you not use them.

Note that the return value for any valid argument can be used for in all situations (with the possible exception of the am/pm time formatting codes). If the user has not selected any locale for the appropriate category, `nl_langinfo` returns the information from the "C" locale. It is therefore possible to use this function as shown in the example below.

If the argument *item* is not valid, a pointer to an empty string is returned.

An example of `nl_langinfo` usage is a function which has to print a given date and time in a locale-specific way. At first one might think that, since `strftime` internally uses the locale information, writing something like the following is enough:

```
size_t
nl8n_time_n_data (char *s, size_t len, const struct tm *tp)
{
    return strftime (s, len, "%X %D", tp);
}
```

The format contains no weekday or month names and therefore is internationally usable. Wrong! The output produced is something like "hh:mm:ss MM/DD/YY". This format is only recognizable in the USA. Other countries use different formats. Therefore the function should be rewritten like this:

```

size_t
nl_langinfo_data (char *s, size_t len, const struct tm *tp)
{
    return strftime (s, len, nl_langinfo (D_T_FMT), tp);
}

```

Now it uses the date and time format of the locale selected when the program runs. If the user selects the locale correctly there should never be a misunderstanding over the time and date format.

---

Node: Formatting Numbers, Next: [Yes-or-No Questions](#), Previous: [Locale Information](#), Up: [Locales](#)

## A dedicated function to format numbers

We have seen that the structure returned by `localeconv` as well as the values given to `nl_langinfo` allow you to retrieve the various pieces of locale-specific information to format numbers and monetary amounts. We have also seen that the underlying rules are quite complex.

Therefore the X/Open standards introduce a function which uses such locale information, making it easier for the user to format numbers according to these rules.

`ssize_t` **strfmon** (*char \*s, size\_t maxsize, const char \*format, ...*) Function

The `strfmon` function is similar to the `strftime` function in that it takes a buffer, its size, a format string, and values to write into the buffer as text in a form specified by the format string. Like `strftime`, the function also returns the number of bytes written into the buffer.

There are two differences: `strfmon` can take more than one argument, and, of course, the format specification is different. Like `strftime`, the format string consists of normal text, which is output as is, and format specifiers, which are indicated by a `%`. Immediately after the `%`, you can optionally specify various flags and formatting information before the main formatting character, in a similar way to `printf`:

- Immediately following the `%` there can be one or more of the following flags:

`=f`

The single byte character *f* is used for this field as the numeric fill character. By default this character is a space character. Filling with this character is only performed if a left precision is specified. It is not just to fill to the given field width.

`^`

The number is printed without grouping the digits according to the rules of the current locale. By default grouping is enabled.

`+, (`

At most one of these flags can be used. They select which format to represent the sign of a currency amount. By default, and if + is given, the locale equivalent of +/- is used. If ( is given, negative amounts are enclosed in parentheses. The exact format is determined by the values of the LC\_MONETARY category of the locale selected at program runtime.

!

The output will not contain the currency symbol.

-

The output will be formatted left-justified instead of right-justified if it does not fill the entire field width.

The next part of a specification is an optional field width. If no width is specified 0 is taken. During output, the function first determines how much space is required. If it requires at least as many characters as given by the field width, it is output using as much space as necessary. Otherwise, it is extended to use the full width by filling with the space character. The presence or absence of the - flag determines the side at which such padding occurs. If present, the spaces are added at the right making the output left-justified, and vice versa.

So far the format looks familiar, being similar to the `printf` and `strftime` formats. However, the next two optional fields introduce something new. The first one is a # character followed by a decimal digit string. The value of the digit string specifies the number of *digit* positions to the left of the decimal point (or equivalent). This does *not* include the grouping character when the ^ flag is not given. If the space needed to print the number does not fill the whole width, the field is padded at the left side with the fill character, which can be selected using the = flag and by default is a space. For example, if the field width is selected as 6 and the number is 123, the fill character is \* the result will be \*\*\*123.

The second optional field starts with a . (period) and consists of another decimal digit string. Its value describes the number of characters printed after the decimal point. The default is selected from the current locale (`frac_digits`, `int_frac_digits`, see see [General Numeric](#)). If the exact representation needs more digits than given by the field width, the displayed value is rounded. If the number of fractional digits is selected to be zero, no decimal point is printed.

As a GNU extension, the `strfmon` implementation in the GNU libc allows an optional L next as a format modifier. If this modifier is given, the argument is expected to be a long double instead of a double value.

Finally, the last component is a format specifier. There are three specifiers defined:

i

Use the locale's rules for formatting an international currency value.

n



Use the locale's rules for formatting a national currency value.

⌘

Place a ⌘ in the output. There must be no flag, width specifier or modifier given, only ⌘⌘ is allowed.

As for `printf`, the function reads the format string from left to right and uses the values passed to the function following the format string. The values are expected to be either of type `double` or `long double`, depending on the presence of the modifier `L`. The result is stored in the buffer pointed to by `s`. At most *maxsize* characters are stored.

The return value of the function is the number of characters stored in `s`, including the terminating NULL byte. If the number of characters stored would exceed *maxsize*, the function returns -1 and the content of the buffer `s` is unspecified. In this case `errno` is set to `E2BIG`.

A few examples should make clear how the function works. It is assumed that all the following pieces of code are executed in a program which uses the USA locale (`en_US`). The simplest form of the format is this:

```
strfmon (buf, 100, "@%n%n%n@", 123.45, -567.89, 12345.678);
```

The output produced is

```
"@$123.45@-$567.89@$12,345.68@"
```

We can notice several things here. First, the widths of the output numbers are different. We have not specified a width in the format string, and so this is no wonder. Second, the third number is printed using thousands separators. The thousands separator for the `en_US` locale is a comma. The number is also rounded. `.678` is rounded to `.68` since the format does not specify a precision and the default value in the locale is 2. Finally, note that the national currency symbol is printed since `%n` was used, not `i`. The next example shows how we can align the output.

```
strfmon (buf, 100, "@%=*11n@%=*11n@%=*11n@", 123.45, -567.89, 12345.678);
```

The output this time is:

```
"@    $123.45@    -$567.89@ $12,345.68@"
```

Two things stand out. Firstly, all fields have the same width (eleven characters) since this is the width given in the format and since no number required more characters to be printed. The second important

point is that the fill character is not used. This is correct since the white space was not used to achieve a precision given by a # modifier, but instead to fill to the given width. The difference becomes obvious if we now add a width specification.

```
strfmon (buf, 100, "@%=*11#5n@%=*11#5n@%=*11#5n@",
        123.45, -567.89, 12345.678);
```

The output is

```
"@ $***123.45@-$***567.89@ $12,456.68@"
```

Here we can see that all the currency symbols are now aligned, and that the space between the currency sign and the number is filled with the selected fill character. Note that although the width is selected to be 5 and 123.45 has three digits left of the decimal point, the space is filled with three asterisks. This is correct since, as explained above, the width does not include the positions used to store thousands separators. One last example should explain the remaining functionality.

```
strfmon (buf, 100, "@%=0(16#5.3i@%=0(16#5.3i@%=0(16#5.3i@",
        123.45, -567.89, 12345.678);
```

This rather complex format string produces the following output:

```
"@ USD 000123,450 @(USD 000567.890)@ USD 12,345.678 @"
```

The most noticeable change is the alternative way of representing negative numbers. In financial circles this is often done using parentheses, and this is what the ( flag selected. The fill character is now 0. Note that this 0 character is not regarded as a numeric zero, and therefore the first and second numbers are not printed using a thousands separator. Since we used the format specifier i instead of n, the international form of the currency symbol is used. This is a four letter string, in this case "USD ". The last point is that since the precision right of the decimal point is selected to be three, the first and second numbers are printed with an extra zero at the end and the third number is printed without rounding.

---

Node: [Yes-or-No Questions](#), Previous: [Formatting Numbers](#), Up: [Locales](#)

## Yes-or-No Questions

Some non GUI programs ask a yes-or-no question. If the messages (especially the questions) are translated into foreign languages, be sure that you localize the answers too. It would be very bad habit to

ask a question in one language and request the answer in another, often English.

The GNU C library contains `rpmatch` to give applications easy access to the corresponding locale definitions.

**int rpmatch** (*const char \*response*)

Function

The function `rpmatch` checks the string in *response* whether or not it is a correct yes-or-no answer and if yes, which one. The check uses the `YESEXPR` and `NOEXPR` data in the `LC_MESSAGES` category of the currently selected locale. The return value is as follows:

```
1
    The user entered an affirmative answer.
0
    The user entered a negative answer.
-1
    The answer matched neither the YESEXPR nor the NOEXPR regular expression.
```

This function is not standardized but available beside in GNU `libc` at least also in the IBM AIX library.

This function would normally be used like this:

```
...
/* Use a safe default. */
_Bool doit = false;

fputs (gettext ("Do you really want to do this? "), stdout);
fflush (stdout);
/* Prepare the getline call. */
line = NULL;
len = 0;
while (getline (&line, &len, stdout) >= 0)
{
    /* Check the response. */
    int res = rpmatch (line);
    if (res >= 0)
    {
        /* We got a definitive answer. */
        if (res > 0)
            doit = true;
        break;
    }
}
/* Free what getline allocated. */
free (line);
```

Note that the loop continues until a read error is detected or until a definitive (positive or negative) answer is read.

---

Node: Message Translation, Next: [Searching and Sorting](#), Previous: [Locales](#), Up: [Top](#)

## Message Translation

The program's interface with the human should be designed in a way to ease the human the task. One of the possibilities is to use messages in whatever language the user prefers.

Printing messages in different languages can be implemented in different ways. One could add all the different languages in the source code and add among the variants every time a message has to be printed. This is certainly no good solution since extending the set of languages is difficult (the code must be changed) and the code itself can become really big with dozens of message sets.

A better solution is to keep the message sets for each language are kept in separate files which are loaded at runtime depending on the language selection of the user.

The GNU C Library provides two different sets of functions to support message translation. The problem is that neither of the interfaces is officially defined by the POSIX standard. The `catgets` family of functions is defined in the X/Open standard but this is derived from industry decisions and therefore not necessarily based on reasonable decisions.

As mentioned above the message catalog handling provides easy extendibility by using external data files which contain the message translations. I.e., these files contain for each of the messages used in the program a translation for the appropriate language. So the tasks of the message handling functions are

- locate the external data file with the appropriate translations.
- load the data and make it possible to address the messages
- map a given key to the translated message

The two approaches mainly differ in the implementation of this last step. The design decisions made for this influences the whole rest.

- [Message catalogs a la X/Open](#): The `catgets` family of functions.
- [The Uniform approach](#): The `gettext` family of functions.

Node: Message catalogs a la X/Open, Next: [The Uniform approach](#), Up: [Message Translation](#)

## X/Open Message Catalog Handling

The `catgets` functions are based on the simple scheme:

Associate every message to translate in the source code with a unique identifier. To retrieve a message from a catalog file solely the identifier is used.

This means for the author of the program that s/he will have to make sure the meaning of the identifier in the program code and in the message catalogs are always the same.

Before a message can be translated the catalog file must be located. The user of the program must be able to guide the responsible function to find whatever catalog the user wants. This is separated from what the programmer had in mind.

All the types, constants and functions for the `catgets` functions are defined/declared in the `nl_types.h` header file.

- [The catgets Functions](#): The `catgets` function family.
- [The message catalog files](#): Format of the message catalog files.
- [The gencat program](#): How to generate message catalogs files which can be used by the functions.
- [Common Usage](#): How to use the `catgets` interface.

---

Node: The `catgets` Functions, Next: [The message catalog files](#), Up: [Message catalogs a la X/Open](#)

### The `catgets` function family

`nl_catd` **catopen** (*const char \*cat\_name, int flag*)

Function

The `catgets` function tries to locate the message data file names *cat\_name* and loads it when found. The return value is of an opaque type and can be used in calls to the other functions to refer to this loaded catalog.

The return value is `(nl_catd) -1` in case the function failed and no catalog was loaded. The global variable *errno* contains a code for the error causing the failure. But even if the function call succeeded this does not mean that all messages can be translated.

Locating the catalog file must happen in a way which lets the user of the program influence the decision. It is up to the user to decide about the language to use and sometimes it is useful to use alternate catalog files. All this can be specified by the user by setting some environment variables.

The first problem is to find out where all the message catalogs are stored. Every program could have its own place to keep all the different files but usually the catalog files are grouped by languages and the catalogs for all programs are kept in the same place.

To tell the `catopen` function where the catalog for the program can be found the user can set the environment variable `NLSPATH` to a value which describes her/his choice. Since this value must be usable for different languages and locales it cannot be a simple string. Instead it is a format string (similar to `printf`'s). An example is

```
/usr/share/locale/%L/%N:/usr/share/locale/%L/LC_MESSAGES/%N
```

First one can see that more than one directory can be specified (with the usual syntax of separating them by colons). The next things to observe are the format string, `%L` and `%N` in this case. The `catopen` function knows about several of them and the replacement for all of them is of course different.

`%N`

This format element is substituted with the name of the catalog file. This is the value of the *cat\_name* argument given to `catgets`.

`%L`

This format element is substituted with the name of the currently selected locale for translating messages. How this is determined is explained below.

`%l`

(This is the lowercase ell.) This format element is substituted with the language element of the locale name. The string describing the selected locale is expected to have the form *lang* [ *\_terr* [ *.codeset* ] ] and this format uses the first part *lang*.

`%t`

This format element is substituted by the territory part *terr* of the name of the currently selected locale. See the explanation of the format above.

`%C`

This format element is substituted by the codeset part *codeset* of the name of the currently selected locale. See the explanation of the format above.

`%%`

Since `%` is used in a meta character there must be a way to express the `%` character in the result itself. Using `%%` does this just like it works for `printf`.

Using `NLSPATH` allows arbitrary directories to be searched for message catalogs while still allowing different languages to be used. If the `NLSPATH` environment variable is not set, the default value is

```
prefix/share/locale/%L/%N:prefix/share/locale/%L/LC_MESSAGES/%N
```

where *prefix* is given to `configure` while installing the GNU C Library (this value is in many cases `/usr` or the empty string).

The remaining problem is to decide which must be used. The value decides about the substitution of the format elements mentioned above. First of all the user can specify a path in the message catalog name (i.e., the name contains a slash character). In this situation the `NLSPATH` environment variable is not used. The catalog must exist as specified in the program, perhaps relative to the current working directory. This situation is not desirable and catalog names never should be written this way. Beside this, this behavior is not portable to all other platforms providing the `catgets` interface.

Otherwise the values of environment variables from the standard environment are examined (see [Standard Environment](#)). Which variables are examined is decided by the *flag* parameter of `catopen`. If the value is `NL_CAT_LOCALE` (which is defined in `nl_types.h`) then the `catopen` function use the name of the locale currently selected for the `LC_MESSAGES` category.

If *flag* is zero the `LANG` environment variable is examined. This is a left-over from the early days where the concept of the locales had not even reached the level of POSIX locales.

The environment variable and the locale name should have a value of the form `lang[_terr[.codeset]]` as explained above. If no environment variable is set the "C" locale is used which prevents any translation.

The return value of the function is in any case a valid string. Either it is a translation from a message catalog or it is the same as the *string* parameter. So a piece of code to decide whether a translation actually happened must look like this:

```
{
```

```

char *trans = catgets (desc, set, msg, input_string);
if (trans == input_string)
    {
        /* Something went wrong.  */
    }
}

```

When an error occurred the global variable *errno* is set to

### *EBADF*

The catalog does not exist.

### *ENOMSG*

The set/message tuple does not name an existing element in the message catalog.

While it sometimes can be useful to test for errors programs normally will avoid any test. If the translation is not available it is no big problem if the original, untranslated message is printed. Either the user understands this as well or s/he will look for the reason why the messages are not translated.

Please note that the currently selected locale does not depend on a call to the `setlocale` function. It is not necessary that the locale data files for this locale exist and calling `setlocale` succeeds. The `catopen` function directly reads the values of the environment variables.

`char * catgets (nl_catd catalog_desc, int set, int message, const char *string)` Function

The function `catgets` has to be used to access the message catalog previously opened using the `catopen` function. The *catalog\_desc* parameter must be a value previously returned by `catopen`.

The next two parameters, *set* and *message*, reflect the internal organization of the message catalog files. This will be explained in detail below. For now it is interesting to know that a catalog can consist of several set and the messages in each thread are individually numbered using numbers. Neither the set number nor the message number must be consecutive. They can be arbitrarily chosen. But each message (unless equal to another one) must have its own unique pair of set and message number.

Since it is not guaranteed that the message catalog for the language selected by the user exists the last parameter *string* helps to handle this case gracefully. If no matching string can be found *string* is returned. This means for the programmer that

- the *string* parameters should contain reasonable text (this also helps to understand the program seems otherwise there would be no hint on the string which is expected to be



returned.

- all *string* arguments should be written in the same language.

It is somewhat uncomfortable to write a program using the `catgets` functions if no supporting functionality is available. Since each set/message number tuple must be unique the programmer must keep lists of the messages at the same time the code is written. And the work between several people working on the same project must be coordinated. We will see some how these problems can be relaxed a bit (see [Common Usage](#)).

int **catclose** (*nl\_catd catalog\_desc*)

Function

The `catclose` function can be used to free the resources associated with a message catalog which previously was opened by a call to `catopen`. If the resources can be successfully freed the function returns 0. Otherwise it return `-1` and the global variable `errno` is set. Errors can occur if the catalog descriptor `catalog_desc` is not valid in which case `errno` is set to `EBADF`.

---

Node: The message catalog files, Next: [The gencat program](#), Previous: [The catgets Functions](#),  
Up: [Message catalogs a la X/Open](#)

## Format of the message catalog files

The only reasonable way the translate all the messages of a function and store the result in a message catalog file which can be read by the `catopen` function is to write all the message text to the translator and let her/him translate them all. I.e., we must have a file with entries which associate the set/message tuple with a specific translation. This file format is specified in the X/Open standard and is as follows:

- Lines containing only whitespace characters or empty lines are ignored.
- Lines which contain as the first non-whitespace character a `$` followed by a whitespace character are comment and are also ignored.
- If a line contains as the first non-whitespace characters the sequence `$set` followed by a whitespace character an additional argument is required to follow. This argument can either be:
  - a number. In this case the value of this number determines the set to which the following messages are added.
  - an identifier consisting of alphanumeric characters plus the underscore character. In this case the set get automatically a number assigned. This value is one added to the largest set number which so far appeared.

How to use the symbolic names is explained in section [Common Usage](#).

It is an error if a symbol name appears more than once. All following messages are placed in a set with this number.

- If a line contains as the first non-whitespace characters the sequence `$delset` followed by a whitespace character an additional argument is required to follow. This argument can either be:
  - a number. In this case the value of this number determines the set which will be deleted.
  - an identifier consisting of alphanumeric characters plus the underscore character. This symbolic identifier must match a name for a set which previously was defined. It is an error if the name is unknown.

In both cases all messages in the specified set will be removed. They will not appear in the output. But if this set is later again selected with a `$set` command again messages could be added and these messages will appear in the output.

- If a line contains after leading whitespaces the sequence `$quote`, the quoting character used for this input file is changed to the first non-whitespace character following the `$quote`. If no non-whitespace character is present before the line ends quoting is disabled.

By default no quoting character is used. In this mode strings are terminated with the first unescaped line break. If there is a `$quote` sequence present newline need not be escaped. Instead a string is terminated with the first unescaped appearance of the quote character.

A common usage of this feature would be to set the quote character to `"`. Then any appearance of the `"` in the strings must be escaped using the backslash (i.e., `\"` must be written).

- Any other line must start with a number or an alphanumeric identifier (with the underscore character included). The following characters (starting after the first whitespace character) will form the string which gets associated with the currently selected set and the message number represented by the number and identifier respectively.

If the start of the line is a number the message number is obvious. It is an error if the same message number already appeared for this set.

If the leading token was an identifier the message number gets automatically assigned. The value is the current maximum messages number for this set plus one. It is an error if the identifier was already used for a message in this set. It is OK to reuse the identifier for a message in another thread. How to use the symbolic identifiers will be explained below (see [Common Usage](#)). There is one limitation with the identifier: it must not be `Set`. The reason will be explained below.

The text of the messages can contain escape characters. The usual bunch of characters known from the ISO C language are recognized (`\n`, `\t`, `\v`, `\b`, `\r`, `\f`, `\\`, and `\nnn`, where `nnn` is the octal coding of a character code).

**Important:** The handling of identifiers instead of numbers for the set and messages is a GNU extension. Systems strictly following the X/Open specification do not have this feature. An example for a message catalog file is this:

```
$ This is a leading comment.
$quote "

$set SetOne
1 Message with ID 1.
two "    Message with ID \"two\", which gets the value 2 assigned"

$set SetTwo
$ Since the last set got the number 1 assigned this set has number 2.
4000 "The numbers can be arbitrary, they need not start at one."
```

This small example shows various aspects:

- Lines 1 and 9 are comments since they start with \$ followed by a whitespace.
- The quoting character is set to ". Otherwise the quotes in the message definition would have to be left away and in this case the message with the identifier `two` would loose its leading whitespace.
- Mixing numbered messages with message having symbolic names is no problem and the numbering happens automatically.

While this file format is pretty easy it is not the best possible for use in a running program. The `catopen` function would have to parser the file and handle syntactic errors gracefully. This is not so easy and the whole process is pretty slow. Therefore the `catgets` functions expect the data in another more compact and ready-to-use file format. There is a special program `gencat` which is explained in detail in the next section.

Files in this other format are not human readable. To be easy to use by programs it is a binary file. But the format is byte order independent so translation files can be shared by systems of arbitrary architecture (as long as they use the GNU C Library).

Details about the binary file format are not important to know since these files are always created by the `gencat` program. The sources of the GNU C Library also provide the sources for the `gencat` program and so the interested reader can look through these source files to learn about the file format.

---

Node: The `gencat` program, Next: [Common Usage](#), Previous: [The message catalog files](#), Up: [Message catalogs a la X/Open](#)

## Generate Message Catalogs files

The `gencat` program is specified in the X/Open standard and the GNU implementation follows this specification and so processes all correctly formed input files. Additionally some extensions are implemented which help to work in a more reasonable way with the `catgets` functions.

The `gencat` program can be invoked in two ways:

```
`gencat [Option]... [Output-File [Input-File]...]`
```

This is the interface defined in the X/Open standard. If no *Input-File* parameter is given input will be read from standard input. Multiple input files will be read as if they are concatenated. If *Output-File* is also missing, the output will be written to standard output. To provide the interface one is used to from other programs a second interface is provided.

```
`gencat [Option]... -o Output-File [Input-File]...`
```

The option `-o` is used to specify the output file and all file arguments are used as input files.

Beside this one can use `-` or `/dev/stdin` for *Input-File* to denote the standard input. Corresponding one can use `-` and `/dev/stdout` for *Output-File* to denote standard output. Using `-` as a file name is allowed in X/Open while using the device names is a GNU extension.

The `gencat` program works by concatenating all input files and then **merge** the resulting collection of message sets with a possibly existing output file. This is done by removing all messages with set/message number tuples matching any of the generated messages from the output file and then adding all the new messages. To regenerate a catalog file while ignoring the old contents therefore requires to remove the output file if it exists. If the output is written to standard output no merging takes place.

The following table shows the options understood by the `gencat` program. The X/Open standard does not specify any option for the program so all of these are GNU extensions.

<code>-V</code>	
<code>--version</code>	Print the version information and exit.
<code>-h</code>	
<code>--help</code>	Print a usage message listing all available options, then exit successfully.
<code>--new</code>	Do never merge the new messages from the input files with the old content of the output files.

The old content of the output file is discarded.

-H

--header=name

This option is used to emit the symbolic names given to sets and messages in the input files for use in the program. Details about how to use this are given in the next section. The *name* parameter to this option specifies the name of the output file. It will contain a number of C preprocessor `#defines` to associate a name with a number.

Please note that the generated file only contains the symbols from the input files. If the output is merged with the previous content of the output file the possibly existing symbols from the file(s) which generated the old output files are not in the generated header file.

---

Node: Common Usage, Previous: [The gencat program](#), Up: [Message catalogs a la X/Open](#)

## How to use the `catgets` interface

The `catgets` functions can be used in two different ways. By following slavishly the X/Open specs and not relying on the extension and by using the GNU extensions. We will take a look at the former method first to understand the benefits of extensions.

### Not using symbolic names

Since the X/Open format of the message catalog files does not allow symbol names we have to work with numbers all the time. When we start writing a program we have to replace all appearances of translatable strings with something like

```
catgets (catdesc, set, msg, "string")
```

`catgets` is retrieved from a call to `catopen` which is normally done once at the program start. The "string" is the string we want to translate. The problems start with the set and message numbers.

In a bigger program several programmers usually work at the same time on the program and so coordinating the number allocation is crucial. Though no two different strings must be indexed by the same tuple of numbers it is highly desirable to reuse the numbers for equal strings with equal translations (please note that there might be strings which are equal in one language but have different translations due to difference contexts).

The allocation process can be relaxed a bit by different set numbers for different parts of the program. So the number of developers who have to coordinate the allocation can be reduced. But still lists must be keep track of the allocation and errors can easily happen. These errors cannot be discovered by the

compiler or the `catgets` functions. Only the user of the program might see wrong messages printed. In the worst cases the messages are so irritating that they cannot be recognized as wrong. Think about the translations for `"true"` and `"false"` being exchanged. This could result in a disaster.

## Using symbolic names

The problems mentioned in the last section derive from the fact that:

1. the numbers are allocated once and due to the possibly frequent use of them it is difficult to change a number later.
2. the numbers do not allow to guess anything about the string and therefore collisions can easily happen.

By constantly using symbolic names and by providing a method which maps the string content to a symbolic name (however this will happen) one can prevent both problems above. The cost of this is that the programmer has to write a complete message catalog file while s/he is writing the program itself.

This is necessary since the symbolic names must be mapped to numbers before the program sources can be compiled. In the last section it was described how to generate a header containing the mapping of the names. E.g., for the example message file given in the last section we could call the `gencat` program as follow (assume `ex.msg` contains the sources).

```
gencat -H ex.h -o ex.cat ex.msg
```

This generates a header file with the following content:

```
#define SetTwoSet 0x2    /* ex.msg:8 */
#define SetOneSet 0x1   /* ex.msg:4 */
#define SetOnetwo 0x2   /* ex.msg:6 */
```

As can be seen the various symbols given in the source file are mangled to generate unique identifiers and these identifiers get numbers assigned. Reading the source file and knowing about the rules will allow to predict the content of the header file (it is deterministic) but this is not necessary. The `gencat` program can take care for everything. All the programmer has to do is to put the generated header file in the dependency list of the source files of her/his project and to add a rules to regenerate the header of any of the input files change.

One word about the symbol mangling. Every symbol consists of two parts: the name of the message set plus the name of the message or the special string `Set`. So `SetOnetwo` means this macro can be used to access the translation with identifier `two` in the message set `SetOne`.

The other names denote the names of the message sets. The special string `Set` is used in the place of the message identifier.

If in the code the second string of the set `SetOne` is used the C code should look like this:

```
catgets (catdesc, SetOneSet, SetOnetwo,
         "    Message with ID \"two\", which gets the value 2 assigned")
```

Writing the function this way will allow to change the message number and even the set number without requiring any change in the C source code. (The text of the string is normally not the same; this is only for this example.)

## How does to this allow to develop

To illustrate the usual way to work with the symbolic version numbers here is a little example. Assume we want to write the very complex and famous greeting program. We start by writing the code as usual:

```
#include <stdio.h>
int
main (void)
{
    printf ("Hello, world!\n");
    return 0;
}
```

Now we want to internationalize the message and therefore replace the message with whatever the user wants.

```
#include <nl_types.h>
#include <stdio.h>
#include "msgnrs.h"
int
main (void)
{
    nl_catd catdesc = catopen ("hello.cat", NL_CAT_LOCALE);
    printf (catgets (catdesc, SetMainSet, SetMainHello,
                   "Hello, world!\n"));
    catclose (catdesc);
    return 0;
}
```

We see how the catalog object is opened and the returned descriptor used in the other function calls. It is

not really necessary to check for failure of any of the functions since even in these situations the functions will behave reasonable. They simply will be return a translation.

What remains unspecified here are the constants `SetMainSet` and `SetMainHello`. These are the symbolic names describing the message. To get the actual definitions which match the information in the catalog file we have to create the message catalog source file and process it using the `gencat` program.

```
$ Messages for the famous greeting program.
$quote "

$set Main
Hello "Hallo, Welt!\n"
```

Now we can start building the program (assume the message catalog source file is named `hello.msg` and the program source file `hello.c`):

```
% gencat -H msgnrs.h -o hello.cat hello.msg % cat msgnrs.h #define MainSet 0x1 /
* hello.msg:4 */ #define MainHello 0x1 /* hello.msg:5 */ % gcc -o hello hello.c
-I. % cp hello.cat /usr/share/locale/de/LC_MESSAGES % echo $LC_ALL de % ./hello
Hallo, Welt! %
```

The call of the `gencat` program creates the missing header file `msgnrs.h` as well as the message catalog binary. The former is used in the compilation of `hello.c` while the later is placed in a directory in which the `catopen` function will try to locate it. Please check the `LC_ALL` environment variable and the default path for `catopen` presented in the description above.

---

Node: The Uniform approach, Previous: [Message catalogs a la X/Open](#), Up: [Message Translation](#)

## The Uniform approach to Message Translation

Sun Microsystems tried to standardize a different approach to message translation in the Uniform group. There never was a real standard defined but still the interface was used in Sun's operation systems. Since this approach fits better in the development process of free software it is also used throughout the GNU project and the GNU `gettext` package provides support for this outside the GNU C Library.

The code of the `libintl` from GNU `gettext` is the same as the code in the GNU C Library. So the



documentation in the GNU `gettext` manual is also valid for the functionality here. The following text will describe the library functions in detail. But the numerous helper programs are not described in this manual. Instead people should read the GNU `gettext` manual (see [GNU gettext utilities](#)). We will only give a short overview.

Though the `catgets` functions are available by default on more systems the `gettext` interface is at least as portable as the former. The GNU `gettext` package can be used wherever the functions are not available.

- [Message catalogs with gettext](#): The `gettext` family of functions.
- [Helper programs for gettext](#): Programs to handle message catalogs for `gettext`.

---

Node: Message catalogs with gettext, Next: [Helper programs for gettext](#), Up: [The Uniform approach](#)

## The `gettext` family of functions

The paradigms underlying the `gettext` approach to message translations is different from that of the `catgets` functions the basic functionality is equivalent. There are functions of the following categories:

- [Translation with gettext](#): What has to be done to translate a message.
- [Locating gettext catalog](#): How to determine which catalog to be used.
- [Advanced gettext functions](#): Additional functions for more complicated situations.
- [Charset conversion in gettext](#): How to specify the output character set `gettext` uses.
- [GUI program problems](#): How to use `gettext` in GUI programs.
- [Using gettextized software](#): The possibilities of the user to influence the way `gettext` works.

---

Node: Translation with gettext, Next: [Locating gettext catalog](#), Up: [Message catalogs with gettext](#)

## What has to be done to translate a message?

The `gettext` functions have a very simple interface. The most basic function just takes the string which shall be translated as the argument and it returns the translation. This is fundamentally different from the `catgets` approach where an extra key is necessary and the original string is only used for the error case.

If the string which has to be translated is the only argument this of course means the string itself is the key. I.e., the translation will be selected based on the original string. The message catalogs must therefore contain the original strings plus one translation for any such string. The task of the `gettext`

function is it to compare the argument string with the available strings in the catalog and return the appropriate translation. Of course this process is optimized so that this process is not more expensive than an access using an atomic key like in `catgets`.

The `gettext` approach has some advantages but also some disadvantages. Please see the GNU `gettext` manual for a detailed discussion of the pros and cons.

All the definitions and declarations for `gettext` can be found in the `libintl.h` header file. On systems where these functions are not part of the C library they can be found in a separate library named `libintl.a` (or accordingly different for shared libraries).

`char * gettext (const char *msgid)` Function

The `gettext` function searches the currently selected message catalogs for a string which is equal to `msgid`. If there is such a string available it is returned. Otherwise the argument string `msgid` is returned.

Please note that all though the return value is `char *` the returned string must not be changed. This broken type results from the history of the function and does not reflect the way the function should be used.

Please note that above we wrote "message catalogs" (plural). This is a specialty of the GNU implementation of these functions and we will say more about this when we talk about the ways message catalogs are selected (see [Locating gettext catalog](#)).

The `gettext` function does not modify the value of the global `errno` variable. This is necessary to make it possible to write something like

```
printf (gettext ("Operation failed: %m\n"));
```

Here the `errno` value is used in the `printf` function while processing the `%m` format element and if the `gettext` function would change this value (it is called before `printf` is called) we would get a wrong message.

So there is no easy way to detect a missing message catalog beside comparing the argument string with the result. But it is normally the task of the user to react on missing catalogs. The program cannot guess when a message catalog is really necessary since for a user who speaks the language the program was developed in does not need any translation.

The remaining two functions to access the message catalog add some functionality to select a message catalog which is not the default one. This is important if parts of the program are developed

independently. Every part can have its own message catalog and all of them can be used at the same time. The C library itself is an example: internally it uses the `gettext` functions but since it must not depend on a currently selected default message catalog it must specify all ambiguous information.

`char * dgettext (const char *domainname, const char *msgid)` Function

The `dgettext` functions acts just like the `gettext` function. It only takes an additional first argument *domainname* which guides the selection of the message catalogs which are searched for the translation. If the *domainname* parameter is the null pointer the `dgettext` function is exactly equivalent to `gettext` since the default value for the domain name is used.

As for `gettext` the return value type is `char *` which is an anachronism. The returned string must never be modified.

`char * dcgettext (const char *domainname, const char *msgid, int category)` Function

The `dcgettext` adds another argument to those which `dgettext` takes. This argument *category* specifies the last piece of information needed to localize the message catalog. I.e., the domain name and the locale category exactly specify which message catalog has to be used (relative to a given directory, see below).

The `dgettext` function can be expressed in terms of `dcgettext` by using

```
dcgettext (domain, string, LC_MESSAGES)
```

instead of

```
dgettext (domain, string)
```

This also shows which values are expected for the third parameter. One has to use the available selectors for the categories available in `locale.h`. Normally the available values are `LC_CTYPE`, `LC_COLLATE`, `LC_MESSAGES`, `LC_MONETARY`, `LC_NUMERIC`, and `LC_TIME`. Please note that `LC_ALL` must not be used and even though the names might suggest this, there is no relation to the environments variables of this name.

The `dcgettext` function is only implemented for compatibility with other systems which have `gettext` functions. There is not really any situation where it is necessary (or useful) to use a different value but `LC_MESSAGES` in for the *category* parameter. We are dealing with messages here and any other choice can only be irritating.

As for `gettext` the return value type is `char *` which is an anachronism. The returned string

must never be modified.

When using the three functions above in a program it is a frequent case that the *msgid* argument is a constant string. So it is worth to optimize this case. Thinking shortly about this one will realize that as long as no new message catalog is loaded the translation of a message will not change. This optimization is actually implemented by the `gettext`, `dgettext` and `dcgettext` functions.

---

Node: Locating gettext catalog, Next: [Advanced gettext functions](#), Previous: [Translation with gettext](#), Up: [Message catalogs with gettext](#)

## How to determine which catalog to be used

The functions to retrieve the translations for a given message have a remarkable simple interface. But to provide the user of the program still the opportunity to select exactly the translation s/he wants and also to provide the programmer the possibility to influence the way to locate the search for catalogs files there is a quite complicated underlying mechanism which controls all this. The code is complicated the use is easy.

Basically we have two different tasks to perform which can also be performed by the `catgets` functions:

1. Locate the set of message catalogs. There are a number of files for different languages and which all belong to the package. Usually they are all stored in the filesystem below a certain directory.

There can be arbitrary many packages installed and they can follow different guidelines for the placement of their files.

2. Relative to the location specified by the package the actual translation files must be searched, based on the wishes of the user. I.e., for each language the user selects the program should be able to locate the appropriate file.

This is the functionality required by the specifications for `gettext` and this is also what the `catgets` functions are able to do. But there are some problems unresolved:

- The language to be used can be specified in several different ways. There is no generally accepted standard for this and the user always expects the program understand what s/he means. E.g., to select the German translation one could write `de`, `german`, or `deutsch` and the program should always react the same.
- Sometimes the specification of the user is too detailed. If s/he, e.g., specifies `de_DE.ISO-8859-1` which means German, spoken in Germany, coded using the ISO 8859-1 character set

there is the possibility that a message catalog matching this exactly is not available. But there could be a catalog matching `de` and if the character set used on the machine is always ISO 8859-1 there is no reason why this later message catalog should not be used. (We call this *message inheritance*.)

- If a catalog for a wanted language is not available it is not always the second best choice to fall back on the language of the developer and simply not translate any message. Instead a user might be better able to read the messages in another language and so the user of the program should be able to define an precedence order of languages.

We can divide the configuration actions in two parts: the one is performed by the programmer, the other by the user. We will start with the functions the programmer can use since the user configuration will be based on this.

As the functions described in the last sections already mention separate sets of messages can be selected by a *domain name*. This is a simple string which should be unique for each program part with uses a separate domain. It is possible to use in one program arbitrary many domains at the same time. E.g., the GNU C Library itself uses a domain named `libc` while the program using the C Library could use a domain named `foo`. The important point is that at any time exactly one domain is active. This is controlled with the following function.

`char * textdomain (const char *domainname)` Function

The `textdomain` function sets the default domain, which is used in all future `gettext` calls, to *domainname*. Please note that `dgettext` and `dcgettext` calls are not influenced if the *domainname* parameter of these functions is not the null pointer.

Before the first call to `textdomain` the default domain is `messages`. This is the name specified in the specification of the `gettext` API. This name is as good as any other name. No program should ever really use a domain with this name since this can only lead to problems.

The function returns the value which is from now on taken as the default domain. If the system went out of memory the returned value is `NULL` and the global variable `errno` is set to `ENOMEM`. Despite the return value type being `char *` the return string must not be changed. It is allocated internally by the `textdomain` function.

If the *domainname* parameter is the null pointer no new default domain is set. Instead the currently selected default domain is returned.

If the *domainname* parameter is the empty string the default domain is reset to its initial value, the domain with the name `messages`. This possibility is questionable to use since the domain `messages` really never should be used.

char \* **bindtextdomain** (*const char \*domainname, const char \*dirname*)

Function

The `bindtextdomain` function can be used to specify the directory which contains the message catalogs for domain *domainname* for the different languages. To be correct, this is the directory where the hierarchy of directories is expected. Details are explained below.

For the programmer it is important to note that the translations which come with the program have been placed in a directory hierarchy starting at, say, `/foo/bar`. Then the program should make a `bindtextdomain` call to bind the domain for the current program to this directory. So it is made sure the catalogs are found. A correctly running program does not depend on the user setting an environment variable.

The `bindtextdomain` function can be used several times and if the *domainname* argument is different the previously bound domains will not be overwritten.

If the program which wish to use `bindtextdomain` at some point of time use the `chdir` function to change the current working directory it is important that the *dirname* strings ought to be an absolute pathname. Otherwise the addressed directory might vary with the time.

If the *dirname* parameter is the null pointer `bindtextdomain` returns the currently selected directory for the domain with the name *domainname*.

The `bindtextdomain` function returns a pointer to a string containing the name of the selected directory name. The string is allocated internally in the function and must not be changed by the user. If the system went out of core during the execution of `bindtextdomain` the return value is `NULL` and the global variable *errno* is set accordingly.

Node: [Advanced gettext functions](#), Next: [Charset conversion in gettext](#), Previous: [Locating gettext catalog](#), Up: [Message catalogs with gettext](#)

## Additional functions for more complicated situations

The functions of the `gettext` family described so far (and all the `catgets` functions as well) have one problem in the real world which have been neglected completely in all existing approaches. What is meant here is the handling of plural forms.

Looking through Unix source code before the time anybody thought about internationalization (and, sadly, even afterwards) one can often find code similar to the following:

```
printf ("%d file%s deleted", n, n == 1 ? "" : "s");
```

After the first complaints from people internationalizing the code people either completely avoided formulations like this or used strings like `"file(s)"`. Both look unnatural and should be avoided. First tries to solve the problem correctly looked like this:

```
if (n == 1)
    printf ("%d file deleted", n);
else
    printf ("%d files deleted", n);
```

But this does not solve the problem. It helps languages where the plural form of a noun is not simply constructed by adding an `s' but that is all. Once again people fell into the trap of believing the rules their language is using are universal. But the handling of plural forms differs widely between the language families. There are two things we can differ between (and even inside language families);

- The form how plural forms are build differs. This is a problem with language which have many irregularities. German, for instance, is a drastic case. Though English and German are part of the same language family (Germanic), the almost regular forming of plural noun forms (appending an `s') is hardly found in German.
- The number of plural forms differ. This is somewhat surprising for those who only have experiences with Romanic and Germanic languages since here the number is the same (there are two).

But other language families have only one form or many forms. More information on this in an extra section.

The consequence of this is that application writers should not try to solve the problem in their code. This would be localization since it is only usable for certain, hardcoded language environments. Instead the extended `gettext` interface should be used.

These extra functions are taking instead of the one key string two strings and an numerical argument. The idea behind this is that using the numerical argument and the first string as a key, the implementation can select using rules specified by the translator the right plural form. The two string arguments then will be used to provide a return value in case no message catalog is found (similar to the normal `gettext` behavior). In this case the rules for Germanic language is used and it is assumed that the first string argument is the singular form, the second the plural form.

This has the consequence that programs without language catalogs can display the correct strings only if the program itself is written using a Germanic language. This is a limitation but since the GNU C library (as well as the GNU `gettext` package) are written as part of the GNU package and the coding standards for the GNU project require program being written in English, this solution nevertheless fulfills its purpose.

**char \* ngettext** (*const char \*msgid1, const char \*msgid2, unsigned long int n*) Function

The `ngettext` function is similar to the `gettext` function as it finds the message catalogs in the same way. But it takes two extra arguments. The `msgid1` parameter must contain the singular form of the string to be converted. It is also used as the key for the search in the catalog. The `msgid2` parameter is the plural form. The parameter `n` is used to determine the plural form. If no message catalog is found `msgid1` is returned if `n == 1`, otherwise `msgid2`.

An example for the use of this function is:

```
printf (ngettext ("%d file removed", "%d files removed", n), n);
```

Please note that the numeric value `n` has to be passed to the `printf` function as well. It is not sufficient to pass it only to `ngettext`.

**char \* dngettext** (*const char \*domain, const char \*msgid1, const char \*msgid2, unsigned long int n*) Function

The `dngettext` is similar to the `dgettext` function in the way the message catalog is selected. The difference is that it takes two extra parameters to provide the correct plural form. These two parameters are handled in the same way `ngettext` handles them.

**char \* dcgettext** (*const char \*domain, const char \*msgid1, const char \*msgid2, unsigned long int n, int category*) Function

The `dcgettext` is similar to the `dcgettext` function in the way the message catalog is selected. The difference is that it takes two extra parameters to provide the correct plural form. These two parameters are handled in the same way `ngettext` handles them.

## The problem of plural forms

A description of the problem can be found at the beginning of the last section. Now there is the question how to solve it. Without the input of linguists (which was not available) it was not possible to determine whether there are only a few different forms in which plural forms are formed or whether the number can increase with every new supported language.

Therefore the solution implemented is to allow the translator to specify the rules of how to select the plural form. Since the formula varies with every language this is the only viable solution except for hardcoding the information in the code (which still would require the possibility of extensions to not prevent the use of new languages). The details are explained in the GNU `gettext` manual. Here only a bit of information is provided.



The information about the plural form selection has to be stored in the header entry (the one with the empty `msgid` string). It looks like this:

```
Plural-Forms: nplurals=2; plural=n == 1 ? 0 : 1;
```

The `nplurals` value must be a decimal number which specifies how many different plural forms exist for this language. The string following `plural` is an expression which is using the C language syntax. Exceptions are that no negative number are allowed, numbers must be decimal, and the only variable allowed is `n`. This expression will be evaluated whenever one of the functions `ngettext`, `dngettext`, or `dcngettext` is called. The numeric value passed to these functions is then substituted for all uses of the variable `n` in the expression. The resulting value then must be greater or equal to zero and smaller than the value given as the value of `nplurals`.

The following rules are known at this point. The language with families are listed. But this does not necessarily mean the information can be generalized for the whole family (as can be easily seen in the table below).<sup>1</sup>

#### Only one form:

Some languages only require one single form. There is no distinction between the singular and plural form. An appropriate header entry would look like this:

```
Plural-Forms: nplurals=1; plural=0;
```

Languages with this property include:

Finno-Ugric family

    Hungarian

Asian family

    Japanese, Korean

Turkic/Altaic family

    Turkish

#### Two forms, singular used for one only

This is the form used in most existing programs since it is what English is using. A header entry would look like this:

```
Plural-Forms: nplurals=2; plural=n != 1;
```

(Note: this uses the feature of C expressions that boolean expressions have to value zero or one.)

Languages with this property include:

Germanic family

Danish, Dutch, English, German, Norwegian, Swedish

Finno-Ugric family

Estonian, Finnish

Latin/Greek family

Greek

Semitic family

Hebrew

Romance family

Italian, Portuguese, Spanish

Artificial

Esperanto

Two forms, singular used for zero and one

Exceptional case in the language family. The header entry would be:

```
Plural-Forms: nplurals=2; plural=n>1;
```

Languages with this property include:

Romantic family

French, Brazilian Portuguese

Three forms, special case for zero

The header entry would be:

```
Plural-Forms: nplurals=3; plural=n%10==1 && n%100!=11 ? 0 : n !=  
0 ? 1 : 2;
```

Languages with this property include:

Baltic family

Latvian

Three forms, special cases for one and two

The header entry would be:

```
Plural-Forms: nplurals=3; plural=n==1 ? 0 : n==2 ? 1 : 2;
```

Languages with this property include:

Celtic

Gaeilge (Irish)

Three forms, special case for numbers ending in 1[2-9]

The header entry would look like this:

```
Plural-Forms: nplurals=3; \
    plural=n%10==1 && n%100!=11 ? 0 : \
    n%10>=2 && (n%100<10 || n%100>=20) ? 1 : 2;
```

Languages with this property include:

Baltic family

Lithuanian

Three forms, special cases for numbers ending in 1 and 2, 3, 4, except those ending in 1[1-4]

The header entry would look like this:

```
Plural-Forms: nplurals=3; \
    plural=n%100/10==1 ? 2 : n%10==1 ? 0 : (n+9)%10>3 ? 2 : 1;
```

Languages with this property include:

Slavic family

Croatian, Czech, Russian, Ukrainian

Three forms, special cases for 1 and 2, 3, 4

The header entry would look like this:

```
Plural-Forms: nplurals=3; \
    plural=(n==1) ? 1 : (n>=2 && n<=4) ? 2 : 0;
```

Languages with this property include:

Slavic family

Slovak

Three forms, special case for one and some numbers ending in 2, 3, or 4

The header entry would look like this:

```
Plural-Forms: nplurals=3; \
    plural=n==1 ? 0 : \
        n%10>=2 && n%10<=4 && (n%100<10 || n%100>=20) ? 1 : 2;
```

Languages with this property include:

Slavic family  
Polish

Four forms, special case for one and all numbers ending in 02, 03, or 04

The header entry would look like this:

```
Plural-Forms: nplurals=4; \
    plural=n%100==1 ? 0 : n%100==2 ? 1 : n%100==3 || n%100==4 ?
2 : 3;
```

Languages with this property include:

Slavic family  
Slovenian

---

Node: [Charset conversion in gettext](#), Next: [GUI program problems](#), Previous: [Advanced gettext functions](#), Up: [Message catalogs with gettext](#)

## How to specify the output character set `gettext` uses

`gettext` not only looks up a translation in a message catalog. It also converts the translation on the fly to the desired output character set. This is useful if the user is working in a different character set than the translator who created the message catalog, because it avoids distributing variants of message catalogs which differ only in the character set.

The output character set is, by default, the value of `nl_langinfo (CODESET)`, which depends on the `LC_CTYPE` part of the current locale. But programs which store strings in a locale independent way (e.g. UTF-8) can request that `gettext` and related functions return the translations in that encoding, by use of the `bind_textdomain_codeset` function.

Note that the `msgid` argument to `gettext` is not subject to character set conversion. Also, when `gettext` does not find a translation for `msgid`, it returns `msgid` unchanged - independently of the current output character set. It is therefore recommended that all `msgid`s be US-ASCII strings.

char \* **bind\_textdomain\_codeset** (*const char \*domainname, const char \*codeset*) Function

The `bind_textdomain_codeset` function can be used to specify the output character set for message catalogs for domain *domainname*. The *codeset* argument must be a valid codeset name which can be used for the `iconv_open` function, or a null pointer.

If the *codeset* parameter is the null pointer, `bind_textdomain_codeset` returns the currently selected codeset for the domain with the name *domainname*. It returns `NULL` if no codeset has yet been selected.

The `bind_textdomain_codeset` function can be used several times. If used multiple times with the same *domainname* argument, the later call overrides the settings made by the earlier one.

The `bind_textdomain_codeset` function returns a pointer to a string containing the name of the selected codeset. The string is allocated internally in the function and must not be changed by the user. If the system went out of core during the execution of `bind_textdomain_codeset`, the return value is `NULL` and the global variable *errno* is set accordingly.

Node: [GUI program problems](#), Next: [Using gettextized software](#), Previous: [Charset conversion in gettext](#), Up: [Message catalogs with gettext](#)

## How to use gettext in GUI programs

One place where the `gettext` functions, if used normally, have big problems is within programs with graphical user interfaces (GUIs). The problem is that many of the strings which have to be translated are very short. They have to appear in pull-down menus which restricts the length. But strings which are not containing entire sentences or at least large fragments of a sentence may appear in more than one situation in the program but might have different translations. This is especially true for the one-word strings which are frequently used in GUI programs.

As a consequence many people say that the `gettext` approach is wrong and instead `catgets` should be used which indeed does not have this problem. But there is a very simple and powerful method to handle these kind of problems with the `gettext` functions.

As an example consider the following fictional situation. A GUI program has a menu bar with the following entries:

```
+-----+-----+-----+
| File   | Printer |                               |
+-----+-----+-----+
```

```

| Open      | | Select   |
| New      | | Open     |
+-----+ | Connect  |
                +-----+

```

To have the strings `File`, `Printer`, `Open`, `New`, `Select`, and `Connect` translated there has to be at some point in the code a call to a function of the `gettext` family. But in two places the string passed into the function would be `Open`. The translations might not be the same and therefore we are in the dilemma described above.

One solution to this problem is to artificially enlengthen the strings to make them unambiguous. But what would the program do if no translation is available? The enlengthened string is not what should be printed. So we should use a little bit modified version of the functions.

To enlengthen the strings a uniform method should be used. E.g., in the example above the strings could be chosen as

```

Menu|File
Menu|Printer
Menu|File|Open
Menu|File|New
Menu|Printer|Select
Menu|Printer|Open
Menu|Printer|Connect

```

Now all the strings are different and if now instead of `gettext` the following little wrapper function is used, everything works just fine:

```

char *
sgettext (const char *msgid)
{
    char *msgval = gettext (msgid);
    if (msgval == msgid)
        msgval = strrchr (msgid, '|') + 1;
    return msgval;
}

```

What this little function does is to recognize the case when no translation is available. This can be done very efficiently by a pointer comparison since the return value is the input value. If there is no translation we know that the input string is in the format we used for the `Menu` entries and therefore contains a `|` character. We simply search for the last occurrence of this character and return a pointer to the character following it. That's it!

If one now consistently uses the enlengthened string form and replaces the `gettext` calls with calls to `sgettext` (this is normally limited to very few places in the GUI implementation) then it is possible to produce a program which can be internationalized.

With advanced compilers (such as GNU C) one can write the `sgettext` functions as an inline function or as a macro like this:

```
#define sgettext(msgid) \
  ({ const char *__msgid = (msgid); \
     char *__msgstr = gettext (__msgid); \
     if (__msgval == __msgid) \
         __msgval = strrchr (__msgid, '|') + 1; \
     __msgval; })
```

The other `gettext` functions (`dgettext`, `dcgettext` and the `ngettext` equivalents) can and should have corresponding functions as well which look almost identical, except for the parameters and the call to the underlying function.

Now there is of course the question why such functions do not exist in the GNU C library? There are two parts of the answer to this question.

- They are easy to write and therefore can be provided by the project they are used in. This is not an answer by itself and must be seen together with the second part which is:
- There is no way the C library can contain a version which can work everywhere. The problem is the selection of the character to separate the prefix from the actual string in the enlengthened string. The examples above used `|` which is a quite good choice because it resembles a notation frequently used in this context and it also is a character not often used in message strings.

But what if the character is used in message strings. Or if the chose character is not available in the character set on the machine one compiles (e.g., `|` is not required to exist for ISO C; this is why the `iso646.h` file exists in ISO C programming environments).

There is only one more comment to make left. The wrapper function above require that the translations strings are not enlengthened themselves. This is only logical. There is no need to disambiguate the strings (since they are never used as keys for a search) and one also saves quite some memory and disk space by doing this.

---

Node: Using gettextized software, Previous: [GUI program problems](#), Up: [Message catalogs with gettext](#)

## User influence on gettext

The last sections described what the programmer can do to internationalize the messages of the program. But it is finally up to the user to select the message s/he wants to see. S/He must understand them.

The POSIX locale model uses the environment variables `LC_COLLATE`, `LC_CTYPE`, `LC_MESSAGES`, `LC_MONETARY`, `NUMERIC`, and `LC_TIME` to select the locale which is to be used. This way the user can influence lots of functions. As we mentioned above the `gettext` functions also take advantage of this.

To understand how this happens it is necessary to take a look at the various components of the filename which gets computed to locate a message catalog. It is composed as follows:

```
dir_name/locale/LC_category/domain_name.mo
```

The default value for *dir\_name* is system specific. It is computed from the value given as the prefix while configuring the C library. This value normally is `/usr` or `/`. For the former the complete *dir\_name* is:

```
/usr/share/locale
```

We can use `/usr/share` since the `.mo` files containing the message catalogs are system independent, so all systems can use the same files. If the program executed the `bindtextdomain` function for the message domain that is currently handled, the *dir\_name* component is exactly the value which was given to the function as the second parameter. I.e., `bindtextdomain` allows overwriting the only system dependent and fixed value to make it possible to address files anywhere in the filesystem.

The *category* is the name of the locale category which was selected in the program code. For `gettext` and `dgettext` this is always `LC_MESSAGES`, for `dcgettext` this is selected by the value of the third parameter. As said above it should be avoided to ever use a category other than `LC_MESSAGES`.

The *locale* component is computed based on the category used. Just like for the `setlocale` function here comes the user selection into the play. Some environment variables are examined in a fixed order and the first environment variable set determines the return value of the lookup process. In detail, for the category `LC_XXX` the following variables in this order are examined:

`LANGUAGE`

`LC_ALL`

`LC_XXX`

`LANG`



This looks very familiar. With the exception of the `LANGUAGE` environment variable this is exactly the lookup order the `setlocale` function uses. But why introducing the `LANGUAGE` variable?

The reason is that the syntax of the values these variables can have is different to what is expected by the `setlocale` function. If we would set `LC_ALL` to a value following the extended syntax that would mean the `setlocale` function will never be able to use the value of this variable as well. An additional variable removes this problem plus we can select the language independently of the locale setting which sometimes is useful.

While for the `LC_XXX` variables the value should consist of exactly one specification of a locale the `LANGUAGE` variable's value can consist of a colon separated list of locale names. The attentive reader will realize that this is the way we manage to implement one of our additional demands above: we want to be able to specify an ordered list of language.

Back to the constructed filename we have only one component missing. The *domain\_name* part is the name which was either registered using the `textdomain` function or which was given to `dgettext` or `dcgettext` as the first parameter. Now it becomes obvious that a good choice for the domain name in the program code is a string which is closely related to the program/package name. E.g., for the GNU C Library the domain name is `libc`.

A limit piece of example code should show how the programmer is supposed to work:

```
{
  setlocale (LC_ALL, "");
  textdomain ("test-package");
  bindtextdomain ("test-package", "/usr/local/share/locale");
  puts (gettext ("Hello, world!"));
}
```

At the program start the default domain is `messages`, and the default locale is `"C"`. The `setlocale` call sets the locale according to the user's environment variables; remember that correct functioning of `gettext` relies on the correct setting of the `LC_MESSAGES` locale (for looking up the message catalog) and of the `LC_CTYPE` locale (for the character set conversion). The `textdomain` call changes the default domain to `test-package`. The `bindtextdomain` call specifies that the message catalogs for the domain `test-package` can be found below the directory `/usr/local/share/locale`.

If now the user set in her/his environment the variable `LANGUAGE` to `de` the `gettext` function will try to use the translations from the file

```
/usr/local/share/locale/de/LC_MESSAGES/test-package.mo
```

From the above descriptions it should be clear which component of this filename is determined by which source.

In the above example we assumed that the `LANGUAGE` environment variable to be `de`. This might be an appropriate selection but what happens if the user wants to use `LC_ALL` because of the wider usability and here the required value is `de_DE.ISO-8859-1`? We already mentioned above that a situation like this is not infrequent. E.g., a person might prefer reading a dialect and if this is not available fall back on the standard language.

The `gettext` functions know about situations like this and can handle them gracefully. The functions recognize the format of the value of the environment variable. It can split the value in different pieces and by leaving out the only or the other part it can construct new values. This happens of course in a predictable way. To understand this one must know the format of the environment variable value. There is one more or less standardized form, originally from the X/Open specification:

```
language[_territory[.codeset]][@modifier]
```

Less specific locale names will be stripped of in the order of the following list:

1. codeset
2. normalized codeset
3. territory
4. modifier

The `language` field will never be dropped for obvious reasons.

The only new thing is the `normalized codeset` entry. This is another goodie which is introduced to help reducing the chaos which derives from the inability of the people to standardize the names of character sets. Instead of `ISO-8859-1` one can often see `8859-1`, `88591`, `iso8859-1`, or `iso_8859-1`. The `normalized codeset` value is generated from the user-provided character set name by applying the following rules:

1. Remove all characters beside numbers and letters.
2. Fold letters to lowercase.
3. If the same only contains digits prepend the string `"iso"`.

So all of the above name will be normalized to `iso88591`. This allows the program user much more freely choosing the locale name.

Even this extended functionality still does not help to solve the problem that completely different names can be used to denote the same locale (e.g., `de` and `german`). To be of help in this situation the locale

implementation and also the `gettext` functions know about aliases.

The file `/usr/share/locale/locale.alias` (replace `/usr` with whatever prefix you used for configuring the C library) contains a mapping of alternative names to more regular names. The system manager is free to add new entries to fill her/his own needs. The selected locale from the environment is compared with the entries in the first column of this file ignoring the case. If they match the value of the second column is used instead for the further handling.

In the description of the format of the environment variables we already mentioned the character set as a factor in the selection of the message catalog. In fact, only catalogs which contain text written using the character set of the system/program can be used (directly; there will come a solution for this some day). This means for the user that s/he will always have to take care for this. If in the collection of the message catalogs there are files for the same language but coded using different character sets the user has to be careful.

---

Node: [Helper programs for gettext](#), Previous: [Message catalogs with gettext](#), Up: [The Uniform approach](#)

## Programs to handle message catalogs for `gettext`

The GNU C Library does not contain the source code for the programs to handle message catalogs for the `gettext` functions. As part of the GNU project the GNU `gettext` package contains everything the developer needs. The functionality provided by the tools in this package by far exceeds the abilities of the `gencat` program described above for the `catgets` functions.

There is a program `msgfmt` which is the equivalent program to the `gencat` program. It generates from the human-readable and -editable form of the message catalog a binary file which can be used by the `gettext` functions. But there are several more programs available.

The `xgettext` program can be used to automatically extract the translatable messages from a source file. I.e., the programmer need not take care for the translations and the list of messages which have to be translated. S/He will simply wrap the translatable string in calls to `gettext` et.al and the rest will be done by `xgettext`. This program has a lot of option which help to customize the output or do help to understand the input better.

Other programs help to manage development cycle when new messages appear in the source files or when a new translation of the messages appear. here it should only be noted that using all the tools in GNU `gettext` it is possible to *completely* automatize the handling of message catalog. Beside marking the translatable string in the source code and generating the translations the developers do not have anything to do themselves.

---

Node: Searching and Sorting, Next: [Pattern Matching](#), Previous: [Message Translation](#), Up: [Top](#)

## Searching and Sorting

This chapter describes functions for searching and sorting arrays of arbitrary objects. You pass the appropriate comparison function to be applied as an argument, along with the size of the objects in the array and the total number of elements.

- [Comparison Functions](#): Defining how to compare two objects. Since the sort and search facilities are general, you have to specify the ordering.
- [Array Search Function](#): The `bsearch` function.
- [Array Sort Function](#): The `qsort` function.
- [Search/Sort Example](#): An example program.
- [Hash Search Function](#): The `hsearch` function.
- [Tree Search Function](#): The `tsearch` function.

---

Node: Comparison Functions, Next: [Array Search Function](#), Up: [Searching and Sorting](#)

## Defining the Comparison Function

In order to use the sorted array library functions, you have to describe how to compare the elements of the array.

To do this, you supply a comparison function to compare two elements of the array. The library will call this function, passing as arguments pointers to two array elements to be compared. Your comparison function should return a value the way `strcmp` (see [String/Array Comparison](#)) does: negative if the first argument is "less" than the second, zero if they are "equal", and positive if the first argument is "greater".

Here is an example of a comparison function which works with an array of numbers of type `double`:

```
int
compare_doubles (const void *a, const void *b)
{
    const double *da = (const double *) a;
    const double *db = (const double *) b;

    return (*da > *db) - (*da < *db);
}
```

The header file `stdlib.h` defines a name for the data type of comparison functions. This type is a GNU extension.

```
int comparison_fn_t (const void *, const void *);
```

---

Node: [Array Search Function](#), Next: [Array Sort Function](#), Previous: [Comparison Functions](#),  
Up: [Searching and Sorting](#)

## Array Search Function

Generally searching for a specific element in an array means that potentially all elements must be checked. The GNU C library contains functions to perform linear search. The prototypes for the following two functions can be found in `search.h`.

`void * lfind (const void *key, void *base, size_t *nmemb, size_t size, comparison_fn_t compar)` Function

The `lfind` function searches in the array with `*nmemb` elements of `size` bytes pointed to by `base` for an element which matches the one pointed to by `key`. The function pointed to by `compar` is used to decide whether two elements match.

The return value is a pointer to the matching element in the array starting at `base` if it is found. If no matching element is available NULL is returned.

The mean runtime of this function is  $*nmemb/2$ . This function should only be used on elements often get added to or deleted from the array in which case it might not be useful to sort the array before searching.

`void * lsearch (const void *key, void *base, size_t *nmemb, size_t size, comparison_fn_t compar)` Function

The `lsearch` function is similar to the `lfind` function. It searches the given array for an element and returns it if found. The difference is that if no matching element is found the `lsearch` function adds the object pointed to by *key* (with a size of *size* bytes) at the end of the array and it increments the value of *\*nmemb* to reflect this addition.

This means for the caller that if it is not sure that the array contains the element one is searching for the memory allocated for the array starting at *base* must have room for at least *size* more bytes. If one is sure the element is in the array it is better to use `lfind` so having more room in the array is always necessary when calling `lsearch`.

To search a sorted array for an element matching the key, use the `bsearch` function. The prototype for this function is in the header file `stdlib.h`.

`void * bsearch (const void *key, const void *array, size_t count, size_t size, comparison_fn_t compare)` Function

The `bsearch` function searches the sorted array *array* for an object that is equivalent to *key*. The array contains *count* elements, each of which is of size *size* bytes.

The *compare* function is used to perform the comparison. This function is called with two pointer arguments and should return an integer less than, equal to, or greater than zero corresponding to whether its first argument is considered less than, equal to, or greater than its second argument. The elements of the *array* must already be sorted in ascending order according to this comparison function.

The return value is a pointer to the matching array element, or a null pointer if no match is found. If the array contains more than one element that matches, the one that is returned is unspecified.

This function derives its name from the fact that it is implemented using the binary search algorithm.

Node: Array Sort Function, Next: [Search/Sort Example](#), Previous: [Array Search Function](#),

Up: [Searching and Sorting](#)

## Array Sort Function

To sort an array using an arbitrary comparison function, use the `qsort` function. The prototype for this function is in `stdlib.h`.

`void qsort (void *array, size_t count, size_t size, comparison_fn_t compare)` Function

The `qsort` function sorts the array `array`. The array contains `count` elements, each of which is of size `size`.

The `compare` function is used to perform the comparison on the array elements. This function is called with two pointer arguments and should return an integer less than, equal to, or greater than zero corresponding to whether its first argument is considered less than, equal to, or greater than its second argument.

**Warning:** If two objects compare as equal, their order after sorting is unpredictable. That is to say, the sorting is not stable. This can make a difference when the comparison considers only part of the elements. Two elements with the same sort key may differ in other respects.

If you want the effect of a stable sort, you can get this result by writing the comparison function so that, lacking other reason distinguish between two elements, it compares them by their addresses. Note that doing this may make the sorting algorithm less efficient, so do it only if necessary.

Here is a simple example of sorting an array of doubles in numerical order, using the comparison function defined above (see [Comparison Functions](#)):

```
{
    double *array;
    int size;
    ...
    qsort (array, size, sizeof (double), compare_doubles);
}
```

The `qsort` function derives its name from the fact that it was originally implemented using the "quick sort" algorithm.

The implementation of `qsort` in this library might not be an in-place sort and might thereby use an extra amount of memory to store the array.

---

Node: Search/Sort Example, Next: [Hash Search Function](#), Previous: [Array Sort Function](#), Up: [Searching and Sorting](#)

## Searching and Sorting Example

Here is an example showing the use of `qsort` and `bsearch` with an array of structures. The objects in the array are sorted by comparing their name fields with the `strcmp` function. Then, we can look up

individual objects based on their names.

```

#include <stdlib.h>
#include <stdio.h>
#include <string.h>

/* Define an array of critters to sort. */

struct critter
{
    const char *name;
    const char *species;
};

struct critter muppets[] =
{
    {"Kermit", "frog"},
    {"Piggy", "pig"},
    {"Gonzo", "whatever"},
    {"Fozzie", "bear"},
    {"Sam", "eagle"},
    {"Robin", "frog"},
    {"Animal", "animal"},
    {"Camilla", "chicken"},
    {"Sweetums", "monster"},
    {"Dr. Strangepork", "pig"},
    {"Link Hogthrob", "pig"},
    {"Zoot", "human"},
    {"Dr. Bunsen Honeydew", "human"},
    {"Beaker", "human"},
    {"Swedish Chef", "human"}
};

int count = sizeof (muppets) / sizeof (struct critter);

/* This is the comparison function used for sorting and searching. */

int
critter_cmp (const struct critter *c1, const struct critter *c2)
{
    return strcmp (c1->name, c2->name);
}

/* Print information about a critter. */

void
print_critter (const struct critter *c)

```



```
{
    printf ("%s, the %s\n", c->name, c->species);
}

/* Do the lookup into the sorted array. */

void
find_critter (const char *name)
{
    struct critter target, *result;
    target.name = name;
    result = bsearch (&target, muppets, count, sizeof (struct critter),
                     critter_cmp);
    if (result)
        print_critter (result);
    else
        printf ("Couldn't find %s.\n", name);
}

/* Main program. */

int
main (void)
{
    int i;

    for (i = 0; i < count; i++)
        print_critter (&muppets[i]);
    printf ("\n");

    qsort (muppets, count, sizeof (struct critter), critter_cmp);

    for (i = 0; i < count; i++)
        print_critter (&muppets[i]);
    printf ("\n");

    find_critter ("Kermit");
    find_critter ("Gonzo");
    find_critter ("Janice");

    return 0;
}
```

The output from this program looks like:

```
Kermit, the frog
Piggy, the pig
Gonzo, the whatever
```

```

Fozzie, the bear
Sam, the eagle
Robin, the frog
Animal, the animal
Camilla, the chicken
Sweetums, the monster
Dr. Strangepork, the pig
Link Hogthrob, the pig
Zoot, the human
Dr. Bunsen Honeydew, the human
Beaker, the human
Swedish Chef, the human

```

```

Animal, the animal
Beaker, the human
Camilla, the chicken
Dr. Bunsen Honeydew, the human
Dr. Strangepork, the pig
Fozzie, the bear
Gonzo, the whatever
Kermit, the frog
Link Hogthrob, the pig
Piggy, the pig
Robin, the frog
Sam, the eagle
Swedish Chef, the human
Sweetums, the monster
Zoot, the human

```

```

Kermit, the frog
Gonzo, the whatever
Couldn't find Janice.

```

---

Node: Hash Search Function, Next: [Tree Search Function](#), Previous: [Search/Sort Example](#),  
Up: [Searching and Sorting](#)

## The `hsearch` function.

The functions mentioned so far in this chapter are searching in a sorted or unsorted array. There are other methods to organize information which later should be searched. The costs of insert, delete and search differ. One possible implementation is using hashing tables. The following functions are declared in the the header file `search.h`.

`int hcreate` (*size\_t nel*)

Function

The `hcreate` function creates a hashing table which can contain at least *nel* elements. There is no possibility to grow this table so it is necessary to choose the value for *nel* wisely. The used methods to implement this function might make it necessary to make the number of elements in the hashing table larger than the expected maximal number of elements. Hashing tables usually work inefficient if they are filled 80% or more. The constant access time guaranteed by hashing can only be achieved if few collisions exist. See Knuth's "The Art of Computer Programming, Part 3: Searching and Sorting" for more information.

The weakest aspect of this function is that there can be at most one hashing table used through the whole program. The table is allocated in local memory out of control of the programmer. As an extension the GNU C library provides an additional set of functions with an reentrant interface which provide a similar interface but which allow to keep arbitrarily many hashing tables.

It is possible to use more than one hashing table in the program run if the former table is first destroyed by a call to `hdestroy`.

The function returns a non-zero value if successful. If it return zero something went wrong. This could either mean there is already a hashing table in use or the program runs out of memory.

`void hdestroy (void)`

Function

The `hdestroy` function can be used to free all the resources allocated in a previous call of `hcreate`. After a call to this function it is again possible to call `hcreate` and allocate a new table with possibly different size.

It is important to remember that the elements contained in the hashing table at the time `hdestroy` is called are *not* freed by this function. It is the responsibility of the program code to free those strings (if necessary at all). Freeing all the element memory is not possible without extra, separately kept information since there is no function to iterate through all available elements in the hashing table. If it is really necessary to free a table and all elements the programmer has to keep a list of all table elements and before calling `hdestroy` s/he has to free all element's data using this list. This is a very unpleasant mechanism and it also shows that this kind of hashing tables is mainly meant for tables which are created once and used until the end of the program run.

Entries of the hashing table and keys for the search are defined using this type:

`struct ENTRY`

Data type

Both elements of this structure are pointers to zero-terminated strings. This is a limiting restriction of the functionality of the `hsearch` functions. They can only be used for data sets which use the NUL character always and solely to terminate the records. It is not possible to handle general binary data.

`char *key`

Pointer to a zero-terminated string of characters describing the key for the search or the element in the hashing table.

`char *data`

Pointer to a zero-terminated string of characters describing the data. If the functions will be called only for searching an existing entry this element might stay undefined since it is not used.

**ENTRY \*hsearch** (*ENTRY item*, *ACTION action*) Function

To search in a hashing table created using `hcreate` the `hsearch` function must be used. This function can perform simple search for an element (if *action* has the `FIND`) or it can alternatively insert the key element into the hashing table. Entries are never replaced.

The key is denoted by a pointer to an object of type `ENTRY`. For locating the corresponding position in the hashing table only the key element of the structure is used.

If an entry with matching key is found the *action* parameter is irrelevant. The found entry is returned. If no matching entry is found and the *action* parameter has the value `FIND` the function returns a `NULL` pointer. If no entry is found and the *action* parameter has the value `ENTER` a new entry is added to the hashing table which is initialized with the parameter *item*. A pointer to the newly added entry is returned.

As mentioned before the hashing table used by the functions described so far is global and there can be at any time at most one hashing table in the program. A solution is to use the following functions which are a GNU extension. All have in common that they operate on a hashing table which is described by the content of an object of the type `struct hsearch_data`. This type should be treated as opaque, none of its members should be changed directly.

**int hcreate\_r** (*size\_t nel*, *struct hsearch\_data \*htab*) Function

The `hcreate_r` function initializes the object pointed to by *htab* to contain a hashing table with at least *nel* elements. So this function is equivalent to the `hcreate` function except that the initialized data structure is controlled by the user.

This allows having more than one hashing table at one time. The memory necessary for the `struct hsearch_data` object can be allocated dynamically. It must be initialized with zero before calling this function.

The return value is non-zero if the operation were successful. if the return value is zero something went wrong which probably means the programs runs out of memory.

`void hdestroy_r (struct hsearch_data *htab)` Function

The `hdestroy_r` function frees all resources allocated by the `hcreate_r` function for this very same object *htab*. As for `hdestroy` it is the programs responsibility to free the strings for the elements of the table.

`int hsearch_r (ENTRY item, ACTION action, ENTRY **retval, struct hsearch_data *htab)` Function

The `hsearch_r` function is equivalent to `hsearch`. The meaning of the first two arguments is identical. But instead of operating on a single global hashing table the function works on the table described by the object pointed to by *htab* (which is initialized by a call to `hcreate_r`).

Another difference to `hcreate` is that the pointer to the found entry in the table is not the return value of the functions. It is returned by storing it in a pointer variables pointed to by the *retval* parameter. The return value of the function is an integer value indicating success if it is non-zero and failure if it is zero. In the latter case the global variable *errno* signals the reason for the failure.

ENOMEM

The table is filled and `hsearch_r` was called with an so far unknown key and *action* set to ENTER.

ESRCH

The *action* parameter is FIND and no corresponding element is found in the table.

---

Node: Tree Search Function, Previous: [Hash Search Function](#), Up: [Searching and Sorting](#)

## The `tsearch` function.

Another common form to organize data for efficient search is to use trees. The `tsearch` function family provides a nice interface to functions to organize possibly large amounts of data by providing a

mean access time proportional to the logarithm of the number of elements. The GNU C library implementation even guarantees that this bound is never exceeded even for input data which cause problems for simple binary tree implementations.

The functions described in the chapter are all described in the System V and X/Open specifications and are therefore quite portable.

In contrast to the `hsearch` functions the `tsearch` functions can be used with arbitrary data and not only zero-terminated strings.

The `tsearch` functions have the advantage that no function to initialize data structures is necessary. A simple pointer of type `void *` initialized to `NULL` is a valid tree and can be extended or searched. The prototypes for these functions can be found in the header file `search.h`.

`void * tsearch (const void *key, void **rootp, comparison_fn_t compar)` Function

The `tsearch` function searches in the tree pointed to by `*rootp` for an element matching `key`. The function pointed to by `compar` is used to determine whether two elements match. See [Comparison Functions](#), for a specification of the functions which can be used for the `compar` parameter.

If the tree does not contain a matching entry the `key` value will be added to the tree. `tsearch` does not make a copy of the object pointed to by `key` (how could it since the size is unknown). Instead it adds a reference to this object which means the object must be available as long as the tree data structure is used.

The tree is represented by a pointer to a pointer since it is sometimes necessary to change the root node of the tree. So it must not be assumed that the variable pointed to by `rootp` has the same value after the call. This also shows that it is not safe to call the `tsearch` function more than once at the same time using the same tree. It is no problem to run it more than once at a time on different trees.

The return value is a pointer to the matching element in the tree. If a new element was created the pointer points to the new data (which is in fact `key`). If an entry had to be created and the program ran out of space `NULL` is returned.

`void * tfind (const void *key, void *const *rootp, comparison_fn_t compar)` Function

The `tfind` function is similar to the `tsearch` function. It locates an element matching the one pointed to by `key` and returns a pointer to this element. But if no matching element is available no new element is entered (note that the `rootp` parameter points to a constant pointer). Instead the function returns `NULL`.

Another advantage of the `tsearch` function in contrast to the `hsearch` functions is that there is an easy way to remove elements.

`void * tdelete (const void *key, void **rootp, comparison_fn_t compar)` Function

To remove a specific element matching *key* from the tree `tdelete` can be used. It locates the matching element using the same method as `tfind`. The corresponding element is then removed and a pointer to the parent of the deleted node is returned by the function. If there is no matching entry in the tree nothing can be deleted and the function returns `NULL`. If the root of the tree is deleted `tdelete` returns some unspecified value not equal to `NULL`.

`void tdestroy (void *vroot, __free_fn_t freefct)` Function

If the complete search tree has to be removed one can use `tdestroy`. It frees all resources allocated by the `tsearch` function to generate the tree pointed to by *vroot*.

For the data in each tree node the function *freefct* is called. The pointer to the data is passed as the argument to the function. If no such work is necessary *freefct* must point to a function doing nothing. It is called in any case.

This function is a GNU extension and not covered by the System V or X/Open specifications.

In addition to the function to create and destroy the tree data structure, there is another function which allows you to apply a function to all elements of the tree. The function must have this type:

```
void __action_fn_t (const void *nodep, VISIT value, int level);
```

The *nodep* is the data value of the current node (once given as the *key* argument to `tsearch`). *level* is a numeric value which corresponds to the depth of the current node in the tree. The root node has the depth 0 and its children have a depth of 1 and so on. The `VISIT` type is an enumeration type.

**VISIT** Data Type

The `VISIT` value indicates the status of the current node in the tree and how the function is called. The status of a node is either ``leaf'` or ``internal node'`. For each leaf node the function is called exactly once, for each internal node it is called three times: before the first child is processed, after the first child is processed and after both children are processed. This makes it possible to handle all three methods of tree traversal (or even a combination of them).

`preorder`

The current node is an internal node and the function is called before the first child was processed.

`postorder`

The current node is an internal node and the function is called after the first child was processed.

`endorder`

The current node is an internal node and the function is called after the second child was processed.

`leaf`

The current node is a leaf.

void **twalk** (*const void \*root*, *\_\_action\_fn\_t action*)

Function

For each node in the tree with a node pointed to by *root*, the `twalk` function calls the function provided by the parameter *action*. For leaf nodes the function is called exactly once with *value* set to `leaf`. For internal nodes the function is called three times, setting the *value* parameter or *action* to the appropriate value. The *level* argument for the *action* function is computed while descending the tree with increasing the value by one for the descend to a child, starting with the value 0 for the root node.

Since the functions used for the *action* parameter to `twalk` must not modify the tree data, it is safe to run `twalk` in more than one thread at the same time, working on the same tree. It is also safe to call `tfind` in parallel. Functions which modify the tree must not be used, otherwise the behavior is undefined.

---

Node: [Pattern Matching](#), Next: [I/O Overview](#), Previous: [Searching and Sorting](#), Up: [Top](#)

## Pattern Matching

The GNU C Library provides pattern matching facilities for two kinds of patterns: regular expressions and file-name wildcards. The library also provides a facility for expanding variable and command references and parsing text into words in the way the shell does.



- [Wildcard Matching](#): Matching a wildcard pattern against a single string.
- [Globbing](#): Finding the files that match a wildcard pattern.
- [Regular Expressions](#): Matching regular expressions against strings.
- [Word Expansion](#): Expanding shell variables, nested commands, arithmetic, and wildcards. This is what the shell does with shell commands.

Node: [Wildcard Matching](#), Next: [Globbing](#), Up: [Pattern Matching](#)

## Wildcard Matching

This section describes how to match a wildcard pattern against a particular string. The result is a yes or no answer: does the string fit the pattern or not. The symbols described here are all declared in `fnmatch.h`.

int **fnmatch** (*const char \*pattern, const char \*string, int flags*) Function

This function tests whether the string *string* matches the pattern *pattern*. It returns 0 if they do match; otherwise, it returns the nonzero value `FNM_NOMATCH`. The arguments *pattern* and *string* are both strings.

The argument *flags* is a combination of flag bits that alter the details of matching. See below for a list of the defined flags.

In the GNU C Library, `fnmatch` cannot experience an "error"--it always returns an answer for whether the match succeeds. However, other implementations of `fnmatch` might sometimes report "errors". They would do so by returning nonzero values that are not equal to `FNM_NOMATCH`.

These are the available flags for the *flags* argument:

`FNM_FILE_NAME`

Treat the `/` character specially, for matching file names. If this flag is set, wildcard constructs in *pattern* cannot match `/` in *string*. Thus, the only way to match `/` is with an explicit `/` in *pattern*.

`FNM_PATHNAME`

This is an alias for `FNM_FILE_NAME`; it comes from POSIX.2. We don't recommend this name because we don't use the term "pathname" for file names.

`FNM_PERIOD`

Treat the `.` character specially if it appears at the beginning of *string*. If this flag is set, wildcard constructs in *pattern* cannot match `.` as the first character of *string*.

If you set both `FNM_PERIOD` and `FNM_FILE_NAME`, then the special treatment applies to `.` following `/` as well as to `.` at the beginning of *string*. (The shell uses the `FNM_PERIOD` and `FNM_FILE_NAME` flags together for matching file names.)

#### `FNM_NOESCAPE`

Don't treat the `\` character specially in patterns. Normally, `\` quotes the following character, turning off its special meaning (if any) so that it matches only itself. When quoting is enabled, the pattern `\?` matches only the string `?`, because the question mark in the pattern acts like an ordinary character.

If you use `FNM_NOESCAPE`, then `\` is an ordinary character.

#### `FNM_LEADING_DIR`

Ignore a trailing sequence of characters starting with a `/` in *string*; that is to say, test whether *string* starts with a directory name that *pattern* matches.

If this flag is set, either `foo*` or `foobar` as a pattern would match the string `foobar/` `frobozz`.

#### `FNM_CASEFOLD`

Ignore case in comparing *string* to *pattern*.

#### `FNM_EXTMATCH`

Recognize beside the normal patterns also the extended patterns introduced in `ksh`. The patterns are written in the form explained in the following table where *pattern-list* is a `|` separated list of patterns.

`?(pattern-list)`

The pattern matches if zero or one occurrences of any of the patterns in the *pattern-list* allow matching the input string.

`*(pattern-list)`

The pattern matches if zero or more occurrences of any of the patterns in the *pattern-list* allow matching the input string.

`+(pattern-list)`

The pattern matches if one or more occurrences of any of the patterns in the *pattern-list* allow matching the input string.

`@(pattern-list)`

The pattern matches if exactly one occurrence of any of the patterns in the *pattern-list* allows matching the input string.

`!(pattern-list)`

The pattern matches if the input string cannot be matched with any of the patterns in the *pattern-list*.

Node: Globbing, Next: [Regular Expressions](#), Previous: [Wildcard Matching](#), Up: [Pattern Matching](#)

## Globbing

The archetypal use of wildcards is for matching against the files in a directory, and making a list of all the matches. This is called *globbing*.

You could do this using `fnmatch`, by reading the directory entries one by one and testing each one with `fnmatch`. But that would be slow (and complex, since you would have to handle subdirectories by hand).

The library provides a function `glob` to make this particular use of wildcards convenient. `glob` and the other symbols in this section are declared in `glob.h`.

- [Calling Glob](#): Basic use of `glob`.
- [Flags for Globbing](#): Flags that enable various options in `glob`.
- [More Flags for Globbing](#): GNU specific extensions to `glob`.

---

Node: Calling Glob, Next: [Flags for Globbing](#), Up: [Globbing](#)

## Calling `glob`

The result of globbing is a vector of file names (strings). To return this vector, `glob` uses a special data type, `glob_t`, which is a structure. You pass `glob` the address of the structure, and it fills in the structure's fields to tell you about the results.

### `glob_t` Data Type

This data type holds a pointer to a word vector. More precisely, it records both the address of the word vector and its size. The GNU implementation contains some more fields which are non-standard extensions.

#### `gl_pathc`

The number of elements in the vector, excluding the initial null entries if the `GLOB_DOOFFS` flag is used (see `gl_offs` below).

#### `gl_pathv`

The address of the vector. This field has type `char **`.

#### `gl_offs`

The offset of the first real element of the vector, from its nominal address in the `gl_pathv` field. Unlike the other fields, this is always an input to `glob`, rather than an

output from it.

If you use a nonzero offset, then that many elements at the beginning of the vector are left empty. (The `glob` function fills them with null pointers.)

The `gl_offs` field is meaningful only if you use the `GLOB_DOOFFS` flag. Otherwise, the offset is always zero regardless of what is in this field, and the first real element comes at the beginning of the vector.

#### `gl_closedir`

The address of an alternative implementation of the `closedir` function. It is used if the `GLOB_ALTDIRFUNC` bit is set in the flag parameter. The type of this field is `void (*) (void *)`.

This is a GNU extension.

#### `gl_readdir`

The address of an alternative implementation of the `readdir` function used to read the contents of a directory. It is used if the `GLOB_ALTDIRFUNC` bit is set in the flag parameter. The type of this field is `struct dirent *(*) (void *)`.

This is a GNU extension.

#### `gl_opendir`

The address of an alternative implementation of the `opendir` function. It is used if the `GLOB_ALTDIRFUNC` bit is set in the flag parameter. The type of this field is `void *(*) (const char *)`.

This is a GNU extension.

#### `gl_stat`

The address of an alternative implementation of the `stat` function to get information about an object in the filesystem. It is used if the `GLOB_ALTDIRFUNC` bit is set in the flag parameter. The type of this field is `int (*) (const char *, struct stat *)`.

This is a GNU extension.

#### `gl_lstat`

The address of an alternative implementation of the `lstat` function to get information about an object in the filesystems, not following symbolic links. It is used if the `GLOB_ALTDIRFUNC` bit is set in the flag parameter. The type of this field is `int (*) (const char *, struct stat *)`.

This is a GNU extension.

For use in the `glob64` function `glob.h` contains another definition for a very similar type. `glob64_t` differs from `glob_t` only in the types of the members `gl_readdir`, `gl_stat`, and `gl_lstat`.

## **glob64\_t**

Data Type

This data type holds a pointer to a word vector. More precisely, it records both the address of the word vector and its size. The GNU implementation contains some more fields which are non-standard extensions.

### `gl_pathc`

The number of elements in the vector, excluding the initial null entries if the `GLOB_DOOFFS` flag is used (see `gl_offs` below).

### `gl_pathv`

The address of the vector. This field has type `char **`.

### `gl_offs`

The offset of the first real element of the vector, from its nominal address in the `gl_pathv` field. Unlike the other fields, this is always an input to `glob`, rather than an output from it.

If you use a nonzero offset, then that many elements at the beginning of the vector are left empty. (The `glob` function fills them with null pointers.)

The `gl_offs` field is meaningful only if you use the `GLOB_DOOFFS` flag. Otherwise, the offset is always zero regardless of what is in this field, and the first real element comes at the beginning of the vector.

### `gl_closedir`

The address of an alternative implementation of the `closedir` function. It is used if the `GLOB_ALTDIRFUNC` bit is set in the flag parameter. The type of this field is `void (*) (void *)`.

This is a GNU extension.

### `gl_readdir`

The address of an alternative implementation of the `readdir64` function used to read the contents of a directory. It is used if the `GLOB_ALTDIRFUNC` bit is set in the flag parameter. The type of this field is `struct dirent64 *(*) (void *)`.

This is a GNU extension.

### `gl_opendir`

The address of an alternative implementation of the `opendir` function. It is used if the `GLOB_ALTDIRFUNC` bit is set in the `flag` parameter. The type of this field is `void (*) (const char *)`.

This is a GNU extension.

### `gl_stat`

The address of an alternative implementation of the `stat64` function to get information about an object in the filesystem. It is used if the `GLOB_ALTDIRFUNC` bit is set in the `flag` parameter. The type of this field is `int (*) (const char *, struct stat64 *)`.

This is a GNU extension.

### `gl_lstat`

The address of an alternative implementation of the `lstat64` function to get information about an object in the filesystems, not following symbolic links. It is used if the `GLOB_ALTDIRFUNC` bit is set in the `flag` parameter. The type of this field is `int (*) (const char *, struct stat64 *)`.

This is a GNU extension.

**`int glob (const char *pattern, int flags, int (*errfunc) (const char *filename, int error-code), glob_t *vector_ptr)`** Function

The function `glob` does globbing using the pattern *pattern* in the current directory. It puts the result in a newly allocated vector, and stores the size and address of this vector into *\*vector\_ptr*. The argument *flags* is a combination of bit flags; see [Flags for Globbing](#), for details of the flags.

The result of globbing is a sequence of file names. The function `glob` allocates a string for each resulting word, then allocates a vector of type `char **` to store the addresses of these strings. The last element of the vector is a null pointer. This vector is called the *word vector*.

To return this vector, `glob` stores both its address and its length (number of elements, not counting the terminating null pointer) into *\*vector\_ptr*.

Normally, `glob` sorts the file names alphabetically before returning them. You can turn this off

with the flag `GLOB_NOSORT` if you want to get the information as fast as possible. Usually it's a good idea to let `glob` sort them--if you process the files in alphabetical order, the users will have a feel for the rate of progress that your application is making.

If `glob` succeeds, it returns 0. Otherwise, it returns one of these error codes:

#### `GLOB_ABORTED`

There was an error opening a directory, and you used the flag `GLOB_ERR` or your specified *errfunc* returned a nonzero value. for an explanation of the `GLOB_ERR` flag and *errfunc*.

#### `GLOB_NOMATCH`

The pattern didn't match any existing files. If you use the `GLOB_NOCHECK` flag, then you never get this error code, because that flag tells `glob` to *pretend* that the pattern matched at least one file.

#### `GLOB_NOSPACE`

It was impossible to allocate memory to hold the result.

In the event of an error, `glob` stores information in *\*vector\_ptr* about all the matches it has found so far.

It is important to notice that the `glob` function will not fail if it encounters directories or files which cannot be handled without the LFS interfaces. The implementation of `glob` is supposed to use these functions internally. This at least is the assumptions made by the Unix standard. The GNU extension of allowing the user to provide own directory handling and `stat` functions complicates things a bit. If these callback functions are used and a large file or directory is encountered `glob` *can* fail.

**int `glob64`** (*const char \*pattern, int flags, int (\*errfunc) (const char \*filename, int error-code), `glob64_t` \*vector\_ptr*) Function

The `glob64` function was added as part of the Large File Summit extensions but is not part of the original LFS proposal. The reason for this is simple: it is not necessary. The necessity for a `glob64` function is added by the extensions of the GNU `glob` implementation which allows the user to provide own directory handling and `stat` functions. The `readdir` and `stat` functions do depend on the choice of `_FILE_OFFSET_BITS` since the definition of the types `struct dirent` and `struct stat` will change depending on the choice.

Beside this difference the `glob64` works just like `glob` in all aspects.

This function is a GNU extension.

Node: Flags for Globbing, Next: [More Flags for Globbing](#), Previous: [Calling Glob](#), Up: [Globbing](#)

## Flags for Globbing

This section describes the flags that you can specify in the *flags* argument to `glob`. Choose the flags you want, and combine them with the C bitwise OR operator `|`.

### GLOB\_APPEND

Append the words from this expansion to the vector of words produced by previous calls to `glob`. This way you can effectively expand several words as if they were concatenated with spaces between them.

In order for appending to work, you must not modify the contents of the word vector structure between calls to `glob`. And, if you set `GLOB_DOOFFS` in the first call to `glob`, you must also set it when you append to the results.

Note that the pointer stored in `gl_pathv` may no longer be valid after you call `glob` the second time, because `glob` might have relocated the vector. So always fetch `gl_pathv` from the `glob_t` structure after each `glob` call; **never** save the pointer across calls.

### GLOB\_DOOFFS

Leave blank slots at the beginning of the vector of words. The `gl_offs` field says how many slots to leave. The blank slots contain null pointers.

### GLOB\_ERR

Give up right away and report an error if there is any difficulty reading the directories that must be read in order to expand *pattern* fully. Such difficulties might include a directory in which you don't have the requisite access. Normally, `glob` tries its best to keep on going despite any errors, reading whatever directories it can.

You can exercise even more control than this by specifying an error-handler function *errfunc* when you call `glob`. If *errfunc* is not a null pointer, then `glob` doesn't give up right away when it can't read a directory; instead, it calls *errfunc* with two arguments, like this:

```
(*errfunc) (filename, error-code)
```

The argument *filename* is the name of the directory that `glob` couldn't open or couldn't read, and *error-code* is the `errno` value that was reported to `glob`.

If the error handler function returns nonzero, then `glob` gives up right away. Otherwise, it continues.



**GLOB\_MARK**

If the pattern matches the name of a directory, append / to the directory's name when returning it.

**GLOB\_NOCHECK**

If the pattern doesn't match any file names, return the pattern itself as if it were a file name that had been matched. (Normally, when the pattern doesn't match anything, `glob` returns that there were no matches.)

**GLOB\_NOSORT**

Don't sort the file names; return them in no particular order. (In practice, the order will depend on the order of the entries in the directory.) The only reason *not* to sort is to save time.

**GLOB\_NOESCAPE**

Don't treat the `\` character specially in patterns. Normally, `\` quotes the following character, turning off its special meaning (if any) so that it matches only itself. When quoting is enabled, the pattern `\?` matches only the string `?`, because the question mark in the pattern acts like an ordinary character.

If you use `GLOB_NOESCAPE`, then `\` is an ordinary character.

`glob` does its work by calling the function `fnmatch` repeatedly. It handles the flag `GLOB_NOESCAPE` by turning on the `FNM_NOESCAPE` flag in calls to `fnmatch`.

Node: [More Flags for Globbing](#), Previous: [Flags for Globbing](#), Up: [Globbing](#)

## More Flags for Globbing

Beside the flags described in the last section, the GNU implementation of `glob` allows a few more flags which are also defined in the `glob.h` file. Some of the extensions implement functionality which is available in modern shell implementations.

**GLOB\_PERIOD**

The `.` character (period) is treated special. It cannot be matched by wildcards. See [Wildcard Matching](#), `FNM_PERIOD`.

**GLOB\_MAGCHAR**

The `GLOB_MAGCHAR` value is not to be given to `glob` in the `flags` parameter. Instead, `glob` sets this bit in the `gl_flags` element of the `glob_t` structure provided as the result if the pattern used for matching contains any wildcard character.

**GLOB\_ALTDIRFUNC**

Instead of the using the using the normal functions for accessing the filesystem the `glob` implementation uses the user-supplied functions specified in the structure pointed to by `pglob` parameter. For more information about the functions refer to the sections about directory handling see [Accessing Directories](#), and [Reading Attributes](#).

## GLOB\_BRACE

If this flag is given the handling of braces in the pattern is changed. It is now required that braces appear correctly grouped. I.e., for each opening brace there must be a closing one. Braces can be used recursively. So it is possible to define one brace expression in another one. It is important to note that the range of each brace expression is completely contained in the outer brace expression (if there is one).

The string between the matching braces is separated into single expressions by splitting at , (comma) characters. The commas themselves are discarded. Please note what we said above about recursive brace expressions. The commas used to separate the subexpressions must be at the same level. Commas in brace subexpressions are not matched. They are used during expansion of the brace expression of the deeper level. The example below shows this

```
glob (" {foo/{,bar,biz},baz} ", GLOB_BRACE, NULL, &result)
```

is equivalent to the sequence

```
glob ("foo/", GLOB_BRACE, NULL, &result)
glob ("foo/bar", GLOB_BRACE|GLOB_APPEND, NULL, &result)
glob ("foo/biz", GLOB_BRACE|GLOB_APPEND, NULL, &result)
glob ("baz", GLOB_BRACE|GLOB_APPEND, NULL, &result)
```

if we leave aside error handling.

## GLOB\_NOMAGIC

If the pattern contains no wildcard constructs (it is a literal file name), return it as the sole "matching" word, even if no file exists by that name.

## GLOB\_TILDE

If this flag is used the character ~ (tilde) is handled special if it appears at the beginning of the pattern. Instead of being taken verbatim it is used to represent the home directory of a known user.

If ~ is the only character in pattern or it is followed by a / (slash), the home directory of the process owner is substituted. Using `getlogin` and `getpwnam` the information is read from the system databases. As an example take user `bart` with his home directory at `/home/bart`. For him a call like

```
glob ("~/bin/*", GLOB_TILDE, NULL, &result)
```

would return the contents of the directory `/home/bart/bin`. Instead of referring to the own home directory it is also possible to name the home directory of other users. To do so one has to

append the user name after the tilde character. So the contents of user homer's bin directory can be retrieved by

```
glob ("~homer/bin/*", GLOB_TILDE, NULL, &result)
```

If the user name is not valid or the home directory cannot be determined for some reason the pattern is left untouched and itself used as the result. I.e., if in the last example home is not available the tilde expansion yields to "`~homer/bin/*`" and `glob` is not looking for a directory named `~homer`.

This functionality is equivalent to what is available in C-shells if the `nonomatch` flag is set.

#### GLOB\_TILDE\_CHECK

If this flag is used `glob` behaves like as if `GLOB_TILDE` is given. The only difference is that if the user name is not available or the home directory cannot be determined for other reasons this leads to an error. `glob` will return `GLOB_NOMATCH` instead of using the pattern itself as the name.

This functionality is equivalent to what is available in C-shells if `nonomatch` flag is not set.

#### GLOB\_ONLYDIR

If this flag is used the globbing function takes this as a **hint** that the caller is only interested in directories matching the pattern. If the information about the type of the file is easily available non-directories will be rejected but no extra work will be done to determine the information for each file. I.e., the caller must still be able to filter directories out.

This functionality is only available with the GNU `glob` implementation. It is mainly used internally to increase the performance but might be useful for a user as well and therefore is documented here.

Calling `glob` will in most cases allocate resources which are used to represent the result of the function call. If the same object of type `glob_t` is used in multiple call to `glob` the resources are freed or reused so that no leaks appear. But this does not include the time when all `glob` calls are done.

**void `globfree` (*glob\_t* \**pglob*)** Function

The `globfree` function frees all resources allocated by previous calls to `glob` associated with the object pointed to by *pglob*. This function should be called whenever the currently used `glob_t` typed object isn't used anymore.

**void `globfree64` (*glob64\_t* \**pglob*)** Function

This function is equivalent to `globfree` but it frees records of type `glob64_t` which were allocated by `glob64`.

---

Node: Regular Expressions, Next: [Word Expansion](#), Previous: [Globbing](#), Up: [Pattern Matching](#)

## Regular Expression Matching

The GNU C library supports two interfaces for matching regular expressions. One is the standard POSIX.2 interface, and the other is what the GNU system has had for many years.

Both interfaces are declared in the header file `regex.h`. If you define `_POSIX_C_SOURCE`, then only the POSIX.2 functions, structures, and constants are declared.

- [POSIX Regexp Compilation](#): Using `regcomp` to prepare to match.
- [Flags for POSIX Regexprs](#): Syntax variations for `regcomp`.
- [Matching POSIX Regexprs](#): Using `regexexec` to match the compiled pattern that you get from `regcomp`.
- [Regexp Subexpressions](#): Finding which parts of the string were matched.
- [Subexpression Complications](#): Find points of which parts were matched.
- [Regexp Cleanup](#): Freeing storage; reporting errors.

---

Node: POSIX Regexp Compilation, Next: [Flags for POSIX Regexprs](#), Up: [Regular Expressions](#)

## POSIX Regular Expression Compilation

Before you can actually match a regular expression, you must *compile* it. This is not true compilation--it produces a special data structure, not machine instructions. But it is like ordinary compilation in that its purpose is to enable you to "execute" the pattern fast. (See [Matching POSIX Regexprs](#), for how to use the compiled regular expression for matching.)

There is a special data type for compiled regular expressions:

**regex\_t** Data Type

This type of object holds a compiled regular expression. It is actually a structure. It has just one field that your programs should look at:

`re_nsub`

This field holds the number of parenthetical subexpressions in the regular expression that was compiled.

There are several other fields, but we don't describe them here, because only the functions in the library should use them.

After you create a `regex_t` object, you can compile a regular expression into it by calling `regcomp`.

**int `regcomp`** (*regex\_t \*compiled, const char \*pattern, int cflags*) Function

The function `regcomp` "compiles" a regular expression into a data structure that you can use with `regexexec` to match against a string. The compiled regular expression format is designed for efficient matching. `regcomp` stores it into *\*compiled*.

It's up to you to allocate an object of type `regex_t` and pass its address to `regcomp`.

The argument *cflags* lets you specify various options that control the syntax and semantics of regular expressions. See [Flags for POSIX Regexp](#)s.

If you use the flag `REG_NOSUB`, then `regcomp` omits from the compiled regular expression the information necessary to record how subexpressions actually match. In this case, you might as well pass 0 for the *matchptr* and *nmatch* arguments when you call `regexexec`.

If you don't use `REG_NOSUB`, then the compiled regular expression does have the capacity to record how subexpressions match. Also, `regcomp` tells you how many subexpressions *pattern* has, by storing the number in *compiled->re\_nsub*. You can use that value to decide how long an array to allocate to hold information about subexpression matches.

`regcomp` returns 0 if it succeeds in compiling the regular expression; otherwise, it returns a nonzero error code (see the table below). You can use `regerror` to produce an error message string describing the reason for a nonzero value; see [Regexp Cleanup](#).

Here are the possible nonzero values that `regcomp` can return:

`REG_BADBR`

There was an invalid `\{ . . . \}` construct in the regular expression. A valid `\{ . . . \}` construct must contain either a single number, or two numbers in increasing order separated by a comma.

**REG\_BADPAT**

There was a syntax error in the regular expression.

**REG\_BADRPT**

A repetition operator such as `?` or `*` appeared in a bad position (with no preceding subexpression to act on).

**REG\_ECOLLATE**

The regular expression referred to an invalid collating element (one not defined in the current locale for string collation). See [Locale Categories](#).

**REG\_ECTYPE**

The regular expression referred to an invalid character class name.

**REG\_EESCAPE**

The regular expression ended with `\`.

**REG\_ESUBREG**

There was an invalid number in the `\digit` construct.

**REG\_EBRACK**

There were unbalanced square brackets in the regular expression.

**REG\_EPAREN**

An extended regular expression had unbalanced parentheses, or a basic regular expression had unbalanced `\(` and `\)`.

**REG\_EBRACE**

The regular expression had unbalanced `\{` and `\}`.

**REG\_ERANGE**

One of the endpoints in a range expression was invalid.

**REG\_ESPACE**

`regcomp` ran out of memory.

---

Node: [Flags for POSIX Regexprs](#), Next: [Matching POSIX Regexprs](#), Previous: [POSIX Regexp Compilation](#), Up: [Regular Expressions](#)

## Flags for POSIX Regular Expressions

These are the bit flags that you can use in the `cflags` operand when compiling a regular expression with `regcomp`.

**REG\_EXTENDED**

Treat the pattern as an extended regular expression, rather than as a basic regular expression.

**REG\_ICASE**

Ignore case when matching letters.

**REG\_NOSUB**

Don't bother storing the contents of the `matches_ptr` array.

**REG\_NEWLINE**

Treat a newline in *string* as dividing *string* into multiple lines, so that `$` can match before the newline and `^` can match after. Also, don't permit `.` to match a newline, and don't permit `[ ^ . . . ]` to match a newline.

Otherwise, newline acts like any other ordinary character.

---

Node: Matching POSIX Regexp, Next: [Regexp Subexpressions](#), Previous: [Flags for POSIX Regexp](#),  
Up: [Regular Expressions](#)

## Matching a Compiled POSIX Regular Expression

Once you have compiled a regular expression, as described in [POSIX Regexp Compilation](#), you can match it against strings using `regexec`. A match anywhere inside the string counts as success, unless the regular expression contains anchor characters (`^` or `$`).

`int regexec (regex_t *compiled, char *string, size_t nmatch, regmatch_t matchptr [ ], int eflags)` Function

This function tries to match the compiled regular expression *\*compiled* against *string*.

`regexec` returns 0 if the regular expression matches; otherwise, it returns a nonzero value. See the table below for what nonzero values mean. You can use `regerror` to produce an error message string describing the reason for a nonzero value; see [Regexp Cleanup](#).

The argument *eflags* is a word of bit flags that enable various options.

If you want to get information about what part of *string* actually matched the regular expression or its subexpressions, use the arguments *matchptr* and *nmatch*. Otherwise, pass 0 for *nmatch*, and `NULL` for *matchptr*. See [Regexp Subexpressions](#).

You must match the regular expression with the same set of current locales that were in effect when you compiled the regular expression.

The function `regexec` accepts the following flags in the *eflags* argument:

`REG_NOTBOL`

Do not regard the beginning of the specified string as the beginning of a line; more generally, don't make any assumptions about what text might precede it.

`REG_NOTEOL`

Do not regard the end of the specified string as the end of a line; more generally, don't make any

assumptions about what text might follow it.

Here are the possible nonzero values that `regexec` can return:

`REG_NOMATCH`

The pattern didn't match the string. This isn't really an error.

`REG_ESPACE`

`regexec` ran out of memory.

Node: [Regexp Subexpressions](#), Next: [Subexpression Complications](#), Previous: [Matching POSIX Regexprs](#), Up: [Regular Expressions](#)

## Match Results with Subexpressions

When `regexec` matches parenthetical subexpressions of *pattern*, it records which parts of *string* they match. It returns that information by storing the offsets into an array whose elements are structures of type `regmatch_t`. The first element of the array (index 0) records the part of the string that matched the entire regular expression. Each other element of the array records the beginning and end of the part that matched a single parenthetical subexpression.

### `regmatch_t`

Data Type

This is the data type of the *matcharray* array that you pass to `regexec`. It contains two structure fields, as follows:

`rm_so`

The offset in *string* of the beginning of a substring. Add this value to *string* to get the address of that part.

`rm_eo`

The offset in *string* of the end of the substring.

### `regoff_t`

Data Type

`regoff_t` is an alias for another signed integer type. The fields of `regmatch_t` have type `regoff_t`.

The `regmatch_t` elements correspond to subexpressions positionally; the first element (index 1) records where the first subexpression matched, the second element records the second subexpression, and so on. The order of the subexpressions is the order in which they begin.



When you call `regex`, you specify how long the `matchptr` array is, with the `nmatch` argument. This tells `regex` how many elements to store. If the actual regular expression has more than `nmatch` subexpressions, then you won't get offset information about the rest of them. But this doesn't alter whether the pattern matches a particular string or not.

If you don't want `regex` to return any information about where the subexpressions matched, you can either supply 0 for `nmatch`, or use the flag `REG_NOSUB` when you compile the pattern with `regcomp`.

---

Node: Subexpression Complications, Next: [Regexp Cleanup](#), Previous: [Regexp Subexpressions](#),  
Up: [Regular Expressions](#)

## Complications in Subexpression Matching

Sometimes a subexpression matches a substring of no characters. This happens when `f\ (o*\ )` matches the string `fum`. (It really matches just the `f`.) In this case, both of the offsets identify the point in the string where the null substring was found. In this example, the offsets are both 1.

Sometimes the entire regular expression can match without using some of its subexpressions at all--for example, when `ba\ (na\ ) *` matches the string `ba`, the parenthetical subexpression is not used. When this happens, `regex` stores `-1` in both fields of the element for that subexpression.

Sometimes matching the entire regular expression can match a particular subexpression more than once--for example, when `ba\ (na\ ) *` matches the string `banana`, the parenthetical subexpression matches three times. When this happens, `regex` usually stores the offsets of the last part of the string that matched the subexpression. In the case of `banana`, these offsets are 6 and 8.

But the last match is not always the one that is chosen. It's more accurate to say that the last *opportunity* to match is the one that takes precedence. What this means is that when one subexpression appears within another, then the results reported for the inner subexpression reflect whatever happened on the last match of the outer subexpression. For an example, consider `\ (ba\ (na\ ) *s \ ) *` matching the string `bananas bas`. The last time the inner expression actually matches is near the end of the first word. But it is *considered* again in the second word, and fails to match there. `regex` reports nonuse of the "na" subexpression.

Another place where this rule applies is when the regular expression

```
\(ba\(na\) *s \|nefer\(ti\) * \| ) *
```

matches `bananas nefertiti`. The "na" subexpression does match in the first word, but it doesn't match in the second word because the other alternative is used there. Once again, the second repetition

of the outer subexpression overrides the first, and within that second repetition, the "na" subexpression is not used. So `regex` reports nonuse of the "na" subexpression.

---

Node: Regexp Cleanup, Previous: [Subexpression Complications](#), Up: [Regular Expressions](#)

## POSIX Regexp Matching Cleanup

When you are finished using a compiled regular expression, you can free the storage it uses by calling `regfree`.

**void `regfree`** (*regex\_t \*compiled*) Function

Calling `regfree` frees all the storage that *\*compiled* points to. This includes various internal fields of the `regex_t` structure that aren't documented in this manual.

`regfree` does not free the object *\*compiled* itself.

You should always free the space in a `regex_t` structure with `regfree` before using the structure to compile another regular expression.

When `regcomp` or `regex` reports an error, you can use the function `regerror` to turn it into an error message string.

**size\_t `regerror`** (*int errcode, regex\_t \*compiled, char \*buffer, size\_t length*) Function

This function produces an error message string for the error code *errcode*, and stores the string in *length* bytes of memory starting at *buffer*. For the *compiled* argument, supply the same compiled regular expression structure that `regcomp` or `regex` was working with when it got the error. Alternatively, you can supply `NULL` for *compiled*; you will still get a meaningful error message, but it might not be as detailed.

If the error message can't fit in *length* bytes (including a terminating null character), then `regerror` truncates it. The string that `regerror` stores is always null-terminated even if it has been truncated.

The return value of `regerror` is the minimum length needed to store the entire error message. If this is less than *length*, then the error message was not truncated, and you can use it. Otherwise, you should call `regerror` again with a larger buffer.

Here is a function which uses `regerror`, but always dynamically allocates a buffer for the error message:

```

char *get_regerror (int errcode, regex_t *compiled)
{
    size_t length = regerror (errcode, compiled, NULL, 0);
    char *buffer = xmalloc (length);
    (void) regerror (errcode, compiled, buffer, length);
    return buffer;
}

```

---

Node: Word Expansion, Previous: [Regular Expressions](#), Up: [Pattern Matching](#)

## Shell-Style Word Expansion

*Word expansion* means the process of splitting a string into *words* and substituting for variables, commands, and wildcards just as the shell does.

For example, when you write `ls -l foo.c`, this string is split into three separate words--`ls`, `-l` and `foo.c`. This is the most basic function of word expansion.

When you write `ls *.c`, this can become many words, because the word `*.c` can be replaced with any number of file names. This is called *wildcard expansion*, and it is also a part of word expansion.

When you use `echo $PATH` to print your path, you are taking advantage of *variable substitution*, which is also part of word expansion.

Ordinary programs can perform word expansion just like the shell by calling the library function `wordexp`.

- [Expansion Stages](#): What word expansion does to a string.
- [Calling Wordexp](#): How to call `wordexp`.
- [Flags for Wordexp](#): Options you can enable in `wordexp`.
- [Wordexp Example](#): A sample program that does word expansion.
- [Tilde Expansion](#): Details of how tilde expansion works.
- [Variable Substitution](#): Different types of variable substitution.

---

Node: Expansion Stages, Next: [Calling Wordexp](#), Up: [Word Expansion](#)

## The Stages of Word Expansion

When word expansion is applied to a sequence of words, it performs the following transformations in the order shown here:

1. *Tilde expansion*: Replacement of `~foo` with the name of the home directory of `foo`.
2. Next, three different transformations are applied in the same step, from left to right:
  - *Variable substitution*: Environment variables are substituted for references such as `$foo`.
  - *Command substitution*: Constructs such as ``cat foo`` and the equivalent `$(cat foo)` are replaced with the output from the inner command.
  - *Arithmetic expansion*: Constructs such as `$(($x-1))` are replaced with the result of the arithmetic computation.
3. *Field splitting*: subdivision of the text into *words*.
4. *Wildcard expansion*: The replacement of a construct such as `*.c` with a list of `.c` file names. Wildcard expansion applies to an entire word at a time, and replaces that word with 0 or more file names that are themselves words.
5. *Quote removal*: The deletion of string-quotes, now that they have done their job by inhibiting the above transformations when appropriate.

For the details of these transformations, and how to write the constructs that use them, see *The BASH Manual* (to appear).

---

Node: Calling Wordexp, Next: [Flags for Wordexp](#), Previous: [Expansion Stages](#), Up: [Word Expansion](#)

## Calling wordexp

All the functions, constants and data types for word expansion are declared in the header file `wordexp.h`.

Word expansion produces a vector of words (strings). To return this vector, `wordexp` uses a special data type, `wordexp_t`, which is a structure. You pass `wordexp` the address of the structure, and it fills in the structure's fields to tell you about the results.

**wordexp\_t**

Data Type

This data type holds a pointer to a word vector. More precisely, it records both the address of the word vector and its size.

`we_wordc`

The number of elements in the vector.

`we_wordv`

The address of the vector. This field has type `char **`.

`we_offs`

The offset of the first real element of the vector, from its nominal address in the `we_wordv` field. Unlike the other fields, this is always an input to `wordexp`, rather than an output from it.

If you use a nonzero offset, then that many elements at the beginning of the vector are left empty. (The `wordexp` function fills them with null pointers.)

The `we_offs` field is meaningful only if you use the `WRDE_DOOFFS` flag. Otherwise, the offset is always zero regardless of what is in this field, and the first real element comes at the beginning of the vector.

**int `wordexp`** (*const char \*words, wordexp\_t \*word-vector-ptr, int flags*) Function

Perform word expansion on the string *words*, putting the result in a newly allocated vector, and store the size and address of this vector into *\*word-vector-ptr*. The argument *flags* is a combination of bit flags; see [Flags for Wordexp](#), for details of the flags.

You shouldn't use any of the characters `| & ; < >` in the string *words* unless they are quoted; likewise for newline. If you use these characters unquoted, you will get the `WRDE_BADCHAR` error code. Don't use parentheses or braces unless they are quoted or part of a word expansion construct. If you use quotation characters `' " ``, they should come in pairs that balance.

The results of word expansion are a sequence of words. The function `wordexp` allocates a string for each resulting word, then allocates a vector of type `char **` to store the addresses of these strings. The last element of the vector is a null pointer. This vector is called the *word vector*.

To return this vector, `wordexp` stores both its address and its length (number of elements, not counting the terminating null pointer) into *\*word-vector-ptr*.

If `wordexp` succeeds, it returns 0. Otherwise, it returns one of these error codes:

`WRDE_BADCHAR`

The input string *words* contains an unquoted invalid character such as `|`.

**WRDE\_BADVAL**

The input string refers to an undefined shell variable, and you used the flag `WRDE_UNDEF` to forbid such references.

**WRDE\_CMDSUB**

The input string uses command substitution, and you used the flag `WRDE_NOCMD` to forbid command substitution.

**WRDE\_NOSPACE**

It was impossible to allocate memory to hold the result. In this case, `wordexp` can store part of the results--as much as it could allocate room for.

**WRDE\_SYNTAX**

There was a syntax error in the input string. For example, an unmatched quoting character is a syntax error.

void **wordfree** (*wordexp\_t \*word-vector-ptr*) Function

Free the storage used for the word-strings and vector that *\*word-vector-ptr* points to. This does not free the structure *\*word-vector-ptr* itself--only the other data it points to.

---

Node: [Flags for Wordexp](#), Next: [Wordexp Example](#), Previous: [Calling Wordexp](#), Up: [Word Expansion](#)

## Flags for Word Expansion

This section describes the flags that you can specify in the *flags* argument to `wordexp`. Choose the flags you want, and combine them with the C operator `|`.

**WRDE\_APPEND**

Append the words from this expansion to the vector of words produced by previous calls to `wordexp`. This way you can effectively expand several words as if they were concatenated with spaces between them.

In order for appending to work, you must not modify the contents of the word vector structure between calls to `wordexp`. And, if you set `WRDE_DOOFFS` in the first call to `wordexp`, you must also set it when you append to the results.

**WRDE\_DOOFFS**

Leave blank slots at the beginning of the vector of words. The `we_offs` field says how many slots to leave. The blank slots contain null pointers.

**WRDE\_NOCMD**

Don't do command substitution; if the input requests command substitution, report an error.

**WRDE\_REUSE**

Reuse a word vector made by a previous call to `wordexp`. Instead of allocating a new vector of words, this call to `wordexp` will use the vector that already exists (making it larger if necessary).

Note that the vector may move, so it is not safe to save an old pointer and use it again after calling `wordexp`. You must fetch `we_pathv` anew after each call.

#### WRDE\_SHOWERR

Do show any error messages printed by commands run by command substitution. More precisely, allow these commands to inherit the standard error output stream of the current process. By default, `wordexp` gives these commands a standard error stream that discards all output.

#### WRDE\_UNDEF

If the input refers to a shell variable that is not defined, report an error.

---

Node: [Wordexp Example](#), Next: [Tilde Expansion](#), Previous: [Flags for Wordexp](#), Up: [Word Expansion](#)

## wordexp Example

Here is an example of using `wordexp` to expand several strings and use the results to run a shell command. It also shows the use of `WRDE_APPEND` to concatenate the expansions and of `wordfree` to free the space allocated by `wordexp`.

```
int
expand_and_execute (const char *program, const char **options)
{
    wordexp_t result;
    pid_t pid;
    int status, i;

    /* Expand the string for the program to run.  */
    switch (wordexp (program, &result, 0))
    {
        case 0:
            /* Successful.  */
            break;
        case WRDE_NOSPACE:
            /* If the error was WRDE_NOSPACE,
             then perhaps part of the result was allocated.  */
            wordfree (&result);
        default:
            /* Some other error.  */
            return -1;
    }

    /* Expand the strings specified for the arguments.  */
    for (i = 0; options[i] != NULL; i++)
```

```

    {
        if (wordexp (options[i], &result, WRDE_APPEND))
            {
                wordfree (&result);
                return -1;
            }
    }

pid = fork ();
if (pid == 0)
    {
        /* This is the child process.  Execute the command.  */
        execv (result.we_wordv[0], result.we_wordv);
        exit (EXIT_FAILURE);
    }
else if (pid < 0)
    /* The fork failed.  Report failure.  */
    status = -1;
else
    /* This is the parent process.  Wait for the child to complete.  */
    if (waitpid (pid, &status, 0) != pid)
        status = -1;

wordfree (&result);
return status;
}

```

---

Node: Tilde Expansion, Next: [Variable Substitution](#), Previous: [Wordexp Example](#), Up: [Word Expansion](#)

## Details of Tilde Expansion

It's a standard part of shell syntax that you can use `~` at the beginning of a file name to stand for your own home directory. You can use `~user` to stand for *user's* home directory.

*Tilde expansion* is the process of converting these abbreviations to the directory names that they stand for.

Tilde expansion applies to the `~` plus all following characters up to whitespace or a slash. It takes place only at the beginning of a word, and only if none of the characters to be transformed is quoted in any way.

Plain `~` uses the value of the environment variable `HOME` as the proper home directory name. `~` followed by a user name uses `getpwnam` to look up that user in the user database, and uses whatever directory is recorded there. Thus, `~` followed by your own name can give different results from plain `~`, if the



value of `HOME` is not really your home directory.

---

Node: Variable Substitution, Previous: [Tilde Expansion](#), Up: [Word Expansion](#)

## Details of Variable Substitution

Part of ordinary shell syntax is the use of `$variable` to substitute the value of a shell variable into a command. This is called *variable substitution*, and it is one part of doing word expansion.

There are two basic ways you can write a variable reference for substitution:

`${variable}`

If you write braces around the variable name, then it is completely unambiguous where the variable name ends. You can concatenate additional letters onto the end of the variable value by writing them immediately after the close brace. For example, `${foo}s` expands into `tractors`.

`$variable`

If you do not put braces around the variable name, then the variable name consists of all the alphanumeric characters and underscores that follow the `$`. The next punctuation character ends the variable name. Thus, `$foo-bar` refers to the variable `foo` and expands into `tractor-bar`.

When you use braces, you can also use various constructs to modify the value that is substituted, or test it in various ways.

`${variable:-default}`

Substitute the value of *variable*, but if that is empty or undefined, use *default* instead.

`${variable:=default}`

Substitute the value of *variable*, but if that is empty or undefined, use *default* instead and set the variable to *default*.

`${variable:?message}`

If *variable* is defined and not empty, substitute its value.

Otherwise, print *message* as an error message on the standard error stream, and consider word expansion a failure.

`${variable:+replacement}`

Substitute *replacement*, but only if *variable* is defined and nonempty. Otherwise, substitute nothing for this construct.

`${#variable}`

Substitute a numeral which expresses in base ten the number of characters in the value of *variable*.  $\${\#\text{foo}}$  stands for 7, because `tractor` is seven characters.

These variants of variable substitution let you remove part of the variable's value before substituting it. The *prefix* and *suffix* are not mere strings; they are wildcard patterns, just like the patterns that you use to match multiple file names. But in this context, they match against parts of the variable value rather than against file names.

$\{variable\%suffix\}$

Substitute the value of *variable*, but first discard from that variable any portion at the end that matches the pattern *suffix*.

If there is more than one alternative for how to match against *suffix*, this construct uses the longest possible match.

Thus,  $\{foo\%r^*\}$  substitutes `t`, because the largest match for *r\** at the end of `tractor` is `ractor`.

$\{variable\%suffix\}$

Substitute the value of *variable*, but first discard from that variable any portion at the end that matches the pattern *suffix*.

If there is more than one alternative for how to match against *suffix*, this construct uses the shortest possible alternative.

Thus,  $\{foo\%r^*\}$  substitutes `tracto`, because the shortest match for *r\** at the end of `tractor` is just `r`.

$\{variable##prefix\}$

Substitute the value of *variable*, but first discard from that variable any portion at the beginning that matches the pattern *prefix*.

If there is more than one alternative for how to match against *prefix*, this construct uses the longest possible match.

Thus,  $\{foo##*t\}$  substitutes `or`, because the largest match for *\*t* at the beginning of `tractor` is `tract`.

$\{variable\#prefix\}$

Substitute the value of *variable*, but first discard from that variable any portion at the beginning that matches the pattern *prefix*.

If there is more than one alternative for how to match against *prefix*, this construct uses the shortest possible alternative.

Thus, `{foo#*t}` substitutes `tractor`, because the shortest match for `*t` at the beginning of `tractor` is just `t`.

---

Node: [I/O Overview](#), Next: [I/O on Streams](#), Previous: [Pattern Matching](#), Up: [Top](#)

## Input/Output Overview

Most programs need to do either input (reading data) or output (writing data), or most frequently both, in order to do anything useful. The GNU C library provides such a large selection of input and output functions that the hardest part is often deciding which function is most appropriate!

This chapter introduces concepts and terminology relating to input and output. Other chapters relating to the GNU I/O facilities are:

- [I/O on Streams](#), which covers the high-level functions that operate on streams, including formatted input and output.
- [Low-Level I/O](#), which covers the basic I/O and control functions on file descriptors.
- [File System Interface](#), which covers functions for operating on directories and for manipulating file attributes such as access modes and ownership.
- [Pipes and FIFOs](#), which includes information on the basic interprocess communication facilities.
- [Sockets](#), which covers a more complicated interprocess communication facility with support for networking.
- [Low-Level Terminal Interface](#), which covers functions for changing how input and output to terminals or other serial devices are processed.
- [I/O Concepts](#): Some basic information and terminology.
- [File Names](#): How to refer to a file.

---

Node: [I/O Concepts](#), Next: [File Names](#), Up: [I/O Overview](#)

## Input/Output Concepts

Before you can read or write the contents of a file, you must establish a connection or communications channel to the file. This process is called *opening* the file. You can open a file for reading, writing, or both.

The connection to an open file is represented either as a stream or as a file descriptor. You pass this as an argument to the functions that do the actual read or write operations, to tell them which file to operate on. Certain functions expect streams, and others are designed to operate on file descriptors.

When you have finished reading to or writing from the file, you can terminate the connection by *closing* the file. Once you have closed a stream or file descriptor, you cannot do any more input or output operations on it.

- [Streams and File Descriptors](#): The GNU Library provides two ways to access the contents of files.
- [File Position](#): The number of bytes from the beginning of the file.

---

Node: Streams and File Descriptors, Next: [File Position](#), Up: [I/O Concepts](#)

## Streams and File Descriptors

When you want to do input or output to a file, you have a choice of two basic mechanisms for representing the connection between your program and the file: file descriptors and streams. File descriptors are represented as objects of type `int`, while streams are represented as `FILE *` objects.

File descriptors provide a primitive, low-level interface to input and output operations. Both file descriptors and streams can represent a connection to a device (such as a terminal), or a pipe or socket for communicating with another process, as well as a normal file. But, if you want to do control operations that are specific to a particular kind of device, you must use a file descriptor; there are no facilities to use streams in this way. You must also use file descriptors if your program needs to do input or output in special modes, such as nonblocking (or polled) input (see [File Status Flags](#)).

Streams provide a higher-level interface, layered on top of the primitive file descriptor facilities. The stream interface treats all kinds of files pretty much alike--the sole exception being the three styles of buffering that you can choose (see [Stream Buffering](#)).

The main advantage of using the stream interface is that the set of functions for performing actual input and output operations (as opposed to control operations) on streams is much richer and more powerful than the corresponding facilities for file descriptors. The file descriptor interface provides only simple functions for transferring blocks of characters, but the stream interface also provides powerful formatted input and output functions (`printf` and `scanf`) as well as functions for character- and line-oriented input and output.

Since streams are implemented in terms of file descriptors, you can extract the file descriptor from a

stream and perform low-level operations directly on the file descriptor. You can also initially open a connection as a file descriptor and then make a stream associated with that file descriptor.

In general, you should stick with using streams rather than file descriptors, unless there is some specific operation you want to do that can only be done on a file descriptor. If you are a beginning programmer and aren't sure what functions to use, we suggest that you concentrate on the formatted input functions (see [Formatted Input](#)) and formatted output functions (see [Formatted Output](#)).

If you are concerned about portability of your programs to systems other than GNU, you should also be aware that file descriptors are not as portable as streams. You can expect any system running ISO C to support streams, but non-GNU systems may not support file descriptors at all, or may only implement a subset of the GNU functions that operate on file descriptors. Most of the file descriptor functions in the GNU library are included in the POSIX.1 standard, however.

---

Node: File Position, Previous: [Streams and File Descriptors](#), Up: [I/O Concepts](#)

## File Position

One of the attributes of an open file is its *file position* that keeps track of where in the file the next character is to be read or written. In the GNU system, and all POSIX.1 systems, the file position is simply an integer representing the number of bytes from the beginning of the file.

The file position is normally set to the beginning of the file when it is opened, and each time a character is read or written, the file position is incremented. In other words, access to the file is normally *sequential*.

Ordinary files permit read or write operations at any position within the file. Some other kinds of files may also permit this. Files which do permit this are sometimes referred to as *random-access* files. You can change the file position using the `fseek` function on a stream (see [File Positioning](#)) or the `lseek` function on a file descriptor (see [I/O Primitives](#)). If you try to change the file position on a file that doesn't support random access, you get the `ESPIPE` error.

Streams and descriptors that are opened for *append access* are treated specially for output: output to such files is *always* appended sequentially to the *end* of the file, regardless of the file position. However, the file position is still used to control where in the file reading is done.

If you think about it, you'll realize that several programs can read a given file at the same time. In order for each program to be able to read the file at its own pace, each program must have its own file pointer, which is not affected by anything the other programs do.

In fact, each opening of a file creates a separate file position. Thus, if you open a file twice even in the same program, you get two streams or descriptors with independent file positions.

By contrast, if you open a descriptor and then duplicate it to get another descriptor, these two descriptors share the same file position: changing the file position of one descriptor will affect the other.

---

Node: File Names, Previous: [I/O Concepts](#), Up: [I/O Overview](#)

## File Names

In order to open a connection to a file, or to perform other operations such as deleting a file, you need some way to refer to the file. Nearly all files have names that are strings--even files which are actually devices such as tape drives or terminals. These strings are called *file names*. You specify the file name to say which file you want to open or operate on.

This section describes the conventions for file names and how the operating system works with them.

- [Directories](#): Directories contain entries for files.
- [File Name Resolution](#): A file name specifies how to look up a file.
- [File Name Errors](#): Error conditions relating to file names.
- [File Name Portability](#): File name portability and syntax issues.

---

Node: Directories, Next: [File Name Resolution](#), Up: [File Names](#)

## Directories

In order to understand the syntax of file names, you need to understand how the file system is organized into a hierarchy of directories.

A *directory* is a file that contains information to associate other files with names; these associations are called *links* or *directory entries*. Sometimes, people speak of "files in a directory", but in reality, a directory only contains pointers to files, not the files themselves.

The name of a file contained in a directory entry is called a *file name component*. In general, a file name consists of a sequence of one or more such components, separated by the slash character (/). A file name which is just one component names a file with respect to its directory. A file name with multiple components names a directory, and then a file in that directory, and so on.

Some other documents, such as the POSIX standard, use the term *pathname* for what we call a file

name, and either *filename* or *pathname component* for what this manual calls a file name component. We don't use this terminology because a "path" is something completely different (a list of directories to search), and we think that "pathname" used for something else will confuse users. We always use "file name" and "file name component" (or sometimes just "component", where the context is obvious) in GNU documentation. Some macros use the POSIX terminology in their names, such as `PATH_MAX`. These macros are defined by the POSIX standard, so we cannot change their names.

You can find more detailed information about operations on directories in [File System Interface](#).

---

Node: File Name Resolution, Next: [File Name Errors](#), Previous: [Directories](#), Up: [File Names](#)

## File Name Resolution

A file name consists of file name components separated by slash (/) characters. On the systems that the GNU C library supports, multiple successive / characters are equivalent to a single / character.

The process of determining what file a file name refers to is called *file name resolution*. This is performed by examining the components that make up a file name in left-to-right order, and locating each successive component in the directory named by the previous component. Of course, each of the files that are referenced as directories must actually exist, be directories instead of regular files, and have the appropriate permissions to be accessible by the process; otherwise the file name resolution fails.

If a file name begins with a /, the first component in the file name is located in the *root directory* of the process (usually all processes on the system have the same root directory). Such a file name is called an *absolute file name*.

Otherwise, the first component in the file name is located in the current working directory (see [Working Directory](#)). This kind of file name is called a *relative file name*.

The file name components `.` ("dot") and `..` ("dot-dot") have special meanings. Every directory has entries for these file name components. The file name component `.` refers to the directory itself, while the file name component `..` refers to its *parent directory* (the directory that contains the link for the directory in question). As a special case, `..` in the root directory refers to the root directory itself, since it has no parent; thus `/. .` is the same as `/.`

Here are some examples of file names:

```
/a
    The file named a, in the root directory.
/a/b
```

The file named `b`, in the directory named `a` in the root directory.

`a`

The file named `a`, in the current working directory.

`/a/./b`

This is the same as `/a/b`.

`./a`

The file named `a`, in the current working directory.

`../a`

The file named `a`, in the parent directory of the current working directory.

A file name that names a directory may optionally end in a `/`. You can specify a file name of `/` to refer to the root directory, but the empty string is not a meaningful file name. If you want to refer to the current working directory, use a file name of `.` or `./`.

Unlike some other operating systems, the GNU system doesn't have any built-in support for file types (or extensions) or file versions as part of its file name syntax. Many programs and utilities use conventions for file names--for example, files containing C source code usually have names suffixed with `.c`--but there is nothing in the file system itself that enforces this kind of convention.

---

Node: File Name Errors, Next: [File Name Portability](#), Previous: [File Name Resolution](#), Up: [File Names](#)

## File Name Errors

Functions that accept file name arguments usually detect these `errno` error conditions relating to the file name syntax or trouble finding the named file. These errors are referred to throughout this manual as the *usual file name errors*.

### EACCES

The process does not have search permission for a directory component of the file name.

### ENAMETOOLONG

This error is used when either the total length of a file name is greater than `PATH_MAX`, or when an individual file name component has a length greater than `NAME_MAX`. See [Limits for Files](#).

In the GNU system, there is no imposed limit on overall file name length, but some file systems may place limits on the length of a component.

### ENOENT

This error is reported when a file referenced as a directory component in the file name doesn't exist, or when a component is a symbolic link whose target file does not exist. See [Symbolic Links](#).



## ENOTDIR

A file that is referenced as a directory component in the file name exists, but it isn't a directory.

## ELOOP

Too many symbolic links were resolved while trying to look up the file name. The system has an arbitrary limit on the number of symbolic links that may be resolved in looking up a single file name, as a primitive way to detect loops. See [Symbolic Links](#).

---

Node: File Name Portability, Previous: [File Name Errors](#), Up: [File Names](#)

## Portability of File Names

The rules for the syntax of file names discussed in [File Names](#), are the rules normally used by the GNU system and by other POSIX systems. However, other operating systems may use other conventions.

There are two reasons why it can be important for you to be aware of file name portability issues:

- If your program makes assumptions about file name syntax, or contains embedded literal file name strings, it is more difficult to get it to run under other operating systems that use different syntax conventions.
- Even if you are not concerned about running your program on machines that run other operating systems, it may still be possible to access files that use different naming conventions. For example, you may be able to access file systems on another computer running a different operating system over a network, or read and write disks in formats used by other operating systems.

The ISO C standard says very little about file name syntax, only that file names are strings. In addition to varying restrictions on the length of file names and what characters can validly appear in a file name, different operating systems use different conventions and syntax for concepts such as structured directories and file types or extensions. Some concepts such as file versions might be supported in some operating systems and not by others.

The POSIX.1 standard allows implementations to put additional restrictions on file name syntax, concerning what characters are permitted in file names and on the length of file name and file name component strings. However, in the GNU system, you do not need to worry about these restrictions; any character except the null character is permitted in a file name string, and there are no limits on the length of file name strings.

---

Node: I/O on Streams, Next: [Low-Level I/O](#), Previous: [I/O Overview](#), Up: [Top](#)

# Input/Output on Streams

This chapter describes the functions for creating streams and performing input and output operations on them. As discussed in [I/O Overview](#), a stream is a fairly abstract, high-level concept representing a communications channel to a file, device, or process.

- [Streams](#): About the data type representing a stream.
- [Standard Streams](#): Streams to the standard input and output devices are created for you.
- [Opening Streams](#): How to create a stream to talk to a file.
- [Closing Streams](#): Close a stream when you are finished with it.
- [Streams and Threads](#): Issues with streams in threaded programs.
- [Streams and I18N](#): Streams in internationalized applications.
- [Simple Output](#): Unformatted output by characters and lines.
- [Character Input](#): Unformatted input by characters and words.
- [Line Input](#): Reading a line or a record from a stream.
- [Unreading](#): Peeking ahead/pushing back input just read.
- [Block Input/Output](#): Input and output operations on blocks of data.
- [Formatted Output](#): `printf` and related functions.
- [Customizing Printf](#): You can define new conversion specifiers for `printf` and friends.
- [Formatted Input](#): `scanf` and related functions.
- [EOF and Errors](#): How you can tell if an I/O error happens.
- [Error Recovery](#): What you can do about errors.
- [Binary Streams](#): Some systems distinguish between text files and binary files.
- [File Positioning](#): About random-access streams.
- [Portable Positioning](#): Random access on peculiar ISO C systems.
- [Stream Buffering](#): How to control buffering of streams.
- [Other Kinds of Streams](#): Streams that do not necessarily correspond to an open file.
- [Formatted Messages](#): Print strictly formatted messages.

---

Node: Streams, Next: [Standard Streams](#), Up: [I/O on Streams](#)

## Streams

For historical reasons, the type of the C data structure that represents a stream is called `FILE` rather than "stream". Since most of the library functions deal with objects of type `FILE *`, sometimes the term *file pointer* is also used to mean "stream". This leads to unfortunate confusion over terminology in many books on C. This manual, however, is careful to use the terms "file" and "stream" only in the technical sense.

The `FILE` type is declared in the header file `stdio.h`.

## **FILE**

Data Type

This is the data type used to represent stream objects. A `FILE` object holds all of the internal state information about the connection to the associated file, including such things as the file position indicator and buffering information. Each stream also has error and end-of-file status indicators that can be tested with the `ferror` and `feof` functions; see [EOF and Errors](#).

`FILE` objects are allocated and managed internally by the input/output library functions. Don't try to create your own objects of type `FILE`; let the library do it. Your programs should deal only with pointers to these objects (that is, `FILE *` values) rather than the objects themselves.

---

Node: Standard Streams, Next: [Opening Streams](#), Previous: [Streams](#), Up: [I/O on Streams](#)

## **Standard Streams**

When the `main` function of your program is invoked, it already has three predefined streams open and available for use. These represent the "standard" input and output channels that have been established for the process.

These streams are declared in the header file `stdio.h`.

### **FILE \* `stdin`**

Variable

The *standard input* stream, which is the normal source of input for the program.

### **FILE \* `stdout`**

Variable

The *standard output* stream, which is used for normal output from the program.

### **FILE \* `stderr`**

Variable

The *standard error* stream, which is used for error messages and diagnostics issued by the program.

In the GNU system, you can specify what files or processes correspond to these streams using the pipe and redirection facilities provided by the shell. (The primitives shells use to implement these facilities are described in [File System Interface](#).) Most other operating systems provide similar mechanisms, but the details of how to use them can vary.

In the GNU C library, `stdin`, `stdout`, and `stderr` are normal variables which you can set just like any others. For example, to redirect the standard output to a file, you could do:

```
fclose (stdout);
stdout = fopen ("standard-output-file", "w");
```

Note however, that in other systems `stdin`, `stdout`, and `stderr` are macros that you cannot assign to in the normal way. But you can use `freopen` to get the effect of closing one and reopening it. See [Opening Streams](#).

The three streams `stdin`, `stdout`, and `stderr` are not unoriented at program start (see [Streams and I18N](#)).

---

Node: [Opening Streams](#), Next: [Closing Streams](#), Previous: [Standard Streams](#), Up: [I/O on Streams](#)

## Opening Streams

Opening a file with the `fopen` function creates a new stream and establishes a connection between the stream and a file. This may involve creating a new file.

Everything described in this section is declared in the header file `stdio.h`.

FILE \* **fopen** (*const char \*filename, const char \*opentype*) Function

The `fopen` function opens a stream for I/O to the file *filename*, and returns a pointer to the stream.

The *opentype* argument is a string that controls how the file is opened and specifies attributes of the resulting stream. It must begin with one of the following sequences of characters:

r

Open an existing file for reading only.

w

Open the file for writing only. If the file already exists, it is truncated to zero length. Otherwise a new file is created.

a

Open a file for append access; that is, writing at the end of file only. If the file already exists, its initial contents are unchanged and output to the stream is appended to the end of the file. Otherwise, a new, empty file is created.

r+

Open an existing file for both reading and writing. The initial contents of the file are unchanged and the initial file position is at the beginning of the file.

w+

Open a file for both reading and writing. If the file already exists, it is truncated to zero length. Otherwise, a new file is created.

a+

Open or create file for both reading and appending. If the file exists, its initial contents are unchanged. Otherwise, a new file is created. The initial file position for reading is at the beginning of the file, but output is always appended to the end of the file.

As you can see, + requests a stream that can do both input and output. The ISO standard says that when using such a stream, you must call `fflush` (see [Stream Buffering](#)) or a file positioning function such as `fseek` (see [File Positioning](#)) when switching from reading to writing or vice versa. Otherwise, internal buffers might not be emptied properly. The GNU C library does not have this limitation; you can do arbitrary reading and writing operations on a stream in whatever order.

Additional characters may appear after these to specify flags for the call. Always put the mode (`r`, `w+`, etc.) first; that is the only part you are guaranteed will be understood by all systems.

The GNU C library defines one additional character for use in *opentype*: the character `x` insists on creating a new file--if a file *filename* already exists, `fopen` fails rather than opening it. If you use `x` you are guaranteed that you will not clobber an existing file. This is equivalent to the `O_EXCL` option to the `open` function (see [Opening and Closing Files](#)).

The character `b` in *opentype* has a standard meaning; it requests a binary stream rather than a text stream. But this makes no difference in POSIX systems (including the GNU system). If both + and `b` are specified, they can appear in either order. See [Binary Streams](#).

If the *opentype* string contains the sequence `,ccs=STRING` then *STRING* is taken as the name of a coded character set and `fopen` will mark the stream as wide-oriented which appropriate conversion functions in place to convert from and to the character set *STRING* is place. Any other stream is opened initially unoriented and the orientation is decided with the first file operation. If the first operation is a wide character operation, the stream is not only marked as wide-oriented, also the conversion functions to convert to the coded character set used for the current locale are loaded. This will not change anymore from this point on even if the locale selected for the `LC_CTYPE` category is changed.

Any other characters in *opentype* are simply ignored. They may be meaningful in other systems.

If the `open` fails, `fopen` returns a null pointer.

When the sources are compiling with `_FILE_OFFSET_BITS == 64` on a 32 bit machine this function is in fact `fopen64` since the LFS interface replaces transparently the old interface.

You can have multiple streams (or file descriptors) pointing to the same file open at the same time. If you do only input, this works straightforwardly, but you must be careful if any output streams are included. See [Stream/Descriptor Precautions](#). This is equally true whether the streams are in one program (not usual) or in several programs (which can easily happen). It may be advantageous to use the file locking facilities to avoid simultaneous access. See [File Locks](#).

**FILE \* fopen64** (*const char \*filename, const char \*opentype*) Function

This function is similar to `fopen` but the stream it returns a pointer for is opened using `open64`. Therefore this stream can be used even on files larger than  $2^{31}$  bytes on 32 bit machines.

Please note that the return type is still `FILE *`. There is no special `FILE` type for the LFS interface.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is available under the name `fopen` and so transparently replaces the old interface.

**int FOPEN\_MAX** Macro

The value of this macro is an integer constant expression that represents the minimum number of streams that the implementation guarantees can be open simultaneously. You might be able to open more than this many streams, but that is not guaranteed. The value of this constant is at least eight, which includes the three standard streams `stdin`, `stdout`, and `stderr`. In POSIX.1 systems this value is determined by the `OPEN_MAX` parameter; see [General Limits](#). In BSD and GNU, it is controlled by the `RLIMIT_NOFILE` resource limit; see [Limits on Resources](#).

**FILE \* freopen** (*const char \*filename, const char \*opentype, FILE \*stream*) Function

This function is like a combination of `fclose` and `fopen`. It first closes the stream referred to by *stream*, ignoring any errors that are detected in the process. (Because errors are ignored, you should not use `freopen` on an output stream if you have actually done any output using the stream.) Then the file named by *filename* is opened with mode *opentype* as for `fopen`, and associated with the same stream object *stream*.

If the operation fails, a null pointer is returned; otherwise, `freopen` returns *stream*.

`freopen` has traditionally been used to connect a standard stream such as `stdin` with a file of your own choice. This is useful in programs in which use of a standard stream for certain purposes is hard-coded. In the GNU C library, you can simply close the standard streams and open new

ones with `fopen`. But other systems lack this ability, so using `freopen` is more portable.

When the sources are compiling with `_FILE_OFFSET_BITS == 64` on a 32 bit machine this function is in fact `freopen64` since the LFS interface replaces transparently the old interface.

**FILE \* `freopen64`** (*const char \*filename, const char \*opentype, FILE \*stream*) Function

This function is similar to `freopen`. The only difference is that on 32 bit machine the stream returned is able to read beyond the  $2^{31}$  bytes limits imposed by the normal interface. It should be noted that the stream pointed to by *stream* need not be opened using `fopen64` or `freopen64` since its mode is not important for this function.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is available under the name `freopen` and so transparently replaces the old interface.

In some situations it is useful to know whether a given stream is available for reading or writing. This information is normally not available and would have to be remembered separately. Solaris introduced a few functions to get this information from the stream descriptor and these functions are also available in the GNU C library.

**int `__freadable`** (*FILE \*stream*) Function

The `__freadable` function determines whether the stream *stream* was opened to allow reading. In this case the return value is nonzero. For write-only streams the function returns zero.

This function is declared in `stdio_ext.h`.

**int `__fwritable`** (*FILE \*stream*) Function

The `__fwritable` function determines whether the stream *stream* was opened to allow writing. In this case the return value is nonzero. For read-only streams the function returns zero.

This function is declared in `stdio_ext.h`.

For slightly different kind of problems there are two more functions. They provide even finer-grained information.

**int `__freading`** (*FILE \*stream*) Function

The `__freading` function determines whether the stream *stream* was last read from or whether it is opened read-only. In this case the return value is nonzero, otherwise it is zero. Determining whether a stream opened for reading and writing was last used for writing allows to draw conclusions about the content about the buffer, among other things.

This function is declared in `stdio_ext.h`.

`int __fwriting (FILE *stream)` Function

The `__fwriting` function determines whether the stream *stream* was last written to or whether it is opened write-only. In this case the return value is nonzero, otherwise it is zero.

This function is declared in `stdio_ext.h`.

Node: Closing Streams, Next: [Streams and Threads](#), Previous: [Opening Streams](#), Up: [I/O on Streams](#)

## Closing Streams

When a stream is closed with `fclose`, the connection between the stream and the file is canceled. After you have closed a stream, you cannot perform any additional operations on it.

`int fclose (FILE *stream)` Function

This function causes *stream* to be closed and the connection to the corresponding file to be broken. Any buffered output is written and any buffered input is discarded. The `fclose` function returns a value of 0 if the file was closed successfully, and EOF if an error was detected.

It is important to check for errors when you call `fclose` to close an output stream, because real, everyday errors can be detected at this time. For example, when `fclose` writes the remaining buffered output, it might get an error because the disk is full. Even if you know the buffer is empty, errors can still occur when closing a file if you are using NFS.

The function `fclose` is declared in `stdio.h`.

To close all streams currently available the GNU C Library provides another function.

`int fcloseall (void)` Function



This function causes all open streams of the process to be closed and the connection to corresponding files to be broken. All buffered data is written and any buffered input is discarded. The `fcloseall` function returns a value of 0 if all the files were closed successfully, and `EOF` if an error was detected.

This function should be used only in special situations, e.g., when an error occurred and the program must be aborted. Normally each single stream should be closed separately so that problems with individual streams can be identified. It is also problematic since the standard streams (see [Standard Streams](#)) will also be closed.

The function `fcloseall` is declared in `stdio.h`.

If the `main` function to your program returns, or if you call the `exit` function (see [Normal Termination](#)), all open streams are automatically closed properly. If your program terminates in any other manner, such as by calling the `abort` function (see [Aborting a Program](#)) or from a fatal signal (see [Signal Handling](#)), open streams might not be closed properly. Buffered output might not be flushed and files may be incomplete. For more information on buffering of streams, see [Stream Buffering](#).

---

Node: Streams and Threads, Next: [Streams and I18N](#), Previous: [Closing Streams](#), Up: [I/O on Streams](#)

## Streams and Threads

Streams can be used in multi-threaded applications in the same way they are used in single-threaded applications. But the programmer must be aware of a the possible complications. It is important to know about these also if the program one writes never use threads since the design and implementation of many stream functions is heavily influenced by the requirements added by multi-threaded programming.

The POSIX standard requires that by default the stream operations are atomic. I.e., issuing two stream operations for the same stream in two threads at the same time will cause the operations to be executed as if they were issued sequentially. The buffer operations performed while reading or writing are protected from other uses of the same stream. To do this each stream has an internal lock object which has to be (implicitly) acquired before any work can be done.

But there are situations where this is not enough and there are also situations where this is not wanted. The implicit locking is not enough if the program requires more than one stream function call to happen atomically. One example would be if an output line a program wants to generate is created by several function calls. The functions by themselves would ensure only atomicity of their own operation, but not atomicity over all the function calls. For this it is necessary to perform the stream locking in the application code.

void **flockfile** (*FILE \*stream*)

Function

The `flockfile` function acquires the internal locking object associated with the stream *stream*. This ensures that no other thread can explicitly through `flockfile`/`ftrylockfile` or implicit through a call of a stream function lock the stream. The thread will block until the lock is acquired. An explicit call to `funlockfile` has to be used to release the lock.

int **ftrylockfile** (*FILE \*stream*)

Function

The `ftrylockfile` function tries to acquire the internal locking object associated with the stream *stream* just like `flockfile`. But unlike `flockfile` this function does not block if the lock is not available. `ftrylockfile` returns zero if the lock was successfully acquired. Otherwise the stream is locked by another thread.

void **funlockfile** (*FILE \*stream*)

Function

The `funlockfile` function releases the internal locking object of the stream *stream*. The stream must have been locked before by a call to `flockfile` or a successful call of `ftrylockfile`. The implicit locking performed by the stream operations do not count. The `funlockfile` function does not return an error status and the behavior of a call for a stream which is not locked by the current thread is undefined.

The following example shows how the functions above can be used to generate an output line atomically even in multi-threaded applications (yes, the same job could be done with one `fprintf` call but it is sometimes not possible):

```
FILE *fp;
{
    ...
    flockfile (fp);
    fputs ("This is test number ", fp);
    fprintf (fp, "%d\n", test);
    funlockfile (fp)
}
```

Without the explicit locking it would be possible for another thread to use the stream *fp* after the `fputs` call return and before `fprintf` was called with the result that the number does not follow the word number.

From this description it might already be clear that the locking objects in streams are no simple mutexes. Since locking the same stream twice in the same thread is allowed the locking objects must be equivalent to recursive mutexes. These mutexes keep track of the owner and the number of times the lock is acquired. The same number of `funlockfile` calls by the same threads is necessary to unlock the stream completely. For instance:

```

void
foo (FILE *fp)
{
    ftrylockfile (fp);
    fputs ("in foo\n", fp);
    /* This is very wrong!!! */
    funlockfile (fp);
}

```

It is important here that the `funlockfile` function is only called if the `ftrylockfile` function succeeded in locking the stream. It is therefore always wrong to ignore the result of `ftrylockfile`. And it makes no sense since otherwise one would use `flockfile`. The result of code like that above is that either `funlockfile` tries to free a stream that hasn't been locked by the current thread or it frees the stream prematurely. The code should look like this:

```

void
foo (FILE *fp)
{
    if (ftrylockfile (fp) == 0)
    {
        fputs ("in foo\n", fp);
        funlockfile (fp);
    }
}

```

Now that we covered why it is necessary to have these locking it is necessary to talk about situations when locking is unwanted and what can be done. The locking operations (explicit or implicit) don't come for free. Even if a lock is not taken the cost is not zero. The operations which have to be performed require memory operations that are safe in multi-processor environments. With the many local caches involved in such systems this is quite costly. So it is best to avoid the locking completely if it is not needed - because the code in question is never used in a context where two or more threads may use a stream at a time. This can be determined most of the time for application code; for library code which can be used in many contexts one should default to be conservative and use locking.

There are two basic mechanisms to avoid locking. The first is to use the `_unlocked` variants of the stream operations. The POSIX standard defines quite a few of those and the GNU library adds a few more. These variants of the functions behave just like the functions with the name without the suffix except that they do not lock the stream. Using these functions is very desirable since they are potentially much faster. This is not only because the locking operation itself is avoided. More importantly, functions like `putc` and `getc` are very simple and traditionally (before the introduction of threads) were implemented as macros which are very fast if the buffer is not empty. With the addition of locking requirements these functions are no longer implemented as macros since they would expand to

too much code. But these macros are still available with the same functionality under the new names `putc_unlocked` and `getc_unlocked`. This possibly huge difference of speed also suggests the use of the `_unlocked` functions even if locking is required. The difference is that the locking then has to be performed in the program:

```
void
foo (FILE *fp, char *buf)
{
    flockfile (fp);
    while (*buf != '/')
        putc_unlocked (*buf++, fp);
    funlockfile (fp);
}
```

If in this example the `putc` function would be used and the explicit locking would be missing the `putc` function would have to acquire the lock in every call, potentially many times depending on when the loop terminates. Writing it the way illustrated above allows the `putc_unlocked` macro to be used which means no locking and direct manipulation of the buffer of the stream.

A second way to avoid locking is by using a non-standard function which was introduced in Solaris and is available in the GNU C library as well.

`int __fsetlocking (FILE *stream, int type)`

Function

The `__fsetlocking` function can be used to select whether the stream operations will implicitly acquire the locking object of the stream *stream*. By default this is done but it can be disabled and reinstated using this function. There are three values defined for the *type* parameter.

`FSETLOCKING_INTERNAL`

The stream *stream* will from now on use the default internal locking. Every stream operation with exception of the `_unlocked` variants will implicitly lock the stream.

`FSETLOCKING_BYCALLER`

After the `__fsetlocking` function returns the user is responsible for locking the stream. None of the stream operations will implicitly do this anymore until the state is set back to `FSETLOCKING_INTERNAL`.

`FSETLOCKING_QUERY`

`__fsetlocking` only queries the current locking state of the stream. The return value will be `FSETLOCKING_INTERNAL` or `FSETLOCKING_BYCALLER` depending on the state.

The return value of `__fsetlocking` is either `FSETLOCKING_INTERNAL` or `FSETLOCKING_BYCALLER` depending on the state of the stream before the call.

This function and the values for the *type* parameter are declared in `stdio_ext.h`.

This function is especially useful when program code has to be used which is written without knowledge about the `_unlocked` functions (or if the programmer was too lazy to use them).

---

Node: Streams and I18N, Next: [Simple Output](#), Previous: [Streams and Threads](#), Up: [I/O on Streams](#)

## Streams in Internationalized Applications

ISO C90 introduced the new type `wchar_t` to allow handling larger character sets. What was missing was a possibility to output strings of `wchar_t` directly. One had to convert them into multibyte strings using `mbstowcs` (there was no `mbsrtowcs` yet) and then use the normal stream functions. While this is doable it is very cumbersome since performing the conversions is not trivial and greatly increases program complexity and size.

The Unix standard early on (I think in XPG4.2) introduced two additional format specifiers for the `printf` and `scanf` families of functions. Printing and reading of single wide characters was made possible using the `%C` specifier and wide character strings can be handled with `%S`. These modifiers behave just like `%c` and `%s` only that they expect the corresponding argument to have the wide character type and that the wide character and string are transformed into/from multibyte strings before being used.

This was a beginning but it is still not good enough. Not always is it desirable to use `printf` and `scanf`. The other, smaller and faster functions cannot handle wide characters. Second, it is not possible to have a format string for `printf` and `scanf` consisting of wide characters. The result is that format strings would have to be generated if they have to contain non-basic characters.

In the Amendment 1 to ISO C90 a whole new set of functions was added to solve the problem. Most of the stream functions got a counterpart which take a wide character or wide character string instead of a character or string respectively. The new functions operate on the same streams (like `stdout`). This is different from the model of the C++ runtime library where separate streams for wide and normal I/O are used.

Being able to use the same stream for wide and normal operations comes with a restriction: a stream can be used either for wide operations or for normal operations. Once it is decided there is no way back. Only a call to `freopen` or `freopen64` can reset the *orientation*. The orientation can be decided in three ways:

- If any of the normal character functions is used (this includes the `fread` and `fwrite` functions) the stream is marked as not wide oriented.

- If any of the wide character functions is used the stream is marked as wide oriented.
- The `fwide` function can be used to set the orientation either way.

It is important to never mix the use of wide and not wide operations on a stream. There are no diagnostics issued. The application behavior will simply be strange or the application will simply crash. The `fwide` function can help avoiding this.

int **fwide** (*FILE \*stream*, *int mode*)

Function

The `fwide` function can be used to set and query the state of the orientation of the stream *stream*. If the *mode* parameter has a positive value the streams get wide oriented, for negative values narrow oriented. It is not possible to overwrite previous orientations with `fwide`. I.e., if the stream *stream* was already oriented before the call nothing is done.

If *mode* is zero the current orientation state is queried and nothing is changed.

The `fwide` function returns a negative value, zero, or a positive value if the stream is narrow, not at all, or wide oriented respectively.

This function was introduced in Amendment 1 to ISO C90 and is declared in `wchar.h`.

It is generally a good idea to orient a stream as early as possible. This can prevent surprise especially for the standard streams `stdin`, `stdout`, and `stderr`. If some library function in some situations uses one of these streams and this use orients the stream in a different way the rest of the application expects it one might end up with hard to reproduce errors. Remember that no errors are signal if the streams are used incorrectly. Leaving a stream unoriented after creation is normally only necessary for library functions which create streams which can be used in different contexts.

When writing code which uses streams and which can be used in different contexts it is important to query the orientation of the stream before using it (unless the rules of the library interface demand a specific orientation). The following little, silly function illustrates this.

```
void
print_f (FILE *fp)
{
    if (fwide (fp, 0) > 0)
        /* Positive return value means wide orientation.  */
        fputwc (L'f', fp);
    else
        fputc ('f', fp);
}
```

Note that in this case the function `print_f` decides about the orientation of the stream if it was

unoriented before (will not happen if the advise above is followed).

The encoding used for the `wchar_t` values is unspecified and the user must not make any assumptions about it. For I/O of `wchar_t` values this means that it is impossible to write these values directly to the stream. This is not what follows from the ISO C locale model either. What happens instead is that the bytes read from or written to the underlying media are first converted into the internal encoding chosen by the implementation for `wchar_t`. The external encoding is determined by the `LC_CTYPE` category of the current locale or by the `ccs` part of the mode specification given to `fopen`, `fopen64`, `freopen`, or `freopen64`. How and when the conversion happens is unspecified and it happens invisible to the user.

Since a stream is created in the unoriented state it has at that point no conversion associated with it. The conversion which will be used is determined by the `LC_CTYPE` category selected at the time the stream is oriented. If the locales are changed at the runtime this might produce surprising results unless one pays attention. This is just another good reason to orient the stream explicitly as soon as possible, perhaps with a call to `fwide`.

---

Node: [Simple Output](#), Next: [Character Input](#), Previous: [Streams and I18N](#), Up: [I/O on Streams](#)

## Simple Output by Characters or Lines

This section describes functions for performing character- and line-oriented output.

These narrow streams functions are declared in the header file `stdio.h` and the wide stream functions in `wchar.h`.

**int `fputc`** (*int c, FILE \*stream*) Function

The `fputc` function converts the character *c* to type `unsigned char`, and writes it to the stream *stream*. EOF is returned if a write error occurs; otherwise the character *c* is returned.

**wint\_t `fputwc`** (*wchar\_t wc, FILE \*stream*) Function

The `fputwc` function writes the wide character *wc* to the stream *stream*. WEOF is returned if a write error occurs; otherwise the character *wc* is returned.

**int `fputc_unlocked`** (*int c, FILE \*stream*) Function

The `fputc_unlocked` function is equivalent to the `fputc` function except that it does not implicitly lock the stream.

`wint_t` **fputc\_unlocked** (*wint\_t* *wc*, *FILE* \**stream*) Function

The `fputc_unlocked` function is equivalent to the `fputc` function except that it does not implicitly lock the stream.

This function is a GNU extension.

`int` **putc** (*int* *c*, *FILE* \**stream*) Function

This is just like `fputc`, except that most systems implement it as a macro, making it faster. One consequence is that it may evaluate the *stream* argument more than once, which is an exception to the general rule for macros. `putc` is usually the best function to use for writing a single character.

`wint_t` **putwc** (*wchar\_t* *wc*, *FILE* \**stream*) Function

This is just like `fputwc`, except that it can be implemented as a macro, making it faster. One consequence is that it may evaluate the *stream* argument more than once, which is an exception to the general rule for macros. `putwc` is usually the best function to use for writing a single wide character.

`int` **putc\_unlocked** (*int* *c*, *FILE* \**stream*) Function

The `putc_unlocked` function is equivalent to the `putc` function except that it does not implicitly lock the stream.

`wint_t` **putwc\_unlocked** (*wchar\_t* *wc*, *FILE* \**stream*) Function

The `putwc_unlocked` function is equivalent to the `putwc` function except that it does not implicitly lock the stream.

This function is a GNU extension.

`int` **putchar** (*int* *c*) Function

The `putchar` function is equivalent to `putc` with `stdout` as the value of the *stream* argument.

`wint_t` **putwchar** (*wchar\_t* *wc*) Function

The `putwchar` function is equivalent to `putwc` with `stdout` as the value of the *stream* argument.

`int` **putchar\_unlocked** (*int* *c*) Function



The `putchar_unlocked` function is equivalent to the `putchar` function except that it does not implicitly lock the stream.

`wint_t` **putwchar\_unlocked** (*wchar\_t wc*) Function

The `putwchar_unlocked` function is equivalent to the `putwchar` function except that it does not implicitly lock the stream.

This function is a GNU extension.

`int` **fputs** (*const char \*s, FILE \*stream*) Function

The function `fputs` writes the string *s* to the stream *stream*. The terminating null character is not written. This function does *not* add a newline character, either. It outputs only the characters in the string.

This function returns EOF if a write error occurs, and otherwise a non-negative value.

For example:

```
fputs ("Are ", stdout);
fputs ("you ", stdout);
fputs ("hungry?\n", stdout);
```

outputs the text `Are you hungry?` followed by a newline.

`int` **fputws** (*const wchar\_t \*ws, FILE \*stream*) Function

The function `fputws` writes the wide character string *ws* to the stream *stream*. The terminating null character is not written. This function does *not* add a newline character, either. It outputs only the characters in the string.

This function returns WEOF if a write error occurs, and otherwise a non-negative value.

`int` **fputs\_unlocked** (*const char \*s, FILE \*stream*) Function

The `fputs_unlocked` function is equivalent to the `fputs` function except that it does not implicitly lock the stream.

This function is a GNU extension.

`int` **fputws\_unlocked** (*const wchar\_t \*ws, FILE \*stream*) Function

The `fputws_unlocked` function is equivalent to the `fputws` function except that it does not implicitly lock the stream.

This function is a GNU extension.

**int puts** (*const char \*s*) Function

The `puts` function writes the string `s` to the stream `stdout` followed by a newline. The terminating null character of the string is not written. (Note that `fputs` does *not* write a newline as this function does.)

`puts` is the most convenient function for printing simple messages. For example:

```
puts ("This is a message.");
```

outputs the text `This is a message.` followed by a newline.

**int putw** (*int w, FILE \*stream*) Function

This function writes the word `w` (that is, an `int`) to `stream`. It is provided for compatibility with SVID, but we recommend you use `fwrite` instead (see [Block Input/Output](#)).

---

Node: Character Input, Next: [Line Input](#), Previous: [Simple Output](#), Up: [I/O on Streams](#)

## Character Input

This section describes functions for performing character-oriented input. These narrow stream functions are declared in the header file `stdio.h` and the wide character functions are declared in `wchar.h`.

These functions return an `int` or `wint_t` value (for narrow and wide stream functions respectively) that is either a character of input, or the special value `EOF/WEOF` (usually `-1`). For the narrow stream functions it is important to store the result of these functions in a variable of type `int` instead of `char`, even when you plan to use it only as a character. Storing `EOF` in a `char` variable truncates its value to the size of a character, so that it is no longer distinguishable from the valid character `(char) -1`. So always use an `int` for the result of `getc` and friends, and check for `EOF` after the call; once you've verified that the result is not `EOF`, you can be sure that it will fit in a `char` variable without loss of information.

**int fgetc** (*FILE \*stream*) Function

This function reads the next character as an unsigned `char` from the stream *stream* and returns its value, converted to an `int`. If an end-of-file condition or read error occurs, `EOF` is returned instead.

**wint\_t fgetwc** (*FILE \*stream*) Function

This function reads the next wide character from the stream *stream* and returns its value. If an end-of-file condition or read error occurs, `WEOF` is returned instead.

**int fgetc\_unlocked** (*FILE \*stream*) Function

The `fgetc_unlocked` function is equivalent to the `fgetc` function except that it does not implicitly lock the stream.

**wint\_t fgetwc\_unlocked** (*FILE \*stream*) Function

The `fgetwc_unlocked` function is equivalent to the `fgetwc` function except that it does not implicitly lock the stream.

This function is a GNU extension.

**int getc** (*FILE \*stream*) Function

This is just like `fgetc`, except that it is permissible (and typical) for it to be implemented as a macro that evaluates the *stream* argument more than once. `getc` is often highly optimized, so it is usually the best function to use to read a single character.

**wint\_t getwc** (*FILE \*stream*) Function

This is just like `fgetwc`, except that it is permissible for it to be implemented as a macro that evaluates the *stream* argument more than once. `getwc` can be highly optimized, so it is usually the best function to use to read a single wide character.

**int getc\_unlocked** (*FILE \*stream*) Function

The `getc_unlocked` function is equivalent to the `getc` function except that it does not implicitly lock the stream.

**wint\_t getwc\_unlocked** (*FILE \*stream*) Function

The `getwc_unlocked` function is equivalent to the `getwc` function except that it does not implicitly lock the stream.

This function is a GNU extension.

**int `getchar` (*void*)** Function

The `getchar` function is equivalent to `getc` with `stdin` as the value of the *stream* argument.

**wint\_t `getwchar` (*void*)** Function

The `getwchar` function is equivalent to `getwc` with `stdin` as the value of the *stream* argument.

**int `getchar_unlocked` (*void*)** Function

The `getchar_unlocked` function is equivalent to the `getchar` function except that it does not implicitly lock the stream.

**wint\_t `getwchar_unlocked` (*void*)** Function

The `getwchar_unlocked` function is equivalent to the `getwchar` function except that it does not implicitly lock the stream.

This function is a GNU extension.

Here is an example of a function that does input using `fgetc`. It would work just as well using `getc` instead, or using `getchar` ( ) instead of `fgetc` (`stdin`). The code would also work the same for the wide character stream functions.

```
int
y_or_n_p (const char *question)
{
    fputs (question, stdout);
    while (1)
    {
        int c, answer;
        /* Write a space to separate answer from question. */
        fputc (' ', stdout);
        /* Read the first character of the line.
           This should be the answer character, but might not be. */
        c = tolower (fgetc (stdin));
        answer = c;
        /* Discard rest of input line. */
        while (c != '\n' && c != EOF)
```

```

    c = fgetc (stdin);
    /* Obey the answer if it was valid. */
    if (answer == 'y')
        return 1;
    if (answer == 'n')
        return 0;
    /* Answer was invalid: ask for valid answer. */
    fputs ("Please answer y or n:", stdout);
}
}

```

**int getw** (*FILE \*stream*)

Function

This function reads a word (that is, an `int`) from *stream*. It's provided for compatibility with SVID. We recommend you use `fread` instead (see [Block Input/Output](#)). Unlike `getc`, any `int` value could be a valid result. `getw` returns EOF when it encounters end-of-file or an error, but there is no way to distinguish this from an input word with value -1.

---

Node: [Line Input](#), Next: [Unreading](#), Previous: [Character Input](#), Up: [I/O on Streams](#)

## Line-Oriented Input

Since many programs interpret input on the basis of lines, it is convenient to have functions to read a line of text from a stream.

Standard C has functions to do this, but they aren't very safe: null characters and even (for `gets`) long lines can confuse them. So the GNU library provides the nonstandard `getline` function that makes it easy to read lines reliably.

Another GNU extension, `getdelim`, generalizes `getline`. It reads a delimited record, defined as everything through the next occurrence of a specified delimiter character.

All these functions are declared in `stdio.h`.

**ssize\_t getline** (*char \*\*lineptr, size\_t \*n, FILE \*stream*)

Function

This function reads an entire line from *stream*, storing the text (including the newline and a terminating null character) in a buffer and storing the buffer address in *\*lineptr*.

Before calling `getline`, you should place in *\*lineptr* the address of a buffer *\*n* bytes long, allocated with `malloc`. If this buffer is long enough to hold the line, `getline` stores the line in this buffer. Otherwise, `getline` makes the buffer bigger using `realloc`, storing the new buffer address back in *\*lineptr* and the increased size back in *\*n*. See [Unconstrained Allocation](#).

If you set *\*lineptr* to a null pointer, and *\*n* to zero, before the call, then `getline` allocates the initial buffer for you by calling `malloc`.

In either case, when `getline` returns, *\*lineptr* is a `char *` which points to the text of the line.

When `getline` is successful, it returns the number of characters read (including the newline, but not including the terminating null). This value enables you to distinguish null characters that are part of the line from the null character inserted as a terminator.

This function is a GNU extension, but it is the recommended way to read lines from a stream. The alternative standard functions are unreliable.

If an error occurs or end of file is reached without any bytes read, `getline` returns `-1`.

`ssize_t` **getdelim** (*char \*\*lineptr*, *size\_t \*n*, *int delimiter*, *FILE \*stream*) Function

This function is like `getline` except that the character which tells it to stop reading is not necessarily newline. The argument *delimiter* specifies the delimiter character; `getdelim` keeps reading until it sees that character (or end of file).

The text is stored in *lineptr*, including the delimiter character and a terminating null. Like `getline`, `getdelim` makes *lineptr* bigger if it isn't big enough.

`getline` is in fact implemented in terms of `getdelim`, just like this:

```

ssize_t
getline (char **lineptr, size_t *n, FILE *stream)
{
    return getdelim (lineptr, n, '\n', stream);
}

```

`char *` **fgets** (*char \*s*, *int count*, *FILE \*stream*) Function

The `fgets` function reads characters from the stream *stream* up to and including a newline character and stores them in the string *s*, adding a null character to mark the end of the string. You must supply *count* characters worth of space in *s*, but the number of characters read is at most *count* - 1. The extra character space is used to hold the null character at the end of the string.

If the system is already at end of file when you call `fgets`, then the contents of the array *s* are unchanged and a null pointer is returned. A null pointer is also returned if a read error occurs. Otherwise, the return value is the pointer *s*.

**Warning:** If the input data has a null character, you can't tell. So don't use `fgets` unless you know the data cannot contain a null. Don't use it to read files edited by the user because, if the user inserts a null character, you should either handle it properly or print a clear error message. We recommend using `getline` instead of `fgets`.

`wchar_t * fgetsws (wchar_t *ws, int count, FILE *stream)` Function

The `fgetsws` function reads wide characters from the stream *stream* up to and including a newline character and stores them in the string *ws*, adding a null wide character to mark the end of the string. You must supply *count* wide characters worth of space in *ws*, but the number of characters read is at most *count* - 1. The extra character space is used to hold the null wide character at the end of the string.

If the system is already at end of file when you call `fgetsws`, then the contents of the array *ws* are unchanged and a null pointer is returned. A null pointer is also returned if a read error occurs. Otherwise, the return value is the pointer *ws*.

**Warning:** If the input data has a null wide character (which are null bytes in the input stream), you can't tell. So don't use `fgetsws` unless you know the data cannot contain a null. Don't use it to read files edited by the user because, if the user inserts a null character, you should either handle it properly or print a clear error message.

`char * fgets_unlocked (char *s, int count, FILE *stream)` Function

The `fgets_unlocked` function is equivalent to the `fgets` function except that it does not implicitly lock the stream.

This function is a GNU extension.

`wchar_t * fgetsws_unlocked (wchar_t *ws, int count, FILE *stream)` Function

The `fgetws_unlocked` function is equivalent to the `fgetws` function except that it does not implicitly lock the stream.

This function is a GNU extension.

`char * gets (char *s)`

Deprecated function

The function `gets` reads characters from the stream `stdin` up to the next newline character, and stores them in the string `s`. The newline character is discarded (note that this differs from the behavior of `fgets`, which copies the newline character into the string). If `gets` encounters a read error or end-of-file, it returns a null pointer; otherwise it returns `s`.

**Warning:** The `gets` function is **very dangerous** because it provides no protection against overflowing the string `s`. The GNU library includes it for compatibility only. You should **always** use `fgets` or `getline` instead. To remind you of this, the linker (if using GNU `ld`) will issue a warning whenever you use `gets`.

Node: Unreading, Next: [Block Input/Output](#), Previous: [Line Input](#), Up: [I/O on Streams](#)

## Unreading

In parser programs it is often useful to examine the next character in the input stream without removing it from the stream. This is called "peeking ahead" at the input because your program gets a glimpse of the input it will read next.

Using stream I/O, you can peek ahead at input by first reading it and then *unreading* it (also called *pushing it back* on the stream). Unreading a character makes it available to be input again from the stream, by the next call to `fgetc` or other input function on that stream.

- [Unreading Idea](#): An explanation of unreading with pictures.
- [How Unread](#): How to call `ungetc` to do unreading.

Node: Unreading Idea, Next: [How Unread](#), Up: [Unreading](#)

## What Unreading Means

Here is a pictorial explanation of unreading. Suppose you have a stream reading a file that contains just six characters, the letters `foobar`. Suppose you have read three characters so far. The situation looks like this:



```
f o o b a r
      ^
```

so the next input character will be b.

If instead of reading b you unread the letter o, you get a situation like this:

```
f o o b a r
      |
      o--
      ^
```

so that the next input characters will be o and b.

If you unread 9 instead of o, you get this situation:

```
f o o b a r
      |
      9--
      ^
```

so that the next input characters will be 9 and b.

---

Node: How Unread, Previous: [Unreading Idea](#), Up: [Unreading](#)

## Using `ungetc` To Do Unreading

The function to unread a character is called `ungetc`, because it reverses the action of `getc`.

```
int ungetc (int c, FILE *stream)
```

Function

The `ungetc` function pushes back the character *c* onto the input stream *stream*. So the next input from *stream* will read *c* before anything else.

If *c* is EOF, `ungetc` does nothing and just returns EOF. This lets you call `ungetc` with the return value of `getc` without needing to check for an error from `getc`.

The character that you push back doesn't have to be the same as the last character that was actually read from the stream. In fact, it isn't necessary to actually read any characters from the stream before unreading them with `ungetc`! But that is a strange way to write a program; usually `ungetc` is used only to unread a character that was just read from the same stream. The GNU C library supports this even on files opened in binary mode, but other systems might not.

The GNU C library only supports one character of pushback--in other words, it does not work to call `ungetc` twice without doing input in between. Other systems might let you push back multiple characters; then reading from the stream retrieves the characters in the reverse order that they were pushed.

Pushing back characters doesn't alter the file; only the internal buffering for the stream is affected. If a file positioning function (such as `fseek`, `fseeko` or `rewind`; see [File Positioning](#)) is called, any pending pushed-back characters are discarded.

Unreading a character on a stream that is at end of file clears the end-of-file indicator for the stream, because it makes the character of input available. After you read that character, trying to read again will encounter end of file.

`wint_t` **ungetwc** (*wint\_t* *wc*, *FILE* \**stream*)

Function

The `ungetwc` function behaves just like `ungetc` just that it pushes back a wide character.

Here is an example showing the use of `getc` and `ungetc` to skip over whitespace characters. When this function reaches a non-whitespace character, it unreads that character to be seen again on the next read operation on the stream.

```
#include <stdio.h>
#include <ctype.h>

void
skip_whitespace (FILE *stream)
{
    int c;
    do
        /* No need to check for EOF because it is not
           isspace, and ungetc ignores EOF. */
```

```

    c = getc (stream);
    while (isspace (c));
    ungetc (c, stream);
}

```

---

Node: [Block Input/Output](#), Next: [Formatted Output](#), Previous: [Unreading](#), Up: [I/O on Streams](#)

## Block Input/Output

This section describes how to do input and output operations on blocks of data. You can use these functions to read and write binary data, as well as to read and write text in fixed-size blocks instead of by characters or lines.

Binary files are typically used to read and write blocks of data in the same format as is used to represent the data in a running program. In other words, arbitrary blocks of memory--not just character or string objects--can be written to a binary file, and meaningfully read in again by the same program.

Storing data in binary form is often considerably more efficient than using the formatted I/O functions. Also, for floating-point numbers, the binary form avoids possible loss of precision in the conversion process. On the other hand, binary files can't be examined or modified easily using many standard file utilities (such as text editors), and are not portable between different implementations of the language, or different kinds of computers.

These functions are declared in `stdio.h`.

`size_t fread` (*void \*data*, *size\_t size*, *size\_t count*, *FILE \*stream*) Function

This function reads up to *count* objects of size *size* into the array *data*, from the stream *stream*. It returns the number of objects actually read, which might be less than *count* if a read error occurs or the end of the file is reached. This function returns a value of zero (and doesn't read anything) if either *size* or *count* is zero.

If `fread` encounters end of file in the middle of an object, it returns the number of complete objects read, and discards the partial object. Therefore, the stream remains at the actual end of the file.

`size_t fread_unlocked` (*void \*data*, *size\_t size*, *size\_t count*, *FILE \*stream*) Function

The `fread_unlocked` function is equivalent to the `fread` function except that it does not implicitly lock the stream.

This function is a GNU extension.

`size_t fwrite` (*const void \*data*, *size\_t size*, *size\_t count*, *FILE \*stream*) Function

This function writes up to *count* objects of size *size* from the array *data*, to the stream *stream*. The return value is normally *count*, if the call succeeds. Any other value indicates some sort of error, such as running out of space.

`size_t fwrite_unlocked` (*const void \*data*, *size\_t size*, *size\_t count*, *FILE \*stream*) Function

The `fwrite_unlocked` function is equivalent to the `fwrite` function except that it does not implicitly lock the stream.

This function is a GNU extension.

---

Node: Formatted Output, Next: [Customizing Printf](#), Previous: [Block Input/Output](#), Up: [I/O on Streams](#)

## Formatted Output

The functions described in this section (`printf` and related functions) provide a convenient way to perform formatted output. You call `printf` with a *format string* or *template string* that specifies how to format the values of the remaining arguments.

Unless your program is a filter that specifically performs line- or character-oriented processing, using `printf` or one of the other related functions described in this section is usually the easiest and most concise way to perform output. These functions are especially useful for printing error messages, tables of data, and the like.

- [Formatted Output Basics](#): Some examples to get you started.
- [Output Conversion Syntax](#): General syntax of conversion specifications.
- [Table of Output Conversions](#): Summary of output conversions and what they do.
- [Integer Conversions](#): Details about formatting of integers.
- [Floating-Point Conversions](#): Details about formatting of floating-point numbers.
- [Other Output Conversions](#): Details about formatting of strings, characters, pointers, and the like.
- [Formatted Output Functions](#): Descriptions of the actual functions.
- [Dynamic Output](#): Functions that allocate memory for the output.
- [Variable Arguments Output](#): `vprintf` and friends.

- [Parsing a Template String](#): What kinds of args does a given template call for?
- [Example of Parsing](#): Sample program using `parse_printf_format`.

---

Node: Formatted Output Basics, Next: [Output Conversion Syntax](#), Up: [Formatted Output](#)

## Formatted Output Basics

The `printf` function can be used to print any number of arguments. The template string argument you supply in a call provides information not only about the number of additional arguments, but also about their types and what style should be used for printing them.

Ordinary characters in the template string are simply written to the output stream as-is, while *conversion specifications* introduced by a `%` character in the template cause subsequent arguments to be formatted and written to the output stream. For example,

```
int pct = 37;
char filename[] = "foo.txt";
printf ("Processing of `%s' is %d%% finished.\nPlease be patient.\n",
        filename, pct);
```

produces output like

```
Processing of `foo.txt' is 37% finished.
Please be patient.
```

This example shows the use of the `%d` conversion to specify that an `int` argument should be printed in decimal notation, the `%s` conversion to specify printing of a string argument, and the `%%` conversion to print a literal `%` character.

There are also conversions for printing an integer argument as an unsigned value in octal, decimal, or hexadecimal radix (`%o`, `%u`, or `%x`, respectively); or as a character value (`%c`).

Floating-point numbers can be printed in normal, fixed-point notation using the `%f` conversion or in exponential notation using the `%e` conversion. The `%g` conversion uses either `%e` or `%f` format, depending on what is more appropriate for the magnitude of the particular number.

You can control formatting more precisely by writing *modifiers* between the `%` and the character that indicates which conversion to apply. These slightly alter the ordinary behavior of the conversion. For example, most conversion specifications permit you to specify a minimum field width and a flag indicating whether you want the result left- or right-justified within the field.

The specific flags and modifiers that are permitted and their interpretation vary depending on the particular conversion. They're all described in more detail in the following sections. Don't worry if this all seems excessively complicated at first; you can almost always get reasonable free-format output without using any of the modifiers at all. The modifiers are mostly used to make the output look "prettier" in tables.

---

Node: [Output Conversion Syntax](#), Next: [Table of Output Conversions](#), Previous: [Formatted Output Basics](#), Up: [Formatted Output](#)

## Output Conversion Syntax

This section provides details about the precise syntax of conversion specifications that can appear in a `printf` template string.

Characters in the template string that are not part of a conversion specification are printed as-is to the output stream. Multibyte character sequences (see [Character Set Handling](#)) are permitted in a template string.

The conversion specifications in a `printf` template string have the general form:

```
% [ param-no $ ] flags width [ . precision ] type conversion
```

or

```
% [ param-no $ ] flags width . * [ param-no $ ] type conversion
```

For example, in the conversion specifier `%-10.8ld`, the `-` is a flag, `10` specifies the field width, the precision is `8`, the letter `l` is a type modifier, and `d` specifies the conversion style. (This particular type specifier says to print a `long int` argument in decimal notation, with a minimum of 8 digits left-justified in a field at least 10 characters wide.)

In more detail, output conversion specifications consist of an initial `%` character followed in sequence by:

- An optional specification of the parameter used for this format. Normally the parameters to the `printf` function are assigned to the formats in the order of appearance in the format string. But in some situations (such as message translation) this is not desirable and this extension allows an explicit parameter to be specified.

The *param-no* parts of the format must be integers in the range of 1 to the maximum number of arguments present to the function call. Some implementations limit this number to a certainly upper bound. The exact limit can be retrieved by the following constant.

## NL\_ARGMAX

Macro

The value of `NL_ARGMAX` is the maximum value allowed for the specification of an positional parameter in a `printf` call. The actual value in effect at runtime can be retrieved by using `sysconf` using the `_SC_NL_ARGMAX` parameter see [Sysconf Definition](#).

Some system have a quite low limit such as 9 for System V systems. The GNU C library has no real limit.

If any of the formats has a specification for the parameter position all of them in the format string shall have one. Otherwise the behavior is undefined.

- Zero or more *flag characters* that modify the normal behavior of the conversion specification.
- An optional decimal integer specifying the *minimum field width*. If the normal conversion produces fewer characters than this, the field is padded with spaces to the specified width. This is a *minimum* value; if the normal conversion produces more characters than this, the field is *not* truncated. Normally, the output is right-justified within the field.

You can also specify a field width of `*`. This means that the next argument in the argument list (before the actual value to be printed) is used as the field width. The value must be an `int`. If the value is negative, this means to set the `-` flag (see below) and to use the absolute value as the field width.

- An optional *precision* to specify the number of digits to be written for the numeric conversions. If the precision is specified, it consists of a period (`.`) followed optionally by a decimal integer (which defaults to zero if omitted).

You can also specify a precision of `*`. This means that the next argument in the argument list (before the actual value to be printed) is used as the precision. The value must be an `int`, and is ignored if it is negative. If you specify `*` for both the field width and precision, the field width argument precedes the precision argument. Other C library versions may not recognize this syntax.

- An optional *type modifier character*, which is used to specify the data type of the corresponding argument if it differs from the default type. (For example, the integer conversions assume a type of `int`, but you can specify `h`, `l`, or `L` for other integer types.)
- A character that specifies the conversion to be applied.

The exact options that are permitted and how they are interpreted vary between the different conversion specifiers. See the descriptions of the individual conversions for information about the particular options that they use.

With the `-Wformat` option, the GNU C compiler checks calls to `printf` and related functions. It examines the format string and verifies that the correct number and types of arguments are supplied. There is also a GNU C syntax to tell the compiler that a function you write uses a `printf`-style format string. See [Declaring Attributes of Functions](#), for more information.

---

Node: [Table of Output Conversions](#), Next: [Integer Conversions](#), Previous: [Output Conversion Syntax](#),  
Up: [Formatted Output](#)

## Table of Output Conversions

Here is a table summarizing what all the different conversions do:

`%d, %i`

Print an integer as a signed decimal number. See [Integer Conversions](#), for details. `%d` and `%i` are synonymous for output, but are different when used with `scanf` for input (see [Table of Input Conversions](#)).

`%o`

Print an integer as an unsigned octal number. See [Integer Conversions](#), for details.

`%u`

Print an integer as an unsigned decimal number. See [Integer Conversions](#), for details.

`%x, %X`

Print an integer as an unsigned hexadecimal number. `%x` uses lower-case letters and `%X` uses upper-case. See [Integer Conversions](#), for details.

`%f`

Print a floating-point number in normal (fixed-point) notation. See [Floating-Point Conversions](#), for details.

`%e, %E`

Print a floating-point number in exponential notation. `%e` uses lower-case letters and `%E` uses upper-case. See [Floating-Point Conversions](#), for details.

`%g, %G`

Print a floating-point number in either normal or exponential notation, whichever is more appropriate for its magnitude. `%g` uses lower-case letters and `%G` uses upper-case. See [Floating-Point Conversions](#), for details.

`%a, %A`

Print a floating-point number in a hexadecimal fractional notation which the exponent to base 2



represented in decimal digits. %a uses lower-case letters and %A uses upper-case. See [Floating-Point Conversions](#), for details.

%c

Print a single character. See [Other Output Conversions](#).

%C

This is an alias for %lc which is supported for compatibility with the Unix standard.

%s

Print a string. See [Other Output Conversions](#).

%S

This is an alias for %ls which is supported for compatibility with the Unix standard.

%p

Print the value of a pointer. See [Other Output Conversions](#).

%n

Get the number of characters printed so far. See [Other Output Conversions](#). Note that this conversion specification never produces any output.

%m

Print the string corresponding to the value of `errno`. (This is a GNU extension.) See [Other Output Conversions](#).

%%

Print a literal % character. See [Other Output Conversions](#).

If the syntax of a conversion specification is invalid, unpredictable things will happen, so don't do this. If there aren't enough function arguments provided to supply values for all the conversion specifications in the template string, or if the arguments are not of the correct types, the results are unpredictable. If you supply more arguments than conversion specifications, the extra argument values are simply ignored; this is sometimes useful.

---

Node: Integer Conversions, Next: [Floating-Point Conversions](#), Previous: [Table of Output Conversions](#), Up: [Formatted Output](#)

## Integer Conversions

This section describes the options for the %d, %i, %o, %u, %x, and %X conversion specifications. These conversions print integers in various formats.

The %d and %i conversion specifications both print an `int` argument as a signed decimal number; while %o, %u, and %x print the argument as an unsigned octal, decimal, or hexadecimal number (respectively). The %X conversion specification is just like %x except that it uses the characters ABCDEF as digits instead of abcdef.

The following flags are meaningful:

-

Left-justify the result in the field (instead of the normal right-justification).

+

For the signed `%d` and `%i` conversions, print a plus sign if the value is positive.

For the signed `%d` and `%i` conversions, if the result doesn't start with a plus or minus sign, prefix it with a space character instead. Since the `+` flag ensures that the result includes a sign, this flag is ignored if you supply both of them.

#

For the `%o` conversion, this forces the leading digit to be 0, as if by increasing the precision. For `%x` or `%X`, this prefixes a leading `0x` or `0X` (respectively) to the result. This doesn't do anything useful for the `%d`, `%i`, or `%u` conversions. Using this flag produces output which can be parsed by the `strtoul` function (see [Parsing of Integers](#)) and `scanf` with the `%i` conversion (see [Numeric Input Conversions](#)).

,

Separate the digits into groups as specified by the locale specified for the `LC_NUMERIC` category; see [General Numeric](#). This flag is a GNU extension.

0

Pad the field with zeros instead of spaces. The zeros are placed after any indication of sign or base. This flag is ignored if the `-` flag is also specified, or if a precision is specified.

If a precision is supplied, it specifies the minimum number of digits to appear; leading zeros are produced if necessary. If you don't specify a precision, the number is printed with as many digits as it needs. If you convert a value of zero with an explicit precision of zero, then no characters at all are produced.

Without a type modifier, the corresponding argument is treated as an `int` (for the signed conversions `%i` and `%d`) or `unsigned int` (for the unsigned conversions `%o`, `%u`, `%x`, and `%X`). Recall that since `printf` and friends are variadic, any `char` and `short` arguments are automatically converted to `int` by the default argument promotions. For arguments of other integer types, you can use these modifiers:

hh

Specifies that the argument is a `signed char` or `unsigned char`, as appropriate. A `char` argument is converted to an `int` or `unsigned int` by the default argument promotions anyway, but the `h` modifier says to convert it back to a `char` again.

This modifier was introduced in ISO C99.

h

Specifies that the argument is a `short int` or `unsigned short int`, as appropriate. A `short` argument is converted to an `int` or `unsigned int` by the default argument

promotions anyway, but the `h` modifier says to convert it back to a `short` again.

j

Specifies that the argument is a `intmax_t` or `uintmax_t`, as appropriate.

This modifier was introduced in ISO C99.

l

Specifies that the argument is a `long int` or `unsigned long int`, as appropriate. Two `l` characters is like the `L` modifier, below.

If used with `%c` or `%s` the corresponding parameter is considered as a wide character or wide character string respectively. This use of `l` was introduced in Amendment 1 to ISO C90.

L

ll

q

Specifies that the argument is a `long long int`. (This type is an extension supported by the GNU C compiler. On systems that don't support extra-long integers, this is the same as `long int`.)

The `q` modifier is another name for the same thing, which comes from 4.4 BSD; a `long long int` is sometimes called a "quad" `int`.

t

Specifies that the argument is a `ptrdiff_t`.

This modifier was introduced in ISO C99.

z

Z

Specifies that the argument is a `size_t`.

`z` was introduced in ISO C99. `Z` is a GNU extension predating this addition and should not be used in new code.

Here is an example. Using the template string:

```
" | %5d | %-5d | %+5d | %+-5d | % 5d | %05d | %5.0d | %5.2d | %d | \n "
```

to print numbers using the different options for the `%d` conversion gives results like:

```

| 0|0 | +0|+0 | 0|00000| | 00|0|
| 1|1 | +1|+1 | 1|00001| 1| 01|1|
| -1|-1 | -1|-1 | -1|-0001| -1| -01|-1|
|100000|100000|+100000|+100000| 100000|100000|100000|100000|100000|

```

In particular, notice what happens in the last case where the number is too large to fit in the minimum field width specified.

Here are some more examples showing how unsigned integers print under various format options, using the template string:

```
" | %5u | %5o | %5x | %5X | %#5o | %#5x | %#5X | %#10.8x | \n "
```

```

| 0| 0| 0| 0| 0| 0| 0| 00000000|
| 1| 1| 1| 1| 01| 0x1| 0X1| 0x00000001|
|100000|303240|186a0|186A0|0303240|0x186a0|0X186A0|0x000186a0|

```

---

Node: [Floating-Point Conversions](#), Next: [Other Output Conversions](#), Previous: [Integer Conversions](#),  
Up: [Formatted Output](#)

## Floating-Point Conversions

This section discusses the conversion specifications for floating-point numbers: the %f, %e, %E, %g, and %G conversions.

The %f conversion prints its argument in fixed-point notation, producing output of the form [-]ddd.ddd, where the number of digits following the decimal point is controlled by the precision you specify.

The %e conversion prints its argument in exponential notation, producing output of the form [-]d.ddde [+|-]dd. Again, the number of digits following the decimal point is controlled by the precision. The exponent always contains at least two digits. The %E conversion is similar but the exponent is marked with the letter E instead of e.

The %g and %G conversions print the argument in the style of %e or %E (respectively) if the exponent would be less than -4 or greater than or equal to the precision; otherwise they use the %f style. A precision of 0, is taken as 1. Trailing zeros are removed from the fractional portion of the result and a decimal-point character appears only if it is followed by a digit.

The %a and %A conversions are meant for representing floating-point numbers exactly in textual form so

that they can be exchanged as texts between different programs and/or machines. The numbers are represented in the form `[-]0x.hhh`<sub>p</sub>`[+|-]dd`. At the left of the decimal-point character exactly one digit is printed. This character is only 0 if the number is denormalized. Otherwise the value is unspecified; it is implementation dependent how many bits are used. The number of hexadecimal digits on the right side of the decimal-point character is equal to the precision. If the precision is zero it is determined to be large enough to provide an exact representation of the number (or it is large enough to distinguish two adjacent values if the `FLT_RADIX` is not a power of 2, see [Floating Point Parameters](#)). For the `%a` conversion lower-case characters are used to represent the hexadecimal number and the prefix and exponent sign are printed as `0x` and `p` respectively. Otherwise upper-case characters are used and `0X` and `P` are used for the representation of prefix and exponent string. The exponent to the base of two is printed as a decimal number using at least one digit but at most as many digits as necessary to represent the value exactly.

If the value to be printed represents infinity or a NaN, the output is `[-]inf` or `nan` respectively if the conversion specifier is `%a`, `%e`, `%f`, or `%g` and it is `[-]INF` or `NAN` respectively if the conversion is `%A`, `%E`, or `%G`.

The following flags can be used to modify the behavior:

- Left-justify the result in the field. Normally the result is right-justified.
- + Always include a plus or minus sign in the result. If the result doesn't start with a plus or minus sign, prefix it with a space instead. Since the `+` flag ensures that the result includes a sign, this flag is ignored if you supply both of them.
- # Specifies that the result should always include a decimal point, even if no digits follow it. For the `%g` and `%G` conversions, this also forces trailing zeros after the decimal point to be left in place where they would otherwise be removed.
- ' Separate the digits of the integer part of the result into groups as specified by the locale specified for the `LC_NUMERIC` category; see [General Numeric](#). This flag is a GNU extension.
- 0 Pad the field with zeros instead of spaces; the zeros are placed after any sign. This flag is ignored if the `-` flag is also specified.

The precision specifies how many digits follow the decimal-point character for the `%f`, `%e`, and `%E` conversions. For these conversions, the default precision is 6. If the precision is explicitly 0, this suppresses the decimal point character entirely. For the `%g` and `%G` conversions, the precision specifies how many significant digits to print. Significant digits are the first digit before the decimal point, and all the digits after it. If the precision is 0 or not specified for `%g` or `%G`, it is treated like a value of 1. If the value being printed cannot be expressed accurately in the specified number of digits, the value is

rounded to the nearest number that fits.

Without a type modifier, the floating-point conversions use an argument of type `double`. (By the default argument promotions, any `float` arguments are automatically converted to `double`.) The following type modifier is supported:

`L`

An uppercase `L` specifies that the argument is a `long double`.

Here are some examples showing how numbers print using the various floating-point conversions. All of the numbers were printed using this template string:

```
" |%13.4a| %13.4f| %13.4e| %13.4g| \n"
```

Here is the output:

0x0.0000p+0	0.0000	0.0000e+00	0
0x1.0000p-1	0.5000	5.0000e-01	0.5
0x1.0000p+0	1.0000	1.0000e+00	1
-0x1.0000p+0	-1.0000	-1.0000e+00	-1
0x1.9000p+6	100.0000	1.0000e+02	100
0x1.f400p+9	1000.0000	1.0000e+03	1000
0x1.3880p+13	10000.0000	1.0000e+04	1e+04
0x1.81c8p+13	12345.0000	1.2345e+04	1.234e+04
0x1.86a0p+16	100000.0000	1.0000e+05	1e+05
0x1.e240p+16	123456.0000	1.2346e+05	1.235e+05

Notice how the `%g` conversion drops trailing zeros.

---

Node: Other Output Conversions, Next: [Formatted Output Functions](#), Previous: [Floating-Point Conversions](#), Up: [Formatted Output](#)

## Other Output Conversions

This section describes miscellaneous conversions for `printf`.

The `%c` conversion prints a single character. In case there is no `l` modifier the `int` argument is first converted to an `unsigned char`. Then, if used in a wide stream function, the character is converted into the corresponding wide character. The `-` flag can be used to specify left-justification in the field, but no other flags are defined, and no precision or type modifier can be given. For example:

```
printf ("%c%c%c%c%c", 'h', 'e', 'l', 'l', 'o');
```

prints hello.

If there is a `l` modifier present the argument is expected to be of type `wint_t`. If used in a multibyte function the wide character is converted into a multibyte character before being added to the output. In this case more than one output byte can be produced.

The `%s` conversion prints a string. If no `l` modifier is present the corresponding argument must be of type `char *` (or `const char *`). If used in a wide stream function the string is first converted in a wide character string. A precision can be specified to indicate the maximum number of characters to write; otherwise characters in the string up to but not including the terminating null character are written to the output stream. The `-` flag can be used to specify left-justification in the field, but no other flags or type modifiers are defined for this conversion. For example:

```
printf ("%3s%-6s", "no", "where");
```

prints nowhere .

If there is a `l` modifier present the argument is expected to be of type `wchar_t` (or `const wchar_t *`).

If you accidentally pass a null pointer as the argument for a `%s` conversion, the GNU library prints it as `(null)`. We think this is more useful than crashing. But it's not good practice to pass a null argument intentionally.

The `%m` conversion prints the string corresponding to the error code in `errno`. See [Error Messages](#).

Thus:

```
fprintf (stderr, "can't open `%s': %m\n", filename);
```

is equivalent to:

```
fprintf (stderr, "can't open `%s': %s\n", filename, strerror (errno));
```

The `%m` conversion is a GNU C library extension.

The `%p` conversion prints a pointer value. The corresponding argument must be of type `void *`. In practice, you can use any type of pointer.

In the GNU system, non-null pointers are printed as unsigned integers, as if a `%#x` conversion were used. Null pointers print as `(nil)`. (Pointers might print differently in other systems.)

For example:

```
printf ("%p", "testing");
```

prints `0x` followed by a hexadecimal number--the address of the string constant `"testing"`. It does not print the word `testing`.

You can supply the `-` flag with the `%p` conversion to specify left-justification, but no other flags, precision, or type modifiers are defined.

The `%n` conversion is unlike any of the other output conversions. It uses an argument which must be a pointer to an `int`, but instead of printing anything it stores the number of characters printed so far by this call at that location. The `h` and `l` type modifiers are permitted to specify that the argument is of type `short int *` or `long int *` instead of `int *`, but no flags, field width, or precision are permitted.

For example,

```
int nchar;
printf ("%d %s%n\n", 3, "bears", &nchar);
```

prints:

```
3 bears
```

and sets `nchar` to 7, because `3 bears` is seven characters.

The `%%` conversion prints a literal `%` character. This conversion doesn't use an argument, and no flags, field width, precision, or type modifiers are permitted.

---

Node: [Formatted Output Functions](#), Next: [Dynamic Output](#), Previous: [Other Output Conversions](#),  
Up: [Formatted Output](#)

## Formatted Output Functions



This section describes how to call `printf` and related functions. Prototypes for these functions are in the header file `stdio.h`. Because these functions take a variable number of arguments, you *must* declare prototypes for them before using them. Of course, the easiest way to make sure you have all the right prototypes is to just include `stdio.h`.

int **printf** (*const char \*template*, ...) Function

The `printf` function prints the optional arguments under the control of the template string *template* to the stream `stdout`. It returns the number of characters printed, or a negative value if there was an output error.

int **wprintf** (*const wchar\_t \*template*, ...) Function

The `wprintf` function prints the optional arguments under the control of the wide template string *template* to the stream `stdout`. It returns the number of wide characters printed, or a negative value if there was an output error.

int **fprintf** (*FILE \*stream*, *const char \*template*, ...) Function

This function is just like `printf`, except that the output is written to the stream *stream* instead of `stdout`.

int **fwprintf** (*FILE \*stream*, *const wchar\_t \*template*, ...) Function

This function is just like `wprintf`, except that the output is written to the stream *stream* instead of `stdout`.

int **sprintf** (*char \*s*, *const char \*template*, ...) Function

This is like `printf`, except that the output is stored in the character array *s* instead of written to a stream. A null character is written to mark the end of the string.

The `sprintf` function returns the number of characters stored in the array *s*, not including the terminating null character.

The behavior of this function is undefined if copying takes place between objects that overlap--for example, if *s* is also given as an argument to be printed under control of the `%s` conversion. See [Copying and Concatenation](#).

**Warning:** The `sprintf` function can be **dangerous** because it can potentially output more characters than can fit in the allocation size of the string *s*. Remember that the field width given in a conversion specification is only a *minimum* value.

To avoid this problem, you can use `snprintf` or `asprintf`, described below.

int **swprintf** (*wchar\_t* \**s*, *size\_t* *size*, *const wchar\_t* \**template*, ...) Function

This is like `wprintf`, except that the output is stored in the wide character array *ws* instead of written to a stream. A null wide character is written to mark the end of the string. The *size* argument specifies the maximum number of characters to produce. The trailing null character is counted towards this limit, so you should allocate at least *size* wide characters for the string *ws*.

The return value is the number of characters generated for the given input, excluding the trailing null. If not all output fits into the provided buffer a negative value is returned. You should try again with a bigger output string. *Note*: this is different from how `snprintf` handles this situation.

Note that the corresponding narrow stream function takes fewer parameters. `swprintf` in fact corresponds to the `snprintf` function. Since the `sprintf` function can be dangerous and should be avoided the ISO C committee refused to make the same mistake again and decided to not define an function exactly corresponding to `sprintf`.

int **snprintf** (*char* \**s*, *size\_t* *size*, *const char* \**template*, ...) Function

The `snprintf` function is similar to `sprintf`, except that the *size* argument specifies the maximum number of characters to produce. The trailing null character is counted towards this limit, so you should allocate at least *size* characters for the string *s*.

The return value is the number of characters which would be generated for the given input, excluding the trailing null. If this value is greater or equal to *size*, not all characters from the result have been stored in *s*. You should try again with a bigger output string. Here is an example of doing this:

```
/* Construct a message describing the value of a variable
   whose name is name and whose value is value. */
char *
make_message (char *name, char *value)
{
    /* Guess we need no more than 100 chars of space. */
    int size = 100;
    char *buffer = (char *) xmalloc (size);
    int nchars;
    if (buffer == NULL)
        return NULL;

    /* Try to print in the allocated space. */
    nchars = snprintf (buffer, size, "value of %s is %s",
                      name, value);
```

```

if (nchars >= size)
{
    /* Reallocate buffer now that we know
       how much space is needed. */
    buffer = (char *) xrealloc (buffer, nchars + 1);

    if (buffer != NULL)
        /* Try again. */
        snprintf (buffer, size, "value of %s is %s",
                  name, value);
}
/* The last call worked, return the string. */
return buffer;
}

```

In practice, it is often easier just to use `asprintf`, below.

**Attention:** In versions of the GNU C library prior to 2.1 the return value is the number of characters stored, not including the terminating null; unless there was not enough space in *s* to store the result in which case `-1` is returned. This was changed in order to comply with the ISO C99 standard.

---

Node: Dynamic Output, Next: [Variable Arguments Output](#), Previous: [Formatted Output Functions](#),  
Up: [Formatted Output](#)

## Dynamically Allocating Formatted Output

The functions in this section do formatted output and place the results in dynamically allocated memory.

`int asprintf (char **ptr, const char *template, ...)` Function

This function is similar to `sprintf`, except that it dynamically allocates a string (as with `malloc`; see [Unconstrained Allocation](#)) to hold the output, instead of putting the output in a buffer you allocate in advance. The *ptr* argument should be the address of a `char *` object, and `asprintf` stores a pointer to the newly allocated string at that location.

The return value is the number of characters allocated for the buffer, or less than zero if an error occurred. Usually this means that the buffer could not be allocated.

Here is how to use `asprintf` to get the same result as the `snprintf` example, but more easily:

```

/* Construct a message describing the value of a variable

```

```

        whose name is name and whose value is value. */
char *
make_message (char *name, char *value)
{
    char *result;
    if (asprintf (&result, "value of %s is %s", name, value) < 0)
        return NULL;
    return result;
}

```

int **obstack\_printf** (*struct obstack \*obstack, const char \*template, ...*)

Function

This function is similar to `asprintf`, except that it uses the obstack *obstack* to allocate the space. See [Obstacks](#).

The characters are written onto the end of the current object. To get at them, you must finish the object with `obstack_finish` (see [Growing Objects](#)).

Node: [Variable Arguments Output](#), Next: [Parsing a Template String](#), Previous: [Dynamic Output](#),

Up: [Formatted Output](#)

## Variable Arguments Output Functions

The functions `vprintf` and friends are provided so that you can define your own variadic `printf`-like functions that make use of the same internals as the built-in formatted output functions.

The most natural way to define such functions would be to use a language construct to say, "Call `printf` and pass this template plus all of my arguments after the first five." But there is no way to do this in C, and it would be hard to provide a way, since at the C language level there is no way to tell how many arguments your function received.

Since that method is impossible, we provide alternative functions, the `vprintf` series, which lets you pass a `va_list` to describe "all of my arguments after the first five."

When it is sufficient to define a macro rather than a real function, the GNU C compiler provides a way to do this much more easily with macros. For example:

```

#define myprintf(a, b, c, d, e, rest...) \
    printf (mytemplate , ## rest)

```

See [Macros with Variable Numbers of Arguments](#), for details. But this is limited to macros, and does not apply to real functions at all.

Before calling `vprintf` or the other functions listed in this section, you *must* call `va_start` (see [Variadic Functions](#)) to initialize a pointer to the variable arguments. Then you can call `va_arg` to fetch the arguments that you want to handle yourself. This advances the pointer past those arguments.

Once your `va_list` pointer is pointing at the argument of your choice, you are ready to call `vprintf`. That argument and all subsequent arguments that were passed to your function are used by `vprintf` along with the template that you specified separately.

In some other systems, the `va_list` pointer may become invalid after the call to `vprintf`, so you must not use `va_arg` after you call `vprintf`. Instead, you should call `va_end` to retire the pointer from service. However, you can safely call `va_start` on another pointer variable and begin fetching the arguments again through that pointer. Calling `vprintf` does not destroy the argument list of your function, merely the particular pointer that you passed to it.

GNU C does not have such restrictions. You can safely continue to fetch arguments from a `va_list` pointer after passing it to `vprintf`, and `va_end` is a no-op. (Note, however, that subsequent `va_arg` calls will fetch the same arguments which `vprintf` previously used.)

Prototypes for these functions are declared in `stdio.h`.

**int `vprintf`** (*const char \*template, va\_list ap*) Function

This function is similar to `printf` except that, instead of taking a variable number of arguments directly, it takes an argument list pointer *ap*.

**int `vwprintf`** (*const wchar\_t \*template, va\_list ap*) Function

This function is similar to `wprintf` except that, instead of taking a variable number of arguments directly, it takes an argument list pointer *ap*.

**int `vfprintf`** (*FILE \*stream, const char \*template, va\_list ap*) Function

This is the equivalent of `fprintf` with the variable argument list specified directly as for `vprintf`.

**int `vwfprintf`** (*FILE \*stream, const wchar\_t \*template, va\_list ap*) Function

This is the equivalent of `fwprintf` with the variable argument list specified directly as for `vwprintf`.

int **vsprintf** (*char \*s, const char \*template, va\_list ap*) Function

This is the equivalent of `sprintf` with the variable argument list specified directly as for `vprintf`.

int **vswprintf** (*wchar\_t \*s, size\_t size, const wchar\_t \*template, va\_list ap*) Function

This is the equivalent of `swprintf` with the variable argument list specified directly as for `vwprintf`.

int **vsnprintf** (*char \*s, size\_t size, const char \*template, va\_list ap*) Function

This is the equivalent of `snprintf` with the variable argument list specified directly as for `vprintf`.

int **vasprintf** (*char \*\*ptr, const char \*template, va\_list ap*) Function

The `vasprintf` function is the equivalent of `asprintf` with the variable argument list specified directly as for `vprintf`.

int **obstack\_vprintf** (*struct obstack \*obstack, const char \*template, va\_list ap*) Function

The `obstack_vprintf` function is the equivalent of `obstack_printf` with the variable argument list specified directly as for `vprintf`.

Here's an example showing how you might use `vfprintf`. This is a function that prints error messages to the stream `stderr`, along with a prefix indicating the name of the program (see [Error Messages](#), for a description of `program_invocation_short_name`).

```
#include <stdio.h>
#include <stdarg.h>

void
eprintf (const char *template, ...)
{
    va_list ap;
    extern char *program_invocation_short_name;

    fprintf (stderr, "%s: ", program_invocation_short_name);
    va_start (ap, template);
    vfprintf (stderr, template, ap);
    va_end (ap);
}
```

You could call `eprintf` like this:

```
eprintf ("file `%s' does not exist\n", filename);
```

In GNU C, there is a special construct you can use to let the compiler know that a function uses a `printf`-style format string. Then it can check the number and types of arguments in each call to the function, and warn you when they do not match the format string. For example, take this declaration of `eprintf`:

```
void eprintf (const char *template, ...)
    __attribute__ ((format (printf, 1, 2)));
```

This tells the compiler that `eprintf` uses a format string like `printf` (as opposed to `scanf`; see [Formatted Input](#)); the format string appears as the first argument; and the arguments to satisfy the format begin with the second. See [Declaring Attributes of Functions](#), for more information.

---

Node: [Parsing a Template String](#), Next: [Example of Parsing](#), Previous: [Variable Arguments Output](#),  
Up: [Formatted Output](#)

## Parsing a Template String

You can use the function `parse_printf_format` to obtain information about the number and types of arguments that are expected by a given template string. This function permits interpreters that provide interfaces to `printf` to avoid passing along invalid arguments from the user's program, which could cause a crash.

All the symbols described in this section are declared in the header file `printf.h`.

`size_t` **parse\_printf\_format** (*const char \*template, size\_t n, int \*argtypes*)

Function

This function returns information about the number and types of arguments expected by the `printf` template string *template*. The information is stored in the array *argtypes*; each element of this array describes one argument. This information is encoded using the various `PA_` macros, listed below.

The argument *n* specifies the number of elements in the array *argtypes*. This is the maximum number of elements that `parse_printf_format` will try to write.

`parse_printf_format` returns the total number of arguments required by *template*. If this number is greater than *n*, then the information returned describes only the first *n* arguments. If you want information about additional arguments, allocate a bigger array and call `parse_printf_format` again.

The argument types are encoded as a combination of a basic type and modifier flag bits.

## int `PA_FLAG_MASK`

Macro

This macro is a bitmask for the type modifier flag bits. You can write the expression `(argtypes[i] & PA_FLAG_MASK)` to extract just the flag bits for an argument, or `(argtypes[i] & ~PA_FLAG_MASK)` to extract just the basic type code.

Here are symbolic constants that represent the basic types; they stand for integer values.

### `PA_INT`

This specifies that the base type is `int`.

### `PA_CHAR`

This specifies that the base type is `int`, cast to `char`.

### `PA_STRING`

This specifies that the base type is `char *`, a null-terminated string.

### `PA_POINTER`

This specifies that the base type is `void *`, an arbitrary pointer.

### `PA_FLOAT`

This specifies that the base type is `float`.

### `PA_DOUBLE`

This specifies that the base type is `double`.

### `PA_LAST`

You can define additional base types for your own programs as offsets from `PA_LAST`. For example, if you have data types `foo` and `bar` with their own specialized `printf` conversions, you could define encodings for these types as:

```
#define PA_FOO  PA_LAST
#define PA_BAR  (PA_LAST + 1)
```



Here are the flag bits that modify a basic type. They are combined with the code for the basic type using inclusive-or.

PA\_FLAG\_PTR

If this bit is set, it indicates that the encoded type is a pointer to the base type, rather than an immediate value. For example, PA\_INT | PA\_FLAG\_PTR represents the type `int *`.

PA\_FLAG\_SHORT

If this bit is set, it indicates that the base type is modified with `short`. (This corresponds to the `h` type modifier.)

PA\_FLAG\_LONG

If this bit is set, it indicates that the base type is modified with `long`. (This corresponds to the `l` type modifier.)

PA\_FLAG\_LONG\_LONG

If this bit is set, it indicates that the base type is modified with `long long`. (This corresponds to the `L` type modifier.)

PA\_FLAG\_LONG\_DOUBLE

This is a synonym for PA\_FLAG\_LONG\_LONG, used by convention with a base type of PA\_DOUBLE to indicate a type of `long double`.

Node: Example of Parsing, Previous: [Parsing a Template String](#), Up: [Formatted Output](#)

## Example of Parsing a Template String

Here is an example of decoding argument types for a format string. We assume this is part of an interpreter which contains arguments of type NUMBER, CHAR, STRING and STRUCTURE (and perhaps others which are not valid here).

```

/* Test whether the nargs specified objects
   in the vector args are valid
   for the format string format:
   if so, return 1.
   If not, return 0 after printing an error message.  */

int
validate_args (char *format, int nargs, OBJECT *args)
{
  int *argtypes;
  int nwanted;

  /* Get the information about the arguments.
     Each conversion specification must be at least two characters

```

```
    long, so there cannot be more specifications than half the
    length of the string.  */

argtypes = (int *) alloca (strlen (format) / 2 * sizeof (int));
nwanted = parse_printf_format (string, nelts, argtypes);

/* Check the number of arguments.  */
if (nwanted > nargs)
  {
    error ("too few arguments (at least %d required)", nwanted);
    return 0;
  }

/* Check the C type wanted for each argument
   and see if the object given is suitable.  */
for (i = 0; i < nwanted; i++)
  {
    int wanted;

    if (argtypes[i] & PA_FLAG_PTR)
      wanted = STRUCTURE;
    else
      switch (argtypes[i] & ~PA_FLAG_MASK)
        {
          case PA_INT:
          case PA_FLOAT:
          case PA_DOUBLE:
            wanted = NUMBER;
            break;
          case PA_CHAR:
            wanted = CHAR;
            break;
          case PA_STRING:
            wanted = STRING;
            break;
          case PA_POINTER:
            wanted = STRUCTURE;
            break;
        }
    if (TYPE (args[i]) != wanted)
      {
        error ("type mismatch for arg number %d", i);
        return 0;
      }
  }
return 1;
}
```

Node: Customizing Printf, Next: [Formatted Input](#), Previous: [Formatted Output](#), Up: [I/O on Streams](#)

## Customizing printf

The GNU C library lets you define your own custom conversion specifiers for `printf` template strings, to teach `printf` clever ways to print the important data structures of your program.

The way you do this is by registering the conversion with the function `register_printf_function`; see [Registering New Conversions](#). One of the arguments you pass to this function is a pointer to a handler function that produces the actual output; see [Defining the Output Handler](#), for information on how to write this function.

You can also install a function that just returns information about the number and type of arguments expected by the conversion specifier. See [Parsing a Template String](#), for information about this.

The facilities of this section are declared in the header file `printf.h`.

- [Registering New Conversions](#): Using `register_printf_function` to register a new output conversion.
- [Conversion Specifier Options](#): The handler must be able to get the options specified in the template when it is called.
- [Defining the Output Handler](#): Defining the handler and `arginfo` functions that are passed as arguments to `register_printf_function`.
- [Printf Extension Example](#): How to define a `printf` handler function.
- [Predefined Printf Handlers](#): Predefined `printf` handlers.

**Portability Note:** The ability to extend the syntax of `printf` template strings is a GNU extension. ISO standard C has nothing similar.

Node: Registering New Conversions, Next: [Conversion Specifier Options](#), Up: [Customizing Printf](#)

## Registering New Conversions

The function to register a new output conversion is `register_printf_function`, declared in `printf.h`.

**int register\_printf\_function** (*int spec*, *printf\_function handler-function*,  
*printf\_arginfo\_function arginfo-function*)

Function

This function defines the conversion specifier character *spec*. Thus, if *spec* is 'Y', it defines the conversion %Y. You can redefine the built-in conversions like %s, but flag characters like # and type modifiers like l can never be used as conversions; calling `register_printf_function` for those characters has no effect. It is advisable not to use lowercase letters, since the ISO C standard warns that additional lowercase letters may be standardized in future editions of the standard.

The *handler-function* is the function called by `printf` and friends when this conversion appears in a template string. See [Defining the Output Handler](#), for information about how to define a function to pass as this argument. If you specify a null pointer, any existing handler function for *spec* is removed.

The *arginfo-function* is the function called by `parse_printf_format` when this conversion appears in a template string. See [Parsing a Template String](#), for information about this.

**Attention:** In the GNU C library versions before 2.0 the *arginfo-function* function did not need to be installed unless the user used the `parse_printf_format` function. This has changed. Now a call to any of the `printf` functions will call this function when this format specifier appears in the format string.

The return value is 0 on success, and -1 on failure (which occurs if *spec* is out of range).

You can redefine the standard output conversions, but this is probably not a good idea because of the potential for confusion. Library routines written by other people could break if you do this.

---

Node: Conversion Specifier Options, Next: [Defining the Output Handler](#), Previous: [Registering New Conversions](#), Up: [Customizing Printf](#)

## Conversion Specifier Options

If you define a meaning for %A, what if the template contains %+23A or %-#A? To implement a sensible meaning for these, the handler when called needs to be able to get the options specified in the template.

Both the *handler-function* and *arginfo-function* accept an argument that points to a `struct printf_info`, which contains information about the options appearing in an instance of the conversion specifier. This data type is declared in the header file `printf.h`.

**struct printf\_info**

Type

This structure is used to pass information about the options appearing in an instance of a conversion specifier in a `printf` template string to the handler and `arginfo` functions for that specifier. It contains the following members:

`int prec`

This is the precision specified. The value is `-1` if no precision was specified. If the precision was given as `*`, the `printf_info` structure passed to the handler function contains the actual value retrieved from the argument list. But the structure passed to the `arginfo` function contains a value of `INT_MIN`, since the actual value is not known.

`int width`

This is the minimum field width specified. The value is `0` if no width was specified. If the field width was given as `*`, the `printf_info` structure passed to the handler function contains the actual value retrieved from the argument list. But the structure passed to the `arginfo` function contains a value of `INT_MIN`, since the actual value is not known.

`wchar_t spec`

This is the conversion specifier character specified. It's stored in the structure so that you can register the same handler function for multiple characters, but still have a way to tell them apart when the handler function is called.

`unsigned int is_long_double`

This is a boolean that is true if the `L`, `ll`, or `q` type modifier was specified. For integer conversions, this indicates `long long int`, as opposed to `long double` for floating point conversions.

`unsigned int is_char`

This is a boolean that is true if the `hh` type modifier was specified.

`unsigned int is_short`

This is a boolean that is true if the `h` type modifier was specified.

`unsigned int is_long`

This is a boolean that is true if the `l` type modifier was specified.

`unsigned int alt`

This is a boolean that is true if the `#` flag was specified.

`unsigned int space`

This is a boolean that is true if the  flag was specified.

`unsigned int left`

This is a boolean that is true if the `-` flag was specified.

`unsigned int showsign`

This is a boolean that is true if the `+` flag was specified.

`unsigned int group`

This is a boolean that is true if the `'` flag was specified.

`unsigned int extra`

This flag has a special meaning depending on the context. It could be used freely by the user-defined handlers but when called from the `printf` function this variable always contains the value `0`.

`unsigned int wide`

This flag is set if the stream is wide oriented.

`wchar_t pad`

This is the character to use for padding the output to the minimum field width. The value is '0' if the 0 flag was specified, and ' ' otherwise.

---

Node: Defining the Output Handler, Next: [Printf Extension Example](#), Previous: [Conversion Specifier Options](#), Up: [Customizing Printf](#)

## Defining the Output Handler

Now let's look at how to define the handler and arginfo functions which are passed as arguments to `register_printf_function`.

**Compatibility Note:** The interface changed in GNU libc version 2.0. Previously the third argument was of type `va_list *`.

You should define your handler functions with a prototype like:

```
int function (FILE *stream, const struct printf_info *info,
             const void *const *args)
```

The *stream* argument passed to the handler function is the stream to which it should write output.

The *info* argument is a pointer to a structure that contains information about the various options that were included with the conversion in the template string. You should not modify this structure inside your handler function. See [Conversion Specifier Options](#), for a description of this data structure.

The *args* is a vector of pointers to the arguments data. The number of arguments was determined by calling the argument information function provided by the user.

Your handler function should return a value just like `printf` does: it should return the number of characters it has written, or a negative value to indicate an error.

### `printf_function`

Data Type

This is the data type that a handler function should have.

If you are going to use `parse_printf_format` in your application, you must also define a function to pass as the *arginfo-function* argument for each new conversion you install with

`register_printf_function`.

You have to define these functions with a prototype like:

```
int function (const struct printf_info *info,
             size_t n, int *argtypes)
```

The return value from the function should be the number of arguments the conversion expects. The function should also fill in no more than  $n$  elements of the *argtypes* array with information about the types of each of these arguments. This information is encoded using the various `PA_` macros. (You will notice that this is the same calling convention `parse_printf_format` itself uses.)

## **printf\_arginfo\_function**

Data Type

This type is used to describe functions that return information about the number and type of arguments used by a conversion specifier.

---

Node: [Printf Extension Example](#), Next: [Predefined Printf Handlers](#), Previous: [Defining the Output Handler](#), Up: [Customizing Printf](#)

## **printf Extension Example**

Here is an example showing how to define a `printf` handler function. This program defines a data structure called a `Widget` and defines the `%W` conversion to print information about `Widget` \* arguments, including the pointer value and the name stored in the data structure. The `%W` conversion supports the minimum field width and left-justification options, but ignores everything else.

```
#include <stdio.h>
#include <stdlib.h>
#include <printf.h>

typedef struct
{
    char *name;
}
Widget;

int
print_widget (FILE *stream,
             const struct printf_info *info,
             const void *const *args)
{
    const Widget *w;
```

```

char *buffer;
int len;

/* Format the output into a string. */
w = *((const Widget **) (args[0]));
len = asprintf (&buffer, "<Widget %p: %s>", w, w->name);
if (len == -1)
    return -1;

/* Pad to the minimum field width and print to the stream. */
len = fprintf (stream, "%*s",
              (info->left ? -info->width : info->width),
              buffer);

/* Clean up and return. */
free (buffer);
return len;
}

int
print_widget_arginfo (const struct printf_info *info, size_t n,
                    int *argtypes)
{
    /* We always take exactly one argument and this is a pointer to the
       structure.. */
    if (n > 0)
        argtypes[0] = PA_POINTER;
    return 1;
}

int
main (void)
{
    /* Make a widget to print. */
    Widget mywidget;
    mywidget.name = "mywidget";

    /* Register the print function for widgets. */
    register_printf_function ('W', print_widget, print_widget_arginfo);

    /* Now print the widget. */
    printf ("%W\n", &mywidget);
    printf ("%35W\n", &mywidget);
    printf ("% -35W\n", &mywidget);

    return 0;
}

```



The output produced by this program looks like:

```
|<Widget 0xffeffb7c: mywidget>|
|      <Widget 0xffeffb7c: mywidget>|
|<Widget 0xffeffb7c: mywidget>      |
```

---

Node: [Predefined Printf Handlers](#), Previous: [Printf Extension Example](#), Up: [Customizing Printf](#)

## Predefined `printf` Handlers

The GNU libc also contains a concrete and useful application of the `printf` handler extension. There are two functions available which implement a special way to print floating-point numbers.

**`int printf_size`** (*FILE \*fp, const struct printf\_info \*info, const void \*const \*args*) Function

Print a given floating point number as for the format `%f` except that there is a postfix character indicating the divisor for the number to make this less than 1000. There are two possible divisors: powers of 1024 or powers of 1000. Which one is used depends on the format character specified while registered this handler. If the character is of lower case, 1024 is used. For upper case characters, 1000 is used.

The postfix tag corresponds to bytes, kilobytes, megabytes, gigabytes, etc. The full table is:

The default precision is 3, i.e., 1024 is printed with a lower-case format character as if it were `%.3fk` and will yield `1.000k`.

Due to the requirements of `register_printf_function` we must also provide the function which returns information about the arguments.

**`int printf_size_info`** (*const struct printf\_info \*info, size\_t n, int \*argtypes*) Function

This function will return in *argtypes* the information about the used parameters in the way the `vfprintf` implementation expects it. The format always takes one argument.

To use these functions both functions must be registered with a call like

```
register_printf_function ('B', printf_size, printf_size_info);
```

Here we register the functions to print numbers as powers of 1000 since the format character `'B'` is an upper-case character. If we would additionally use `'b'` in a line like

```
register_printf_function ('b', printf_size, printf_size_info);
```

we could also print using a power of 1024. Please note that all that is different in these two lines is the format specifier. The `printf_size` function knows about the difference between lower and upper case format specifiers.

The use of `'B'` and `'b'` is no coincidence. Rather it is the preferred way to use this functionality since it is available on some other systems which also use format specifiers.

---

Node: Formatted Input, Next: [EOF and Errors](#), Previous: [Customizing Printf](#), Up: [I/O on Streams](#)

## Formatted Input

The functions described in this section (`scanf` and related functions) provide facilities for formatted input analogous to the formatted output facilities. These functions provide a mechanism for reading arbitrary values under the control of a *format string* or *template string*.

- [Formatted Input Basics](#): Some basics to get you started.
- [Input Conversion Syntax](#): Syntax of conversion specifications.
- [Table of Input Conversions](#): Summary of input conversions and what they do.
- [Numeric Input Conversions](#): Details of conversions for reading numbers.
- [String Input Conversions](#): Details of conversions for reading strings.
- [Dynamic String Input](#): String conversions that `malloc` the buffer.
- [Other Input Conversions](#): Details of miscellaneous other conversions.
- [Formatted Input Functions](#): Descriptions of the actual functions.
- [Variable Arguments Input](#): `vscanf` and friends.

---

Node: Formatted Input Basics, Next: [Input Conversion Syntax](#), Up: [Formatted Input](#)

## Formatted Input Basics

Calls to `scanf` are superficially similar to calls to `printf` in that arbitrary arguments are read under the control of a template string. While the syntax of the conversion specifications in the template is very similar to that for `printf`, the interpretation of the template is oriented more towards free-format input and simple pattern matching, rather than fixed-field formatting. For example, most `scanf` conversions skip over any amount of "white space" (including spaces, tabs, and newlines) in the input file, and there is no concept of precision for the numeric input conversions as there is for the corresponding output

conversions. Ordinarily, non-whitespace characters in the template are expected to match characters in the input stream exactly, but a matching failure is distinct from an input error on the stream.

Another area of difference between `scanf` and `printf` is that you must remember to supply pointers rather than immediate values as the optional arguments to `scanf`; the values that are read are stored in the objects that the pointers point to. Even experienced programmers tend to forget this occasionally, so if your program is getting strange errors that seem to be related to `scanf`, you might want to double-check this.

When a *matching failure* occurs, `scanf` returns immediately, leaving the first non-matching character as the next character to be read from the stream. The normal return value from `scanf` is the number of values that were assigned, so you can use this to determine if a matching error happened before all the expected values were read.

The `scanf` function is typically used for things like reading in the contents of tables. For example, here is a function that uses `scanf` to initialize an array of double:

```
void
readarray (double *array, int n)
{
    int i;
    for (i=0; i<n; i++)
        if (scanf ("%lf", &(array[i])) != 1)
            invalid_input_error ();
}
```

The formatted input functions are not used as frequently as the formatted output functions. Partly, this is because it takes some care to use them properly. Another reason is that it is difficult to recover from a matching error.

If you are trying to read input that doesn't match a single, fixed pattern, you may be better off using a tool such as Flex to generate a lexical scanner, or Bison to generate a parser, rather than using `scanf`. For more information about these tools, see [Top](#), and [Top](#).

---

Node: Input Conversion Syntax, Next: [Table of Input Conversions](#), Previous: [Formatted Input Basics](#),  
Up: [Formatted Input](#)

## Input Conversion Syntax

A `scanf` template string is a string that contains ordinary multibyte characters interspersed with conversion specifications that start with `%`.

Any whitespace character (as defined by the `isspace` function; see [Classification of Characters](#)) in the template causes any number of whitespace characters in the input stream to be read and discarded. The whitespace characters that are matched need not be exactly the same whitespace characters that appear in the template string. For example, write  `,`  in the template to recognize a comma with optional whitespace before and after.

Other characters in the template string that are not part of conversion specifications must match characters in the input stream exactly; if this is not the case, a matching failure occurs.

The conversion specifications in a `scanf` template string have the general form:

```
% flags width type conversion
```

In more detail, an input conversion specification consists of an initial `%` character followed in sequence by:

- An optional *flag character* `*`, which says to ignore the text read for this specification. When `scanf` finds a conversion specification that uses this flag, it reads input as directed by the rest of the conversion specification, but it discards this input, does not use a pointer argument, and does not increment the count of successful assignments.
- An optional flag character `a` (valid with string conversions only) which requests allocation of a buffer long enough to store the string in. (This is a GNU extension.) See [Dynamic String Input](#).
- An optional decimal integer that specifies the *maximum field width*. Reading of characters from the input stream stops either when this maximum is reached or when a non-matching character is found, whichever happens first. Most conversions discard initial whitespace characters (those that don't are explicitly documented), and these discarded characters don't count towards the maximum field width. String input conversions store a null character to mark the end of the input; the maximum field width does not include this terminator.
- An optional *type modifier character*. For example, you can specify a type modifier of `l` with integer conversions such as `%d` to specify that the argument is a pointer to a `long int` rather than a pointer to an `int`.
- A character that specifies the conversion to be applied.

The exact options that are permitted and how they are interpreted vary between the different conversion specifiers. See the descriptions of the individual conversions for information about the particular options that they allow.

With the `-Wformat` option, the GNU C compiler checks calls to `scanf` and related functions. It examines the format string and verifies that the correct number and types of arguments are supplied. There is also a GNU C syntax to tell the compiler that a function you write uses a `scanf`-style format

string. See [Declaring Attributes of Functions](#), for more information.

---

Node: Table of Input Conversions, Next: [Numeric Input Conversions](#), Previous: [Input Conversion Syntax](#), Up: [Formatted Input](#)

## Table of Input Conversions

Here is a table that summarizes the various conversion specifications:

`%d`

Matches an optionally signed integer written in decimal. See [Numeric Input Conversions](#).

`%i`

Matches an optionally signed integer in any of the formats that the C language defines for specifying an integer constant. See [Numeric Input Conversions](#).

`%o`

Matches an unsigned integer written in octal radix. See [Numeric Input Conversions](#).

`%u`

Matches an unsigned integer written in decimal radix. See [Numeric Input Conversions](#).

`%x, %X`

Matches an unsigned integer written in hexadecimal radix. See [Numeric Input Conversions](#).

`%e, %f, %g, %E, %G`

Matches an optionally signed floating-point number. See [Numeric Input Conversions](#).

`%s`

Matches a string containing only non-whitespace characters. See [String Input Conversions](#). The presence of the `l` modifier determines whether the output is stored as a wide character string or a multibyte string. If `%s` is used in a wide character function the string is converted as with multiple calls to `wcrtomb` into a multibyte string. This means that the buffer must provide room for `MB_CUR_MAX` bytes for each wide character read. In case `%ls` is used in a multibyte function the result is converted into wide characters as with multiple calls of `mbrtowc` before being stored in the user provided buffer.

`%S`

This is an alias for `%ls` which is supported for compatibility with the Unix standard.

`%[`

Matches a string of characters that belong to a specified set. See [String Input Conversions](#). The presence of the `l` modifier determines whether the output is stored as a wide character string or a multibyte string. If `%[` is used in a wide character function the string is converted as with multiple calls to `wcrtomb` into a multibyte string. This means that the buffer must provide room for `MB_CUR_MAX` bytes for each wide character read. In case `%l[` is used in a multibyte function the result is converted into wide characters as with multiple calls of `mbrtowc` before being stored in the user provided buffer.

`%c`

Matches a string of one or more characters; the number of characters read is controlled by the maximum field width given for the conversion. See [String Input Conversions](#).

If the `%c` is used in a wide stream function the read value is converted from a wide character to the corresponding multibyte character before storing it. Note that this conversion can produce more than one byte of output and therefore the provided buffer be large enough for up to `MB_CUR_MAX` bytes for each character. If `%lc` is used in a multibyte function the input is treated as a multibyte sequence (and not bytes) and the result is converted as with calls to `mbrtowc`.

`%C`

This is an alias for `%lc` which is supported for compatibility with the Unix standard.

`%p`

Matches a pointer value in the same implementation-defined format used by the `%p` output conversion for `printf`. See [Other Input Conversions](#).

`%n`

This conversion doesn't read any characters; it records the number of characters read so far by this call. See [Other Input Conversions](#).

`%%`

This matches a literal `%` character in the input stream. No corresponding argument is used. See [Other Input Conversions](#).

If the syntax of a conversion specification is invalid, the behavior is undefined. If there aren't enough function arguments provided to supply addresses for all the conversion specifications in the template strings that perform assignments, or if the arguments are not of the correct types, the behavior is also undefined. On the other hand, extra arguments are simply ignored.

---

Node: Numeric Input Conversions, Next: [String Input Conversions](#), Previous: [Table of Input Conversions](#), Up: [Formatted Input](#)

## Numeric Input Conversions

This section describes the `scanf` conversions for reading numeric values.

The `%d` conversion matches an optionally signed integer in decimal radix. The syntax that is recognized is the same as that for the `strtol` function (see [Parsing of Integers](#)) with the value 10 for the *base* argument.

The `%i` conversion matches an optionally signed integer in any of the formats that the C language defines for specifying an integer constant. The syntax that is recognized is the same as that for the

`strtol` function (see [Parsing of Integers](#)) with the value 0 for the *base* argument. (You can print integers in this syntax with `printf` by using the # flag character with the `%x`, `%o`, or `%d` conversion. See [Integer Conversions](#).)

For example, any of the strings `10`, `0xa`, or `012` could be read in as integers under the `%i` conversion. Each of these specifies a number with decimal value 10.

The `%o`, `%u`, and `%x` conversions match unsigned integers in octal, decimal, and hexadecimal radices, respectively. The syntax that is recognized is the same as that for the `strtoul` function (see [Parsing of Integers](#)) with the appropriate value (8, 10, or 16) for the *base* argument.

The `%X` conversion is identical to the `%x` conversion. They both permit either uppercase or lowercase letters to be used as digits.

The default type of the corresponding argument for the `%d` and `%i` conversions is `int *`, and `unsigned int *` for the other integer conversions. You can use the following type modifiers to specify other sizes of integer:

hh

Specifies that the argument is a `signed char *` or `unsigned char *`.

This modifier was introduced in ISO C99.

h

Specifies that the argument is a `short int *` or `unsigned short int *`.

j

Specifies that the argument is a `intmax_t *` or `uintmax_t *`.

This modifier was introduced in ISO C99.

l

Specifies that the argument is a `long int *` or `unsigned long int *`. Two `l` characters is like the `L` modifier, below.

If used with `%c` or `%s` the corresponding parameter is considered as a pointer to a wide character or wide character string respectively. This use of `l` was introduced in Amendment 1 to ISO C90.

ll

L

q

Specifies that the argument is a `long long int *` or `unsigned long long int *`.

(The `long long` type is an extension supported by the GNU C compiler. For systems that don't provide extra-long integers, this is the same as `long int`.)

The `q` modifier is another name for the same thing, which comes from 4.4 BSD; a `long long int` is sometimes called a "quad" `int`.

t

Specifies that the argument is a `ptrdiff_t *`.

This modifier was introduced in ISO C99.

z

Specifies that the argument is a `size_t *`.

This modifier was introduced in ISO C99.

All of the `%e`, `%f`, `%g`, `%E`, and `%G` input conversions are interchangeable. They all match an optionally signed floating point number, in the same syntax as for the `strtod` function (see [Parsing of Floats](#)).

For the floating-point input conversions, the default argument type is `float *`. (This is different from the corresponding output conversions, where the default type is `double`; remember that `float` arguments to `printf` are converted to `double` by the default argument promotions, but `float *` arguments are not promoted to `double *`.) You can specify other sizes of float using these type modifiers:

l

Specifies that the argument is of type `double *`.

L

Specifies that the argument is of type `long double *`.

For all the above number parsing formats there is an additional optional flag `'`. When this flag is given the `scanf` function expects the number represented in the input string to be formatted according to the grouping rules of the currently selected locale (see [General Numeric](#)).

If the "C" or "POSIX" locale is selected there is no difference. But for a locale which specifies values for the appropriate fields in the locale the input must have the correct form in the input. Otherwise the longest prefix with a correct form is processed.

---

Node: [String Input Conversions](#), Next: [Dynamic String Input](#), Previous: [Numeric Input Conversions](#),  
Up: [Formatted Input](#)



## String Input Conversions

This section describes the `scanf` input conversions for reading string and character values: `%s`, `%S`, `%[`, `%c`, and `%C`.

You have two options for how to receive the input from these conversions:

- Provide a buffer to store it in. This is the default. You should provide an argument of type `char *` or `wchar_t *` (the latter of the `l` modifier is present).

**Warning:** To make a robust program, you must make sure that the input (plus its terminating null) cannot possibly exceed the size of the buffer you provide. In general, the only way to do this is to specify a maximum field width one less than the buffer size. **If you provide the buffer, always specify a maximum field width to prevent overflow.**

- Ask `scanf` to allocate a big enough buffer, by specifying the `a` flag character. This is a GNU extension. You should provide an argument of type `char **` for the buffer address to be stored in. See [Dynamic String Input](#).

The `%c` conversion is the simplest: it matches a fixed number of characters, always. The maximum field width says how many characters to read; if you don't specify the maximum, the default is 1. This conversion doesn't append a null character to the end of the text it reads. It also does not skip over initial whitespace characters. It reads precisely the next  $n$  characters, and fails if it cannot get that many. Since there is always a maximum field width with `%c` (whether specified, or 1 by default), you can always prevent overflow by making the buffer long enough.

If the format is `%lc` or `%C` the function stores wide characters which are converted using the conversion determined at the time the stream was opened from the external byte stream. The number of bytes read from the medium is limited by `MB_CUR_LEN * n` but at most  $n$  wide character get stored in the output string.

The `%s` conversion matches a string of non-whitespace characters. It skips and discards initial whitespace, but stops when it encounters more whitespace after having read something. It stores a null character at the end of the text that it reads.

For example, reading the input:

```
hello, world
```

with the conversion `%10c` produces " hello, wo", but reading the same input with the conversion `%`

10s produces "hello, ".

**Warning:** If you do not specify a field width for %s, then the number of characters read is limited only by where the next whitespace character appears. This almost certainly means that invalid input can make your program crash--which is a bug.

The %ls and %S format are handled just like %s except that the external byte sequence is converted using the conversion associated with the stream to wide characters with their own encoding. A width or precision specified with the format do not directly determine how many bytes are read from the stream since they measure wide characters. But an upper limit can be computed by multiplying the value of the width or precision by MB\_CUR\_MAX.

To read in characters that belong to an arbitrary set of your choice, use the %[ conversion. You specify the set between the [ character and a following ] character, using the same syntax used in regular expressions. As special cases:

- A literal ] character can be specified as the first character of the set.
- An embedded - character (that is, one that is not the first or last character of the set) is used to specify a range of characters.
- If a caret character ^ immediately follows the initial [, then the set of allowed input characters is the everything *except* the characters listed.

The %[ conversion does not skip over initial whitespace characters.

Here are some examples of %[ conversions and what they mean:

```
%25[1234567890]
```

Matches a string of up to 25 digits.

```
%25[[]]
```

Matches a string of up to 25 square brackets.

```
%25[^ \f\n\r\t\v]
```

Matches a string up to 25 characters long that doesn't contain any of the standard whitespace characters. This is slightly different from %s, because if the input begins with a whitespace character, %[ reports a matching failure while %s simply discards the initial whitespace.

```
%25[a-z]
```

Matches up to 25 lowercase characters.

As for %c and %s the %[ format is also modified to produce wide characters if the l modifier is present. All what is said about %ls above is true for %l[.

One more reminder: the %s and %[ conversions are **dangerous** if you don't specify a maximum width or use the a flag, because input too long would overflow whatever buffer you have provided for it. No

matter how long your buffer is, a user could supply input that is longer. A well-written program reports invalid input with a comprehensible error message, not with a crash.

---

Node: [Dynamic String Input](#), Next: [Other Input Conversions](#), Previous: [String Input Conversions](#),  
Up: [Formatted Input](#)

## Dynamically Allocating String Conversions

A GNU extension to formatted input lets you safely read a string with no maximum size. Using this feature, you don't supply a buffer; instead, `scanf` allocates a buffer big enough to hold the data and gives you its address. To use this feature, write `a` as a flag character, as in `%as` or `%a[0-9a-z]`.

The pointer argument you supply for where to store the input should have type `char **`. The `scanf` function allocates a buffer and stores its address in the word that the argument points to. You should free the buffer with `free` when you no longer need it.

Here is an example of using the `a` flag with the `%[ . . . ]` conversion specification to read a "variable assignment" of the form *variable = value*.

```
{
  char *variable, *value;

  if (2 > scanf ("%a[a-zA-Z0-9] = %a[^\n]\n",
                &variable, &value))
    {
      invalid_input_error ();
      return 0;
    }
  ...
}
```

---

Node: [Other Input Conversions](#), Next: [Formatted Input Functions](#), Previous: [Dynamic String Input](#),  
Up: [Formatted Input](#)

## Other Input Conversions

This section describes the miscellaneous input conversions.

The `%p` conversion is used to read a pointer value. It recognizes the same syntax used by the `%p` output

conversion for `printf` (see [Other Output Conversions](#)); that is, a hexadecimal number just as the `%x` conversion accepts. The corresponding argument should be of type `void **`; that is, the address of a place to store a pointer.

The resulting pointer value is not guaranteed to be valid if it was not originally written during the same program execution that reads it in.

The `%n` conversion produces the number of characters read so far by this call. The corresponding argument should be of type `int *`. This conversion works in the same way as the `%n` conversion for `printf`; see [Other Output Conversions](#), for an example.

The `%n` conversion is the only mechanism for determining the success of literal matches or conversions with suppressed assignments. If the `%n` follows the locus of a matching failure, then no value is stored for it since `scanf` returns before processing the `%n`. If you store `-1` in that argument slot before calling `scanf`, the presence of `-1` after `scanf` indicates an error occurred before the `%n` was reached.

Finally, the `%%` conversion matches a literal `%` character in the input stream, without using an argument. This conversion does not permit any flags, field width, or type modifier to be specified.

---

Node: Formatted Input Functions, Next: [Variable Arguments Input](#), Previous: [Other Input Conversions](#),  
Up: [Formatted Input](#)

## Formatted Input Functions

Here are the descriptions of the functions for performing formatted input. Prototypes for these functions are in the header file `stdio.h`.

**int `scanf`** (*const char \*template, ...*) Function

The `scanf` function reads formatted input from the stream `stdin` under the control of the template string *template*. The optional arguments are pointers to the places which receive the resulting values.

The return value is normally the number of successful assignments. If an end-of-file condition is detected before any matches are performed, including matches against whitespace and literal characters in the template, then EOF is returned.

**int `wscanf`** (*const wchar\_t \*template, ...*) Function

The `wscanf` function reads formatted input from the stream `stdin` under the control of the template string *template*. The optional arguments are pointers to the places which receive the resulting values.

The return value is normally the number of successful assignments. If an end-of-file condition is detected before any matches are performed, including matches against whitespace and literal characters in the template, then `WEOF` is returned.

int **fscanf** (*FILE* \**stream*, *const char* \**template*, ...)Function

This function is just like `scanf`, except that the input is read from the stream *stream* instead of `stdin`.

int **fwscanf** (*FILE* \**stream*, *const wchar\_t* \**template*, ...)Function

This function is just like `wscanf`, except that the input is read from the stream *stream* instead of `stdin`.

int **sscanf** (*const char* \**s*, *const char* \**template*, ...)Function

This is like `scanf`, except that the characters are taken from the null-terminated string *s* instead of from a stream. Reaching the end of the string is treated as an end-of-file condition.

The behavior of this function is undefined if copying takes place between objects that overlap--for example, if *s* is also given as an argument to receive a string read under control of the `%s`, `%S`, or  `%[ conversion`.

int **swscanf** (*const wchar\_t* \**ws*, *const char* \**template*, ...)Function

This is like `wscanf`, except that the characters are taken from the null-terminated string *ws* instead of from a stream. Reaching the end of the string is treated as an end-of-file condition.

The behavior of this function is undefined if copying takes place between objects that overlap--for example, if *ws* is also given as an argument to receive a string read under control of the `%s`, `%S`, or  `%[ conversion`.

---

Node: Variable Arguments Input, Previous: [Formatted Input Functions](#), Up: [Formatted Input](#)

## Variable Arguments Input Functions

The functions `vscanf` and friends are provided so that you can define your own variadic `scanf`-like

functions that make use of the same internals as the built-in formatted output functions. These functions are analogous to the `vprintf` series of output functions. See [Variable Arguments Output](#), for important information on how to use them.

**Portability Note:** The functions listed in this section were introduced in ISO C99 and were before available as GNU extensions.

**int `vscanf`** (*const char \*template, va\_list ap*) Function

This function is similar to `scanf`, but instead of taking a variable number of arguments directly, it takes an argument list pointer *ap* of type `va_list` (see [Variadic Functions](#)).

**int `vwscanf`** (*const wchar\_t \*template, va\_list ap*) Function

This function is similar to `wscanf`, but instead of taking a variable number of arguments directly, it takes an argument list pointer *ap* of type `va_list` (see [Variadic Functions](#)).

**int `vfscanf`** (*FILE \*stream, const char \*template, va\_list ap*) Function

This is the equivalent of  `fscanf` with the variable argument list specified directly as for `vscanf`.

**int `vwfscanf`** (*FILE \*stream, const wchar\_t \*template, va\_list ap*) Function

This is the equivalent of `fwscanf` with the variable argument list specified directly as for `vwscanf`.

**int `vsscanf`** (*const char \*s, const char \*template, va\_list ap*) Function

This is the equivalent of `sscanf` with the variable argument list specified directly as for `vscanf`.

**int `vwscanf`** (*const wchar\_t \*s, const wchar\_t \*template, va\_list ap*) Function

This is the equivalent of `swscanf` with the variable argument list specified directly as for `vwscanf`.

In GNU C, there is a special construct you can use to let the compiler know that a function uses a `scanf`-style format string. Then it can check the number and types of arguments in each call to the function, and warn you when they do not match the format string. For details, See [Declaring Attributes of Functions](#).

## End-Of-File and Errors

Many of the functions described in this chapter return the value of the macro `EOF` to indicate unsuccessful completion of the operation. Since `EOF` is used to report both end of file and random errors, it's often better to use the `fEOF` function to check explicitly for end of file and `ferror` to check for errors. These functions check indicators that are part of the internal state of the stream object, indicators set if the appropriate condition was detected by a previous I/O operation on that stream.

int **EOF** Macro

This macro is an integer value that is returned by a number of narrow stream functions to indicate an end-of-file condition, or some other error situation. With the GNU library, `EOF` is `-1`. In other libraries, its value may be some other negative number.

This symbol is declared in `stdio.h`.

int **WEOF** Macro

This macro is an integer value that is returned by a number of wide stream functions to indicate an end-of-file condition, or some other error situation. With the GNU library, `WEOF` is `-1`. In other libraries, its value may be some other negative number.

This symbol is declared in `wchar.h`.

int **fEOF** (*FILE* \**stream*) Function

The `fEOF` function returns nonzero if and only if the end-of-file indicator for the stream *stream* is set.

This symbol is declared in `stdio.h`.

int **fEOF\_unlocked** (*FILE* \**stream*) Function

The `fEOF_unlocked` function is equivalent to the `fEOF` function except that it does not implicitly lock the stream.

This function is a GNU extension.

This symbol is declared in `stdio.h`.

**int `error`** (*FILE \*stream*)

Function

The `error` function returns nonzero if and only if the error indicator for the stream *stream* is set, indicating that an error has occurred on a previous operation on the stream.

This symbol is declared in `stdio.h`.

**int `error_unlocked`** (*FILE \*stream*)

Function

The `error_unlocked` function is equivalent to the `error` function except that it does not implicitly lock the stream.

This function is a GNU extension.

This symbol is declared in `stdio.h`.

In addition to setting the error indicator associated with the stream, the functions that operate on streams also set `errno` in the same way as the corresponding low-level functions that operate on file descriptors. For example, all of the functions that perform output to a stream--such as `fputc`, `printf`, and `fflush`--are implemented in terms of `write`, and all of the `errno` error conditions defined for `write` are meaningful for these functions. For more information about the descriptor-level I/O functions, see [Low-Level I/O](#).

---

Node: Error Recovery, Next: [Binary Streams](#), Previous: [EOF and Errors](#), Up: [I/O on Streams](#)

## Recovering from errors

You may explicitly clear the error and EOF flags with the `clearerr` function.

**void `clearerr`** (*FILE \*stream*)

Function

This function clears the end-of-file and error indicators for the stream *stream*.

The file positioning functions (see [File Positioning](#)) also clear the end-of-file indicator for the stream.

**void `clearerr_unlocked`** (*FILE \*stream*)

Function



The `clearerr_unlocked` function is equivalent to the `clearerr` function except that it does not implicitly lock the stream.

This function is a GNU extension.

Note that it is *not* correct to just clear the error flag and retry a failed stream operation. After a failed write, any number of characters since the last buffer flush may have been committed to the file, while some buffered data may have been discarded. Merely retrying can thus cause lost or repeated data.

A failed read may leave the file pointer in an inappropriate position for a second try. In both cases, you should seek to a known position before retrying.

Most errors that can happen are not recoverable -- a second try will always fail again in the same way. So usually it is best to give up and report the error to the user, rather than install complicated recovery logic.

One important exception is `EINTR` (see [Interrupted Primitives](#)). Many stream I/O implementations will treat it as an ordinary error, which can be quite inconvenient. You can avoid this hassle by installing all signals with the `SA_RESTART` flag.

For similar reasons, setting nonblocking I/O on a stream's file descriptor is not usually advisable.

---

Node: Binary Streams, Next: [File Positioning](#), Previous: [Error Recovery](#), Up: [I/O on Streams](#)

## Text and Binary Streams

The GNU system and other POSIX-compatible operating systems organize all files as uniform sequences of characters. However, some other systems make a distinction between files containing text and files containing binary data, and the input and output facilities of ISO C provide for this distinction. This section tells you how to write programs portable to such systems.

When you open a stream, you can specify either a *text stream* or a *binary stream*. You indicate that you want a binary stream by specifying the `b` modifier in the *opentype* argument to `fopen`; see [Opening Streams](#). Without this option, `fopen` opens the file as a text stream.

Text and binary streams differ in several ways:

- The data read from a text stream is divided into *lines* which are terminated by newline ( `'\n'` ) characters, while a binary stream is simply a long series of characters. A text stream might on some systems fail to handle lines more than 254 characters long (including the terminating

newline character).

- On some systems, text files can contain only printing characters, horizontal tab characters, and newlines, and so text streams may not support other characters. However, binary streams can handle any character value.
- Space characters that are written immediately preceding a newline character in a text stream may disappear when the file is read in again.
- More generally, there need not be a one-to-one mapping between characters that are read from or written to a text stream, and the characters in the actual file.

Since a binary stream is always more capable and more predictable than a text stream, you might wonder what purpose text streams serve. Why not simply always use binary streams? The answer is that on these operating systems, text and binary streams use different file formats, and the only way to read or write "an ordinary file of text" that can work with other text-oriented programs is through a text stream.

In the GNU library, and on all POSIX systems, there is no difference between text streams and binary streams. When you open a stream, you get the same kind of stream regardless of whether you ask for binary. This stream can handle any file content, and has none of the restrictions that text streams sometimes have.

---

Node: File Positioning, Next: [Portable Positioning](#), Previous: [Binary Streams](#), Up: [I/O on Streams](#)

## File Positioning

The *file position* of a stream describes where in the file the stream is currently reading or writing. I/O on the stream advances the file position through the file. In the GNU system, the file position is represented as an integer, which counts the number of bytes from the beginning of the file. See [File Position](#).

During I/O to an ordinary disk file, you can change the file position whenever you wish, so as to read or write any portion of the file. Some other kinds of files may also permit this. Files which support changing the file position are sometimes referred to as *random-access* files.

You can use the functions in this section to examine or modify the file position indicator associated with a stream. The symbols listed below are declared in the header file `stdio.h`.

long int **ftell** (*FILE \*stream*)

Function

This function returns the current file position of the stream *stream*.

This function can fail if the stream doesn't support file positioning, or if the file position can't be represented in a `long int`, and possibly for other reasons as well. If a failure occurs, a value of `-1` is returned.

`off_t ftello` (*FILE \*stream*)

Function

The `ftello` function is similar to `ftell`, except that it returns a value of type `off_t`. Systems which support this type use it to describe all file positions, unlike the POSIX specification which uses a `long int`. The two are not necessarily the same size. Therefore, using `ftell` can lead to problems if the implementation is written on top of a POSIX compliant low-level I/O implementation, and using `ftello` is preferable whenever it is available.

If this function fails it returns `(off_t) -1`. This can happen due to missing support for file positioning or internal errors. Otherwise the return value is the current file position.

The function is an extension defined in the Unix Single Specification version 2.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bit system this function is in fact `ftello64`. I.e., the LFS interface transparently replaces the old interface.

`off64_t ftello64` (*FILE \*stream*)

Function

This function is similar to `ftello` with the only difference that the return value is of type `off64_t`. This also requires that the stream *stream* was opened using either `fopen64`, `freopen64`, or `tmpfile64` since otherwise the underlying file operations to position the file pointer beyond the  $2^{31}$  bytes limit might fail.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is available under the name `ftello` and so transparently replaces the old interface.

`int fseek` (*FILE \*stream*, *long int offset*, *int whence*)

Function

The `fseek` function is used to change the file position of the stream *stream*. The value of *whence* must be one of the constants `SEEK_SET`, `SEEK_CUR`, or `SEEK_END`, to indicate whether the *offset* is relative to the beginning of the file, the current file position, or the end of the file, respectively.

This function returns a value of zero if the operation was successful, and a nonzero value to indicate failure. A successful call also clears the end-of-file indicator of *stream* and discards any characters that were "pushed back" by the use of `ungetc`.

`fseek` either flushes any buffered output before setting the file position or else remembers it so it will be written later in its proper place in the file.

**int `fseeko`** (*FILE \*stream*, *off\_t offset*, *int whence*) Function

This function is similar to `fseek` but it corrects a problem with `fseek` in a system with POSIX types. Using a value of type `long int` for the offset is not compatible with POSIX. `fseeko` uses the correct type `off_t` for the *offset* parameter.

For this reason it is a good idea to prefer `ftello` whenever it is available since its functionality is (if different at all) closer to the underlying definition.

The functionality and return value is the same as for `fseek`.

The function is an extension defined in the Unix Single Specification version 2.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bit system this function is in fact `fseeko64`. I.e., the LFS interface transparently replaces the old interface.

**int `fseeko64`** (*FILE \*stream*, *off64\_t offset*, *int whence*) Function

This function is similar to `fseeko` with the only difference that the *offset* parameter is of type `off64_t`. This also requires that the stream *stream* was opened using either `fopen64`, `freopen64`, or `tmpfile64` since otherwise the underlying file operations to position the file pointer beyond the  $2^{31}$  bytes limit might fail.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is available under the name `fseeko` and so transparently replaces the old interface.

**Portability Note:** In non-POSIX systems, `ftell`, `ftello`, `fseek` and `fseeko` might work reliably only on binary streams. See [Binary Streams](#).

The following symbolic constants are defined for use as the *whence* argument to `fseek`. They are also

used with the `lseek` function (see [I/O Primitives](#)) and to specify offsets for file locks (see [Control Operations](#)).

int **SEEK\_SET** Macro

This is an integer constant which, when used as the *whence* argument to the `fseek` or `fseeko` function, specifies that the offset provided is relative to the beginning of the file.

int **SEEK\_CUR** Macro

This is an integer constant which, when used as the *whence* argument to the `fseek` or `fseeko` function, specifies that the offset provided is relative to the current file position.

int **SEEK\_END** Macro

This is an integer constant which, when used as the *whence* argument to the `fseek` or `fseeko` function, specifies that the offset provided is relative to the end of the file.

void **rewind** (*FILE \*stream*) Function

The `rewind` function positions the stream *stream* at the beginning of the file. It is equivalent to calling `fseek` or `fseeko` on the *stream* with an *offset* argument of `0L` and a *whence* argument of `SEEK_SET`, except that the return value is discarded and the error indicator for the stream is reset.

These three aliases for the `SEEK_...` constants exist for the sake of compatibility with older BSD systems. They are defined in two different header files: `fcntl.h` and `sys/file.h`.

`L_SET`  
An alias for `SEEK_SET`.

`L_INCR`  
An alias for `SEEK_CUR`.

`L_XTND`  
An alias for `SEEK_END`.

---

Node: Portable Positioning, Next: [Stream Buffering](#), Previous: [File Positioning](#), Up: [I/O on Streams](#)

## Portable File-Position Functions

On the GNU system, the file position is truly a character count. You can specify any character count value as an argument to `fseek` or `fseeko` and get reliable results for any random access file. However, some ISO C systems do not represent file positions in this way.

On some systems where text streams truly differ from binary streams, it is impossible to represent the file position of a text stream as a count of characters from the beginning of the file. For example, the file position on some systems must encode both a record offset within the file, and a character offset within the record.

As a consequence, if you want your programs to be portable to these systems, you must observe certain rules:

- The value returned from `ftell` on a text stream has no predictable relationship to the number of characters you have read so far. The only thing you can rely on is that you can use it subsequently as the *offset* argument to `fseek` or `fseeko` to move back to the same file position.
- In a call to `fseek` or `fseeko` on a text stream, either the *offset* must be zero, or *whence* must be `SEEK_SET` and the *offset* must be the result of an earlier call to `ftell` on the same stream.
- The value of the file position indicator of a text stream is undefined while there are characters that have been pushed back with `ungetc` that haven't been read or discarded. See [Unreading](#).

But even if you observe these rules, you may still have trouble for long files, because `ftell` and `fseek` use a `long int` value to represent the file position. This type may not have room to encode all the file positions in a large file. Using the `ftello` and `fseeko` functions might help here since the `off_t` type is expected to be able to hold all file position values but this still does not help to handle additional information which must be associated with a file position.

So if you do want to support systems with peculiar encodings for the file positions, it is better to use the functions `fgetpos` and `fsetpos` instead. These functions represent the file position using the data type `fpos_t`, whose internal representation varies from system to system.

These symbols are declared in the header file `stdio.h`.

## **fpos\_t** Data Type

This is the type of an object that can encode information about the file position of a stream, for use by the functions `fgetpos` and `fsetpos`.

In the GNU system, `fpos_t` is an opaque data structure that contains internal data to represent file offset and conversion state information. In other systems, it might have a different internal representation.

When compiling with `_FILE_OFFSET_BITS == 64` on a 32 bit machine this type is in fact equivalent to `fpos64_t` since the LFS interface transparently replaces the old interface.

**fpos64\_t**

Data Type

This is the type of an object that can encode information about the file position of a stream, for use by the functions `fgetpos64` and `fsetpos64`.

In the GNU system, `fpos64_t` is an opaque data structure that contains internal data to represent file offset and conversion state information. In other systems, it might have a different internal representation.

int **fgetpos** (*FILE \*stream, fpos\_t \*position*)

Function

This function stores the value of the file position indicator for the stream *stream* in the `fpos_t` object pointed to by *position*. If successful, `fgetpos` returns zero; otherwise it returns a nonzero value and stores an implementation-defined positive value in `errno`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bit system the function is in fact `fgetpos64`. I.e., the LFS interface transparently replaces the old interface.

int **fgetpos64** (*FILE \*stream, fpos64\_t \*position*)

Function

This function is similar to `fgetpos` but the file position is returned in a variable of type `fpos64_t` to which *position* points.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is available under the name `fgetpos` and so transparently replaces the old interface.

int **fsetpos** (*FILE \*stream, const fpos\_t \*position*)

Function

This function sets the file position indicator for the stream *stream* to the position *position*, which must have been set by a previous call to `fgetpos` on the same stream. If successful, `fsetpos` clears the end-of-file indicator on the stream, discards any characters that were "pushed back" by the use of `ungetc`, and returns a value of zero. Otherwise, `fsetpos` returns a nonzero value and stores an implementation-defined positive value in `errno`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bit system the function is in fact `fsetpos64`. I.e., the LFS interface transparently replaces the old interface.

int **fsetpos64** (*FILE \*stream, const fpos64\_t \*position*)

Function

This function is similar to `fsetpos` but the file position used for positioning is provided in a variable of type `fpos64_t` to which *position* points.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is available under the name `fsetpos` and so transparently replaces the old interface.

---

Node: Stream Buffering, Next: [Other Kinds of Streams](#), Previous: [Portable Positioning](#), Up: [I/O on Streams](#)

## Stream Buffering

Characters that are written to a stream are normally accumulated and transmitted asynchronously to the file in a block, instead of appearing as soon as they are output by the application program. Similarly, streams often retrieve input from the host environment in blocks rather than on a character-by-character basis. This is called *buffering*.

If you are writing programs that do interactive input and output using streams, you need to understand how buffering works when you design the user interface to your program. Otherwise, you might find that output (such as progress or prompt messages) doesn't appear when you intended it to, or displays some other unexpected behavior.

This section deals only with controlling when characters are transmitted between the stream and the file or device, and *not* with how things like echoing, flow control, and the like are handled on specific classes of devices. For information on common control operations on terminal devices, see [Low-Level Terminal Interface](#).

You can bypass the stream buffering facilities altogether by using the low-level input and output functions that operate on file descriptors instead. See [Low-Level I/O](#).

- [Buffering Concepts](#): Terminology is defined here.
- [Flushing Buffers](#): How to ensure that output buffers are flushed.
- [Controlling Buffering](#): How to specify what kind of buffering to use.

---

Node: Buffering Concepts, Next: [Flushing Buffers](#), Up: [Stream Buffering](#)

## Buffering Concepts

There are three different kinds of buffering strategies:



- Characters written to or read from an *unbuffered* stream are transmitted individually to or from the file as soon as possible.
- Characters written to a *line buffered* stream are transmitted to the file in blocks when a newline character is encountered.
- Characters written to or read from a *fully buffered* stream are transmitted to or from the file in blocks of arbitrary size.

Newly opened streams are normally fully buffered, with one exception: a stream connected to an interactive device such as a terminal is initially line buffered. See [Controlling Buffering](#), for information on how to select a different kind of buffering. Usually the automatic selection gives you the most convenient kind of buffering for the file or device you open.

The use of line buffering for interactive devices implies that output messages ending in a newline will appear immediately--which is usually what you want. Output that doesn't end in a newline might or might not show up immediately, so if you want them to appear immediately, you should flush buffered output explicitly with `fflush`, as described in [Flushing Buffers](#).

---

Node: [Flushing Buffers](#), Next: [Controlling Buffering](#), Previous: [Buffering Concepts](#), Up: [Stream Buffering](#)

## Flushing Buffers

*Flushing* output on a buffered stream means transmitting all accumulated characters to the file. There are many circumstances when buffered output on a stream is flushed automatically:

- When you try to do output and the output buffer is full.
- When the stream is closed. See [Closing Streams](#).
- When the program terminates by calling `exit`. See [Normal Termination](#).
- When a newline is written, if the stream is line buffered.
- Whenever an input operation on *any* stream actually reads data from its file.

If you want to flush the buffered output at another time, call `fflush`, which is declared in the header file `stdio.h`.

int **fflush** (*FILE* \**stream*)

Function

This function causes any buffered output on *stream* to be delivered to the file. If *stream* is a null pointer, then `fflush` causes buffered output on *all* open output streams to be flushed.

This function returns EOF if a write error occurs, or zero otherwise.

int **fflush\_unlocked** (*FILE \*stream*)

Function

The `fflush_unlocked` function is equivalent to the `fflush` function except that it does not implicitly lock the stream.

The `fflush` function can be used to flush all streams currently opened. While this is useful in some situations it does often more than necessary since it might be done in situations when terminal input is required and the program wants to be sure that all output is visible on the terminal. But this means that only line buffered streams have to be flushed. Solaris introduced a function especially for this. It was always available in the GNU C library in some form but never officially exported.

void **\_flushlbf** (*void*)

Function

The `_flushlbf` function flushes all line buffered streams currently opened.

This function is declared in the `stdio_ext.h` header.

**Compatibility Note:** Some brain-damaged operating systems have been known to be so thoroughly fixated on line-oriented input and output that flushing a line buffered stream causes a newline to be written! Fortunately, this "feature" seems to be becoming less common. You do not need to worry about this in the GNU system.

In some situations it might be useful to not flush the output pending for a stream but instead simply forget it. If transmission is costly and the output is not needed anymore this is valid reasoning. In this situation a non-standard function introduced in Solaris and available in the GNU C library can be used.

void **\_\_fpurge** (*FILE \*stream*)

Function

The `__fpurge` function causes the buffer of the stream *stream* to be emptied. If the stream is currently in read mode all input in the buffer is lost. If the stream is in output mode the buffered output is not written to the device (or whatever other underlying storage) and the buffer the cleared.

This function is declared in `stdio_ext.h`.

---

Node: Controlling Buffering, Previous: [Flushing Buffers](#), Up: [Stream Buffering](#)

## Controlling Which Kind of Buffering

After opening a stream (but before any other operations have been performed on it), you can explicitly

specify what kind of buffering you want it to have using the `setvbuf` function.

The facilities listed in this section are declared in the header file `stdio.h`.

**int `setvbuf`** (*FILE* \**stream*, *char* \**buf*, *int mode*, *size\_t size*) Function

This function is used to specify that the stream *stream* should have the buffering mode *mode*, which can be either `_IOFBF` (for full buffering), `_IOLBF` (for line buffering), or `_IONBF` (for unbuffered input/output).

If you specify a null pointer as the *buf* argument, then `setvbuf` allocates a buffer itself using `malloc`. This buffer will be freed when you close the stream.

Otherwise, *buf* should be a character array that can hold at least *size* characters. You should not free the space for this array as long as the stream remains open and this array remains its buffer. You should usually either allocate it statically, or `malloc` (see [Unconstrained Allocation](#)) the buffer. Using an automatic array is not a good idea unless you close the file before exiting the block that declares the array.

While the array remains a stream buffer, the stream I/O functions will use the buffer for their internal purposes. You shouldn't try to access the values in the array directly while the stream is using it for buffering.

The `setvbuf` function returns zero on success, or a nonzero value if the value of *mode* is not valid or if the request could not be honored.

**int `_IOFBF`** Macro

The value of this macro is an integer constant expression that can be used as the *mode* argument to the `setvbuf` function to specify that the stream should be fully buffered.

**int `_IOLBF`** Macro

The value of this macro is an integer constant expression that can be used as the *mode* argument to the `setvbuf` function to specify that the stream should be line buffered.

**int `_IONBF`** Macro

The value of this macro is an integer constant expression that can be used as the *mode* argument to the `setvbuf` function to specify that the stream should be unbuffered.

**int `BUFSIZ`** Macro

The value of this macro is an integer constant expression that is good to use for the *size* argument to `setvbuf`. This value is guaranteed to be at least 256.

The value of `BUFSIZ` is chosen on each system so as to make stream I/O efficient. So it is a good idea to use `BUFSIZ` as the size for the buffer when you call `setvbuf`.

Actually, you can get an even better value to use for the buffer size by means of the `fstat` system call: it is found in the `st_blksize` field of the file attributes. See [Attribute Meanings](#).

Sometimes people also use `BUFSIZ` as the allocation size of buffers used for related purposes, such as strings used to receive a line of input with `fgets` (see [Character Input](#)). There is no particular reason to use `BUFSIZ` for this instead of any other integer, except that it might lead to doing I/O in chunks of an efficient size.

`void setbuf (FILE *stream, char *buf)` Function

If *buf* is a null pointer, the effect of this function is equivalent to calling `setvbuf` with a *mode* argument of `_IONBF`. Otherwise, it is equivalent to calling `setvbuf` with *buf*, and a *mode* of `_IOFBF` and a *size* argument of `BUFSIZ`.

The `setbuf` function is provided for compatibility with old code; use `setvbuf` in all new programs.

`void setbuffer (FILE *stream, char *buf, size_t size)` Function

If *buf* is a null pointer, this function makes *stream* unbuffered. Otherwise, it makes *stream* fully buffered using *buf* as the buffer. The *size* argument specifies the length of *buf*.

This function is provided for compatibility with old BSD code. Use `setvbuf` instead.

`void setlinebuf (FILE *stream)` Function

This function makes *stream* be line buffered, and allocates the buffer for you.

This function is provided for compatibility with old BSD code. Use `setvbuf` instead.

It is possible to query whether a given stream is line buffered or not using a non-standard function introduced in Solaris and available in the GNU C library.

`int __flbf (FILE *stream)` Function

The `__flbf` function will return a nonzero value in case the stream *stream* is line buffered. Otherwise the return value is zero.

This function is declared in the `stdio_ext.h` header.

Two more extensions allow to determine the size of the buffer and how much of it is used. These functions were also introduced in Solaris.

`size_t __fbuysize (FILE *stream)` Function

The `__fbuysize` function return the size of the buffer in the stream *stream*. This value can be used to optimize the use of the stream.

This function is declared in the `stdio_ext.h` header.

`size_t __fpending (FILE *stream)` *The \_\_fpending* Function

function returns the number of bytes currently in the output buffer. For wide-oriented stream the measuring unit is wide characters. This function should not be used on buffers in read mode or opened read-only.

This function is declared in the `stdio_ext.h` header.

---

Node: Other Kinds of Streams, Next: [Formatted Messages](#), Previous: [Stream Buffering](#), Up: [I/O on Streams](#)

## Other Kinds of Streams

The GNU library provides ways for you to define additional kinds of streams that do not necessarily correspond to an open file.

One such type of stream takes input from or writes output to a string. These kinds of streams are used internally to implement the `sprintf` and `sscanf` functions. You can also create such a stream explicitly, using the functions described in [String Streams](#).

More generally, you can define streams that do input/output to arbitrary objects using functions supplied by your program. This protocol is discussed in [Custom Streams](#).

**Portability Note:** The facilities described in this section are specific to GNU. Other systems or C implementations might or might not provide equivalent functionality.

- [String Streams](#): Streams that get data from or put data in a string or memory buffer.
- [Obstack Streams](#): Streams that store data in an obstack.
- [Custom Streams](#): Defining your own streams with an arbitrary input data source and/or output data sink.

Node: [String Streams](#), Next: [Obstack Streams](#), Up: [Other Kinds of Streams](#)

## String Streams

The `fmemopen` and `open_memstream` functions allow you to do I/O to a string or memory buffer. These facilities are declared in `stdio.h`.

FILE \* **fmemopen** (*void \*buf*, *size\_t size*, *const char \*opentype*) Function

This function opens a stream that allows the access specified by the *opentype* argument, that reads from or writes to the buffer specified by the argument *buf*. This array must be at least *size* bytes long.

If you specify a null pointer as the *buf* argument, `fmemopen` dynamically allocates an array *size* bytes long (as with `malloc`; see [Unconstrained Allocation](#)). This is really only useful if you are going to write things to the buffer and then read them back in again, because you have no way of actually getting a pointer to the buffer (for this, try `open_memstream`, below). The buffer is freed when the stream is closed.

The argument *opentype* is the same as in `fopen` (see [Opening Streams](#)). If the *opentype* specifies append mode, then the initial file position is set to the first null character in the buffer. Otherwise the initial file position is at the beginning of the buffer.

When a stream open for writing is flushed or closed, a null character (zero byte) is written at the end of the buffer if it fits. You should add an extra byte to the *size* argument to account for this. Attempts to write more than *size* bytes to the buffer result in an error.

For a stream open for reading, null characters (zero bytes) in the buffer do not count as "end of file". Read operations indicate end of file only when the file position advances past *size* bytes. So, if you want to read characters from a null-terminated string, you should supply the length of the string as the *size* argument.

Here is an example of using `fmemopen` to create a stream for reading from a string:

```
#include <stdio.h>
```

```

static char buffer[] = "foobar";

int
main (void)
{
    int ch;
    FILE *stream;

    stream = fmemopen (buffer, strlen (buffer), "r");
    while ((ch = fgetc (stream)) != EOF)
        printf ("Got %c\n", ch);
    fclose (stream);

    return 0;
}

```

This program produces the following output:

```

Got f
Got o
Got o
Got b
Got a
Got r

```

**FILE \* `open_memstream`** (*char \*\*ptr, size\_t \*sizeloc*) Function

This function opens a stream for writing to a buffer. The buffer is allocated dynamically (as with `malloc`; see [Unconstrained Allocation](#)) and grown as necessary.

When the stream is closed with `fclose` or flushed with `fflush`, the locations *ptr* and *sizeloc* are updated to contain the pointer to the buffer and its size. The values thus stored remain valid only as long as no further output on the stream takes place. If you do more output, you must flush the stream again to store new values before you use them again.

A null character is written at the end of the buffer. This null character is *not* included in the size value stored at *sizeloc*.

You can move the stream's file position with `fseek` or `fseeko` (see [File Positioning](#)). Moving the file position past the end of the data already written fills the intervening space with zeroes.

Here is an example of using `open_memstream`:

```
#include <stdio.h>

int
main (void)
{
  char *bp;
  size_t size;
  FILE *stream;

  stream = open_memstream (&bp, &size);
  fprintf (stream, "hello");
  fflush (stream);
  printf ("buf = `%s', size = %d\n", bp, size);
  fprintf (stream, ", world");
  fclose (stream);
  printf ("buf = `%s', size = %d\n", bp, size);

  return 0;
}
```

This program produces the following output:

```
buf = `hello', size = 5
buf = `hello, world', size = 12
```

---

Node: Obstack Streams, Next: [Custom Streams](#), Previous: [String Streams](#), Up: [Other Kinds of Streams](#)

## Obstack Streams

You can open an output stream that puts its data in an obstack. See [Obstacks](#).

FILE \* **open\_obstack\_stream** (*struct obstack \*obstack*)

Function



This function opens a stream for writing data into the obstack *obstack*. This starts an object in the obstack and makes it grow as data is written (see [Growing Objects](#)).

Calling `fflush` on this stream updates the current size of the object to match the amount of data that has been written. After a call to `fflush`, you can examine the object temporarily.

You can move the file position of an obstack stream with `fseek` or `fseeko` (see [File Positioning](#)). Moving the file position past the end of the data written fills the intervening space with zeros.

To make the object permanent, update the obstack with `fflush`, and then use `obstack_finish` to finalize the object and get its address. The following write to the stream starts a new object in the obstack, and later writes add to that object until you do another `fflush` and `obstack_finish`.

But how do you find out how long the object is? You can get the length in bytes by calling `obstack_object_size` (see [Status of an Obstack](#)), or you can null-terminate the object like this:

```
obstack_lgrow (obstack, 0);
```

Whichever one you do, you must do it *before* calling `obstack_finish`. (You can do both if you wish.)

Here is a sample function that uses `open_obstack_stream`:

```
char *
make_message_string (const char *a, int b)
{
  FILE *stream = open_obstack_stream (&message_obstack);
  output_task (stream);
  fprintf (stream, ": ");
  fprintf (stream, a, b);
  fprintf (stream, "\n");
  fclose (stream);
  obstack_lgrow (&message_obstack, 0);
  return obstack_finish (&message_obstack);
}
```

---

Node: Custom Streams, Previous: [Obstack Streams](#), Up: [Other Kinds of Streams](#)

## Programming Your Own Custom Streams

This section describes how you can make a stream that gets input from an arbitrary data source or writes output to an arbitrary data sink programmed by you. We call these *custom streams*. The functions and types described here are all GNU extensions.

- [Streams and Cookies](#): The *cookie* records where to fetch or store data that is read or written.
- [Hook Functions](#): How you should define the four *hook functions* that a custom stream needs.

---

Node: Streams and Cookies, Next: [Hook Functions](#), Up: [Custom Streams](#)

### Custom Streams and Cookies

Inside every custom stream is a special object called the *cookie*. This is an object supplied by you which records where to fetch or store the data read or written. It is up to you to define a data type to use for the cookie. The stream functions in the library never refer directly to its contents, and they don't even know what the type is; they record its address with type `void *`.

To implement a custom stream, you must specify *how* to fetch or store the data in the specified place. You do this by defining *hook functions* to read, write, change "file position", and close the stream. All four of these functions will be passed the stream's cookie so they can tell where to fetch or store the data. The library functions don't know what's inside the cookie, but your functions will know.

When you create a custom stream, you must specify the cookie pointer, and also the four hook functions stored in a structure of type `cookie_io_functions_t`.

These facilities are declared in `stdio.h`.

**`cookie_io_functions_t`**

Data Type

This is a structure type that holds the functions that define the communications protocol between the stream and its cookie. It has the following members:

`cookie_read_function_t *read`

This is the function that reads data from the cookie. If the value is a null pointer instead of a function, then read operations on this stream always return EOF.

`cookie_write_function_t *write`

This is the function that writes data to the cookie. If the value is a null pointer instead of a function, then data written to the stream is discarded.

`cookie_seek_function_t *seek`

This is the function that performs the equivalent of file positioning on the cookie. If the value is a null pointer instead of a function, calls to `fseek` or `fseeko` on this stream can only seek to locations within the buffer; any attempt to seek outside the buffer will return an `ESPIPE` error.

`cookie_close_function_t *close`

This function performs any appropriate cleanup on the cookie when closing the stream. If the value is a null pointer instead of a function, nothing special is done to close the cookie when the stream is closed.

FILE \* **fopencookie** (*void \*cookie, const char \*opentype, cookie\_io\_functions\_t io-functions*) Function

This function actually creates the stream for communicating with the *cookie* using the functions in the *io-functions* argument. The *opentype* argument is interpreted as for `fopen`; see [Opening Streams](#). (But note that the "truncate on open" option is ignored.) The new stream is fully buffered.

The `fopencookie` function returns the newly created stream, or a null pointer in case of an error.

Node: Hook Functions, Previous: [Streams and Cookies](#), Up: [Custom Streams](#)

## Custom Stream Hook Functions

Here are more details on how you should define the four hook functions that a custom stream needs.

You should define the function to read data from the cookie as:

```
ssize_t reader (void *cookie, char *buffer, size_t size)
```

This is very similar to the `read` function; see [I/O Primitives](#). Your function should transfer up to *size* bytes into the *buffer*, and return the number of bytes read, or zero to indicate end-of-file. You can return a value of `-1` to indicate an error.

You should define the function to write data to the cookie as:

```
ssize_t writer (void *cookie, const char *buffer, size_t size)
```

This is very similar to the `write` function; see [I/O Primitives](#). Your function should transfer up to *size* bytes from the buffer, and return the number of bytes written. You can return a value of `-1` to indicate an error.

You should define the function to perform seek operations on the cookie as:

```
int seeker (void *cookie, fpos_t *position, int whence)
```

For this function, the *position* and *whence* arguments are interpreted as for `fgetpos`; see [Portable Positioning](#). In the GNU library, `fpos_t` is equivalent to `off_t` or `long int`, and simply represents the number of bytes from the beginning of the file.

After doing the seek operation, your function should store the resulting file position relative to the beginning of the file in *position*. Your function should return a value of `0` on success and `-1` to indicate an error.

You should define the function to do cleanup operations on the cookie appropriate for closing the stream as:

```
int cleaner (void *cookie)
```

Your function should return `-1` to indicate an error, and `0` otherwise.

### **cookie\_read\_function**

Data Type

This is the data type that the read function for a custom stream should have. If you declare the function as shown above, this is the type it will have.

### **cookie\_write\_function**

Data Type

The data type of the write function for a custom stream.

**cookie\_seek\_function**

Data Type

The data type of the seek function for a custom stream.

**cookie\_close\_function**

Data Type

The data type of the close function for a custom stream.

Node: Formatted Messages, Previous: [Other Kinds of Streams](#), Up: [I/O on Streams](#)

**Formatted Messages**

On systems which are based on System V messages of programs (especially the system tools) are printed in a strict form using the `fmtmsg` function. The uniformity sometimes helps the user to interpret messages and the strictness tests of the `fmtmsg` function ensure that the programmer follows some minimal requirements.

- [Printing Formatted Messages](#): The `fmtmsg` function.
- [Adding Severity Classes](#): Add more severity classes.
- [Example](#): How to use `fmtmsg` and `addseverity`.

Node: Printing Formatted Messages, Next: [Adding Severity Classes](#), Up: [Formatted Messages](#)

**Printing Formatted Messages**

Messages can be printed to standard error and/or to the console. To select the destination the programmer can use the following two values, bitwise OR combined if wanted, for the *classification* parameter of `fmtmsg`:

`MM_PRINT`

Display the message in standard error.

`MM_CONSOLE`

Display the message on the system console.

The erroneous piece of the system can be signalled by exactly one of the following values which also is bitwise ORed with the *classification* parameter to `fmtmsg`:

`MM_HARD`

The source of the condition is some hardware.

MM\_SOFT

The source of the condition is some software.

MM\_FIRM

The source of the condition is some firmware.

A third component of the *classification* parameter to `fmtmsg` can describe the part of the system which detects the problem. This is done by using exactly one of the following values:

MM\_APPL

The erroneous condition is detected by the application.

MM\_UTIL

The erroneous condition is detected by a utility.

MM\_OPSYS

The erroneous condition is detected by the operating system.

A last component of *classification* can signal the results of this message. Exactly one of the following values can be used:

MM\_RECOVER

It is a recoverable error.

MM\_NRECOV

It is a non-recoverable error.

int **fmtmsg** (*long int classification, const char \*label, int severity, const char \*text, const char \*action, const char \*tag*) Function

Display a message described by its parameters on the device(s) specified in the *classification* parameter. The *label* parameter identifies the source of the message. The string should consist of two colon separated parts where the first part has not more than 10 and the second part not more than 14 characters. The *text* parameter describes the condition of the error, the *action* parameter possible steps to recover from the error and the *tag* parameter is a reference to the online documentation where more information can be found. It should contain the *label* value and a unique identification number.

Each of the parameters can be a special value which means this value is to be omitted. The symbolic names for these values are:

MM\_NULLLBL

Ignore *label* parameter.

MM\_NULLSEV

Ignore *severity* parameter.

MM\_NULLMC

Ignore *classification* parameter. This implies that nothing is actually printed.

MM\_NULLTXT

Ignore *text* parameter.

MM\_NULLACT

Ignore *action* parameter.

MM\_NULLTAG

Ignore *tag* parameter.

There is another way certain fields can be omitted from the output to standard error. This is described below in the description of environment variables influencing the behavior.

The *severity* parameter can have one of the values in the following table:

MM\_NOSEV

Nothing is printed, this value is the same as MM\_NULLSEV.

MM\_HALT

This value is printed as HALT.

MM\_ERROR

This value is printed as ERROR.

MM\_WARNING

This value is printed as WARNING.

MM\_INFO

This value is printed as INFO.

The numeric value of these five macros are between 0 and 4. Using the environment variable SEV\_LEVEL or using the `addseverity` function one can add more severity levels with their corresponding string to print. This is described below (see [Adding Severity Classes](#)).

If no parameter is ignored the output looks like this:

```
label: severity-string: text
TO FIX: action tag
```

The colons, new line characters and the TO FIX string are inserted if necessary, i.e., if the corresponding parameter is not ignored.

This function is specified in the X/Open Portability Guide. It is also available on all systems derived from System V.

The function returns the value MM\_OK if no error occurred. If only the printing to standard error failed, it returns MM\_NOMSG. If printing to the console fails, it returns MM\_NOCON. If nothing is printed MM\_NOTOK is returned. Among situations where all outputs fail this last value is also

returned if a parameter value is incorrect.

There are two environment variables which influence the behavior of `fmtmsg`. The first is `MSGVERB`. It is used to control the output actually happening on standard error (*not* the console output). Each of the five fields can explicitly be enabled. To do this the user has to put the `MSGVERB` variable with a format like the following in the environment before calling the `fmtmsg` function the first time:

```
MSGVERB=keyword[ :keyword[ :... ] ]
```

Valid *keywords* are `label`, `severity`, `text`, `action`, and `tag`. If the environment variable is not given or is the empty string, a not supported keyword is given or the value is somehow else invalid, no part of the message is masked out.

The second environment variable which influences the behavior of `fmtmsg` is `SEV_LEVEL`. This variable and the change in the behavior of `fmtmsg` is not specified in the X/Open Portability Guide. It is available in System V systems, though. It can be used to introduce new severity levels. By default, only the five severity levels described above are available. Any other numeric value would make `fmtmsg` print nothing.

If the user puts `SEV_LEVEL` with a format like

```
SEV_LEVEL=[description[ :description[ :... ] ] ]
```

in the environment of the process before the first call to `fmtmsg`, where *description* has a value of the form

```
severity-keyword, level, printstring
```

The *severity-keyword* part is not used by `fmtmsg` but it has to be present. The *level* part is a string representation of a number. The numeric value must be a number greater than 4. This value must be used in the *severity* parameter of `fmtmsg` to select this class. It is not possible to overwrite any of the predefined classes. The *printstring* is the string printed when a message of this class is processed by `fmtmsg` (see above, `fmtmsg` does not print the numeric value but instead the string representation).

---

Node: Adding Severity Classes, Next: [Example](#), Previous: [Printing Formatted Messages](#), Up: [Formatted Messages](#)

## Adding Severity Classes



There is another possibility to introduce severity classes besides using the environment variable `SEV_LEVEL`. This simplifies the task of introducing new classes in a running program. One could use the `setenv` or `putenv` function to set the environment variable, but this is toilsome.

**int addseverity** (*int severity, const char \*string*)

Function

This function allows the introduction of new severity classes which can be addressed by the *severity* parameter of the `fmtmsg` function. The *severity* parameter of `addseverity` must match the value for the parameter with the same name of `fmtmsg`, and *string* is the string printed in the actual messages instead of the numeric value.

If *string* is `NULL` the severity class with the numeric value according to *severity* is removed.

It is not possible to overwrite or remove one of the default severity classes. All calls to `addseverity` with *severity* set to one of the values for the default classes will fail.

The return value is `MM_OK` if the task was successfully performed. If the return value is `MM_NOTOK` something went wrong. This could mean that no more memory is available or a class is not available when it has to be removed.

This function is not specified in the X/Open Portability Guide although the `fmtmsg` function is. It is available on System V systems.

---

Node: Example, Previous: [Adding Severity Classes](#), Up: [Formatted Messages](#)

## How to use `fmtmsg` and `addseverity`

Here is a simple example program to illustrate the use of the both functions described in this section.

```
#include <fmtmsg.h>

int
main (void)
{
    addseverity (5, "NOTE2");
    fmtmsg (MM_PRINT, "only1field", MM_INFO, "text2", "action2", "tag2");
    fmtmsg (MM_PRINT, "UX:cat", 5, "invalid syntax", "refer to manual",
            "UX:cat:001");
    fmtmsg (MM_PRINT, "label:foo", 6, "text", "action", "tag");
    return 0;
}
```

The second call to `fmtmsg` illustrates a use of this function as it usually occurs on System V systems, which heavily use this function. It seems worthwhile to give a short explanation here of how this system works on System V. The value of the *label* field (`UX:cat`) says that the error occurred in the Unix program `cat`. The explanation of the error follows and the value for the *action* parameter is `"refer to manual"`. One could be more specific here, if necessary. The *tag* field contains, as proposed above, the value of the string given for the *label* parameter, and additionally a unique ID (001 in this case). For a GNU environment this string could contain a reference to the corresponding node in the Info page for the program.

Running this program without specifying the `MSGVERB` and `SEV_LEVEL` function produces the following output:

```
UX:cat: NOTE2: invalid syntax
TO FIX: refer to manual UX:cat:001
```

We see the different fields of the message and how the extra glue (the colons and the `TO FIX` string) are printed. But only one of the three calls to `fmtmsg` produced output. The first call does not print anything because the *label* parameter is not in the correct form. The string must contain two fields, separated by a colon (see [Printing Formatted Messages](#)). The third `fmtmsg` call produced no output since the class with the numeric value 6 is not defined. Although a class with numeric value 5 is also not defined by default, the call to `addseverity` introduces it and the second call to `fmtmsg` produces the above output.

When we change the environment of the program to contain `SEV_LEVEL=XXX,6,NOTE` when running it we get a different result:

```
UX:cat: NOTE2: invalid syntax
TO FIX: refer to manual UX:cat:001
label:foo: NOTE: text
TO FIX: action tag
```

Now the third call to `fmtmsg` produced some output and we see how the string `NOTE` from the environment variable appears in the message.

Now we can reduce the output by specifying which fields we are interested in. If we additionally set the environment variable `MSGVERB` to the value `severity:label:action` we get the following output:

```
UX:cat: NOTE2
TO FIX: refer to manual
label:foo: NOTE
TO FIX: action
```

I.e., the output produced by the *text* and the *tag* parameters to `fmtmsg` vanished. Please also note that now there is no colon after the `NOTE` and `NOTE2` strings in the output. This is not necessary since there is no more output on this line because the text is missing.

---

Node: Low-Level I/O, Next: [File System Interface](#), Previous: [I/O on Streams](#), Up: [Top](#)

## Low-Level Input/Output

This chapter describes functions for performing low-level input/output operations on file descriptors. These functions include the primitives for the higher-level I/O functions described in [I/O on Streams](#), as well as functions for performing low-level control operations for which there are no equivalents on streams.

Stream-level I/O is more flexible and usually more convenient; therefore, programmers generally use the descriptor-level functions only when necessary. These are some of the usual reasons:

- For reading binary files in large chunks.
- For reading an entire file into core before parsing it.
- To perform operations other than data transfer, which can only be done with a descriptor. (You can use `fileno` to get the descriptor corresponding to a stream.)
- To pass descriptors to a child process. (The child can create its own stream to use a descriptor that it inherits, but cannot inherit a stream directly.)
- [Opening and Closing Files](#): How to open and close file descriptors.
- [I/O Primitives](#): Reading and writing data.
- [File Position Primitive](#): Setting a descriptor's file position.
- [Descriptors and Streams](#): Converting descriptor to stream or vice-versa.
- [Stream/Descriptor Precautions](#): Precautions needed if you use both descriptors and streams.
- [Scatter-Gather](#): Fast I/O to discontinuous buffers.
- [Memory-mapped I/O](#): Using files like memory.
- [Waiting for I/O](#): How to check for input or output on multiple file descriptors.
- [Synchronizing I/O](#): Making sure all I/O actions completed.
- [Asynchronous I/O](#): Perform I/O in parallel.
- [Control Operations](#): Various other operations on file descriptors.
- [Duplicating Descriptors](#): `Fcntl` commands for duplicating file descriptors.
- [Descriptor Flags](#): `Fcntl` commands for manipulating flags associated with file descriptors.
- [File Status Flags](#): `Fcntl` commands for manipulating flags associated with open files.

- [File Locks](#): Fcntl commands for implementing file locking.
- [Interrupt Input](#): Getting an asynchronous signal when input arrives.
- [IOCTLs](#): Generic I/O Control operations.

Node: [Opening and Closing Files](#), Next: [I/O Primitives](#), Up: [Low-Level I/O](#)

## Opening and Closing Files

This section describes the primitives for opening and closing files using file descriptors. The `open` and `creat` functions are declared in the header file `fcntl.h`, while `close` is declared in `unistd.h`.

**int `open`** (*const char \*filename, int flags[, mode\_t mode]*) Function

The `open` function creates and returns a new file descriptor for the file named by *filename*. Initially, the file position indicator for the file is at the beginning of the file. The argument *mode* is used only when a file is created, but it doesn't hurt to supply the argument in any case.

The *flags* argument controls how the file is to be opened. This is a bit mask; you create the value by the bitwise OR of the appropriate parameters (using the `|` operator in C). See [File Status Flags](#), for the parameters available.

The normal return value from `open` is a non-negative integer file descriptor. In the case of an error, a value of -1 is returned instead. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

### EACCES

The file exists but is not readable/writable as requested by the *flags* argument, the file does not exist and the directory is unwritable so it cannot be created.

### EEXIST

Both `O_CREAT` and `O_EXCL` are set, and the named file already exists.

### EINTR

The `open` operation was interrupted by a signal. See [Interrupted Primitives](#).

### EISDIR

The *flags* argument specified write access, and the file is a directory.

### EMFILE

The process has too many files open. The maximum number of file descriptors is controlled by the `RLIMIT_NOFILE` resource limit; see [Limits on Resources](#).

### ENFILE

The entire system, or perhaps the file system which contains the directory, cannot support any additional open files at the moment. (This problem cannot happen on the GNU

system.)

ENOENT

The named file does not exist, and `O_CREAT` is not specified.

ENOSPC

The directory or file system that would contain the new file cannot be extended, because there is no disk space left.

ENXIO

`O_NONBLOCK` and `O_WRONLY` are both set in the *flags* argument, the file named by *filename* is a FIFO (see [Pipes and FIFOs](#)), and no process has the file open for reading.

EROFS

The file resides on a read-only file system and any of `O_WRONLY`, `O_RDWR`, and `O_TRUNC` are set in the *flags* argument, or `O_CREAT` is set and the file does not already exist.

If on a 32 bit machine the sources are translated with `_FILE_OFFSET_BITS == 64` the function `open` returns a file descriptor opened in the large file mode which enables the file handling functions to use files up to  $2^{63}$  bytes in size and offset from  $-2^{63}$  to  $2^{63}$ . This happens transparently for the user since all of the lowlevel file handling functions are equally replaced.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `open` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this calls to `open` should be protected using cancellation handlers.

The `open` function is the underlying primitive for the `fopen` and `freopen` functions, that create streams.

**int `open64`** (*const char \*filename, int flags[, mode\_t mode]*) Function

This function is similar to `open`. It returns a file descriptor which can be used to access the file named by *filename*. The only difference is that on 32 bit systems the file is opened in the large file mode. I.e., file length and file offsets can exceed 31 bits.

When the sources are translated with `_FILE_OFFSET_BITS == 64` this function is actually available under the name `open`. I.e., the new, extended API using 64 bit file sizes and offsets transparently replaces the old API.

**int `creat`** (*const char \*filename, mode\_t mode*) Obsolete function

This function is obsolete. The call:

```
creat (filename, mode)
```

is equivalent to:

```
open (filename, O_WRONLY | O_CREAT | O_TRUNC, mode)
```

If on a 32 bit machine the sources are translated with `_FILE_OFFSET_BITS == 64` the function `creat` returns a file descriptor opened in the large file mode which enables the file handling functions to use files up to  $2^{63}$  in size and offset from  $-2^{63}$  to  $2^{63}$ . This happens transparently for the user since all of the lowlevel file handling functions are equally replaced.

int **creat64** (*const char \*filename, mode\_t mode*)

Obsolete function

This function is similar to `creat`. It returns a file descriptor which can be used to access the file named by *filename*. The only the difference is that on 32 bit systems the file is opened in the large file mode. I.e., file length and file offsets can exceed 31 bits.

To use this file descriptor one must not use the normal operations but instead the counterparts named *\*64*, e.g., `read64`.

When the sources are translated with `_FILE_OFFSET_BITS == 64` this function is actually available under the name `open`. I.e., the new, extended API using 64 bit file sizes and offsets transparently replaces the old API.

int **close** (*int filedes*)

Function

The function `close` closes the file descriptor *filedes*. Closing a file has the following consequences:

- The file descriptor is deallocated.
- Any record locks owned by the process on the file are unlocked.
- When all file descriptors associated with a pipe or FIFO have been closed, any unread data is discarded.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `close` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this, calls to `close` should be protected using cancellation handlers.

The normal return value from `close` is 0; a value of -1 is returned in case of failure. The following `errno` error conditions are defined for this function:

`EBADF`

The *filedes* argument is not a valid file descriptor.

`EINTR`

The `close` call was interrupted by a signal. See [Interrupted Primitives](#). Here is an example of how to handle `EINTR` properly:

```
TEMP_FAILURE_RETRY (close (desc));
```

`ENOSPC`

`EIO`

`EDQUOT`

When the file is accessed by NFS, these errors from `write` can sometimes not be detected until `close`. See [I/O Primitives](#), for details on their meaning.

Please note that there is *no* separate `close64` function. This is not necessary since this function does not determine nor depend on the mode of the file. The kernel which performs the `close` operation knows which mode the descriptor is used for and can handle this situation.

To close a stream, call `fclose` (see [Closing Streams](#)) instead of trying to close its underlying file descriptor with `close`. This flushes any buffered output and updates the stream object to indicate that it is closed.

---

Node: [I/O Primitives](#), Next: [File Position Primitive](#), Previous: [Opening and Closing Files](#), Up: [Low-Level I/O](#)

## Input and Output Primitives

This section describes the functions for performing primitive input and output operations on file descriptors: `read`, `write`, and `lseek`. These functions are declared in the header file `unistd.h`.

### `ssize_t`

Data Type

This data type is used to represent the sizes of blocks that can be read or written in a single operation. It is similar to `size_t`, but must be a signed type.

`ssize_t read (int filedes, void *buffer, size_t size)`

Function

The `read` function reads up to *size* bytes from the file with descriptor *filedes*, storing the results in the *buffer*. (This is not necessarily a character string, and no terminating null character is added.)

The return value is the number of bytes actually read. This might be less than *size*; for example, if there aren't that many bytes left in the file or if there aren't that many bytes immediately available. The exact behavior depends on what kind of file it is. Note that reading less than *size* bytes is not an error.

A value of zero indicates end-of-file (except if the value of the *size* argument is also zero). This is not considered an error. If you keep calling `read` while at end-of-file, it will keep returning zero and doing nothing else.

If `read` returns at least one character, there is no way you can tell whether end-of-file was reached. But if you did reach the end, the next `read` will return zero.

In case of an error, `read` returns -1. The following `errno` error conditions are defined for this function:

#### EAGAIN

Normally, when no input is immediately available, `read` waits for some input. But if the `O_NONBLOCK` flag is set for the file (see [File Status Flags](#)), `read` returns immediately without reading any data, and reports this error.

**Compatibility Note:** Most versions of BSD Unix use a different error code for this: `EWouldBlock`. In the GNU library, `EWouldBlock` is an alias for `EAGAIN`, so it doesn't matter which name you use.

On some systems, reading a large amount of data from a character special file can also fail with `EAGAIN` if the kernel cannot find enough physical memory to lock down the user's pages. This is limited to devices that transfer with direct memory access into the user's memory, which means it does not include terminals, since they always use separate buffers inside the kernel. This problem never happens in the GNU system.

Any condition that could result in `EAGAIN` can instead result in a successful `read` which returns fewer bytes than requested. Calling `read` again immediately would result in `EAGAIN`.

#### EBADF

The *filedes* argument is not a valid file descriptor, or is not open for reading.



**EINTR**

`read` was interrupted by a signal while it was waiting for input. See [Interrupted Primitives](#). A signal will not necessarily cause `read` to return `EINTR`; it may instead result in a successful `read` which returns fewer bytes than requested.

**EIO**

For many devices, and for disk files, this error code indicates a hardware error.

`EIO` also occurs when a background process tries to read from the controlling terminal, and the normal action of stopping the process by sending it a `SIGTTIN` signal isn't working. This might happen if the signal is being blocked or ignored, or because the process group is orphaned. See [Job Control](#), for more information about job control, and [Signal Handling](#), for information about signals.

Please note that there is no function named `read64`. This is not necessary since this function does not directly modify or handle the possibly wide file offset. Since the kernel handles this state internally, the `read` function can be used for all cases.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `read` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this, calls to `read` should be protected using cancellation handlers.

The `read` function is the underlying primitive for all of the functions that read from streams, such as `fgetc`.

`ssize_t` **pread** (*int* `filedes`, *void \**`buffer`, *size\_t* `size`, *off\_t* `offset`) Function

The `pread` function is similar to the `read` function. The first three arguments are identical, and the return values and error codes also correspond.

The difference is the fourth argument and its handling. The data block is not read from the current position of the file descriptor `filedes`. Instead the data is read from the file starting at position `offset`. The position of the file descriptor itself is not affected by the operation. The value is the same as before the call.

When the source file is compiled with `_FILE_OFFSET_BITS == 64` the `pread` function is in fact `pread64` and the type `off_t` has 64 bits, which makes it possible to handle files up to  $2^{63}$  bytes in length.

The return value of `pread` describes the number of bytes read. In the error case it returns -1 like `read` does and the error codes are also the same, with these additions:

**EINVAL**

The value given for *offset* is negative and therefore illegal.

**ESPIPE**

The file descriptor *filedes* is associate with a pipe or a FIFO and this device does not allow positioning of the file pointer.

The function is an extension defined in the Unix Single Specification version 2.

`ssize_t pread64 (int filedes, void *buffer, size_t size, off64_t offset)`

Function

This function is similar to the `pread` function. The difference is that the *offset* parameter is of type `off64_t` instead of `off_t` which makes it possible on 32 bit machines to address files larger than  $2^{31}$  bytes and up to  $2^{63}$  bytes. The file descriptor `filedes` must be opened using `open64` since otherwise the large offsets possible with `off64_t` will lead to errors with a descriptor in small file mode.

When the source file is compiled with `_FILE_OFFSET_BITS == 64` on a 32 bit machine this function is actually available under the name `pread` and so transparently replaces the 32 bit interface.

`ssize_t write (int filedes, const void *buffer, size_t size)`

Function

The `write` function writes up to *size* bytes from *buffer* to the file with descriptor *filedes*. The data in *buffer* is not necessarily a character string and a null character is output like any other character.

The return value is the number of bytes actually written. This may be *size*, but can always be smaller. Your program should always call `write` in a loop, iterating until all the data is written.

Once `write` returns, the data is enqueued to be written and can be read back right away, but it is not necessarily written out to permanent storage immediately. You can use `fsync` when you need to be sure your data has been permanently stored before continuing. (It is more efficient for the system to batch up consecutive writes and do them all at once when convenient. Normally they will always be written to disk within a minute or less.) Modern systems provide another function `fdatasync` which guarantees integrity only for the file data and is therefore faster. You can use the `O_FSYNC` open mode to make `write` always store the data to disk before returning; see [Operating Modes](#).

In the case of an error, `write` returns -1. The following `errno` error conditions are defined for this function:

**EAGAIN**

Normally, `write` blocks until the write operation is complete. But if the `O_NONBLOCK` flag is set for the file (see [Control Operations](#)), it returns immediately without writing any data and reports this error. An example of a situation that might cause the process to block on output is writing to a terminal device that supports flow control, where output has been suspended by receipt of a STOP character.

**Compatibility Note:** Most versions of BSD Unix use a different error code for this: `EWOULDBLOCK`. In the GNU library, `EWOULDBLOCK` is an alias for `EAGAIN`, so it doesn't matter which name you use.

On some systems, writing a large amount of data from a character special file can also fail with `EAGAIN` if the kernel cannot find enough physical memory to lock down the user's pages. This is limited to devices that transfer with direct memory access into the user's memory, which means it does not include terminals, since they always use separate buffers inside the kernel. This problem does not arise in the GNU system.

`EBADF`

The *files* argument is not a valid file descriptor, or is not open for writing.

`EFBIG`

The size of the file would become larger than the implementation can support.

`EINTR`

The `write` operation was interrupted by a signal while it was blocked waiting for completion. A signal will not necessarily cause `write` to return `EINTR`; it may instead result in a successful `write` which writes fewer bytes than requested. See [Interrupted Primitives](#).

`EIO`

For many devices, and for disk files, this error code indicates a hardware error.

`ENOSPC`

The device containing the file is full.

`EPIPE`

This error is returned when you try to write to a pipe or FIFO that isn't open for reading by any process. When this happens, a `SIGPIPE` signal is also sent to the process; see [Signal Handling](#).

Unless you have arranged to prevent `EINTR` failures, you should check `errno` after each failing call to `write`, and if the error was `EINTR`, you should simply repeat the call. See [Interrupted Primitives](#). The easy way to do this is with the macro `TEMP_FAILURE_RETRY`, as follows:

```
nbytes = TEMP_FAILURE_RETRY (write (desc, buffer, count));
```

Please note that there is no function named `write64`. This is not necessary since this function

does not directly modify or handle the possibly wide file offset. Since the kernel handles this state internally the `write` function can be used for all cases.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `write` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this, calls to `write` should be protected using cancellation handlers.

The `write` function is the underlying primitive for all of the functions that write to streams, such as `fputc`.

`ssize_t pwrite` (*int `filedes`, const void \*`buffer`, size\_t `size`, off\_t `offset`*) Function

The `pwrite` function is similar to the `write` function. The first three arguments are identical, and the return values and error codes also correspond.

The difference is the fourth argument and its handling. The data block is not written to the current position of the file descriptor `filedes`. Instead the data is written to the file starting at position `offset`. The position of the file descriptor itself is not affected by the operation. The value is the same as before the call.

When the source file is compiled with `_FILE_OFFSET_BITS == 64` the `pwrite` function is in fact `pwrite64` and the type `off_t` has 64 bits, which makes it possible to handle files up to  $2^{63}$  bytes in length.

The return value of `pwrite` describes the number of written bytes. In the error case it returns -1 like `write` does and the error codes are also the same, with these additions:

`EINVAL`

The value given for `offset` is negative and therefore illegal.

`ESPIPE`

The file descriptor `filedes` is associated with a pipe or a FIFO and this device does not allow positioning of the file pointer.

The function is an extension defined in the Unix Single Specification version 2.

`ssize_t pwrite64` (*int `filedes`, const void \*`buffer`, size\_t `size`, off64\_t `offset`*) Function

This function is similar to the `pwrite` function. The difference is that the *offset* parameter is of type `off64_t` instead of `off_t` which makes it possible on 32 bit machines to address files larger than  $2^{31}$  bytes and up to  $2^{63}$  bytes. The file descriptor `filedes` must be opened using `open64` since otherwise the large offsets possible with `off64_t` will lead to errors with a descriptor in small file mode.

When the source file is compiled using `_FILE_OFFSET_BITS == 64` on a 32 bit machine this function is actually available under the name `pwrite` and so transparently replaces the 32 bit interface.

---

Node: File Position Primitive, Next: [Descriptors and Streams](#), Previous: [I/O Primitives](#), Up: [Low-Level I/O](#)

## Setting the File Position of a Descriptor

Just as you can set the file position of a stream with `fseek`, you can set the file position of a descriptor with `lseek`. This specifies the position in the file for the next `read` or `write` operation. See [File Positioning](#), for more information on the file position and what it means.

To read the current file position value from a descriptor, use `lseek (desc, 0, SEEK_CUR)`.

`off_t lseek (int filedes, off_t offset, int whence)` Function

The `lseek` function is used to change the file position of the file with descriptor *filedes*.

The *whence* argument specifies how the *offset* should be interpreted, in the same way as for the `fseek` function, and it must be one of the symbolic constants `SEEK_SET`, `SEEK_CUR`, or `SEEK_END`.

`SEEK_SET`

Specifies that *whence* is a count of characters from the beginning of the file.

`SEEK_CUR`

Specifies that *whence* is a count of characters from the current file position. This count may be positive or negative.

`SEEK_END`

Specifies that *whence* is a count of characters from the end of the file. A negative count specifies a position within the current extent of the file; a positive count specifies a position past the current end. If you set the position past the current end, and actually write data, you will extend the file with zeros up to that position.

The return value from `lseek` is normally the resulting file position, measured in bytes from the beginning of the file. You can use this feature together with `SEEK_CUR` to read the current file position.

If you want to append to the file, setting the file position to the current end of file with `SEEK_END` is not sufficient. Another process may write more data after you seek but before you write, extending the file so the position you write onto clobbers their data. Instead, use the `O_APPEND` operating mode; see [Operating Modes](#).

You can set the file position past the current end of the file. This does not by itself make the file longer; `lseek` never changes the file. But subsequent output at that position will extend the file. Characters between the previous end of file and the new position are filled with zeros. Extending the file in this way can create a "hole": the blocks of zeros are not actually allocated on disk, so the file takes up less space than it appears to; it is then called a "sparse file".

If the file position cannot be changed, or the operation is in some way invalid, `lseek` returns a value of -1. The following `errno` error conditions are defined for this function:

`EBADF`

The *filedes* is not a valid file descriptor.

`EINVAL`

The *whence* argument value is not valid, or the resulting file offset is not valid. A file offset is invalid.

`ESPIPE`

The *filedes* corresponds to an object that cannot be positioned, such as a pipe, FIFO or terminal device. (POSIX.1 specifies this error only for pipes and FIFOs, but in the GNU system, you always get `ESPIPE` if the object is not seekable.)

When the source file is compiled with `_FILE_OFFSET_BITS == 64` the `lseek` function is in fact `lseek64` and the type `off_t` has 64 bits which makes it possible to handle files up to  $2^{63}$  bytes in length.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `lseek` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this calls to `lseek` should be protected using cancellation handlers.

The `lseek` function is the underlying primitive for the `fseek`, `fseeko`, `ftell`, `ftello` and `rewind` functions, which operate on streams instead of file descriptors.

`off64_t lseek64` (*int filedes, off64\_t offset, int whence*)

Function

This function is similar to the `lseek` function. The difference is that the *offset* parameter is of type `off64_t` instead of `off_t` which makes it possible on 32 bit machines to address files larger than  $2^{31}$  bytes and up to  $2^{63}$  bytes. The file descriptor `filedes` must be opened using `open64` since otherwise the large offsets possible with `off64_t` will lead to errors with a descriptor in small file mode.

When the source file is compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is actually available under the name `lseek` and so transparently replaces the 32 bit interface.

You can have multiple descriptors for the same file if you open the file more than once, or if you duplicate a descriptor with `dup`. Descriptors that come from separate calls to `open` have independent file positions; using `lseek` on one descriptor has no effect on the other. For example,

```
{
  int d1, d2;
  char buf[4];
  d1 = open ("foo", O_RDONLY);
  d2 = open ("foo", O_RDONLY);
  lseek (d1, 1024, SEEK_SET);
  read (d2, buf, 4);
}
```

will read the first four characters of the file `foo`. (The error-checking code necessary for a real program has been omitted here for brevity.)

By contrast, descriptors made by duplication share a common file position with the original descriptor that was duplicated. Anything which alters the file position of one of the duplicates, including reading or writing data, affects all of them alike. Thus, for example,

```
{
  int d1, d2, d3;
  char buf1[4], buf2[4];
  d1 = open ("foo", O_RDONLY);
  d2 = dup (d1);
  d3 = dup (d2);
  lseek (d3, 1024, SEEK_SET);
  read (d1, buf1, 4);
  read (d2, buf2, 4);
}
```

will read four characters starting with the 1024'th character of `foo`, and then four more characters starting with the 1028'th character.

**off\_t**

Data Type

This is an arithmetic data type used to represent file sizes. In the GNU system, this is equivalent to `fpos_t` or `long int`.

If the source is compiled with `_FILE_OFFSET_BITS == 64` this type is transparently replaced by `off64_t`.

**off64\_t**

Data Type

This type is used similar to `off_t`. The difference is that even on 32 bit machines, where the `off_t` type would have 32 bits, `off64_t` has 64 bits and so is able to address files up to  $2^{63}$  bytes in length.

When compiling with `_FILE_OFFSET_BITS == 64` this type is available under the name `off_t`.

These aliases for the `SEEK_...` constants exist for the sake of compatibility with older BSD systems. They are defined in two different header files: `fcntl.h` and `sys/file.h`.

**L\_SET**

An alias for `SEEK_SET`.

**L\_INCR**

An alias for `SEEK_CUR`.

**L\_XTND**

An alias for `SEEK_END`.

---

Node: Descriptors and Streams, Next: [Stream/Descriptor Precautions](#), Previous: [File Position Primitive](#), Up: [Low-Level I/O](#)

## Descriptors and Streams

Given an open file descriptor, you can create a stream for it with the `fdopen` function. You can get the underlying file descriptor for an existing stream with the `fileno` function. These functions are declared in the header file `stdio.h`.

**FILE \*** `fdopen` (*int* `filedes`, *const char \**`opentype`)

Function



The `fdopen` function returns a new stream for the file descriptor *filedes*.

The *opentype* argument is interpreted in the same way as for the `fopen` function (see [Opening Streams](#)), except that the `b` option is not permitted; this is because GNU makes no distinction between text and binary files. Also, "`w`" and "`w+`" do not cause truncation of the file; these have an effect only when opening a file, and in this case the file has already been opened. You must make sure that the *opentype* argument matches the actual mode of the open file descriptor.

The return value is the new stream. If the stream cannot be created (for example, if the modes for the file indicated by the file descriptor do not permit the access specified by the *opentype* argument), a null pointer is returned instead.

In some other systems, `fdopen` may fail to detect that the modes for file descriptor do not permit the access specified by *opentype*. The GNU C library always checks for this.

For an example showing the use of the `fdopen` function, see [Creating a Pipe](#).

**int `fileno` (*FILE \*stream*)** Function

This function returns the file descriptor associated with the stream *stream*. If an error is detected (for example, if the *stream* is not valid) or if *stream* does not do I/O to a file, `fileno` returns -1.

**int `fileno_unlocked` (*FILE \*stream*)** Function

The `fileno_unlocked` function is equivalent to the `fileno` function except that it does not implicitly lock the stream if the state is `FSETLOCKING_INTERNAL`.

This function is a GNU extension.

There are also symbolic constants defined in `unistd.h` for the file descriptors belonging to the standard streams `stdin`, `stdout`, and `stderr`; see [Standard Streams](#).

`STDIN_FILENO`

This macro has value 0, which is the file descriptor for standard input.

`STDOUT_FILENO`

This macro has value 1, which is the file descriptor for standard output.

`STDERR_FILENO`

This macro has value 2, which is the file descriptor for standard error output.

---

Node: Stream/Descriptor Precautions, Next: [Scatter-Gather](#), Previous: [Descriptors and Streams](#),

Up: [Low-Level I/O](#)

## Dangers of Mixing Streams and Descriptors

You can have multiple file descriptors and streams (let's call both streams and descriptors "channels" for short) connected to the same file, but you must take care to avoid confusion between channels. There are two cases to consider: *linked* channels that share a single file position value, and *independent* channels that have their own file positions.

It's best to use just one channel in your program for actual data transfer to any given file, except when all the access is for input. For example, if you open a pipe (something you can only do at the file descriptor level), either do all I/O with the descriptor, or construct a stream from the descriptor with `fdopen` and then do all I/O with the stream.

- [Linked Channels](#): Dealing with channels sharing a file position.
- [Independent Channels](#): Dealing with separately opened, unlinked channels.
- [Cleaning Streams](#): Cleaning a stream makes it safe to use another channel.

---

Node: [Linked Channels](#), Next: [Independent Channels](#), Up: [Stream/Descriptor Precautions](#)

### Linked Channels

Channels that come from a single opening share the same file position; we call them *linked* channels. Linked channels result when you make a stream from a descriptor using `fdopen`, when you get a descriptor from a stream with `fileno`, when you copy a descriptor with `dup` or `dup2`, and when descriptors are inherited during `fork`. For files that don't support random access, such as terminals and pipes, *all* channels are effectively linked. On random-access files, all append-type output streams are effectively linked to each other.

If you have been using a stream for I/O (or have just opened the stream), and you want to do I/O using another channel (either a stream or a descriptor) that is linked to it, you must first *clean up* the stream that you have been using. See [Cleaning Streams](#).

Terminating a process, or executing a new program in the process, destroys all the streams in the process. If descriptors linked to these streams persist in other processes, their file positions become undefined as a result. To prevent this, you must clean up the streams before destroying them.

---

Node: [Independent Channels](#), Next: [Cleaning Streams](#), Previous: [Linked Channels](#), Up: [Stream/Descriptor Precautions](#)

## Independent Channels

When you open channels (streams or descriptors) separately on a seekable file, each channel has its own file position. These are called *independent channels*.

The system handles each channel independently. Most of the time, this is quite predictable and natural (especially for input): each channel can read or write sequentially at its own place in the file. However, if some of the channels are streams, you must take these precautions:

- You should clean an output stream after use, before doing anything else that might read or write from the same part of the file.
- You should clean an input stream before reading data that may have been modified using an independent channel. Otherwise, you might read obsolete data that had been in the stream's buffer.

If you do output to one channel at the end of the file, this will certainly leave the other independent channels positioned somewhere before the new end. You cannot reliably set their file positions to the new end of file before writing, because the file can always be extended by another process between when you set the file position and when you write the data. Instead, use an append-type descriptor or stream; they always output at the current end of the file. In order to make the end-of-file position accurate, you must clean the output channel you were using, if it is a stream.

It's impossible for two channels to have separate file pointers for a file that doesn't support random access. Thus, channels for reading or writing such files are always linked, never independent. Append-type channels are also always linked. For these channels, follow the rules for linked channels; see [Linked Channels](#).

---

Node: Cleaning Streams, Previous: [Independent Channels](#), Up: [Stream/Descriptor Precautions](#)

## Cleaning Streams

On the GNU system, you can clean up any stream with `fclean`:

`int fclean (FILE *stream)` Function

Clean up the stream *stream* so that its buffer is empty. If *stream* is doing output, force it out. If *stream* is doing input, give the data in the buffer back to the system, arranging to reread it.

On other systems, you can use `fflush` to clean a stream in most cases.

You can skip the `fclose` or `fflush` if you know the stream is already clean. A stream is clean whenever its buffer is empty. For example, an unbuffered stream is always clean. An input stream that is at end-of-file is clean. A line-buffered stream is clean when the last character output was a newline. However, a just-opened input stream might not be clean, as its input buffer might not be empty.

There is one case in which cleaning a stream is impossible on most systems. This is when the stream is doing input from a file that is not random-access. Such streams typically read ahead, and when the file is not random access, there is no way to give back the excess data already read. When an input stream reads from a random-access file, `fflush` does clean the stream, but leaves the file pointer at an unpredictable place; you must set the file pointer before doing any further I/O. On the GNU system, using `fclose` avoids both of these problems.

Closing an output-only stream also does `fflush`, so this is a valid way of cleaning an output stream. On the GNU system, closing an input stream does `fclose`.

You need not clean a stream before using its descriptor for control operations such as setting terminal modes; these operations don't affect the file position and are not affected by it. You can use any descriptor for these operations, and all channels are affected simultaneously. However, text already "output" to a stream but still buffered by the stream will be subject to the new terminal modes when subsequently flushed. To make sure "past" output is covered by the terminal settings that were in effect at the time, flush the output streams for that terminal before setting the modes. See [Terminal Modes](#).

---

Node: Scatter-Gather, Next: [Memory-mapped I/O](#), Previous: [Stream/Descriptor Precautions](#), Up: [Low-Level I/O](#)

## Fast Scatter-Gather I/O

Some applications may need to read or write data to multiple buffers, which are separated in memory. Although this can be done easily enough with multiple calls to `read` and `write`, it is inefficient because there is overhead associated with each kernel call.

Instead, many platforms provide special high-speed primitives to perform these *scatter-gather* operations in a single kernel call. The GNU C library will provide an emulation on any system that lacks these primitives, so they are not a portability threat. They are defined in `sys/uio.h`.

These functions are controlled with arrays of `iovec` structures, which describe the location and size of each buffer.

**struct iovec**

Data Type

The `iovec` structure describes a buffer. It contains two fields:

```
void *iov_base
    Contains the address of a buffer.
size_t iov_len
    Contains the length of the buffer.
```

`ssize_t readv (int filedes, const struct iovec *vector, int count)` Function

The `readv` function reads data from `filedes` and scatters it into the buffers described in `vector`, which is taken to be `count` structures long. As each buffer is filled, data is sent to the next.

Note that `readv` is not guaranteed to fill all the buffers. It may stop at any point, for the same reasons `read` would.

The return value is a count of bytes (*not* buffers) read, 0 indicating end-of-file, or -1 indicating an error. The possible errors are the same as in `read`.

`ssize_t writev (int filedes, const struct iovec *vector, int count)` Function

The `writev` function gathers data from the buffers described in `vector`, which is taken to be `count` structures long, and writes them to `filedes`. As each buffer is written, it moves on to the next.

Like `readv`, `writev` may stop midstream under the same conditions `write` would.

The return value is a count of bytes written, or -1 indicating an error. The possible errors are the same as in `write`.

Note that if the buffers are small (under about 1kB), high-level streams may be easier to use than these functions. However, `readv` and `writev` are more efficient when the individual buffers themselves (as opposed to the total output), are large. In that case, a high-level stream would not be able to cache the data effectively.

---

Node: Memory-mapped I/O, Next: [Waiting for I/O](#), Previous: [Scatter-Gather](#), Up: [Low-Level I/O](#)

## Memory-mapped I/O

On modern operating systems, it is possible to `mmap` (pronounced "em-map") a file to a region of

memory. When this is done, the file can be accessed just like an array in the program.

This is more efficient than `read` or `write`, as only the regions of the file that a program actually accesses are loaded. Accesses to not-yet-loaded parts of the mmaped region are handled in the same way as swapped out pages.

Since mmaped pages can be stored back to their file when physical memory is low, it is possible to mmap files orders of magnitude larger than both the physical memory *and* swap space. The only limit is address space. The theoretical limit is 4GB on a 32-bit machine - however, the actual limit will be smaller since some areas will be reserved for other purposes. If the LFS interface is used the file size on 32-bit systems is not limited to 2GB (offsets are signed which reduces the addressable area of 4GB by half); the full 64-bit are available.

Memory mapping only works on entire pages of memory. Thus, addresses for mapping must be page-aligned, and length values will be rounded up. To determine the size of a page the machine uses one should use

```
size_t page_size = (size_t) sysconf (_SC_PAGESIZE);
```

These functions are declared in `sys/mman.h`.

`void * mmap (void *address, size_t length, int protect, int flags, int filedes, off_t offset)`      Function

The `mmap` function creates a new mapping, connected to bytes (*offset*) to (*offset* + *length* - 1) in the file open on *filedes*. A new reference for the file specified by *filedes* is created, which is not removed by closing the file.

*address* gives a preferred starting address for the mapping. `NULL` expresses no preference. Any previous mapping at that address is automatically removed. The address you give may still be changed, unless you use the `MAP_FIXED` flag.

*protect* contains flags that control what kind of access is permitted. They include `PROT_READ`, `PROT_WRITE`, and `PROT_EXEC`, which permit reading, writing, and execution, respectively. Inappropriate access will cause a segfault (see [Program Error Signals](#)).

Note that most hardware designs cannot support write permission without read permission, and many do not distinguish read and execute permission. Thus, you may receive wider permissions than you ask for, and mappings of write-only files may be denied even if you do not use `PROT_READ`.

*flags* contains flags that control the nature of the map. One of `MAP_SHARED` or `MAP_PRIVATE` must be specified.

They include:

#### MAP\_PRIVATE

This specifies that writes to the region should never be written back to the attached file. Instead, a copy is made for the process, and the region will be swapped normally if memory runs low. No other process will see the changes.

Since private mappings effectively revert to ordinary memory when written to, you must have enough virtual memory for a copy of the entire mmaped region if you use this mode with `PROT_WRITE`.

#### MAP\_SHARED

This specifies that writes to the region will be written back to the file. Changes made will be shared immediately with other processes mmaping the same file.

Note that actual writing may take place at any time. You need to use `msync`, described below, if it is important that other processes using conventional I/O get a consistent view of the file.

#### MAP\_FIXED

This forces the system to use the exact mapping address specified in *address* and fail if it can't.

#### MAP\_ANONYMOUS

#### MAP\_ANON

This flag tells the system to create an anonymous mapping, not connected to a file. *filedes* and *off* are ignored, and the region is initialized with zeros.

Anonymous maps are used as the basic primitive to extend the heap on some systems. They are also useful to share data between multiple tasks without creating a file.

On some systems using private anonymous mmaps is more efficient than using `malloc` for large blocks. This is not an issue with the GNU C library, as the included `malloc` automatically uses `mmap` where appropriate.

`mmap` returns the address of the new mapping, or -1 for an error.

Possible errors include:

#### EINVAL

Either *address* was unusable, or inconsistent *flags* were given.

EACCES

*filedes* was not open for the type of access specified in *protect*.

ENOMEM

Either there is not enough memory for the operation, or the process is out of address space.

ENODEV

This file is of a type that doesn't support mapping.

ENOEXEC

The file is on a filesystem that doesn't support mapping.

**void \* mmap64** (*void \*address*, *size\_t length*, *int protect*, *int flags*, *int filedes*, *off64\_t offset*)      Function

The `mmap64` function is equivalent to the `mmap` function but the *offset* parameter is of type `off64_t`. On 32-bit systems this allows the file associated with the *filedes* descriptor to be larger than 2GB. *filedes* must be a descriptor returned from a call to `open64` or `fopen64` and `freopen64` where the descriptor is retrieved with `fileno`.

When the sources are translated with `_FILE_OFFSET_BITS == 64` this function is actually available under the name `mmap`. I.e., the new, extended API using 64 bit file sizes and offsets transparently replaces the old API.

**int munmap** (*void \*addr*, *size\_t length*)      Function

`munmap` removes any memory maps from (*addr*) to (*addr + length*). *length* should be the length of the mapping.

It is safe to unmap multiple mappings in one command, or include unmapped space in the range. It is also possible to unmap only part of an existing mapping. However, only entire pages can be removed. If *length* is not an even number of pages, it will be rounded up.

It returns 0 for success and -1 for an error.

One error is possible:

EINVAL

The memory range given was outside the user `mmap` range or wasn't page aligned.

**int msync** (*void \*address*, *size\_t length*, *int flags*)      Function



When using shared mappings, the kernel can write the file at any time before the mapping is removed. To be certain data has actually been written to the file and will be accessible to non-memory-mapped I/O, it is necessary to use this function.

It operates on the region *address* to (*address + length*). It may be used on part of a mapping or multiple mappings, however the region given should not contain any unmapped space.

*flags* can contain some options:

MS\_SYNC

This flag makes sure the data is actually written *to disk*. Normally `msync` only makes sure that accesses to a file with conventional I/O reflect the recent changes.

MS\_ASYNC

This tells `msync` to begin the synchronization, but not to wait for it to complete.

`msync` returns 0 for success and -1 for error. Errors include:

EINVAL

An invalid region was given, or the *flags* were invalid.

EFAULT

There is no existing mapping in at least part of the given region.

`void * mremap (void *address, size_t length, size_t new_length, int flag)` Function

This function can be used to change the size of an existing memory area. *address* and *length* must cover a region entirely mapped in the same `mmap` statement. A new mapping with the same characteristics will be returned with the length *new\_length*.

One option is possible, `MREMAP_MAYMOVE`. If it is given in *flags*, the system may remove the existing mapping and create a new one of the desired length in another location.

The address of the resulting mapping is returned, or -1. Possible error codes include:

EFAULT

There is no existing mapping in at least part of the original region, or the region covers two or more distinct mappings.

EINVAL

The address given is misaligned or inappropriate.

**EAGAIN**

The region has pages locked, and if extended it would exceed the process's resource limit for locked pages. See [Limits on Resources](#).

**ENOMEM**

The region is private writable, and insufficient virtual memory is available to extend it. Also, this error will occur if `MREMAP_MAYMOVE` is not given and the extension would collide with another mapped region.

This function is only available on a few systems. Except for performing optional optimizations one should not rely on this function.

Not all file descriptors may be mapped. Sockets, pipes, and most devices only allow sequential access and do not fit into the mapping abstraction. In addition, some regular files may not be mmapable, and older kernels may not support mapping at all. Thus, programs using `mmap` should have a fallback method to use should it fail. See [Mmap](#).

**int `advise`** (*void \*`addr`, `size_t` `length`, `int` `advice`*) Function

This function can be used to provide the system with *advice* about the intended usage patterns of the memory region starting at *addr* and extending *length* bytes.

The valid BSD values for *advice* are:

**MADV\_NORMAL**

The region should receive no further special treatment.

**MADV\_RANDOM**

The region will be accessed via random page references. The kernel should page-in the minimal number of pages for each page fault.

**MADV\_SEQUENTIAL**

The region will be accessed via sequential page references. This may cause the kernel to aggressively read-ahead, expecting further sequential references after any page fault within this region.

**MADV\_WILLNEED**

The region will be needed. The pages within this region may be pre-faulted in by the kernel.

**MADV\_DONTNEED**

The region is no longer needed. The kernel may free these pages, causing any changes to the pages to be lost, as well as swapped out pages to be discarded.

The POSIX names are slightly different, but with the same meanings:

POSIX\_MADV\_NORMAL

This corresponds with BSD's MADV\_NORMAL.

POSIX\_MADV\_RANDOM

This corresponds with BSD's MADV\_RANDOM.

POSIX\_MADV\_SEQUENTIAL

This corresponds with BSD's MADV\_SEQUENTIAL.

POSIX\_MADV\_WILLNEED

This corresponds with BSD's MADV\_WILLNEED.

POSIX\_MADV\_DONTNEED

This corresponds with BSD's MADV\_DONTNEED.

`msync` returns 0 for success and -1 for error. Errors include:

EINVAL

An invalid region was given, or the *advice* was invalid.

EFAULT

There is no existing mapping in at least part of the given region.

---

Node: [Waiting for I/O](#), Next: [Synchronizing I/O](#), Previous: [Memory-mapped I/O](#), Up: [Low-Level I/O](#)

## Waiting for Input or Output

Sometimes a program needs to accept input on multiple input channels whenever input arrives. For example, some workstations may have devices such as a digitizing tablet, function button box, or dial box that are connected via normal asynchronous serial interfaces; good user interface style requires responding immediately to input on any device. Another example is a program that acts as a server to several other processes via pipes or sockets.

You cannot normally use `read` for this purpose, because this blocks the program until input is available on one particular file descriptor; input on other channels won't wake it up. You could set nonblocking mode and poll each file descriptor in turn, but this is very inefficient.

A better solution is to use the `select` function. This blocks the program until input or output is ready on a specified set of file descriptors, or until a timer expires, whichever comes first. This facility is declared in the header file `sys/types.h`.

In the case of a server socket (see [Listening](#)), we say that "input" is available when there are pending

connections that could be accepted (see [Accepting Connections](#)). `accept` for server sockets blocks and interacts with `select` just as `read` does for normal input.

The file descriptor sets for the `select` function are specified as `fd_set` objects. Here is the description of the data type and some macros for manipulating these objects.

**fd\_set** Data Type

The `fd_set` data type represents file descriptor sets for the `select` function. It is actually a bit array.

**int FD\_SETSIZE** Macro

The value of this macro is the maximum number of file descriptors that a `fd_set` object can hold information about. On systems with a fixed maximum number, `FD_SETSIZE` is at least that number. On some systems, including GNU, there is no absolute limit on the number of descriptors open, but this macro still has a constant value which controls the number of bits in an `fd_set`; if you get a file descriptor with a value as high as `FD_SETSIZE`, you cannot put that descriptor into an `fd_set`.

**void FD\_ZERO** (*fd\_set \*set*) Macro

This macro initializes the file descriptor set *set* to be the empty set.

**void FD\_SET** (*int filedes, fd\_set \*set*) Macro

This macro adds *filedes* to the file descriptor set *set*.

The *filedes* parameter must not have side effects since it is evaluated more than once.

**void FD\_CLR** (*int filedes, fd\_set \*set*) Macro

This macro removes *filedes* from the file descriptor set *set*.

The *filedes* parameter must not have side effects since it is evaluated more than once.

**int FD\_ISSET** (*int filedes, const fd\_set \*set*) Macro

This macro returns a nonzero value (true) if *filedes* is a member of the file descriptor set *set*, and zero (false) otherwise.

The *filedes* parameter must not have side effects since it is evaluated more than once.

Next, here is the description of the `select` function itself.

**int `select`** (*int nfds, fd\_set \*read-fds, fd\_set \*write-fds, fd\_set \*except-fds, struct timeval \*timeout*) Function

The `select` function blocks the calling process until there is activity on any of the specified sets of file descriptors, or until the timeout period has expired.

The file descriptors specified by the *read-fds* argument are checked to see if they are ready for reading; the *write-fds* file descriptors are checked to see if they are ready for writing; and the *except-fds* file descriptors are checked for exceptional conditions. You can pass a null pointer for any of these arguments if you are not interested in checking for that kind of condition.

A file descriptor is considered ready for reading if it is not at end of file. A server socket is considered ready for reading if there is a pending connection which can be accepted with `accept`; see [Accepting Connections](#). A client socket is ready for writing when its connection is fully established; see [Connecting](#).

"Exceptional conditions" does not mean errors--errors are reported immediately when an erroneous system call is executed, and do not constitute a state of the descriptor. Rather, they include conditions such as the presence of an urgent message on a socket. (See [Sockets](#), for information on urgent messages.)

The `select` function checks only the first *nfds* file descriptors. The usual thing is to pass `FD_SETSIZE` as the value of this argument.

The *timeout* specifies the maximum time to wait. If you pass a null pointer for this argument, it means to block indefinitely until one of the file descriptors is ready. Otherwise, you should provide the time in `struct timeval` format; see [High-Resolution Calendar](#). Specify zero as the time (a `struct timeval` containing all zeros) if you want to find out which descriptors are ready without waiting if none are ready.

The normal return value from `select` is the total number of ready file descriptors in all of the sets. Each of the argument sets is overwritten with information about the descriptors that are ready for the corresponding operation. Thus, to see if a particular descriptor *desc* has input, use `FD_ISSET (desc, read-fds)` after `select` returns.

If `select` returns because the timeout period expires, it returns a value of zero.

Any signal will cause `select` to return immediately. So if your program uses signals, you can't rely on `select` to keep waiting for the full time specified. If you want to be sure of waiting for a particular amount of time, you must check for `EINTR` and repeat the `select` with a newly

calculated timeout based on the current time. See the example below. See also [Interrupted Primitives](#).

If an error occurs, `select` returns `-1` and does not modify the argument file descriptor sets. The following `errno` error conditions are defined for this function:

EBADF

One of the file descriptor sets specified an invalid file descriptor.

EINTR

The operation was interrupted by a signal. See [Interrupted Primitives](#).

EINVAL

The *timeout* argument is invalid; one of the components is negative or too large.

**Portability Note:** The `select` function is a BSD Unix feature.

Here is an example showing how you can use `select` to establish a timeout period for reading from a file descriptor. The `input_timeout` function blocks the calling process until input is available on the file descriptor, or until the timeout period expires.

```
#include <errno.h>
#include <stdio.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/time.h>

int
input_timeout (int filedes, unsigned int seconds)
{
    fd_set set;
    struct timeval timeout;

    /* Initialize the file descriptor set. */
    FD_ZERO (&set);
    FD_SET (filedes, &set);

    /* Initialize the timeout data structure. */
    timeout.tv_sec = seconds;
    timeout.tv_usec = 0;

    /* select returns 0 if timeout, 1 if input available, -1 if error. */
    return TEMP_FAILURE_RETRY (select (FD_SETSIZE,
                                      &set, NULL, NULL,
                                      &timeout));
}
```

```

int
main (void)
{
    fprintf (stderr, "select returned %d.\n",
             input_timeout (STDIN_FILENO, 5));
    return 0;
}

```

There is another example showing the use of `select` to multiplex input from multiple sockets in [Server Example](#).

---

Node: Synchronizing I/O, Next: [Asynchronous I/O](#), Previous: [Waiting for I/O](#), Up: [Low-Level I/O](#)

## Synchronizing I/O operations

In most modern operating systems, the normal I/O operations are not executed synchronously. I.e., even if a `write` system call returns, this does not mean the data is actually written to the media, e.g., the disk.

In situations where synchronization points are necessary, you can use special functions which ensure that all operations finish before they return.

int **sync** (*void*)

Function

A call to this function will not return as long as there is data which has not been written to the device. All dirty buffers in the kernel will be written and so an overall consistent system can be achieved (if no other process in parallel writes data).

A prototype for `sync` can be found in `unistd.h`.

The return value is zero to indicate no error.

Programs more often want to ensure that data written to a given file is committed, rather than all data in the system. For this, `sync` is overkill.

int **fsync** (*int fildes*)

Function

The `fsync` function can be used to make sure all data associated with the open file *filde*s is written to the device associated with the descriptor. The function call does not return unless all actions have finished.

A prototype for `fsync` can be found in `unistd.h`.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `fsync` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this, calls to `fsync` should be protected using cancellation handlers.

The return value of the function is zero if no error occurred. Otherwise it is -1 and the global variable *errno* is set to the following values:

`EBADF`

The descriptor *filde*s is not valid.

`EINVAL`

No synchronization is possible since the system does not implement this.

Sometimes it is not even necessary to write all data associated with a file descriptor. E.g., in database files which do not change in size it is enough to write all the file content data to the device. Meta-information, like the modification time etc., are not that important and leaving such information uncommitted does not prevent a successful recovering of the file in case of a problem.

int **fdatasync** (*int filde*s)

Function

When a call to the `fdatasync` function returns, it is ensured that all of the file data is written to the device. For all pending I/O operations, the parts guaranteeing data integrity finished.

Not all systems implement the `fdatasync` operation. On systems missing this functionality `fdatasync` is emulated by a call to `fsync` since the performed actions are a superset of those required by `fdatasync`.

The prototype for `fdatasync` is in `unistd.h`.

The return value of the function is zero if no error occurred. Otherwise it is -1 and the global variable *errno* is set to the following values:

`EBADF`

The descriptor *filde*s is not valid.

`EINVAL`



No synchronization is possible since the system does not implement this.

---

Node: Asynchronous I/O, Next: [Control Operations](#), Previous: [Synchronizing I/O](#), Up: [Low-Level I/O](#)

## Perform I/O Operations in Parallel

The POSIX.1b standard defines a new set of I/O operations which can significantly reduce the time an application spends waiting at I/O. The new functions allow a program to initiate one or more I/O operations and then immediately resume normal work while the I/O operations are executed in parallel. This functionality is available if the `unistd.h` file defines the symbol `_POSIX_ASYNCHRONOUS_IO`.

These functions are part of the library with realtime functions named `librt`. They are not actually part of the `libc` binary. The implementation of these functions can be done using support in the kernel (if available) or using an implementation based on threads at userlevel. In the latter case it might be necessary to link applications with the thread library `libpthread` in addition to `librt`.

All AIO operations operate on files which were opened previously. There might be arbitrarily many operations running for one file. The asynchronous I/O operations are controlled using a data structure named `struct aiocb` (*AIO control block*). It is defined in `aio.h` as follows.

### **struct aiocb**

Data Type

The POSIX.1b standard mandates that the `struct aiocb` structure contains at least the members described in the following table. There might be more elements which are used by the implementation, but depending upon these elements is not portable and is highly deprecated.

`int aio_fildes`

This element specifies the file descriptor to be used for the operation. It must be a legal descriptor, otherwise the operation will fail.

The device on which the file is opened must allow the seek operation. I.e., it is not possible to use any of the AIO operations on devices like terminals where an `lseek` call would lead to an error.

`off_t aio_offset`

This element specifies the offset in the file at which the operation (input or output) is performed. Since the operations are carried out in arbitrary order and more than one operation for one file descriptor can be started, one cannot expect a current read/write position of the file descriptor.

```
volatile void *aio_buf
```

This is a pointer to the buffer with the data to be written or the place where the read data is stored.

```
size_t aio_nbytes
```

This element specifies the length of the buffer pointed to by `aio_buf`.

```
int aio_reqprio
```

If the platform has defined `_POSIX_PRIORITIZED_IO` and `_POSIX_PRIORITY_SCHEDULING`, the AIO requests are processed based on the current scheduling priority. The `aio_reqprio` element can then be used to lower the priority of the AIO operation.

```
struct sigevent aio_sigevent
```

This element specifies how the calling process is notified once the operation terminates. If the `sigev_notify` element is `SIGEV_NONE`, no notification is sent. If it is `SIGEV_SIGNAL`, the signal determined by `sigev_signo` is sent. Otherwise, `sigev_notify` must be `SIGEV_THREAD`. In this case, a thread is created which starts executing the function pointed to by `sigev_notify_function`.

```
int aio_lio_opcode
```

This element is only used by the `lio_listio` and `lio_listio64` functions. Since these functions allow an arbitrary number of operations to start at once, and each operation can be input or output (or nothing), the information must be stored in the control block.

The possible values are:

```
LIO_READ
```

Start a read operation. Read from the file at position `aio_offset` and store the next `aio_nbytes` bytes in the buffer pointed to by `aio_buf`.

```
LIO_WRITE
```

Start a write operation. Write `aio_nbytes` bytes starting at `aio_buf` into the file starting at position `aio_offset`.

```
LIO_NOP
```

Do nothing for this control block. This value is useful sometimes when an array of `struct aiocb` values contains holes, i.e., some of the values must not be handled although the whole array is presented to the `lio_listio` function.

When the sources are compiled using `_FILE_OFFSET_BITS == 64` on a 32 bit machine, this type is in fact `struct aiocb64`, since the LFS interface transparently replaces the `struct aiocb` definition.

For use with the AIO functions defined in the LFS, there is a similar type defined which replaces the types of the appropriate members with larger types but otherwise is equivalent to `struct aiocb`. Particularly, all member names are the same.

## **struct aiocb64**

Data Type

`int aio_fildes`

This element specifies the file descriptor which is used for the operation. It must be a legal descriptor since otherwise the operation fails for obvious reasons.

The device on which the file is opened must allow the seek operation. I.e., it is not possible to use any of the AIO operations on devices like terminals where an `lseek` call would lead to an error.

`off64_t aio_offset`

This element specifies at which offset in the file the operation (input or output) is performed. Since the operation are carried in arbitrary order and more than one operation for one file descriptor can be started, one cannot expect a current read/write position of the file descriptor.

`volatile void *aio_buf`

This is a pointer to the buffer with the data to be written or the place where the read data is stored.

`size_t aio_nbytes`

This element specifies the length of the buffer pointed to by `aio_buf`.

`int aio_reqprio`

If for the platform `_POSIX_PRIORITIZED_IO` and `_POSIX_PRIORITY_SCHEDULING` are defined the AIO requests are processed based on the current scheduling priority. The `aio_reqprio` element can then be used to lower the priority of the AIO operation.

`struct sigevent aio_sigevent`

This element specifies how the calling process is notified once the operation terminates. If the `sigev_notify` element is `SIGEV_NONE` no notification is sent. If it is `SIGEV_SIGNAL`, the signal determined by `sigev_signo` is sent. Otherwise, `sigev_notify` must be `SIGEV_THREAD` in which case a thread which starts executing the function pointed to by `sigev_notify_function`.

`int aio_lio_opcode`

This element is only used by the `lio_listio` and `[lio_listio64` functions. Since these functions allow an arbitrary number of operations to start at once, and since each operation can be input or output (or nothing), the information must be stored in the control block. See the description of `struct aiocb` for a description of the possible values.

When the sources are compiled using `_FILE_OFFSET_BITS == 64` on a 32 bit machine, this type is available under the name `struct aiocb64`, since the LFS transparently replaces the old interface.

- [Asynchronous Reads/Writes](#): Asynchronous Read and Write Operations.
- [Status of AIO Operations](#): Getting the Status of AIO Operations.
- [Synchronizing AIO Operations](#): Getting into a consistent state.

- [Cancel AIO Operations](#): Cancellation of AIO Operations.
- [Configuration of AIO](#): How to optimize the AIO implementation.

Node: Asynchronous Reads/Writes, Next: [Status of AIO Operations](#), Up: [Asynchronous I/O](#)

## Asynchronous Read and Write Operations

`int aio_read (struct aiocb *aiocbp)`

Function

This function initiates an asynchronous read operation. It immediately returns after the operation was enqueued or when an error was encountered.

The first `aiocbp->aio_nbytes` bytes of the file for which `aiocbp->aio_fildes` is a descriptor are written to the buffer starting at `aiocbp->aio_buf`. Reading starts at the absolute position `aiocbp->aio_offset` in the file.

If prioritized I/O is supported by the platform the `aiocbp->aio_reqprio` value is used to adjust the priority before the request is actually enqueued.

The calling process is notified about the termination of the read request according to the `aiocbp->aio_sigevent` value.

When `aio_read` returns, the return value is zero if no error occurred that can be found before the process is enqueued. If such an early error is found, the function returns -1 and sets `errno` to one of the following values:

`EAGAIN`

The request was not enqueued due to (temporarily) exceeded resource limitations.

`ENOSYS`

The `aio_read` function is not implemented.

`EBADF`

The `aiocbp->aio_fildes` descriptor is not valid. This condition need not be recognized before enqueueing the request and so this error might also be signaled asynchronously.

`EINVAL`

The `aiocbp->aio_offset` or `aiocbp->aio_reqprio` value is invalid. This condition need not be recognized before enqueueing the request and so this error might also be signaled asynchronously.

If `aio_read` returns zero, the current status of the request can be queried using `aio_error` and `aio_return` functions. As long as the value returned by `aio_error` is `EINPROGRESS`

the operation has not yet completed. If `aio_error` returns zero, the operation successfully terminated, otherwise the value is to be interpreted as an error code. If the function terminated, the result of the operation can be obtained using a call to `aio_return`. The returned value is the same as an equivalent call to `read` would have returned. Possible error codes returned by `aio_error` are:

`EBADF`

The `aiocbp->aio_fildes` descriptor is not valid.

`ECANCELED`

The operation was canceled before the operation was finished (see [Cancel AIO Operations](#))

`EINVAL`

The `aiocbp->aio_offset` value is invalid.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is in fact `aio_read64` since the LFS interface transparently replaces the normal implementation.

**int `aio_read64`** (*struct aiocb \*aiocbp*)

Function

This function is similar to the `aio_read` function. The only difference is that on 32 bit machines, the file descriptor should be opened in the large file mode. Internally, `aio_read64` uses functionality equivalent to `lseek64` (see [File Position Primitive](#)) to position the file descriptor correctly for the reading, as opposed to `lseek` functionality used in `aio_read`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64`, this function is available under the name `aio_read` and so transparently replaces the interface for small files on 32 bit machines.

To write data asynchronously to a file, there exists an equivalent pair of functions with a very similar interface.

**int `aio_write`** (*struct aiocb \*aiocbp*)

Function

This function initiates an asynchronous write operation. The function call immediately returns after the operation was enqueued or if before this happens an error was encountered.

The first `aiocbp->aio_nbytes` bytes from the buffer starting at `aiocbp->aio_buf` are written to the file for which `aiocbp->aio_fildes` is an descriptor, starting at the absolute position `aiocbp->aio_offset` in the file.

If prioritized I/O is supported by the platform, the `aiocbp->aio_reqprio` value is used to adjust the priority before the request is actually enqueued.

The calling process is notified about the termination of the read request according to the `aiocbp->aio_sigevent` value.

When `aio_write` returns, the return value is zero if no error occurred that can be found before the process is enqueued. If such an early error is found the function returns -1 and sets `errno` to one of the following values.

#### EAGAIN

The request was not enqueued due to (temporarily) exceeded resource limitations.

#### ENOSYS

The `aio_write` function is not implemented.

#### EBADF

The `aiocbp->aio_fildes` descriptor is not valid. This condition may not be recognized before enqueueing the request, and so this error might also be signaled asynchronously.

#### EINVAL

The `aiocbp->aio_offset` or `aiocbp->aio_reqprio` value is invalid. This condition may not be recognized before enqueueing the request and so this error might also be signaled asynchronously.

In the case `aio_write` returns zero, the current status of the request can be queried using `aio_error` and `aio_return` functions. As long as the value returned by `aio_error` is `EINPROGRESS` the operation has not yet completed. If `aio_error` returns zero, the operation successfully terminated, otherwise the value is to be interpreted as an error code. If the function terminated, the result of the operation can be get using a call to `aio_return`. The returned value is the same as an equivalent call to `read` would have returned. Possible error codes returned by `aio_error` are:

#### EBADF

The `aiocbp->aio_fildes` descriptor is not valid.

#### ECANCELED

The operation was canceled before the operation was finished. (see [Cancel AIO](#))

## Operations)

EINVAL

The `aiocbp->aio_offset` value is invalid.

When the sources are compiled with `_FILE_OFFSET_BITS == 64`, this function is in fact `aio_write64` since the LFS interface transparently replaces the normal implementation.

**int `aio_write64`** (*struct `aiocb` \*`aiocbp`*)

Function

This function is similar to the `aio_write` function. The only difference is that on 32 bit machines the file descriptor should be opened in the large file mode. Internally `aio_write64` uses functionality equivalent to `lseek64` (see [File Position Primitive](#)) to position the file descriptor correctly for the writing, as opposed to `lseek` functionality used in `aio_write`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64`, this function is available under the name `aio_write` and so transparently replaces the interface for small files on 32 bit machines.

Besides these functions with the more or less traditional interface, POSIX.1b also defines a function which can initiate more than one operation at a time, and which can handle freely mixed read and write operations. It is therefore similar to a combination of `readv` and `writew`.

**int `lio_listio`** (*int `mode`, struct `aiocb` \*`const list`[], int `nent`, struct `sigevent` \*`sig`*)

Function

The `lio_listio` function can be used to enqueue an arbitrary number of read and write requests at one time. The requests can all be meant for the same file, all for different files or every solution in between.

`lio_listio` gets the *nent* requests from the array pointed to by *list*. The operation to be performed is determined by the `aio_lio_opcode` member in each element of *list*. If this field is `LIO_READ` a read operation is enqueued, similar to a call of `aio_read` for this element of the array (except that the way the termination is signalled is different, as we will see below). If the `aio_lio_opcode` member is `LIO_WRITE` a write operation is enqueued. Otherwise the `aio_lio_opcode` must be `LIO_NOP` in which case this element of *list* is simply ignored. This "operation" is useful in situations where one has a fixed array of `struct aiocb` elements from which only a few need to be handled at a time. Another situation is where the `lio_listio` call was canceled before all requests are processed (see [Cancel AIO Operations](#)) and the remaining requests have to be reissued.

The other members of each element of the array pointed to by *list* must have values suitable for the operation as described in the documentation for `aio_read` and `aio_write` above.

The *mode* argument determines how `lio_listio` behaves after having enqueued all the requests. If *mode* is `LIO_WAIT` it waits until all requests terminated. Otherwise *mode* must be `LIO_NOWAIT` and in this case the function returns immediately after having enqueued all the requests. In this case the caller gets a notification of the termination of all requests according to the *sig* parameter. If *sig* is `NULL` no notification is send. Otherwise a signal is sent or a thread is started, just as described in the description for `aio_read` or `aio_write`.

If *mode* is `LIO_WAIT`, the return value of `lio_listio` is 0 when all requests completed successfully. Otherwise the function return -1 and `errno` is set accordingly. To find out which request or requests failed one has to use the `aio_error` function on all the elements of the array *list*.

In case *mode* is `LIO_NOWAIT`, the function returns 0 if all requests were enqueued correctly. The current state of the requests can be found using `aio_error` and `aio_return` as described above. If `lio_listio` returns -1 in this mode, the global variable `errno` is set accordingly. If a request did not yet terminate, a call to `aio_error` returns `EINPROGRESS`. If the value is different, the request is finished and the error value (or 0) is returned and the result of the operation can be retrieved using `aio_return`.

Possible values for `errno` are:

#### EAGAIN

The resources necessary to queue all the requests are not available at the moment. The error status for each element of *list* must be checked to determine which request failed.

Another reason could be that the system wide limit of AIO requests is exceeded. This cannot be the case for the implementation on GNU systems since no arbitrary limits exist.

#### EINVAL

The *mode* parameter is invalid or *nent* is larger than `AIO_LISTIO_MAX`.

#### EIO

One or more of the request's I/O operations failed. The error status of each request should be checked to determine which one failed.

#### ENOSYS

The `lio_listio` function is not supported.

If the *mode* parameter is `LIO_NOWAIT` and the caller cancels a request, the error status for this request returned by `aio_error` is `ECANCELED`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64`, this function is in fact `lio_listio64` since the LFS interface transparently replaces the normal implementation.



**int `lio_listio64`** (*int mode, struct aiocb \*const list, int nent, struct sigevent \*sig*) Function

This function is similar to the `lio_listio` function. The only difference is that on 32 bit machines, the file descriptor should be opened in the large file mode. Internally, `lio_listio64` uses functionality equivalent to `lseek64` (see [File Position Primitive](#)) to position the file descriptor correctly for the reading or writing, as opposed to `lseek` functionality used in `lio_listio`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64`, this function is available under the name `lio_listio` and so transparently replaces the interface for small files on 32 bit machines.

---

Node: Status of AIO Operations, Next: [Synchronizing AIO Operations](#), Previous: [Asynchronous Reads/Writes](#), Up: [Asynchronous I/O](#)

## Getting the Status of AIO Operations

As already described in the documentation of the functions in the last section, it must be possible to get information about the status of an I/O request. When the operation is performed truly asynchronously (as with `aio_read` and `aio_write` and with `lio_listio` when the mode is `LIO_NOWAIT`), one sometimes needs to know whether a specific request already terminated and if so, what the result was. The following two functions allow you to get this kind of information.

**int `aio_error`** (*const struct aiocb \*aiocbp*) Function

This function determines the error state of the request described by the `struct aiocb` variable pointed to by `aiocbp`. If the request has not yet terminated the value returned is always `EINPROGRESS`. Once the request has terminated the value `aio_error` returns is either 0 if the request completed successfully or it returns the value which would be stored in the `errno` variable if the request would have been done using `read`, `write`, or `fsync`.

The function can return `ENOSYS` if it is not implemented. It could also return `EINVAL` if the `aiocbp` parameter does not refer to an asynchronous operation whose return status is not yet known.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is in fact `aio_error64` since the LFS interface transparently replaces the normal implementation.

**int `aio_error64`** (*const struct aiocb64 \*aiocbp*) Function

This function is similar to `aio_error` with the only difference that the argument is a reference to a variable of type `struct aiocb64`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is available under the name `aio_error` and so transparently replaces the interface for small files on 32 bit machines.

`ssize_t aio_return` (*const struct aiocb \*aiocbp*)

Function

This function can be used to retrieve the return status of the operation carried out by the request described in the variable pointed to by *aiocbp*. As long as the error status of this request as returned by `aio_error` is `EINPROGRESS` the return of this function is undefined.

Once the request is finished this function can be used exactly once to retrieve the return value. Following calls might lead to undefined behavior. The return value itself is the value which would have been returned by the `read`, `write`, or `fsync` call.

The function can return `ENOSYS` if it is not implemented. It could also return `EINVAL` if the *aiocbp* parameter does not refer to an asynchronous operation whose return status is not yet known.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is in fact `aio_return64` since the LFS interface transparently replaces the normal implementation.

`int aio_return64` (*const struct aiocb64 \*aiocbp*)

Function

This function is similar to `aio_return` with the only difference that the argument is a reference to a variable of type `struct aiocb64`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is available under the name `aio_return` and so transparently replaces the interface for small files on 32 bit machines.

---

Node: Synchronizing AIO Operations, Next: [Cancel AIO Operations](#), Previous: [Status of AIO Operations](#), Up: [Asynchronous I/O](#)

## Getting into a Consistent State

When dealing with asynchronous operations it is sometimes necessary to get into a consistent state. This would mean for AIO that one wants to know whether a certain request or a group of request were processed. This could be done by waiting for the notification sent by the system after the operation

terminated, but this sometimes would mean wasting resources (mainly computation time). Instead POSIX.1b defines two functions which will help with most kinds of consistency.

The `aio_fsync` and `aio_fsync64` functions are only available if the symbol `_POSIX_SYNCHRONIZED_IO` is defined in `unistd.h`.

**int `aio_fsync` (*int op, struct aiocb \*aiocbp*)** Function

Calling this function forces all I/O operations operating queued at the time of the function call operating on the file descriptor `aiocbp->aio_fildes` into the synchronized I/O completion state (see [Synchronizing I/O](#)). The `aio_fsync` function returns immediately but the notification through the method described in `aiocbp->aio_sigevent` will happen only after all requests for this file descriptor have terminated and the file is synchronized. This also means that requests for this very same file descriptor which are queued after the synchronization request are not affected.

If *op* is `O_DSYNC` the synchronization happens as with a call to `fdatasync`. Otherwise *op* should be `O_SYNC` and the synchronization happens as with `fsync`.

As long as the synchronization has not happened, a call to `aio_error` with the reference to the object pointed to by *aiocbp* returns `EINPROGRESS`. Once the synchronization is done `aio_error` return 0 if the synchronization was not successful. Otherwise the value returned is the value to which the `fsync` or `fdatasync` function would have set the `errno` variable. In this case nothing can be assumed about the consistency for the data written to this file descriptor.

The return value of this function is 0 if the request was successfully enqueued. Otherwise the return value is -1 and `errno` is set to one of the following values:

`EAGAIN`

The request could not be enqueued due to temporary lack of resources.

`EBADF`

The file descriptor `aiocbp->aio_fildes` is not valid or not open for writing.

`EINVAL`

The implementation does not support I/O synchronization or the *op* parameter is other than `O_DSYNC` and `O_SYNC`.

`ENOSYS`

This function is not implemented.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is in fact `aio_fsync64` since the LFS interface transparently replaces the normal implementation.

**int `aio_fsync64` (*int op, struct aiocb64 \*aiocbp*)** Function

This function is similar to `aio_fsync` with the only difference that the argument is a reference to a variable of type `struct aiocb64`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is available under the name `aio_fsync` and so transparently replaces the interface for small files on 32 bit machines.

Another method of synchronization is to wait until one or more requests of a specific set terminated. This could be achieved by the `aio_*` functions to notify the initiating process about the termination but in some situations this is not the ideal solution. In a program which constantly updates clients somehow connected to the server it is not always the best solution to go round robin since some connections might be slow. On the other hand letting the `aio_*` function notify the caller might also be not the best solution since whenever the process works on preparing data for on client it makes no sense to be interrupted by a notification since the new client will not be handled before the current client is served. For situations like this `aio_suspend` should be used.

**int `aio_suspend`** (*const struct aiocb \*const list*[], *int nent*, *const struct timespec \*timeout*)      Function

When calling this function, the calling thread is suspended until at least one of the requests pointed to by the *nent* elements of the array *list* has completed. If any of the requests has already completed at the time `aio_suspend` is called, the function returns immediately. Whether a request has terminated or not is determined by comparing the error status of the request with `EINPROGRESS`. If an element of *list* is `NULL`, the entry is simply ignored.

If no request has finished, the calling process is suspended. If *timeout* is `NULL`, the process is not woken until a request has finished. If *timeout* is not `NULL`, the process remains suspended at least as long as specified in *timeout*. In this case, `aio_suspend` returns with an error.

The return value of the function is 0 if one or more requests from the *list* have terminated. Otherwise the function returns -1 and `errno` is set to one of the following values:

`EAGAIN`

None of the requests from the *list* completed in the time specified by *timeout*.

`EINTR`

A signal interrupted the `aio_suspend` function. This signal might also be sent by the AIO implementation while signalling the termination of one of the requests.

`ENOSYS`

The `aio_suspend` function is not implemented.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is in fact `aio_suspend64` since the LFS interface transparently replaces the normal implementation.

**int aio\_suspend64** (*const struct aiocb64 \*const list[], int nent, const struct timespec \*timeout*) Function

This function is similar to `aio_suspend` with the only difference that the argument is a reference to a variable of type `struct aiocb64`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is available under the name `aio_suspend` and so transparently replaces the interface for small files on 32 bit machines.

---

Node: [Cancel AIO Operations](#), Next: [Configuration of AIO](#), Previous: [Synchronizing AIO Operations](#),  
Up: [Asynchronous I/O](#)

## Cancellation of AIO Operations

When one or more requests are asynchronously processed, it might be useful in some situations to cancel a selected operation, e.g., if it becomes obvious that the written data is no longer accurate and would have to be overwritten soon. As an example, assume an application, which writes data in files in a situation where new incoming data would have to be written in a file which will be updated by an enqueued request. The POSIX AIO implementation provides such a function, but this function is not capable of forcing the cancellation of the request. It is up to the implementation to decide whether it is possible to cancel the operation or not. Therefore using this function is merely a hint.

**int aio\_cancel** (*int fildes, struct aiocb \*aiocbp*) Function

The `aio_cancel` function can be used to cancel one or more outstanding requests. If the *aiocbp* parameter is `NULL`, the function tries to cancel all of the outstanding requests which would process the file descriptor *fildes* (i.e., whose `aio_fildes` member is *fildes*). If *aiocbp* is not `NULL`, `aio_cancel` attempts to cancel the specific request pointed to by *aiocbp*.

For requests which were successfully canceled, the normal notification about the termination of the request should take place. I.e., depending on the `struct sigevent` object which controls this, nothing happens, a signal is sent or a thread is started. If the request cannot be canceled, it terminates the usual way after performing the operation.

After a request is successfully canceled, a call to `aio_error` with a reference to this request as the parameter will return `ECANCELED` and a call to `aio_return` will return `-1`. If the request wasn't canceled and is still running the error status is still `EINPROGRESS`.

The return value of the function is `AIO_CANCELED` if there were requests which haven't terminated and which were successfully canceled. If there is one or more requests left which couldn't be canceled, the return value is `AIO_NOTCANCELED`. In this case `aio_error` must be

used to find out which of the, perhaps multiple, requests (in *aioctx* is `NULL`) weren't successfully canceled. If all requests already terminated at the time `aio_cancel` is called the return value is `AIO_ALLDONE`.

If an error occurred during the execution of `aio_cancel` the function returns -1 and sets `errno` to one of the following values.

`EBADF`

The file descriptor *fildev* is not valid.

`ENOSYS`

`aio_cancel` is not implemented.

When the sources are compiled with `_FILE_OFFSET_BITS == 64`, this function is in fact `aio_cancel64` since the LFS interface transparently replaces the normal implementation.

**int `aio_cancel64` (*int fildev, struct aiocb64 \*aioctx*)** Function

This function is similar to `aio_cancel` with the only difference that the argument is a reference to a variable of type `struct aiocb64`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64`, this function is available under the name `aio_cancel` and so transparently replaces the interface for small files on 32 bit machines.

Node: Configuration of AIO, Previous: [Cancel AIO Operations](#), Up: [Asynchronous I/O](#)

## How to optimize the AIO implementation

The POSIX standard does not specify how the AIO functions are implemented. They could be system calls, but it is also possible to emulate them at userlevel.

At the point of this writing, the available implementation is a userlevel implementation which uses threads for handling the enqueued requests. While this implementation requires making some decisions about limitations, hard limitations are something which is best avoided in the GNU C library. Therefore, the GNU C library provides a means for tuning the AIO implementation according to the individual use.

**struct `aioinit`**

Data Type

This data type is used to pass the configuration or tunable parameters to the implementation. The program has to initialize the members of this struct and pass it to the implementation using the `aio_init` function.

```
int aio_threads
```

This member specifies the maximal number of threads which may be used at any one time.

```
int aio_num
```

This number provides an estimate on the maximal number of simultaneously enqueued requests.

```
int aio_locks
```

Unused.

```
int aio_usedba
```

Unused.

```
int aio_debug
```

Unused.

```
int aio_numusers
```

Unused.

```
int aio_reserved[2]
```

Unused.

```
void aio_init (const struct aioinit *init)
```

Function

This function must be called before any other AIO function. Calling it is completely voluntary, as it is only meant to help the AIO implementation perform better.

Before calling the `aio_init`, function the members of a variable of type `struct aioinit` must be initialized. Then a reference to this variable is passed as the parameter to `aio_init` which itself may or may not pay attention to the hints.

The function has no return value and no error cases are defined. It is an extension which follows a proposal from the SGI implementation in Irix 6. It is not covered by POSIX.1b or Unix98.

---

Node: Control Operations, Next: [Duplicating Descriptors](#), Previous: [Asynchronous I/O](#), Up: [Low-Level I/O](#)

## Control Operations on Files

This section describes how you can perform various other operations on file descriptors, such as inquiring about or setting flags describing the status of the file descriptor, manipulating record locks, and the like. All of these operations are performed by the function `fcntl`.

The second argument to the `fcntl` function is a command that specifies which operation to perform. The function and macros that name various flags that are used with it are declared in the header file `fcntl.h`. Many of these flags are also used by the `open` function; see [Opening and Closing Files](#).

`int fcntl (int filedes, int command, ...)`

Function

The `fcntl` function performs the operation specified by *command* on the file descriptor *filedes*. Some commands require additional arguments to be supplied. These additional arguments and the return value and error conditions are given in the detailed descriptions of the individual commands.

Briefly, here is a list of what the various commands are.

`F_DUPFD`

Duplicate the file descriptor (return another file descriptor pointing to the same open file). See [Duplicating Descriptors](#).

`F_GETFD`

Get flags associated with the file descriptor. See [Descriptor Flags](#).

`F_SETFD`

Set flags associated with the file descriptor. See [Descriptor Flags](#).

`F_GETFL`

Get flags associated with the open file. See [File Status Flags](#).

`F_SETFL`

Set flags associated with the open file. See [File Status Flags](#).

`F_GETLK`

Get a file lock. See [File Locks](#).

`F_SETLK`

Set or clear a file lock. See [File Locks](#).

`F_SETLKW`

Like `F_SETLK`, but wait for completion. See [File Locks](#).

`F_GETOWN`

Get process or process group ID to receive SIGIO signals. See [Interrupt Input](#).

`F_SETOWN`

Set process or process group ID to receive SIGIO signals. See [Interrupt Input](#).

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `fcntl` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this calls to `fcntl` should be protected using cancellation handlers.



Node: Duplicating Descriptors, Next: [Descriptor Flags](#), Previous: [Control Operations](#), Up: [Low-Level I/O](#)

## Duplicating Descriptors

You can *duplicate* a file descriptor, or allocate another file descriptor that refers to the same open file as the original. Duplicate descriptors share one file position and one set of file status flags (see [File Status Flags](#)), but each has its own set of file descriptor flags (see [Descriptor Flags](#)).

The major use of duplicating a file descriptor is to implement *redirection* of input or output: that is, to change the file or pipe that a particular file descriptor corresponds to.

You can perform this operation using the `fcntl` function with the `F_DUPFD` command, but there are also convenient functions `dup` and `dup2` for duplicating descriptors.

The `fcntl` function and flags are declared in `fcntl.h`, while prototypes for `dup` and `dup2` are in the header file `unistd.h`.

**int `dup` (*int old*)** Function

This function copies descriptor *old* to the first available descriptor number (the first number not currently open). It is equivalent to `fcntl (old, F_DUPFD, 0)`.

**int `dup2` (*int old, int new*)** Function

This function copies the descriptor *old* to descriptor number *new*.

If *old* is an invalid descriptor, then `dup2` does nothing; it does not close *new*. Otherwise, the new duplicate of *old* replaces any previous meaning of descriptor *new*, as if *new* were closed first.

If *old* and *new* are different numbers, and *old* is a valid descriptor number, then `dup2` is equivalent to:

```
close (new);
fcntl (old, F_DUPFD, new)
```

However, `dup2` does this atomically; there is no instant in the middle of calling `dup2` at which *new* is closed and not yet a duplicate of *old*.

**int `F_DUPFD`** Macro

This macro is used as the *command* argument to `fcntl`, to copy the file descriptor given as the first argument.

The form of the call in this case is:

```
fcntl (old, F_DUPFD, next-filedes)
```

The *next-filedes* argument is of type `int` and specifies that the file descriptor returned should be the next available one greater than or equal to this value.

The return value from `fcntl` with this command is normally the value of the new file descriptor. A return value of -1 indicates an error. The following `errno` error conditions are defined for this command:

`EBADF`

The *old* argument is invalid.

`EINVAL`

The *next-filedes* argument is invalid.

`EMFILE`

There are no more file descriptors available--your program is already using the maximum. In BSD and GNU, the maximum is controlled by a resource limit that can be changed; see [Limits on Resources](#), for more information about the `RLIMIT_NOFILE` limit.

`ENFILE` is not a possible error code for `dup2` because `dup2` does not create a new opening of a file; duplicate descriptors do not count toward the limit which `ENFILE` indicates. `EMFILE` is possible because it refers to the limit on distinct descriptor numbers in use in one process.

Here is an example showing how to use `dup2` to do redirection. Typically, redirection of the standard streams (like `stdin`) is done by a shell or shell-like program before calling one of the `exec` functions (see [Executing a File](#)) to execute a new program in a child process. When the new program is executed, it creates and initializes the standard streams to point to the corresponding file descriptors, before its `main` function is invoked.

So, to redirect standard input to a file, the shell could do something like:

```
pid = fork ();
if (pid == 0)
{
    char *filename;
    char *program;
    int file;
    ...
}
```

```

    file = TEMP_FAILURE_RETRY (open (filename, O_RDONLY));
    dup2 (file, STDIN_FILENO);
    TEMP_FAILURE_RETRY (close (file));
    execv (program, NULL);
}

```

There is also a more detailed example showing how to implement redirection in the context of a pipeline of processes in [Launching Jobs](#).

---

Node: Descriptor Flags, Next: [File Status Flags](#), Previous: [Duplicating Descriptors](#), Up: [Low-Level I/O](#)

## File Descriptor Flags

*File descriptor flags* are miscellaneous attributes of a file descriptor. These flags are associated with particular file descriptors, so that if you have created duplicate file descriptors from a single opening of a file, each descriptor has its own set of flags.

Currently there is just one file descriptor flag: `FD_CLOEXEC`, which causes the descriptor to be closed if you use any of the `exec . . .` functions (see [Executing a File](#)).

The symbols in this section are defined in the header file `fcntl.h`.

### int **F\_GETFD**

Macro

This macro is used as the *command* argument to `fcntl`, to specify that it should return the file descriptor flags associated with the *filedes* argument.

The normal return value from `fcntl` with this command is a nonnegative number which can be interpreted as the bitwise OR of the individual flags (except that currently there is only one flag to use).

In case of an error, `fcntl` returns -1. The following `errno` error conditions are defined for this command:

`EBADF`

The *filedes* argument is invalid.

### int **F\_SETFD**

Macro

This macro is used as the *command* argument to `fcntl`, to specify that it should set the file descriptor flags associated with the *filedes* argument. This requires a third `int` argument to specify the new flags, so the form of the call is:

```
fcntl (filedes, F_SETFD, new-flags)
```

The normal return value from `fcntl` with this command is an unspecified value other than `-1`, which indicates an error. The flags and error conditions are the same as for the `F_GETFD` command.

The following macro is defined for use as a file descriptor flag with the `fcntl` function. The value is an integer constant usable as a bit mask value.

### int **FD\_CLOEXEC**

Macro

This flag specifies that the file descriptor should be closed when an `exec` function is invoked; see [Executing a File](#). When a file descriptor is allocated (as with `open` or `dup`), this bit is initially cleared on the new file descriptor, meaning that descriptor will survive into the new program after `exec`.

If you want to modify the file descriptor flags, you should get the current flags with `F_GETFD` and modify the value. Don't assume that the flags listed here are the only ones that are implemented; your program may be run years from now and more flags may exist then. For example, here is a function to set or clear the flag `FD_CLOEXEC` without altering any other flags:

```
/* Set the FD_CLOEXEC flag of desc if value is nonzero,
   or clear the flag if value is 0.
   Return 0 on success, or -1 on error with errno set. */

int
set_cloexec_flag (int desc, int value)
{
    int oldflags = fcntl (desc, F_GETFD, 0);
    /* If reading the flags failed, return error indication now. */
    if (oldflags < 0)
        return oldflags;
    /* Set just the flag we want to set. */
    if (value != 0)
        oldflags |= FD_CLOEXEC;
    else
        oldflags &= ~FD_CLOEXEC;
    /* Store modified flag word in the descriptor. */
    return fcntl (desc, F_SETFD, oldflags);
}
```

---

Node: File Status Flags, Next: [File Locks](#), Previous: [Descriptor Flags](#), Up: [Low-Level I/O](#)

## File Status Flags

*File status flags* are used to specify attributes of the opening of a file. Unlike the file descriptor flags discussed in [Descriptor Flags](#), the file status flags are shared by duplicated file descriptors resulting from a single opening of the file. The file status flags are specified with the *flags* argument to `open`; see [Opening and Closing Files](#).

File status flags fall into three categories, which are described in the following sections.

- [Access Modes](#), specify what type of access is allowed to the file: reading, writing, or both. They are set by `open` and are returned by `fcntl`, but cannot be changed.
- [Open-time Flags](#), control details of what `open` will do. These flags are not preserved after the `open` call.
- [Operating Modes](#), affect how operations such as `read` and `write` are done. They are set by `open`, and can be fetched or changed with `fcntl`.

The symbols in this section are defined in the header file `fcntl.h`.

- [Access Modes](#): Whether the descriptor can read or write.
- [Open-time Flags](#): Details of `open`.
- [Operating Modes](#): Special modes to control I/O operations.
- [Getting File Status Flags](#): Fetching and changing these flags.

---

Node: Access Modes, Next: [Open-time Flags](#), Up: [File Status Flags](#)

## File Access Modes

The file access modes allow a file descriptor to be used for reading, writing, or both. (In the GNU system, they can also allow none of these, and allow execution of the file as a program.) The access modes are chosen when the file is opened, and never change.

int **O\_RDONLY**

Macro

Open the file for read access.

int **O\_WRONLY** Macro

Open the file for write access.

int **O\_RDWR** Macro

Open the file for both reading and writing.

In the GNU system (and not in other systems), `O_RDONLY` and `O_WRONLY` are independent bits that can be bitwise-ORed together, and it is valid for either bit to be set or clear. This means that `O_RDWR` is the same as `O_RDONLY | O_WRONLY`. A file access mode of zero is permissible; it allows no operations that do input or output to the file, but does allow other operations such as `fchmod`. On the GNU system, since "read-only" or "write-only" is a misnomer, `fcntl.h` defines additional names for the file access modes. These names are preferred when writing GNU-specific code. But most programs will want to be portable to other POSIX.1 systems and should use the POSIX.1 names above instead.

int **O\_READ** Macro

Open the file for reading. Same as `O_RDONLY`; only defined on GNU.

int **O\_WRITE** Macro

Open the file for writing. Same as `O_WRONLY`; only defined on GNU.

int **O\_EXEC** Macro

Open the file for executing. Only defined on GNU.

To determine the file access mode with `fcntl`, you must extract the access mode bits from the retrieved file status flags. In the GNU system, you can just test the `O_READ` and `O_WRITE` bits in the flags word. But in other POSIX.1 systems, reading and writing access modes are not stored as distinct bit flags. The portable way to extract the file access mode bits is with `O_ACCMODE`.

int **O\_ACCMODE** Macro

This macro stands for a mask that can be bitwise-ANDed with the file status flag value to produce a value representing the file access mode. The mode will be `O_RDONLY`, `O_WRONLY`, or `O_RDWR`. (In the GNU system it could also be zero, and it never includes the `O_EXEC` bit.)

---

Node: Open-time Flags, Next: [Operating Modes](#), Previous: [Access Modes](#), Up: [File Status Flags](#)

## Open-time Flags

The open-time flags specify options affecting how `open` will behave. These options are not preserved once the file is open. The exception to this is `O_NONBLOCK`, which is also an I/O operating mode and so it *is* saved. See [Opening and Closing Files](#), for how to call `open`.

There are two sorts of options specified by open-time flags.

- *File name translation flags* affect how `open` looks up the file name to locate the file, and whether the file can be created.
- *Open-time action flags* specify extra operations that `open` will perform on the file once it is open.

Here are the file name translation flags.

**int O\_CREAT** Macro

If set, the file will be created if it doesn't already exist.

**int O\_EXCL** Macro

If both `O_CREAT` and `O_EXCL` are set, then `open` fails if the specified file already exists. This is guaranteed to never clobber an existing file.

**int O\_NONBLOCK** Macro

This prevents `open` from blocking for a "long time" to open the file. This is only meaningful for some kinds of files, usually devices such as serial ports; when it is not meaningful, it is harmless and ignored. Often opening a port to a modem blocks until the modem reports carrier detection; if `O_NONBLOCK` is specified, `open` will return immediately without a carrier.

Note that the `O_NONBLOCK` flag is overloaded as both an I/O operating mode and a file name translation flag. This means that specifying `O_NONBLOCK` in `open` also sets nonblocking I/O mode; see [Operating Modes](#). To open the file without blocking but do normal I/O that blocks, you must call `open` with `O_NONBLOCK` set and then call `fcntl` to turn the bit off.

**int O\_NOCTTY** Macro

If the named file is a terminal device, don't make it the controlling terminal for the process. See [Job Control](#), for information about what it means to be the controlling terminal.

In the GNU system and 4.4 BSD, opening a file never makes it the controlling terminal and `O_NOCTTY` is zero. However, other systems may use a nonzero value for `O_NOCTTY` and set the controlling terminal when you open a file that is a terminal device; so to be portable, use `O_NOCTTY` when it is important to avoid this.

The following three file name translation flags exist only in the GNU system.

**int `O_IGNORE_CTTY`** Macro

Do not recognize the named file as the controlling terminal, even if it refers to the process's existing controlling terminal device. Operations on the new file descriptor will never induce job control signals. See [Job Control](#).

**int `O_NOLINK`** Macro

If the named file is a symbolic link, open the link itself instead of the file it refers to. (`fstat` on the new file descriptor will return the information returned by `lstat` on the link's name.)

**int `O_NOTRANS`** Macro

If the named file is specially translated, do not invoke the translator. Open the bare file the translator itself sees.

The open-time action flags tell `open` to do additional operations which are not really related to opening the file. The reason to do them as part of `open` instead of in separate calls is that `open` can do them *atomically*.

**int `O_TRUNC`** Macro

Truncate the file to zero length. This option is only useful for regular files, not special files such as directories or FIFOs. POSIX.1 requires that you open the file for writing to use `O_TRUNC`. In BSD and GNU you must have permission to write the file to truncate it, but you need not open for write access.

This is the only open-time action flag specified by POSIX.1. There is no good reason for truncation to be done by `open`, instead of by calling `ftruncate` afterwards. The `O_TRUNC` flag existed in Unix before `ftruncate` was invented, and is retained for backward compatibility.

The remaining operating modes are BSD extensions. They exist only on some systems. On other



systems, these macros are not defined.

## int **O\_SHLOCK**

Macro

Acquire a shared lock on the file, as with `flock`. See [File Locks](#).

If `O_CREAT` is specified, the locking is done atomically when creating the file. You are guaranteed that no other process will get the lock on the new file first.

## int **O\_EXLOCK**

Macro

Acquire an exclusive lock on the file, as with `flock`. See [File Locks](#). This is atomic like `O_SHLOCK`.

---

Node: Operating Modes, Next: [Getting File Status Flags](#), Previous: [Open-time Flags](#), Up: [File Status Flags](#)

## I/O Operating Modes

The operating modes affect how input and output operations using a file descriptor work. These flags are set by `open` and can be fetched and changed with `fcntl`.

## int **O\_APPEND**

Macro

The bit that enables append mode for the file. If set, then all `write` operations write the data at the end of the file, extending it, regardless of the current file position. This is the only reliable way to append to a file. In append mode, you are guaranteed that the data you write will always go to the current end of the file, regardless of other processes writing to the file. Conversely, if you simply set the file position to the end of file and write, then another process can extend the file after you set the file position but before you write, resulting in your data appearing someplace before the real end of file.

## int **O\_NONBLOCK**

Macro

The bit that enables nonblocking mode for the file. If this bit is set, `read` requests on the file can return immediately with a failure status if there is no input immediately available, instead of blocking. Likewise, `write` requests can also return immediately with a failure status if the output can't be written immediately.

Note that the `O_NONBLOCK` flag is overloaded as both an I/O operating mode and a file name translation flag; see [Open-time Flags](#).

int **O\_NDELAY** Macro

This is an obsolete name for `O_NONBLOCK`, provided for compatibility with BSD. It is not defined by the POSIX.1 standard.

The remaining operating modes are BSD and GNU extensions. They exist only on some systems. On other systems, these macros are not defined.

int **O\_ASYNC** Macro

The bit that enables asynchronous input mode. If set, then `SIGIO` signals will be generated when input is available. See [Interrupt Input](#).

Asynchronous input mode is a BSD feature.

int **O\_FSYNC** Macro

The bit that enables synchronous writing for the file. If set, each `write` call will make sure the data is reliably stored on disk before returning. Synchronous writing is a BSD feature.

int **O\_SYNC** Macro

This is another name for `O_FSYNC`. They have the same value.

int **O\_NOATIME** Macro

If this bit is set, `read` will not update the access time of the file. See [File Times](#). This is used by programs that do backups, so that backing a file up does not count as reading it. Only the owner of the file or the superuser may use this bit.

This is a GNU extension.

---

Node: Getting File Status Flags, Previous: [Operating Modes](#), Up: [File Status Flags](#)

## Getting and Setting File Status Flags

The `fcntl` function can fetch or change file status flags.

int **F\_GETFL** Macro

This macro is used as the *command* argument to `fcntl`, to read the file status flags for the open file with descriptor *filedes*.

The normal return value from `fcntl` with this command is a nonnegative number which can be interpreted as the bitwise OR of the individual flags. Since the file access modes are not single-bit values, you can mask off other bits in the returned flags with `O_ACCMODE` to compare them.

In case of an error, `fcntl` returns -1. The following `errno` error conditions are defined for this command:

**EBADF**

The *filedes* argument is invalid.

## int **F\_SETFL**

Macro

This macro is used as the *command* argument to `fcntl`, to set the file status flags for the open file corresponding to the *filedes* argument. This command requires a third `int` argument to specify the new flags, so the call looks like this:

```
fcntl (filedes, F_SETFL, new-flags)
```

You can't change the access mode for the file in this way; that is, whether the file descriptor was opened for reading or writing.

The normal return value from `fcntl` with this command is an unspecified value other than -1, which indicates an error. The error conditions are the same as for the `F_GETFL` command.

If you want to modify the file status flags, you should get the current flags with `F_GETFL` and modify the value. Don't assume that the flags listed here are the only ones that are implemented; your program may be run years from now and more flags may exist then. For example, here is a function to set or clear the flag `O_NONBLOCK` without altering any other flags:

```
/* Set the O_NONBLOCK flag of desc if value is nonzero,
   or clear the flag if value is 0.
   Return 0 on success, or -1 on error with errno set. */

int
set_nonblock_flag (int desc, int value)
{
    int oldflags = fcntl (desc, F_GETFL, 0);
    /* If reading the flags failed, return error indication now. */
    if (oldflags == -1)
```

```

    return -1;
/* Set just the flag we want to set. */
if (value != 0)
    oldflags |= O_NONBLOCK;
else
    oldflags &= ~O_NONBLOCK;
/* Store modified flag word in the descriptor. */
return fcntl (desc, F_SETFL, oldflags);
}

```

---

Node: File Locks, Next: [Interrupt Input](#), Previous: [File Status Flags](#), Up: [Low-Level I/O](#)

## File Locks

The remaining `fcntl` commands are used to support *record locking*, which permits multiple cooperating programs to prevent each other from simultaneously accessing parts of a file in error-prone ways.

An *exclusive* or *write* lock gives a process exclusive access for writing to the specified part of the file. While a write lock is in place, no other process can lock that part of the file.

A *shared* or *read* lock prohibits any other process from requesting a write lock on the specified part of the file. However, other processes can request read locks.

The `read` and `write` functions do not actually check to see whether there are any locks in place. If you want to implement a locking protocol for a file shared by multiple processes, your application must do explicit `fcntl` calls to request and clear locks at the appropriate points.

Locks are associated with processes. A process can only have one kind of lock set for each byte of a given file. When any file descriptor for that file is closed by the process, all of the locks that process holds on that file are released, even if the locks were made using other descriptors that remain open. Likewise, locks are released when a process exits, and are not inherited by child processes created using `fork` (see [Creating a Process](#)).

When making a lock, use a `struct flock` to specify what kind of lock and where. This data type and the associated macros for the `fcntl` function are declared in the header file `fcntl.h`.

### **struct flock**

Data Type

This structure is used with the `fcntl` function to describe a file lock. It has these members:

`short int l_type`

Specifies the type of the lock; one of `F_RDLCK`, `F_WRLCK`, or `F_UNLCK`.

`short int l_whence`

This corresponds to the *whence* argument to `fseek` or `lseek`, and specifies what the offset is relative to. Its value can be one of `SEEK_SET`, `SEEK_CUR`, or `SEEK_END`.

`off_t l_start`

This specifies the offset of the start of the region to which the lock applies, and is given in bytes relative to the point specified by `l_whence` member.

`off_t l_len`

This specifies the length of the region to be locked. A value of 0 is treated specially; it means the region extends to the end of the file.

`pid_t l_pid`

This field is the process ID (see [Process Creation Concepts](#)) of the process holding the lock. It is filled in by calling `fcntl` with the `F_GETLK` command, but is ignored when making a lock.

## int `F_GETLK`

Macro

This macro is used as the *command* argument to `fcntl`, to specify that it should get information about a lock. This command requires a third argument of type `struct flock *` to be passed to `fcntl`, so that the form of the call is:

```
fcntl (filedes, F_GETLK, lockp)
```

If there is a lock already in place that would block the lock described by the *lockp* argument, information about that lock overwrites *\*lockp*. Existing locks are not reported if they are compatible with making a new lock as specified. Thus, you should specify a lock type of `F_WRLCK` if you want to find out about both read and write locks, or `F_RDLCK` if you want to find out about write locks only.

There might be more than one lock affecting the region specified by the *lockp* argument, but `fcntl` only returns information about one of them. The `l_whence` member of the *lockp* structure is set to `SEEK_SET` and the `l_start` and `l_len` fields set to identify the locked region.

If no lock applies, the only change to the *lockp* structure is to update the `l_type` to a value of `F_UNLCK`.

The normal return value from `fcntl` with this command is an unspecified value other than `-1`, which is reserved to indicate an error. The following `errno` error conditions are defined for this command:

`EBADF`

The *filedes* argument is invalid.

`EINVAL`

Either the *lockp* argument doesn't specify valid lock information, or the file associated with *filedes* doesn't support locks.

int **F\_SETLK**

Macro

This macro is used as the *command* argument to `fcntl`, to specify that it should set or clear a lock. This command requires a third argument of type `struct flock *` to be passed to `fcntl`, so that the form of the call is:

```
fcntl (filedes, F_SETLK, lockp)
```

If the process already has a lock on any part of the region, the old lock on that part is replaced with the new lock. You can remove a lock by specifying a lock type of `F_UNLCK`.

If the lock cannot be set, `fcntl` returns immediately with a value of `-1`. This function does not block waiting for other processes to release locks. If `fcntl` succeeds, it return a value other than `-1`.

The following `errno` error conditions are defined for this function:

`EAGAIN`

`EACCES`

The lock cannot be set because it is blocked by an existing lock on the file. Some systems use `EAGAIN` in this case, and other systems use `EACCES`; your program should treat them alike, after `F_SETLK`. (The GNU system always uses `EAGAIN`.)

`EBADF`

Either: the *filedes* argument is invalid; you requested a read lock but the *filedes* is not open for read access; or, you requested a write lock but the *filedes* is not open for write access.

`EINVAL`

Either the *lockp* argument doesn't specify valid lock information, or the file associated with *filedes* doesn't support locks.

`ENOLCK`

The system has run out of file lock resources; there are already too many file locks in place.

Well-designed file systems never report this error, because they have no limitation on the number of locks. However, you must still take account of the possibility of this error, as it could result from network access to a file system on another machine.

## int **F\_SETLKW**

Macro

This macro is used as the *command* argument to `fcntl`, to specify that it should set or clear a lock. It is just like the `F_SETLK` command, but causes the process to block (or wait) until the request can be specified.

This command requires a third argument of type `struct flock *`, as for the `F_SETLK` command.

The `fcntl` return values and errors are the same as for the `F_SETLK` command, but these additional `errno` error conditions are defined for this command:

### `EINTR`

The function was interrupted by a signal while it was waiting. See [Interrupted Primitives](#).

### `EDEADLK`

The specified region is being locked by another process. But that process is waiting to lock a region which the current process has locked, so waiting for the lock would result in deadlock. The system does not guarantee that it will detect all such conditions, but it lets you know if it notices one.

The following macros are defined for use as values for the `l_type` member of the `flock` structure. The values are integer constants.

### `F_RDLCK`

This macro is used to specify a read (or shared) lock.

### `F_WRLCK`

This macro is used to specify a write (or exclusive) lock.

### `F_UNLCK`

This macro is used to specify that the region is unlocked.

As an example of a situation where file locking is useful, consider a program that can be run simultaneously by several different users, that logs status information to a common file. One example of such a program might be a game that uses a file to keep track of high scores. Another example might be a program that records usage or accounting information for billing purposes.

Having multiple copies of the program simultaneously writing to the file could cause the contents of the file to become mixed up. But you can prevent this kind of problem by setting a write lock on the file before actually writing to the file.

If the program also needs to read the file and wants to make sure that the contents of the file are in a consistent state, then it can also use a read lock. While the read lock is set, no other process can lock that part of the file for writing.

Remember that file locks are only a *voluntary* protocol for controlling access to a file. There is still potential for access to the file by programs that don't use the lock protocol.

---

Node: Interrupt Input, Next: [IOCTLs](#), Previous: [File Locks](#), Up: [Low-Level I/O](#)

## Interrupt-Driven Input

If you set the `O_ASYNC` status flag on a file descriptor (see [File Status Flags](#)), a `SIGIO` signal is sent whenever input or output becomes possible on that file descriptor. The process or process group to receive the signal can be selected by using the `F_SETOWN` command to the `fcntl` function. If the file descriptor is a socket, this also selects the recipient of `SIGURG` signals that are delivered when out-of-band data arrives on that socket; see [Out-of-Band Data](#). (`SIGURG` is sent in any situation where `select` would report the socket as having an "exceptional condition". See [Waiting for I/O](#).)

If the file descriptor corresponds to a terminal device, then `SIGIO` signals are sent to the foreground process group of the terminal. See [Job Control](#).

The symbols in this section are defined in the header file `fcntl.h`.

### int **F\_GETOWN**

Macro

This macro is used as the *command* argument to `fcntl`, to specify that it should get information about the process or process group to which `SIGIO` signals are sent. (For a terminal, this is actually the foreground process group ID, which you can get using `tcgetpgrp`; see [Terminal Access Functions](#).)

The return value is interpreted as a process ID; if negative, its absolute value is the process group ID.

The following `errno` error condition is defined for this command:

`EBADF`



The *filedes* argument is invalid.

## int F\_SETOWN

Macro

This macro is used as the *command* argument to `fcntl`, to specify that it should set the process or process group to which SIGIO signals are sent. This command requires a third argument of type `pid_t` to be passed to `fcntl`, so that the form of the call is:

```
fcntl (filedes, F_SETOWN, pid)
```

The *pid* argument should be a process ID. You can also pass a negative number whose absolute value is a process group ID.

The return value from `fcntl` with this command is -1 in case of error and some other value if successful. The following `errno` error conditions are defined for this command:

EBADF

The *filedes* argument is invalid.

ESRCH

There is no process or process group corresponding to *pid*.

Node: IOCTLS, Previous: [Interrupt Input](#), Up: [Low-Level I/O](#)

## Generic I/O Control operations

The GNU system can handle most input/output operations on many different devices and objects in terms of a few file primitives - `read`, `write` and `lseek`. However, most devices also have a few peculiar operations which do not fit into this model. Such as:

- Changing the character font used on a terminal.
- Telling a magnetic tape system to rewind or fast forward. (Since they cannot move in byte increments, `lseek` is inapplicable).
- Ejecting a disk from a drive.
- Playing an audio track from a CD-ROM drive.
- Maintaining routing tables for a network.

Although some such objects such as sockets and terminals [2](#) have special functions of their own, it would not be practical to create functions for all these cases.

Instead these minor operations, known as *IOCTLS*, are assigned code numbers and multiplexed through the `ioctl` function, defined in `sys/ioctl.h`. The code numbers themselves are defined in many different headers.

int **ioctl** (*int filedes, int command, ...*)

Function

The `ioctl` function performs the generic I/O operation *command* on *filedes*.

A third argument is usually present, either a single number or a pointer to a structure. The meaning of this argument, the returned value, and any error codes depends upon the command used. Often -1 is returned for a failure.

On some systems, IOCTLS used by different devices share the same numbers. Thus, although use of an inappropriate IOCTL *usually* only produces an error, you should not attempt to use device-specific IOCTLS on an unknown device.

Most IOCTLS are OS-specific and/or only used in special system utilities, and are thus beyond the scope of this document. For an example of the use of an IOCTL, see [Out-of-Band Data](#).

---

Node: File System Interface, Next: [Pipes and FIFOs](#), Previous: [Low-Level I/O](#), Up: [Top](#)

## File System Interface

This chapter describes the GNU C library's functions for manipulating files. Unlike the input and output functions (see [I/O on Streams](#); see [Low-Level I/O](#)), these functions are concerned with operating on the files themselves rather than on their contents.

Among the facilities described in this chapter are functions for examining or modifying directories, functions for renaming and deleting files, and functions for examining and setting file attributes such as access permissions and modification times.

- [Working Directory](#): This is used to resolve relative file names.
- [Accessing Directories](#): Finding out what files a directory contains.
- [Working with Directory Trees](#): Apply actions to all files or a selectable subset of a directory hierarchy.
- [Hard Links](#): Adding alternate names to a file.
- [Symbolic Links](#): A file that "points to" a file name.
- [Deleting Files](#): How to delete a file, and what that means.
- [Renaming Files](#): Changing a file's name.

- [Creating Directories](#): A system call just for creating a directory.
- [File Attributes](#): Attributes of individual files.
- [Making Special Files](#): How to create special files.
- [Temporary Files](#): Naming and creating temporary files.

Node: Working Directory, Next: [Accessing Directories](#), Up: [File System Interface](#)

## Working Directory

Each process has associated with it a directory, called its *current working directory* or simply *working directory*, that is used in the resolution of relative file names (see [File Name Resolution](#)).

When you log in and begin a new session, your working directory is initially set to the home directory associated with your login account in the system user database. You can find any user's home directory using the `getpwuid` or `getpwnam` functions; see [User Database](#).

Users can change the working directory using shell commands like `cd`. The functions described in this section are the primitives used by those commands and by other programs for examining and changing the working directory.

Prototypes for these functions are declared in the header file `unistd.h`.

`char * getcwd (char *buffer, size_t size)` Function

The `getcwd` function returns an absolute file name representing the current working directory, storing it in the character array *buffer* that you provide. The *size* argument is how you tell the system the allocation size of *buffer*.

The GNU library version of this function also permits you to specify a null pointer for the *buffer* argument. Then `getcwd` allocates a buffer automatically, as with `malloc` (see [Unconstrained Allocation](#)). If the *size* is greater than zero, then the buffer is that large; otherwise, the buffer is as large as necessary to hold the result.

The return value is *buffer* on success and a null pointer on failure. The following `errno` error conditions are defined for this function:

`EINVAL`

The *size* argument is zero and *buffer* is not a null pointer.

`ERANGE`

The *size* argument is less than the length of the working directory name. You need to

allocate a bigger array and try again.

**EACCES**

Permission to read or search a component of the file name was denied.

You could implement the behavior of GNU's `getcwd (NULL, 0)` using only the standard behavior of `getcwd`:

```
char *
gnu_getcwd ()
{
    size_t size = 100;

    while (1)
    {
        char *buffer = (char *) xmalloc (size);
        if (getcwd (buffer, size) == buffer)
            return buffer;
        free (buffer);
        if (errno != ERANGE)
            return 0;
        size *= 2;
    }
}
```

See [Malloc Examples](#), for information about `xmalloc`, which is not a library function but is a customary name used in most GNU software.

`char * getwd (char *buffer)`

Deprecated Function

This is similar to `getcwd`, but has no way to specify the size of the buffer. The GNU library provides `getwd` only for backwards compatibility with BSD.

The *buffer* argument should be a pointer to an array at least `PATH_MAX` bytes long (see [Limits for Files](#)). In the GNU system there is no limit to the size of a file name, so this is not necessarily enough space to contain the directory name. That is why this function is deprecated.

`char * get_current_dir_name (void)`

Function

This `get_current_dir_name` function is basically equivalent to `getcwd (NULL, 0)`. The only difference is that the value of the `PWD` variable is returned if this value is correct. This is a subtle difference which is visible if the path described by the `PWD` value is using one or more symbol links in which case the value returned by `getcwd` can resolve the symbol links and therefore yield a different result.

This function is a GNU extension.

int **chdir** (*const char \*filename*) Function

This function is used to set the process's working directory to *filename*.

The normal, successful return value from `chdir` is 0. A value of -1 is returned to indicate an error. The `errno` error conditions defined for this function are the usual file name syntax errors (see [File Name Errors](#)), plus `ENOTDIR` if the file *filename* is not a directory.

int **fchdir** (*int filedes*) Function

This function is used to set the process's working directory to directory associated with the file descriptor *filedes*.

The normal, successful return value from `fchdir` is 0. A value of -1 is returned to indicate an error. The following `errno` error conditions are defined for this function:

`EACCES`

Read permission is denied for the directory named by `dirname`.

`EBADF`

The *filedes* argument is not a valid file descriptor.

`ENOTDIR`

The file descriptor *filedes* is not associated with a directory.

`EINTR`

The function call was interrupt by a signal.

`EIO`

An I/O error occurred.

---

Node: Accessing Directories, Next: [Working with Directory Trees](#), Previous: [Working Directory](#),  
Up: [File System Interface](#)

## Accessing Directories

The facilities described in this section let you read the contents of a directory file. This is useful if you want your program to list all the files in a directory, perhaps as part of a menu.

The `opendir` function opens a *directory stream* whose elements are directory entries. You use the `readdir` function on the directory stream to retrieve these entries, represented as `struct dirent` objects. The name of the file for each entry is stored in the `d_name` member of this structure. There are obvious parallels here to the stream facilities for ordinary files, described in [I/O on Streams](#).

- [Directory Entries](#): Format of one directory entry.
- [Opening a Directory](#): How to open a directory stream.
- [Reading/Closing Directory](#): How to read directory entries from the stream.
- [Simple Directory Lister](#): A very simple directory listing program.
- [Random Access Directory](#): Rereading part of the directory already read with the same stream.
- [Scanning Directory Content](#): Get entries for user selected subset of contents in given directory.
- [Simple Directory Lister Mark II](#): Revised version of the program.

---

Node: Directory Entries, Next: [Opening a Directory](#), Up: [Accessing Directories](#)

## Format of a Directory Entry

This section describes what you find in a single directory entry, as you might obtain it from a directory stream. All the symbols are declared in the header file `dirent.h`.

### **struct dirent**

Data Type

This is a structure type used to return information about directory entries. It contains the following fields:

`char d_name[]`

This is the null-terminated file name component. This is the only field you can count on in all POSIX systems.

`ino_t d_fileno`

This is the file serial number. For BSD compatibility, you can also refer to this member as `d_ino`. In the GNU system and most POSIX systems, for most files this the same as the `st_ino` member that `stat` will return for the file. See [File Attributes](#).

`unsigned char d_namlen`

This is the length of the file name, not including the terminating null character. Its type is `unsigned char` because that is the integer type of the appropriate size

`unsigned char d_type`

This is the type of the file, possibly unknown. The following constants are defined for its

value:

DT\_UNKNOWN

The type is unknown. On some systems this is the only value returned.

DT\_REG

A regular file.

DT\_DIR

A directory.

DT\_FIFO

A named pipe, or FIFO. See [FIFO Special Files](#).

DT SOCK

A local-domain socket.

DT\_CHR

A character device.

DT\_BLK

A block device.

This member is a BSD extension. The symbol `_DIRENT_HAVE_D_TYPE` is defined if this member is available. On systems where it is used, it corresponds to the file type bits in the `st_mode` member of `struct statbuf`. If the value cannot be determine the member value is `DT_UNKNOWN`. These two macros convert between `d_type` values and `st_mode` values:

int **IFTODT** (*mode\_t mode*)

Function

This returns the `d_type` value corresponding to *mode*.

mode\_t **DTTOIF** (*int dtype*)

Function

This returns the `st_mode` value corresponding to *dtype*.

This structure may contain additional members in the future. Their availability is always announced in the compilation environment by a macro names `_DIRENT_HAVE_D_XXX` where `xxx` is replaced by the name of the new member. For instance, the member `d_reclen` available on some systems is announced through the macro `_DIRENT_HAVE_D_RECLEN`.

When a file has multiple names, each name has its own directory entry. The only way you can tell that the directory entries belong to a single file is that they have the same value for the `d_fileno` field.

File attributes such as size, modification times etc., are part of the file itself, not of any particular directory entry. See [File Attributes](#).

Node: [Opening a Directory](#), Next: [Reading/Closing Directory](#), Previous: [Directory Entries](#),  
Up: [Accessing Directories](#)

## Opening a Directory Stream

This section describes how to open a directory stream. All the symbols are declared in the header file `dirent.h`.

### DIR

Data Type

The `DIR` data type represents a directory stream.

You shouldn't ever allocate objects of the `struct dirent` or `DIR` data types, since the directory access functions do that for you. Instead, you refer to these objects using the pointers returned by the following functions.

`DIR * opendir (const char *dirname)`

Function

The `opendir` function opens and returns a directory stream for reading the directory whose file name is *dirname*. The stream has type `DIR *`.

If unsuccessful, `opendir` returns a null pointer. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

`EACCES`

Read permission is denied for the directory named by *dirname*.

`EMFILE`

The process has too many files open.

`ENFILE`

The entire system, or perhaps the file system which contains the directory, cannot support any additional open files at the moment. (This problem cannot happen on the GNU system.)

The `DIR` type is typically implemented using a file descriptor, and the `opendir` function in terms of the `open` function. See [Low-Level I/O](#). Directory streams and the underlying file descriptors are closed on `exec` (see [Executing a File](#)).

In some situations it can be desirable to get hold of the file descriptor which is created by the `opendir` call. For instance, to switch the current working directory to the directory just read the `fchdir` function could be used. Historically the `DIR` type was exposed and programs could access the fields. This does not happen in the GNU C library. Instead a separate function is provided to allow access.



int **dirfd** (*DIR \*dirstream*)

Function

The function `dirfd` returns the file descriptor associated with the directory stream *dirstream*. This descriptor can be used until the directory is closed with `closedir`. If the directory stream implementation is not using file descriptors the return value is `-1`.

Node: Reading/Closing Directory, Next: [Simple Directory Lister](#), Previous: [Opening a Directory](#),  
Up: [Accessing Directories](#)

## Reading and Closing a Directory Stream

This section describes how to read directory entries from a directory stream, and how to close the stream when you are done with it. All the symbols are declared in the header file `dirent.h`.

struct dirent \* **readdir** (*DIR \*dirstream*)

Function

This function reads the next entry from the directory. It normally returns a pointer to a structure containing information about the file. This structure is statically allocated and can be rewritten by a subsequent call.

**Portability Note:** On some systems `readdir` may not return entries for `.` and `..`, even though these are always valid file names in any directory. See [File Name Resolution](#).

If there are no more entries in the directory or an error is detected, `readdir` returns a null pointer. The following `errno` error conditions are defined for this function:

EBADF

The *dirstream* argument is not valid.

`readdir` is not thread safe. Multiple threads using `readdir` on the same *dirstream* may overwrite the return value. Use `readdir_r` when this is critical.

int **readdir\_r** (*DIR \*dirstream, struct dirent \*entry, struct dirent \*\*result*)

Function

This function is the reentrant version of `readdir`. Like `readdir` it returns the next entry from the directory. But to prevent conflicts between simultaneously running threads the result is not stored in statically allocated memory. Instead the argument *entry* points to a place to store the result.

Normally `readdir_r` returns zero and sets *\*result* to *entry*. If there are no more entries in the directory or an error is detected, `readdir_r` sets *\*result* to a null pointer and returns a nonzero error code, also stored in `errno`, as described for `readdir`.

**Portability Note:** On some systems `readdir_r` may not return a NUL terminated string for the file name, even when there is no `d_reclen` field in `struct dirent` and the file name is the maximum allowed size. Modern systems all have the `d_reclen` field, and on old systems multi-threading is not critical. In any case there is no such problem with the `readdir` function, so that even on systems without the `d_reclen` member one could use multiple threads by using external locking.

It is also important to look at the definition of the `struct dirent` type. Simply passing a pointer to an object of this type for the second parameter of `readdir_r` might not be enough. Some systems don't define the `d_name` element sufficiently long. In this case the user has to provide additional space. There must be room for at least `NAME_MAX + 1` characters in the `d_name` array. Code to call `readdir_r` could look like this:

```
union
{
    struct dirent d;
    char b[offsetof (struct dirent, d_name) + NAME_MAX + 1];
} u;

if (readdir_r (dir, &u.d, &res) == 0)
    ...
```

To support large filesystems on 32-bit machines there are LFS variants of the last two functions.

`struct dirent64 * readdir64 (DIR *dirstream)`

Function

The `readdir64` function is just like the `readdir` function except that it returns a pointer to a record of type `struct dirent64`. Some of the members of this data type (notably `d_ino`) might have a different size to allow large filesystems.

In all other aspects this function is equivalent to `readdir`.

**int readdir64\_r** (*DIR \*dirstream, struct dirent64 \*entry, struct dirent64 \*\*result*) Function

The `readdir64_r` function is equivalent to the `readdir_r` function except that it takes parameters of base type `struct dirent64` instead of `struct dirent` in the second and third position. The same precautions mentioned in the documentation of `readdir_r` also apply here.

**int closedir** (*DIR \*dirstream*) Function

This function closes the directory stream *dirstream*. It returns 0 on success and -1 on failure.

The following `errno` error conditions are defined for this function:

EBADF

The *dirstream* argument is not valid.

Node: Simple Directory Lister, Next: [Random Access Directory](#), Previous: [Reading/Closing Directory](#),

Up: [Accessing Directories](#)

## Simple Program to List a Directory

Here's a simple program that prints the names of the files in the current working directory:

```
#include <stdio.h>
#include <sys/types.h>
#include <dirent.h>

int
main (void)
{
    DIR *dp;
    struct dirent *ep;

    dp = opendir (".");
    if (dp != NULL)
    {
        while (ep = readdir (dp))
            puts (ep->d_name);
        (void) closedir (dp);
    }
    else
        perror ("Couldn't open the directory");
}
```

```

    return 0;
}

```

The order in which files appear in a directory tends to be fairly random. A more useful program would sort the entries (perhaps by alphabetizing them) before printing them; see [Scanning Directory Content](#), and [Array Sort Function](#).

---

Node: Random Access Directory, Next: [Scanning Directory Content](#), Previous: [Simple Directory Lister](#), Up: [Accessing Directories](#)

## Random Access in a Directory Stream

This section describes how to reread parts of a directory that you have already read from an open directory stream. All the symbols are declared in the header file `dirent.h`.

**void `rewinddir`** (*DIR \*dirstream*) Function

The `rewinddir` function is used to reinitialize the directory stream *dirstream*, so that if you call `readdir` it returns information about the first entry in the directory again. This function also notices if files have been added or removed to the directory since it was opened with `opendir`. (Entries for these files might or might not be returned by `readdir` if they were added or removed since you last called `opendir` or `rewinddir`.)

**off\_t `telldir`** (*DIR \*dirstream*) Function

The `telldir` function returns the file position of the directory stream *dirstream*. You can use this value with `seekdir` to restore the directory stream to that position.

**void `seekdir`** (*DIR \*dirstream, off\_t pos*) Function

The `seekdir` function sets the file position of the directory stream *dirstream* to *pos*. The value *pos* must be the result of a previous call to `telldir` on this particular stream; closing and reopening the directory can invalidate values returned by `telldir`.

---

Node: Scanning Directory Content, Next: [Simple Directory Lister Mark II](#), Previous: [Random Access Directory](#), Up: [Accessing Directories](#)

## Scanning the Content of a Directory

A higher-level interface to the directory handling functions is the `scandir` function. With its help one can select a subset of the entries in a directory, possibly sort them and get a list of names as the result.

**int scandir** (*const char \*dir, struct dirent \*\*\*namelist, int (\*selector) (const struct dirent \*), int (\*cmp) (const void \*, const void \*)*) Function

The `scandir` function scans the contents of the directory selected by *dir*. The result in *\*namelist* is an array of pointers to structure of type `struct dirent` which describe all selected directory entries and which is allocated using `malloc`. Instead of always getting all directory entries returned, the user supplied function *selector* can be used to decide which entries are in the result. Only the entries for which *selector* returns a non-zero value are selected.

Finally the entries in *\*namelist* are sorted using the user-supplied function *cmp*. The arguments passed to the *cmp* function are of type `struct dirent **`, therefore one cannot directly use the `strcmp` or `strcoll` functions; instead see the functions `alphasort` and `versionsort` below.

The return value of the function is the number of entries placed in *\*namelist*. If it is `-1` an error occurred (either the directory could not be opened for reading or the `malloc` call failed) and the global variable `errno` contains more information on the error.

As described above the fourth argument to the `scandir` function must be a pointer to a sorting function. For the convenience of the programmer the GNU C library contains implementations of functions which are very helpful for this purpose.

**int alphasort** (*const void \*a, const void \*b*) Function

The `alphasort` function behaves like the `strcoll` function (see [String/Array Comparison](#)). The difference is that the arguments are not string pointers but instead they are of type `struct dirent **`.

The return value of `alphasort` is less than, equal to, or greater than zero depending on the order of the two entries *a* and *b*.

**int versionsort** (*const void \*a, const void \*b*) Function

The `versionsort` function is like `alphasort` except that it uses the `strverscmp` function internally.

If the filesystem supports large files we cannot use the `scandir` anymore since the `dirent` structure might not be able to contain all the information. The LFS provides the new type `struct dirent64`. To use this we need a new function.

**int scandir64** (*const char \*dir, struct dirent64 \*\*\*namelist, int (\*selector) (const struct dirent64 \*), int (\*cmp) (const void \*, const void \*)*) Function

The `scandir64` function works like the `scandir` function except that the directory entries it returns are described by elements of type `struct dirent64`. The function pointed to by *selector* is again used to select the desired entries, except that *selector* now must point to a function which takes a `struct dirent64 *` parameter.

Similarly the *cmp* function should expect its two arguments to be of type `struct dirent64 **`.

As *cmp* is now a function of a different type, the functions `alphasort` and `versionsort` cannot be supplied for that argument. Instead we provide the two replacement functions below.

**int alphasort64** (*const void \*a, const void \*b*) Function

The `alphasort64` function behaves like the `strcoll` function (see [String/Array Comparison](#)). The difference is that the arguments are not string pointers but instead they are of type `struct dirent64 **`.

Return value of `alphasort64` is less than, equal to, or greater than zero depending on the order of the two entries *a* and *b*.

**int versionsort64** (*const void \*a, const void \*b*) Function

The `versionsort64` function is like `alphasort64`, excepted that it uses the `strverscmp` function internally.

It is important not to mix the use of `scandir` and the 64-bit comparison functions or vice versa. There are systems on which this works but on others it will fail miserably.

---

Node: Simple Directory Lister Mark II, Previous: [Scanning Directory Content](#), Up: [Accessing Directories](#)

## Simple Program to List a Directory, Mark II

Here is a revised version of the directory lister found above (see [Simple Directory Lister](#)). Using the `scandir` function we can avoid the functions which work directly with the directory contents. After the call the returned entries are available for direct use.

```
#include <stdio.h>
```

```

#include <dirent.h>

static int
one (struct dirent *unused)
{
    return 1;
}

int
main (void)
{
    struct dirent **eps;
    int n;

    n = scandir ("./", &eps, one, alphasort);
    if (n >= 0)
        {
            int cnt;
            for (cnt = 0; cnt < n; ++cnt)
                puts (eps[cnt]->d_name);
        }
    else
        perror ("Couldn't open the directory");

    return 0;
}

```

Note the simple selector function in this example. Since we want to see all directory entries we always return 1.

---

Node: Working with Directory Trees, Next: [Hard Links](#), Previous: [Accessing Directories](#), Up: [File System Interface](#)

## Working with Directory Trees

The functions described so far for handling the files in a directory have allowed you to either retrieve the information bit by bit, or to process all the files as a group (see `scandir`). Sometimes it is useful to process whole hierarchies of directories and their contained files. The X/Open specification defines two functions to do this. The simpler form is derived from an early definition in System V systems and therefore this function is available on SVID-derived systems. The prototypes and required definitions can be found in the `ftw.h` header.

There are four functions in this family: `ftw`, `nftw` and their 64-bit counterparts `ftw64` and `nftw64`. These functions take as one of their arguments a pointer to a callback function of the appropriate type.

**\_\_ftw\_func\_t**

Data Type

```
int (*) (const char *, const struct stat *, int)
```

The type of callback functions given to the `ftw` function. The first parameter points to the file name, the second parameter to an object of type `struct stat` which is filled in for the file named in the first parameter.

The last parameter is a flag giving more information about the current file. It can have the following values:

**FTW\_F**

The item is either a normal file or a file which does not fit into one of the following categories. This could be special files, sockets etc.

**FTW\_D**

The item is a directory.

**FTW\_NS**

The `stat` call failed and so the information pointed to by the second parameter is invalid.

**FTW\_DNR**

The item is a directory which cannot be read.

**FTW\_SL**

The item is a symbolic link. Since symbolic links are normally followed seeing this value in a `ftw` callback function means the referenced file does not exist. The situation for `nftw` is different.

This value is only available if the program is compiled with `_BSD_SOURCE` or `_XOPEN_EXTENDED` defined before including the first header. The original SVID systems do not have symbolic links.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` this type is in fact `__ftw64_func_t` since this mode changes `struct stat` to be `struct stat64`.

For the LFS interface and for use in the function `ftw64`, the header `ftw.h` defines another function type.

**\_\_ftw64\_func\_t**

Data Type



```
int (*) (const char *, const struct stat64 *, int)
```

This type is used just like `__ftw_func_t` for the callback function, but this time is called from `ftw64`. The second parameter to the function is a pointer to a variable of type `struct stat64` which is able to represent the larger values.

## `__nftw_func_t`

Data Type

```
int (*) (const char *, const struct stat *, int, struct FTW *)
```

The first three arguments are the same as for the `__ftw_func_t` type. However for the third argument some additional values are defined to allow finer differentiation:

### `FTW_DP`

The current item is a directory and all subdirectories have already been visited and reported. This flag is returned instead of `FTW_D` if the `FTW_DEPTH` flag is passed to `nftw` (see below).

### `FTW_SLN`

The current item is a stale symbolic link. The file it points to does not exist.

The last parameter of the callback function is a pointer to a structure with some extra information as described below.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` this type is in fact `__nftw64_func_t` since this mode changes `struct stat` to be `struct stat64`.

For the LFS interface there is also a variant of this data type available which has to be used with the `nftw64` function.

## `__nftw64_func_t`

Data Type

```
int (*) (const char *, const struct stat64 *, int, struct FTW *)
```

This type is used just like `__nftw_func_t` for the callback function, but this time is called from `nftw64`. The second parameter to the function is this time a pointer to a variable of type `struct stat64` which is able to represent the larger values.

## `struct FTW`

Data Type

The information contained in this structure helps in interpreting the name parameter and gives some information about the current state of the traversal of the directory hierarchy.

`int base`

The value is the offset into the string passed in the first parameter to the callback function of the beginning of the file name. The rest of the string is the path of the file. This information is especially important if the `FTW_CHDIR` flag was set in calling `nftw` since then the current directory is the one the current item is found in.

`int level`

Whilst processing, the code tracks how many directories down it has gone to find the current file. This nesting level starts at 0 for files in the initial directory (or is zero for the initial file if a file was passed).

`int ftw (const char *filename, __ftw_func_t func, int descriptors)` Function

The `ftw` function calls the callback function given in the parameter *func* for every item which is found in the directory specified by *filename* and all directories below. The function follows symbolic links if necessary but does not process an item twice. If *filename* is not a directory then it itself is the only object returned to the callback function.

The file name passed to the callback function is constructed by taking the *filename* parameter and appending the names of all passed directories and then the local file name. So the callback function can use this parameter to access the file. `ftw` also calls `stat` for the file and passes that information on to the callback function. If this `stat` call was not successful the failure is indicated by setting the third argument of the callback function to `FTW_NS`. Otherwise it is set according to the description given in the account of `__ftw_func_t` above.

The callback function is expected to return 0 to indicate that no error occurred and that processing should continue. If an error occurred in the callback function or it wants `ftw` to return immediately, the callback function can return a value other than 0. This is the only correct way to stop the function. The program must not use `set jmp` or similar techniques to continue from another place. This would leave resources allocated by the `ftw` function unfreed.

The *descriptors* parameter to `ftw` specifies how many file descriptors it is allowed to consume. The function runs faster the more descriptors it can use. For each level in the directory hierarchy at most one descriptor is used, but for very deep ones any limit on open file descriptors for the process or the system may be exceeded. Moreover, file descriptor limits in a multi-threaded program apply to all the threads as a group, and therefore it is a good idea to supply a reasonable limit to the number of open descriptors.

The return value of the `ftw` function is 0 if all callback function calls returned 0 and all actions

performed by the `ftw` succeeded. If a function call failed (other than calling `stat` on an item) the function returns -1. If a callback function returns a value other than 0 this value is returned as the return value of `ftw`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit system this function is in fact `ftw64`, i.e. the LFS interface transparently replaces the old interface.

**int `ftw64`** (*const char \*filename, `__ftw64_func_t` func, int descriptors*) Function

This function is similar to `ftw` but it can work on filesystems with large files. File information is reported using a variable of type `struct stat64` which is passed by reference to the callback function.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit system this function is available under the name `ftw` and transparently replaces the old implementation.

**int `nftw`** (*const char \*filename, `__nftw_func_t` func, int descriptors, int flag*) Function

The `nftw` function works like the `ftw` functions. They call the callback function *func* for all items found in the directory *filename* and below. At most *descriptors* file descriptors are consumed during the `nftw` call.

One difference is that the callback function is of a different type. It is of type `struct FTW *` and provides the callback function with the extra information described above.

A second difference is that `nftw` takes a fourth argument, which is 0 or a bitwise-OR combination of any of the following values.

#### `FTW_PHYS`

While traversing the directory symbolic links are not followed. Instead symbolic links are reported using the `FTW_SL` value for the type parameter to the callback function. If the file referenced by a symbolic link does not exist `FTW_SLN` is returned instead.

#### `FTW_MOUNT`

The callback function is only called for items which are on the same mounted filesystem as the directory given by the *filename* parameter to `nftw`.

#### `FTW_CHDIR`

If this flag is given the current working directory is changed to the directory of the reported object before the callback function is called. When `nftw` finally returns the current directory is restored to its original value.

#### `FTW_DEPTH`

If this option is specified then all subdirectories and files within them are processed before processing the top directory itself (depth-first processing). This also means the type flag given to the callback function is `FTW_DP` and not `FTW_D`.

**FTW\_ACTIONRETVL**

If this option is specified then return values from callbacks are handled differently. If the callback returns `FTW_CONTINUE`, walking continues normally. `FTW_STOP` means walking stops and `FTW_STOP` is returned to the caller. If `FTW_SKIP_SUBTREE` is returned by the callback with `FTW_D` argument, the subtree is skipped and walking continues with next sibling of the directory. If `FTW_SKIP_SIBLINGS` is returned by the callback, all siblings of the current entry are skipped and walking continues in its parent. No other return values should be returned from the callbacks if this option is set. This option is a GNU extension.

The return value is computed in the same way as for `ftw`. `nftw` returns 0 if no failures occurred and all callback functions returned 0. In case of internal errors, such as memory problems, the return value is -1 and `errno` is set accordingly. If the return value of a callback invocation was non-zero then that value is returned.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit system this function is in fact `nftw64`, i.e. the LFS interface transparently replaces the old interface.

**int nftw64** (*const char \*filename, \_\_nftw64\_func\_t func, int descriptors, int flag*) Function

This function is similar to `nftw` but it can work on filesystems with large files. File information is reported using a variable of type `struct stat64` which is passed by reference to the callback function.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit system this function is available under the name `nftw` and transparently replaces the old implementation.

Node: [Hard Links](#), Next: [Symbolic Links](#), Previous: [Working with Directory Trees](#), Up: [File System Interface](#)

## Hard Links

In POSIX systems, one file can have many names at the same time. All of the names are equally real, and no one of them is preferred to the others.

To add a name to a file, use the `link` function. (The new name is also called a *hard link* to the file.) Creating a new link to a file does not copy the contents of the file; it simply makes a new name by which the file can be known, in addition to the file's existing name or names.

One file can have names in several directories, so the organization of the file system is not a strict hierarchy or tree.

In most implementations, it is not possible to have hard links to the same file in multiple file systems. `link` reports an error if you try to make a hard link to the file from another file system when this cannot be done.

The prototype for the `link` function is declared in the header file `unistd.h`.

**int `link`** (*const char \*oldname, const char \*newname*) Function

The `link` function makes a new link to the existing file named by *oldname*, under the new name *newname*.

This function returns a value of 0 if it is successful and -1 on failure. In addition to the usual file name errors (see [File Name Errors](#)) for both *oldname* and *newname*, the following `errno` error conditions are defined for this function:

**EACCES**

You are not allowed to write to the directory in which the new link is to be written.

**EEXIST**

There is already a file named *newname*. If you want to replace this link with a new link, you must remove the old link explicitly first.

**EMLINK**

There are already too many links to the file named by *oldname*. (The maximum number of links to a file is `LINK_MAX`; see [Limits for Files](#).)

**ENOENT**

The file named by *oldname* doesn't exist. You can't make a link to a file that doesn't exist.

**ENOSPC**

The directory or file system that would contain the new link is full and cannot be extended.

**EPERM**

In the GNU system and some others, you cannot make links to directories. Many systems allow only privileged users to do so. This error is used to report the problem.

**EROFS**

The directory containing the new link can't be modified because it's on a read-only file system.

**EXDEV**

The directory specified in *newname* is on a different file system than the existing file.

**EIO**

A hardware error occurred while trying to read or write the to filesystem.

## Symbolic Links

The GNU system supports *soft links* or *symbolic links*. This is a kind of "file" that is essentially a pointer to another file name. Unlike hard links, symbolic links can be made to directories or across file systems with no restrictions. You can also make a symbolic link to a name which is not the name of any file. (Opening this link will fail until a file by that name is created.) Likewise, if the symbolic link points to an existing file which is later deleted, the symbolic link continues to point to the same file name even though the name no longer names any file.

The reason symbolic links work the way they do is that special things happen when you try to open the link. The `open` function realizes you have specified the name of a link, reads the file name contained in the link, and opens that file name instead. The `stat` function likewise operates on the file that the symbolic link points to, instead of on the link itself.

By contrast, other operations such as deleting or renaming the file operate on the link itself. The functions `readlink` and `lstat` also refrain from following symbolic links, because their purpose is to obtain information about the link. `link`, the function that makes a hard link, does too. It makes a hard link to the symbolic link, which one rarely wants.

Some systems have for some functions operating on files have a limit on how many symbolic links are followed when resolving a path name. The limit if it exists is published in the `sys/param.h` header file.

### int **MAXSYMLINKS**

Macro

The macro `MAXSYMLINKS` specifies how many symlinks some function will follow before returning `ELOOP`. Not all functions behave the same and this value is not the same as that returned for `_SC_SYMLINK_MAX` by `sysconf`. In fact, the `sysconf` result can indicate that there is no fixed limit although `MAXSYMLINKS` exists and has a finite value.

Prototypes for most of the functions listed in this section are in `unistd.h`.

int **symlink** (*const char \*oldname, const char \*newname*)

Function

The `symlink` function makes a symbolic link to *oldname* named *newname*.

The normal return value from `symlink` is 0. A return value of -1 indicates an error. In addition to the usual file name syntax errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

`EEXIST`

There is already an existing file named *newname*.

`EROFS`

The file *newname* would exist on a read-only file system.

`ENOSPC`

The directory or file system cannot be extended to make the new link.

`EIO`

A hardware error occurred while reading or writing data on the disk.

`int readlink (const char *filename, char *buffer, size_t size)` Function

The `readlink` function gets the value of the symbolic link *filename*. The file name that the link points to is copied into *buffer*. This file name string is *not* null-terminated; `readlink` normally returns the number of characters copied. The *size* argument specifies the maximum number of characters to copy, usually the allocation size of *buffer*.

If the return value equals *size*, you cannot tell whether or not there was room to return the entire name. So make a bigger buffer and call `readlink` again. Here is an example:

```
char *
readlink_malloc (const char *filename)
{
    int size = 100;
    char *buffer = NULL;

    while (1)
    {
        buffer = (char *) xrealloc (buffer, size);
        int nchars = readlink (filename, buffer, size);
        if (nchars < 0)
            {
                free (buffer);
                return NULL;
            }
        if (nchars < size)
            return buffer;
        size *= 2;
    }
}
```

}

A value of `-1` is returned in case of error. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

EINVAL

The named file is not a symbolic link.

EIO

A hardware error occurred while reading or writing data on the disk.

In some situations it is desirable to resolve all the symbolic links to get the real name of a file where no prefix names a symbolic link which is followed and no filename in the path is `.` or `..`. This is for instance desirable if files have to be compare in which case different names can refer to the same inode.

`char * canonicalize_file_name (const char *name)` Function

The `canonicalize_file_name` function returns the absolute name of the file named by *name* which contains no `..` components nor any repeated path separators (`/`) or symlinks. The result is passed back as the return value of the function in a block of memory allocated with `malloc`. If the result is not used anymore the memory should be freed with a call to `free`.

In any of the path components except the last one is missing the function returns a `NULL` pointer. This is also what is returned if the length of the path reaches or exceeds `PATH_MAX` characters. In any case `errno` is set accordingly.

ENAMETOOLONG

The resulting path is too long. This error only occurs on systems which have a limit on the file name length.

EACCES

At least one of the path components is not readable.

ENOENT

The input file name is empty.

ENOENT

At least one of the path components does not exist.

ELOOP

More than `MAXSYMLINKS` many symlinks have been followed.

This function is a GNU extension and is declared in `stdlib.h`.

The Unix standard includes a similar function which differs from `canonicalize_file_name` in



that the user has to provide the buffer where the result is placed in.

char \* **realpath** (*const char \*restrict name, char \*restrict resolved*)

Function

A call to `realpath` where the *resolved* parameter is `NULL` behaves exactly like `canonicalize_file_name`. The function allocates a buffer for the file name and returns a pointer to it. If *resolved* is not `NULL` it points to a buffer into which the result is copied. It is the callers responsibility to allocate a buffer which is large enough. On systems which define `PATH_MAX` this means the buffer must be large enough for a pathname of this size. For systems without limitations on the pathname length the requirement cannot be met and programs should not call `realpath` with anything but `NULL` for the second parameter.

One other difference is that the buffer *resolved* (if nonzero) will contain the part of the path component which does not exist or is not readable if the function returns `NULL` and `errno` is set to `EACCES` or `ENOENT`.

This function is declared in `stdlib.h`.

The advantage of using this function is that it is more widely available. The drawback is that it reports failures for long path on systems which have no limits on the file name length.

---

Node: Deleting Files, Next: [Renaming Files](#), Previous: [Symbolic Links](#), Up: [File System Interface](#)

## Deleting Files

You can delete a file with `unlink` or `remove`.

Deletion actually deletes a file name. If this is the file's only name, then the file is deleted as well. If the file has other remaining names (see [Hard Links](#)), it remains accessible under those names.

int **unlink** (*const char \*filename*)

Function

The `unlink` function deletes the file name *filename*. If this is a file's sole name, the file itself is also deleted. (Actually, if any process has the file open when this happens, deletion is postponed until all processes have closed the file.)

The function `unlink` is declared in the header file `unistd.h`.

This function returns 0 on successful completion, and `-1` on error. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

#### EACCES

Write permission is denied for the directory from which the file is to be removed, or the directory has the sticky bit set and you do not own the file.

#### EBUSY

This error indicates that the file is being used by the system in such a way that it can't be unlinked. For example, you might see this error if the file name specifies the root directory or a mount point for a file system.

#### ENOENT

The file name to be deleted doesn't exist.

#### EPERM

On some systems `unlink` cannot be used to delete the name of a directory, or at least can only be used this way by a privileged user. To avoid such problems, use `rmdir` to delete directories. (In the GNU system `unlink` can never delete the name of a directory.)

#### EROFS

The directory containing the file name to be deleted is on a read-only file system and can't be modified.

`int rmdir (const char *filename)`

Function

The `rmdir` function deletes a directory. The directory must be empty before it can be removed; in other words, it can only contain entries for `.` and `...`

In most other respects, `rmdir` behaves like `unlink`. There are two additional `errno` error conditions defined for `rmdir`:

#### ENOTEMPTY

#### EEXIST

The directory to be deleted is not empty.

These two error codes are synonymous; some systems use one, and some use the other. The GNU system always uses `ENOTEMPTY`.

The prototype for this function is declared in the header file `unistd.h`.

**int `remove`** (*const char \*filename*) Function

This is the ISO C function to remove a file. It works like `unlink` for files and like `rmdir` for directories. `remove` is declared in `stdio.h`.

Node: Renaming Files, Next: [Creating Directories](#), Previous: [Deleting Files](#), Up: [File System Interface](#)

## Renaming Files

The `rename` function is used to change a file's name.

**int `rename`** (*const char \*oldname, const char \*newname*) Function

The `rename` function renames the file *oldname* to *newname*. The file formerly accessible under the name *oldname* is afterwards accessible as *newname* instead. (If the file had any other names aside from *oldname*, it continues to have those names.)

The directory containing the name *newname* must be on the same file system as the directory containing the name *oldname*.

One special case for `rename` is when *oldname* and *newname* are two names for the same file. The consistent way to handle this case is to delete *oldname*. However, in this case POSIX requires that `rename` do nothing and report success--which is inconsistent. We don't know what your operating system will do.

If *oldname* is not a directory, then any existing file named *newname* is removed during the renaming operation. However, if *newname* is the name of a directory, `rename` fails in this case.

If *oldname* is a directory, then either *newname* must not exist or it must name a directory that is empty. In the latter case, the existing directory named *newname* is deleted first. The name *newname* must not specify a subdirectory of the directory *oldname* which is being renamed.

One useful feature of `rename` is that the meaning of *newname* changes "atomically" from any previously existing file by that name to its new meaning (i.e. the file that was called *oldname*). There is no instant at which *newname* is non-existent "in between" the old meaning and the new meaning. If there is a system crash during the operation, it is possible for both names to still exist; but *newname* will always be intact if it exists at all.

If `rename` fails, it returns `-1`. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

**EACCES**

One of the directories containing *newname* or *oldname* refuses write permission; or *newname* and *oldname* are directories and write permission is refused for one of them.

**EBUSY**

A directory named by *oldname* or *newname* is being used by the system in a way that prevents the renaming from working. This includes directories that are mount points for filesystems, and directories that are the current working directories of processes.

**ENOTEMPTY****EEXIST**

The directory *newname* isn't empty. The GNU system always returns `ENOTEMPTY` for this, but some other systems return `EEXIST`.

**EINVAL**

*oldname* is a directory that contains *newname*.

**EISDIR**

*newname* is a directory but the *oldname* isn't.

**EMLINK**

The parent directory of *newname* would have too many links (entries).

**ENOENT**

The file *oldname* doesn't exist.

**ENOSPC**

The directory that would contain *newname* has no room for another entry, and there is no space left in the file system to expand it.

**EROFS**

The operation would involve writing to a directory on a read-only file system.

**EXDEV**

The two file names *newname* and *oldname* are on different file systems.

---

Node: [Creating Directories](#), Next: [File Attributes](#), Previous: [Renaming Files](#), Up: [File System Interface](#)

## Creating Directories

Directories are created with the `mkdir` function. (There is also a shell command `mkdir` which does the same thing.)

**int** `mkdir` (*const char \*filename, mode\_t mode*)

Function

The `mkdir` function creates a new, empty directory with name *filename*.

The argument *mode* specifies the file permissions for the new directory file. See [Permission Bits](#), for more information about this.

A return value of 0 indicates successful completion, and -1 indicates failure. In addition to the usual file name syntax errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

#### EACCES

Write permission is denied for the parent directory in which the new directory is to be added.

#### EEXIST

A file named *filename* already exists.

#### EMLINK

The parent directory has too many links (entries).

Well-designed file systems never report this error, because they permit more links than your disk could possibly hold. However, you must still take account of the possibility of this error, as it could result from network access to a file system on another machine.

#### ENOSPC

The file system doesn't have enough room to create the new directory.

#### EROFS

The parent directory of the directory being created is on a read-only file system and cannot be modified.

To use this function, your program should include the header file `sys/stat.h`.

---

Node: File Attributes, Next: [Making Special Files](#), Previous: [Creating Directories](#), Up: [File System Interface](#)

## File Attributes

When you issue an `ls -l` shell command on a file, it gives you information about the size of the file, who owns it, when it was last modified, etc. These are called the *file attributes*, and are associated with the file itself and not a particular one of its names.

This section contains information about how you can inquire about and modify the attributes of a file.

- [Attribute Meanings](#): The names of the file attributes, and what their values mean.
- [Reading Attributes](#): How to read the attributes of a file.
- [Testing File Type](#): Distinguishing ordinary files, directories, links...
- [File Owner](#): How ownership for new files is determined, and how to change it.
- [Permission Bits](#): How information about a file's access mode is stored.
- [Access Permission](#): How the system decides who can access a file.
- [Setting Permissions](#): How permissions for new files are assigned, and how to change them.
- [Testing File Access](#): How to find out if your process can access a file.
- [File Times](#): About the time attributes of a file.
- [File Size](#): Manually changing the size of a file.

Node: [Attribute Meanings](#), Next: [Reading Attributes](#), Up: [File Attributes](#)

## The meaning of the File Attributes

When you read the attributes of a file, they come back in a structure called `struct stat`. This section describes the names of the attributes, their data types, and what they mean. For the functions to read the attributes of a file, see [Reading Attributes](#).

The header file `sys/stat.h` declares all the symbols defined in this section.

### **struct stat** Data Type

The `stat` structure type is used to return information about the attributes of a file. It contains at least the following members:

`mode_t st_mode`

Specifies the mode of the file. This includes file type information (see [Testing File Type](#)) and the file permission bits (see [Permission Bits](#)).

`ino_t st_ino`

The file serial number, which distinguishes this file from all other files on the same device.

`dev_t st_dev`

Identifies the device containing the file. The `st_ino` and `st_dev`, taken together, uniquely identify the file. The `st_dev` value is not necessarily consistent across reboots or system crashes, however.

`nlink_t st_nlink`

The number of hard links to the file. This count keeps track of how many directories have entries for this file. If the count is ever decremented to zero, then the file itself is discarded as soon as no process still holds it open. Symbolic links are not counted in the total.

`uid_t st_uid`

The user ID of the file's owner. See [File Owner](#).

`gid_t st_gid`

The group ID of the file. See [File Owner](#).

`off_t st_size`

This specifies the size of a regular file in bytes. For files that are really devices this field isn't usually meaningful. For symbolic links this specifies the length of the file name the link refers to.

`time_t st_atime`

This is the last access time for the file. See [File Times](#).

`unsigned long int st_atime_usec`

This is the fractional part of the last access time for the file. See [File Times](#).

`time_t st_mtime`

This is the time of the last modification to the contents of the file. See [File Times](#).

`unsigned long int st_mtime_usec`

This is the fractional part of the time of the last modification to the contents of the file. See [File Times](#).

`time_t st_ctime`

This is the time of the last modification to the attributes of the file. See [File Times](#).

`unsigned long int st_ctime_usec`

This is the fractional part of the time of the last modification to the attributes of the file. See [File Times](#).

`blkcnt_t st_blocks`

This is the amount of disk space that the file occupies, measured in units of 512-byte blocks.

The number of disk blocks is not strictly proportional to the size of the file, for two reasons: the file system may use some blocks for internal record keeping; and the file may be sparse--it may have "holes" which contain zeros but do not actually take up space on the disk.

You can tell (approximately) whether a file is sparse by comparing this value with `st_size`, like this:

```
(st.st_blocks * 512 < st.st_size)
```

This test is not perfect because a file that is just slightly sparse might not be detected as sparse at all. For practical applications, this is not a problem.

`unsigned int st_blksize`

The optimal block size for reading of writing this file, in bytes. You might use this size for allocating the buffer space for reading of writing the file. (This is unrelated to

`st_blocks.)`

The extensions for the Large File Support (LFS) require, even on 32-bit machines, types which can handle file sizes up to  $2^{63}$ . Therefore a new definition of `struct stat` is necessary.

## **struct stat64**

Data Type

The members of this type are the same and have the same names as those in `struct stat`. The only difference is that the members `st_ino`, `st_size`, and `st_blocks` have a different type to support larger values.

`mode_t st_mode`

Specifies the mode of the file. This includes file type information (see [Testing File Type](#)) and the file permission bits (see [Permission Bits](#)).

`ino64_t st_ino`

The file serial number, which distinguishes this file from all other files on the same device.

`dev_t st_dev`

Identifies the device containing the file. The `st_ino` and `st_dev`, taken together, uniquely identify the file. The `st_dev` value is not necessarily consistent across reboots or system crashes, however.

`nlink_t st_nlink`

The number of hard links to the file. This count keeps track of how many directories have entries for this file. If the count is ever decremented to zero, then the file itself is discarded as soon as no process still holds it open. Symbolic links are not counted in the total.

`uid_t st_uid`

The user ID of the file's owner. See [File Owner](#).

`gid_t st_gid`

The group ID of the file. See [File Owner](#).

`off64_t st_size`

This specifies the size of a regular file in bytes. For files that are really devices this field isn't usually meaningful. For symbolic links this specifies the length of the file name the link refers to.

`time_t st_atime`

This is the last access time for the file. See [File Times](#).

`unsigned long int st_atime_usec`

This is the fractional part of the last access time for the file. See [File Times](#).

`time_t st_mtime`

This is the time of the last modification to the contents of the file. See [File Times](#).

`unsigned long int st_mtime_usec`

This is the fractional part of the time of the last modification to the contents of the file. See [File Times](#).



`time_t st_ctime`

This is the time of the last modification to the attributes of the file. See [File Times](#).

`unsigned long int st_ctime_usec`

This is the fractional part of the time of the last modification to the attributes of the file. See [File Times](#).

`blkcnt64_t st_blocks`

This is the amount of disk space that the file occupies, measured in units of 512-byte blocks.

`unsigned int st_blksize`

The optimal block size for reading or writing this file, in bytes. You might use this size for allocating the buffer space for reading or writing the file. (This is unrelated to `st_blocks`.)

Some of the file attributes have special data type names which exist specifically for those attributes. (They are all aliases for well-known integer types that you know and love.) These typedef names are defined in the header file `sys/types.h` as well as in `sys/stat.h`. Here is a list of them.

### **mode\_t** Data Type

This is an integer data type used to represent file modes. In the GNU system, this is equivalent to `unsigned int`.

### **ino\_t** Data Type

This is an arithmetic data type used to represent file serial numbers. (In Unix jargon, these are sometimes called *inode numbers*.) In the GNU system, this type is equivalent to `unsigned long int`.

If the source is compiled with `_FILE_OFFSET_BITS == 64` this type is transparently replaced by `ino64_t`.

### **ino64\_t** Data Type

This is an arithmetic data type used to represent file serial numbers for the use in LFS. In the GNU system, this type is equivalent to `unsigned long long int`.

When compiling with `_FILE_OFFSET_BITS == 64` this type is available under the name `ino_t`.

### **dev\_t** Data Type

This is an arithmetic data type used to represent file device numbers. In the GNU system, this is equivalent to `int`.

**nlink\_t** Data Type

This is an arithmetic data type used to represent file link counts. In the GNU system, this is equivalent to `unsigned short int`.

**blkcnt\_t** Data Type

This is an arithmetic data type used to represent block counts. In the GNU system, this is equivalent to `unsigned long int`.

If the source is compiled with `_FILE_OFFSET_BITS == 64` this type is transparently replaced by `blkcnt64_t`.

**blkcnt64\_t** Data Type

This is an arithmetic data type used to represent block counts for the use in LFS. In the GNU system, this is equivalent to `unsigned long long int`.

When compiling with `_FILE_OFFSET_BITS == 64` this type is available under the name `blkcnt_t`.

---

Node: Reading Attributes, Next: [Testing File Type](#), Previous: [Attribute Meanings](#), Up: [File Attributes](#)

## Reading the Attributes of a File

To examine the attributes of files, use the functions `stat`, `fstat` and `lstat`. They return the attribute information in a `struct stat` object. All three functions are declared in the header file `sys/stat.h`.

`int stat` (*const char \*filename, struct stat \*buf*) Function

The `stat` function returns information about the attributes of the file named by *filename* in the structure pointed to by *buf*.

If *filename* is the name of a symbolic link, the attributes you get describe the file that the link points to. If the link points to a nonexistent file name, then `stat` fails reporting a nonexistent file.

The return value is 0 if the operation is successful, or `-1` on failure. In addition to the usual file name errors (see [File Name Errors](#), the following `errno` error conditions are defined for this function:

`ENOENT`

The file named by *filename* doesn't exist.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is in fact `stat64` since the LFS interface transparently replaces the normal implementation.

**int `stat64`** (*const char \*filename, struct stat64 \*buf*) Function

This function is similar to `stat` but it is also able to work on files larger than  $2^{31}$  bytes on 32-bit systems. To be able to do this the result is stored in a variable of type `struct stat64` to which *buf* must point.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is available under the name `stat` and so transparently replaces the interface for small files on 32-bit machines.

**int `fstat`** (*int fidedes, struct stat \*buf*) Function

The `fstat` function is like `stat`, except that it takes an open file descriptor as an argument instead of a file name. See [Low-Level I/O](#).

Like `stat`, `fstat` returns 0 on success and `-1` on failure. The following `errno` error conditions are defined for `fstat`:

`EBADF`

The *fidedes* argument is not a valid file descriptor.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is in fact `fstat64` since the LFS interface transparently replaces the normal implementation.

**int `fstat64`** (*int fidedes, struct stat64 \*buf*) Function

This function is similar to `fstat` but is able to work on large files on 32-bit platforms. For large files the file descriptor *filedes* should be obtained by `open64` or `creat64`. The *buf* pointer points to a variable of type `struct stat64` which is able to represent the larger values.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is available under the name `fstat` and so transparently replaces the interface for small files on 32-bit machines.

int **lstat** (*const char \*filename, struct stat \*buf*) Function

The `lstat` function is like `stat`, except that it does not follow symbolic links. If *filename* is the name of a symbolic link, `lstat` returns information about the link itself; otherwise `lstat` works like `stat`. See [Symbolic Links](#).

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is in fact `lstat64` since the LFS interface transparently replaces the normal implementation.

int **lstat64** (*const char \*filename, struct stat64 \*buf*) Function

This function is similar to `lstat` but it is also able to work on files larger than  $2^{31}$  bytes on 32-bit systems. To be able to do this the result is stored in a variable of type `struct stat64` to which *buf* must point.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` this function is available under the name `lstat` and so transparently replaces the interface for small files on 32-bit machines.

Node: Testing File Type, Next: [File Owner](#), Previous: [Reading Attributes](#), Up: [File Attributes](#)

## Testing the Type of a File

The *file mode*, stored in the `st_mode` field of the file attributes, contains two kinds of information: the file type code, and the access permission bits. This section discusses only the type code, which you can use to tell whether the file is a directory, socket, symbolic link, and so on. For details about access permissions see [Permission Bits](#).

There are two ways you can access the file type information in a file mode. Firstly, for each file type there is a *predicate macro* which examines a given file mode and returns whether it is of that type or not. Secondly, you can mask out the rest of the file mode to leave just the file type code, and compare this against constants for each of the supported file types.

All of the symbols listed in this section are defined in the header file `sys/stat.h`.

The following predicate macros test the type of a file, given the value *m* which is the `st_mode` field returned by `stat` on that file:

int **S\_ISDIR** (*mode\_t m*) Macro

This macro returns non-zero if the file is a directory.

int **S\_ISCHR** (*mode\_t m*) Macro

This macro returns non-zero if the file is a character special file (a device like a terminal).

int **S\_ISBLK** (*mode\_t m*) Macro

This macro returns non-zero if the file is a block special file (a device like a disk).

int **S\_ISREG** (*mode\_t m*) Macro

This macro returns non-zero if the file is a regular file.

int **S\_ISFIFO** (*mode\_t m*) Macro

This macro returns non-zero if the file is a FIFO special file, or a pipe. See [Pipes and FIFOs](#).

int **S\_ISLNK** (*mode\_t m*) Macro

This macro returns non-zero if the file is a symbolic link. See [Symbolic Links](#).

int **S\_ISSOCK** (*mode\_t m*) Macro

This macro returns non-zero if the file is a socket. See [Sockets](#).

An alternate non-POSIX method of testing the file type is supported for compatibility with BSD. The mode can be bitwise AND-ed with `S_IFMT` to extract the file type code, and compared to the appropriate constant. For example,

```
S_ISCHR (mode)
```

is equivalent to:

```
((mode & S_IFMT) == S_IFCHR)
```

**int S\_IFMT**

Macro

This is a bit mask used to extract the file type code from a mode value.

These are the symbolic names for the different file type codes:

**S\_IFDIR**

This is the file type constant of a directory file.

**S\_IFCHR**

This is the file type constant of a character-oriented device file.

**S\_IFBLK**

This is the file type constant of a block-oriented device file.

**S\_IFREG**

This is the file type constant of a regular file.

**S\_IFLNK**

This is the file type constant of a symbolic link.

**S\_IFSOCK**

This is the file type constant of a socket.

**S\_FIFO**

This is the file type constant of a FIFO or pipe.

The POSIX.1b standard introduced a few more objects which possibly can be implemented as object in the filesystem. These are message queues, semaphores, and shared memory objects. To allow differentiating these objects from other files the POSIX standard introduces three new test macros. But unlike the other macros it does not take the value of the `st_mode` field as the parameter. Instead they expect a pointer to the whole `struct stat` structure.

**int S\_TYPEISMQ** (*struct stat \*s*)

Macro

If the system implement POSIX message queues as distinct objects and the file is a message queue object, this macro returns a non-zero value. In all other cases the result is zero.

**int S\_TYPEISSEM** (*struct stat \*s*)

Macro

If the system implement POSIX semaphores as distinct objects and the file is a semaphore object, this macro returns a non-zero value. In all other cases the result is zero.

**int S\_TYPEISSHM** (*struct stat \*s*)

Macro

If the system implement POSIX shared memory objects as distinct objects and the file is an shared memory object, this macro returns a non-zero value. In all other cases the result is zero.

Node: File Owner, Next: [Permission Bits](#), Previous: [Testing File Type](#), Up: [File Attributes](#)

## File Owner

Every file has an *owner* which is one of the registered user names defined on the system. Each file also has a *group* which is one of the defined groups. The file owner can often be useful for showing you who edited the file (especially when you edit with GNU Emacs), but its main purpose is for access control.

The file owner and group play a role in determining access because the file has one set of access permission bits for the owner, another set that applies to users who belong to the file's group, and a third set of bits that applies to everyone else. See [Access Permission](#), for the details of how access is decided based on this data.

When a file is created, its owner is set to the effective user ID of the process that creates it (see [Process Persona](#)). The file's group ID may be set to either the effective group ID of the process, or the group ID of the directory that contains the file, depending on the system where the file is stored. When you access a remote file system, it behaves according to its own rules, not according to the system your program is running on. Thus, your program must be prepared to encounter either kind of behavior no matter what kind of system you run it on.

You can change the owner and/or group owner of an existing file using the `chown` function. This is the primitive for the `chown` and `chgrp` shell commands.

The prototype for this function is declared in `unistd.h`.

**int `chown`** (*const char \*filename, uid\_t owner, gid\_t group*) Function

The `chown` function changes the owner of the file *filename* to *owner*, and its group owner to *group*.

Changing the owner of the file on certain systems clears the set-user-ID and set-group-ID permission bits. (This is because those bits may not be appropriate for the new owner.) Other file permission bits are not changed.

The return value is 0 on success and -1 on failure. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

**EPERM**

This process lacks permission to make the requested change.

Only privileged users or the file's owner can change the file's group. On most file systems,

only privileged users can change the file owner; some file systems allow you to change the owner if you are currently the owner. When you access a remote file system, the behavior you encounter is determined by the system that actually holds the file, not by the system your program is running on.

See [Options for Files](#), for information about the `_POSIX_CHOWN_RESTRICTED` macro.

#### EROFS

The file is on a read-only file system.

**int fchown** (*int filedes*, *int owner*, *int group*) Function

This is like `chown`, except that it changes the owner of the open file with descriptor *filedes*.

The return value from `fchown` is 0 on success and -1 on failure. The following `errno` error codes are defined for this function:

#### EBADF

The *filedes* argument is not a valid file descriptor.

#### EINVAL

The *filedes* argument corresponds to a pipe or socket, not an ordinary file.

#### EPERM

This process lacks permission to make the requested change. For details see `chmod` above.

#### EROFS

The file resides on a read-only file system.

Node: Permission Bits, Next: [Access Permission](#), Previous: [File Owner](#), Up: [File Attributes](#)

## The Mode Bits for Access Permission

The *file mode*, stored in the `st_mode` field of the file attributes, contains two kinds of information: the file type code, and the access permission bits. This section discusses only the access permission bits, which control who can read or write the file. See [Testing File Type](#), for information about the file type code.

All of the symbols listed in this section are defined in the header file `sys/stat.h`.

These symbolic constants are defined for the file mode bits that control access permission for the file:



`S_IRUSR`

`S_IREAD`

Read permission bit for the owner of the file. On many systems this bit is 0400. `S_IREAD` is an obsolete synonym provided for BSD compatibility.

`S_IWUSR`

`S_IWRITE`

Write permission bit for the owner of the file. Usually 0200. `S_IWRITE` is an obsolete synonym provided for BSD compatibility.

`S_IXUSR`

`S_IEXEC`

Execute (for ordinary files) or search (for directories) permission bit for the owner of the file. Usually 0100. `S_IEXEC` is an obsolete synonym provided for BSD compatibility.

`S_IRWXU`

This is equivalent to  $(S\_IRUSR \mid S\_IWUSR \mid S\_IXUSR)$ .

`S_IRGRP`

Read permission bit for the group owner of the file. Usually 040.

`S_IWGRP`

Write permission bit for the group owner of the file. Usually 020.

`S_IXGRP`

Execute or search permission bit for the group owner of the file. Usually 010.

`S_IRWXG`

This is equivalent to  $(S\_IRGRP \mid S\_IWGRP \mid S\_IXGRP)$ .

`S_IROTH`

Read permission bit for other users. Usually 04.

`S_IWOTH`

Write permission bit for other users. Usually 02.

`S_IXOTH`

Execute or search permission bit for other users. Usually 01.

`S_IRWXO`

This is equivalent to  $(S\_IROTH \mid S\_IWOTH \mid S\_IXOTH)$ .

`S_ISUID`

This is the set-user-ID on execute bit, usually 04000. See [How Change Persona](#).

`S_ISGID`

This is the set-group-ID on execute bit, usually 02000. See [How Change Persona](#).

`S_ISVTX`

This is the *sticky* bit, usually 01000.

For a directory it gives permission to delete a file in that directory only if you own that file. Ordinarily, a user can either delete all the files in a directory or cannot delete any of them (based on whether the user has write permission for the directory). The same restriction applies--you must have both write permission for the directory and own the file you want to delete. The one exception is that the owner of the directory can delete any file in the directory, no matter who

owns it (provided the owner has given himself write permission for the directory). This is commonly used for the `/tmp` directory, where anyone may create files but not delete files created by other users.

Originally the sticky bit on an executable file modified the swapping policies of the system. Normally, when a program terminated, its pages in core were immediately freed and reused. If the sticky bit was set on the executable file, the system kept the pages in core for a while as if the program were still running. This was advantageous for a program likely to be run many times in succession. This usage is obsolete in modern systems. When a program terminates, its pages always remain in core as long as there is no shortage of memory in the system. When the program is next run, its pages will still be in core if no shortage arose since the last run.

On some modern systems where the sticky bit has no useful meaning for an executable file, you cannot set the bit at all for a non-directory. If you try, `chmod` fails with `EFTYPE`; see [Setting Permissions](#).

Some systems (particularly SunOS) have yet another use for the sticky bit. If the sticky bit is set on a file that is *not* executable, it means the opposite: never cache the pages of this file at all. The main use of this is for the files on an NFS server machine which are used as the swap area of diskless client machines. The idea is that the pages of the file will be cached in the client's memory, so it is a waste of the server's memory to cache them a second time. With this usage the sticky bit also implies that the filesystem may fail to record the file's modification time onto disk reliably (the idea being that no-one cares for a swap file).

This bit is only available on BSD systems (and those derived from them). Therefore one has to use the `_BSD_SOURCE` feature select macro to get the definition (see [Feature Test Macros](#)).

The actual bit values of the symbols are listed in the table above so you can decode file mode values when debugging your programs. These bit values are correct for most systems, but they are not guaranteed.

**Warning:** Writing explicit numbers for file permissions is bad practice. Not only is it not portable, it also requires everyone who reads your program to remember what the bits mean. To make your program clean use the symbolic names.

---

Node: Access Permission, Next: [Setting Permissions](#), Previous: [Permission Bits](#), Up: [File Attributes](#)

## How Your Access to a File is Decided

Recall that the operating system normally decides access permission for a file based on the effective user

and group IDs of the process and its supplementary group IDs, together with the file's owner, group and permission bits. These concepts are discussed in detail in [Process Persona](#).

If the effective user ID of the process matches the owner user ID of the file, then permissions for read, write, and execute/search are controlled by the corresponding "user" (or "owner") bits. Likewise, if any of the effective group ID or supplementary group IDs of the process matches the group owner ID of the file, then permissions are controlled by the "group" bits. Otherwise, permissions are controlled by the "other" bits.

Privileged users, like `root`, can access any file regardless of its permission bits. As a special case, for a file to be executable even by a privileged user, at least one of its execute bits must be set.

---

Node: Setting Permissions, Next: [Testing File Access](#), Previous: [Access Permission](#), Up: [File Attributes](#)

## Assigning File Permissions

The primitive functions for creating files (for example, `open` or `mkdir`) take a *mode* argument, which specifies the file permissions to give the newly created file. This mode is modified by the process's *file creation mask*, or *umask*, before it is used.

The bits that are set in the file creation mask identify permissions that are always to be disabled for newly created files. For example, if you set all the "other" access bits in the mask, then newly created files are not accessible at all to processes in the "other" category, even if the *mode* argument passed to the create function would permit such access. In other words, the file creation mask is the complement of the ordinary access permissions you want to grant.

Programs that create files typically specify a *mode* argument that includes all the permissions that make sense for the particular file. For an ordinary file, this is typically read and write permission for all classes of users. These permissions are then restricted as specified by the individual user's own file creation mask.

To change the permission of an existing file given its name, call `chmod`. This function uses the specified permission bits and ignores the file creation mask.

In normal use, the file creation mask is initialized by the user's login shell (using the `umask` shell command), and inherited by all subprocesses. Application programs normally don't need to worry about the file creation mask. It will automatically do what it is supposed to do.

When your program needs to create a file and bypass the `umask` for its access permissions, the easiest way to do this is to use `fchmod` after opening the file, rather than changing the `umask`. In fact, changing

the `umask` is usually done only by shells. They use the `umask` function.

The functions in this section are declared in `sys/stat.h`.

`mode_t` **umask** (*mode\_t mask*) Function

The `umask` function sets the file creation mask of the current process to *mask*, and returns the previous value of the file creation mask.

Here is an example showing how to read the mask with `umask` without changing it permanently:

```
mode_t
read_umask (void)
{
    mode_t mask = umask (0);
    umask (mask);
    return mask;
}
```

However, it is better to use `getumask` if you just want to read the mask value, because it is reentrant (at least if you use the GNU operating system).

`mode_t` **getumask** (*void*) Function

Return the current value of the file creation mask for the current process. This function is a GNU extension.

`int` **chmod** (*const char \*filename, mode\_t mode*) Function

The `chmod` function sets the access permission bits for the file named by *filename* to *mode*.

If *filename* is a symbolic link, `chmod` changes the permissions of the file pointed to by the link, not those of the link itself.

This function returns 0 if successful and -1 if not. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

`ENOENT`

The named file doesn't exist.

`EPERM`

This process does not have permission to change the access permissions of this file. Only the file's owner (as judged by the effective user ID of the process) or a privileged user can change them.

## EROFS

The file resides on a read-only file system.

## EFTYPE

*mode* has the `S_ISVTX` bit (the "sticky bit") set, and the named file is not a directory. Some systems do not allow setting the sticky bit on non-directory files, and some do (and only some of those assign a useful meaning to the bit for non-directory files).

You only get `EFTYPE` on systems where the sticky bit has no useful meaning for non-directory files, so it is always safe to just clear the bit in *mode* and call `chmod` again. See [Permission Bits](#), for full details on the sticky bit.

int **fchmod** (*int filedes*, *int mode*)

Function

This is like `chmod`, except that it changes the permissions of the currently open file given by *filedes*.

The return value from `fchmod` is 0 on success and -1 on failure. The following `errno` error codes are defined for this function:

## EBADF

The *filedes* argument is not a valid file descriptor.

## EINVAL

The *filedes* argument corresponds to a pipe or socket, or something else that doesn't really have access permissions.

## EPERM

This process does not have permission to change the access permissions of this file. Only the file's owner (as judged by the effective user ID of the process) or a privileged user can change them.

## EROFS

The file resides on a read-only file system.

---

Node: Testing File Access, Next: [File Times](#), Previous: [Setting Permissions](#), Up: [File Attributes](#)

## Testing Permission to Access a File

In some situations it is desirable to allow programs to access files or devices even if this is not possible with the permissions granted to the user. One possible solution is to set the `setuid`-bit of the program file. If such a program is started the *effective* user ID of the process is changed to that of the owner of the program file. So to allow write access to files like `/etc/passwd`, which normally can be written only

by the super-user, the modifying program will have to be owned by `root` and the `setuid`-bit must be set.

But beside the files the program is intended to change the user should not be allowed to access any file to which s/he would not have access anyway. The program therefore must explicitly check whether *the user* would have the necessary access to a file, before it reads or writes the file.

To do this, use the function `access`, which checks for access permission based on the process's *real* user ID rather than the effective user ID. (The `setuid` feature does not alter the real user ID, so it reflects the user who actually ran the program.)

There is another way you could check this access, which is easy to describe, but very hard to use. This is to examine the file mode bits and mimic the system's own access computation. This method is undesirable because many systems have additional access control features; your program cannot portably mimic them, and you would not want to try to keep track of the diverse features that different systems have. Using `access` is simple and automatically does whatever is appropriate for the system you are using.

`access` is *only* only appropriate to use in `setuid` programs. A non-`setuid` program will always use the effective ID rather than the real ID.

The symbols in this section are declared in `unistd.h`.

**int `access` (*const char \*filename, int how*)** Function

The `access` function checks to see whether the file named by *filename* can be accessed in the way specified by the *how* argument. The *how* argument either can be the bitwise OR of the flags `R_OK`, `W_OK`, `X_OK`, or the existence test `F_OK`.

This function uses the *real* user and group IDs of the calling process, rather than the *effective* IDs, to check for access permission. As a result, if you use the function from a `setuid` or `setgid` program (see [How Change Persona](#)), it gives information relative to the user who actually ran the program.

The return value is 0 if the access is permitted, and `-1` otherwise. (In other words, treated as a predicate function, `access` returns true if the requested access is *denied*.)

In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

`EACCESS`

The access specified by *how* is denied.

`ENOENT`

The file doesn't exist.

EROFS

Write permission was requested for a file on a read-only file system.

These macros are defined in the header file `unistd.h` for use as the *how* argument to the `access` function. The values are integer constants.

int **R\_OK** Macro

Flag meaning test for read permission.

int **W\_OK** Macro

Flag meaning test for write permission.

int **X\_OK** Macro

Flag meaning test for execute/search permission.

int **F\_OK** Macro

Flag meaning test for existence of the file.

Node: File Times, Next: [File Size](#), Previous: [Testing File Access](#), Up: [File Attributes](#)

## File Times

Each file has three time stamps associated with it: its access time, its modification time, and its attribute modification time. These correspond to the `st_atime`, `st_mtime`, and `st_ctime` members of the `stat` structure; see [File Attributes](#).

All of these times are represented in calendar time format, as `time_t` objects. This data type is defined in `time.h`. For more information about representation and manipulation of time values, see [Calendar Time](#).

Reading from a file updates its access time attribute, and writing updates its modification time. When a file is created, all three time stamps for that file are set to the current time. In addition, the attribute change time and modification time fields of the directory that contains the new entry are updated.

Adding a new name for a file with the `link` function updates the attribute change time field of the file

being linked, and both the attribute change time and modification time fields of the directory containing the new name. These same fields are affected if a file name is deleted with `unlink`, `remove` or `rmdir`. Renaming a file with `rename` affects only the attribute change time and modification time fields of the two parent directories involved, and not the times for the file being renamed.

Changing the attributes of a file (for example, with `chmod`) updates its attribute change time field.

You can also change some of the time stamps of a file explicitly using the `utime` function--all except the attribute change time. You need to include the header file `utime.h` to use this facility.

## **struct utimbuf**

Data Type

The `utimbuf` structure is used with the `utime` function to specify new access and modification times for a file. It contains the following members:

`time_t actime`

This is the access time for the file.

`time_t modtime`

This is the modification time for the file.

**int utime** (*const char \*filename, const struct utimbuf \*times*)

Function

This function is used to modify the file times associated with the file named *filename*.

If *times* is a null pointer, then the access and modification times of the file are set to the current time. Otherwise, they are set to the values from the `actime` and `modtime` members (respectively) of the `utimbuf` structure pointed to by *times*.

The attribute modification time for the file is set to the current time in either case (since changing the time stamps is itself a modification of the file attributes).

The `utime` function returns 0 if successful and -1 on failure. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

**EACCESS**

There is a permission problem in the case where a null pointer was passed as the *times* argument. In order to update the time stamp on the file, you must either be the owner of the file, have write permission for the file, or be a privileged user.

**ENOENT**

The file doesn't exist.

**EPERM**



If the *times* argument is not a null pointer, you must either be the owner of the file or be a privileged user.

EROFS

The file lives on a read-only file system.

Each of the three time stamps has a corresponding microsecond part, which extends its resolution. These fields are called `st_atime_usec`, `st_mtime_usec`, and `st_ctime_usec`; each has a value between 0 and 999,999, which indicates the time in microseconds. They correspond to the `tv_usec` field of a `timeval` structure; see [High-Resolution Calendar](#).

The `utimes` function is like `utime`, but also lets you specify the fractional part of the file times. The prototype for this function is in the header file `sys/time.h`.

**int `utimes`** (*const char \*filename, struct timeval tvp[ 2 ]*) Function

This function sets the file access and modification times of the file *filename*. The new file access time is specified by *tvp[ 0 ]*, and the new modification time by *tvp[ 1 ]*. Similar to `utime`, if *tvp* is a null pointer then the access and modification times of the file are set to the current time. This function comes from BSD.

The return values and error conditions are the same as for the `utime` function.

**int `lutimes`** (*const char \*filename, struct timeval tvp[ 2 ]*) Function

This function is like `utimes`, except that it does not follow symbolic links. If *filename* is the name of a symbolic link, `lutimes` sets the file access and modification times of the symbolic link special file itself (as seen by `lstat`; see [Symbolic Links](#)) while `utimes` sets the file access and modification times of the file the symbolic link refers to. This function comes from FreeBSD, and is not available on all platforms (if not available, it will fail with `ENOSYS`).

The return values and error conditions are the same as for the `utime` function.

**int `futimes`** (*int \*fd, struct timeval tvp[ 2 ]*) Function

This function is like `utimes`, except that it takes an open file descriptor as an argument instead of a file name. See [Low-Level I/O](#). This function comes from FreeBSD, and is not available on all platforms (if not available, it will fail with `ENOSYS`).

Like `utimes`, `futimes` returns 0 on success and -1 on failure. The following `errno` error conditions are defined for `futimes`:

#### EACCES

There is a permission problem in the case where a null pointer was passed as the *times* argument. In order to update the time stamp on the file, you must either be the owner of the file, have write permission for the file, or be a privileged user.

#### EBADF

The *filedes* argument is not a valid file descriptor.

#### EPERM

If the *times* argument is not a null pointer, you must either be the owner of the file or be a privileged user.

#### EROFS

The file lives on a read-only file system.

Node: [File Size](#), Previous: [File Times](#), Up: [File Attributes](#)

## File Size

Normally file sizes are maintained automatically. A file begins with a size of 0 and is automatically extended when data is written past its end. It is also possible to empty a file completely by an `open` or `fopen` call.

However, sometimes it is necessary to *reduce* the size of a file. This can be done with the `truncate` and `ftruncate` functions. They were introduced in BSD Unix. `ftruncate` was later added to POSIX.1.

Some systems allow you to extend a file (creating holes) with these functions. This is useful when using memory-mapped I/O (see [Memory-mapped I/O](#)), where files are not automatically extended. However, it is not portable but must be implemented if `mmap` allows mapping of files (i.e., `_POSIX_MAPPED_FILES` is defined).

Using these functions on anything other than a regular file gives *undefined* results. On many systems, such a call will appear to succeed, without actually accomplishing anything.

**int truncate** (*const char \*filename, off\_t length*)

Function

The `truncate` function changes the size of *filename* to *length*. If *length* is shorter than the previous length, data at the end will be lost. The file must be writable by the user to perform this operation.

If *length* is longer, holes will be added to the end. However, some systems do not support this feature and will leave the file unchanged.

When the source file is compiled with `_FILE_OFFSET_BITS == 64` the `truncate` function is in fact `truncate64` and the type `off_t` has 64 bits which makes it possible to handle files up to  $2^{63}$  bytes in length.

The return value is 0 for success, or -1 for an error. In addition to the usual file name errors, the following errors may occur:

`EACCES`

The file is a directory or not writable.

`EINVAL`

*length* is negative.

`EFBIG`

The operation would extend the file beyond the limits of the operating system.

`EIO`

A hardware I/O error occurred.

`EPERM`

The file is "append-only" or "immutable".

`EINTR`

The operation was interrupted by a signal.

**int truncate64** (*const char \*name, off64\_t length*)

Function

This function is similar to the `truncate` function. The difference is that the *length* argument is 64 bits wide even on 32 bits machines, which allows the handling of files with sizes up to  $2^{63}$  bytes.

When the source file is compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is actually available under the name `truncate` and so transparently replaces the 32 bits interface.

**int ftruncate** (*int fd, off\_t length*)

Function

This is like `truncate`, but it works on a file descriptor *fd* for an opened file instead of a file name to identify the object. The file must be opened for writing to successfully carry out the operation.

The POSIX standard leaves its implementation defined what happens if the specified new *length* of the file is bigger than the original size. The `ftruncate` function might simply leave the file alone and do nothing or it can increase the size to the desired size. In this latter case the extended area should be zero-filled. So using `ftruncate` is no reliable way to increase the file size but if it is possible it is probably the fastest way. The function also operates on POSIX shared memory segments if these are implemented by the system.

`ftruncate` is especially useful in combination with `mmap`. Since the mapped region must have a fixed size one cannot enlarge the file by writing something beyond the last mapped page. Instead one has to enlarge the file itself and then remap the file with the new size. The example below shows how this works.

When the source file is compiled with `_FILE_OFFSET_BITS == 64` the `ftruncate` function is in fact `ftruncate64` and the type `off_t` has 64 bits which makes it possible to handle files up to  $2^{63}$  bytes in length.

The return value is 0 for success, or -1 for an error. The following errors may occur:

EBADF

*fd* does not correspond to an open file.

EACCES

*fd* is a directory or not open for writing.

EINVAL

*length* is negative.

EFBIG

The operation would extend the file beyond the limits of the operating system.

EIO

A hardware I/O error occurred.

EPERM

The file is "append-only" or "immutable".

EINTR

The operation was interrupted by a signal.

int **ftruncate64** (*int id*, *off64\_t length*)

Function

This function is similar to the `ftruncate` function. The difference is that the *length* argument is 64 bits wide even on 32 bits machines which allows the handling of files with sizes up to  $2^{63}$  bytes.

When the source file is compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is actually available under the name `ftruncate` and so transparently replaces the 32 bits interface.

As announced here is a little example of how to use `ftruncate` in combination with `mmap`:

```
int fd;
void *start;
size_t len;

int
add (off_t at, void *block, size_t size)
{
    if (at + size > len)
    {
        /* Resize the file and remap. */
        size_t ps = sysconf (_SC_PAGESIZE);
        size_t ns = (at + size + ps - 1) & ~(ps - 1);
        void *np;
        if (ftruncate (fd, ns) < 0)
            return -1;
        np = mmap (NULL, ns, PROT_READ|PROT_WRITE, MAP_SHARED, fd, 0);
        if (np == MAP_FAILED)
            return -1;
        start = np;
        len = ns;
    }
    memcpy ((char *) start + at, block, size);
    return 0;
}
```

The function `add` writes a block of memory at an arbitrary position in the file. If the current size of the file is too small it is extended. Note the it is extended by a round number of pages. This is a requirement of `mmap`. The program has to keep track of the real size, and when it has finished a final `ftruncate` call should set the real size of the file.

---

Node: Making Special Files, Next: [Temporary Files](#), Previous: [File Attributes](#), Up: [File System Interface](#)

## Making Special Files

The `mknod` function is the primitive for making special files, such as files that correspond to devices. The GNU library includes this function for compatibility with BSD.

The prototype for `mknod` is declared in `sys/stat.h`.

`int mknod (const char *filename, int mode, int dev)` Function

The `mknod` function makes a special file with name *filename*. The *mode* specifies the mode of the file, and may include the various special file bits, such as `S_IFCHR` (for a character special file) or `S_IFBLK` (for a block special file). See [Testing File Type](#).

The *dev* argument specifies which device the special file refers to. Its exact interpretation depends on the kind of special file being created.

The return value is 0 on success and `-1` on error. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

`EPERM`

The calling process is not privileged. Only the superuser can create special files.

`ENOSPC`

The directory or file system that would contain the new file is full and cannot be extended.

`EROFS`

The directory containing the new file can't be modified because it's on a read-only file system.

`EEXIST`

There is already a file named *filename*. If you want to replace this file, you must remove the old file explicitly first.

Node: Temporary Files, Previous: [Making Special Files](#), Up: [File System Interface](#)

## Temporary Files

If you need to use a temporary file in your program, you can use the `tmpfile` function to open it. Or you can use the `tmpnam` (better: `tmpnam_r`) function to provide a name for a temporary file and then you can open it in the usual way with `fopen`.

The `tempnam` function is like `tmpnam` but lets you choose what directory temporary files will go in, and something about what their file names will look like. Important for multi-threaded programs is that `tempnam` is reentrant, while `tmpnam` is not since it returns a pointer to a static buffer.

These facilities are declared in the header file `stdio.h`.

**FILE \* `tmpfile`** (*void*) Function

This function creates a temporary binary file for update mode, as if by calling `fopen` with mode `"wb+"`. The file is deleted automatically when it is closed or when the program terminates. (On some other ISO C systems the file may fail to be deleted if the program terminates abnormally).

This function is reentrant.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit system this function is in fact `tmpfile64`, i.e. the LFS interface transparently replaces the old interface.

**FILE \* `tmpfile64`** (*void*) Function

This function is similar to `tmpfile`, but the stream it returns a pointer to was opened using `tmpfile64`. Therefore this stream can be used for files larger than  $2^{31}$  bytes on 32-bit machines.

Please note that the return type is still `FILE *`. There is no special `FILE` type for the LFS interface.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32 bits machine this function is available under the name `tmpfile` and so transparently replaces the old interface.

**char \* `tmpnam`** (*char \*result*) Function

This function constructs and returns a valid file name that does not refer to any existing file. If the *result* argument is a null pointer, the return value is a pointer to an internal static string, which might be modified by subsequent calls and therefore makes this function non-reentrant. Otherwise, the *result* argument should be a pointer to an array of at least `L_tmpnam` characters, and the result is written into that array.

It is possible for `tmpnam` to fail if you call it too many times without removing previously-created files. This is because the limited length of the temporary file names gives room for only a finite number of different names. If `tmpnam` fails it returns a null pointer.

**Warning:** Between the time the pathname is constructed and the file is created another process might have created a file with the same name using `tmpnam`, leading to a possible security hole. The implementation generates names which can hardly be predicted, but when opening the file you should use the `O_EXCL` flag. Using `tmpfile` or `mkstemp` is a safe way to avoid this problem.

char \* **tmpnam\_r** (*char \*result*) Function

This function is nearly identical to the `tmpnam` function, except that if *result* is a null pointer it returns a null pointer.

This guarantees reentrancy because the non-reentrant situation of `tmpnam` cannot happen here.

**Warning:** This function has the same security problems as `tmpnam`.

int **L\_tmpnam** Macro

The value of this macro is an integer constant expression that represents the minimum size of a string large enough to hold a file name generated by the `tmpnam` function.

int **TMP\_MAX** Macro

The macro `TMP_MAX` is a lower bound for how many temporary names you can create with `tmpnam`. You can rely on being able to call `tmpnam` at least this many times before it might fail saying you have made too many temporary file names.

With the GNU library, you can create a very large number of temporary file names. If you actually created the files, you would probably run out of disk space before you ran out of names. Some other systems have a fixed, small limit on the number of temporary files. The limit is never less than 25.

char \* **tempnam** (*const char \*dir, const char \*prefix*) Function

This function generates a unique temporary file name. If *prefix* is not a null pointer, up to five characters of this string are used as a prefix for the file name. The return value is a string newly allocated with `malloc`, so you should release its storage with `free` when it is no longer needed.

Because the string is dynamically allocated this function is reentrant.

The directory prefix for the temporary file name is determined by testing each of the following in sequence. The directory must exist and be writable.

- The environment variable `TMPDIR`, if it is defined. For security reasons this only happens if the program is not `SUID` or `SGID` enabled.
- The *dir* argument, if it is not a null pointer.
- The value of the `P_tmpdir` macro.
- The directory `/tmp`.



This function is defined for SVID compatibility.

**Warning:** Between the time the pathname is constructed and the file is created another process might have created a file with the same name using `tempnam`, leading to a possible security hole. The implementation generates names which can hardly be predicted, but when opening the file you should use the `O_EXCL` flag. Using `tmpfile` or `mkstemp` is a safe way to avoid this problem.

char \* **P\_tmpdir**

SVID Macro

This macro is the name of the default directory for temporary files.

Older Unix systems did not have the functions just described. Instead they used `mktemp` and `mkstemp`. Both of these functions work by modifying a file name template string you pass. The last six characters of this string must be `XXXXXX`. These six Xs are replaced with six characters which make the whole string a unique file name. Usually the template string is something like `/tmp/prefixXXXXXX`, and each program uses a unique *prefix*.

**Note:** Because `mktemp` and `mkstemp` modify the template string, you *must not* pass string constants to them. String constants are normally in read-only storage, so your program would crash when `mktemp` or `mkstemp` tried to modify the string. These functions are declared in the header file `stdlib.h`.

char \* **mktemp** (*char \*template*)

Function

The `mktemp` function generates a unique file name by modifying *template* as described above. If successful, it returns *template* as modified. If `mktemp` cannot find a unique file name, it makes *template* an empty string and returns that. If *template* does not end with `XXXXXX`, `mktemp` returns a null pointer.

**Warning:** Between the time the pathname is constructed and the file is created another process might have created a file with the same name using `mktemp`, leading to a possible security hole. The implementation generates names which can hardly be predicted, but when opening the file you should use the `O_EXCL` flag. Using `mkstemp` is a safe way to avoid this problem.

int **mkstemp** (*char \*template*)

Function

The `mkstemp` function generates a unique file name just as `mktemp` does, but it also opens the file for you with `open` (see [Opening and Closing Files](#)). If successful, it modifies *template* in place and returns a file descriptor for that file open for reading and writing. If `mkstemp` cannot create a uniquely-named file, it returns `-1`. If *template* does not end with `XXXXXX`, `mkstemp` returns `-1` and does not modify *template*.

The file is opened using mode `0600`. If the file is meant to be used by other users this mode must be changed explicitly.

Unlike `mktemp`, `mkstemp` is actually guaranteed to create a unique file that cannot possibly clash with any other program trying to create a temporary file. This is because it works by calling `open` with the `O_EXCL` flag, which says you want to create a new file and get an error if the file already exists.

`char * mkdtemp (char *template)` Function

The `mkdtemp` function creates a directory with a unique name. If it succeeds, it overwrites *template* with the name of the directory, and returns *template*. As with `mktemp` and `mkstemp`, *template* should be a string ending with `XXXXXX`.

If `mkdtemp` cannot create an uniquely named directory, it returns `NULL` and sets *errno* appropriately. If *template* does not end with `XXXXXX`, `mkdtemp` returns `NULL` and does not modify *template*. *errno* will be set to `EINVAL` in this case.

The directory is created using mode `0700`.

The directory created by `mkdtemp` cannot clash with temporary files or directories created by other users. This is because directory creation always works like `open` with `O_EXCL`. See [Creating Directories](#).

The `mkdtemp` function comes from OpenBSD.

---

Node: Pipes and FIFOs, Next: [Sockets](#), Previous: [File System Interface](#), Up: [Top](#)

## Pipes and FIFOs

A *pipe* is a mechanism for interprocess communication; data written to the pipe by one process can be read by another process. The data is handled in a first-in, first-out (FIFO) order. The pipe has no name; it is created for one use and both ends must be inherited from the single process which created the pipe.

A *FIFO special file* is similar to a pipe, but instead of being an anonymous, temporary connection, a

FIFO has a name or names like any other file. Processes open the FIFO by name in order to communicate through it.

A pipe or FIFO has to be open at both ends simultaneously. If you read from a pipe or FIFO file that doesn't have any processes writing to it (perhaps because they have all closed the file, or exited), the read returns end-of-file. Writing to a pipe or FIFO that doesn't have a reading process is treated as an error condition; it generates a `SIGPIPE` signal, and fails with error code `EPIPE` if the signal is handled or blocked.

Neither pipes nor FIFO special files allow file positioning. Both reading and writing operations happen sequentially; reading from the beginning of the file and writing at the end.

- [Creating a Pipe](#): Making a pipe with the `pipe` function.
- [Pipe to a Subprocess](#): Using a pipe to communicate with a child process.
- [FIFO Special Files](#): Making a FIFO special file.
- [Pipe Atomicity](#): When pipe (or FIFO) I/O is atomic.

---

Node: [Creating a Pipe](#), Next: [Pipe to a Subprocess](#), Up: [Pipes and FIFOs](#)

## Creating a Pipe

The primitive for creating a pipe is the `pipe` function. This creates both the reading and writing ends of the pipe. It is not very useful for a single process to use a pipe to talk to itself. In typical use, a process creates a pipe just before it forks one or more child processes (see [Creating a Process](#)). The pipe is then used for communication either between the parent or child processes, or between two sibling processes.

The `pipe` function is declared in the header file `unistd.h`.

```
int pipe (int filedes[ 2 ])
```

Function

The `pipe` function creates a pipe and puts the file descriptors for the reading and writing ends of the pipe (respectively) into `filedes[0]` and `filedes[1]`.

An easy way to remember that the input end comes first is that file descriptor 0 is standard input, and file descriptor 1 is standard output.

If successful, `pipe` returns a value of 0. On failure, -1 is returned. The following `errno` error conditions are defined for this function:

`EMFILE`

The process has too many files open.

`ENFILE`

There are too many open files in the entire system. See [Error Codes](#), for more information about `ENFILE`. This error never occurs in the GNU system.

Here is an example of a simple program that creates a pipe. This program uses the `fork` function (see [Creating a Process](#)) to create a child process. The parent process writes data to the pipe, which is read by the child process.

```
#include <sys/types.h>
#include <unistd.h>
#include <stdio.h>
#include <stdlib.h>

/* Read characters from the pipe and echo them to stdout. */

void
read_from_pipe (int file)
{
    FILE *stream;
    int c;
    stream = fdopen (file, "r");
    while ((c = fgetc (stream)) != EOF)
        putchar (c);
    fclose (stream);
}

/* Write some random text to the pipe. */

void
write_to_pipe (int file)
{
    FILE *stream;
    stream = fdopen (file, "w");
```

```
    fprintf (stream, "hello, world!\n");
    fprintf (stream, "goodbye, world!\n");
    fclose (stream);
}

int
main (void)
{
    pid_t pid;
    int mypipe[2];

    /* Create the pipe. */
    if (pipe (mypipe))
    {
        fprintf (stderr, "Pipe failed.\n");
        return EXIT_FAILURE;
    }

    /* Create the child process. */
    pid = fork ();
    if (pid == (pid_t) 0)
    {
        /* This is the child process.
           Close other end first. */
        close (mypipe[1]);
        read_from_pipe (mypipe[0]);
        return EXIT_SUCCESS;
    }
    else if (pid < (pid_t) 0)
    {
        /* The fork failed. */
        fprintf (stderr, "Fork failed.\n");
        return EXIT_FAILURE;
    }
    else
    {
        /* This is the parent process.
           Close other end first. */
        close (mypipe[0]);
        write_to_pipe (mypipe[1]);
        return EXIT_SUCCESS;
    }
}
```

---

Node: Pipe to a Subprocess, Next: [FIFO Special Files](#), Previous: [Creating a Pipe](#), Up: [Pipes and FIFOs](#)

## Pipe to a Subprocess

A common use of pipes is to send data to or receive data from a program being run as a subprocess. One way of doing this is by using a combination of `pipe` (to create the pipe), `fork` (to create the subprocess), `dup2` (to force the subprocess to use the pipe as its standard input or output channel), and `exec` (to execute the new program). Or, you can use `popen` and `pclose`.

The advantage of using `popen` and `pclose` is that the interface is much simpler and easier to use. But it doesn't offer as much flexibility as using the low-level functions directly.

**FILE \* `popen` (*const char \*command, const char \*mode*)** Function

The `popen` function is closely related to the `system` function; see [Running a Command](#). It executes the shell command *command* as a subprocess. However, instead of waiting for the command to complete, it creates a pipe to the subprocess and returns a stream that corresponds to that pipe.

If you specify a *mode* argument of "r", you can read from the stream to retrieve data from the standard output channel of the subprocess. The subprocess inherits its standard input channel from the parent process.

Similarly, if you specify a *mode* argument of "w", you can write to the stream to send data to the standard input channel of the subprocess. The subprocess inherits its standard output channel from the parent process.

In the event of an error `popen` returns a null pointer. This might happen if the pipe or stream cannot be created, if the subprocess cannot be forked, or if the program cannot be executed.

**int `pclose` (*FILE \*stream*)** Function

The `pclose` function is used to close a stream created by `popen`. It waits for the child process to terminate and returns its status value, as for the `system` function.

Here is an example showing how to use `popen` and `pclose` to filter output through another program, in this case the paging program `more`.

```
#include <stdio.h>
#include <stdlib.h>

void
write_data (FILE * stream)
{
    int i;
    for (i = 0; i < 100; i++)
        fprintf (stream, "%d\n", i);
}
```

```

    if (ferror (stream))
    {
        fprintf (stderr, "Output to stream failed.\n");
        exit (EXIT_FAILURE);
    }
}

int
main (void)
{
    FILE *output;

    output = popen ("more", "w");
    if (!output)
    {
        fprintf (stderr,
                "incorrect parameters or too many files.\n");
        return EXIT_FAILURE;
    }
    write_data (output);
    if (pclose (output) != 0)
    {
        fprintf (stderr,
                "Could not run more or other error.\n");
    }
    return EXIT_SUCCESS;
}

```

---

Node: FIFO Special Files, Next: [Pipe Atomicity](#), Previous: [Pipe to a Subprocess](#), Up: [Pipes and FIFOs](#)

## FIFO Special Files

A FIFO special file is similar to a pipe, except that it is created in a different way. Instead of being an anonymous communications channel, a FIFO special file is entered into the file system by calling `mkfifo`.

Once you have created a FIFO special file in this way, any process can open it for reading or writing, in the same way as an ordinary file. However, it has to be open at both ends simultaneously before you can proceed to do any input or output operations on it. Opening a FIFO for reading normally blocks until some other process opens the same FIFO for writing, and vice versa.

The `mkfifo` function is declared in the header file `sys/stat.h`.

`int` **mkfifo** (*const char \*filename, mode\_t mode*)

Function

The `mkfifo` function makes a FIFO special file with name *filename*. The *mode* argument is used to set the file's permissions; see [Setting Permissions](#).

The normal, successful return value from `mkfifo` is 0. In the case of an error, `-1` is returned. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for this function:

`EEXIST`

The named file already exists.

`ENOSPC`

The directory or file system cannot be extended.

`EROFS`

The directory that would contain the file resides on a read-only file system.

---

Node: Pipe Atomicity, Previous: [FIFO Special Files](#), Up: [Pipes and FIFOs](#)

## Atomicity of Pipe I/O

Reading or writing pipe data is *atomic* if the size of data written is not greater than `PIPE_BUF`. This means that the data transfer seems to be an instantaneous unit, in that nothing else in the system can observe a state in which it is partially complete. Atomic I/O may not begin right away (it may need to wait for buffer space or for data), but once it does begin it finishes immediately.

Reading or writing a larger amount of data may not be atomic; for example, output data from other processes sharing the descriptor may be interspersed. Also, once `PIPE_BUF` characters have been written, further writes will block until some characters are read.

See [Limits for Files](#), for information about the `PIPE_BUF` parameter.

---

Node: Sockets, Next: [Low-Level Terminal Interface](#), Previous: [Pipes and FIFOs](#), Up: [Top](#)

## Sockets

This chapter describes the GNU facilities for interprocess communication using sockets.

A *socket* is a generalized interprocess communication channel. Like a pipe, a socket is represented as a file descriptor. Unlike pipes sockets support communication between unrelated processes, and even



between processes running on different machines that communicate over a network. Sockets are the primary means of communicating with other machines; `telnet`, `rlogin`, `ftp`, `talk` and the other familiar network programs use sockets.

Not all operating systems support sockets. In the GNU library, the header file `sys/socket.h` exists regardless of the operating system, and the socket functions always exist, but if the system does not really support sockets these functions always fail.

**Incomplete:** We do not currently document the facilities for broadcast messages or for configuring Internet interfaces. The reentrant functions and some newer functions that are related to IPv6 aren't documented either so far.

- [Socket Concepts](#): Basic concepts you need to know about.
- [Communication Styles](#): Stream communication, datagrams and other styles.
- [Socket Addresses](#): How socket names ("addresses") work.
- [Interface Naming](#): Identifying specific network interfaces.
- [Local Namespace](#): Details about the local namespace.
- [Internet Namespace](#): Details about the Internet namespace.
- [Misc Namespaces](#): Other namespaces not documented fully here.
- [Open/Close Sockets](#): Creating sockets and destroying them.
- [Connections](#): Operations on sockets with connection state.
- [Datagrams](#): Operations on datagram sockets.
- [Inetd](#): Inetd is a daemon that starts servers on request. The most convenient way to write a server is to make it work with Inetd.
- [Socket Options](#): Miscellaneous low-level socket options.
- [Networks Database](#): Accessing the database of network names.

---

Node: [Socket Concepts](#), Next: [Communication Styles](#), Up: [Sockets](#)

## Socket Concepts

When you create a socket, you must specify the style of communication you want to use and the type of protocol that should implement it. The *communication style* of a socket defines the user-level semantics of sending and receiving data on the socket. Choosing a communication style specifies the answers to questions such as these:

- **What are the units of data transmission?** Some communication styles regard the data as a sequence of bytes with no larger structure; others group the bytes into records (which are known in this context as *packets*).

- **Can data be lost during normal operation?** Some communication styles guarantee that all the data sent arrives in the order it was sent (barring system or network crashes); other styles occasionally lose data as a normal part of operation, and may sometimes deliver packets more than once or in the wrong order.

Designing a program to use unreliable communication styles usually involves taking precautions to detect lost or misordered packets and to retransmit data as needed.

- **Is communication entirely with one partner?** Some communication styles are like a telephone call--you make a *connection* with one remote socket and then exchange data freely. Other styles are like mailing letters--you specify a destination address for each message you send.

You must also choose a *namespace* for naming the socket. A socket name ("address") is meaningful only in the context of a particular namespace. In fact, even the data type to use for a socket name may depend on the namespace. Namespaces are also called "domains", but we avoid that word as it can be confused with other usage of the same term. Each namespace has a symbolic name that starts with `PF_`. A corresponding symbolic name starting with `AF_` designates the address format for that namespace.

Finally you must choose the *protocol* to carry out the communication. The protocol determines what low-level mechanism is used to transmit and receive data. Each protocol is valid for a particular namespace and communication style; a namespace is sometimes called a *protocol family* because of this, which is why the namespace names start with `PF_`.

The rules of a protocol apply to the data passing between two programs, perhaps on different computers; most of these rules are handled by the operating system and you need not know about them. What you do need to know about protocols is this:

- In order to have communication between two sockets, they must specify the *same* protocol.
- Each protocol is meaningful with particular style/namespace combinations and cannot be used with inappropriate combinations. For example, the TCP protocol fits only the byte stream style of communication and the Internet namespace.
- For each combination of style and namespace there is a *default protocol*, which you can request by specifying 0 as the protocol number. And that's what you should normally do--use the default.

Throughout the following description at various places variables/parameters to denote sizes are required. And here the trouble starts. In the first implementations the type of these variables was simply `int`. On most machines at that time an `int` was 32 bits wide, which created a *de facto* standard requiring 32-bit variables. This is important since references to variables of this type are passed to the kernel.

Then the POSIX people came and unified the interface with the words "all size values are of type `size_t`". On 64-bit machines `size_t` is 64 bits wide, so pointers to variables were no longer possible.

The Unix98 specification provides a solution by introducing a type `socklen_t`. This type is used in all of the cases that POSIX changed to use `size_t`. The only requirement of this type is that it be an unsigned type of at least 32 bits. Therefore, implementations which require that references to 32-bit variables be passed can be as happy as implementations which use 64-bit values.

---

Node: Communication Styles, Next: [Socket Addresses](#), Previous: [Socket Concepts](#), Up: [Sockets](#)

## Communication Styles

The GNU library includes support for several different kinds of sockets, each with different characteristics. This section describes the supported socket types. The symbolic constants listed here are defined in `sys/socket.h`.

### int **SOCK\_STREAM**

Macro

The `SOCK_STREAM` style is like a pipe (see [Pipes and FIFOs](#)). It operates over a connection with a particular remote socket and transmits data reliably as a stream of bytes.

Use of this style is covered in detail in [Connections](#).

### int **SOCK\_DGRAM**

Macro

The `SOCK_DGRAM` style is used for sending individually-addressed packets unreliably. It is the diametrical opposite of `SOCK_STREAM`.

Each time you write data to a socket of this kind, that data becomes one packet. Since `SOCK_DGRAM` sockets do not have connections, you must specify the recipient address with each packet.

The only guarantee that the system makes about your requests to transmit data is that it will try its best to deliver each packet you send. It may succeed with the sixth packet after failing with the fourth and fifth packets; the seventh packet may arrive before the sixth, and may arrive a second time after the sixth.

The typical use for `SOCK_DGRAM` is in situations where it is acceptable to simply re-send a packet if no response is seen in a reasonable amount of time.

See [Datagrams](#), for detailed information about how to use datagram sockets.

This style provides access to low-level network protocols and interfaces. Ordinary user programs usually have no need to use this style.

---

Node: Socket Addresses, Next: [Interface Naming](#), Previous: [Communication Styles](#), Up: [Sockets](#)

## Socket Addresses

The name of a socket is normally called an *address*. The functions and symbols for dealing with socket addresses were named inconsistently, sometimes using the term "name" and sometimes using "address". You can regard these terms as synonymous where sockets are concerned.

A socket newly created with the `socket` function has no address. Other processes can find it for communication only if you give it an address. We call this *binding* the address to the socket, and the way to do it is with the `bind` function.

You need be concerned with the address of a socket if other processes are to find it and start communicating with it. You can specify an address for other sockets, but this is usually pointless; the first time you send data from a socket, or use it to initiate a connection, the system assigns an address automatically if you have not specified one.

Occasionally a client needs to specify an address because the server discriminates based on address; for example, the `rsh` and `rlogin` protocols look at the client's socket address and only bypass password checking if it is less than `IPPORT_RESERVED` (see [Ports](#)).

The details of socket addresses vary depending on what namespace you are using. See [Local Namespace](#), or [Internet Namespace](#), for specific information.

Regardless of the namespace, you use the same functions `bind` and `getsockname` to set and examine a socket's address. These functions use a phony data type, `struct sockaddr *`, to accept the address. In practice, the address lives in a structure of some other data type appropriate to the address format you are using, but you cast its address to `struct sockaddr *` when you pass it to `bind`.

- [Address Formats](#): About `struct sockaddr`.
- [Setting Address](#): Binding an address to a socket.
- [Reading Address](#): Reading the address of a socket.

---

Node: Address Formats, Next: [Setting Address](#), Up: [Socket Addresses](#)

## Address Formats

The functions `bind` and `getsockname` use the generic data type `struct sockaddr *` to represent a pointer to a socket address. You can't use this data type effectively to interpret an address or construct one; for that, you must use the proper data type for the socket's namespace.

Thus, the usual practice is to construct an address of the proper namespace-specific type, then cast a pointer to `struct sockaddr *` when you call `bind` or `getsockname`.

The one piece of information that you can get from the `struct sockaddr` data type is the *address format designator*. This tells you which data type to use to understand the address fully.

The symbols in this section are defined in the header file `sys/socket.h`.

### **struct sockaddr**

Data Type

The `struct sockaddr` type itself has the following members:

`short int sa_family`

This is the code for the address format of this address. It identifies the format of the data which follows.

`char sa_data[14]`

This is the actual socket address data, which is format-dependent. Its length also depends on the format, and may well be more than 14. The length 14 of `sa_data` is essentially arbitrary.

Each address format has a symbolic name which starts with `AF_`. Each of them corresponds to a `PF_` symbol which designates the corresponding namespace. Here is a list of address format names:

#### `AF_LOCAL`

This designates the address format that goes with the local namespace. (`PF_LOCAL` is the name of that namespace.) See [Local Namespace Details](#), for information about this address format.

#### `AF_UNIX`

This is a synonym for `AF_LOCAL`. Although `AF_LOCAL` is mandated by POSIX.1g, `AF_UNIX` is portable to more systems. `AF_UNIX` was the traditional name stemming from BSD, so even most POSIX systems support it. It is also the name of choice in the Unix98 specification. (The same is true for `PF_UNIX` vs. `PF_LOCAL`).

#### `AF_FILE`

This is another synonym for `AF_LOCAL`, for compatibility. (`PF_FILE` is likewise a synonym for `PF_LOCAL`).

**AF\_INET**

This designates the address format that goes with the Internet namespace. (`PF_INET` is the name of that namespace.) See [Internet Address Formats](#).

**AF\_INET6**

This is similar to `AF_INET`, but refers to the IPv6 protocol. (`PF_INET6` is the name of the corresponding namespace.)

**AF\_UNSPEC**

This designates no particular address format. It is used only in rare cases, such as to clear out the default destination address of a "connected" datagram socket. See [Sending Datagrams](#).

The corresponding namespace designator symbol `PF_UNSPEC` exists for completeness, but there is no reason to use it in a program.

`sys/socket.h` defines symbols starting with `AF_` for many different kinds of networks, most or all of which are not actually implemented. We will document those that really work as we receive information about how to use them.

---

Node: Setting Address, Next: [Reading Address](#), Previous: [Address Formats](#), Up: [Socket Addresses](#)

## Setting the Address of a Socket

Use the `bind` function to assign an address to a socket. The prototype for `bind` is in the header file `sys/socket.h`. For examples of use, see [Local Socket Example](#), or see [Inet Example](#).

int **bind** (*int socket, struct sockaddr \*addr, socklen\_t length*) Function

The `bind` function assigns an address to the socket *socket*. The *addr* and *length* arguments specify the address; the detailed format of the address depends on the namespace. The first part of the address is always the format designator, which specifies a namespace, and says that the address is in the format of that namespace.

The return value is 0 on success and -1 on failure. The following `errno` error conditions are defined for this function:

**EBADF**

The *socket* argument is not a valid file descriptor.

**ENOTSOCK**

The descriptor *socket* is not a socket.

**EADDRNOTAVAIL**

The specified address is not available on this machine.

**EADDRINUSE**

Some other socket is already using the specified address.

`EINVAL`

The socket *socket* already has an address.

`EACCES`

You do not have permission to access the requested address. (In the Internet domain, only the super-user is allowed to specify a port number in the range 0 through `IPPORT_RESERVED` minus one; see [Ports](#).)

Additional conditions may be possible depending on the particular namespace of the socket.

Node: Reading Address, Previous: [Setting Address](#), Up: [Socket Addresses](#)

## Reading the Address of a Socket

Use the function `getsockname` to examine the address of an Internet socket. The prototype for this function is in the header file `sys/socket.h`.

`int getsockname` (*int socket, struct sockaddr \*addr, socklen\_t \*length\_ptr*) Function

The `getsockname` function returns information about the address of the socket *socket* in the locations specified by the *addr* and *length\_ptr* arguments. Note that the *length\_ptr* is a pointer; you should initialize it to be the allocation size of *addr*, and on return it contains the actual size of the address data.

The format of the address data depends on the socket namespace. The length of the information is usually fixed for a given namespace, so normally you can know exactly how much space is needed and can provide that much. The usual practice is to allocate a place for the value using the proper data type for the socket's namespace, then cast its address to `struct sockaddr *` to pass it to `getsockname`.

The return value is 0 on success and -1 on error. The following `errno` error conditions are defined for this function:

`EBADF`

The *socket* argument is not a valid file descriptor.

`ENOTSOCK`

The descriptor *socket* is not a socket.

`ENOBUFS`

There are not enough internal buffers available for the operation.

You can't read the address of a socket in the file namespace. This is consistent with the rest of the system; in general, there's no way to find a file's name from a descriptor for that file.

---

Node: Interface Naming, Next: [Local Namespace](#), Previous: [Socket Addresses](#), Up: [Sockets](#)

## Interface Naming

Each network interface has a name. This usually consists of a few letters that relate to the type of interface, which may be followed by a number if there is more than one interface of that type. Examples might be `lo` (the loopback interface) and `eth0` (the first Ethernet interface).

Although such names are convenient for humans, it would be clumsy to have to use them whenever a program needs to refer to an interface. In such situations an interface is referred to by its *index*, which is an arbitrarily-assigned small positive integer.

The following functions, constants and data types are declared in the header file `net/if.h`.

`size_t` **IFNAMSIZ** Constant

This constant defines the maximum buffer size needed to hold an interface name, including its terminating zero byte.

`unsigned int` **if\_nametoindex** (*const char \*ifname*) Function

This function yields the interface index corresponding to a particular name. If no interface exists with the name given, it returns 0.

`char *` **if\_indextoname** (*unsigned int ifindex, char \*ifname*) Function

This function maps an interface index to its corresponding name. The returned name is placed in the buffer pointed to by `ifname`, which must be at least `IFNAMSIZ` bytes in length. If the index was invalid, the function's return value is a null pointer, otherwise it is `ifname`.

**struct if\_nameindex** Data Type



This data type is used to hold the information about a single interface. It has the following members:

```
unsigned int if_index;
```

This is the interface index.

```
char *if_name
```

This is the null-terminated index name.

```
struct if_nameindex * if_nameindex (void)
```

Function

This function returns an array of `if_nameindex` structures, one for every interface that is present. The end of the list is indicated by a structure with an interface of 0 and a null name pointer. If an error occurs, this function returns a null pointer.

The returned structure must be freed with `if_freenameindex` after use.

```
void if_freenameindex (struct if_nameindex *ptr)
```

Function

This function frees the structure returned by an earlier call to `if_nameindex`.

---

Node: Local Namespace, Next: [Internet Namespace](#), Previous: [Interface Naming](#), Up: [Sockets](#)

## The Local Namespace

This section describes the details of the local namespace, whose symbolic name (required when you create a socket) is `PF_LOCAL`. The local namespace is also known as "Unix domain sockets". Another name is file namespace since socket addresses are normally implemented as file names.

- [Concepts](#): What you need to understand.
- [Details](#): Address format, symbolic names, etc.
- [Example](#): Example of creating a socket.

---

Node: Local Namespace Concepts, Next: [Local Namespace Details](#), Up: [Local Namespace](#)

## Local Namespace Concepts

In the local namespace socket addresses are file names. You can specify any file name you want as the address of the socket, but you must have write permission on the directory containing it. It's common to

put these files in the `/tmp` directory.

One peculiarity of the local namespace is that the name is only used when opening the connection; once open the address is not meaningful and may not exist.

Another peculiarity is that you cannot connect to such a socket from another machine-not even if the other machine shares the file system which contains the name of the socket. You can see the socket in a directory listing, but connecting to it never succeeds. Some programs take advantage of this, such as by asking the client to send its own process ID, and using the process IDs to distinguish between clients. However, we recommend you not use this method in protocols you design, as we might someday permit connections from other machines that mount the same file systems. Instead, send each new client an identifying number if you want it to have one.

After you close a socket in the local namespace, you should delete the file name from the file system. Use `unlink` or `remove` to do this; see [Deleting Files](#).

The local namespace supports just one protocol for any communication style; it is protocol number 0.

---

Node: Local Namespace Details, Next: [Local Socket Example](#), Previous: [Local Namespace Concepts](#),  
Up: [Local Namespace](#)

## Details of Local Namespace

To create a socket in the local namespace, use the constant `PF_LOCAL` as the *namespace* argument to `socket` or `socketpair`. This constant is defined in `sys/socket.h`.

**int PF\_LOCAL** Macro

This designates the local namespace, in which socket addresses are local names, and its associated family of protocols. `PF_LOCAL` is the macro used by Posix.1g.

**int PF\_UNIX** Macro

This is a synonym for `PF_LOCAL`, for compatibility's sake.

**int PF\_FILE** Macro

This is a synonym for `PF_LOCAL`, for compatibility's sake.

The structure for specifying socket names in the local namespace is defined in the header file `sys/un.h`:

**struct sockaddr\_un**

Data Type

This structure is used to specify local namespace socket addresses. It has the following members:

```
short int sun_family
```

This identifies the address family or format of the socket address. You should store the value `AF_LOCAL` to designate the local namespace. See [Socket Addresses](#).

```
char sun_path[108]
```

This is the file name to use.

**Incomplete:** Why is 108 a magic number? RMS suggests making this a zero-length array and tweaking the following example to use `alloca` to allocate an appropriate amount of storage based on the length of the filename.

You should compute the *length* parameter for a socket address in the local namespace as the sum of the size of the `sun_family` component and the string length (*not* the allocation size!) of the file name string. This can be done using the macro `SUN_LEN`:

```
int SUN_LEN (struct sockaddr_un * ptr)
```

Macro

The macro computes the length of socket address in the local namespace.

---

Node: Local Socket Example, Previous: [Local Namespace Details](#), Up: [Local Namespace](#)

## Example of Local-Namespace Sockets

Here is an example showing how to create and name a socket in the local namespace.

```
#include <stddef.h>
#include <stdio.h>
#include <errno.h>
#include <stdlib.h>
#include <string.h>
#include <sys/socket.h>
#include <sys/un.h>

int
make_named_socket (const char *filename)
{
    struct sockaddr_un name;
    int sock;
```

```

size_t size;

/* Create the socket. */
sock = socket (PF_LOCAL, SOCK_DGRAM, 0);
if (sock < 0)
  {
    perror ("socket");
    exit (EXIT_FAILURE);
  }

/* Bind a name to the socket. */
name.sun_family = AF_LOCAL;
strncpy (name.sun_path, filename, sizeof (name.sun_path));
name.sun_path[sizeof (name.sun_path) - 1] = '\\0';

/* The size of the address is
   the offset of the start of the filename,
   plus its length,
   plus one for the terminating null byte.
   Alternatively you can just do:
   size = SUN_LEN (&name);
*/
size = (offsetof (struct sockaddr_un, sun_path)
        + strlen (name.sun_path) + 1);

if (bind (sock, (struct sockaddr *) &name, size) < 0)
  {
    perror ("bind");
    exit (EXIT_FAILURE);
  }

return sock;
}

```

---

Node: Internet Namespace, Next: [Misc Namespaces](#), Previous: [Local Namespace](#), Up: [Sockets](#)

## The Internet Namespace

This section describes the details of the protocols and socket naming conventions used in the Internet namespace.

Originally the Internet namespace used only IP version 4 (IPv4). With the growing number of hosts on the Internet, a new protocol with a larger address space was necessary: IP version 6 (IPv6). IPv6 introduces 128-bit addresses (IPv4 has 32-bit addresses) and other features, and will eventually replace IPv4.

To create a socket in the IPv4 Internet namespace, use the symbolic name `PF_INET` of this namespace as the *namespace* argument to `socket` or `socketpair`. For IPv6 addresses you need the macro `PF_INET6`. These macros are defined in `sys/socket.h`.

int **PF\_INET** Macro

This designates the IPv4 Internet namespace and associated family of protocols.

int **PF\_INET6** Macro

This designates the IPv6 Internet namespace and associated family of protocols.

A socket address for the Internet namespace includes the following components:

- The address of the machine you want to connect to. Internet addresses can be specified in several ways; these are discussed in [Internet Address Formats](#), [Host Addresses](#) and [Host Names](#).
- A port number for that machine. See [Ports](#).

You must ensure that the address and port number are represented in a canonical format called *network byte order*. See [Byte Order](#), for information about this.

- [Internet Address Formats](#): How socket addresses are specified in the Internet namespace.
- [Host Addresses](#): All about host addresses of Internet host.
- [Protocols Database](#): Referring to protocols by name.
- [Ports](#): Internet port numbers.
- [Services Database](#): Ports may have symbolic names.
- [Byte Order](#): Different hosts may use different byte ordering conventions; you need to canonicalize host address and port number.
- [Inet Example](#): Putting it all together.

---

Node: Internet Address Formats, Next: [Host Addresses](#), Up: [Internet Namespace](#)

## Internet Socket Address Formats

In the Internet namespace, for both IPv4 (`AF_INET`) and IPv6 (`AF_INET6`), a socket address consists of a host address and a port on that host. In addition, the protocol you choose serves effectively as a part of the address because local port numbers are meaningful only within a particular protocol.

The data types for representing socket addresses in the Internet namespace are defined in the header file `netinet/in.h`.

**struct sockaddr\_in**

Data Type

This is the data type used to represent socket addresses in the Internet namespace. It has the following members:

`sa_family_t sin_family`

This identifies the address family or format of the socket address. You should store the value `AF_INET` in this member. See [Socket Addresses](#).

`struct in_addr sin_addr`

This is the Internet address of the host machine. See [Host Addresses](#), and [Host Names](#), for how to get a value to store here.

`unsigned short int sin_port`

This is the port number. See [Ports](#).

When you call `bind` or `getsockname`, you should specify `sizeof (struct sockaddr_in)` as the *length* parameter if you are using an IPv4 Internet namespace socket address.

**struct sockaddr\_in6**

Data Type

This is the data type used to represent socket addresses in the IPv6 namespace. It has the following members:

`sa_family_t sin6_family`

This identifies the address family or format of the socket address. You should store the value of `AF_INET6` in this member. See [Socket Addresses](#).

`struct in6_addr sin6_addr`

This is the IPv6 address of the host machine. See [Host Addresses](#), and [Host Names](#), for how to get a value to store here.

`uint32_t sin6_flowinfo`

This is a currently unimplemented field.

`uint16_t sin6_port`

This is the port number. See [Ports](#).

---

Node: [Host Addresses](#), Next: [Protocols Database](#), Previous: [Internet Address Formats](#), Up: [Internet Namespace](#)

**Host Addresses**

Each computer on the Internet has one or more *Internet addresses*, numbers which identify that computer among all those on the Internet. Users typically write IPv4 numeric host addresses as sequences of four numbers, separated by periods, as in 128.52.46.32, and IPv6 numeric host addresses as sequences of up to eight numbers separated by colons, as in 5f03:1200:836f:c100::1.

Each computer also has one or more *host names*, which are strings of words separated by periods, as in `mescaline.gnu.org`.

Programs that let the user specify a host typically accept both numeric addresses and host names. To open a connection a program needs a numeric address, and so must convert a host name to the numeric address it stands for.

- [Abstract Host Addresses](#): What a host number consists of.
- [Data type](#): Data type for a host number.
- [Functions](#): Functions to operate on them.
- [Names](#): Translating host names to host numbers.

---

Node: Abstract Host Addresses, Next: [Host Address Data Type](#), Up: [Host Addresses](#)

## Internet Host Addresses

An IPv4 Internet host address is a number containing four bytes of data. Historically these are divided into two parts, a *network number* and a *local network address number* within that network. In the mid-1990s classless addresses were introduced which changed this behavior. Since some functions implicitly expect the old definitions, we first describe the class-based network and will then describe classless addresses. IPv6 uses only classless addresses and therefore the following paragraphs don't apply.

The class-based IPv4 network number consists of the first one, two or three bytes; the rest of the bytes are the local address.

IPv4 network numbers are registered with the Network Information Center (NIC), and are divided into three classes--A, B and C. The local network address numbers of individual machines are registered with the administrator of the particular network.

Class A networks have single-byte numbers in the range 0 to 127. There are only a small number of Class A networks, but they can each support a very large number of hosts. Medium-sized Class B networks have two-byte network numbers, with the first byte in the range 128 to 191. Class C networks are the smallest; they have three-byte network numbers, with the first byte in the range 192-255. Thus, the first 1, 2, or 3 bytes of an Internet address specify a network. The remaining bytes of the Internet

address specify the address within that network.

The Class A network 0 is reserved for broadcast to all networks. In addition, the host number 0 within each network is reserved for broadcast to all hosts in that network. These uses are obsolete now but for compatibility reasons you shouldn't use network 0 and host number 0.

The Class A network 127 is reserved for loopback; you can always use the Internet address 127.0.0.1 to refer to the host machine.

Since a single machine can be a member of multiple networks, it can have multiple Internet host addresses. However, there is never supposed to be more than one machine with the same host address.

There are four forms of the *standard numbers-and-dots notation* for Internet addresses:

*a.b.c.d*

This specifies all four bytes of the address individually and is the commonly used representation.

*a.b.c*

The last part of the address, *c*, is interpreted as a 2-byte quantity. This is useful for specifying host addresses in a Class B network with network address number *a.b*.

*a.b*

The last part of the address, *b*, is interpreted as a 3-byte quantity. This is useful for specifying host addresses in a Class A network with network address number *a*.

*a*

If only one part is given, this corresponds directly to the host address number.

Within each part of the address, the usual C conventions for specifying the radix apply. In other words, a leading 0x or 0X implies hexadecimal radix; a leading 0 implies octal; and otherwise decimal radix is assumed.

## Classless Addresses

IPv4 addresses (and IPv6 addresses also) are now considered classless; the distinction between classes A, B and C can be ignored. Instead an IPv4 host address consists of a 32-bit address and a 32-bit mask. The mask contains set bits for the network part and cleared bits for the host part. The network part is contiguous from the left, with the remaining bits representing the host. As a consequence, the netmask can simply be specified as the number of set bits. Classes A, B and C are just special cases of this general rule. For example, class A addresses have a netmask of 255.0.0.0 or a prefix length of 8.

Classless IPv4 network addresses are written in numbers-and-dots notation with the prefix length appended and a slash as separator. For example the class A network 10 is written as 10.0.0.0/8.



## IPv6 Addresses

IPv6 addresses contain 128 bits (IPv4 has 32 bits) of data. A host address is usually written as eight 16-bit hexadecimal numbers that are separated by colons. Two colons are used to abbreviate strings of consecutive zeros. For example, the IPv6 loopback address `0:0:0:0:0:0:0:1` can just be written as `::1`.

---

Node: Host Address Data Type, Next: [Host Address Functions](#), Previous: [Abstract Host Addresses](#), Up: [Host Addresses](#)

### Host Address Data Type

IPv4 Internet host addresses are represented in some contexts as integers (type `uint32_t`). In other contexts, the integer is packaged inside a structure of type `struct in_addr`. It would be better if the usage were made consistent, but it is not hard to extract the integer from the structure or put the integer into a structure.

You will find older code that uses `unsigned long int` for IPv4 Internet host addresses instead of `uint32_t` or `struct in_addr`. Historically `unsigned long int` was a 32-bit number but with 64-bit machines this has changed. Using `unsigned long int` might break the code if it is used on machines where this type doesn't have 32 bits. `uint32_t` is specified by Unix98 and guaranteed to have 32 bits.

IPv6 Internet host addresses have 128 bits and are packaged inside a structure of type `struct in6_addr`.

The following basic definitions for Internet addresses are declared in the header file `netinet/in.h`:

**struct in\_addr** Data Type

This data type is used in certain contexts to contain an IPv4 Internet host address. It has just one field, named `s_addr`, which records the host address number as an `uint32_t`.

`uint32_t INADDR_LOOPBACK` Macro

You can use this constant to stand for "the address of this machine," instead of finding its actual address. It is the IPv4 Internet address `127.0.0.1`, which is usually called `localhost`. This special constant saves you the trouble of looking up the address of your own machine. Also, the system usually implements `INADDR_LOOPBACK` specially, avoiding any network traffic for the case of one machine talking to itself.

`uint32_t` **INADDR\_ANY** Macro

You can use this constant to stand for "any incoming address" when binding to an address. See [Setting Address](#). This is the usual address to give in the `sin_addr` member of `struct sockaddr_in` when you want to accept Internet connections.

`uint32_t` **INADDR\_BROADCAST** Macro

This constant is the address you use to send a broadcast message.

`uint32_t` **INADDR\_NONE** Macro

This constant is returned by some functions to indicate an error.

**struct in6\_addr** Data Type

This data type is used to store an IPv6 address. It stores 128 bits of data, which can be accessed (via a union) in a variety of ways.

`struct in6_addr` **in6addr\_loopback** Constant

This constant is the IPv6 address `::1`, the loopback address. See above for a description of what this means. The macro `IN6ADDR_LOOPBACK_INIT` is provided to allow you to initialize your own variables to this value.

`struct in6_addr` **in6addr\_any** Constant

This constant is the IPv6 address `:::`, the unspecified address. See above for a description of what this means. The macro `IN6ADDR_ANY_INIT` is provided to allow you to initialize your own variables to this value.

---

Node: [Host Address Functions](#), Next: [Host Names](#), Previous: [Host Address Data Type](#), Up: [Host Addresses](#)

## Host Address Functions

These additional functions for manipulating Internet addresses are declared in the header file `arpa/inet.h`. They represent Internet addresses in network byte order, and network numbers and local-address-within-network numbers in host byte order. See [Byte Order](#), for an explanation of network and host byte order.

int **inet\_aton** (*const char \*name, struct in\_addr \*addr*) Function

This function converts the IPv4 Internet host address *name* from the standard numbers-and-dots notation into binary data and stores it in the `struct in_addr` that *addr* points to. `inet_aton` returns nonzero if the address is valid, zero if not.

`uint32_t` **inet\_addr** (*const char \*name*) Function

This function converts the IPv4 Internet host address *name* from the standard numbers-and-dots notation into binary data. If the input is not valid, `inet_addr` returns `INADDR_NONE`. This is an obsolete interface to `inet_aton`, described immediately above. It is obsolete because `INADDR_NONE` is a valid address (255.255.255.255), and `inet_aton` provides a cleaner way to indicate error return.

`uint32_t` **inet\_network** (*const char \*name*) Function

This function extracts the network number from the address *name*, given in the standard numbers-and-dots notation. The returned address is in host order. If the input is not valid, `inet_network` returns `-1`.

The function works only with traditional IPv4 class A, B and C network types. It doesn't work with classless addresses and shouldn't be used anymore.

`char *` **inet\_ntoa** (*struct in\_addr addr*) Function

This function converts the IPv4 Internet host address *addr* to a string in the standard numbers-and-dots notation. The return value is a pointer into a statically-allocated buffer. Subsequent calls will overwrite the same buffer, so you should copy the string if you need to save it.

In multi-threaded programs each thread has an own statically-allocated buffer. But still subsequent calls of `inet_ntoa` in the same thread will overwrite the result of the last call.

Instead of `inet_ntoa` the newer function `inet_ntop` which is described below should be used since it handles both IPv4 and IPv6 addresses.

`struct in_addr` **inet\_makeaddr** (*uint32\_t net, uint32\_t local*) Function

This function makes an IPv4 Internet host address by combining the network number *net* with the local-address-within-network number *local*.

`uint32_t` **inet\_lnaof** (*struct in\_addr addr*) Function

This function returns the local-address-within-network part of the Internet host address *addr*.

The function works only with traditional IPv4 class A, B and C network types. It doesn't work with classless addresses and shouldn't be used anymore.

`uint32_t inet_netof (struct in_addr addr)` Function

This function returns the network number part of the Internet host address *addr*.

The function works only with traditional IPv4 class A, B and C network types. It doesn't work with classless addresses and shouldn't be used anymore.

`int inet_pton (int af, const char *cp, void *buf)` Function

This function converts an Internet address (either IPv4 or IPv6) from presentation (textual) to network (binary) format. *af* should be either `AF_INET` or `AF_INET6`, as appropriate for the type of address being converted. *cp* is a pointer to the input string, and *buf* is a pointer to a buffer for the result. It is the caller's responsibility to make sure the buffer is large enough.

`const char * inet_ntop (int af, const void *cp, char *buf, size_t len)` Function

This function converts an Internet address (either IPv4 or IPv6) from network (binary) to presentation (textual) form. *af* should be either `AF_INET` or `AF_INET6`, as appropriate. *cp* is a pointer to the address to be converted. *buf* should be a pointer to a buffer to hold the result, and *len* is the length of this buffer. The return value from the function will be this buffer address.

---

Node: Host Names, Previous: [Host Address Functions](#), Up: [Host Addresses](#)

## Host Names

Besides the standard numbers-and-dots notation for Internet addresses, you can also refer to a host by a symbolic name. The advantage of a symbolic name is that it is usually easier to remember. For example, the machine with Internet address `158.121.106.19` is also known as `alpha.gnu.org`; and other machines in the `gnu.org` domain can refer to it simply as `alpha`.

Internally, the system uses a database to keep track of the mapping between host names and host numbers. This database is usually either the file `/etc/hosts` or an equivalent provided by a name server. The functions and other symbols for accessing this database are declared in `netdb.h`. They are BSD features, defined unconditionally if you include `netdb.h`.

`struct hostent` Data Type

This data type is used to represent an entry in the hosts database. It has the following members:

`char *h_name`

This is the "official" name of the host.

`char **h_aliases`

These are alternative names for the host, represented as a null-terminated vector of strings.

`int h_addrtype`

This is the host address type; in practice, its value is always either `AF_INET` or `AF_INET6`, with the latter being used for IPv6 hosts. In principle other kinds of addresses could be represented in the database as well as Internet addresses; if this were done, you might find a value in this field other than `AF_INET` or `AF_INET6`. See [Socket Addresses](#).

`int h_length`

This is the length, in bytes, of each address.

`char **h_addr_list`

This is the vector of addresses for the host. (Recall that the host might be connected to multiple networks and have different addresses on each one.) The vector is terminated by a null pointer.

`char *h_addr`

This is a synonym for `h_addr_list[0]`; in other words, it is the first host address.

As far as the host database is concerned, each address is just a block of memory `h_length` bytes long. But in other contexts there is an implicit assumption that you can convert IPv4 addresses to a `struct in_addr` or an `uint32_t`. Host addresses in a `struct hostent` structure are always given in network byte order; see [Byte Order](#).

You can use `gethostbyname`, `gethostbyname2` or `gethostbyaddr` to search the hosts database for information about a particular host. The information is returned in a statically-allocated structure; you must copy the information if you need to save it across calls. You can also use `getaddrinfo` and `getnameinfo` to obtain this information.

`struct hostent * gethostbyname (const char *name)` Function

The `gethostbyname` function returns information about the host named *name*. If the lookup fails, it returns a null pointer.

`struct hostent * gethostbyname2 (const char *name, int af)` Function

The `gethostbyname2` function is like `gethostbyname`, but allows the caller to specify the desired address family (e.g. `AF_INET` or `AF_INET6`) of the result.

`struct hostent * gethostbyaddr (const char *addr, size_t length, int format)` Function

The `gethostbyaddr` function returns information about the host with Internet address *addr*. The parameter *addr* is not really a pointer to `char` - it can be a pointer to an IPv4 or an IPv6 address. The *length* argument is the size (in bytes) of the address at *addr*. *format* specifies the address format; for an IPv4 Internet address, specify a value of `AF_INET`; for an IPv6 Internet address, use `AF_INET6`.

If the lookup fails, `gethostbyaddr` returns a null pointer.

If the name lookup by `gethostbyname` or `gethostbyaddr` fails, you can find out the reason by looking at the value of the variable `h_errno`. (It would be cleaner design for these functions to set `errno`, but use of `h_errno` is compatible with other systems.)

Here are the error codes that you may find in `h_errno`:

`HOST_NOT_FOUND`

No such host is known in the database.

`TRY_AGAIN`

This condition happens when the name server could not be contacted. If you try again later, you may succeed then.

`NO_RECOVERY`

A non-recoverable error occurred.

`NO_ADDRESS`

The host database contains an entry for the name, but it doesn't have an associated Internet address.

The lookup functions above all have one in common: they are not reentrant and therefore unusable in multi-threaded applications. Therefore provides the GNU C library a new set of functions which can be used in this context.

`int` **`gethostbyname_r`** (*const char \*restrict name, struct hostent \*restrict result\_buf, char \*restrict buf, size\_t buflen, struct hostent \*\*restrict result, int \*restrict h\_errnop*)

Function

The `gethostbyname_r` function returns information about the host named *name*. The caller must pass a pointer to an object of type `struct hostent` in the *result\_buf* parameter. In addition the function may need extra buffer space and the caller must pass a pointer and the size of the buffer in the *buf* and *buflen* parameters.

A pointer to the buffer, in which the result is stored, is available in *\*result* after the function call successfully returned. If an error occurs or if no entry is found, the pointer *\*result* is a null pointer. Success is signalled by a zero return value. If the function failed the return value is an error number. In addition to the errors defined for `gethostbyname` it can also be `ERANGE`. In this case the call should be repeated with a larger buffer. Additional error information is not stored in the global variable `h_errno` but instead in the object pointed to by *h\_errnop*.

Here's a small example:

```
struct hostent *
gethostname (char *host)
{
    struct hostent hostbuf, *hp;
    size_t hstbuflen;
    char *tmphstbuf;
    int res;
    int herr;

    hstbuflen = 1024;
    /* Allocate buffer, remember to free it to avoid memory leakage. */
    tmphstbuf = malloc (hstbuflen);

    while ((res = gethostbyname_r (host, &hostbuf, tmphstbuf, hstbuflen,
                                   &hp, &herr)) == ERANGE)
    {
        /* Enlarge the buffer. */
        hstbuflen *= 2;
        tmphstbuf = realloc (tmphstbuf, hstbuflen);
    }
    /* Check for errors. */
    if (res || hp == NULL)
        return NULL;
    return hp;
}
```

**int gethostbyname2\_r** (*const char \*name, int af, struct hostent \*restrict result\_buf, char \*restrict buf, size\_t buflen, struct hostent \*\*restrict result, int \*restrict h\_errnop*)

Function

The `gethostbyname2_r` function is like `gethostbyname_r`, but allows the caller to specify the desired address family (e.g. `AF_INET` or `AF_INET6`) for the result.

`int gethostbyaddr_r (const char *addr, size_t length, int format, struct hostent *restrict result_buf, char *restrict buf, size_t buflen, struct hostent **restrict result, int *restrict h_errnop)` Function

The `gethostbyaddr_r` function returns information about the host with Internet address *addr*. The parameter *addr* is not really a pointer to `char` - it can be a pointer to an IPv4 or an IPv6 address. The *length* argument is the size (in bytes) of the address at *addr*. *format* specifies the address format; for an IPv4 Internet address, specify a value of `AF_INET`; for an IPv6 Internet address, use `AF_INET6`.

Similar to the `gethostbyname_r` function, the caller must provide buffers for the result and memory used internally. In case of success the function returns zero. Otherwise the value is an error number where `ERANGE` has the special meaning that the caller-provided buffer is too small.

You can also scan the entire hosts database one entry at a time using `sethostent`, `gethostent` and `endhostent`. Be careful when using these functions because they are not reentrant.

`void sethostent (int stayopen)` Function

This function opens the hosts database to begin scanning it. You can then call `gethostent` to read the entries.

If the *stayopen* argument is nonzero, this sets a flag so that subsequent calls to `gethostbyname` or `gethostbyaddr` will not close the database (as they usually would). This makes for more efficiency if you call those functions several times, by avoiding reopening the database for each call.

`struct hostent * gethostent (void)` Function

This function returns the next entry in the hosts database. It returns a null pointer if there are no more entries.

`void endhostent (void)` Function

This function closes the hosts database.

---

Node: Ports, Next: [Services Database](#), Previous: [Protocols Database](#), Up: [Internet Namespace](#)



## Internet Ports

A socket address in the Internet namespace consists of a machine's Internet address plus a *port number* which distinguishes the sockets on a given machine (for a given protocol). Port numbers range from 0 to 65,535.

Port numbers less than `IPPORT_RESERVED` are reserved for standard servers, such as `finger` and `telnet`. There is a database that keeps track of these, and you can use the `getservbyname` function to map a service name onto a port number; see [Services Database](#).

If you write a server that is not one of the standard ones defined in the database, you must choose a port number for it. Use a number greater than `IPPORT_USERRESERVED`; such numbers are reserved for servers and won't ever be generated automatically by the system. Avoiding conflicts with servers being run by other users is up to you.

When you use a socket without specifying its address, the system generates a port number for it. This number is between `IPPORT_RESERVED` and `IPPORT_USERRESERVED`.

On the Internet, it is actually legitimate to have two different sockets with the same port number, as long as they never both try to communicate with the same socket address (host address plus port number). You shouldn't duplicate a port number except in special circumstances where a higher-level protocol requires it. Normally, the system won't let you do it; `bind` normally insists on distinct port numbers. To reuse a port number, you must set the socket option `SO_REUSEADDR`. See [Socket-Level Options](#).

These macros are defined in the header file `netinet/in.h`.

**int `IPPORT_RESERVED`** Macro

Port numbers less than `IPPORT_RESERVED` are reserved for superuser use.

**int `IPPORT_USERRESERVED`** Macro

Port numbers greater than or equal to `IPPORT_USERRESERVED` are reserved for explicit use; they will never be allocated automatically.

---

Node: Services Database, Next: [Byte Order](#), Previous: [Ports](#), Up: [Internet Namespace](#)

## The Services Database

The database that keeps track of "well-known" services is usually either the file `/etc/services` or an equivalent from a name server. You can use these utilities, declared in `netdb.h`, to access the

services database.

## struct servent

Data Type

This data type holds information about entries from the services database. It has the following members:

char \*s\_name

This is the "official" name of the service.

char \*\*s\_aliases

These are alternate names for the service, represented as an array of strings. A null pointer terminates the array.

int s\_port

This is the port number for the service. Port numbers are given in network byte order; see [Byte Order](#).

char \*s\_proto

This is the name of the protocol to use with this service. See [Protocols Database](#).

To get information about a particular service, use the `getservbyname` or `getservbyport` functions. The information is returned in a statically-allocated structure; you must copy the information if you need to save it across calls.

struct servent \* **getservbyname** (*const char \*name, const char \*proto*)

Function

The `getservbyname` function returns information about the service named *name* using protocol *proto*. If it can't find such a service, it returns a null pointer.

This function is useful for servers as well as for clients; servers use it to determine which port they should listen on (see [Listening](#)).

struct servent \* **getservbyport** (*int port, const char \*proto*)

Function

The `getservbyport` function returns information about the service at port *port* using protocol *proto*. If it can't find such a service, it returns a null pointer.

You can also scan the services database using `setservent`, `getservent` and `endservent`. Be careful when using these functions because they are not reentrant.

void **setservent** (*int stayopen*)

Function

This function opens the services database to begin scanning it.

If the *stayopen* argument is nonzero, this sets a flag so that subsequent calls to `getservbyname` or `getservbyport` will not close the database (as they usually would). This makes for more efficiency if you call those functions several times, by avoiding reopening the database for each call.

`struct servent * getservent (void)` Function

This function returns the next entry in the services database. If there are no more entries, it returns a null pointer.

`void endservent (void)` Function

This function closes the services database.

---

Node: [Byte Order](#), Next: [Inet Example](#), Previous: [Services Database](#), Up: [Internet Namespace](#)

## Byte Order Conversion

Different kinds of computers use different conventions for the ordering of bytes within a word. Some computers put the most significant byte within a word first (this is called "big-endian" order), and others put it last ("little-endian" order).

So that machines with different byte order conventions can communicate, the Internet protocols specify a canonical byte order convention for data transmitted over the network. This is known as *network byte order*.

When establishing an Internet socket connection, you must make sure that the data in the `sin_port` and `sin_addr` members of the `sockaddr_in` structure are represented in network byte order. If you are encoding integer data in the messages sent through the socket, you should convert this to network byte order too. If you don't do this, your program may fail when running on or talking to other kinds of machines.

If you use `getservbyname` and `gethostbyname` or `inet_addr` to get the port number and host address, the values are already in network byte order, and you can copy them directly into the `sockaddr_in` structure.

Otherwise, you have to convert the values explicitly. Use `htons` and `ntohs` to convert values for the `sin_port` member. Use `htonl` and `ntohl` to convert IPv4 addresses for the `sin_addr` member. (Remember, `struct in_addr` is equivalent to `uint32_t`.) These functions are declared in

netinet/in.h.

`uint16_t htons (uint16_t hostshort)`

Function

This function converts the `uint16_t` integer *hostshort* from host byte order to network byte order.

`uint16_t ntohs (uint16_t netshort)`

Function

This function converts the `uint16_t` integer *netshort* from network byte order to host byte order.

`uint32_t htonl (uint32_t hostlong)`

Function

This function converts the `uint32_t` integer *hostlong* from host byte order to network byte order.

This is used for IPv4 Internet addresses.

`uint32_t ntohl (uint32_t netlong)`

Function

This function converts the `uint32_t` integer *netlong* from network byte order to host byte order.

This is used for IPv4 Internet addresses.

---

Node: Protocols Database, Next: [Ports](#), Previous: [Host Addresses](#), Up: [Internet Namespace](#)

## Protocols Database

The communications protocol used with a socket controls low-level details of how data are exchanged. For example, the protocol implements things like checksums to detect errors in transmissions, and routing instructions for messages. Normal user programs have little reason to mess with these details directly.

The default communications protocol for the Internet namespace depends on the communication style. For stream communication, the default is TCP ("transmission control protocol"). For datagram communication, the default is UDP ("user datagram protocol"). For reliable datagram communication, the default is RDP ("reliable datagram protocol"). You should nearly always use the default.

Internet protocols are generally specified by a name instead of a number. The network protocols that a host knows about are stored in a database. This is usually either derived from the file `/etc/protocols`, or it may be an equivalent provided by a name server. You look up the protocol number

associated with a named protocol in the database using the `getprotobyname` function.

Here are detailed descriptions of the utilities for accessing the protocols database. These are declared in `netdb.h`.

## **struct protoent**

Data Type

This data type is used to represent entries in the network protocols database. It has the following members:

`char *p_name`

This is the official name of the protocol.

`char **p_aliases`

These are alternate names for the protocol, specified as an array of strings. The last element of the array is a null pointer.

`int p_proto`

This is the protocol number (in host byte order); use this member as the *protocol* argument to `socket`.

You can use `getprotobyname` and `getprotobynumber` to search the protocols database for a specific protocol. The information is returned in a statically-allocated structure; you must copy the information if you need to save it across calls.

`struct protoent * getprotobyname (const char *name)`

Function

The `getprotobyname` function returns information about the network protocol named *name*. If there is no such protocol, it returns a null pointer.

`struct protoent * getprotobynumber (int protocol)`

Function

The `getprotobynumber` function returns information about the network protocol with number *protocol*. If there is no such protocol, it returns a null pointer.

You can also scan the whole protocols database one protocol at a time by using `setprotoent`, `getprotoent` and `endprotoent`. Be careful when using these functions because they are not reentrant.

`void setprotoent (int stayopen)`

Function

This function opens the protocols database to begin scanning it.

If the *stayopen* argument is nonzero, this sets a flag so that subsequent calls to `getprotobyname` or `getprotobynumber` will not close the database (as they usually would). This makes for more efficiency if you call those functions several times, by avoiding reopening the database for each call.

`struct protoent * getprotoent (void)` Function

This function returns the next entry in the protocols database. It returns a null pointer if there are no more entries.

`void endprotoent (void)` Function

This function closes the protocols database.

Node: [Inet Example](#), Previous: [Byte Order](#), Up: [Internet Namespace](#)

## Internet Socket Example

Here is an example showing how to create and name a socket in the Internet namespace. The newly created socket exists on the machine that the program is running on. Rather than finding and using the machine's Internet address, this example specifies `INADDR_ANY` as the host address; the system replaces that with the machine's actual address.

```
#include <stdio.h>
#include <stdlib.h>
#include <sys/socket.h>
#include <netinet/in.h>

int
make_socket (uint16_t port)
{
    int sock;
    struct sockaddr_in name;

    /* Create the socket. */
    sock = socket (PF_INET, SOCK_STREAM, 0);
    if (sock < 0)
    {
        perror ("socket");
        exit (EXIT_FAILURE);
    }
}
```

```

/* Give the socket a name. */
name.sin_family = AF_INET;
name.sin_port = htons (port);
name.sin_addr.s_addr = htonl (INADDR_ANY);
if (bind (sock, (struct sockaddr *) &name, sizeof (name)) < 0)
{
    perror ("bind");
    exit (EXIT_FAILURE);
}

return sock;
}

```

Here is another example, showing how you can fill in a `sockaddr_in` structure, given a host name string and a port number:

```

#include <stdio.h>
#include <stdlib.h>
#include <sys/socket.h>
#include <netinet/in.h>
#include <netdb.h>

void
init_sockaddr (struct sockaddr_in *name,
               const char *hostname,
               uint16_t port)
{
    struct hostent *hostinfo;

    name->sin_family = AF_INET;
    name->sin_port = htons (port);
    hostinfo = gethostbyname (hostname);
    if (hostinfo == NULL)
    {
        fprintf (stderr, "Unknown host %s.\n", hostname);
        exit (EXIT_FAILURE);
    }
    name->sin_addr = *(struct in_addr *) hostinfo->h_addr;
}

```

---

Node: Misc Namespaces, Next: [Open/Close Sockets](#), Previous: [Internet Namespace](#), Up: [Sockets](#)

## Other Namespaces

Certain other namespaces and associated protocol families are supported but not documented yet

because they are not often used. `PF_NS` refers to the Xerox Network Software protocols. `PF_ISO` stands for Open Systems Interconnect. `PF_CCITT` refers to protocols from CCITT. `socket.h` defines these symbols and others naming protocols not actually implemented.

`PF_IMPLINK` is used for communicating between hosts and Internet Message Processors. For information on this and `PF_ROUTE`, an occasionally-used local area routing protocol, see the GNU Hurd Manual (to appear in the future).

---

Node: Open/Close Sockets, Next: [Connections](#), Previous: [Misc Namespaces](#), Up: [Sockets](#)

## Opening and Closing Sockets

This section describes the actual library functions for opening and closing sockets. The same functions work for all namespaces and connection styles.

- [Creating a Socket](#): How to open a socket.
- [Closing a Socket](#): How to close a socket.
- [Socket Pairs](#): These are created like pipes.

---

Node: Creating a Socket, Next: [Closing a Socket](#), Up: [Open/Close Sockets](#)

## Creating a Socket

The primitive for creating a socket is the `socket` function, declared in `sys/socket.h`.

`int socket` (*int namespace, int style, int protocol*) Function

This function creates a socket and specifies communication style *style*, which should be one of the socket styles listed in [Communication Styles](#). The *namespace* argument specifies the namespace; it must be `PF_LOCAL` (see [Local Namespace](#)) or `PF_INET` (see [Internet Namespace](#)). *protocol* designates the specific protocol (see [Socket Concepts](#)); zero is usually right for *protocol*.

The return value from `socket` is the file descriptor for the new socket, or `-1` in case of error. The following `errno` error conditions are defined for this function:

`EPROTONOSUPPORT`

The *protocol* or *style* is not supported by the *namespace* specified.

`EMFILE`

The process already has too many file descriptors open.



**ENFILE**

The system already has too many file descriptors open.

**EACCES**

The process does not have the privilege to create a socket of the specified *style* or *protocol*.

**ENOBUFS**

The system ran out of internal buffer space.

The file descriptor returned by the `socket` function supports both read and write operations. However, like pipes, sockets do not support file positioning operations.

For examples of how to call the `socket` function, see [Local Socket Example](#), or [Inet Example](#).

Node: Closing a Socket, Next: [Socket Pairs](#), Previous: [Creating a Socket](#), Up: [Open/Close Sockets](#)

## Closing a Socket

When you have finished using a socket, you can simply close its file descriptor with `close`; see [Opening and Closing Files](#). If there is still data waiting to be transmitted over the connection, normally `close` tries to complete this transmission. You can control this behavior using the `SO_LINGER` socket option to specify a timeout period; see [Socket Options](#).

You can also shut down only reception or transmission on a connection by calling `shutdown`, which is declared in `sys/socket.h`.

`int shutdown` (*int socket*, *int how*)

Function

The `shutdown` function shuts down the connection of socket *socket*. The argument *how* specifies what action to perform:

0

Stop receiving data for this socket. If further data arrives, reject it.

1

Stop trying to transmit data from this socket. Discard any data waiting to be sent. Stop looking for acknowledgement of data already sent; don't retransmit it if it is lost.

2

Stop both reception and transmission.

The return value is 0 on success and -1 on failure. The following `errno` error conditions are defined for this function:

EBADF

*socket* is not a valid file descriptor.

ENOTSOCK

*socket* is not a socket.

ENOTCONN

*socket* is not connected.Node: Socket Pairs, Previous: [Closing a Socket](#), Up: [Open/Close Sockets](#)

## Socket Pairs

A *socket pair* consists of a pair of connected (but unnamed) sockets. It is very similar to a pipe and is used in much the same way. Socket pairs are created with the `socketpair` function, declared in `sys/socket.h`. A socket pair is much like a pipe; the main difference is that the socket pair is bidirectional, whereas the pipe has one input-only end and one output-only end (see [Pipes and FIFOs](#)).

`int socketpair` (*int namespace, int style, int protocol, int filedes[ 2 ]*) Function

This function creates a socket pair, returning the file descriptors in `filedes[ 0 ]` and `filedes[ 1 ]`. The socket pair is a full-duplex communications channel, so that both reading and writing may be performed at either end.

The *namespace*, *style* and *protocol* arguments are interpreted as for the `socket` function. *style* should be one of the communication styles listed in [Communication Styles](#). The *namespace* argument specifies the namespace, which must be `AF_LOCAL` (see [Local Namespace](#)); *protocol* specifies the communications protocol, but zero is the only meaningful value.

If *style* specifies a connectionless communication style, then the two sockets you get are not *connected*, strictly speaking, but each of them knows the other as the default destination address, so they can send packets to each other.

The `socketpair` function returns 0 on success and -1 on failure. The following `errno` error conditions are defined for this function:

EMFILE

The process has too many file descriptors open.

EAFNOSUPPORT

The specified namespace is not supported.

EPROTONOSUPPORT

The specified protocol is not supported.

## EOPNOTSUPP

The specified protocol does not support the creation of socket pairs.

---

Node: Connections, Next: [Datagrams](#), Previous: [Open/Close Sockets](#), Up: [Sockets](#)

## Using Sockets with Connections

The most common communication styles involve making a connection to a particular other socket, and then exchanging data with that socket over and over. Making a connection is asymmetric; one side (the *client*) acts to request a connection, while the other side (the *server*) makes a socket and waits for the connection request.

- [Connecting](#): What the client program must do.
- [Listening](#): How a server program waits for requests.
- [Accepting Connections](#): What the server does when it gets a request.
- [Who is Connected](#): Getting the address of the other side of a connection.
- [Transferring Data](#): How to send and receive data.
- [Byte Stream Example](#): An example program: a client for communicating over a byte stream socket in the Internet namespace.
- [Server Example](#): A corresponding server program.
- [Out-of-Band Data](#): This is an advanced feature.

---

Node: Connecting, Next: [Listening](#), Up: [Connections](#)

## Making a Connection

In making a connection, the client makes a connection while the server waits for and accepts the connection. Here we discuss what the client program must do with the `connect` function, which is declared in `sys/socket.h`.

```
int connect (int socket, struct sockaddr *addr, socklen_t length)
```

Function

The `connect` function initiates a connection from the socket with file descriptor *socket* to the socket whose address is specified by the *addr* and *length* arguments. (This socket is typically on another machine, and it must be already set up as a server.) See [Socket Addresses](#), for information about how these arguments are interpreted.

Normally, `connect` waits until the server responds to the request before it returns. You can set nonblocking mode on the socket *socket* to make `connect` return immediately without waiting for the response. See [File Status Flags](#), for information about nonblocking mode.

The normal return value from `connect` is 0. If an error occurs, `connect` returns -1. The following `errno` error conditions are defined for this function:

EBADF

The socket *socket* is not a valid file descriptor.

ENOTSOCK

File descriptor *socket* is not a socket.

EADDRNOTAVAIL

The specified address is not available on the remote machine.

EAFNOSUPPORT

The namespace of the *addr* is not supported by this socket.

EISCONN

The socket *socket* is already connected.

ETIMEDOUT

The attempt to establish the connection timed out.

ECONNREFUSED

The server has actively refused to establish the connection.

ENETUNREACH

The network of the given *addr* isn't reachable from this host.

EADDRINUSE

The socket address of the given *addr* is already in use.

EINPROGRESS

The socket *socket* is non-blocking and the connection could not be established immediately. You can determine when the connection is completely established with `select`; see [Waiting for I/O](#). Another `connect` call on the same socket, before the connection is completely established, will fail with `EALREADY`.

EALREADY

The socket *socket* is non-blocking and already has a pending connection in progress (see `EINPROGRESS` above).

This function is defined as a cancellation point in multi-threaded programs, so one has to be prepared for this and make sure that allocated resources (like memory, files descriptors, semaphores or whatever) are freed even if the thread is canceled.

---

Node: Listening, Next: [Accepting Connections](#), Previous: [Connecting](#), Up: [Connections](#)

## Listening for Connections

Now let us consider what the server process must do to accept connections on a socket. First it must use the `listen` function to enable connection requests on the socket, and then accept each incoming connection with a call to `accept` (see [Accepting Connections](#)). Once connection requests are enabled on a server socket, the `select` function reports when the socket has a connection ready to be accepted (see [Waiting for I/O](#)).

The `listen` function is not allowed for sockets using connectionless communication styles.

You can write a network server that does not even start running until a connection to it is requested. See [Inetd Servers](#).

In the Internet namespace, there are no special protection mechanisms for controlling access to a port; any process on any machine can make a connection to your server. If you want to restrict access to your server, make it examine the addresses associated with connection requests or implement some other handshaking or identification protocol.

In the local namespace, the ordinary file protection bits control who has access to connect to the socket.

`int` **listen** (*int socket, unsigned int n*) Function

The `listen` function enables the socket *socket* to accept connections, thus making it a server socket.

The argument *n* specifies the length of the queue for pending connections. When the queue fills, new clients attempting to connect fail with `ECONNREFUSED` until the server calls `accept` to accept a connection from the queue.

The `listen` function returns 0 on success and -1 on failure. The following `errno` error conditions are defined for this function:

`EBADF`

The argument *socket* is not a valid file descriptor.

`ENOTSOCK`

The argument *socket* is not a socket.

`EOPNOTSUPP`

The socket *socket* does not support this operation.

---

Node: Accepting Connections, Next: [Who is Connected](#), Previous: [Listening](#), Up: [Connections](#)

## Accepting Connections

When a server receives a connection request, it can complete the connection by accepting the request. Use the function `accept` to do this.

A socket that has been established as a server can accept connection requests from multiple clients. The server's original socket *does not become part of the connection*; instead, `accept` makes a new socket which participates in the connection. `accept` returns the descriptor for this socket. The server's original socket remains available for listening for further connection requests.

The number of pending connection requests on a server socket is finite. If connection requests arrive from clients faster than the server can act upon them, the queue can fill up and additional requests are refused with an `ECONNREFUSED` error. You can specify the maximum length of this queue as an argument to the `listen` function, although the system may also impose its own internal limit on the length of this queue.

**int `accept`** (*int socket, struct sockaddr \*addr, socklen\_t \*length\_ptr*) Function

This function is used to accept a connection request on the server socket *socket*.

The `accept` function waits if there are no connections pending, unless the socket *socket* has nonblocking mode set. (You can use `select` to wait for a pending connection, with a nonblocking socket.) See [File Status Flags](#), for information about nonblocking mode.

The *addr* and *length\_ptr* arguments are used to return information about the name of the client socket that initiated the connection. See [Socket Addresses](#), for information about the format of the information.

Accepting a connection does not make *socket* part of the connection. Instead, it creates a new socket which becomes connected. The normal return value of `accept` is the file descriptor for the new socket.

After `accept`, the original socket *socket* remains open and unconnected, and continues listening until you close it. You can accept further connections with *socket* by calling `accept` again.

If an error occurs, `accept` returns `-1`. The following `errno` error conditions are defined for this

function:

EBADF

The *socket* argument is not a valid file descriptor.

ENOTSOCK

The descriptor *socket* argument is not a socket.

EOPNOTSUPP

The descriptor *socket* does not support this operation.

EWOULDBLOCK

*socket* has nonblocking mode set, and there are no pending connections immediately available.

This function is defined as a cancellation point in multi-threaded programs, so one has to be prepared for this and make sure that allocated resources (like memory, files descriptors, semaphores or whatever) are freed even if the thread is canceled.

The `accept` function is not allowed for sockets using connectionless communication styles.

---

Node: Who is Connected, Next: [Transferring Data](#), Previous: [Accepting Connections](#), Up: [Connections](#)

## Who is Connected to Me?

`int getpeername (int socket, struct sockaddr *addr, socklen_t *length-ptr)` Function

The `getpeername` function returns the address of the socket that *socket* is connected to; it stores the address in the memory space specified by *addr* and *length-ptr*. It stores the length of the address in *\*length-ptr*.

See [Socket Addresses](#), for information about the format of the address. In some operating systems, `getpeername` works only for sockets in the Internet domain.

The return value is 0 on success and -1 on error. The following `errno` error conditions are defined for this function:

EBADF

The argument *socket* is not a valid file descriptor.

ENOTSOCK

The descriptor *socket* is not a socket.

ENOTCONN

The socket *socket* is not connected.

ENOBUFS

There are not enough internal buffers available.

---

Node: Transferring Data, Next: [Byte Stream Example](#), Previous: [Who is Connected](#), Up: [Connections](#)

## Transferring Data

Once a socket has been connected to a peer, you can use the ordinary `read` and `write` operations (see [I/O Primitives](#)) to transfer data. A socket is a two-way communications channel, so read and write operations can be performed at either end.

There are also some I/O modes that are specific to socket operations. In order to specify these modes, you must use the `recv` and `send` functions instead of the more generic `read` and `write` functions. The `recv` and `send` functions take an additional argument which you can use to specify various flags to control special I/O modes. For example, you can specify the `MSG_OOB` flag to read or write out-of-band data, the `MSG_PEEK` flag to peek at input, or the `MSG_DONTROUTE` flag to control inclusion of routing information on output.

- [Sending Data](#): Sending data with `send`.
- [Receiving Data](#): Reading data with `recv`.
- [Socket Data Options](#): Using `send` and `recv`.

---

Node: Sending Data, Next: [Receiving Data](#), Up: [Transferring Data](#)

## Sending Data

The `send` function is declared in the header file `sys/socket.h`. If your *flags* argument is zero, you can just as well use `write` instead of `send`; see [I/O Primitives](#). If the socket was connected but the connection has broken, you get a `SIGPIPE` signal for any use of `send` or `write` (see [Miscellaneous Signals](#)).

`int send (int socket, void *buffer, size_t size, int flags)`

Function



The `send` function is like `write`, but with the additional flags *flags*. The possible values of *flags* are described in [Socket Data Options](#).

This function returns the number of bytes transmitted, or `-1` on failure. If the socket is nonblocking, then `send` (like `write`) can return after sending just part of the data. See [File Status Flags](#), for information about nonblocking mode.

Note, however, that a successful return value merely indicates that the message has been sent without error, not necessarily that it has been received without error.

The following `errno` error conditions are defined for this function:

`EBADF`

The *socket* argument is not a valid file descriptor.

`EINTR`

The operation was interrupted by a signal before any data was sent. See [Interrupted Primitives](#).

`ENOTSOCK`

The descriptor *socket* is not a socket.

`EMSGSIZE`

The socket type requires that the message be sent atomically, but the message is too large for this to be possible.

`EWOULDBLOCK`

Nonblocking mode has been set on the socket, and the write operation would block. (Normally `send` blocks until the operation can be completed.)

`ENOBUFS`

There is not enough internal buffer space available.

`ENOTCONN`

You never connected this socket.

`EPIPE`

This socket was connected but the connection is now broken. In this case, `send` generates a `SIGPIPE` signal first; if that signal is ignored or blocked, or if its handler returns, then `send` fails with `EPIPE`.

This function is defined as a cancellation point in multi-threaded programs, so one has to be prepared for this and make sure that allocated resources (like memory, files descriptors, semaphores or whatever) are freed even if the thread is canceled.

## Receiving Data

The `recv` function is declared in the header file `sys/socket.h`. If your `flags` argument is zero, you can just as well use `read` instead of `recv`; see [I/O Primitives](#).

`int` **recv** (*int socket, void \*buffer, size\_t size, int flags*) Function

The `recv` function is like `read`, but with the additional flags `flags`. The possible values of `flags` are described in [Socket Data Options](#).

If nonblocking mode is set for `socket`, and no data are available to be read, `recv` fails immediately rather than waiting. See [File Status Flags](#), for information about nonblocking mode.

This function returns the number of bytes received, or `-1` on failure. The following `errno` error conditions are defined for this function:

`EBADF`

The `socket` argument is not a valid file descriptor.

`ENOTSOCK`

The descriptor `socket` is not a socket.

`EWOULDBLOCK`

Nonblocking mode has been set on the socket, and the read operation would block. (Normally, `recv` blocks until there is input available to be read.)

`EINTR`

The operation was interrupted by a signal before any data was read. See [Interrupted Primitives](#).

`ENOTCONN`

You never connected this socket.

This function is defined as a cancellation point in multi-threaded programs, so one has to be prepared for this and make sure that allocated resources (like memory, files descriptors, semaphores or whatever) are freed even if the thread is canceled.

---

Node: [Socket Data Options](#), Previous: [Receiving Data](#), Up: [Transferring Data](#)

## Socket Data Options

The `flags` argument to `send` and `recv` is a bit mask. You can bitwise-OR the values of the following macros together to obtain a value for this argument. All are defined in the header file `sys/socket.h`.

**int MSG\_OOB**

Macro

Send or receive out-of-band data. See [Out-of-Band Data](#).

**int MSG\_PEEK**

Macro

Look at the data but don't remove it from the input queue. This is only meaningful with input functions such as `recv`, not with `send`.

**int MSG\_DONTROUTE**

Macro

Don't include routing information in the message. This is only meaningful with output operations, and is usually only of interest for diagnostic or routing programs. We don't try to explain it here.

---

Node: [Byte Stream Example](#), Next: [Server Example](#), Previous: [Transferring Data](#), Up: [Connections](#)

**Byte Stream Socket Example**

Here is an example client program that makes a connection for a byte stream socket in the Internet namespace. It doesn't do anything particularly interesting once it has connected to the server; it just sends a text string to the server and exits.

This program uses `init_sockaddr` to set up the socket address; see [Inet Example](#).

```
#include <stdio.h>
#include <errno.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/socket.h>
#include <netinet/in.h>
#include <netdb.h>

#define PORT          5555
#define MESSAGE       "Yow!!! Are we having fun yet!?"
#define SERVERHOST    "mescaline.gnu.org"

void
write_to_server (int filedes)
{
    int nbytes;

    nbytes = write (filedes, MESSAGE, strlen (MESSAGE) + 1);
    if (nbytes < 0)
        {
```

```

        perror ("write");
        exit (EXIT_FAILURE);
    }
}

int
main (void)
{
    extern void init_sockaddr (struct sockaddr_in *name,
                              const char *hostname,
                              uint16_t port);

    int sock;
    struct sockaddr_in servername;

    /* Create the socket. */
    sock = socket (PF_INET, SOCK_STREAM, 0);
    if (sock < 0)
        {
            perror ("socket (client)");
            exit (EXIT_FAILURE);
        }

    /* Connect to the server. */
    init_sockaddr (&servername, SERVERHOST, PORT);
    if (0 > connect (sock,
                    (struct sockaddr *) &servername,
                    sizeof (servername)))
        {
            perror ("connect (client)");
            exit (EXIT_FAILURE);
        }

    /* Send data to the server. */
    write_to_server (sock);
    close (sock);
    exit (EXIT_SUCCESS);
}

```

---

Node: Server Example, Next: [Out-of-Band Data](#), Previous: [Byte Stream Example](#), Up: [Connections](#)

## Byte Stream Connection Server Example

The server end is much more complicated. Since we want to allow multiple clients to be connected to the server at the same time, it would be incorrect to wait for input from a single client by simply calling `read` or `recv`. Instead, the right thing to do is to use `select` (see [Waiting for I/O](#)) to wait for input on

all of the open sockets. This also allows the server to deal with additional connection requests.

This particular server doesn't do anything interesting once it has gotten a message from a client. It does close the socket for that client when it detects an end-of-file condition (resulting from the client shutting down its end of the connection).

This program uses `make_socket` to set up the socket address; see [Inet Example](#).

```
#include <stdio.h>
#include <errno.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/socket.h>
#include <netinet/in.h>
#include <netdb.h>

#define PORT    5555
#define MAXMSG  512

int
read_from_client (int filedes)
{
    char buffer[MAXMSG];
    int nbytes;

    nbytes = read (filedes, buffer, MAXMSG);
    if (nbytes < 0)
        {
            /* Read error. */
            perror ("read");
            exit (EXIT_FAILURE);
        }
    else if (nbytes == 0)
        /* End-of-file. */
        return -1;
    else
        {
            /* Data read. */
            fprintf (stderr, "Server: got message: `%s'\n", buffer);
            return 0;
        }
}

int
main (void)
{
    extern int make_socket (uint16_t port);
```

```

int sock;
fd_set active_fd_set, read_fd_set;
int i;
struct sockaddr_in clientname;
size_t size;

/* Create the socket and set it up to accept connections. */
sock = make_socket (PORT);
if (listen (sock, 1) < 0)
{
    perror ("listen");
    exit (EXIT_FAILURE);
}

/* Initialize the set of active sockets. */
FD_ZERO (&active_fd_set);
FD_SET (sock, &active_fd_set);

while (1)
{
    /* Block until input arrives on one or more active sockets. */
    read_fd_set = active_fd_set;
    if (select (FD_SETSIZE, &read_fd_set, NULL, NULL, NULL) < 0)
    {
        perror ("select");
        exit (EXIT_FAILURE);
    }

    /* Service all the sockets with input pending. */
    for (i = 0; i < FD_SETSIZE; ++i)
        if (FD_ISSET (i, &read_fd_set))
        {
            if (i == sock)
            {
                /* Connection request on original socket. */
                int new;
                size = sizeof (clientname);
                new = accept (sock,
                            (struct sockaddr *) &clientname,
                            &size);

                if (new < 0)
                {
                    perror ("accept");
                    exit (EXIT_FAILURE);
                }

                fprintf (stderr,
                        "Server: connect from host %s, port %hd.\n",
                        inet_ntoa (clientname.sin_addr),
                        ntohs (clientname.sin_port));
                FD_SET (new, &active_fd_set);
            }
        }
}

```

```

        }
    else
    {
        /* Data arriving on an already-connected socket. */
        if (read_from_client (i) < 0)
        {
            close (i);
            FD_CLR (i, &active_fd_set);
        }
    }
}
}
}
}
}
}
}
}
}
}
}

```

Node: Out-of-Band Data, Previous: [Server Example](#), Up: [Connections](#)

## Out-of-Band Data

Streams with connections permit *out-of-band* data that is delivered with higher priority than ordinary data. Typically the reason for sending out-of-band data is to send notice of an exceptional condition. To send out-of-band data use `send`, specifying the flag `MSG_OOB` (see [Sending Data](#)).

Out-of-band data are received with higher priority because the receiving process need not read it in sequence; to read the next available out-of-band data, use `recv` with the `MSG_OOB` flag (see [Receiving Data](#)). Ordinary read operations do not read out-of-band data; they read only ordinary data.

When a socket finds that out-of-band data are on their way, it sends a `SIGURG` signal to the owner process or process group of the socket. You can specify the owner using the `F_SETOWN` command to the `fcntl` function; see [Interrupt Input](#). You must also establish a handler for this signal, as described in [Signal Handling](#), in order to take appropriate action such as reading the out-of-band data.

Alternatively, you can test for pending out-of-band data, or wait until there is out-of-band data, using the `select` function; it can wait for an exceptional condition on the socket. See [Waiting for I/O](#), for more information about `select`.

Notification of out-of-band data (whether with `SIGURG` or with `select`) indicates that out-of-band data are on the way; the data may not actually arrive until later. If you try to read the out-of-band data before it arrives, `recv` fails with an `EWOULDBLOCK` error.

Sending out-of-band data automatically places a "mark" in the stream of ordinary data, showing where in the sequence the out-of-band data "would have been". This is useful when the meaning of out-of-band

data is "cancel everything sent so far". Here is how you can test, in the receiving process, whether any ordinary data was sent before the mark:

```
success = ioctl (socket, SIOCATMARK, &atmark);
```

The integer variable *atmark* is set to a nonzero value if the socket's read pointer has reached the "mark".

Here's a function to discard any ordinary data preceding the out-of-band mark:

```
int
discard_until_mark (int socket)
{
    while (1)
    {
        /* This is not an arbitrary limit; any size will do.  */
        char buffer[1024];
        int atmark, success;

        /* If we have reached the mark, return.  */
        success = ioctl (socket, SIOCATMARK, &atmark);
        if (success < 0)
            perror ("ioctl");
        if (result)
            return;

        /* Otherwise, read a bunch of ordinary data and discard it.
           This is guaranteed not to read past the mark
           if it starts before the mark.  */
        success = read (socket, buffer, sizeof buffer);
        if (success < 0)
            perror ("read");
    }
}
```

If you don't want to discard the ordinary data preceding the mark, you may need to read some of it anyway, to make room in internal system buffers for the out-of-band data. If you try to read out-of-band data and get an `EWOULDBLOCK` error, try reading some ordinary data (saving it so that you can use it when you want it) and see if that makes room. Here is an example:

```
struct buffer
{
    char *buf;
    int size;
    struct buffer *next;
```



```

};

/* Read the out-of-band data from SOCKET and return it
   as a `struct buffer', which records the address of the data
   and its size.

   It may be necessary to read some ordinary data
   in order to make room for the out-of-band data.
   If so, the ordinary data are saved as a chain of buffers
   found in the `next' field of the value.  */

struct buffer *
read_oob (int socket)
{
    struct buffer *tail = 0;
    struct buffer *list = 0;

    while (1)
    {
        /* This is an arbitrary limit.
           Does anyone know how to do this without a limit?  */
#define BUF_SZ 1024
        char *buf = (char *) xmalloc (BUF_SZ);
        int success;
        int atmark;

        /* Try again to read the out-of-band data.  */
        success = recv (socket, buf, BUF_SZ, MSG_OOB);
        if (success >= 0)
        {
            /* We got it, so return it.  */
            struct buffer *link
                = (struct buffer *) xmalloc (sizeof (struct buffer));
            link->buf = buf;
            link->size = success;
            link->next = list;
            return link;
        }

        /* If we fail, see if we are at the mark.  */
        success = ioctl (socket, SIOCATMARK, &atmark);
        if (success < 0)
            perror ("ioctl");
        if (atmark)
        {
            /* At the mark; skipping past more ordinary data cannot help.
               So just wait a while.  */
            sleep (1);
            continue;
        }
    }
}

```

```

/* Otherwise, read a bunch of ordinary data and save it.
   This is guaranteed not to read past the mark
   if it starts before the mark.  */
success = read (socket, buf, BUF_SZ);
if (success < 0)
    perror ("read");

/* Save this data in the buffer list.  */
{
    struct buffer *link
        = (struct buffer *) xmalloc (sizeof (struct buffer));
    link->buf = buf;
    link->size = success;

    /* Add the new link to the end of the list.  */
    if (tail)
        tail->next = link;
    else
        list = link;
    tail = link;
}
}
}

```

---

Node: [Datagrams](#), Next: [Inetd](#), Previous: [Connections](#), Up: [Sockets](#)

## Datagram Socket Operations

This section describes how to use communication styles that don't use connections (styles `SOCK_DGRAM` and `SOCK_RDM`). Using these styles, you group data into packets and each packet is an independent communication. You specify the destination for each packet individually.

Datagram packets are like letters: you send each one independently with its own destination address, and they may arrive in the wrong order or not at all.

The `listen` and `accept` functions are not allowed for sockets using connectionless communication styles.

- [Sending Datagrams](#): Sending packets on a datagram socket.
- [Receiving Datagrams](#): Receiving packets on a datagram socket.
- [Datagram Example](#): An example program: packets sent over a datagram socket in the local namespace.

- [Example Receiver](#): Another program, that receives those packets.

---

Node: Sending Datagrams, Next: [Receiving Datagrams](#), Up: [Datagrams](#)

## Sending Datagrams

The normal way of sending data on a datagram socket is by using the `sendto` function, declared in `sys/socket.h`.

You can call `connect` on a datagram socket, but this only specifies a default destination for further data transmission on the socket. When a socket has a default destination you can use `send` (see [Sending Data](#)) or even `write` (see [I/O Primitives](#)) to send a packet there. You can cancel the default destination by calling `connect` using an address format of `AF_UNSPEC` in the `addr` argument. See [Connecting](#), for more information about the `connect` function.

`int sendto` (*int socket, void \*buffer, size\_t size, int flags, struct sockaddr \*addr, socklen\_t length*) Function

The `sendto` function transmits the data in the *buffer* through the socket *socket* to the destination address specified by the *addr* and *length* arguments. The *size* argument specifies the number of bytes to be transmitted.

The *flags* are interpreted the same way as for `send`; see [Socket Data Options](#).

The return value and error conditions are also the same as for `send`, but you cannot rely on the system to detect errors and report them; the most common error is that the packet is lost or there is no-one at the specified address to receive it, and the operating system on your machine usually does not know this.

It is also possible for one call to `sendto` to report an error owing to a problem related to a previous call.

This function is defined as a cancellation point in multi-threaded programs, so one has to be prepared for this and make sure that allocated resources (like memory, files descriptors, semaphores or whatever) are freed even if the thread is canceled.

---

Node: Receiving Datagrams, Next: [Datagram Example](#), Previous: [Sending Datagrams](#), Up: [Datagrams](#)

## Receiving Datagrams

The `recvfrom` function reads a packet from a datagram socket and also tells you where it was sent from. This function is declared in `sys/socket.h`.

**int `recvfrom`** (*int socket, void \*buffer, size\_t size, int flags, struct sockaddr \*addr, socklen\_t \*length-ptr*) Function

The `recvfrom` function reads one packet from the socket *socket* into the buffer *buffer*. The *size* argument specifies the maximum number of bytes to be read.

If the packet is longer than *size* bytes, then you get the first *size* bytes of the packet and the rest of the packet is lost. There's no way to read the rest of the packet. Thus, when you use a packet protocol, you must always know how long a packet to expect.

The *addr* and *length-ptr* arguments are used to return the address where the packet came from. See [Socket Addresses](#). For a socket in the local domain the address information won't be meaningful, since you can't read the address of such a socket (see [Local Namespace](#)). You can specify a null pointer as the *addr* argument if you are not interested in this information.

The *flags* are interpreted the same way as for `recv` (see [Socket Data Options](#)). The return value and error conditions are also the same as for `recv`.

This function is defined as a cancellation point in multi-threaded programs, so one has to be prepared for this and make sure that allocated resources (like memory, files descriptors, semaphores or whatever) are freed even if the thread is canceled.

You can use plain `recv` (see [Receiving Data](#)) instead of `recvfrom` if you don't need to find out who sent the packet (either because you know where it should come from or because you treat all possible senders alike). Even `read` can be used if you don't want to specify *flags* (see [I/O Primitives](#)).

---

Node: Datagram Example, Next: [Example Receiver](#), Previous: [Receiving Datagrams](#), Up: [Datagrams](#)

## Datagram Socket Example

Here is a set of example programs that send messages over a datagram stream in the local namespace. Both the client and server programs use the `make_named_socket` function that was presented in [Local Socket Example](#), to create and name their sockets.

First, here is the server program. It sits in a loop waiting for messages to arrive, bouncing each message back to the sender. Obviously this isn't a particularly useful program, but it does show the general ideas

involved.

```

#include <stdio.h>
#include <errno.h>
#include <stdlib.h>
#include <sys/socket.h>
#include <sys/un.h>

#define SERVER "/tmp/serversocket"
#define MAXMSG 512

int
main (void)
{
    int sock;
    char message[MAXMSG];
    struct sockaddr_un name;
    size_t size;
    int nbytes;

    /* Remove the filename first, it's ok if the call fails */
    unlink (SERVER);

    /* Make the socket, then loop endlessly. */
    sock = make_named_socket (SERVER);
    while (1)
    {
        /* Wait for a datagram. */
        size = sizeof (name);
        nbytes = recvfrom (sock, message, MAXMSG, 0,
                          (struct sockaddr *) & name, &size);
        if (nbytes < 0)
        {
            perror ("recvfrom (server)");
            exit (EXIT_FAILURE);
        }

        /* Give a diagnostic message. */
        fprintf (stderr, "Server: got message: %s\n", message);

        /* Bounce the message back to the sender. */
        nbytes = sendto (sock, message, nbytes, 0,
                        (struct sockaddr *) & name, size);
        if (nbytes < 0)
        {
            perror ("sendto (server)");
            exit (EXIT_FAILURE);
        }
    }
}

```

---

Node: Example Receiver, Previous: [Datagram Example](#), Up: [Datagrams](#)

## Example of Reading Datagrams

Here is the client program corresponding to the server above.

It sends a datagram to the server and then waits for a reply. Notice that the socket for the client (as well as for the server) in this example has to be given a name. This is so that the server can direct a message back to the client. Since the socket has no associated connection state, the only way the server can do this is by referencing the name of the client.

```
#include <stdio.h>
#include <errno.h>
#include <unistd.h>
#include <stdlib.h>
#include <sys/socket.h>
#include <sys/un.h>

#define SERVER "/tmp/serversocket"
#define CLIENT "/tmp/mysocket"
#define MAXMSG 512
#define MESSAGE "Yow!!! Are we having fun?!?"

int
main (void)
{
    extern int make_named_socket (const char *name);
    int sock;
    char message[MAXMSG];
    struct sockaddr_un name;
    size_t size;
    int nbytes;

    /* Make the socket. */
    sock = make_named_socket (CLIENT);

    /* Initialize the server socket address. */
    name.sun_family = AF_LOCAL;
    strcpy (name.sun_path, SERVER);
    size = strlen (name.sun_path) + sizeof (name.sun_family);

    /* Send the datagram. */
    nbytes = sendto (sock, MESSAGE, strlen (MESSAGE) + 1, 0,
                    (struct sockaddr *) & name, size);
```

```

if (nbytes < 0)
{
    perror ("sendto (client)");
    exit (EXIT_FAILURE);
}

/* Wait for a reply. */
nbytes = recvfrom (sock, message, MAXMSG, 0, NULL, 0);
if (nbytes < 0)
{
    perror ("recvfrom (client)");
    exit (EXIT_FAILURE);
}

/* Print a diagnostic message. */
fprintf (stderr, "Client: got message: %s\n", message);

/* Clean up. */
remove (CLIENT);
close (sock);
}

```

Keep in mind that datagram socket communications are unreliable. In this example, the client program waits indefinitely if the message never reaches the server or if the server's response never comes back. It's up to the user running the program to kill and restart it if desired. A more automatic solution could be to use `select` (see [Waiting for I/O](#)) to establish a timeout period for the reply, and in case of timeout either re-send the message or shut down the socket and exit.

---

Node: Inetd, Next: [Socket Options](#), Previous: [Datagrams](#), Up: [Sockets](#)

## The `inetd` Daemon

We've explained above how to write a server program that does its own listening. Such a server must already be running in order for anyone to connect to it.

Another way to provide a service on an Internet port is to let the daemon program `inetd` do the listening. `inetd` is a program that runs all the time and waits (using `select`) for messages on a specified set of ports. When it receives a message, it accepts the connection (if the socket style calls for connections) and then forks a child process to run the corresponding server program. You specify the ports and their programs in the file `/etc/inetd.conf`.

- [Inetd Servers](#):
- [Configuring Inetd](#):

---

Node: Inetd Servers, Next: [Configuring Inetd](#), Up: [Inetd](#)

## inetd Servers

Writing a server program to be run by `inetd` is very simple. Each time someone requests a connection to the appropriate port, a new server process starts. The connection already exists at this time; the socket is available as the standard input descriptor and as the standard output descriptor (descriptors 0 and 1) in the server process. Thus the server program can begin reading and writing data right away. Often the program needs only the ordinary I/O facilities; in fact, a general-purpose filter program that knows nothing about sockets can work as a byte stream server run by `inetd`.

You can also use `inetd` for servers that use connectionless communication styles. For these servers, `inetd` does not try to accept a connection since no connection is possible. It just starts the server program, which can read the incoming datagram packet from descriptor 0. The server program can handle one request and then exit, or you can choose to write it to keep reading more requests until no more arrive, and then exit. You must specify which of these two techniques the server uses when you configure `inetd`.

---

Node: Configuring Inetd, Previous: [Inetd Servers](#), Up: [Inetd](#)

## Configuring inetd

The file `/etc/inetd.conf` tells `inetd` which ports to listen to and what server programs to run for them. Normally each entry in the file is one line, but you can split it onto multiple lines provided all but the first line of the entry start with whitespace. Lines that start with `#` are comments.

Here are two standard entries in `/etc/inetd.conf`:

```
ftp      stream  tcp     nowait  root    /libexec/ftpd  ftpd
talk     dgram   udp     wait    root    /libexec/talkd talkd
```

An entry has this format:

```
service style protocol wait username program arguments
```

The *service* field says which service this program provides. It should be the name of a service defined in `/etc/services`. `inetd` uses *service* to decide which port to listen on for this entry.



The fields *style* and *protocol* specify the communication style and the protocol to use for the listening socket. The style should be the name of a communication style, converted to lower case and with `SOCK_` deleted--for example, `stream` or `dgram`. *protocol* should be one of the protocols listed in `/etc/protocols`. The typical protocol names are `tcp` for byte stream connections and `udp` for unreliable datagrams.

The *wait* field should be either `wait` or `nowait`. Use `wait` if *style* is a connectionless style and the server, once started, handles multiple requests as they come in. Use `nowait` if `inetd` should start a new process for each message or request that comes in. If *style* uses connections, then *wait* **must** be `nowait`.

*user* is the user name that the server should run as. `inetd` runs as `root`, so it can set the user ID of its children arbitrarily. It's best to avoid using `root` for *user* if you can; but some servers, such as Telnet and FTP, read a username and password themselves. These servers need to be `root` initially so they can log in as commanded by the data coming over the network.

*program* together with *arguments* specifies the command to run to start the server. *program* should be an absolute file name specifying the executable file to run. *arguments* consists of any number of whitespace-separated words, which become the command-line arguments of *program*. The first word in *arguments* is argument zero, which should by convention be the program name itself (sans directories).

If you edit `/etc/inetd.conf`, you can tell `inetd` to reread the file and obey its new contents by sending the `inetd` process the `SIGHUP` signal. You'll have to use `ps` to determine the process ID of the `inetd` process as it is not fixed.

---

Node: Socket Options, Next: [Networks Database](#), Previous: [Inetd](#), Up: [Sockets](#)

## Socket Options

This section describes how to read or set various options that modify the behavior of sockets and their underlying communications protocols.

When you are manipulating a socket option, you must specify which *level* the option pertains to. This describes whether the option applies to the socket interface, or to a lower-level communications protocol interface.

- [Socket Option Functions](#): The basic functions for setting and getting socket options.
- [Socket-Level Options](#): Details of the options at the socket level.

Node: Socket Option Functions, Next: [Socket-Level Options](#), Up: [Socket Options](#)

## Socket Option Functions

Here are the functions for examining and modifying socket options. They are declared in `sys/socket.h`.

**int getsockopt** (*int socket, int level, int optname, void \*optval, socklen\_t \*optlen-ptr*) Function

The `getsockopt` function gets information about the value of option *optname* at level *level* for socket *socket*.

The option value is stored in a buffer that *optval* points to. Before the call, you should supply in *\*optlen-ptr* the size of this buffer; on return, it contains the number of bytes of information actually stored in the buffer.

Most options interpret the *optval* buffer as a single `int` value.

The actual return value of `getsockopt` is 0 on success and -1 on failure. The following `errno` error conditions are defined:

`EBADF`

The *socket* argument is not a valid file descriptor.

`ENOTSOCK`

The descriptor *socket* is not a socket.

`ENOPROTOOPT`

The *optname* doesn't make sense for the given *level*.

**int setsockopt** (*int socket, int level, int optname, void \*optval, socklen\_t optlen*) Function

This function is used to set the socket option *optname* at level *level* for socket *socket*. The value of the option is passed in the buffer *optval* of size *optlen*.

---

Node: Socket-Level Options, Previous: [Socket Option Functions](#), Up: [Socket Options](#)

## Socket-Level Options

**int SOL\_SOCKET** Constant

Use this constant as the *level* argument to `getsockopt` or `setsockopt` to manipulate the socket-level options described in this section.

Here is a table of socket-level option names; all are defined in the header file `sys/socket.h`.

#### SO\_DEBUG

This option toggles recording of debugging information in the underlying protocol modules. The value has type `int`; a nonzero value means "yes".

#### SO\_REUSEADDR

This option controls whether `bind` (see [Setting Address](#)) should permit reuse of local addresses for this socket. If you enable this option, you can actually have two sockets with the same Internet port number; but the system won't allow you to use the two identically-named sockets in a way that would confuse the Internet. The reason for this option is that some higher-level Internet protocols, including FTP, require you to keep reusing the same port number.

The value has type `int`; a nonzero value means "yes".

#### SO\_KEEPALIVE

This option controls whether the underlying protocol should periodically transmit messages on a connected socket. If the peer fails to respond to these messages, the connection is considered broken. The value has type `int`; a nonzero value means "yes".

#### SO\_DONTROUTE

This option controls whether outgoing messages bypass the normal message routing facilities. If set, messages are sent directly to the network interface instead. The value has type `int`; a nonzero value means "yes".

#### SO\_LINGER

This option specifies what should happen when the socket of a type that promises reliable delivery still has untransmitted messages when it is closed; see [Closing a Socket](#). The value has type `struct linger`.

#### **struct linger**

Data Type

This structure type has the following members:

`int l_onoff`

This field is interpreted as a boolean. If nonzero, `close` blocks until the data are transmitted or the timeout period has expired.

`int l_linger`

This specifies the timeout period, in seconds.

#### SO\_BROADCAST

This option controls whether datagrams may be broadcast from the socket. The value has type `int`; a nonzero value means "yes".

**SO\_OOBINLINE**

If this option is set, out-of-band data received on the socket is placed in the normal input queue. This permits it to be read using `read` or `recv` without specifying the `MSG_OOB` flag. See [Out-of-Band Data](#). The value has type `int`; a nonzero value means "yes".

**SO\_SNDBUF**

This option gets or sets the size of the output buffer. The value is a `size_t`, which is the size in bytes.

**SO\_RCVBUF**

This option gets or sets the size of the input buffer. The value is a `size_t`, which is the size in bytes.

**SO\_STYLE****SO\_TYPE**

This option can be used with `getsockopt` only. It is used to get the socket's communication style. `SO_TYPE` is the historical name, and `SO_STYLE` is the preferred name in GNU. The value has type `int` and its value designates a communication style; see [Communication Styles](#).

**SO\_ERROR**

This option can be used with `getsockopt` only. It is used to reset the error status of the socket. The value is an `int`, which represents the previous error status.

Node: Networks Database, Previous: [Socket Options](#), Up: [Sockets](#)

## Networks Database

Many systems come with a database that records a list of networks known to the system developer. This is usually kept either in the file `/etc/networks` or in an equivalent from a name server. This database is useful for routing programs such as `route`, but it is not useful for programs that simply communicate over the network. We provide functions to access this database, which are declared in `netdb.h`.

**struct netent**

Data Type

This data type is used to represent information about entries in the networks database. It has the following members:

`char *n_name`

This is the "official" name of the network.

`char **n_aliases`

These are alternative names for the network, represented as a vector of strings. A null pointer terminates the array.

`int n_addrtype`

This is the type of the network number; this is always equal to `AF_INET` for Internet networks.

`unsigned long int n_net`

This is the network number. Network numbers are returned in host byte order; see [Byte Order](#).

Use the `getnetbyname` or `getnetbyaddr` functions to search the networks database for information about a specific network. The information is returned in a statically-allocated structure; you must copy the information if you need to save it.

`struct netent * getnetbyname (const char *name)` Function

The `getnetbyname` function returns information about the network named *name*. It returns a null pointer if there is no such network.

`struct netent * getnetbyaddr (unsigned long int net, int type)` Function

The `getnetbyaddr` function returns information about the network of type *type* with number *net*. You should specify a value of `AF_INET` for the *type* argument for Internet networks.

`getnetbyaddr` returns a null pointer if there is no such network.

You can also scan the networks database using `setnetent`, `getnetent` and `endnetent`. Be careful when using these functions because they are not reentrant.

`void setnetent (int stayopen)` Function

This function opens and rewinds the networks database.

If the *stayopen* argument is nonzero, this sets a flag so that subsequent calls to `getnetbyname` or `getnetbyaddr` will not close the database (as they usually would). This makes for more efficiency if you call those functions several times, by avoiding reopening the database for each call.

`struct netent * getnetent (void)` Function

This function returns the next entry in the networks database. It returns a null pointer if there are no more entries.

`void endnetent (void)` Function

This function closes the networks database.

---

Node: Low-Level Terminal Interface, Next: [Syslog](#), Previous: [Sockets](#), Up: [Top](#)

## Low-Level Terminal Interface

This chapter describes functions that are specific to terminal devices. You can use these functions to do things like turn off input echoing; set serial line characteristics such as line speed and flow control; and change which characters are used for end-of-file, command-line editing, sending signals, and similar control functions.

Most of the functions in this chapter operate on file descriptors. See [Low-Level I/O](#), for more information about what a file descriptor is and how to open a file descriptor for a terminal device.

- [Is It a Terminal](#): How to determine if a file is a terminal device, and what its name is.
- [I/O Queues](#): About flow control and typeahead.
- [Canonical or Not](#): Two basic styles of input processing.
- [Terminal Modes](#): How to examine and modify flags controlling details of terminal I/O: echoing, signals, editing. Posix.
- [BSD Terminal Modes](#): BSD compatible terminal mode setting
- [Line Control](#): Sending break sequences, clearing terminal buffers ...
- [Noncanon Example](#): How to read single characters without echo.
- [Pseudo-Terminals](#): How to open a pseudo-terminal.

---

Node: Is It a Terminal, Next: [I/O Queues](#), Up: [Low-Level Terminal Interface](#)

## Identifying Terminals

The functions described in this chapter only work on files that correspond to terminal devices. You can find out whether a file descriptor is associated with a terminal by using the `isatty` function.

Prototypes for the functions in this section are declared in the header file `unistd.h`.

`int isatty (int filedes)` Function

This function returns 1 if *filedes* is a file descriptor associated with an open terminal device, and 0 otherwise.

If a file descriptor is associated with a terminal, you can get its associated file name using the `ttyname` function. See also the `ctermid` function, described in [Identifying the Terminal](#).

`char * ttyname (int filedes)` Function

If the file descriptor *filedes* is associated with a terminal device, the `ttyname` function returns a pointer to a statically-allocated, null-terminated string containing the file name of the terminal file. The value is a null pointer if the file descriptor isn't associated with a terminal, or the file name cannot be determined.

`int ttyname_r (int filedes, char *buf, size_t len)` Function

The `ttyname_r` function is similar to the `ttyname` function except that it places its result into the user-specified buffer starting at *buf* with length *len*.

The normal return value from `ttyname_r` is 0. Otherwise an error number is returned to indicate the error. The following `errno` error conditions are defined for this function:

`EBADF`

The *filedes* argument is not a valid file descriptor.

`ENOTTY`

The *filedes* is not associated with a terminal.

`ERANGE`

The buffer length *len* is too small to store the string to be returned.

---

Node: I/O Queues, Next: [Canonical or Not](#), Previous: [Is It a Terminal](#), Up: [Low-Level Terminal Interface](#)

## I/O Queues

Many of the remaining functions in this section refer to the input and output queues of a terminal device. These queues implement a form of buffering *within the kernel* independent of the buffering implemented by I/O streams (see [I/O on Streams](#)).

The *terminal input queue* is also sometimes referred to as its *typeahead buffer*. It holds the characters that have been received from the terminal but not yet read by any process.

The size of the input queue is described by the `MAX_INPUT` and `_POSIX_MAX_INPUT` parameters; see [Limits for Files](#). You are guaranteed a queue size of at least `MAX_INPUT`, but the queue might be larger, and might even dynamically change size. If input flow control is enabled by setting the `IXOFF` input mode bit (see [Input Modes](#)), the terminal driver transmits `STOP` and `START` characters to the terminal when necessary to prevent the queue from overflowing. Otherwise, input may be lost if it comes in too fast from the terminal. In canonical mode, all input stays in the queue until a newline character is received, so the terminal input queue can fill up when you type a very long line. See [Canonical or Not](#).

The *terminal output queue* is like the input queue, but for output; it contains characters that have been written by processes, but not yet transmitted to the terminal. If output flow control is enabled by setting the `IXON` input mode bit (see [Input Modes](#)), the terminal driver obeys `START` and `STOP` characters sent by the terminal to stop and restart transmission of output.

*Clearing* the terminal input queue means discarding any characters that have been received but not yet read. Similarly, clearing the terminal output queue means discarding any characters that have been written but not yet transmitted.

---

Node: [Canonical or Not](#), Next: [Terminal Modes](#), Previous: [I/O Queues](#), Up: [Low-Level Terminal Interface](#)

## Two Styles of Input: Canonical or Not

POSIX systems support two basic modes of input: canonical and noncanonical.

In *canonical input processing* mode, terminal input is processed in lines terminated by newline (`'\n'`), EOF, or EOL characters. No input can be read until an entire line has been typed by the user, and the `read` function (see [I/O Primitives](#)) returns at most a single line of input, no matter how many bytes are requested.



In canonical input mode, the operating system provides input editing facilities: some characters are interpreted specially to perform editing operations within the current line of text, such as ERASE and KILL. See [Editing Characters](#).

The constants `_POSIX_MAX_CANON` and `MAX_CANON` parameterize the maximum number of bytes which may appear in a single line of canonical input. See [Limits for Files](#). You are guaranteed a maximum line length of at least `MAX_CANON` bytes, but the maximum might be larger, and might even dynamically change size.

In *noncanonical input processing* mode, characters are not grouped into lines, and ERASE and KILL processing is not performed. The granularity with which bytes are read in noncanonical input mode is controlled by the MIN and TIME settings. See [Noncanonical Input](#).

Most programs use canonical input mode, because this gives the user a way to edit input line by line. The usual reason to use noncanonical mode is when the program accepts single-character commands or provides its own editing facilities.

The choice of canonical or noncanonical input is controlled by the ICANON flag in the `c_lflag` member of `struct termios`. See [Local Modes](#).

---

Node: Terminal Modes, Next: [BSD Terminal Modes](#), Previous: [Canonical or Not](#), Up: [Low-Level Terminal Interface](#)

## Terminal Modes

This section describes the various terminal attributes that control how input and output are done. The functions, data structures, and symbolic constants are all declared in the header file `termios.h`.

Don't confuse terminal attributes with file attributes. A device special file which is associated with a terminal has file attributes as described in [File Attributes](#). These are unrelated to the attributes of the terminal device itself, which are discussed in this section.

- [Mode Data Types](#): The data type `struct termios` and related types.
- [Mode Functions](#): Functions to read and set the terminal attributes.
- [Setting Modes](#): The right way to set terminal attributes reliably.
- [Input Modes](#): Flags controlling low-level input handling.
- [Output Modes](#): Flags controlling low-level output handling.
- [Control Modes](#): Flags controlling serial port behavior.
- [Local Modes](#): Flags controlling high-level input handling.

- [Line Speed](#): How to read and set the terminal line speed.
- [Special Characters](#): Characters that have special effects, and how to change them.
- [Noncanonical Input](#): Controlling how long to wait for input.

Node: [Mode Data Types](#), Next: [Mode Functions](#), Up: [Terminal Modes](#)

## Terminal Mode Data Types

The entire collection of attributes of a terminal is stored in a structure of type `struct termios`. This structure is used with the functions `tcgetattr` and `tcsetattr` to read and set the attributes.

### **struct termios**

Data Type

Structure that records all the I/O attributes of a terminal. The structure includes at least the following members:

`tcflag_t c_iflag`

A bit mask specifying flags for input modes; see [Input Modes](#).

`tcflag_t c_oflag`

A bit mask specifying flags for output modes; see [Output Modes](#).

`tcflag_t c_cflag`

A bit mask specifying flags for control modes; see [Control Modes](#).

`tcflag_t c_lflag`

A bit mask specifying flags for local modes; see [Local Modes](#).

`cc_t c_cc[NCCS]`

An array specifying which characters are associated with various control functions; see [Special Characters](#).

The `struct termios` structure also contains members which encode input and output transmission speeds, but the representation is not specified. See [Line Speed](#), for how to examine and store the speed values.

The following sections describe the details of the members of the `struct termios` structure.

### **tcflag\_t**

Data Type

This is an unsigned integer type used to represent the various bit masks for terminal flags.

### **cc\_t**

Data Type

This is an unsigned integer type used to represent characters associated with various terminal control functions.

int **NCCS**

Macro

The value of this macro is the number of elements in the `c_cc` array.

---

Node: Mode Functions, Next: [Setting Modes](#), Previous: [Mode Data Types](#), Up: [Terminal Modes](#)

## Terminal Mode Functions

int **tcgetattr** (*int filedes*, *struct termios \*termios-p*)

Function

This function is used to examine the attributes of the terminal device with file descriptor *filedes*. The attributes are returned in the structure that *termios-p* points to.

If successful, `tcgetattr` returns 0. A return value of -1 indicates an error. The following `errno` error conditions are defined for this function:

EBADF

The *filedes* argument is not a valid file descriptor.

ENOTTY

The *filedes* is not associated with a terminal.

int **tcsetattr** (*int filedes*, *int when*, *const struct termios \*termios-p*)

Function

This function sets the attributes of the terminal device with file descriptor *filedes*. The new attributes are taken from the structure that *termios-p* points to.

The *when* argument specifies how to deal with input and output already queued. It can be one of the following values:

TCSANOW

Make the change immediately.

TCSADRAIN

Make the change after waiting until all queued output has been written. You should usually use this option when changing parameters that affect output.

TCSAFLUSH

This is like TCSADRAIN, but also discards any queued input.

TCSASOFT

This is a flag bit that you can add to any of the above alternatives. Its meaning is to inhibit alteration of the state of the terminal hardware. It is a BSD extension; it is only supported on BSD systems and the GNU system.

Using `TCSASOFT` is exactly the same as setting the `CIGNORE` bit in the `c_cflag` member of the structure `termios-p` points to. See [Control Modes](#), for a description of `CIGNORE`.

If this function is called from a background process on its controlling terminal, normally all processes in the process group are sent a `SIGTTOU` signal, in the same way as if the process were trying to write to the terminal. The exception is if the calling process itself is ignoring or blocking `SIGTTOU` signals, in which case the operation is performed and no signal is sent. See [Job Control](#).

If successful, `tcsetattr` returns 0. A return value of -1 indicates an error. The following `errno` error conditions are defined for this function:

`EBADF`

The *filedes* argument is not a valid file descriptor.

`ENOTTY`

The *filedes* is not associated with a terminal.

`EINVAL`

Either the value of the *when* argument is not valid, or there is something wrong with the data in the *termios-p* argument.

Although `tcgetattr` and `tcsetattr` specify the terminal device with a file descriptor, the attributes are those of the terminal device itself and not of the file descriptor. This means that the effects of changing terminal attributes are persistent; if another process opens the terminal file later on, it will see the changed attributes even though it doesn't have anything to do with the open file descriptor you originally specified in changing the attributes.

Similarly, if a single process has multiple or duplicated file descriptors for the same terminal device, changing the terminal attributes affects input and output to all of these file descriptors. This means, for example, that you can't open one file descriptor or stream to read from a terminal in the normal line-buffered, echoed mode; and simultaneously have another file descriptor for the same terminal that you use to read from it in single-character, non-echoed mode. Instead, you have to explicitly switch the terminal back and forth between the two modes.

---

Node: Setting Modes, Next: [Input Modes](#), Previous: [Mode Functions](#), Up: [Terminal Modes](#)

## Setting Terminal Modes Properly

When you set terminal modes, you should call `tcgetattr` first to get the current modes of the particular terminal device, modify only those modes that you are really interested in, and store the result with `tcsetattr`.

It's a bad idea to simply initialize a `struct termios` structure to a chosen set of attributes and pass it directly to `tcsetattr`. Your program may be run years from now, on systems that support members not documented in this manual. The way to avoid setting these members to unreasonable values is to avoid changing them.

What's more, different terminal devices may require different mode settings in order to function properly. So you should avoid blindly copying attributes from one terminal device to another.

When a member contains a collection of independent flags, as the `c_iflag`, `c_oflag` and `c_cflag` members do, even setting the entire member is a bad idea, because particular operating systems have their own flags. Instead, you should start with the current value of the member and alter only the flags whose values matter in your program, leaving any other flags unchanged.

Here is an example of how to set one flag (`ISTRIP`) in the `struct termios` structure while properly preserving all the other data in the structure:

```
int
set_istrip (int desc, int value)
{
    struct termios settings;
    int result;

    result = tcgetattr (desc, &settings);
    if (result < 0)
    {
        perror ("error in tcgetattr");
        return 0;
    }
    settings.c_iflag &= ~ISTRIP;
    if (value)
        settings.c_iflag |= ISTRIP;
    result = tcsetattr (desc, TCSANOW, &settings);
    if (result < 0)
    {
        perror ("error in tcsetattr");
        return 0;
    }
    return 1;
}
```

---

Node: Input Modes, Next: [Output Modes](#), Previous: [Setting Modes](#), Up: [Terminal Modes](#)

## Input Modes

This section describes the terminal attribute flags that control fairly low-level aspects of input processing: handling of parity errors, break signals, flow control, and <RET> and <LFD> characters.

All of these flags are bits in the `c_iflag` member of the `struct termios` structure. The member is an integer, and you change flags using the operators `&`, `|` and `^`. Don't try to specify the entire value for `c_iflag`--instead, change only specific flags and leave the rest untouched (see [Setting Modes](#)).

`tcflag_t` **INPCK** Macro

If this bit is set, input parity checking is enabled. If it is not set, no checking at all is done for parity errors on input; the characters are simply passed through to the application.

Parity checking on input processing is independent of whether parity detection and generation on the underlying terminal hardware is enabled; see [Control Modes](#). For example, you could clear the `INPCK` input mode flag and set the `PARENB` control mode flag to ignore parity errors on input, but still generate parity on output.

If this bit is set, what happens when a parity error is detected depends on whether the `IGNPAR` or `PARMRK` bits are set. If neither of these bits are set, a byte with a parity error is passed to the application as a `'\0'` character.

`tcflag_t` **IGNPAR** Macro

If this bit is set, any byte with a framing or parity error is ignored. This is only useful if `INPCK` is also set.

`tcflag_t` **PARMRK** Macro

If this bit is set, input bytes with parity or framing errors are marked when passed to the program. This bit is meaningful only when `INPCK` is set and `IGNPAR` is not set.

The way erroneous bytes are marked is with two preceding bytes, 377 and 0. Thus, the program actually reads three bytes for one erroneous byte received from the terminal.

If a valid byte has the value 0377, and `ISTRIP` (see below) is not set, the program might confuse it with the prefix that marks a parity error. So a valid byte 0377 is passed to the program as two bytes, 0377 0377, in this case.

`tcflag_t` **ISTRIP** Macro

If this bit is set, valid input bytes are stripped to seven bits; otherwise, all eight bits are available for programs to read.

`tcflag_t` **IGNBRK** Macro

If this bit is set, break conditions are ignored.

A *break condition* is defined in the context of asynchronous serial data transmission as a series of zero-value bits longer than a single byte.

`tcflag_t` **BRKINT** Macro

If this bit is set and `IGNBRK` is not set, a break condition clears the terminal input and output queues and raises a `SIGINT` signal for the foreground process group associated with the terminal.

If neither `BRKINT` nor `IGNBRK` are set, a break condition is passed to the application as a single `'\0'` character if `PARMRK` is not set, or otherwise as a three-character sequence `'\377'`, `'\0'`, `'\0'`.

`tcflag_t` **IGNCR** Macro

If this bit is set, carriage return characters (`'\r'`) are discarded on input. Discarding carriage return may be useful on terminals that send both carriage return and linefeed when you type the `<RET>` key.

`tcflag_t` **ICRNL** Macro

If this bit is set and `IGNCR` is not set, carriage return characters (`'\r'`) received as input are passed to the application as newline characters (`'\n'`).

**tcflag\_t INLCR** Macro

If this bit is set, newline characters ( '\n ' ) received as input are passed to the application as carriage return characters ( '\r ' ).

**tcflag\_t IXOFF** Macro

If this bit is set, start/stop control on input is enabled. In other words, the computer sends STOP and START characters as necessary to prevent input from coming in faster than programs are reading it. The idea is that the actual terminal hardware that is generating the input data responds to a STOP character by suspending transmission, and to a START character by resuming transmission. See [Start/Stop Characters](#).

**tcflag\_t IXON** Macro

If this bit is set, start/stop control on output is enabled. In other words, if the computer receives a STOP character, it suspends output until a START character is received. In this case, the STOP and START characters are never passed to the application program. If this bit is not set, then START and STOP can be read as ordinary characters. See [Start/Stop Characters](#).

**tcflag\_t IXANY** Macro

If this bit is set, any input character restarts output when output has been suspended with the STOP character. Otherwise, only the START character restarts output.

This is a BSD extension; it exists only on BSD systems and the GNU system.

**tcflag\_t IMAXBEL** Macro

If this bit is set, then filling up the terminal input buffer sends a BEL character (code 007) to the terminal to ring the bell.

This is a BSD extension.

---

Node: Output Modes, Next: [Control Modes](#), Previous: [Input Modes](#), Up: [Terminal Modes](#)

## Output Modes

This section describes the terminal flags and fields that control how output characters are translated and padded for display. All of these are contained in the `c_oflag` member of the `struct termios` structure.



The `c_oflag` member itself is an integer, and you change the flags and fields using the operators `&`, `|`, and `^`. Don't try to specify the entire value for `c_oflag`--instead, change only specific flags and leave the rest untouched (see [Setting Modes](#)).

`tcflag_t` **OPOST** Macro

If this bit is set, output data is processed in some unspecified way so that it is displayed appropriately on the terminal device. This typically includes mapping newline characters (`'\n'`) onto carriage return and linefeed pairs.

If this bit isn't set, the characters are transmitted as-is.

The following three bits are BSD features, and they exist only BSD systems and the GNU system. They are effective only if `OPOST` is set.

`tcflag_t` **ONLCR** Macro

If this bit is set, convert the newline character on output into a pair of characters, carriage return followed by linefeed.

`tcflag_t` **OXTABS** Macro

If this bit is set, convert tab characters on output into the appropriate number of spaces to emulate a tab stop every eight columns.

`tcflag_t` **ONOEOT** Macro

If this bit is set, discard `C-d` characters (code 004) on output. These characters cause many dial-up terminals to disconnect.

---

Node: Control Modes, Next: [Local Modes](#), Previous: [Output Modes](#), Up: [Terminal Modes](#)

## Control Modes

This section describes the terminal flags and fields that control parameters usually associated with asynchronous serial data transmission. These flags may not make sense for other kinds of terminal ports (such as a network connection pseudo-terminal). All of these are contained in the `c_cflag` member of the `struct termios` structure.

The `c_cflag` member itself is an integer, and you change the flags and fields using the operators `&`, `|`, and `^`. Don't try to specify the entire value for `c_cflag`--instead, change only specific flags and leave

the rest untouched (see [Setting Modes](#)).

**tcflag\_t CLOCAL** Macro

If this bit is set, it indicates that the terminal is connected "locally" and that the modem status lines (such as carrier detect) should be ignored.

On many systems if this bit is not set and you call `open` without the `O_NONBLOCK` flag set, `open` blocks until a modem connection is established.

If this bit is not set and a modem disconnect is detected, a `SIGHUP` signal is sent to the controlling process group for the terminal (if it has one). Normally, this causes the process to exit; see [Signal Handling](#). Reading from the terminal after a disconnect causes an end-of-file condition, and writing causes an `EIO` error to be returned. The terminal device must be closed and reopened to clear the condition.

**tcflag\_t HUPCL** Macro

If this bit is set, a modem disconnect is generated when all processes that have the terminal device open have either closed the file or exited.

**tcflag\_t CREAD** Macro

If this bit is set, input can be read from the terminal. Otherwise, input is discarded when it arrives.

**tcflag\_t CSTOPB** Macro

If this bit is set, two stop bits are used. Otherwise, only one stop bit is used.

**tcflag\_t PARENB** Macro

If this bit is set, generation and detection of a parity bit are enabled. See [Input Modes](#), for information on how input parity errors are handled.

If this bit is not set, no parity bit is added to output characters, and input characters are not checked for correct parity.

**tcflag\_t PARODD** Macro

This bit is only useful if `PARENB` is set. If `PARODD` is set, odd parity is used, otherwise even parity is used.

The control mode flags also includes a field for the number of bits per character. You can use the

`CSIZE` macro as a mask to extract the value, like this: `settings.c_cflag & CSIZE`.

`tcflag_t CSIZE` Macro

This is a mask for the number of bits per character.

`tcflag_t CS5` Macro

This specifies five bits per byte.

`tcflag_t CS6` Macro

This specifies six bits per byte.

`tcflag_t CS7` Macro

This specifies seven bits per byte.

`tcflag_t CS8` Macro

This specifies eight bits per byte.

The following four bits are BSD extensions; this exist only on BSD systems and the GNU system.

`tcflag_t CCTS_OFLOW` Macro

If this bit is set, enable flow control of output based on the CTS wire (RS232 protocol).

`tcflag_t CRTS_IFLOW` Macro

If this bit is set, enable flow control of input based on the RTS wire (RS232 protocol).

`tcflag_t MDMBUF` Macro

If this bit is set, enable carrier-based flow control of output.

`tcflag_t CIGNORE` Macro

If this bit is set, it says to ignore the control modes and line speed values entirely. This is only meaningful in a call to `tcsetattr`.

The `c_cflag` member and the line speed values returned by `cfgetispeed` and `cfgetospeed` will be unaffected by the call. `CIGNORE` is useful if you want to set all the software modes in the other members, but leave the hardware details in `c_cflag` unchanged. (This is how the `TCSASOFT` flag to `tcsetattr` works.)

This bit is never set in the structure filled in by `tcgetattr`.

---

Node: Local Modes, Next: [Line Speed](#), Previous: [Control Modes](#), Up: [Terminal Modes](#)

## Local Modes

This section describes the flags for the `c_lflag` member of the `struct termios` structure. These flags generally control higher-level aspects of input processing than the input modes flags described in [Input Modes](#), such as echoing, signals, and the choice of canonical or noncanonical input.

The `c_lflag` member itself is an integer, and you change the flags and fields using the operators `&`, `|`, and `^`. Don't try to specify the entire value for `c_lflag`--instead, change only specific flags and leave the rest untouched (see [Setting Modes](#)).

`tcflag_t` **ICANON** Macro

This bit, if set, enables canonical input processing mode. Otherwise, input is processed in noncanonical mode. See [Canonical or Not](#).

`tcflag_t` **ECHO** Macro

If this bit is set, echoing of input characters back to the terminal is enabled.

`tcflag_t` **ECHOE** Macro

If this bit is set, echoing indicates erasure of input with the ERASE character by erasing the last character in the current line from the screen. Otherwise, the character erased is re-echoed to show what has happened (suitable for a printing terminal).

This bit only controls the display behavior; the `ICANON` bit by itself controls actual recognition of the ERASE character and erasure of input, without which `ECHOE` is simply irrelevant.

**tcflag\_t ECHOPRT**

Macro

This bit is like `ECHOE`, enables display of the ERASE character in a way that is geared to a hardcopy terminal. When you type the ERASE character, a `\` character is printed followed by the first character erased. Typing the ERASE character again just prints the next character erased. Then, the next time you type a normal character, a `/` character is printed before the character echoes.

This is a BSD extension, and exists only in BSD systems and the GNU system.

**tcflag\_t ECHOK**

Macro

This bit enables special display of the KILL character by moving to a new line after echoing the KILL character normally. The behavior of `ECHOKE` (below) is nicer to look at.

If this bit is not set, the KILL character echoes just as it would if it were not the KILL character. Then it is up to the user to remember that the KILL character has erased the preceding input; there is no indication of this on the screen.

This bit only controls the display behavior; the `ICANON` bit by itself controls actual recognition of the KILL character and erasure of input, without which `ECHOK` is simply irrelevant.

**tcflag\_t ECHOKE**

Macro

This bit is similar to `ECHOK`. It enables special display of the KILL character by erasing on the screen the entire line that has been killed. This is a BSD extension, and exists only in BSD systems and the GNU system.

**tcflag\_t ECHONL**

Macro

If this bit is set and the `ICANON` bit is also set, then the newline (`'\n'`) character is echoed even if the `ECHO` bit is not set.

**tcflag\_t ECHOCTL**

Macro

If this bit is set and the `ECHO` bit is also set, echo control characters with `^` followed by the corresponding text character. Thus, control-A echoes as `^A`. This is usually the preferred mode for interactive input, because echoing a control character back to the terminal could have some undesired effect on the terminal.

This is a BSD extension, and exists only in BSD systems and the GNU system.

**tcflag\_t ISIG**

Macro

This bit controls whether the INTR, QUIT, and SUSP characters are recognized. The functions associated with these characters are performed if and only if this bit is set. Being in canonical or noncanonical input mode has no affect on the interpretation of these characters.

You should use caution when disabling recognition of these characters. Programs that cannot be interrupted interactively are very user-unfriendly. If you clear this bit, your program should provide some alternate interface that allows the user to interactively send the signals associated with these characters, or to escape from the program.

See [Signal Characters](#).

`tcflag_t` **IEXTEN** Macro

POSIX.1 gives IEXTEN implementation-defined meaning, so you cannot rely on this interpretation on all systems.

On BSD systems and the GNU system, it enables the LNEXT and DISCARD characters. See [Other Special](#).

`tcflag_t` **NOFLSH** Macro

Normally, the INTR, QUIT, and SUSP characters cause input and output queues for the terminal to be cleared. If this bit is set, the queues are not cleared.

`tcflag_t` **TOSTOP** Macro

If this bit is set and the system supports job control, then SIGTTOU signals are generated by background processes that attempt to write to the terminal. See [Access to the Terminal](#).

The following bits are BSD extensions; they exist only in BSD systems and the GNU system.

`tcflag_t` **ALTWERASE** Macro

This bit determines how far the WERASE character should erase. The WERASE character erases back to the beginning of a word; the question is, where do words begin?

If this bit is clear, then the beginning of a word is a nonwhitespace character following a whitespace character. If the bit is set, then the beginning of a word is an alphanumeric character or underscore following a character which is none of those.

See [Editing Characters](#), for more information about the WERASE character.

`tcflag_t` **FLUSHO** Macro

This is the bit that toggles when the user types the DISCARD character. While this bit is set, all output is discarded. See [Other Special](#).

`tcflag_t` **NOKERNINFO** Macro

Setting this bit disables handling of the STATUS character. See [Other Special](#).

`tcflag_t` **PENDIN** Macro

If this bit is set, it indicates that there is a line of input that needs to be reprinted. Typing the REPRINT character sets this bit; the bit remains set until reprinting is finished. See [Editing Characters](#).

---

Node: [Line Speed](#), Next: [Special Characters](#), Previous: [Local Modes](#), Up: [Terminal Modes](#)

## Line Speed

The terminal line speed tells the computer how fast to read and write data on the terminal.

If the terminal is connected to a real serial line, the terminal speed you specify actually controls the line--if it doesn't match the terminal's own idea of the speed, communication does not work. Real serial ports accept only certain standard speeds. Also, particular hardware may not support even all the standard speeds. Specifying a speed of zero hangs up a dialup connection and turns off modem control signals.

If the terminal is not a real serial line (for example, if it is a network connection), then the line speed won't really affect data transmission speed, but some programs will use it to determine the amount of padding needed. It's best to specify a line speed value that matches the actual speed of the actual terminal, but you can safely experiment with different values to vary the amount of padding.

There are actually two line speeds for each terminal, one for input and one for output. You can set them independently, but most often terminals use the same speed for both directions.

The speed values are stored in the `struct termios` structure, but don't try to access them in the `struct termios` structure directly. Instead, you should use the following functions to read and store them:

`speed_t` **cfgetospeed** (*const struct termios \*termios-p*) Function

This function returns the output line speed stored in the structure *\*termios-p*.

**speed\_t cfgetispeed** (*const struct termios \*termios-p*) Function

This function returns the input line speed stored in the structure *\*termios-p*.

**int cfsetospeed** (*struct termios \*termios-p, speed\_t speed*) Function

This function stores *speed* in *\*termios-p* as the output speed. The normal return value is 0; a value of -1 indicates an error. If *speed* is not a speed, `cfsetospeed` returns -1.

**int cfsetispeed** (*struct termios \*termios-p, speed\_t speed*) Function

This function stores *speed* in *\*termios-p* as the input speed. The normal return value is 0; a value of -1 indicates an error. If *speed* is not a speed, `cfsetispeed` returns -1.

**int cfsetspeed** (*struct termios \*termios-p, speed\_t speed*) Function

This function stores *speed* in *\*termios-p* as both the input and output speeds. The normal return value is 0; a value of -1 indicates an error. If *speed* is not a speed, `cfsetspeed` returns -1. This function is an extension in 4.4 BSD.

**speed\_t** Data Type

The `speed_t` type is an unsigned integer data type used to represent line speeds.

The functions `cfsetospeed` and `cfsetispeed` report errors only for speed values that the system simply cannot handle. If you specify a speed value that is basically acceptable, then those functions will succeed. But they do not check that a particular hardware device can actually support the specified speeds--in fact, they don't know which device you plan to set the speed for. If you use `tcsetattr` to set the speed of a particular device to a value that it cannot handle, `tcsetattr` returns -1.

**Portability note:** In the GNU library, the functions above accept speeds measured in bits per second as input, and return speed values measured in bits per second. Other libraries require speeds to be indicated by special codes. For POSIX.1 portability, you must use one of the following symbols to represent the speed; their precise numeric values are system-dependent, but each name has a fixed meaning: B110 stands for 110 bps, B300 for 300 bps, and so on. There is no portable way to represent any speed but these, but these are the only speeds that typical serial lines can support.

```
B0  B50  B75  B110  B134  B150  B200
B300  B600  B1200  B1800  B2400  B4800
B9600  B19200  B38400  B57600  B115200
B230400  B460800
```

BSD defines two additional speed symbols as aliases: `EXTA` is an alias for B19200 and `EXTB` is an



alias for B38400. These aliases are obsolete.

---

Node: Special Characters, Next: [Noncanonical Input](#), Previous: [Line Speed](#), Up: [Terminal Modes](#)

## Special Characters

In canonical input, the terminal driver recognizes a number of special characters which perform various control functions. These include the ERASE character (usually <DEL>) for editing input, and other editing characters. The INTR character (normally C-c) for sending a SIGINT signal, and other signal-raising characters, may be available in either canonical or noncanonical input mode. All these characters are described in this section.

The particular characters used are specified in the `c_cc` member of the `struct termios` structure. This member is an array; each element specifies the character for a particular role. Each element has a symbolic constant that stands for the index of that element--for example, `VINTR` is the index of the element that specifies the INTR character, so storing '=' in `termios.c_cc[VINTR]` specifies = as the INTR character.

On some systems, you can disable a particular special character function by specifying the value `_POSIX_VDISABLE` for that role. This value is unequal to any possible character code. See [Options for Files](#), for more information about how to tell whether the operating system you are using supports `_POSIX_VDISABLE`.

- [Editing Characters](#): Special characters that terminate lines and delete text, and other editing functions.
- [Signal Characters](#): Special characters that send or raise signals to or for certain classes of processes.
- [Start/Stop Characters](#): Special characters that suspend or resume suspended output.
- [Other Special](#): Other special characters for BSD systems: they can discard output, and print status.

---

Node: Editing Characters, Next: [Signal Characters](#), Up: [Special Characters](#)

## Characters for Input Editing

These special characters are active only in canonical input mode. See [Canonical or Not](#).

int VEOF

Macro

This is the subscript for the EOF character in the special control character array. *termios.c\_cc* [VEOF] holds the character itself.

The EOF character is recognized only in canonical input mode. It acts as a line terminator in the same way as a newline character, but if the EOF character is typed at the beginning of a line it causes `read` to return a byte count of zero, indicating end-of-file. The EOF character itself is discarded.

Usually, the EOF character is `C-d`.

## int **VEOL**

Macro

This is the subscript for the EOL character in the special control character array. *termios.c\_cc* [VEOL] holds the character itself.

The EOL character is recognized only in canonical input mode. It acts as a line terminator, just like a newline character. The EOL character is not discarded; it is read as the last character in the input line.

You don't need to use the EOL character to make `<RET>` end a line. Just set the `ICRNL` flag. In fact, this is the default state of affairs.

## int **VEOL2**

Macro

This is the subscript for the EOL2 character in the special control character array. *termios.c\_cc* [VEOL2] holds the character itself.

The EOL2 character works just like the EOL character (see above), but it can be a different character. Thus, you can specify two characters to terminate an input line, by setting `EOL` to one of them and `EOL2` to the other.

The EOL2 character is a BSD extension; it exists only on BSD systems and the GNU system.

## int **VERASE**

Macro

This is the subscript for the ERASE character in the special control character array. *termios*. `c_cc[VERASE]` holds the character itself.

The ERASE character is recognized only in canonical input mode. When the user types the erase character, the previous character typed is discarded. (If the terminal generates multibyte character sequences, this may cause more than one byte of input to be discarded.) This cannot be used to erase past the beginning of the current line of text. The ERASE character itself is discarded.

Usually, the ERASE character is <DEL>.

## int **VWERASE**

Macro

This is the subscript for the WERASE character in the special control character array. *termios*. `c_cc[VWERASE]` holds the character itself.

The WERASE character is recognized only in canonical mode. It erases an entire word of prior input, and any whitespace after it; whitespace characters before the word are not erased.

The definition of a "word" depends on the setting of the `ALTWERASE` mode; see [Local Modes](#).

If the `ALTWERASE` mode is not set, a word is defined as a sequence of any characters except space or tab.

If the `ALTWERASE` mode is set, a word is defined as a sequence of characters containing only letters, numbers, and underscores, optionally followed by one character that is not a letter, number, or underscore.

The WERASE character is usually `C-w`.

This is a BSD extension.

## int **VKILL**

Macro

This is the subscript for the KILL character in the special control character array. *termios*. `c_cc[VKILL]` holds the character itself.

The KILL character is recognized only in canonical input mode. When the user types the kill character, the entire contents of the current line of input are discarded. The kill character itself is discarded too.

The KILL character is usually `C-u`.

**int VREPRINT**

Macro

This is the subscript for the REPRINT character in the special control character array. *termios*. `c_cc[VREPRINT]` holds the character itself.

The REPRINT character is recognized only in canonical mode. It reprints the current input line. If some asynchronous output has come while you are typing, this lets you see the line you are typing clearly again.

The REPRINT character is usually C-r.

This is a BSD extension.

---

Node: Signal Characters, Next: [Start/Stop Characters](#), Previous: [Editing Characters](#), Up: [Special Characters](#)

## Characters that Cause Signals

These special characters may be active in either canonical or noncanonical input mode, but only when the ISIG flag is set (see [Local Modes](#)).

**int VINTR**

Macro

This is the subscript for the INTR character in the special control character array. *termios*. `c_cc[VINTR]` holds the character itself.

The INTR (interrupt) character raises a SIGINT signal for all processes in the foreground job associated with the terminal. The INTR character itself is then discarded. See [Signal Handling](#), for more information about signals.

Typically, the INTR character is C-c.

**int VQUIT**

Macro

This is the subscript for the QUIT character in the special control character array. *termios.c\_cc* [VQUIT] holds the character itself.

The QUIT character raises a SIGQUIT signal for all processes in the foreground job associated with the terminal. The QUIT character itself is then discarded. See [Signal Handling](#), for more information about signals.

Typically, the QUIT character is C-\.

## int VSUSP

Macro

This is the subscript for the SUSP character in the special control character array. *termios.c\_cc* [VSUSP] holds the character itself.

The SUSP (suspend) character is recognized only if the implementation supports job control (see [Job Control](#)). It causes a SIGTSTP signal to be sent to all processes in the foreground job associated with the terminal. The SUSP character itself is then discarded. See [Signal Handling](#), for more information about signals.

Typically, the SUSP character is C-z.

Few applications disable the normal interpretation of the SUSP character. If your program does this, it should provide some other mechanism for the user to stop the job. When the user invokes this mechanism, the program should send a SIGTSTP signal to the process group of the process, not just to the process itself. See [Signaling Another Process](#).

## int VDSUSP

Macro

This is the subscript for the DSUSP character in the special control character array. *termios.c\_cc* [VDSUSP] holds the character itself.

The DSUSP (suspend) character is recognized only if the implementation supports job control (see [Job Control](#)). It sends a SIGTSTP signal, like the SUSP character, but not right away--only when the program tries to read it as input. Not all systems with job control support DSUSP; only BSD-compatible systems (including the GNU system).

See [Signal Handling](#), for more information about signals.

Typically, the DSUSP character is C-y.

Node: Start/Stop Characters, Next: [Other Special](#), Previous: [Signal Characters](#), Up: [Special Characters](#)

## Special Characters for Flow Control

These special characters may be active in either canonical or noncanonical input mode, but their use is controlled by the flags `IXON` and `IXOFF` (see [Input Modes](#)).

### int **VSTART**

Macro

This is the subscript for the `START` character in the special control character array. `termios.c_cc[VSTART]` holds the character itself.

The `START` character is used to support the `IXON` and `IXOFF` input modes. If `IXON` is set, receiving a `START` character resumes suspended output; the `START` character itself is discarded. If `IXANY` is set, receiving any character at all resumes suspended output; the resuming character is not discarded unless it is the `START` character. If `IXOFF` is set, the system may also transmit `START` characters to the terminal.

The usual value for the `START` character is `C-q`. You may not be able to change this value--the hardware may insist on using `C-q` regardless of what you specify.

### int **VSTOP**

Macro

This is the subscript for the `STOP` character in the special control character array. `termios.c_cc[VSTOP]` holds the character itself.

The `STOP` character is used to support the `IXON` and `IXOFF` input modes. If `IXON` is set, receiving a `STOP` character causes output to be suspended; the `STOP` character itself is discarded. If `IXOFF` is set, the system may also transmit `STOP` characters to the terminal, to prevent the input queue from overflowing.

The usual value for the `STOP` character is `C-s`. You may not be able to change this value--the hardware may insist on using `C-s` regardless of what you specify.

---

Node: Other Special, Previous: [Start/Stop Characters](#), Up: [Special Characters](#)

## Other Special Characters

These special characters exist only in BSD systems and the GNU system.

**int VLNEXT**

Macro

This is the subscript for the LNEXT character in the special control character array. *termios*. *c\_cc* [VLNEXT] holds the character itself.

The LNEXT character is recognized only when IEXTEN is set, but in both canonical and noncanonical mode. It disables any special significance of the next character the user types. Even if the character would normally perform some editing function or generate a signal, it is read as a plain character. This is the analogue of the C-q command in Emacs. "LNEXT" stands for "literal next."

The LNEXT character is usually C-v.

**int VDISCARD**

Macro

This is the subscript for the DISCARD character in the special control character array. *termios*. *c\_cc* [VDISCARD] holds the character itself.

The DISCARD character is recognized only when IEXTEN is set, but in both canonical and noncanonical mode. Its effect is to toggle the discard-output flag. When this flag is set, all program output is discarded. Setting the flag also discards all output currently in the output buffer. Typing any other character resets the flag.

**int VSTATUS**

Macro

This is the subscript for the STATUS character in the special control character array. *termios*. *c\_cc* [VSTATUS] holds the character itself.

The STATUS character's effect is to print out a status message about how the current process is running.

The STATUS character is recognized only in canonical mode, and only if NOKERNINFO is not set.

---

Node: Noncanonical Input, Previous: [Special Characters](#), Up: [Terminal Modes](#)

**Noncanonical Input**

In noncanonical input mode, the special editing characters such as ERASE and KILL are ignored. The system facilities for the user to edit input are disabled in noncanonical mode, so that all input characters (unless they are special for signal or flow-control purposes) are passed to the application program

exactly as typed. It is up to the application program to give the user ways to edit the input, if appropriate.

Noncanonical mode offers special parameters called `MIN` and `TIME` for controlling whether and how long to wait for input to be available. You can even use them to avoid ever waiting--to return immediately with whatever input is available, or with no input.

The `MIN` and `TIME` are stored in elements of the `c_cc` array, which is a member of the `struct termios` structure. Each element of this array has a particular role, and each element has a symbolic constant that stands for the index of that element. `VMIN` and `VMAX` are the names for the indices in the array of the `MIN` and `TIME` slots.

`int VMIN` Macro

This is the subscript for the `MIN` slot in the `c_cc` array. Thus, `termios.c_cc[VMIN]` is the value itself.

The `MIN` slot is only meaningful in noncanonical input mode; it specifies the minimum number of bytes that must be available in the input queue in order for `read` to return.

`int VTIME` Macro

This is the subscript for the `TIME` slot in the `c_cc` array. Thus, `termios.c_cc[VTIME]` is the value itself.

The `TIME` slot is only meaningful in noncanonical input mode; it specifies how long to wait for input before returning, in units of 0.1 seconds.

The `MIN` and `TIME` values interact to determine the criterion for when `read` should return; their precise meanings depend on which of them are nonzero. There are four possible cases:

- Both `TIME` and `MIN` are nonzero.

In this case, `TIME` specifies how long to wait after each input character to see if more input arrives. After the first character received, `read` keeps waiting until either `MIN` bytes have arrived in all, or `TIME` elapses with no further input.

`read` always blocks until the first character arrives, even if `TIME` elapses first. `read` can return more than `MIN` characters if more than `MIN` happen to be in the queue.

- Both `MIN` and `TIME` are zero.

In this case, `read` always returns immediately with as many characters as are available in the



queue, up to the number requested. If no input is immediately available, `read` returns a value of zero.

- MIN is zero but TIME has a nonzero value.

In this case, `read` waits for time TIME for input to become available; the availability of a single byte is enough to satisfy the read request and cause `read` to return. When it returns, it returns as many characters as are available, up to the number requested. If no input is available before the timer expires, `read` returns a value of zero.

- TIME is zero but MIN has a nonzero value.

In this case, `read` waits until at least MIN bytes are available in the queue. At that time, `read` returns as many characters as are available, up to the number requested. `read` can return more than MIN characters if more than MIN happen to be in the queue.

What happens if MIN is 50 and you ask to read just 10 bytes? Normally, `read` waits until there are 50 bytes in the buffer (or, more generally, the wait condition described above is satisfied), and then reads 10 of them, leaving the other 40 buffered in the operating system for a subsequent call to `read`.

**Portability note:** On some systems, the MIN and TIME slots are actually the same as the EOF and EOL slots. This causes no serious problem because the MIN and TIME slots are used only in noncanonical input and the EOF and EOL slots are used only in canonical input, but it isn't very clean. The GNU library allocates separate slots for these uses.

`void cfmakeraw (struct termios *termios-p)`

Function

This function provides an easy way to set up `*termios-p` for what has traditionally been called "raw mode" in BSD. This uses noncanonical input, and turns off most processing to give an unmodified channel to the terminal.

It does exactly this:

```
termios-p->c_iflag &= ~(IGNBRK | BRKINT | PARMRK | ISTRIP
                    | INLCR | IGNCR | ICRNL | IXON);
termios-p->c_oflag &= ~OPOST;
termios-p->c_lflag &= ~(ECHO | ECHONL | ICANON | ISIG | IEXTEN);
termios-p->c_cflag &= ~(CSIZE | PARENB);
termios-p->c_cflag |= CS8;
```

Node: BSD Terminal Modes, Next: [Line Control](#), Previous: [Terminal Modes](#), Up: [Low-Level Terminal Interface](#)

## BSD Terminal Modes

The usual way to get and set terminal modes is with the functions described in [Terminal Modes](#). However, on some systems you can use the BSD-derived functions in this section to do some of the same thing. On many systems, these functions do not exist. Even with the GNU C library, the functions simply fail with `errno = ENOSYS` with many kernels, including Linux.

The symbols used in this section are declared in `sgtty.h`.

### **struct sgttyb**

Data Type

This structure is an input or output parameter list for `gtty` and `stty`.

```
char sg_ispeed
    Line speed for input
char sg_ospeed
    Line speed for output
char sg_erase
    Erase character
char sg_kill
    Kill character
int sg_flags
    Various flags
```

**int gtty** (*int filedes, struct sgttyb \*attributes*)

Function

This function gets the attributes of a terminal.

`gtty` sets *\*attributes* to describe the terminal attributes of the terminal which is open with file descriptor *filedes*.

**int stty** (*int filedes, struct sgttyb \* attributes*)

Function

This function sets the attributes of a terminal.

`stty` sets the terminal attributes of the terminal which is open with file descriptor *filedes* to those described by *\*filedes*.

---

Node: [Line Control](#), Next: [Noncanon Example](#), Previous: [BSD Terminal Modes](#), Up: [Low-Level Terminal Interface](#)

## Line Control Functions

These functions perform miscellaneous control actions on terminal devices. As regards terminal access, they are treated like doing output: if any of these functions is used by a background process on its controlling terminal, normally all processes in the process group are sent a SIGTTOU signal. The exception is if the calling process itself is ignoring or blocking SIGTTOU signals, in which case the operation is performed and no signal is sent. See [Job Control](#).

**int tcsendbreak** (*int filedes*, *int duration*) Function

This function generates a break condition by transmitting a stream of zero bits on the terminal associated with the file descriptor *filedes*. The duration of the break is controlled by the *duration* argument. If zero, the duration is between 0.25 and 0.5 seconds. The meaning of a nonzero value depends on the operating system.

This function does nothing if the terminal is not an asynchronous serial data port.

The return value is normally zero. In the event of an error, a value of -1 is returned. The following `errno` error conditions are defined for this function:

EBADF

The *filedes* is not a valid file descriptor.

ENOTTY

The *filedes* is not associated with a terminal device.

**int tcdrain** (*int filedes*) Function

The `tcdrain` function waits until all queued output to the terminal *filedes* has been transmitted.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `tcdrain` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this calls to `tcdrain` should be protected using cancellation handlers.

The return value is normally zero. In the event of an error, a value of -1 is returned. The following `errno` error conditions are defined for this function:

EBADF

The *filedes* is not a valid file descriptor.

ENOTTY

The *filedes* is not associated with a terminal device.

EINTR

The operation was interrupted by delivery of a signal. See [Interrupted Primitives](#).

**int tcflush** (*int filedes*, *int queue*)

Function

The `tcflush` function is used to clear the input and/or output queues associated with the terminal file *filedes*. The *queue* argument specifies which queue(s) to clear, and can be one of the following values:

TCIFLUSH

Clear any input data received, but not yet read.

TCOFLUSH

Clear any output data written, but not yet transmitted.

TCIOFLUSH

Clear both queued input and output.

The return value is normally zero. In the event of an error, a value of -1 is returned. The following `errno` error conditions are defined for this function:

EBADF

The *filedes* is not a valid file descriptor.

ENOTTY

The *filedes* is not associated with a terminal device.

EINVAL

A bad value was supplied as the *queue* argument.

It is unfortunate that this function is named `tcflush`, because the term "flush" is normally used

for quite another operation--waiting until all output is transmitted--and using it for discarding input or output would be confusing. Unfortunately, the name `tcflush` comes from POSIX and we cannot change it.

**int `tcflow`** (*int `filedes`, int `action`*) Function

The `tcflow` function is used to perform operations relating to XON/XOFF flow control on the terminal file specified by *filedes*.

The *action* argument specifies what operation to perform, and can be one of the following values:

`TCOOFF`

Suspend transmission of output.

`TCOON`

Restart transmission of output.

`TCIOFF`

Transmit a STOP character.

`TCION`

Transmit a START character.

For more information about the STOP and START characters, see [Special Characters](#).

The return value is normally zero. In the event of an error, a value of -1 is returned. The following `errno` error conditions are defined for this function:

`EBADF`

The *filedes* is not a valid file descriptor.

`ENOTTY`

The *filedes* is not associated with a terminal device.

`EINVAL`

A bad value was supplied as the *action* argument.

---

Node: Noncanon Example, Next: [Pseudo-Terminals](#), Previous: [Line Control](#), Up: [Low-Level Terminal Interface](#)

## Noncanonical Mode Example

Here is an example program that shows how you can set up a terminal device to read single characters in noncanonical input mode, without echo.

```
#include <unistd.h>
#include <stdio.h>
#include <stdlib.h>
#include <termios.h>

/* Use this variable to remember original terminal attributes. */

struct termios saved_attributes;

void
reset_input_mode (void)
{
    tcsetattr (STDIN_FILENO, TCSANOW, &saved_attributes);
}

void
set_input_mode (void)
{
    struct termios tattr;
    char *name;

    /* Make sure stdin is a terminal. */
    if (!isatty (STDIN_FILENO))
    {
        fprintf (stderr, "Not a terminal.\n");
        exit (EXIT_FAILURE);
    }

    /* Save the terminal attributes so we can restore them later. */
    tcgetattr (STDIN_FILENO, &saved_attributes);
    atexit (reset_input_mode);

    /* Set the funny terminal modes. */
    tcgetattr (STDIN_FILENO, &tattr);
    tattr.c_lflag &= ~(ICANON|ECHO); /* Clear ICANON and ECHO. */
    tattr.c_cc[VMIN] = 1;
    tattr.c_cc[VTIME] = 0;
    tcsetattr (STDIN_FILENO, TCSAFLUSH, &tattr);
}

int
main (void)
{
    char c;

    set_input_mode ();

    while (1)
    {
        read (STDIN_FILENO, &c, 1);
    }
}
```

```
        if (c == '\004')                /* C-d */
            break;
        else
            putchar (c);
    }

    return EXIT_SUCCESS;
}
```

This program is careful to restore the original terminal modes before exiting or terminating with a signal. It uses the `atexit` function (see [Cleanups on Exit](#)) to make sure this is done by `exit`.

The shell is supposed to take care of resetting the terminal modes when a process is stopped or continued; see [Job Control](#). But some existing shells do not actually do this, so you may wish to establish handlers for job control signals that reset terminal modes. The above example does so.

---

Node: Pseudo-Terminals, Previous: [Noncanon Example](#), Up: [Low-Level Terminal Interface](#)

## Pseudo-Terminals

A *pseudo-terminal* is a special interprocess communication channel that acts like a terminal. One end of the channel is called the *master* side or *master pseudo-terminal device*, the other side is called the *slave* side. Data written to the master side is received by the slave side as if it was the result of a user typing at an ordinary terminal, and data written to the slave side is sent to the master side as if it was written on an ordinary terminal.

Pseudo terminals are the way programs like `xterm` and `emacs` implement their terminal emulation functionality.

- [Allocation](#): Allocating a pseudo terminal.
- [Pseudo-Terminal Pairs](#): How to open both sides of a pseudo-terminal in a single operation.

---

Node: Allocation, Next: [Pseudo-Terminal Pairs](#), Up: [Pseudo-Terminals](#)

## Allocating Pseudo-Terminals

This subsection describes functions for allocating a pseudo-terminal, and for making this pseudo-terminal available for actual use. These functions are declared in the header file `stdlib.h`.

**int getpt** (*void*)

Function

The `getpt` function returns a new file descriptor for the next available master pseudo-terminal. The normal return value from `getpt` is a non-negative integer file descriptor. In the case of an error, a value of -1 is returned instead. The following `errno` conditions are defined for this function:

ENOENT

There are no free master pseudo-terminals available.

This function is a GNU extension.

**int grantpt** (*int filedes*)

Function

The `grantpt` function changes the ownership and access permission of the slave pseudo-terminal device corresponding to the master pseudo-terminal device associated with the file descriptor *filedes*. The owner is set from the real user ID of the calling process (see [Process Persona](#)), and the group is set to a special group (typically *tty*) or from the real group ID of the calling process. The access permission is set such that the file is both readable and writable by the owner and only writable by the group.

On some systems this function is implemented by invoking a special `setuid` root program (see [How Change Persona](#)). As a consequence, installing a signal handler for the `SIGCHLD` signal (see [Job Control Signals](#)) may interfere with a call to `grantpt`.

The normal return value from `grantpt` is 0; a value of -1 is returned in case of failure. The following `errno` error conditions are defined for this function:

EBADF

The *filedes* argument is not a valid file descriptor.

EINVAL

The *filedes* argument is not associated with a master pseudo-terminal device.

EACCES

The slave pseudo-terminal device corresponding to the master associated with *filedes* could not be accessed.

**int unlockpt** (*int filedes*)

Function



The `unlockpt` function unlocks the slave pseudo-terminal device corresponding to the master pseudo-terminal device associated with the file descriptor *filedes*. On many systems, the slave can only be opened after unlocking, so portable applications should always call `unlockpt` before trying to open the slave.

The normal return value from `unlockpt` is 0; a value of -1 is returned in case of failure. The following `errno` error conditions are defined for this function:

`EBADF`

The *filedes* argument is not a valid file descriptor.

`EINVAL`

The *filedes* argument is not associated with a master pseudo-terminal device.

`char * ptsname (int filedes)` Function

If the file descriptor *filedes* is associated with a master pseudo-terminal device, the `ptsname` function returns a pointer to a statically-allocated, null-terminated string containing the file name of the associated slave pseudo-terminal file. This string might be overwritten by subsequent calls to `ptsname`.

`int ptsname_r (int filedes, char *buf, size_t len)` Function

The `ptsname_r` function is similar to the `ptsname` function except that it places its result into the user-specified buffer starting at *buf* with length *len*.

This function is a GNU extension.

**Portability Note:** On System V derived systems, the file returned by the `ptsname` and `ptsname_r` functions may be STREAMS-based, and therefore require additional processing after opening before it actually behaves as a pseudo terminal.

Typical usage of these functions is illustrated by the following example:

```
int
open_pty_pair (int *amaster, int *aslave)
{
    int master, slave;
    char *name;

    master = getpt ();
    if (master < 0)
        return 0;
```

```

if (grantpt (master) < 0 || unlockpt (master) < 0)
    goto close_master;
name = ptsname (master);
if (name == NULL)
    goto close_master;

slave = open (name, O_RDWR);
if (slave == -1)
    goto close_master;

if (isastream (slave))
{
    if (ioctl (slave, I_PUSH, "ptem") < 0
        || ioctl (slave, I_PUSH, "ldterm") < 0)
        goto close_slave;
}

*amaster = master;
*aslave = slave;
return 1;

close_slave:
    close (slave);

close_master:
    close (master);
    return 0;
}

```

---

Node: Pseudo-Terminal Pairs, Previous: [Allocation](#), Up: [Pseudo-Terminals](#)

## Opening a Pseudo-Terminal Pair

These functions, derived from BSD, are available in the separate `libutil` library, and declared in `pty.h`.

**int `openpty`** (*int \*amaster, int \*aslave, char \*name, struct termios \*termp, struct winsize \*winp*)

Function

This function allocates and opens a pseudo-terminal pair, returning the file descriptor for the master in *\*amaster*, and the file descriptor for the slave in *\*aslave*. If the argument *name* is not a null pointer, the file name of the slave pseudo-terminal device is stored in *\*name*. If *termp* is not a null pointer, the terminal attributes of the slave are set to the ones specified in the structure that *termp* points to (see [Terminal Modes](#)). Likewise, if the *winp* is not a null pointer, the screen size of the slave is set to the values specified in the structure that *winp* points to.

The normal return value from `openpty` is 0; a value of -1 is returned in case of failure. The following `errno` conditions are defined for this function:

ENOENT

There are no free pseudo-terminal pairs available.

**Warning:** Using the `openpty` function with *name* not set to NULL is **very dangerous** because it provides no protection against overflowing the string *name*. You should use the `ttyname` function on the file descriptor returned in *\*slave* to find out the file name of the slave pseudo-terminal device instead.

`int forkpty (int *amaster, char *name, struct termios *termp, struct winsize *winp)` Function

This function is similar to the `openpty` function, but in addition, forks a new process (see [Creating a Process](#)) and makes the newly opened slave pseudo-terminal device the controlling terminal (see [Controlling Terminal](#)) for the child process.

If the operation is successful, there are then both parent and child processes and both see `forkpty` return, but with different values: it returns a value of 0 in the child process and returns the child's process ID in the parent process.

If the allocation of a pseudo-terminal pair or the process creation failed, `forkpty` returns a value of -1 in the parent process.

**Warning:** The `forkpty` function has the same problems with respect to the *name* argument as `openpty`.

Node: Syslog, Next: [Mathematics](#), Previous: [Low-Level Terminal Interface](#), Up: [Top](#)

## Syslog

This chapter describes facilities for issuing and logging messages of system administration interest. This chapter has nothing to do with programs issuing messages to their own users or keeping private logs

(One would typically do that with the facilities described in [I/O on Streams](#)).

Most systems have a facility called "Syslog" that allows programs to submit messages of interest to system administrators and can be configured to pass these messages on in various ways, such as printing on the console, mailing to a particular person, or recording in a log file for future reference.

A program uses the facilities in this chapter to submit such messages.

- [Overview of Syslog](#): Overview of a system's Syslog facility
- [Submitting Syslog Messages](#): Functions to submit messages to Syslog

---

Node: Overview of Syslog, Next: [Submitting Syslog Messages](#), Up: [Syslog](#)

## Overview of Syslog

System administrators have to deal with lots of different kinds of messages from a plethora of subsystems within each system, and usually lots of systems as well. For example, an FTP server might report every connection it gets. The kernel might report hardware failures on a disk drive. A DNS server might report usage statistics at regular intervals.

Some of these messages need to be brought to a system administrator's attention immediately. And it may not be just any system administrator - there may be a particular system administrator who deals with a particular kind of message. Other messages just need to be recorded for future reference if there is a problem. Still others may need to have information extracted from them by an automated process that generates monthly reports.

To deal with these messages, most Unix systems have a facility called "Syslog." It is generally based on a daemon called "Syslogd" Syslogd listens for messages on a Unix domain socket named `/dev/log`. Based on classification information in the messages and its configuration file (usually `/etc/syslog.conf`), Syslogd routes them in various ways. Some of the popular routings are:

- Write to the system console
- Mail to a specific user
- Write to a log file
- Pass to another daemon
- Discard

Syslogd can also handle messages from other systems. It listens on the `syslog` UDP port as well as the local socket for messages.

Syslog can handle messages from the kernel itself. But the kernel doesn't write to `/dev/log`; rather, another daemon (sometimes called "Klogd") extracts messages from the kernel and passes them on to Syslog as any other process would (and it properly identifies them as messages from the kernel).

Syslog can even handle messages that the kernel issued before Syslogd or Klogd was running. A Linux kernel, for example, stores startup messages in a kernel message ring and they are normally still there when Klogd later starts up. Assuming Syslogd is running by the time Klogd starts, Klogd then passes everything in the message ring to it.

In order to classify messages for disposition, Syslog requires any process that submits a message to it to provide two pieces of classification information with it:

#### facility

This identifies who submitted the message. There are a small number of facilities defined. The kernel, the mail subsystem, and an FTP server are examples of recognized facilities. For the complete list, See [syslog; vsyslog](#). Keep in mind that these are essentially arbitrary classifications. "Mail subsystem" doesn't have any more meaning than the system administrator gives to it.

#### priority

This tells how important the content of the message is. Examples of defined priority values are: debug, informational, warning, critical. For the complete list, See [syslog; vsyslog](#). Except for the fact that the priorities have a defined order, the meaning of each of these priorities is entirely determined by the system administrator.

A "facility/priority" is a number that indicates both the facility and the priority.

**Warning:** This terminology is not universal. Some people use "level" to refer to the priority and "priority" to refer to the combination of facility and priority. A Linux kernel has a concept of a message "level," which corresponds both to a Syslog priority and to a Syslog facility/priority (It can be both because the facility code for the kernel is zero, and that makes priority and facility/priority the same value).

The GNU C library provides functions to submit messages to Syslog. They do it by writing to the `/dev/log` socket. See [Submitting Syslog Messages](#).

The GNU C library functions only work to submit messages to the Syslog facility on the same system. To submit a message to the Syslog facility on another system, use the socket I/O functions to write a UDP datagram to the `syslog` UDP port on that system. See [Sockets](#).

---

Node: Submitting Syslog Messages, Previous: [Overview of Syslog](#), Up: [Syslog](#)

## Submitting Syslog Messages

The GNU C library provides functions to submit messages to the Syslog facility:

- [openlog](#): Open connection to Syslog
- [syslog; vsyslog](#): Submit message to Syslog
- [closelog](#): Close connection to Syslog
- [setlogmask](#): Cause certain messages to be ignored
- [Syslog Example](#): Example of all of the above

These functions only work to submit messages to the Syslog facility on the same system. To submit a message to the Syslog facility on another system, use the socket I/O functions to write a UDP datagram to the `syslog` UDP port on that system. See [Sockets](#).

---

Node: [openlog](#), Next: [syslog; vsyslog](#), Up: [Submitting Syslog Messages](#)

### openlog

The symbols referred to in this section are declared in the file `syslog.h`.

void **openlog** (*const char \*ident, int option, int facility*) Function

`openlog` opens or reopens a connection to Syslog in preparation for submitting messages.

*ident* is an arbitrary identification string which future `syslog` invocations will prefix to each message. This is intended to identify the source of the message, and people conventionally set it to the name of the program that will submit the messages.

If *ident* is `NULL`, or if `openlog` is not called, the default identification string used in Syslog messages will be the program name, taken from `argv[0]`.

Please note that the string pointer *ident* will be retained internally by the Syslog routines. You must not free the memory that *ident* points to. It is also dangerous to pass a reference to an automatic variable since leaving the scope would mean ending the lifetime of the variable. If you want to change the *ident* string, you must call `openlog` again; overwriting the string pointed to by *ident* is not thread-safe.

You can cause the Syslog routines to drop the reference to *ident* and go back to the default string (the program name taken from `argv[0]`), by calling `closelog`: See [closelog](#).

In particular, if you are writing code for a shared library that might get loaded and then unloaded (e.g. a PAM module), and you use `openlog`, you must call `closelog` before any point where your library might get unloaded, as in this example:

```
#include <syslog.h>

void
shared_library_function (void)
{
    openlog ("mylibrary", option, priority);

    syslog (LOG_INFO, "shared library has been invoked");

    closelog ();
}
```

Without the call to `closelog`, future invocations of `syslog` by the program using the shared library may crash, if the library gets unloaded and the memory containing the string "mylibrary" becomes unmapped. This is a limitation of the BSD `syslog` interface.

`openlog` may or may not open the `/dev/log` socket, depending on *option*. If it does, it tries to open it and connect it as a stream socket. If that doesn't work, it tries to open it and connect it as a datagram socket. The socket has the "Close on Exec" attribute, so the kernel will close it if the process performs an `exec`.

You don't have to use `openlog`. If you call `syslog` without having called `openlog`, `syslog` just opens the connection implicitly and uses defaults for the information in *ident* and *options*.

*options* is a bit string, with the bits as defined by the following single bit masks:

#### LOG\_PERROR

If on, `openlog` sets up the connection so that any `syslog` on this connection writes its message to the calling process' Standard Error stream in addition to submitting it to Syslog. If off, `syslog` does not write the message to Standard Error.

#### LOG\_CONS

If on, `openlog` sets up the connection so that a `syslog` on this connection that fails to submit a message to Syslog writes the message instead to system console. If off, `syslog` does not write to the system console (but of course Syslog may write messages it receives to the console).

#### LOG\_PID

When on, `openlog` sets up the connection so that a `syslog` on this connection inserts the calling process' Process ID (PID) into the message. When off, `openlog` does not insert the PID.

`LOG_NDELAY`

When on, `openlog` opens and connects the `/dev/log` socket. When off, a future `syslog` call must open and connect the socket.

**Portability note:** In early systems, the sense of this bit was exactly the opposite.

`LOG_ODELAY`

This bit does nothing. It exists for backward compatibility.

If any other bit in *options* is on, the result is undefined.

*facility* is the default facility code for this connection. A `syslog` on this connection that specifies default facility causes this facility to be associated with the message. See `syslog` for possible values. A value of zero means the default default, which is `LOG_USER`.

If a Syslog connection is already open when you call `openlog`, `openlog` "reopens" the connection. Reopening is like opening except that if you specify zero for the default facility code, the default facility code simply remains unchanged and if you specify `LOG_NDELAY` and the socket is already open and connected, `openlog` just leaves it that way.

Node: `syslog`; `vsyslog`, Next: [closelog](#), Previous: [openlog](#), Up: [Submitting Syslog Messages](#)

## **syslog, vsyslog**

The symbols referred to in this section are declared in the file `syslog.h`.

`void syslog (int facility_priority, char *format, ...)` Function

`syslog` submits a message to the Syslog facility. It does this by writing to the Unix domain socket `/dev/log`.

`syslog` submits the message with the facility and priority indicated by *facility\_priority*. The macro `LOG_MAKEPRI` generates a facility/priority from a facility and a priority, as in the following example:

```
LOG_MAKEPRI ( LOG_USER , LOG_WARNING )
```

The possible values for the facility code are (macros):

`LOG_USER`



A miscellaneous user process

LOG\_MAIL

Mail

LOG\_DAEMON

A miscellaneous system daemon

LOG\_AUTH

Security (authorization)

LOG\_SYSLOG

Syslog

LOG\_LPR

Central printer

LOG\_NEWS

Network news (e.g. Usenet)

LOG\_UUCP

UUCP

LOG\_CRON

Cron and At

LOG\_AUTHPRIV

Private security (authorization)

LOG\_FTP

Ftp server

LOG\_LOCAL0

Locally defined

LOG\_LOCAL1

Locally defined

LOG\_LOCAL2

Locally defined

LOG\_LOCAL3

Locally defined

LOG\_LOCAL4

Locally defined

LOG\_LOCAL5

Locally defined

LOG\_LOCAL6

Locally defined

LOG\_LOCAL7

Locally defined

Results are undefined if the facility code is anything else.

**note:** `syslog` recognizes one other facility code: that of the kernel. But you can't specify that facility code with these functions. If you try, it looks the same to `syslog` as if you are requesting the default facility. But you wouldn't want to anyway, because any program that uses the GNU C

library is not the kernel.

You can use just a priority code as *facility\_priority*. In that case, `syslog` assumes the default facility established when the Syslog connection was opened. See [Syslog Example](#).

The possible values for the priority code are (macros):

`LOG_EMERG`

The message says the system is unusable.

`LOG_ALERT`

Action on the message must be taken immediately.

`LOG_CRIT`

The message states a critical condition.

`LOG_ERR`

The message describes an error.

`LOG_WARNING`

The message is a warning.

`LOG_NOTICE`

The message describes a normal but important event.

`LOG_INFO`

The message is purely informational.

`LOG_DEBUG`

The message is only for debugging purposes.

Results are undefined if the priority code is anything else.

If the process does not presently have a Syslog connection open (i.e. it did not call `openlog`), `syslog` implicitly opens the connection the same as `openlog` would, with the following defaults for information that would otherwise be included in an `openlog` call: The default identification string is the program name. The default default facility is `LOG_USER`. The default for all the connection options in *options* is as if those bits were off. `syslog` leaves the Syslog connection open.

If the `dev/log` socket is not open and connected, `syslog` opens and connects it, the same as `openlog` with the `LOG_NDELAY` option would.

`syslog` leaves `/dev/log` open and connected unless its attempt to send the message failed, in which case `syslog` closes it (with the hope that a future implicit open will restore the Syslog connection to a usable state).

Example:

```
#include <syslog.h>
syslog (LOG_MAKEPRI(LOG_LOCAL1, LOG_ERROR),
        "Unable to make network connection to %s. Error=%m", host);
```

void **vsyslog** (*int facility\_priority, char \*format, va\_list arglist*) Function

This is functionally identical to `syslog`, with the BSD style variable length argument.

Node: `closelog`, Next: [setlogmask](#), Previous: [syslog; vsyslog](#), Up: [Submitting Syslog Messages](#)

## closelog

The symbols referred to in this section are declared in the file `syslog.h`.

void **closelog** (*void*) Function

`closelog` closes the current Syslog connection, if there is one. This includes closing the `dev/log` socket, if it is open. `closelog` also sets the identification string for Syslog messages back to the default, if `openlog` was called with a non-NULL argument to *ident*. The default identification string is the program name taken from `argv[0]`.

If you are writing shared library code that uses `openlog` to generate custom syslog output, you should use `closelog` to drop the GNU C library's internal reference to the *ident* pointer when you are done. Please read the section on `openlog` for more information: See [openlog](#).

`closelog` does not flush any buffers. You do not have to call `closelog` before re-opening a Syslog connection with `initlog`. Syslog connections are automatically closed on `exec` or `exit`.

Node: `setlogmask`, Next: [Syslog Example](#), Previous: [closelog](#), Up: [Submitting Syslog Messages](#)

## setlogmask

The symbols referred to in this section are declared in the file `syslog.h`.

int **setlogmask** (*int mask*) Function

`setlogmask` sets a mask (the "logmask") that determines which future `syslog` calls shall be ignored. If a program has not called `setlogmask`, `syslog` doesn't ignore any calls. You can use `setlogmask` to specify that messages of particular priorities shall be ignored in the future.

A `setlogmask` call overrides any previous `setlogmask` call.

Note that the logmask exists entirely independently of opening and closing of Syslog connections.

Setting the logmask has a similar effect to, but is not the same as, configuring Syslog. The Syslog configuration may cause Syslog to discard certain messages it receives, but the logmask causes certain messages never to get submitted to Syslog in the first place.

*mask* is a bit string with one bit corresponding to each of the possible message priorities. If the bit is on, `syslog` handles messages of that priority normally. If it is off, `syslog` discards messages of that priority. Use the message priority macros described in [syslog; vsyslog](#) and the `LOG_MASK` to construct an appropriate *mask* value, as in this example:

```
LOG_MASK ( LOG_EMERG ) | LOG_MASK ( LOG_ERROR )
```

or

```
~ ( LOG_MASK ( LOG_INFO ) )
```

There is also a `LOG_UPTO` macro, which generates a mask with the bits on for a certain priority and all priorities above it:

```
LOG_UPTO ( LOG_ERROR )
```

The unfortunate naming of the macro is due to the fact that internally, higher numbers are used for lower message priorities.

---

Node: Syslog Example, Previous: [setlogmask](#), Up: [Submitting Syslog Messages](#)

## Syslog Example

Here is an example of `openlog`, `syslog`, and `closelog`:

This example sets the logmask so that debug and informational messages get discarded without ever

reaching Syslog. So the second `syslog` in the example does nothing.

```
#include <syslog.h>

setlogmask (LOG_UPTO (LOG_NOTICE));

openlog ("exampleprog", LOG_CONS | LOG_PID | LOG_NDELAY, LOG_LOCAL1);

syslog (LOG_NOTICE, "Program started by User %d", getuid ());
syslog (LOG_INFO, "A tree falls in a forest");

closelog ();
```

---

Node: Mathematics, Next: [Arithmetic](#), Previous: [Syslog](#), Up: [Top](#)

## Mathematics

This chapter contains information about functions for performing mathematical computations, such as trigonometric functions. Most of these functions have prototypes declared in the header file `math.h`. The complex-valued functions are defined in `complex.h`.

All mathematical functions which take a floating-point argument have three variants, one each for `double`, `float`, and `long double` arguments. The `double` versions are mostly defined in ISO C89. The `float` and `long double` versions are from the numeric extensions to C included in ISO C99.

Which of the three versions of a function should be used depends on the situation. For most calculations, the `float` functions are the fastest. On the other hand, the `long double` functions have the highest precision. `double` is somewhere in between. It is usually wise to pick the narrowest type that can accommodate your data. Not all machines have a distinct `long double` type; it may be the same as `double`.

- [Mathematical Constants](#): Precise numeric values for often-used constants.
- [Trig Functions](#): Sine, cosine, tangent, and friends.
- [Inverse Trig Functions](#): Arcsine, arccosine, etc.
- [Exponents and Logarithms](#): Also `pow` and `sqrt`.
- [Hyperbolic Functions](#): `sinh`, `cosh`, `tanh`, etc.
- [Special Functions](#): Bessel, gamma, `erf`.
- [Errors in Math Functions](#): Known Maximum Errors in Math Functions.
- [Pseudo-Random Numbers](#): Functions for generating pseudo-random numbers.

- [FP Function Optimizations](#): Fast code or small code.

Node: Mathematical Constants, Next: [Trig Functions](#), Up: [Mathematics](#)

## Predefined Mathematical Constants

The header `math.h` defines several useful mathematical constants. All values are defined as preprocessor macros starting with `M_`. The values provided are:

<code>M_E</code>	The base of natural logarithms.
<code>M_LOG2E</code>	The logarithm to base 2 of <code>M_E</code> .
<code>M_LOG10E</code>	The logarithm to base 10 of <code>M_E</code> .
<code>M_LN2</code>	The natural logarithm of 2.
<code>M_LN10</code>	The natural logarithm of 10.
<code>M_PI</code>	Pi, the ratio of a circle's circumference to its diameter.
<code>M_PI_2</code>	Pi divided by two.
<code>M_PI_4</code>	Pi divided by four.
<code>M_1_PI</code>	The reciprocal of pi (1/pi)
<code>M_2_PI</code>	Two times the reciprocal of pi.
<code>M_2_SQRTPI</code>	Two times the reciprocal of the square root of pi.
<code>M_SQRT2</code>	The square root of two.
<code>M_SQRT1_2</code>	The reciprocal of the square root of two (also the square root of 1/2).

These constants come from the Unix98 standard and were also available in 4.4BSD; therefore they are only defined if `_BSD_SOURCE` or `_XOPEN_SOURCE=500`, or a more general feature select macro, is defined. The default set of features includes these constants. See [Feature Test Macros](#).

All values are of type `double`. As an extension, the GNU C library also defines these constants with

type `long double`. The `long double` macros have a lowercase `l` appended to their names: `M_E1`, `M_PI1`, and so forth. These are only available if `_GNU_SOURCE` is defined.

*Note:* Some programs use a constant named `PI` which has the same value as `M_PI`. This constant is not standard; it may have appeared in some old AT&T headers, and is mentioned in Stroustrup's book on C++. It infringes on the user's name space, so the GNU C library does not define it. Fixing programs written to expect it is simple: replace `PI` with `M_PI` throughout, or put `-DPI=M_PI` on the compiler command line.

---

Node: Trig Functions, Next: [Inverse Trig Functions](#), Previous: [Mathematical Constants](#),  
Up: [Mathematics](#)

## Trigonometric Functions

These are the familiar `sin`, `cos`, and `tan` functions. The arguments to all of these functions are in units of radians; recall that pi radians equals 180 degrees.

The math library normally defines `M_PI` to a `double` approximation of pi. If strict ISO and/or POSIX compliance are requested this constant is not defined, but you can easily define it yourself:

```
#define M_PI 3.14159265358979323846264338327
```

You can also compute the value of pi with the expression `acos (-1.0)`.

`double` **sin** (*double* *x*) Function

`float` **sinf** (*float* *x*) Function

`long double` **sinl** (*long double* *x*) Function

These functions return the sine of *x*, where *x* is given in radians. The return value is in the range -1 to 1.

`double` **cos** (*double* *x*) Function

`float` **cosf** (*float* *x*) Function

`long double` **cosl** (*long double* *x*) Function

These functions return the cosine of *x*, where *x* is given in radians. The return value is in the range -1 to 1.

double <b>tan</b> ( <i>double x</i> )	Function
float <b>tanf</b> ( <i>float x</i> )	Function
long double <b>tanl</b> ( <i>long double x</i> )	Function

These functions return the tangent of  $x$ , where  $x$  is given in radians.

Mathematically, the tangent function has singularities at odd multiples of  $\pi/2$ . If the argument  $x$  is too close to one of these singularities, `tan` will signal overflow.

In many applications where `sin` and `cos` are used, the sine and cosine of the same angle are needed at the same time. It is more efficient to compute them simultaneously, so the library provides a function to do that.

void <b>sincos</b> ( <i>double x, double *sinx, double *cosx</i> )	Function
void <b>sincosf</b> ( <i>float x, float *sinx, float *cosx</i> )	Function
void <b>sincosl</b> ( <i>long double x, long double *sinx, long double *cosx</i> )	Function

These functions return the sine of  $x$  in *\*sinx* and the cosine of  $x$  in *\*cos*, where  $x$  is given in radians. Both values, *\*sinx* and *\*cosx*, are in the range of  $-1$  to  $1$ .

This function is a GNU extension. Portable programs should be prepared to cope with its absence.

ISO C99 defines variants of the trig functions which work on complex numbers. The GNU C library provides these functions, but they are only useful if your compiler supports the new complex types defined by the standard. (As of this writing GCC supports complex numbers, but there are bugs in the implementation.)

complex double <b>csin</b> ( <i>complex double z</i> )	Function
complex float <b>csinf</b> ( <i>complex float z</i> )	Function
complex long double <b>csinl</b> ( <i>complex long double z</i> )	Function

These functions return the complex sine of  $z$ . The mathematical definition of the complex sine is

$$\sin(z) = 1/(2*i) * (\exp(z*i) - \exp(-z*i)).$$

complex double <b>ccos</b> ( <i>complex double z</i> )	Function
complex float <b>ccosf</b> ( <i>complex float z</i> )	Function
complex long double <b>ccosl</b> ( <i>complex long double z</i> )	Function



These functions return the complex cosine of  $z$ . The mathematical definition of the complex cosine is

$$\cos(z) = 1/2 * (\exp(z*i) + \exp(-z*i))$$

complex double **ctan** (*complex double*  $z$ ) Function

complex float **ctanf** (*complex float*  $z$ ) Function

complex long double **ctanl** (*complex long double*  $z$ ) Function

These functions return the complex tangent of  $z$ . The mathematical definition of the complex tangent is

$$\tan(z) = -i * (\exp(z*i) - \exp(-z*i)) / (\exp(z*i) + \exp(-z*i))$$

The complex tangent has poles at  $\pi/2 + 2n$ , where  $n$  is an integer. `ctan` may signal overflow if  $z$  is too close to a pole.

Node: Inverse Trig Functions, Next: [Exponents and Logarithms](#), Previous: [Trig Functions](#),

Up: [Mathematics](#)

## Inverse Trigonometric Functions

These are the usual arc sine, arc cosine and arc tangent functions, which are the inverses of the sine, cosine and tangent functions respectively.

double **asin** (*double*  $x$ ) Function

float **asinf** (*float*  $x$ ) Function

long double **asinl** (*long double*  $x$ ) Function

These functions compute the arc sine of  $x$ --that is, the value whose sine is  $x$ . The value is in units of radians. Mathematically, there are infinitely many such values; the one actually returned is the one between  $-\pi/2$  and  $\pi/2$  (inclusive).

The arc sine function is defined mathematically only over the domain  $-1$  to  $1$ . If  $x$  is outside the domain, `asin` signals a domain error.

double **acos** (*double*  $x$ ) Function

float **acosf** (*float*  $x$ ) Function

long double **acosl** (*long double x*) Function

These functions compute the arc cosine of  $x$ --that is, the value whose cosine is  $x$ . The value is in units of radians. Mathematically, there are infinitely many such values; the one actually returned is the one between 0 and  $\pi$  (inclusive).

The arc cosine function is defined mathematically only over the domain  $-1$  to  $1$ . If  $x$  is outside the domain, `acos` signals a domain error.

double **atan** (*double x*) Function

float **atanf** (*float x*) Function

long double **atanl** (*long double x*) Function

These functions compute the arc tangent of  $x$ --that is, the value whose tangent is  $x$ . The value is in units of radians. Mathematically, there are infinitely many such values; the one actually returned is the one between  $-\pi/2$  and  $\pi/2$  (inclusive).

double **atan2** (*double y, double x*) Function

float **atan2f** (*float y, float x*) Function

long double **atan2l** (*long double y, long double x*) Function

This function computes the arc tangent of  $y/x$ , but the signs of both arguments are used to determine the quadrant of the result, and  $x$  is permitted to be zero. The return value is given in radians and is in the range  $-\pi$  to  $\pi$ , inclusive.

If  $x$  and  $y$  are coordinates of a point in the plane, `atan2` returns the signed angle between the line from the origin to that point and the  $x$ -axis. Thus, `atan2` is useful for converting Cartesian coordinates to polar coordinates. (To compute the radial coordinate, use `hypot`; see [Exponents and Logarithms](#).)

If both  $x$  and  $y$  are zero, `atan2` returns zero.

ISO C99 defines complex versions of the inverse trig functions.

complex double **casin** (*complex double z*) Function

complex float **casinf** (*complex float z*) Function

complex long double **casinl** (*complex long double z*) Function

These functions compute the complex arc sine of  $z$ --that is, the value whose sine is  $z$ . The value returned is in radians.

Unlike the real-valued functions, `casin` is defined for all values of  $z$ .

complex double **ccos** (*complex double*  $z$ ) Function

complex float **ccosf** (*complex float*  $z$ ) Function

complex long double **ccosl** (*complex long double*  $z$ ) Function

These functions compute the complex arc cosine of  $z$ --that is, the value whose cosine is  $z$ . The value returned is in radians.

Unlike the real-valued functions, `cacos` is defined for all values of  $z$ .

complex double **catan** (*complex double*  $z$ ) Function

complex float **catanf** (*complex float*  $z$ ) Function

complex long double **catanl** (*complex long double*  $z$ ) Function

These functions compute the complex arc tangent of  $z$ --that is, the value whose tangent is  $z$ . The value is in units of radians.

Node: Exponents and Logarithms, Next: [Hyperbolic Functions](#), Previous: [Inverse Trig Functions](#),

Up: [Mathematics](#)

## Exponentiation and Logarithms

double **exp** (*double*  $x$ ) Function

float **expf** (*float*  $x$ ) Function

long double **expl** (*long double*  $x$ ) Function

These functions compute  $e$  (the base of natural logarithms) raised to the power  $x$ .

If the magnitude of the result is too large to be representable, `exp` signals overflow.

double **exp2** (*double*  $x$ ) Function

float **exp2f** (*float*  $x$ ) Function

long double **exp2l** (*long double*  $x$ ) Function

These functions compute 2 raised to the power  $x$ . Mathematically,  $\exp_2(x)$  is the same as  $\exp(x * \log(2))$ .

double **exp10** (*double x*) Function

float **exp10f** (*float x*) Function

long double **exp10l** (*long double x*) Function

double **pow10** (*double x*) Function

float **pow10f** (*float x*) Function

long double **pow10l** (*long double x*) Function

These functions compute 10 raised to the power  $x$ . Mathematically,  $\exp_{10}(x)$  is the same as  $\exp(x * \log(10))$ .

These functions are GNU extensions. The name `exp10` is preferred, since it is analogous to `exp` and `exp2`.

double **log** (*double x*) Function

float **logf** (*float x*) Function

long double **logl** (*long double x*) Function

These functions compute the natural logarithm of  $x$ .  $\exp(\log(x))$  equals  $x$ , exactly in mathematics and approximately in C.

If  $x$  is negative, `log` signals a domain error. If  $x$  is zero, it returns negative infinity; if  $x$  is too close to zero, it may signal overflow.

double **log10** (*double x*) Function

float **log10f** (*float x*) Function

long double **log10l** (*long double x*) Function

These functions return the base-10 logarithm of  $x$ .  $\log_{10}(x)$  equals  $\log(x) / \log(10)$ .

double **log2** (*double x*) Function

float **log2f** (*float x*) Function

long double **log2l** (*long double x*) Function

These functions return the base-2 logarithm of  $x$ .  $\log_2(x)$  equals  $\log(x) / \log(2)$ .

double **logb** (*double x*) Function

float **logbf** (*float x*) Function

long double **logbl** (*long double x*) Function

These functions extract the exponent of  $x$  and return it as a floating-point value. If `FLT_RADIX` is two, `logb` is equal to `floor (log2 (x))`, except it's probably faster.

If  $x$  is de-normalized, `logb` returns the exponent  $x$  would have if it were normalized. If  $x$  is infinity (positive or negative), `logb` returns `&infin;`. If  $x$  is zero, `logb` returns `&infin;`. It does not signal.

int **ilogb** (*double x*) Function

int **ilogbf** (*float x*) Function

int **ilogbl** (*long double x*) Function

These functions are equivalent to the corresponding `logb` functions except that they return signed integer values.

Since integers cannot represent infinity and NaN, `ilogb` instead returns an integer that can't be the exponent of a normal floating-point number. `math.h` defines constants so you can check for this.

int **FP\_ILOGB0** Macro

`ilogb` returns this value if its argument is 0. The numeric value is either `INT_MIN` or `INT_MAX`.

This macro is defined in ISO C99.

int **FP\_ILOGBNAN** Macro

`ilogb` returns this value if its argument is NaN. The numeric value is either `INT_MIN` or `INT_MAX`.

This macro is defined in ISO C99.

These values are system specific. They might even be the same. The proper way to test the result of `ilogb` is as follows:

```
i = ilogb (f);
if (i == FP_ILOGB0 || i == FP_ILOGBNAN)
{
    if (isnan (f))
```

```

    {
        /* Handle NaN.  */
    }
else if (f == 0.0)
    {
        /* Handle 0.0.  */
    }
else
    {
        /* Some other value with large exponent,
           perhaps +Inf.  */
    }
}

```

double **pow** (*double base, double power*) Function

float **powf** (*float base, float power*) Function

long double **powl** (*long double base, long double power*) Function

These are general exponentiation functions, returning *base* raised to *power*.

Mathematically, `pow` would return a complex number when *base* is negative and *power* is not an integral value. `pow` can't do that, so instead it signals a domain error. `pow` may also underflow or overflow the destination type.

double **sqrt** (*double x*) Function

float **sqrtf** (*float x*) Function

long double **sqrtl** (*long double x*) Function

These functions return the nonnegative square root of *x*.

If *x* is negative, `sqrt` signals a domain error. Mathematically, it should return a complex number.

double **cbrt** (*double x*) Function

float **cbrtf** (*float x*) Function

long double **cbrtl** (*long double x*) Function

These functions return the cube root of *x*. They cannot fail; every representable real value has a representable real cube root.

double **hypot** (*double x, double y*) Function

float **hypotf** (*float x, float y*) Function

long double **hypotl** (*long double x, long double y*) Function

These functions return  $\sqrt{x*x + y*y}$ . This is the length of the hypotenuse of a right triangle with sides of length  $x$  and  $y$ , or the distance of the point  $(x, y)$  from the origin. Using this function instead of the direct formula is wise, since the error is much smaller. See also the function `cabs` in [Absolute Value](#).

double **expm1** (*double x*) Function

float **expm1f** (*float x*) Function

long double **expm1l** (*long double x*) Function

These functions return a value equivalent to  $\exp(x) - 1$ . They are computed in a way that is accurate even if  $x$  is near zero--a case where  $\exp(x) - 1$  would be inaccurate owing to subtraction of two numbers that are nearly equal.

double **log1p** (*double x*) Function

float **log1pf** (*float x*) Function

long double **log1pl** (*long double x*) Function

These functions returns a value equivalent to  $\log(1 + x)$ . They are computed in a way that is accurate even if  $x$  is near zero.

ISO C99 defines complex variants of some of the exponentiation and logarithm functions.

complex double **cexp** (*complex double z*) Function

complex float **cexpf** (*complex float z*) Function

complex long double **cexpl** (*complex long double z*) Function

These functions return  $e$  (the base of natural logarithms) raised to the power of  $z$ . Mathematically, this corresponds to the value

$$\exp(z) = \exp(\operatorname{creal}(z)) * (\cos(\operatorname{cimag}(z)) + I * \sin(\operatorname{cimag}(z)))$$

complex double **clog** (*complex double z*) Function

complex float **clogf** (*complex float z*) Function

complex long double **clogl** (*complex long double z*) Function

These functions return the natural logarithm of  $z$ . Mathematically, this corresponds to the value

$$\log(z) = \log(\operatorname{cabs}(z)) + I * \operatorname{carg}(z)$$

`clog` has a pole at 0, and will signal overflow if  $z$  equals or is very close to 0. It is well-defined for all other values of  $z$ .

complex double **clog10** (*complex double*  $z$ ) Function

complex float **clog10f** (*complex float*  $z$ ) Function

complex long double **clog10l** (*complex long double*  $z$ ) Function

These functions return the base 10 logarithm of the complex value  $z$ . Mathematically, this corresponds to the value

$$\log(z) = \log_{10}(\operatorname{cabs}(z)) + I * \operatorname{carg}(z)$$

These functions are GNU extensions.

complex double **csqrt** (*complex double*  $z$ ) Function

complex float **csqrtf** (*complex float*  $z$ ) Function

complex long double **csqrtl** (*complex long double*  $z$ ) Function

These functions return the complex square root of the argument  $z$ . Unlike the real-valued functions, they are defined for all values of  $z$ .

complex double **cpow** (*complex double base, complex double power*) Function

complex float **cpowf** (*complex float base, complex float power*) Function

complex long double **cpowl** (*complex long double base, complex long double power*) Function

These functions return  $base$  raised to the power of  $power$ . This is equivalent to `cexp(y * clog(x))`

Node: [Hyperbolic Functions](#), Next: [Special Functions](#), Previous: [Exponents and Logarithms](#),  
Up: [Mathematics](#)

## Hyperbolic Functions

The functions in this section are related to the exponential functions; see [Exponents and Logarithms](#).



double <b>sinh</b> ( <i>double x</i> )	Function
float <b>sinhf</b> ( <i>float x</i> )	Function
long double <b>sinhl</b> ( <i>long double x</i> )	Function

These functions return the hyperbolic sine of  $x$ , defined mathematically as  $(\exp(x) - \exp(-x)) / 2$ . They may signal overflow if  $x$  is too large.

double <b>cosh</b> ( <i>double x</i> )	Function
float <b>coshf</b> ( <i>float x</i> )	Function
long double <b>coshl</b> ( <i>long double x</i> )	Function

These function return the hyperbolic cosine of  $x$ , defined mathematically as  $(\exp(x) + \exp(-x)) / 2$ . They may signal overflow if  $x$  is too large.

double <b>tanh</b> ( <i>double x</i> )	Function
float <b>tanhf</b> ( <i>float x</i> )	Function
long double <b>tanhf</b> ( <i>long double x</i> )	Function

These functions return the hyperbolic tangent of  $x$ , defined mathematically as  $\sinh(x) / \cosh(x)$ . They may signal overflow if  $x$  is too large.

There are counterparts for the hyperbolic functions which take complex arguments.

complex double <b>csinh</b> ( <i>complex double z</i> )	Function
complex float <b>csinhf</b> ( <i>complex float z</i> )	Function
complex long double <b>csinhl</b> ( <i>complex long double z</i> )	Function

These functions return the complex hyperbolic sine of  $z$ , defined mathematically as  $(\exp(z) - \exp(-z)) / 2$ .

complex double <b>ccosh</b> ( <i>complex double z</i> )	Function
complex float <b>ccoshf</b> ( <i>complex float z</i> )	Function
complex long double <b>ccoshl</b> ( <i>complex long double z</i> )	Function

These functions return the complex hyperbolic cosine of  $z$ , defined mathematically as  $(\exp(z) + \exp(-z)) / 2$ .

complex double <b>ctanh</b> ( <i>complex double z</i> )	Function
---	----------

complex float **ctanhf** (*complex float z*) Function

complex long double **ctanhl** (*complex long double z*) Function

These functions return the complex hyperbolic tangent of  $z$ , defined mathematically as  $\text{csinh}(z) / \text{ccosh}(z)$ .

double **asinh** (*double x*) Function

float **asinhf** (*float x*) Function

long double **asinhl** (*long double x*) Function

These functions return the inverse hyperbolic sine of  $x$ --the value whose hyperbolic sine is  $x$ .

double **acosh** (*double x*) Function

float **acoshf** (*float x*) Function

long double **acoshl** (*long double x*) Function

These functions return the inverse hyperbolic cosine of  $x$ --the value whose hyperbolic cosine is  $x$ . If  $x$  is less than 1, `acosh` signals a domain error.

double **atanh** (*double x*) Function

float **atanhf** (*float x*) Function

long double **atanhl** (*long double x*) Function

These functions return the inverse hyperbolic tangent of  $x$ --the value whose hyperbolic tangent is  $x$ . If the absolute value of  $x$  is greater than 1, `atanh` signals a domain error; if it is equal to 1, `atanh` returns infinity.

complex double **casinh** (*complex double z*) Function

complex float **casinhf** (*complex float z*) Function

complex long double **casinhl** (*complex long double z*) Function

These functions return the inverse complex hyperbolic sine of  $z$ --the value whose complex hyperbolic sine is  $z$ .

complex double **cacosh** (*complex double z*) Function

complex float **cacoshf** (*complex float z*) Function

complex long double **cacoshl** (*complex long double z*) Function

These functions return the inverse complex hyperbolic cosine of  $z$ --the value whose complex hyperbolic cosine is  $z$ . Unlike the real-valued functions, there are no restrictions on the value of  $z$ .

complex double **catanh** (*complex double*  $z$ ) Function

complex float **catanhf** (*complex float*  $z$ ) Function

complex long double **catanhl** (*complex long double*  $z$ ) Function

These functions return the inverse complex hyperbolic tangent of  $z$ --the value whose complex hyperbolic tangent is  $z$ . Unlike the real-valued functions, there are no restrictions on the value of  $z$ .

Node: Special Functions, Next: [Errors in Math Functions](#), Previous: [Hyperbolic Functions](#),  
Up: [Mathematics](#)

## Special Functions

These are some more exotic mathematical functions which are sometimes useful. Currently they only have real-valued versions.

double **erf** (*double*  $x$ ) Function

float **erff** (*float*  $x$ ) Function

long double **erfl** (*long double*  $x$ ) Function

`erf` returns the error function of  $x$ . The error function is defined as

$$\text{erf}(x) = \frac{2}{\sqrt{\pi}} * \int_0^x \exp(-t^2) dt$$

double **erfc** (*double*  $x$ ) Function

float **erfcf** (*float*  $x$ ) Function

long double **erfcl** (*long double*  $x$ ) Function

`erfc` returns  $1.0 - \text{erf}(x)$ , but computed in a fashion that avoids round-off error when  $x$  is large.

double **lgamma** (*double*  $x$ ) Function

float **lgammaf** (*float*  $x$ ) Function

long double **lgammal** (*long double x*) Function

lgamma returns the natural logarithm of the absolute value of the gamma function of  $x$ . The gamma function is defined as

$$\text{gamma}(x) = \text{integral from } 0 \text{ to } \infty \text{ of } t^{(x-1)} e^{-t} dt$$

The sign of the gamma function is stored in the global variable *signgam*, which is declared in `math.h`. It is 1 if the intermediate result was positive or zero, or -1 if it was negative.

To compute the real gamma function you can use the `tgamma` function or you can compute the values as follows:

```
lgam = lgamma(x);
gam  = signgam*exp(lgam);
```

The gamma function has singularities at the non-positive integers. `lgamma` will raise the zero divide exception if evaluated at a singularity.

double **lgamma\_r** (*double x, int \*signp*) Function

float **lgammaf\_r** (*float x, int \*signp*) Function

long double **lgammal\_r** (*long double x, int \*signp*) Function

`lgamma_r` is just like `lgamma`, but it stores the sign of the intermediate result in the variable pointed to by *signp* instead of in the *signgam* global. This means it is reentrant.

double **gamma** (*double x*) Function

float **gammaf** (*float x*) Function

long double **gammal** (*long double x*) Function

These functions exist for compatibility reasons. They are equivalent to `lgamma` etc. It is better to use `lgamma` since for one the name reflects better the actual computation, moreover `lgamma` is standardized in ISO C99 while `gamma` is not.

double **tgamma** (*double x*) Function

float **tgammaf** (*float x*) Function

long double **tgammal** (*long double x*) Function

`tgamma` applies the gamma function to  $x$ . The gamma function is defined as

$$\text{gamma}(x) = \int_0^{\infty} t^{(x-1)} e^{-t} dt$$

This function was introduced in ISO C99.

`double j0 (double x)` Function

`float j0f (float x)` Function

`long double j0l (long double x)` Function

`j0` returns the Bessel function of the first kind of order 0 of  $x$ . It may signal underflow if  $x$  is too large.

`double j1 (double x)` Function

`float j1f (float x)` Function

`long double j1l (long double x)` Function

`j1` returns the Bessel function of the first kind of order 1 of  $x$ . It may signal underflow if  $x$  is too large.

`double jn (int n, double x)` Function

`float jnf (int n, float x)` Function

`long double jnl (int n, long double x)` Function

`jn` returns the Bessel function of the first kind of order  $n$  of  $x$ . It may signal underflow if  $x$  is too large.

`double y0 (double x)` Function

`float y0f (float x)` Function

`long double y0l (long double x)` Function

`y0` returns the Bessel function of the second kind of order 0 of  $x$ . It may signal underflow if  $x$  is too large. If  $x$  is negative, `y0` signals a domain error; if it is zero, `y0` signals overflow and returns  $-\infty$ .

`double y1 (double x)` Function

`float y1f (float x)` Function

long double **y1l** (*long double x*)

Function

**y1** returns the Bessel function of the second kind of order 1 of  $x$ . It may signal underflow if  $x$  is too large. If  $x$  is negative, **y1** signals a domain error; if it is zero, **y1** signals overflow and returns  $-\infty$ .

double **yn** (*int n, double x*)

Function

float **ynf** (*int n, float x*)

Function

long double **ynl** (*int n, long double x*)

Function

**yn** returns the Bessel function of the second kind of order  $n$  of  $x$ . It may signal underflow if  $x$  is too large. If  $x$  is negative, **yn** signals a domain error; if it is zero, **yn** signals overflow and returns  $-\infty$ .

Node: Errors in Math Functions, Next: [Pseudo-Random Numbers](#), Previous: [Special Functions](#),  
Up: [Mathematics](#)

## Known Maximum Errors in Math Functions

This section lists the known errors of the functions in the math library. Errors are measured in "units of the last place". This is a measure for the relative error. For a number  $z$  with the representation  $d.d\dots d \cdot 2^e$  (we assume IEEE floating-point numbers with base 2) the ULP is represented by

$$|d.d\dots d - (z / 2^e)| / 2^{(p - 1)}$$

where  $p$  is the number of bits in the mantissa of the floating-point number representation. Ideally the error for all functions is always less than  $0.5\text{ulps}$ . Using rounding bits this is also possible and normally implemented for the basic operations. To achieve the same for the complex math functions requires a lot more work and this has not yet been done.

Therefore many of the functions in the math library have errors. The table lists the maximum error for each function which is exposed by one of the existing tests in the test suite. The table tries to cover as much as possible and list the actual maximum error (or at least a ballpark figure) but this is often not achieved due to the large search space.

The table lists the ULP values for different architectures. Different architectures have different results since their hardware support for floating-point operations varies and also the existing hardware support is different.

Function	Alpha	ARM	Generic	ix86	IA64
acosf	-	-	-	-	-
acos	-	-	-	-	-
acosl	-	-	-	1150	-
acoshf	-	-	-	-	-
acosh	-	-	-	-	-
acoshl	-	-	-	1	-
asinf	2	2	-	-	-
asin	1	1	-	1	1
asinl	-	-	-	1	-
asinhf	-	-	-	-	-
asinh	-	-	-	-	-
asinh1	-	-	-	656	14
atanf	-	-	-	-	-
atan	-	-	-	-	-
atanl	-	-	-	549	-
atanhf	-	-	-	-	-
atanh	1	1	-	1	-
atanh1	-	-	-	1605	-
atan2f	4	-	-	-	-
atan2	-	-	-	-	-
atan2l	-	-	-	549	-
cabsf	1	1	-	1	1
cabs	1	1	-	1	1
cabsl	-	-	-	560	1
cacosf	1 + i 1	1 + i 1	-	1 + i 2	1 + i 2
cacos	1 + i 0	1 + i 0	-	1 + i 0	1 + i 0
cacosl	-	-	-	151 + i 329	1 + i 1
cacoshf	7 + i 3	7 + i 3	-	4 + i 4	7 + i 0
cacosh	1 + i 1	1 + i 1	-	1 + i 1	1 + i 1
cacosh1	-	-	-	328 + i 151	7 + i 1
cargf	-	-	-	-	-
carg	-	-	-	-	-
cargl	-	-	-	-	-
casinf	2 + i 1	2 + i 1	-	2 + i 2	2 + i 2

casin	$3 + i 0$	$3 + i 0$	-	$3 + i 0$	$3 + i 0$
casinl	-	-	-	$603 + i 329$	$0 + i 1$
casinhf	$1 + i 6$	$1 + i 6$	-	$1 + i 6$	$1 + i 6$
casinh	$5 + i 3$	$5 + i 3$	-	$5 + i 3$	$5 + i 3$
casinhl	-	-	-	$892 + i 12$	$5 + i 5$
catanf	$4 + i 1$	$4 + i 1$	-	$0 + i 1$	$0 + i 1$
catan	$0 + i 1$	$0 + i 1$	-	$0 + i 1$	$0 + i 1$
catanl	-	-	-	$251 + i 474$	$1 + i 0$
catanhf	$1 + i 6$	$1 + i 6$	-	$1 + i 0$	-
catanh	$4 + i 1$	$4 + i 1$	-	$2 + i 0$	$4 + i 0$
catanhl	-	-	-	$66 + i 447$	$1 + i 0$
cbrtf	-	-	-	-	-
cbrt	1	1	-	1	1
cbrtl	-	-	-	716	-
ccosf	$0 + i 1$	$0 + i 1$	-	$1 + i 1$	$1 + i 1$
ccos	$1 + i 1$	$1 + i 1$	-	$1 + i 1$	$1 + i 1$
ccosl	-	-	-	$5 + i 1901$	$0 + i 1$
ccoshf	$1 + i 1$	$1 + i 1$	-	$1 + i 1$	$1 + i 1$
ccosh	$1 + i 1$	$1 + i 1$	-	$1 + i 1$	$1 + i 1$
ccoshl	-	-	-	$1467 + i 1183$	$1 + i 1$
ceilf	-	-	-	-	-
ceil	-	-	-	-	-
ceill	-	-	-	-	-
cexpf	$1 + i 1$	$1 + i 1$	-	$1 + i 0$	$1 + i 1$
cexp	$1 + i 0$	$1 + i 0$	-	-	$1 + i 0$
cexpl	-	-	-	$940 + i 1067$	$2 + i 0$
cimagf	-	-	-	-	-
cimag	-	-	-	-	-
cimagl	-	-	-	-	-
clogf	$0 + i 3$	$0 + i 3$	-	-	-
clog	$0 + i 1$	$0 + i 1$	-	-	-
clogl	-	-	-	$0 + i 1$	-
clog10f	$1 + i 5$	$1 + i 5$	-	$1 + i 1$	$1 + i 1$
clog10	$1 + i 1$	$1 + i 1$	-	$2 + i 1$	$2 + i 1$



clog10l	-	-	-	1403 + i 186	1 + i 2
conjf	-	-	-	-	-
conj	-	-	-	-	-
conjl	-	-	-	-	-
copysignf	-	-	-	-	-
copysign	-	-	-	-	-
copysignl	-	-	-	-	-
cosf	1	1	-	1	1
cos	2	2	-	2	2
cosl	-	-	-	529	0.5
coshf	-	-	-	-	-
cosh	-	-	-	-	-
coshl	-	-	-	309	2
cpowf	4 + i 2	4 + i 2	-	4 + i 2.5333	5 + i 2.5333
cpow	1 + i 1.1031	1 + i 1.1031	-	1 + i 1.104	1 + i 1.1031
cpowl	-	-	-	2 + i 9	1 + i 4
cprojf	-	-	-	-	-
cproj	-	-	-	-	-
cprojl	-	-	-	-	-
crealf	-	-	-	-	-
creal	-	-	-	-	-
creall	-	-	-	-	-
csinf	0 + i 1	0 + i 1	-	-	-
csin	-	-	-	-	-
csinl	-	-	-	966 + i 168	0 + i 1
csinhf	1 + i 1	1 + i 1	-	1 + i 1	1 + i 1
csinh	0 + i 1	0 + i 1	-	1 + i 1	1 + i 1
csinhl	-	-	-	413 + i 477	2 + i 2
csqrtf	1 + i 1	1 + i 1	-	-	1 + i 1
csqrt	1 + i 0	1 + i 0	-	1 + i 0	1 + i 0
csqrtl	-	-	-	237 + i 128	-
ctanf	1 + i 1	1 + i 1	-	1 + i 1	1 + i 1
ctan	1 + i 1	1 + i 1	-	1 + i 1	1 + i 1

ctanl	-	-	-	690 + i 367	436 + i 1
ctanhf	2 + i 1	2 + i 1	-	1 + i 1	1 + i 1
ctanh	2 + i 2	2 + i 2	-	0 + i 1	0 + i 1
ctanhl	-	-	-	286 + i 3074	1 + i 24
erff	-	-	-	-	-
erf	-	-	-	-	-
erfl	-	-	-	-	-
erfcf	12	12	-	12	12
erfc	24	24	-	24	24
erfcl	-	-	-	36	12
expf	-	-	-	-	-
exp	-	-	-	-	-
expl	-	-	-	754	-
exp10f	2	2	-	-	2
exp10	6	6	-	1	6
exp10l	-	-	-	1182	3
exp2f	-	-	-	-	-
exp2	-	-	-	-	-
exp2l	-	-	-	462	-
expm1f	1	1	-	-	-
expm1	-	-	-	-	-
expm1l	-	-	-	825	1
fabsf	-	-	-	-	-
fabs	-	-	-	-	-
fabsl	-	-	-	-	-
fdimf	-	-	-	-	-
fdim	-	-	-	-	-
fdiml	-	-	-	-	-
floorf	-	-	-	-	-
floor	-	-	-	-	-
floorl	-	-	-	-	-
fmaf	-	-	-	-	-
fma	-	-	-	-	-
fmal	-	-	-	-	-
fmaxf	-	-	-	-	-

fmax	-	-	-	-	-
fmaxl	-	-	-	-	-
fminf	-	-	-	-	-
fmin	-	-	-	-	-
fminl	-	-	-	-	-
fmodf	1	1	-	1	1
fmod	2	2	-	2	2
fmodl	-	-	-	4096	1
frexpf	-	-	-	-	-
frexp	-	-	-	-	-
frexpl	-	-	-	-	-
gammaf	-	-	-	-	-
gamma	-	-	-	1	-
gammal	-	-	-	1	1
hypotf	1	1	-	1	1
hypot	1	1	-	1	1
hypotl	-	-	-	560	1
ilogbf	-	-	-	-	-
ilogb	-	-	-	-	-
ilogbl	-	-	-	-	-
j0f	2	2	-	1	1
j0	2	2	-	2	2
j0l	-	-	-	1	2
j1f	2	2	-	1	2
j1	1	1	-	2	1
j1l	-	-	-	2	-
jnf	4	4	-	2	4
jn	6	6	-	5	6
jnl	-	-	-	2	2
lgammaf	2	2	-	2	2
lgamma	1	1	-	1	1
lgammal	-	-	-	1	1
lrintf	-	-	-	-	-
lrint	-	-	-	-	-
lrintl	-	-	-	-	-

llrintf	-	-	-	-	-
llrint	-	-	-	-	-
llrintl	-	-	-	-	-
logf	1	1	-	1	1
log	1	1	-	1	1
logl	-	-	-	2341	1
log10f	1	1	-	1	1
log10	1	1	-	1	1
log10l	-	-	-	2033	1
log1pf	1	1	-	1	1
log1p	1	1	-	1	1
log1pl	-	-	-	585	1
log2f	1	1	-	1	1
log2	1	1	-	1	1
log2l	-	-	-	1688	-
logbf	-	-	-	-	-
logb	-	-	-	-	-
logbl	-	-	-	-	-
lroundf	-	-	-	-	-
lround	-	-	-	-	-
lroundl	-	-	-	-	-
llroundf	-	-	-	-	-
llround	-	-	-	-	-
llroundl	-	-	-	-	-
modff	-	-	-	-	-
modf	-	-	-	-	-
modfl	-	-	-	-	-
nearbyintf	-	-	-	-	-
nearbyint	-	-	-	-	-
nearbyintl	-	-	-	-	-
nextafterf	-	-	-	-	-
nextafter	-	-	-	-	-
nextafterl	-	-	-	-	-
nexttowardf	-	-	-	-	-
nexttoward	-	-	-	-	-

nexttowardl	-	-	-	-	-
powf	-	-	-	-	-
pow	-	-	-	-	-
powl	-	-	-	725	1
remainderf	-	-	-	-	-
remainder	-	-	-	-	-
remainderl	-	-	-	-	-
remquof	-	-	-	-	-
remquo	-	-	-	-	-
remquol	-	-	-	-	-
rintf	-	-	-	-	-
rint	-	-	-	-	-
rintl	-	-	-	-	-
roundf	-	-	-	-	-
round	-	-	-	-	-
roundl	-	-	-	-	-
scalbf	-	-	-	-	-
scalb	-	-	-	-	-
scalbl	-	-	-	-	-
scalbnf	-	-	-	-	-
scalbn	-	-	-	-	-
scalbnl	-	-	-	-	-
scalblnf	-	-	-	-	-
scalbln	-	-	-	-	-
scalblnl	-	-	-	-	-
sinf	-	-	-	-	-
sin	-	-	-	-	-
sinl	-	-	-	627	1
sincosf	1	1	-	1	1
sincos	1	1	-	1	1
sincosl	-	-	-	627	1
sinhf	1	1	-	1	1
sinh	1	1	-	-	-
sinhl	-	-	-	1029	1
sqrtf	-	-	-	-	-

sqrt	-	-	-	-	-
sqrtl	-	-	-	489	-
tanf	-	-	-	-	-
tan	0.5	0.5	-	0.5	0.5
tanl	-	-	-	1401	1
tanhf	1	1	-	-	1
tanh	1	1	-	-	1
tanhl	-	-	-	521	1
tgammaf	1	1	-	1	1
tgamma	1	1	-	2	1
tgamma1	-	-	-	2	1
truncf	-	-	-	-	-
trunc	-	-	-	-	-
truncl	-	-	-	-	-
y0f	1	1	-	1	1
y0	2	2	-	3	2
y0l	-	-	-	2	2
y1f	2	2	-	2	2
y1	3	3	-	3	3
y1l	-	-	-	2	1
ynf	2	2	-	3	2
yn	3	3	-	6	3
ynl	-	-	-	7	7

Function	M68k	MIPS	PowerPC	S/390	SH4
acosf	-	-	-	-	-
acos	-	-	-	-	-
acosl	1	-	-	-	-
acoshf	-	-	-	-	-
acosh	-	-	-	-	-
acoshl	1	-	-	-	-
asinf	-	2	2	2	2
asin	1	1	1	1	1
asinl	1	-	-	-	-
asinhf	-	-	-	-	-

asinh	-	-	-	-	-
asinhf	14	-	-	-	-
atanf	-	-	-	-	-
atan	-	-	-	-	-
atanl	-	-	-	-	-
atanhf	-	-	-	-	-
atanh	1	1	1	1	1
atanhl	-	-	-	-	-
atan2f	-	4	4	4	4
atan2	-	-	-	-	-
atan2l	-	-	-	-	-
cabsf	1	1	1	1	1
cabs	-	1	1	1	1
cabsl	1	-	-	-	-
cacosf	1 + i 2	1 + i 1	1 + i 1	1 + i 1	1 + i 1
cacos	1 + i 0	1 + i 0	1 + i 0	1 + i 0	1 + i 0
cacosl	1 + i 1	-	-	-	-
cacoshf	7 + i 0	7 + i 3	7 + i 3	7 + i 3	7 + i 3
cacosh	1 + i 1	1 + i 1	1 + i 1	1 + i 1	1 + i 1
cacoshl	6 + i 2	-	-	-	-
cargf	-	-	-	-	-
carg	-	-	-	-	-
cargl	-	-	-	-	-
casinf	2 + i 2	2 + i 1	2 + i 1	2 + i 1	2 + i 1
casin	3 + i 0	3 + i 0	3 + i 0	3 + i 0	3 + i 0
casinl	0 + i 1	-	-	-	-
casinhf	19 + i 2	1 + i 6	1 + i 6	1 + i 6	1 + i 6
casinh	6 + i 13	5 + i 3	5 + i 3	5 + i 3	5 + i 3
casinhl	5 + i 6	-	-	-	-
catanf	0 + i 1	4 + i 1	4 + i 1	4 + i 1	4 + i 1
catan	0 + i 1	0 + i 1	0 + i 1	0 + i 1	0 + i 1
catanl	1 + i 0	-	-	-	-
catanhf	-	1 + i 6	0 + i 6	1 + i 6	1 + i 6
catanh	-	4 + i 1	4 + i 1	4 + i 1	4 + i 1
catanhl	1 + i 0	-	-	-	-

cbrtf	-	-	-	-	-
cbrt	1	1	1	1	1
cbrtl	1	-	-	-	-
ccosf	1 + i 1	0 + i 1	0 + i 1	0 + i 1	0 + i 1
ccos	0 + i 1	1 + i 1	1 + i 1	1 + i 1	1 + i 1
ccosl	0 + i 1	-	-	-	-
ccoshf	3 + i 1	1 + i 1	1 + i 1	1 + i 1	1 + i 1
ccosh	1 + i 0	1 + i 1	1 + i 1	1 + i 1	1 + i 1
ccoshl	1 + i 2	-	-	-	-
ceilf	-	-	-	-	-
ceil	-	-	-	-	-
ceill	-	-	-	-	-
cexpf	3 + i 2	1 + i 1	1 + i 1	1 + i 1	1 + i 1
cexp	-	1 + i 0	1 + i 0	1 + i 0	1 + i 0
cexpl	2 + i 0	-	-	-	-
cimagf	-	-	-	-	-
cimag	-	-	-	-	-
cimagl	-	-	-	-	-
clogf	-	0 + i 3	0 + i 3	0 + i 3	0 + i 3
clog	-	0 + i 1	0 + i 1	0 + i 1	0 + i 1
clogl	-	-	-	-	-
clog10f	1 + i 1	1 + i 5	1 + i 5	1 + i 5	1 + i 5
clog10	1 + i 1	1 + i 1	1 + i 1	1 + i 1	1 + i 1
clog10l	1 + i 3	-	-	-	-
conjf	-	-	-	-	-
conj	-	-	-	-	-
conjl	-	-	-	-	-
copysignf	-	-	-	-	-
copysign	-	-	-	-	-
copysignl	-	-	-	-	-
cosf	1	1	1	1	1
cos	2	2	2	2	2
cosl	1	-	-	-	-
coshf	-	-	-	-	-
cosh	-	-	-	-	-



coshl	2	-	-	-	-
cpowf	1 + i 6	4 + i 2	4 + i 2	4 + i 2	4 + i 2
cpow	1 + i 2	1 + i 1.1031	1 + i 2	1 + i 1.1031	1 + i 1.1031
cpowl	5 + i 2	-	-	-	-
cprojf	-	-	-	-	-
cproj	-	-	-	-	-
cprojl	-	-	-	-	-
crealf	-	-	-	-	-
creal	-	-	-	-	-
creall	-	-	-	-	-
csinf	1 + i 1	0 + i 1	0 + i 1	0 + i 1	0 + i 1
csin	-	-	-	-	-
csinl	-	-	-	-	-
csinhf	1 + i 1	1 + i 1	1 + i 1	1 + i 1	1 + i 1
csinh	-	0 + i 1	0 + i 1	0 + i 1	0 + i 1
csinhl	1 + i 2	-	-	-	-
csqrtf	1 + i 0	1 + i 1	1 + i 1	1 + i 1	1 + i 1
csqrt	-	1 + i 0	1 + i 0	1 + i 0	1 + i 0
csqrtl	-	-	-	-	-
ctanf	1 + i 0	1 + i 1	1 + i 1	1 + i 1	1 + i 1
ctan	1 + i 0	1 + i 1	1 + i 1	1 + i 1	1 + i 1
ctanl	439 + i 2	-	-	-	-
ctanhf	1 + i 0	2 + i 1	2 + i 1	2 + i 1	2 + i 1
ctanh	0 + i 1	2 + i 2	2 + i 2	2 + i 2	2 + i 2
ctanhl	2 + i 25	-	-	-	-
erff	-	-	-	-	-
erf	-	-	-	-	-
erfl	-	-	-	-	-
erfcf	11	12	12	12	12
erfc	24	24	24	24	24
erfcl	12	-	-	-	-
expf	-	-	-	-	-
exp	-	-	-	-	-

expl	-	-	-	-	-
exp10f	-	2	2	2	2
exp10	1	6	6	6	6
exp10l	1	-	-	-	-
exp2f	-	-	-	-	-
exp2	-	-	-	-	-
exp2l	-	-	-	-	-
expm1f	-	1	1	1	1
expm1	-	-	-	-	-
expm1l	1	-	-	-	-
fabsf	-	-	-	-	-
fabs	-	-	-	-	-
fabsl	-	-	-	-	-
fdimf	-	-	-	-	-
fdim	-	-	-	-	-
fdiml	-	-	-	-	-
floorf	-	-	-	-	-
floor	-	-	-	-	-
floorl	-	-	-	-	-
fmaf	-	-	-	-	-
fma	-	-	-	-	-
fmal	-	-	-	-	-
fmaxf	-	-	-	-	-
fmax	-	-	-	-	-
fmaxl	-	-	-	-	-
fminf	-	-	-	-	-
fmin	-	-	-	-	-
fminl	-	-	-	-	-
fmodf	1	1	1	1	1
fmod	2	2	2	2	2
fmodl	1	-	-	-	-
frexpf	-	-	-	-	-
frexp	-	-	-	-	-
frexpl	-	-	-	-	-
gammaf	-	-	-	-	-

gamma	-	-	-	-	-
gammal	1	-	-	-	-
hypotf	1	1	1	1	1
hypot	-	1	1	1	1
hypotl	1	-	-	-	-
ilogbf	-	-	-	-	-
ilogb	-	-	-	-	-
ilogbl	-	-	-	-	-
j0f	1	2	1	2	2
j0	1	2	2	2	2
j0l	1	-	-	-	-
j1f	2	2	2	2	2
j1	-	1	1	1	1
j1l	2	-	-	-	-
jnf	11	4	4	4	4
jn	4	6	6	6	6
jnl	2	-	-	-	-
lgammaf	2	2	2	2	2
lgamma	1	1	1	1	1
lgammal	1	-	-	-	-
lrintf	-	-	-	-	-
lrint	-	-	-	-	-
lrintl	-	-	-	-	-
llrintf	-	-	-	-	-
llrint	-	-	-	-	-
llrintl	-	-	-	-	-
logf	1	1	1	1	1
log	1	1	1	1	1
logl	2	-	-	-	-
log10f	1	1	1	1	1
log10	1	1	1	1	1
log10l	1	-	-	-	-
log1pf	1	1	1	1	1
log1p	1	1	1	1	1
log1pl	2	-	-	-	-

log2f	1	1	1	1	1
log2	1	1	1	1	1
log2l	1	-	-	-	-
logbf	-	-	-	-	-
logb	-	-	-	-	-
logbl	-	-	-	-	-
lroundf	-	-	-	-	-
lround	-	-	-	-	-
lroundl	-	-	-	-	-
llroundf	-	-	-	-	-
llround	-	-	-	-	-
llroundl	-	-	-	-	-
modff	-	-	-	-	-
modf	-	-	-	-	-
modfl	-	-	-	-	-
nearbyintf	-	-	-	-	-
nearbyint	-	-	-	-	-
nearbyintl	-	-	-	-	-
nextafterf	-	-	-	-	-
nextafter	-	-	-	-	-
nextafterl	-	-	-	-	-
nexttowardf	-	-	-	-	-
nexttoward	-	-	-	-	-
nexttowardl	-	-	-	-	-
powf	-	-	-	-	-
pow	-	-	-	-	-
powl	1	-	-	-	-
remainderf	-	-	-	-	-
remainder	-	-	-	-	-
remainderl	-	-	-	-	-
remquof	-	-	-	-	-
remquo	-	-	-	-	-
remquol	-	-	-	-	-
rintf	-	-	-	-	-
rint	-	-	-	-	-

rintl	-	-	-	-	-
roundf	-	-	-	-	-
round	-	-	-	-	-
roundl	-	-	-	-	-
scalbf	-	-	-	-	-
scalb	-	-	-	-	-
scalbl	-	-	-	-	-
scalbnf	-	-	-	-	-
scalbn	-	-	-	-	-
scalbnl	-	-	-	-	-
scalblnf	-	-	-	-	-
scalbln	-	-	-	-	-
scalblnl	-	-	-	-	-
sinf	-	-	-	-	-
sin	-	-	-	-	-
sinl	1	-	-	-	-
sincosf	1	1	1	1	1
sincos	1	1	1	1	1
sincosl	1	-	-	-	-
sinhf	1	1	1	1	1
sinh	-	1	1	1	1
sinhl	-	-	-	-	-
sqrtf	-	-	-	-	-
sqrt	-	-	-	-	-
sqrtl	-	-	-	-	-
tanf	-	-	-	-	-
tan	1	0.5	1	0.5	0.5
tanl	1	-	-	-	-
tanhf	-	1	1	1	1
tanh	-	1	1	1	1
tanhl	-	-	-	-	-
tgammaf	1	1	1	1	1
tgamma	1	1	1	1	1
tgammal	1	-	-	-	-
truncf	-	-	-	-	-

trunc	-	-	-	-	-
truncl	-	-	-	-	-
y0f	2	1	1	1	1
y0	2	2	2	2	2
y0l	2	-	-	-	-
y1f	2	2	2	2	2
y1	1	3	3	3	3
y1l	2	-	-	-	-
ynf	2	2	2	2	2
yn	6	3	3	3	3
ynl	7	-	-	-	-

Function	Sparc 32-bit	Sparc 64-bit	x86_64/fpu
acosf	-	-	-
acos	-	-	-
acosl	-	1	-
acoshf	-	-	-
acosh	-	-	-
acoshl	-	-	-
asinf	2	2	-
asin	1	1	1
asinl	-	-	1
asinhf	-	-	-
asinh	-	-	-
asinhl	-	-	15
atanf	-	-	-
atan	-	-	-
atanl	-	1	-
atanhf	-	-	-
atanh	1	1	1
atanhl	-	-	1
atan2f	4.0000	4	4
atan2	-	-	-
atan2l	-	1	-

cabsf	1	1	1
cabs	1	1	1
cabsl	-	-	1
cacosf	1 + i 1	1 + i 1	1 + i 1
caacos	1 + i 0	1 + i 0	1 + i 0
caacosl	-	0 + i 3	1 + i 1
cacoshf	7 + i 3	7 + i 3	7 + i 3
cacosh	1 + i 1	1 + i 1	1 + i 1
cacoshl	-	5 + i 1	6 + i 1
cargf	-	-	-
carg	-	-	-
cargl	-	-	-
casinf	2 + i 1	2 + i 1	2 + i 1
casin	3 + i 0	3 + i 0	3 + i 0
casinl	-	1 + i 3	0 + i 1
casinhf	1 + i 6	1 + i 6	1 + i 6
casinh	5 + i 3	5 + i 3	5 + i 3
casinhl	-	4 + i 2	5 + i 5
catanf	4 + i 1	4 + i 1	4 + i 1
catan	0 + i 1	0 + i 1	0 + i 1
catanl	-	0 + i 1	1 + i 0
catanhf	1 + i 6	1 + i 6	1 + i 6
catanh	4 + i 1	4 + i 1	4 + i 0
catanhl	-	-	1 + i 0
cbrtf	-	-	-
cbrt	1	1	1
cbrtl	-	-	948
ccosf	0 + i 1	0 + i 1	0 + i 1
ccos	1 + i 1	1 + i 1	1 + i 1
ccosl	-	-	0 + i 1
ccoshf	1 + i 1	1 + i 1	1 + i 1
ccosh	1 + i 1	1 + i 1	1 + i 1
ccoshl	-	-	1 + i 1
ceilf	-	-	-
ceil	-	-	-

ceil	-	-	-
cexpf	1 + i 1	1 + i 1	1 + i 1
cexp	1 + i 0	1 + i 0	1 + i 0
cexpl	-	1 + i 1	2 + i 1
cimagf	-	-	-
cimag	-	-	-
cimagl	-	-	-
clogf	0 + i 3	0 + i 3	0 + i 3
clog	0 + i 1	0 + i 1	-
clogl	-	-	-
clog10f	1 + i 5	1 + i 5	1 + i 5
clog10	1 + i 1	1 + i 1	1 + i 1
clog10l	-	-	1 + i 3
conjf	-	-	-
conj	-	-	-
conjl	-	-	-
copysignf	-	-	-
copysign	-	-	-
copysignl	-	-	-
cosf	1	1	1
cos	2	2	2
cosl	-	1	0.5
coshf	-	-	-
cosh	-	-	-
coshl	-	-	2
cpowf	4 + i 2	4 + i 2	4 + i 2
cpow	1 + i 1.1031	1 + i 1.1031	1 + i 1.1031
cpowl	-	3 + i 0.9006	1 + i 2
cprojf	-	-	-
cproj	-	-	-
cprojl	-	-	-
crealf	-	-	-
creal	-	-	-



creall	-	-	-
csinf	0 + i 1	0 + i 1	0 + i 1
csin	-	-	-
csinl	-	-	0 + i 2
csinhf	1 + i 1	1 + i 1	1 + i 1
csinh	0 + i 1	0 + i 1	0 + i 1
csinhl	-	-	2 + i 2
csqrtf	1 + i 1	1 + i 1	1 + i 1
csqrt	1 + i 0	1 + i 0	1 + i 0
csqrtl	-	1 + i 1	-
ctanf	1 + i 1	1 + i 1	1 + i 1
ctan	1 + i 1	1 + i 1	1 + i 1
ctanl	-	-	439 + i 2
ctanhf	2 + i 1	2 + i 1	2 + i 1
ctanh	2 + i 2	2 + i 2	2 + i 2
ctanhl	-	-	5 + i 25
erff	-	-	-
erf	-	-	-
erfl	-	-	-
erfcf	12	12	12
erfc	24	24	24
erfcl	-	-	36
expf	-	-	-
exp	-	-	-
expl	-	-	-
exp10f	2	2	2
exp10	6	6	6
exp10l	-	1	3
exp2f	-	-	-
exp2	-	-	-
exp2l	-	-	-
expm1f	1	1	1
expm1	-	1	1
expm1l	-	-	1
fabsf	-	-	-

fabs	-	-	-
fabsl	-	-	-
fdimf	-	-	-
fdim	-	-	-
fdiml	-	-	-
floorf	-	-	-
floor	-	-	-
floorl	-	-	-
fmaf	-	-	-
fma	-	-	-
fmal	-	-	-
fmaxf	-	-	-
fmax	-	-	-
fmaxl	-	-	-
fminf	-	-	-
fmin	-	-	-
fminl	-	-	-
fmodf	1	1	1
fmod	2	2	2
fmodl	-	2	1
frexpf	-	-	-
frexp	-	-	-
frexpl	-	-	-
gammaf	-	-	-
gamma	-	-	-
gammal	-	-	1
hypotf	1	1	1
hypot	1	1	1
hypotl	-	-	1
ilogbf	-	-	-
ilogb	-	-	-
ilogbl	-	-	-
j0f	2	2	2
j0	2	2	2
j0l	-	-	-

j1f	2	2	2
j1	1	1	1
j1l	-	-	2
jnf	4	4	4
jn	6	6	6
jnl	-	-	2
lgammaf	2	2	2
lgamma	1	1	1
lgammal	-	-	1
rintf	-	-	-
rint	-	-	-
rintl	-	-	-
llrintf	-	-	-
llrint	-	-	-
llrintl	-	-	-
logf	1	1	1
log	1	1	1
logl	-	1	1
log10f	1	1	1
log10	1	1	1
log10l	-	-	1
log1pf	1	1	1
log1p	1	1	1
log1pl	-	1	1
log2f	1	1	1
log2	1	1	1
log2l	-	-	-
logbf	-	-	-
logb	-	-	-
logbl	-	-	-
lroundf	-	-	-
lround	-	-	-
lroundl	-	-	-
llroundf	-	-	-
llround	-	-	-

llroundl	-	-	-
modff	-	-	-
modf	-	-	-
modfl	-	-	-
nearbyintf	-	-	-
nearbyint	-	-	-
nearbyintl	-	-	-
nextafterf	-	-	-
nextafter	-	-	-
nextafterl	-	-	-
nexttowardf	-	-	-
nexttoward	-	-	-
nexttowardl	-	-	-
powf	-	-	-
pow	-	-	-
powl	-	-	-
remainderf	-	-	-
remainder	-	-	-
remainderl	-	-	-
remquof	-	-	-
remquo	-	-	-
remquol	-	-	-
rintf	-	-	-
rint	-	-	-
rintl	-	-	-
roundf	-	-	-
round	-	-	-
roundl	-	-	-
scalbf	-	-	-
scalb	-	-	-
scalbl	-	-	-
scalbnf	-	-	-
scalbn	-	-	-
scalbnl	-	-	-
scalblnf	-	-	-

scalbln	-	-	-
scalblnl	-	-	-
sinf	-	-	-
sin	-	-	-
sinl	-	-	1
sincosf	1	1	1
sincos	1	1	1
sincosl	-	1	1
sinhf	1	1	1
sinh	1	1	1
sinhl	-	-	1
sqrtf	-	-	-
sqrt	-	-	-
sqrtl	-	1	-
tanf	-	-	-
tan	0.5	0.5	0.5
tanl	-	1	1
tanhf	1	1	1
tanh	1	1	1
tanhl	-	-	1
tgammaf	1	1	1
tgamma	1	1	1
tgammal	-	-	2
truncf	-	-	-
trunc	-	-	-
truncl	-	-	-
y0f	1	1	1
y0	2	2	2
y0l	-	-	2
y1f	2	2	2
y1	3	3	3
y1l	-	-	2
ynf	2	2	2
yn	3	3	3
ynl	-	-	7

---

Node: Pseudo-Random Numbers, Next: [FP Function Optimizations](#), Previous: [Errors in Math Functions](#),  
Up: [Mathematics](#)

## Pseudo-Random Numbers

This section describes the GNU facilities for generating a series of pseudo-random numbers. The numbers generated are not truly random; typically, they form a sequence that repeats periodically, with a period so large that you can ignore it for ordinary purposes. The random number generator works by remembering a *seed* value which it uses to compute the next random number and also to compute a new seed.

Although the generated numbers look unpredictable within one run of a program, the sequence of numbers is *exactly the same* from one run to the next. This is because the initial seed is always the same. This is convenient when you are debugging a program, but it is unhelpful if you want the program to behave unpredictably. If you want a different pseudo-random series each time your program runs, you must specify a different seed each time. For ordinary purposes, basing the seed on the current time works well.

You can obtain repeatable sequences of numbers on a particular machine type by specifying the same initial seed value for the random number generator. There is no standard meaning for a particular seed value; the same seed, used in different C libraries or on different CPU types, will give you different random numbers.

The GNU library supports the standard ISO C random number functions plus two other sets derived from BSD and SVID. The BSD and ISO C functions provide identical, somewhat limited functionality. If only a small number of random bits are required, we recommend you use the ISO C interface, `rand` and `srand`. The SVID functions provide a more flexible interface, which allows better random number generator algorithms, provides more random bits (up to 48) per call, and can provide random floating-point numbers. These functions are required by the XPG standard and therefore will be present in all modern Unix systems.

- [ISO Random](#): `rand` and friends.
- [BSD Random](#): `random` and friends.
- [SVID Random](#): `drand48` and friends.

---

Node: ISO Random, Next: [BSD Random](#), Up: [Pseudo-Random Numbers](#)

## ISO C Random Number Functions

This section describes the random number functions that are part of the ISO C standard.

To use these facilities, you should include the header file `stdlib.h` in your program.

int **RAND\_MAX** Macro

The value of this macro is an integer constant representing the largest value the `rand` function can return. In the GNU library, it is 2147483647, which is the largest signed integer representable in 32 bits. In other libraries, it may be as low as 32767.

int **rand** (*void*) Function

The `rand` function returns the next pseudo-random number in the series. The value ranges from 0 to `RAND_MAX`.

void **srand** (*unsigned int seed*) Function

This function establishes *seed* as the seed for a new series of pseudo-random numbers. If you call `rand` before a seed has been established with `srand`, it uses the value 1 as a default seed.

To produce a different pseudo-random series each time your program is run, do `srand (time (0))`.

POSIX.1 extended the C standard functions to support reproducible random numbers in multi-threaded programs. However, the extension is badly designed and unsuitable for serious work.

int **rand\_r** (*unsigned int \*seed*) Function

This function returns a random number in the range 0 to `RAND_MAX` just as `rand` does. However, all its state is stored in the *seed* argument. This means the RNG's state can only have as many bits as the type `unsigned int` has. This is far too few to provide a good RNG.

If your program requires a reentrant RNG, we recommend you use the reentrant GNU extensions to the SVID random number generator. The POSIX.1 interface should only be used when the GNU extensions are not available.

---

Node: BSD Random, Next: [SVID Random](#), Previous: [ISO Random](#), Up: [Pseudo-Random Numbers](#)

## BSD Random Number Functions

This section describes a set of random number generation functions that are derived from BSD. There is

no advantage to using these functions with the GNU C library; we support them for BSD compatibility only.

The prototypes for these functions are in `stdlib.h`.

`long int random (void)` Function

This function returns the next pseudo-random number in the sequence. The value returned ranges from 0 to `RAND_MAX`.

**Note:** Temporarily this function was defined to return a `int32_t` value to indicate that the return value always contains 32 bits even if `long int` is wider. The standard demands it differently. Users must always be aware of the 32-bit limitation, though.

`void srandom (unsigned int seed)` Function

The `srandom` function sets the state of the random number generator based on the integer *seed*. If you supply a *seed* value of 1, this will cause `random` to reproduce the default set of random numbers.

To produce a different set of pseudo-random numbers each time your program runs, do `srandom (time (0))`.

`void * initstate (unsigned int seed, void *state, size_t size)` Function

The `initstate` function is used to initialize the random number generator state. The argument *state* is an array of *size* bytes, used to hold the state information. It is initialized based on *seed*. The size must be between 8 and 256 bytes, and should be a power of two. The bigger the *state* array, the better.

The return value is the previous value of the state information array. You can use this value later as an argument to `setstate` to restore that state.

`void * setstate (void *state)` Function

The `setstate` function restores the random number state information *state*. The argument must have been the result of a previous call to `initstate` or `setstate`.

The return value is the previous value of the state information array. You can use this value later as an argument to `setstate` to restore that state.

If the function fails the return value is `NULL`.



The four functions described so far in this section all work on a state which is shared by all threads. The state is not directly accessible to the user and can only be modified by these functions. This makes it hard to deal with situations where each thread should have its own pseudo-random number generator.

The GNU C library contains four additional functions which contain the state as an explicit parameter and therefore make it possible to handle thread-local PRNGs. Beside this there are no difference. In fact, the four functions already discussed are implemented internally using the following interfaces.

The `stdlib.h` header contains a definition of the following type:

### **struct random\_data**

Data Type

Objects of type `struct random_data` contain the information necessary to represent the state of the PRNG. Although a complete definition of the type is present the type should be treated as opaque.

The functions modifying the state follow exactly the already described functions.

**int random\_r** (*struct random\_data \*restrict buf, int32\_t \*restrict result*)

Function

The `random_r` function behaves exactly like the `random` function except that it uses and modifies the state in the object pointed to by the first parameter instead of the global state.

**int srandom\_r** (*unsigned int seed, struct random\_data \*buf*)

Function

The `srandom_r` function behaves exactly like the `srandom` function except that it uses and modifies the state in the object pointed to by the second parameter instead of the global state.

**int initstate\_r** (*unsigned int seed, char \*restrict statebuf, size\_t statelen, struct random\_data \*restrict buf*)

Function

The `initstate_r` function behaves exactly like the `initstate` function except that it uses and modifies the state in the object pointed to by the fourth parameter instead of the global state.

**int setstate\_r** (*char \*restrict statebuf, struct random\_data \*restrict buf*)

Function

The `setstate_r` function behaves exactly like the `setstate` function except that it uses and modifies the state in the object pointed to by the first parameter instead of the global state.

---

Node: SVID Random, Previous: [BSD Random](#), Up: [Pseudo-Random Numbers](#)

## **SVID Random Number Function**

The C library on SVID systems contains yet another kind of random number generator functions. They use a state of 48 bits of data. The user can choose among a collection of functions which return the random bits in different forms.

Generally there are two kinds of function. The first uses a state of the random number generator which is shared among several functions and by all threads of the process. The second requires the user to handle the state.

All functions have in common that they use the same congruential formula with the same constants. The formula is

$$Y = (a * X + c) \text{ mod } m$$

where  $X$  is the state of the generator at the beginning and  $Y$  the state at the end.  $a$  and  $c$  are constants determining the way the generator works. By default they are

```
a = 0x5DEECE66D = 25214903917
c = 0xb = 11
```

but they can also be changed by the user.  $m$  is of course  $2^{48}$  since the state consists of a 48-bit array.

The prototypes for these functions are in `stdlib.h`.

double **drand48** (*void*) Function

This function returns a `double` value in the range of 0.0 to 1.0 (exclusive). The random bits are determined by the global state of the random number generator in the C library.

Since the `double` type according to IEEE 754 has a 52-bit mantissa this means 4 bits are not initialized by the random number generator. These are (of course) chosen to be the least significant bits and they are initialized to 0.

double **erand48** (*unsigned short int xsubi[3]*) Function

This function returns a `double` value in the range of 0.0 to 1.0 (exclusive), similarly to `drand48`. The argument is an array describing the state of the random number generator.

This function can be called subsequently since it updates the array to guarantee random numbers. The array should have been initialized before initial use to obtain reproducible results.

**long int lrand48** (*void*) Function

The `lrand48` function returns an integer value in the range of 0 to  $2^{31}$  (exclusive). Even if the size of the `long int` type can take more than 32 bits, no higher numbers are returned. The random bits are determined by the global state of the random number generator in the C library.

**long int nrand48** (*unsigned short int xsubi[3]*) Function

This function is similar to the `lrand48` function in that it returns a number in the range of 0 to  $2^{31}$  (exclusive) but the state of the random number generator used to produce the random bits is determined by the array provided as the parameter to the function.

The numbers in the array are updated afterwards so that subsequent calls to this function yield different results (as is expected of a random number generator). The array should have been initialized before the first call to obtain reproducible results.

**long int mrand48** (*void*) Function

The `mrnd48` function is similar to `lrand48`. The only difference is that the numbers returned are in the range  $-2^{31}$  to  $2^{31}$  (exclusive).

**long int jrand48** (*unsigned short int xsubi[3]*) Function

The `jrand48` function is similar to `nrnd48`. The only difference is that the numbers returned are in the range  $-2^{31}$  to  $2^{31}$  (exclusive). For the `xsubi` parameter the same requirements are necessary.

The internal state of the random number generator can be initialized in several ways. The methods differ in the completeness of the information provided.

**void srand48** (*long int seedval*) Function

The `srand48` function sets the most significant 32 bits of the internal state of the random number generator to the least significant 32 bits of the *seedval* parameter. The lower 16 bits are initialized to the value `0x330E`. Even if the `long int` type contains more than 32 bits only the lower 32 bits are used.

Owing to this limitation, initialization of the state of this function is not very useful. But it makes it easy to use a construct like `srand48 (time (0))`.

A side-effect of this function is that the values `a` and `c` from the internal state, which are used in the congruential formula, are reset to the default values given above. This is of importance once the user has called the `lcng48` function (see below).

unsigned short int \* **seed48** (*unsigned short int seed16v[3]*) Function

The `seed48` function initializes all 48 bits of the state of the internal random number generator from the contents of the parameter `seed16v`. Here the lower 16 bits of the first element of `seed16v` initialize the least significant 16 bits of the internal state, the lower 16 bits of `seed16v[ 1 ]` initialize the mid-order 16 bits of the state and the 16 lower bits of `seed16v[ 2 ]` initialize the most significant 16 bits of the state.

Unlike `srand48` this function lets the user initialize all 48 bits of the state.

The value returned by `seed48` is a pointer to an array containing the values of the internal state before the change. This might be useful to restart the random number generator at a certain state. Otherwise the value can simply be ignored.

As for `srand48`, the values `a` and `c` from the congruential formula are reset to the default values.

There is one more function to initialize the random number generator which enables you to specify even more information by allowing you to change the parameters in the congruential formula.

void **lcong48** (*unsigned short int param[7]*) Function

The `lcong48` function allows the user to change the complete state of the random number generator. Unlike `srand48` and `seed48`, this function also changes the constants in the congruential formula.

From the seven elements in the array `param` the least significant 16 bits of the entries `param[ 0 ]` to `param[ 2 ]` determine the initial state, the least significant 16 bits of `param[ 3 ]` to `param[ 5 ]` determine the 48 bit constant `a` and `param[ 6 ]` determines the 16-bit value `c`.

All the above functions have in common that they use the global parameters for the congruential formula. In multi-threaded programs it might sometimes be useful to have different parameters in different threads. For this reason all the above functions have a counterpart which works on a description of the random number generator in the user-supplied buffer instead of the global state.

Please note that it is no problem if several threads use the global state if all threads use the functions which take a pointer to an array containing the state. The random numbers are computed following the same loop but if the state in the array is different all threads will obtain an individual random number generator.

The user-supplied buffer must be of type `struct drand48_data`. This type should be regarded as opaque and not manipulated directly.

**int drand48\_r** (*struct drand48\_data \*buffer, double \*result*) Function

This function is equivalent to the `drand48` function with the difference that it does not modify the global random number generator parameters but instead the parameters in the buffer supplied through the pointer *buffer*. The random number is returned in the variable pointed to by *result*.

The return value of the function indicates whether the call succeeded. If the value is less than 0 an error occurred and *errno* is set to indicate the problem.

This function is a GNU extension and should not be used in portable programs.

**int erand48\_r** (*unsigned short int xsubi[3], struct drand48\_data \*buffer, double \*result*) Function

The `erand48_r` function works like `erand48`, but in addition it takes an argument *buffer* which describes the random number generator. The state of the random number generator is taken from the *xsubi* array, the parameters for the congruential formula from the global random number generator data. The random number is returned in the variable pointed to by *result*.

The return value is non-negative if the call succeeded.

This function is a GNU extension and should not be used in portable programs.

**int lrand48\_r** (*struct drand48\_data \*buffer, double \*result*) Function

This function is similar to `lrand48`, but in addition it takes a pointer to a buffer describing the state of the random number generator just like `drand48`.

If the return value of the function is non-negative the variable pointed to by *result* contains the result. Otherwise an error occurred.

This function is a GNU extension and should not be used in portable programs.

**int nrand48\_r** (*unsigned short int xsubi[3], struct drand48\_data \*buffer, long int \*result*) Function

The `nrand48_r` function works like `nrand48` in that it produces a random number in the range 0 to  $2^{31}$ . But instead of using the global parameters for the congruential formula it uses the information from the buffer pointed to by *buffer*. The state is described by the values in *xsubi*.

If the return value is non-negative the variable pointed to by *result* contains the result.

This function is a GNU extension and should not be used in portable programs.

**int `mrands48_r`** (*struct drand48\_data* \*buffer, *double* \*result) Function

This function is similar to `mrands48` but like the other reentrant functions it uses the random number generator described by the value in the buffer pointed to by *buffer*.

If the return value is non-negative the variable pointed to by *result* contains the result.

This function is a GNU extension and should not be used in portable programs.

**int `jrands48_r`** (*unsigned short int* xsubi[3], *struct drand48\_data* \*buffer, *long int* \*result) Function

The `jrands48_r` function is similar to `jrands48`. Like the other reentrant functions of this function family it uses the congruential formula parameters from the buffer pointed to by *buffer*.

If the return value is non-negative the variable pointed to by *result* contains the result.

This function is a GNU extension and should not be used in portable programs.

Before any of the above functions are used the buffer of type `struct drand48_data` should be initialized. The easiest way to do this is to fill the whole buffer with null bytes, e.g. by

```
memset (buffer, '\0', sizeof (struct drand48_data));
```

Using any of the reentrant functions of this family now will automatically initialize the random number generator to the default values for the state and the parameters of the congruential formula.

The other possibility is to use any of the functions which explicitly initialize the buffer. Though it might be obvious how to initialize the buffer from looking at the parameter to the function, it is highly recommended to use these functions since the result might not always be what you expect.

**int `srands48_r`** (*long int* seedval, *struct drand48\_data* \*buffer) Function

The description of the random number generator represented by the information in *buffer* is initialized similarly to what the function `srands48` does. The state is initialized from the parameter *seedval* and the parameters for the congruential formula are initialized to their default values.

If the return value is non-negative the function call succeeded.

This function is a GNU extension and should not be used in portable programs.

`int seed48_r` (*unsigned short int seed16v*[3], *struct drand48\_data \*buffer*) Function

This function is similar to `srand48_r` but like `seed48` it initializes all 48 bits of the state from the parameter *seed16v*.

If the return value is non-negative the function call succeeded. It does not return a pointer to the previous state of the random number generator like the `seed48` function does. If the user wants to preserve the state for a later re-run s/he can copy the whole buffer pointed to by *buffer*.

This function is a GNU extension and should not be used in portable programs.

`int lcong48_r` (*unsigned short int param*[7], *struct drand48\_data \*buffer*) Function

This function initializes all aspects of the random number generator described in *buffer* with the data in *param*. Here it is especially true that the function does more than just copying the contents of *param* and *buffer*. More work is required and therefore it is important to use this function rather than initializing the random number generator directly.

If the return value is non-negative the function call succeeded.

This function is a GNU extension and should not be used in portable programs.

---

Node: FP Function Optimizations, Previous: [Pseudo-Random Numbers](#), Up: [Mathematics](#)

## Is Fast Code or Small Code preferred?

If an application uses many floating point functions it is often the case that the cost of the function calls themselves is not negligible. Modern processors can often execute the operations themselves very fast, but the function call disrupts the instruction pipeline.

For this reason the GNU C Library provides optimizations for many of the frequently-used math functions. When GNU CC is used and the user activates the optimizer, several new inline functions and macros are defined. These new functions and macros have the same names as the library functions and so are used instead of the latter. In the case of inline functions the compiler will decide whether it is reasonable to use them, and this decision is usually correct.

This means that no calls to the library functions may be necessary, and can increase the speed of generated code significantly. The drawback is that code size will increase, and the increase is not always negligible.

There are two kind of inline functions: Those that give the same result as the library functions and others

that might not set `errno` and might have a reduced precision and/or argument range in comparison with the library functions. The latter inline functions are only available if the flag `-ffast-math` is given to GNU CC.

In cases where the inline functions and macros are not wanted the symbol `__NO_MATH_INLINES` should be defined before any system header is included. This will ensure that only library functions are used. Of course, it can be determined for each file in the project whether giving this option is preferable or not.

Not all hardware implements the entire IEEE 754 standard, and even if it does there may be a substantial performance penalty for using some of its features. For example, enabling traps on some processors forces the FPU to run un-pipelined, which can more than double calculation time.

---

Node: Arithmetic, Next: [Date and Time](#), Previous: [Mathematics](#), Up: [Top](#)

## Arithmetic Functions

This chapter contains information about functions for doing basic arithmetic operations, such as splitting a float into its integer and fractional parts or retrieving the imaginary part of a complex value. These functions are declared in the header files `math.h` and `complex.h`.

- [Integers](#): Basic integer types and concepts
- [Integer Division](#): Integer division with guaranteed rounding.
- [Floating Point Numbers](#): Basic concepts. IEEE 754.
- [Floating Point Classes](#): The five kinds of floating-point number.
- [Floating Point Errors](#): When something goes wrong in a calculation.
- [Rounding](#): Controlling how results are rounded.
- [Control Functions](#): Saving and restoring the FPU's state.
- [Arithmetic Functions](#): Fundamental operations provided by the library.
- [Complex Numbers](#): The types. Writing complex constants.
- [Operations on Complex](#): Projection, conjugation, decomposition.
- [Parsing of Numbers](#): Converting strings to numbers.
- [System V Number Conversion](#): An archaic way to convert numbers to strings.

---

Node: Integers, Next: [Integer Division](#), Up: [Arithmetic](#)

## Integers



The C language defines several integer data types: integer, short integer, long integer, and character, all in both signed and unsigned varieties. The GNU C compiler extends the language to contain long long integers as well.

The C integer types were intended to allow code to be portable among machines with different inherent data sizes (word sizes), so each type may have different ranges on different machines. The problem with this is that a program often needs to be written for a particular range of integers, and sometimes must be written for a particular size of storage, regardless of what machine the program runs on.

To address this problem, the GNU C library contains C type definitions you can use to declare integers that meet your exact needs. Because the GNU C library header files are customized to a specific machine, your program source code doesn't have to be.

These typedefs are in `stdint.h`.

If you require that an integer be represented in exactly N bits, use one of the following types, with the obvious mapping to bit size and signedness:

- `int8_t`
- `int16_t`
- `int32_t`
- `int64_t`
- `uint8_t`
- `uint16_t`
- `uint32_t`
- `uint64_t`

If your C compiler and target machine do not allow integers of a certain size, the corresponding above type does not exist.

If you don't need a specific storage size, but want the smallest data structure with *at least* N bits, use one of these:

- `int_least8_t`
- `int_least16_t`
- `int_least32_t`
- `int_least64_t`
- `uint_least8_t`
- `uint_least16_t`
- `uint_least32_t`
- `uint_least64_t`

If you don't need a specific storage size, but want the data structure that allows the fastest access while having at least N bits (and among data structures with the same access speed, the smallest one), use one of these:

- `int_fast8_t`
- `int_fast16_t`
- `int_fast32_t`
- `int_fast64_t`
- `uint_fast8_t`
- `uint_fast16_t`
- `uint_fast32_t`
- `uint_fast64_t`

If you want an integer with the widest range possible on the platform on which it is being used, use one of the following. If you use these, you should write code that takes into account the variable size and range of the integer.

- `intmax_t`
- `uintmax_t`

The GNU C library also provides macros that tell you the maximum and minimum possible values for each integer data type. The macro names follow these examples: `INT32_MAX`, `UINT8_MAX`, `INT_FAST32_MIN`, `INT_LEAST64_MIN`, `UINTMAX_MAX`, `INTMAX_MAX`, `INTMAX_MIN`. Note that there are no macros for unsigned integer minima. These are always zero.

There are similar macros for use with C's built in integer types which should come with your C compiler. These are described in [Data Type Measurements](#).

Don't forget you can use the C `sizeof` function with any of these data types to get the number of bytes of storage each uses.

---

Node: Integer Division, Next: [Floating Point Numbers](#), Previous: [Integers](#), Up: [Arithmetic](#)

## Integer Division

This section describes functions for performing integer division. These functions are redundant when GNU CC is used, because in GNU C the `/` operator always rounds towards zero. But in other C implementations, `/` may round differently with negative arguments. `div` and `ldiv` are useful because they specify how to round the quotient: towards zero. The remainder has the same sign as the numerator.

These functions are specified to return a result  $r$  such that the value  $r.\text{quot} * \text{denominator} + r.\text{rem}$  equals  $\text{numerator}$ .

To use these facilities, you should include the header file `stdlib.h` in your program.

## **div\_t**

Data Type

This is a structure type used to hold the result returned by the `div` function. It has the following members:

```
int quot
    The quotient from the division.
int rem
    The remainder from the division.
```

## **div\_t div** (*int numerator, int denominator*)

Function

This function `div` computes the quotient and remainder from the division of *numerator* by *denominator*, returning the result in a structure of type `div_t`.

If the result cannot be represented (as in a division by zero), the behavior is undefined.

Here is an example, albeit not a very useful one.

```
div_t result;
result = div (20, -6);
```

Now `result.quot` is `-3` and `result.rem` is `2`.

## **ldiv\_t**

Data Type

This is a structure type used to hold the result returned by the `ldiv` function. It has the following members:

```
long int quot
    The quotient from the division.
long int rem
    The remainder from the division.
```

(This is identical to `div_t` except that the components are of type `long int` rather than `int`.)

`ldiv_t` **ldiv** (*long int numerator, long int denominator*) Function

The `ldiv` function is similar to `div`, except that the arguments are of type `long int` and the result is returned as a structure of type `ldiv_t`.

`lldiv_t` Data Type

This is a structure type used to hold the result returned by the `lldiv` function. It has the following members:

`long long int quot`

The quotient from the division.

`long long int rem`

The remainder from the division.

(This is identical to `div_t` except that the components are of type `long long int` rather than `int`.)

`lldiv_t` **lldiv** (*long long int numerator, long long int denominator*) Function

The `lldiv` function is like the `div` function, but the arguments are of type `long long int` and the result is returned as a structure of type `lldiv_t`.

The `lldiv` function was added in ISO C99.

`imaxdiv_t` Data Type

This is a structure type used to hold the result returned by the `imaxdiv` function. It has the following members:

`intmax_t quot`

The quotient from the division.

`intmax_t rem`

The remainder from the division.

(This is identical to `div_t` except that the components are of type `intmax_t` rather than `int`.)

See [Integers](#) for a description of the `intmax_t` type.

`imaxdiv_t` **imaxdiv** (*intmax\_t numerator, intmax\_t denominator*) Function

The `imaxdiv` function is like the `div` function, but the arguments are of type `intmax_t` and the result is returned as a structure of type `imaxdiv_t`.

See [Integers](#) for a description of the `intmax_t` type.

The `imaxdiv` function was added in ISO C99.

---

Node: Floating Point Numbers, Next: [Floating Point Classes](#), Previous: [Integer Division](#), Up: [Arithmetic](#)

## Floating Point Numbers

Most computer hardware has support for two different kinds of numbers: integers (...-3, -2, -1, 0, 1, 2, 3...) and floating-point numbers. Floating-point numbers have three parts: the *mantissa*, the *exponent*, and the *sign bit*. The real number represented by a floating-point value is given by  $(s \cdot -1 : 1) \cdot 2^e \cdot M$  where  $s$  is the sign bit,  $e$  the exponent, and  $M$  the mantissa. See [Floating Point Concepts](#), for details. (It is possible to have a different *base* for the exponent, but all modern hardware uses 2.)

Floating-point numbers can represent a finite subset of the real numbers. While this subset is large enough for most purposes, it is important to remember that the only reals that can be represented exactly are rational numbers that have a terminating binary expansion shorter than the width of the mantissa. Even simple fractions such as  $1/5$  can only be approximated by floating point.

Mathematical operations and functions frequently need to produce values that are not representable. Often these values can be approximated closely enough for practical purposes, but sometimes they can't. Historically there was no way to tell when the results of a calculation were inaccurate. Modern computers implement the IEEE 754 standard for numerical computations, which defines a framework for indicating to the program when the results of calculation are not trustworthy. This framework consists of a set of *exceptions* that indicate why a result could not be represented, and the special values *infinity* and *not a number* (NaN).

---

Node: Floating Point Classes, Next: [Floating Point Errors](#), Previous: [Floating Point Numbers](#), Up: [Arithmetic](#)

## Floating-Point Number Classification Functions

ISO C99 defines macros that let you determine what sort of floating-point number a variable holds.

int **fpclassify** (*float-type x*)

Macro

This is a generic macro which works on all floating-point types and which returns a value of type `int`. The possible values are:

`FP_NAN`

The floating-point number  $x$  is "Not a Number" (see [Infinity and NaN](#))

`FP_INFINITE`

The value of  $x$  is either plus or minus infinity (see [Infinity and NaN](#))

`FP_ZERO`

The value of  $x$  is zero. In floating-point formats like IEEE 754, where zero can be signed, this value is also returned if  $x$  is negative zero.

`FP_SUBNORMAL`

Numbers whose absolute value is too small to be represented in the normal format are represented in an alternate, *denormalized* format (see [Floating Point Concepts](#)). This format is less precise but can represent values closer to zero. `fpclassify` returns this value for values of  $x$  in this alternate format.

`FP_NORMAL`

This value is returned for all other values of  $x$ . It indicates that there is nothing special about the number.

`fpclassify` is most useful if more than one property of a number must be tested. There are more specific macros which only test one property at a time. Generally these macros execute faster than `fpclassify`, since there is special hardware support for them. You should therefore use the specific macros whenever possible.

int **isfinite** (*float-type x*)

Macro

This macro returns a nonzero value if  $x$  is finite: not plus or minus infinity, and not NaN. It is equivalent to

```
(fpclassify (x) != FP_NAN && fpclassify (x) != FP_INFINITE)
```

`isfinite` is implemented as a macro which accepts any floating-point type.

int **isnormal** (*float-type x*)

Macro

This macro returns a nonzero value if  $x$  is finite and normalized. It is equivalent to

```
(fpclassify (x) == FP_NORMAL)
```

int **isnan** (*float-type*  $x$ )

Macro

This macro returns a nonzero value if  $x$  is NaN. It is equivalent to

```
(fpclassify (x) == FP_NAN)
```

Another set of floating-point classification functions was provided by BSD. The GNU C library also supports these functions; however, we recommend that you use the ISO C99 macros in new code. Those are standard and will be available more widely. Also, since they are macros, you do not have to worry about the type of their argument.

int **isinf** (*double*  $x$ )

Function

int **isinf** (*float*  $x$ )

Function

int **isinfl** (*long double*  $x$ )

Function

This function returns  $-1$  if  $x$  represents negative infinity,  $1$  if  $x$  represents positive infinity, and  $0$  otherwise.

int **isnan** (*double*  $x$ )

Function

int **isnanf** (*float*  $x$ )

Function

int **isnanl** (*long double*  $x$ )

Function

This function returns a nonzero value if  $x$  is a "not a number" value, and zero otherwise.

**Note:** The `isnan` macro defined by ISO C99 overrides the BSD function. This is normally not a problem, because the two routines behave identically. However, if you really need to get the BSD function for some reason, you can write

```
(isnan) (x)
```

int **finite** (*double*  $x$ )

Function

int **finitef** (*float x*)

Function

int **finitel** (*long double x*)

Function

This function returns a nonzero value if  $x$  is finite or a "not a number" value, and zero otherwise.

**Portability Note:** The functions listed in this section are BSD extensions.

Node: Floating Point Errors, Next: [Rounding](#), Previous: [Floating Point Classes](#), Up: [Arithmetic](#)

## Errors in Floating-Point Calculations

- [FP Exceptions](#): IEEE 754 math exceptions and how to detect them.
- [Infinity and NaN](#): Special values returned by calculations.
- [Status bit operations](#): Checking for exceptions after the fact.
- [Math Error Reporting](#): How the math functions report errors.

Node: FP Exceptions, Next: [Infinity and NaN](#), Up: [Floating Point Errors](#)

## FP Exceptions

The IEEE 754 standard defines five *exceptions* that can occur during a calculation. Each corresponds to a particular sort of error, such as overflow.

When exceptions occur (when exceptions are *raised*, in the language of the standard), one of two things can happen. By default the exception is simply noted in the floating-point *status word*, and the program continues as if nothing had happened. The operation produces a default value, which depends on the exception (see the table below). Your program can check the status word to find out which exceptions happened.

Alternatively, you can enable *traps* for exceptions. In that case, when an exception is raised, your program will receive the SIGFPE signal. The default action for this signal is to terminate the program. See [Signal Handling](#), for how you can change the effect of the signal.

In the System V math library, the user-defined function `matherr` is called when certain exceptions occur inside math library functions. However, the Unix98 standard deprecates this interface. We support it for historical compatibility, but recommend that you do not use it in new programs.

The exceptions defined in IEEE 754 are:



## Invalid Operation

This exception is raised if the given operands are invalid for the operation to be performed.

Examples are (see IEEE 754, section 7):

1. Addition or subtraction:  $\infty$ ; -  $\infty$ ; (But  $\infty$ ; +  $\infty$ ; =  $\infty$ ;) .
2. Multiplication:  $0 \cdot \infty$ ;
3. Division:  $0/0$  or  $\infty;/\infty$ ;
4. Remainder:  $x \text{ REM } y$ , where  $y$  is zero or  $x$  is infinite.
5. Square root if the operand is less than zero. More generally, any mathematical function evaluated outside its domain produces this exception.
6. Conversion of a floating-point number to an integer or decimal string, when the number cannot be represented in the target format (due to overflow, infinity, or NaN).
7. Conversion of an unrecognizable input string.
8. Comparison via predicates involving  $<$  or  $>$ , when one or other of the operands is NaN. You can prevent this exception by using the unordered comparison functions instead; see [FP Comparison Functions](#).

If the exception does not trap, the result of the operation is NaN.

## Division by Zero

This exception is raised when a finite nonzero number is divided by zero. If no trap occurs the result is either  $+\infty$ ; or  $-\infty$ ;, depending on the signs of the operands.

## Overflow

This exception is raised whenever the result cannot be represented as a finite value in the precision format of the destination. If no trap occurs the result depends on the sign of the intermediate result and the current rounding mode (IEEE 754, section 7.3):

1. Round to nearest carries all overflows to  $\infty$ ; with the sign of the intermediate result.
2. Round toward 0 carries all overflows to the largest representable finite number with the sign of the intermediate result.
3. Round toward  $-\infty$ ; carries positive overflows to the largest representable finite number and negative overflows to  $-\infty$ ;
4. Round toward  $\infty$ ; carries negative overflows to the most negative representable finite number and positive overflows to  $\infty$ ;

Whenever the overflow exception is raised, the inexact exception is also raised.

## Underflow

The underflow exception is raised when an intermediate result is too small to be calculated accurately, or if the operation's result rounded to the destination precision is too small to be normalized.

When no trap is installed for the underflow exception, underflow is signaled (via the underflow flag) only when both tininess and loss of accuracy have been detected. If no trap handler is

installed the operation continues with an imprecise small value, or zero if the destination precision cannot hold the small exact result.

## Inexact

This exception is signalled if a rounded result is not exact (such as when calculating the square root of two) or a result overflows without an overflow trap.

---

Node: Infinity and NaN, Next: [Status bit operations](#), Previous: [FP Exceptions](#), Up: [Floating Point Errors](#)

## Infinity and NaN

IEEE 754 floating point numbers can represent positive or negative infinity, and *NaN* (not a number). These three values arise from calculations whose result is undefined or cannot be represented accurately. You can also deliberately set a floating-point variable to any of them, which is sometimes useful. Some examples of calculations that produce infinity or NaN:

```
1/0 = &infin;
log (0) = -&infin;
sqrt (-1) = NaN
```

When a calculation produces any of these values, an exception also occurs; see [FP Exceptions](#).

The basic operations and math functions all accept infinity and NaN and produce sensible output. Infinities propagate through calculations as one would expect: for example,  $2 + \infty = \infty$ ,  $4/\infty = 0$ ,  $\text{atan}(\infty) = \pi/2$ . NaN, on the other hand, infects any calculation that involves it. Unless the calculation would produce the same result no matter what real value replaced NaN, the result is NaN.

In comparison operations, positive infinity is larger than all values except itself and NaN, and negative infinity is smaller than all values except itself and NaN. NaN is *unordered*: it is not equal to, greater than, or less than anything, *including itself*.  $x == x$  is false if the value of  $x$  is NaN. You can use this to test whether a value is NaN or not, but the recommended way to test for NaN is with the `isnan` function (see [Floating Point Classes](#)). In addition, `<`, `>`, `<=`, and `>=` will raise an exception when applied to NaNs.

`math.h` defines macros that allow you to explicitly set a variable to infinity or NaN.

float **INFINITY**

Macro

An expression representing positive infinity. It is equal to the value produced by mathematical operations like `1.0 / 0.0`. `-INFINITY` represents negative infinity.

You can test whether a floating-point value is infinite by comparing it to this macro. However, this is not recommended; you should use the `isfinite` macro instead. See [Floating Point Classes](#).

This macro was introduced in the ISO C99 standard.

## float NAN

Macro

An expression representing a value which is "not a number". This macro is a GNU extension, available only on machines that support the "not a number" value--that is to say, on all machines that support IEEE floating point.

You can use `#ifdef NAN` to test whether the machine supports NaN. (Of course, you must arrange for GNU extensions to be visible, such as by defining `_GNU_SOURCE`, and then you must include `math.h`.)

IEEE 754 also allows for another unusual value: negative zero. This value is produced when you divide a positive number by negative infinity, or when a negative result is smaller than the limits of representation. Negative zero behaves identically to zero in all calculations, unless you explicitly test the sign bit with `signbit` or `copysign`.

---

Node: Status bit operations, Next: [Math Error Reporting](#), Previous: [Infinity and NaN](#), Up: [Floating Point Errors](#)

## Examining the FPU status word

ISO C99 defines functions to query and manipulate the floating-point status word. You can use these functions to check for untrapped exceptions when it's convenient, rather than worrying about them in the middle of a calculation.

These constants represent the various IEEE 754 exceptions. Not all FPUs report all the different exceptions. Each constant is defined if and only if the FPU you are compiling for supports that exception, so you can test for FPU support with `#ifdef`. They are defined in `fenv.h`.

`FE_INEXACT`

The inexact exception.

`FE_DIVBYZERO`

The divide by zero exception.

`FE_UNDERFLOW`

The underflow exception.

`FE_OVERFLOW`

The overflow exception.

`FE_INVALID`

The invalid exception.

The macro `FE_ALL_EXCEPT` is the bitwise OR of all exception macros which are supported by the FP implementation.

These functions allow you to clear exception flags, test for exceptions, and save and restore the set of exceptions flagged.

`int feclearexcept` (*int excepts*) Function

This function clears all of the supported exception flags indicated by *excepts*.

The function returns zero in case the operation was successful, a non-zero value otherwise.

`int feraiseexcept` (*int excepts*) Function

This function raises the supported exceptions indicated by *excepts*. If more than one exception bit in *excepts* is set the order in which the exceptions are raised is undefined except that overflow (`FE_OVERFLOW`) or underflow (`FE_UNDERFLOW`) are raised before inexact (`FE_INEXACT`). Whether for overflow or underflow the inexact exception is also raised is also implementation dependent.

The function returns zero in case the operation was successful, a non-zero value otherwise.

`int fetestexcept` (*int excepts*) Function

Test whether the exception flags indicated by the parameter *except* are currently set. If any of them are, a nonzero value is returned which specifies which exceptions are set. Otherwise the result is zero.

To understand these functions, imagine that the status word is an integer variable named *status*. `feclearexcept` is then equivalent to `status &= ~excepts` and `fetestexcept` is equivalent to `(status & excepts)`. The actual implementation may be very different, of course.

Exception flags are only cleared when the program explicitly requests it, by calling `feclearexcept`. If you want to check for exceptions from a set of calculations, you should clear all the flags first. Here is a simple example of the way to use `fetestexcept`:

```

{
  double f;
  int raised;
  feclearexcept (FE_ALL_EXCEPT);
  f = compute ();
  raised = fetestexcept (FE_OVERFLOW | FE_INVALID);
  if (raised & FE_OVERFLOW) { /* ... */ }
  if (raised & FE_INVALID) { /* ... */ }
  /* ... */
}

```

You cannot explicitly set bits in the status word. You can, however, save the entire status word and restore it later. This is done with the following functions:

int **fegetexceptflag** (*fexcept\_t* \**flagp*, int *excepts*) Function

This function stores in the variable pointed to by *flagp* an implementation-defined value representing the current setting of the exception flags indicated by *excepts*.

The function returns zero in case the operation was successful, a non-zero value otherwise.

int **fesetexceptflag** (const *fexcept\_t* \**flagp*, int Function

*excepts*) This function restores the flags for the exceptions indicated by *excepts* to the values stored in the variable pointed to by *flagp*.

The function returns zero in case the operation was successful, a non-zero value otherwise.

Note that the value stored in *fexcept\_t* bears no resemblance to the bit mask returned by *fetestexcept*. The type may not even be an integer. Do not attempt to modify an *fexcept\_t* variable.

---

Node: Math Error Reporting, Previous: [Status bit operations](#), Up: [Floating Point Errors](#)

## Error Reporting by Mathematical Functions

Many of the math functions are defined only over a subset of the real or complex numbers. Even if they are mathematically defined, their result may be larger or smaller than the range representable by their return type. These are known as *domain errors*, *overflows*, and *underflows*, respectively. Math functions do several things when one of these errors occurs. In this manual we will refer to the complete response as *signalling* a domain error, overflow, or underflow.

When a math function suffers a domain error, it raises the invalid exception and returns NaN. It also sets *errno* to EDOM; this is for compatibility with old systems that do not support IEEE 754 exception handling. Likewise, when overflow occurs, math functions raise the overflow exception and return  $\infty$ ; or  $-\infty$ ; as appropriate. They also set *errno* to ERANGE. When underflow occurs, the underflow exception is raised, and zero (appropriately signed) is returned. *errno* may be set to ERANGE, but this is not guaranteed.

Some of the math functions are defined mathematically to result in a complex value over parts of their domains. The most familiar example of this is taking the square root of a negative number. The complex math functions, such as `csqrt`, will return the appropriate complex value in this case. The real-valued functions, such as `sqrt`, will signal a domain error.

Some older hardware does not support infinities. On that hardware, overflows instead return a particular very large number (usually the largest representable number). `math.h` defines macros you can use to test for overflow on both old and new hardware.

double <b>HUGE_VAL</b>	Macro
float <b>HUGE_VALF</b>	Macro
long double <b>HUGE_VALL</b>	Macro

An expression representing a particular very large number. On machines that use IEEE 754 floating point format, `HUGE_VAL` is infinity. On other machines, it's typically the largest positive number that can be represented.

Mathematical functions return the appropriately typed version of `HUGE_VAL` or `-HUGE_VAL` when the result is too large to be represented.

---

Node: Rounding, Next: [Control Functions](#), Previous: [Floating Point Errors](#), Up: [Arithmetic](#)

## Rounding Modes

Floating-point calculations are carried out internally with extra precision, and then rounded to fit into the destination type. This ensures that results are as precise as the input data. IEEE 754 defines four possible rounding modes:

Round to nearest.

This is the default mode. It should be used unless there is a specific need for one of the others. In this mode results are rounded to the nearest representable value. If the result is midway between two representable values, the even representable is chosen. *Even* here means the lowest-order bit

is zero. This rounding mode prevents statistical bias and guarantees numeric stability: round-off errors in a lengthy calculation will remain smaller than half of `FLT_EPSILON`.

Round toward plus Infinity.

All results are rounded to the smallest representable value which is greater than the result.

Round toward minus Infinity.

All results are rounded to the largest representable value which is less than the result.

Round toward zero.

All results are rounded to the largest representable value whose magnitude is less than that of the result. In other words, if the result is negative it is rounded up; if it is positive, it is rounded down.

`fenv.h` defines constants which you can use to refer to the various rounding modes. Each one will be defined if and only if the FPU supports the corresponding rounding mode.

`FE_TONEAREST`

Round to nearest.

`FE_UPWARD`

Round toward  $+\infty$ ;

`FE_DOWNWARD`

Round toward  $-\infty$ ;

`FE_TOWARDZERO`

Round toward zero.

Underflow is an unusual case. Normally, IEEE 754 floating point numbers are always normalized (see [Floating Point Concepts](#)). Numbers smaller than  $2^r$  (where  $r$  is the minimum exponent,

`FLT_MIN_RADIX-1` for *float*) cannot be represented as normalized numbers. Rounding all such numbers to zero or  $2^r$  would cause some algorithms to fail at 0. Therefore, they are left in denormalized form. That produces loss of precision, since some bits of the mantissa are stolen to indicate the decimal point.

If a result is too small to be represented as a denormalized number, it is rounded to zero. However, the sign of the result is preserved; if the calculation was negative, the result is *negative zero*. Negative zero can also result from some operations on infinity, such as  $4/-\infty$ . Negative zero behaves identically to zero except when the `copysign` or `signbit` functions are used to check the sign bit directly.

At any time one of the above four rounding modes is selected. You can find out which one with this function:

int **fegetround** (*void*)

Function

Returns the currently selected rounding mode, represented by one of the values of the defined rounding mode macros.

To change the rounding mode, use this function:

**int fesetround** (*int round*) Function

Changes the currently selected rounding mode to *round*. If *round* does not correspond to one of the supported rounding modes nothing is changed. `fesetround` returns zero if it changed the rounding mode, a nonzero value if the mode is not supported.

You should avoid changing the rounding mode if possible. It can be an expensive operation; also, some hardware requires you to compile your program differently for it to work. The resulting code may run slower. See your compiler documentation for details.

---

Node: Control Functions, Next: [Arithmetic Functions](#), Previous: [Rounding](#), Up: [Arithmetic](#)

## Floating-Point Control Functions

IEEE 754 floating-point implementations allow the programmer to decide whether traps will occur for each of the exceptions, by setting bits in the *control word*. In C, traps result in the program receiving the SIGFPE signal; see [Signal Handling](#).

**Note:** IEEE 754 says that trap handlers are given details of the exceptional situation, and can set the result value. C signals do not provide any mechanism to pass this information back and forth. Trapping exceptions in C is therefore not very useful.

It is sometimes necessary to save the state of the floating-point unit while you perform some calculation. The library provides functions which save and restore the exception flags, the set of exceptions that generate traps, and the rounding mode. This information is known as the *floating-point environment*.

The functions to save and restore the floating-point environment all use a variable of type `fenv_t` to store information. This type is defined in `fenv.h`. Its size and contents are implementation-defined. You should not attempt to manipulate a variable of this type directly.

To save the state of the FPU, use one of these functions:

**int fegetenv** (*fenv\_t \*envp*) Function

Store the floating-point environment in the variable pointed to by *envp*.

The function returns zero in case the operation was successful, a non-zero value otherwise.



int **feholdexcept** (*fenv\_t* \**envp*)

Function

Store the current floating-point environment in the object pointed to by *envp*. Then clear all exception flags, and set the FPU to trap no exceptions. Not all FPUs support trapping no exceptions; if `feholdexcept` cannot set this mode, it returns nonzero value. If it succeeds, it returns zero.

The functions which restore the floating-point environment can take these kinds of arguments:

- Pointers to `fenv_t` objects, which were initialized previously by a call to `fegetenv` or `feholdexcept`.
- The special macro `FE_DFL_ENV` which represents the floating-point environment as it was available at program start.
- Implementation defined macros with names starting with `FE_` and having type `fenv_t *`.

If possible, the GNU C Library defines a macro `FE_NOMASK_ENV` which represents an environment where every exception raised causes a trap to occur. You can test for this macro using `#ifdef`. It is only defined if `_GNU_SOURCE` is defined.

Some platforms might define other predefined environments.

To set the floating-point environment, you can use either of these functions:

int **fesetenv** (*const fenv\_t* \**envp*)

Function

Set the floating-point environment to that described by *envp*.

The function returns zero in case the operation was successful, a non-zero value otherwise.

int **feupdateenv** (*const fenv\_t* \**envp*)

Function

Like `fesetenv`, this function sets the floating-point environment to that described by *envp*. However, if any exceptions were flagged in the status word before `feupdateenv` was called, they remain flagged after the call. In other words, after `feupdateenv` is called, the status word is the bitwise OR of the previous status word and the one saved in *envp*.

The function returns zero in case the operation was successful, a non-zero value otherwise.

To control for individual exceptions if raising them causes a trap to occur, you can use the following two functions.

**Portability Note:** These functions are all GNU extensions.

**int feenableexcept** (*int excepts*)

Function

This function enables traps for each of the exceptions as indicated by the parameter *except*. The individual exceptions are described in [Status bit operations](#). Only the specified exceptions are enabled, the status of the other exceptions is not changed.

The function returns the previous enabled exceptions in case the operation was successful, `-1` otherwise.

**int fedisableexcept** (*int excepts*)

Function

This function disables traps for each of the exceptions as indicated by the parameter *except*. The individual exceptions are described in [Status bit operations](#). Only the specified exceptions are disabled, the status of the other exceptions is not changed.

The function returns the previous enabled exceptions in case the operation was successful, `-1` otherwise.

**int fegetexcept** (*int excepts*)

Function

The function returns a bitmask of all currently enabled exceptions. It returns `-1` in case of failure.

Node: Arithmetic Functions, Next: [Complex Numbers](#), Previous: [Control Functions](#), Up: [Arithmetic](#)

## Arithmetic Functions

The C library provides functions to do basic operations on floating-point numbers. These include absolute value, maximum and minimum, normalization, bit twiddling, rounding, and a few others.

- [Absolute Value](#): Absolute values of integers and floats.
- [Normalization Functions](#): Extracting exponents and putting them back.
- [Rounding Functions](#): Rounding floats to integers.
- [Remainder Functions](#): Remainders on division, precisely defined.
- [FP Bit Twiddling](#): Sign bit adjustment. Adding epsilon.
- [FP Comparison Functions](#): Comparisons without risk of exceptions.
- [Misc FP Arithmetic](#): Max, min, positive difference, multiply-add.

Node: Absolute Value, Next: [Normalization Functions](#), Up: [Arithmetic Functions](#)

## Absolute Value

These functions are provided for obtaining the *absolute value* (or *magnitude*) of a number. The absolute value of a real number  $x$  is  $x$  if  $x$  is positive,  $-x$  if  $x$  is negative. For a complex number  $z$ , whose real part is  $x$  and whose imaginary part is  $y$ , the absolute value is  $\sqrt{x^2 + y^2}$ .

Prototypes for `abs`, `labs` and `llabs` are in `stdlib.h`; `imaxabs` is declared in `inttypes.h`; `fabs`, `fabsf` and `fabsl` are declared in `math.h`. `cabs`, `cabsf` and `cabsl` are declared in `complex.h`.

<code>int</code> <b>abs</b> ( <i>int number</i> )	Function
<code>long int</code> <b>labs</b> ( <i>long int number</i> )	Function
<code>long long int</code> <b>llabs</b> ( <i>long long int number</i> )	Function
<code>intmax_t</code> <b>imaxabs</b> ( <i>intmax_t number</i> )	Function

These functions return the absolute value of *number*.

Most computers use a two's complement integer representation, in which the absolute value of `INT_MIN` (the smallest possible `int`) cannot be represented; thus, `abs (INT_MIN)` is not defined.

`llabs` and `imaxdiv` are new to ISO C99.

See [Integers](#) for a description of the `intmax_t` type.

<code>double</code> <b>fabs</b> ( <i>double number</i> )	Function
<code>float</code> <b>fabsf</b> ( <i>float number</i> )	Function
<code>long double</code> <b>fabsl</b> ( <i>long double number</i> )	Function

This function returns the absolute value of the floating-point number *number*.

<code>double</code> <b>cabs</b> ( <i>complex double z</i> )	Function
<code>float</code> <b>cabsf</b> ( <i>complex float z</i> )	Function
<code>long double</code> <b>cabsl</b> ( <i>complex long double z</i> )	Function

These functions return the absolute value of the complex number  $z$  (see [Complex Numbers](#)). The absolute value of a complex number is:

$$\text{sqrt} (\text{creal} (z) * \text{creal} (z) + \text{cimag} (z) * \text{cimag} (z))$$

This function should always be used instead of the direct formula because it takes special care to avoid losing precision. It may also take advantage of hardware support for this operation. See `hypot` in [Exponents and Logarithms](#).

Node: Normalization Functions, Next: [Rounding Functions](#), Previous: [Absolute Value](#), Up: [Arithmetic Functions](#)

## Normalization Functions

The functions described in this section are primarily provided as a way to efficiently perform certain low-level manipulations on floating point numbers that are represented internally using a binary radix; see [Floating Point Concepts](#). These functions are required to have equivalent behavior even if the representation does not use a radix of 2, but of course they are unlikely to be particularly efficient in those cases.

All these functions are declared in `math.h`.

double <b>frexp</b> ( <i>double value</i> , <i>int *exponent</i> )	Function
float <b>frexpf</b> ( <i>float value</i> , <i>int *exponent</i> )	Function
long double <b>frexpl</b> ( <i>long double value</i> , <i>int *exponent</i> )	Function

These functions are used to split the number *value* into a normalized fraction and an exponent.

If the argument *value* is not zero, the return value is *value* times a power of two, and is always in the range 1/2 (inclusive) to 1 (exclusive). The corresponding exponent is stored in *\*exponent*; the return value multiplied by 2 raised to this exponent equals the original number *value*.

For example, `frexp (12.8, &exponent)` returns 0.8 and stores 4 in `exponent`.

If *value* is zero, then the return value is zero and zero is stored in *\*exponent*.

double <b>ldexp</b> ( <i>double value</i> , <i>int exponent</i> )	Function
---	----------

float **ldexpf** (*float value, int exponent*) Function

long double **ldexpl** (*long double value, int exponent*) Function

These functions return the result of multiplying the floating-point number *value* by 2 raised to the power *exponent*. (It can be used to reassemble floating-point numbers that were taken apart by `frexp`.)

For example, `ldexp (0.8, 4)` returns `12.8`.

The following functions, which come from BSD, provide facilities equivalent to those of `ldexp` and `frexp`. See also the ISO C function `logb` which originally also appeared in BSD.

double **scalb** (*double value, int exponent*) Function

float **scalbf** (*float value, int exponent*) Function

long double **scalbl** (*long double value, int exponent*) Function

The `scalb` function is the BSD name for `ldexp`.

long long int **scalbn** (*double x, int n*) Function

long long int **scalbnf** (*float x, int n*) Function

long long int **scalbnl** (*long double x, int n*) Function

`scalbn` is identical to `scalb`, except that the exponent *n* is an `int` instead of a floating-point number.

long long int **scalbln** (*double x, long int n*) Function

long long int **scalblnf** (*float x, long int n*) Function

long long int **scalblnl** (*long double x, long int n*) Function

`scalbln` is identical to `scalb`, except that the exponent *n* is a `long int` instead of a floating-point number.

long long int **significand** (*double x*) Function

long long int **significandf** (*float x*) Function

long long int **significandl** (*long double x*) Function

`significand` returns the mantissa of  $x$  scaled to the range  $[1, 2)$ . It is equivalent to `scalb (x, (double) -ilogb (x))`.

This function exists mainly for use in certain standardized tests of IEEE 754 conformance.

---

Node: Rounding Functions, Next: [Remainder Functions](#), Previous: [Normalization Functions](#),  
Up: [Arithmetic Functions](#)

## Rounding Functions

The functions listed here perform operations such as rounding and truncation of floating-point values. Some of these functions convert floating point numbers to integer values. They are all declared in `math.h`.

You can also convert floating-point numbers to integers simply by casting them to `int`. This discards the fractional part, effectively rounding towards zero. However, this only works if the result can actually be represented as an `int`--for very large numbers, this is impossible. The functions listed here return the result as a `double` instead to get around this problem.

`double` **ceil** (*double*  $x$ ) Function

`float` **ceilf** (*float*  $x$ ) Function

`long double` **ceil** (*long double*  $x$ ) Function

These functions round  $x$  upwards to the nearest integer, returning that value as a `double`. Thus, `ceil (1.5)` is `2.0`.

`double` **floor** (*double*  $x$ ) Function

`float` **floorf** (*float*  $x$ ) Function

`long double` **floorl** (*long double*  $x$ ) Function

These functions round  $x$  downwards to the nearest integer, returning that value as a `double`. Thus, `floor (1.5)` is `1.0` and `floor (-1.5)` is `-2.0`.

`double` **trunc** (*double*  $x$ ) Function

`float` **truncf** (*float*  $x$ ) Function

`long double` **truncl** (*long double*  $x$ ) Function

The `trunc` functions round  $x$  towards zero to the nearest integer (returned in floating-point format). Thus, `trunc (1.5)` is `1.0` and `trunc (-1.5)` is `-1.0`.

double <b>rint</b> ( <i>double x</i> )	Function
float <b>rintf</b> ( <i>float x</i> )	Function
long double <b>rintl</b> ( <i>long double x</i> )	Function

These functions round  $x$  to an integer value according to the current rounding mode. See [Floating Point Parameters](#), for information about the various rounding modes. The default rounding mode is to round to the nearest integer; some machines support other modes, but round-to-nearest is always used unless you explicitly select another.

If  $x$  was not initially an integer, these functions raise the inexact exception.

double <b>nearbyint</b> ( <i>double x</i> )	Function
float <b>nearbyintf</b> ( <i>float x</i> )	Function
long double <b>nearbyintl</b> ( <i>long double x</i> )	Function

These functions return the same value as the `rint` functions, but do not raise the inexact exception if  $x$  is not an integer.

double <b>round</b> ( <i>double x</i> )	Function
float <b>roundf</b> ( <i>float x</i> )	Function
long double <b>roundl</b> ( <i>long double x</i> )	Function

These functions are similar to `rint`, but they round halfway cases away from zero instead of to the nearest even integer.

long int <b>lrint</b> ( <i>double x</i> )	Function
long int <b>lrintf</b> ( <i>float x</i> )	Function
long int <b>lrintl</b> ( <i>long double x</i> )	Function

These functions are just like `rint`, but they return a `long int` instead of a floating-point number.

long long int <b>llrint</b> ( <i>double x</i> )	Function
long long int <b>llrintf</b> ( <i>float x</i> )	Function
long long int <b>llrintl</b> ( <i>long double x</i> )	Function

These functions are just like `rint`, but they return a `long long int` instead of a floating-point number.

`long int` **lround** (*double x*) Function

`long int` **lroundf** (*float x*) Function

`long int` **lroundl** (*long double x*) Function

These functions are just like `round`, but they return a `long int` instead of a floating-point number.

`long long int` **llround** (*double x*) Function

`long long int` **llroundf** (*float x*) Function

`long long int` **llroundl** (*long double x*) Function

These functions are just like `round`, but they return a `long long int` instead of a floating-point number.

`double` **modf** (*double value, double \*integer-part*) Function

`float` **modff** (*float value, float \*integer-part*) Function

`long double` **modfl** (*long double value, long double \*integer-part*) Function

These functions break the argument *value* into an integer part and a fractional part (between  $-1$  and  $1$ , exclusive). Their sum equals *value*. Each of the parts has the same sign as *value*, and the integer part is always rounded toward zero.

`modf` stores the integer part in *\*integer-part*, and returns the fractional part. For example, `modf(2.5, &intpart)` returns `0.5` and stores `2.0` into `intpart`.

Node: Remainder Functions, Next: [FP Bit Twiddling](#), Previous: [Rounding Functions](#), Up: [Arithmetic Functions](#)

## Remainder Functions

The functions in this section compute the remainder on division of two floating-point numbers. Each is a little different; pick the one that suits your problem.

`double` **fmod** (*double numerator, double denominator*) Function



float **fmodf** (*float numerator, float denominator*) Function

long double **fmodl** (*long double numerator, long double denominator*) Function

These functions compute the remainder from the division of *numerator* by *denominator*. Specifically, the return value is  $numerator - n * denominator$ , where  $n$  is the quotient of *numerator* divided by *denominator*, rounded towards zero to an integer. Thus, `fmod ( 6 . 5 , 2 . 3 )` returns `1 . 9`, which is `6 . 5` minus `4 . 6`.

The result has the same sign as the *numerator* and has magnitude less than the magnitude of the *denominator*.

If *denominator* is zero, `fmod` signals a domain error.

double **drem** (*double numerator, double denominator*) Function

float **dremf** (*float numerator, float denominator*) Function

long double **dreml** (*long double numerator, long double denominator*) Function

These functions are like `fmod` except that they rounds the internal quotient  $n$  to the nearest integer instead of towards zero to an integer. For example, `drem ( 6 . 5 , 2 . 3 )` returns `-0 . 4`, which is `6 . 5` minus `6 . 9`.

The absolute value of the result is less than or equal to half the absolute value of the *denominator*. The difference between `fmod ( numerator , denominator )` and `drem ( numerator , denominator )` is always either *denominator*, minus *denominator*, or zero.

If *denominator* is zero, `drem` signals a domain error.

double **remainder** (*double numerator, double denominator*) Function

float **remainderf** (*float numerator, float denominator*) Function

long double **remainderl** (*long double numerator, long double denominator*) Function

This function is another name for `drem`.

Node: FP Bit Twiddling, Next: [FP Comparison Functions](#), Previous: [Remainder Functions](#),

Up: [Arithmetic Functions](#)

## Setting and modifying single bits of FP values

There are some operations that are too complicated or expensive to perform by hand on floating-point

numbers. ISO C99 defines functions to do these operations, which mostly involve changing single bits.

double **copysign** (*double x, double y*) Function

float **copysignf** (*float x, float y*) Function

long double **copysignl** (*long double x, long double y*) Function

These functions return  $x$  but with the sign of  $y$ . They work even if  $x$  or  $y$  are NaN or zero. Both of these can carry a sign (although not all implementations support it) and this is one of the few operations that can tell the difference.

`copysign` never raises an exception.

This function is defined in IEC 559 (and the appendix with recommended functions in IEEE 754/IEEE 854).

int **signbit** (*float-type x*) Function

`signbit` is a generic macro which can work on all floating-point types. It returns a nonzero value if the value of  $x$  has its sign bit set.

This is not the same as  $x < 0.0$ , because IEEE 754 floating point allows zero to be signed. The comparison  $-0.0 < 0.0$  is false, but `signbit (-0.0)` will return a nonzero value.

double **nextafter** (*double x, double y*) Function

float **nextafterf** (*float x, float y*) Function

long double **nextafterl** (*long double x, long double y*) Function

The `nextafter` function returns the next representable neighbor of  $x$  in the direction towards  $y$ . The size of the step between  $x$  and the result depends on the type of the result. If  $x = y$  the function simply returns  $y$ . If either value is NaN, NaN is returned. Otherwise a value corresponding to the value of the least significant bit in the mantissa is added or subtracted, depending on the direction. `nextafter` will signal overflow or underflow if the result goes outside of the range of normalized numbers.

This function is defined in IEC 559 (and the appendix with recommended functions in IEEE 754/IEEE 854).

double **nexttoward** (*double x, long double y*) Function

float **nexttowardf** (*float x, long double y*) Function

long double **nexttowardl** (*long double x, long double y*) Function

These functions are identical to the corresponding versions of `nextafter` except that their second argument is a `long double`.

`double nan (const char *tagp)` Function

`float nanf (const char *tagp)` Function

`long double nanl (const char *tagp)` Function

The `nan` function returns a representation of NaN, provided that NaN is supported by the target platform. `nan ( "n-char-sequence" )` is equivalent to `strtod ( "NaN(n-char-sequence)" )`.

The argument `tagp` is used in an unspecified manner. On IEEE 754 systems, there are many representations of NaN, and `tagp` selects one. On other systems it may do nothing.

Node: FP Comparison Functions, Next: [Misc FP Arithmetic](#), Previous: [FP Bit Twiddling](#),  
Up: [Arithmetic Functions](#)

## Floating-Point Comparison Functions

The standard C comparison operators provoke exceptions when one or other of the operands is NaN. For example,

```
int v = a < 1.0;
```

will raise an exception if `a` is NaN. (This does *not* happen with `==` and `!=`; those merely return false and true, respectively, when NaN is examined.) Frequently this exception is undesirable. ISO C99 therefore defines comparison functions that do not raise exceptions when NaN is examined. All of the functions are implemented as macros which allow their arguments to be of any floating-point type. The macros are guaranteed to evaluate their arguments only once.

`int isgreater (real-floating x, real-floating y)` Macro

This macro determines whether the argument `x` is greater than `y`. It is equivalent to `(x) > (y)`, but no exception is raised if `x` or `y` are NaN.

`int isgreaterequal (real-floating x, real-floating y)` Macro

This macro determines whether the argument `x` is greater than or equal to `y`. It is equivalent to `(x) >= (y)`, but no exception is raised if `x` or `y` are NaN.

int **isless** (*real-floating x, real-floating y*) Macro

This macro determines whether the argument  $x$  is less than  $y$ . It is equivalent to  $(x) < (y)$ , but no exception is raised if  $x$  or  $y$  are NaN.

int **islessequal** (*real-floating x, real-floating y*) Macro

This macro determines whether the argument  $x$  is less than or equal to  $y$ . It is equivalent to  $(x) <= (y)$ , but no exception is raised if  $x$  or  $y$  are NaN.

int **islessgreater** (*real-floating x, real-floating y*) Macro

This macro determines whether the argument  $x$  is less or greater than  $y$ . It is equivalent to  $(x) < (y) \ || \ (x) > (y)$  (although it only evaluates  $x$  and  $y$  once), but no exception is raised if  $x$  or  $y$  are NaN.

This macro is not equivalent to  $x != y$ , because that expression is true if  $x$  or  $y$  are NaN.

int **isunordered** (*real-floating x, real-floating y*) Macro

This macro determines whether its arguments are unordered. In other words, it is true if  $x$  or  $y$  are NaN, and false otherwise.

Not all machines provide hardware support for these operations. On machines that don't, the macros can be very slow. Therefore, you should not use these functions when NaN is not a concern.

**Note:** There are no macros `isequal` or `isunequal`. They are unnecessary, because the `==` and `!=` operators do *not* throw an exception if one or both of the operands are NaN.

Node: Misc FP Arithmetic, Previous: [FP Comparison Functions](#), Up: [Arithmetic Functions](#)

## Miscellaneous FP arithmetic functions

The functions in this section perform miscellaneous but common operations that are awkward to express with C operators. On some processors these functions can use special machine instructions to perform these operations faster than the equivalent C code.

double **fmin** (*double x, double y*) Function

float **fminf** (*float x, float y*) Function

long double **fminl** (*long double x, long double y*) Function

The `fmin` function returns the lesser of the two values  $x$  and  $y$ . It is similar to the expression

$$((x) < (y) ? (x) : (y))$$

except that  $x$  and  $y$  are only evaluated once.

If an argument is NaN, the other argument is returned. If both arguments are NaN, NaN is returned.

double **fmax** (*double x, double y*) Function

float **fmaxf** (*float x, float y*) Function

long double **fmaxl** (*long double x, long double y*) Function

The `fmax` function returns the greater of the two values  $x$  and  $y$ .

If an argument is NaN, the other argument is returned. If both arguments are NaN, NaN is returned.

double **fdim** (*double x, double y*) Function

float **fdimf** (*float x, float y*) Function

long double **fdiml** (*long double x, long double y*) Function

The `fdim` function returns the positive difference between  $x$  and  $y$ . The positive difference is  $x - y$  if  $x$  is greater than  $y$ , and 0 otherwise.

If  $x$ ,  $y$ , or both are NaN, NaN is returned.

double **fma** (*double x, double y, double z*) Function

float **fmaf** (*float x, float y, float z*) Function

long double **fmal** (*long double x, long double y, long double z*) Function

The `fma` function performs floating-point multiply-add. This is the operation  $(x \cdot y) + z$ , but the intermediate result is not rounded to the destination type. This can sometimes improve the precision of a calculation.

This function was introduced because some processors have a special instruction to perform multiply-add. The C compiler cannot use it directly, because the expression `x*y + z` is defined to round the intermediate result. `fma` lets you choose when you want to round only once.

On processors which do not implement multiply-add in hardware, `fma` can be very slow since it must avoid intermediate rounding. `math.h` defines the symbols `FP_FAST_FMA`, `FP_FAST_FMAF`, and `FP_FAST_FMAL` when the corresponding version of `fma` is no slower than the expression `x*y + z`. In the GNU C library, this always means the operation is implemented in hardware.

Node: Complex Numbers, Next: [Operations on Complex](#), Previous: [Arithmetic Functions](#),

Up: [Arithmetic](#)

## Complex Numbers

ISO C99 introduces support for complex numbers in C. This is done with a new type qualifier, `complex`. It is a keyword if and only if `complex.h` has been included. There are three complex types, corresponding to the three real types: `float complex`, `double complex`, and `long double complex`.

To construct complex numbers you need a way to indicate the imaginary part of a number. There is no standard notation for an imaginary floating point constant. Instead, `complex.h` defines two macros that can be used to create complex numbers.

`const float complex _Complex_I` Macro

This macro is a representation of the complex number "0+1i". Multiplying a real floating-point value by `_Complex_I` gives a complex number whose value is purely imaginary. You can use this to construct complex constants:

$$3.0 + 4.0i = 3.0 + 4.0 * \_Complex\_I$$

Note that `_Complex_I * _Complex_I` has the value `-1`, but the type of that value is `complex`.

`_Complex_I` is a bit of a mouthful. `complex.h` also defines a shorter name for the same constant.

**const float complex I**

Macro

This macro has exactly the same value as `_Complex_I`. Most of the time it is preferable. However, it causes problems if you want to use the identifier `I` for something else. You can safely write

```
#include <complex.h>
#undef I
```

if you need `I` for your own purposes. (In that case we recommend you also define some other short name for `_Complex_I`, such as `J`.)

---

Node: Operations on Complex, Next: [Parsing of Numbers](#), Previous: [Complex Numbers](#), Up: [Arithmetic](#)

## Projections, Conjugates, and Decomposing of Complex Numbers

ISO C99 also defines functions that perform basic operations on complex numbers, such as decomposition and conjugation. The prototypes for all these functions are in `complex.h`. All functions are available in three variants, one for each of the three complex types.

double **creal** (*complex double*  $z$ ) Function

float **crealf** (*complex float*  $z$ ) Function

long double **creall** (*complex long double*  $z$ ) Function

These functions return the real part of the complex number  $z$ .

double **cimag** (*complex double*  $z$ ) Function

float **cimagf** (*complex float*  $z$ ) Function

long double **cimagl** (*complex long double*  $z$ ) Function

These functions return the imaginary part of the complex number  $z$ .

complex double **conj** (*complex double*  $z$ ) Function

complex float **conjf** (*complex float*  $z$ ) Function

complex long double **conjl** (*complex long double*  $z$ ) Function

These functions return the conjugate value of the complex number  $z$ . The conjugate of a complex number has the same real part and a negated imaginary part. In other words,  $\text{conj}(a + bi) = a - bi$ .

double **carg** (*complex double*  $z$ ) Function

float **cargf** (*complex float*  $z$ ) Function

long double **cargl** (*complex long double*  $z$ ) Function

These functions return the argument of the complex number  $z$ . The argument of a complex number is the angle in the complex plane between the positive real axis and a line passing through zero and the number. This angle is measured in the usual fashion and ranges from 0 to  $2\pi$ .

`carg` has a branch cut along the positive real axis.

complex double **cproj** (*complex double*  $z$ ) Function

complex float **cprojf** (*complex float*  $z$ ) Function

complex long double **cprojl** (*complex long double*  $z$ ) Function

These functions return the projection of the complex value  $z$  onto the Riemann sphere. Values with a infinite imaginary part are projected to positive infinity on the real axis, even if the real part is NaN. If the real part is infinite, the result is equivalent to

```
INFINITY + I * copysign (0.0, cimag (z))
```

---

Node: Parsing of Numbers, Next: [System V Number Conversion](#), Previous: [Operations on Complex](#),  
Up: [Arithmetic](#)

## Parsing of Numbers

This section describes functions for "reading" integer and floating-point numbers from a string. It may be more convenient in some cases to use `sscanf` or one of the related functions; see [Formatted Input](#). But often you can make a program more robust by finding the tokens in the string by hand, then converting the numbers one by one.

- [Parsing of Integers](#): Functions for conversion of integer values.
- [Parsing of Floats](#): Functions for conversion of floating-point values.



Node: Parsing of Integers, Next: [Parsing of Floats](#), Up: [Parsing of Numbers](#)

## Parsing of Integers

The `str` functions are declared in `stdlib.h` and those beginning with `wcs` are declared in `wchar.h`. One might wonder about the use of `restrict` in the prototypes of the functions in this section. It is seemingly useless but the ISO C standard uses it (for the functions defined there) so we have to do it as well.

`long int` **strtol** (*const char \*restrict string, char \*\*restrict tailptr, int base*) Function

The `strtol` ("string-to-long") function converts the initial part of *string* to a signed integer, which is returned as a value of type `long int`.

This function attempts to decompose *string* as follows:

- A (possibly empty) sequence of whitespace characters. Which characters are whitespace is determined by the `isspace` function (see [Classification of Characters](#)). These are discarded.
- An optional plus or minus sign (+ or -).
- A nonempty sequence of digits in the radix specified by *base*.

If *base* is zero, decimal radix is assumed unless the series of digits begins with 0 (specifying octal radix), or 0x or 0X (specifying hexadecimal radix); in other words, the same syntax used for integer constants in C.

Otherwise *base* must have a value between 2 and 36. If *base* is 16, the digits may optionally be preceded by 0x or 0X. If *base* has no legal value the value returned is 0 and the global variable `errno` is set to `EINVAL`.

- Any remaining characters in the string. If *tailptr* is not a null pointer, `strtol` stores a pointer to this tail in *\*tailptr*.

If the string is empty, contains only whitespace, or does not contain an initial substring that has the expected syntax for an integer in the specified *base*, no conversion is performed. In this case, `strtol` returns a value of zero and the value stored in *\*tailptr* is the value of *string*.

In a locale other than the standard "C" locale, this function may recognize additional implementation-dependent syntax.

If the string has valid syntax for an integer but the value is not representable because of overflow,

`strtol` returns either `LONG_MAX` or `LONG_MIN` (see [Range of Type](#)), as appropriate for the sign of the value. It also sets `errno` to `ERANGE` to indicate there was overflow.

You should not check for errors by examining the return value of `strtol`, because the string might be a valid representation of `0`, `LONG_MAX`, or `LONG_MIN`. Instead, check whether `tailptr` points to what you expect after the number (e.g. `'\0'` if the string should end after the number). You also need to clear `errno` before the call and check it afterward, in case there was overflow.

There is an example at the end of this section.

`long int wcstol (const wchar_t *restrict string, wchar_t **restrict tailptr, int base)` Function

The `wcstol` function is equivalent to the `strtol` function in nearly all aspects but handles wide character strings.

The `wcstol` function was introduced in Amendment 1 of ISO C90.

`unsigned long int strtoul (const char *restrict string, char **restrict tailptr, int base)` Function

The `strtoul` ("string-to-unsigned-long") function is like `strtol` except it converts to an unsigned `long int` value. The syntax is the same as described above for `strtol`. The value returned on overflow is `ULONG_MAX` (see [Range of Type](#)).

If `string` depicts a negative number, `strtoul` acts the same as `strtol` but casts the result to an unsigned integer. That means for example that `strtoul` on `"-1"` returns `ULONG_MAX` and an input more negative than `LONG_MIN` returns  $(ULONG\_MAX + 1) / 2$ .

`strtoul` sets `errno` to `EINVAL` if `base` is out of range, or `ERANGE` on overflow.

`unsigned long int wcstoul (const wchar_t *restrict string, wchar_t **restrict tailptr, int base)` Function

The `wcstoul` function is equivalent to the `strtoul` function in nearly all aspects but handles wide character strings.

The `wcstoul` function was introduced in Amendment 1 of ISO C90.

`long long int strtoll (const char *restrict string, char **restrict tailptr, int base)` Function

The `strtoll` function is like `strtol` except that it returns a `long long int` value, and accepts numbers with a correspondingly larger range.

If the string has valid syntax for an integer but the value is not representable because of overflow, `strtoll` returns either `LONG_LONG_MAX` or `LONG_LONG_MIN` (see [Range of Type](#)), as appropriate for the sign of the value. It also sets `errno` to `ERANGE` to indicate there was overflow.

The `strtoll` function was introduced in ISO C99.

`long long int` **wcstoll** (*const wchar\_t \*restrict string, wchar\_t \*\*restrict tailptr, int base*)      Function

The `wcstoll` function is equivalent to the `strtoll` function in nearly all aspects but handles wide character strings.

The `wcstoll` function was introduced in Amendment 1 of ISO C90.

`long long int` **strtoq** (*const char \*restrict string, char \*\*restrict tailptr, int base*)      Function

`strtoq` ("string-to-quad-word") is the BSD name for `strtoll`.

`long long int` **wcstoq** (*const wchar\_t \*restrict string, wchar\_t \*\*restrict tailptr, int base*)      Function

The `wcstoq` function is equivalent to the `strtoq` function in nearly all aspects but handles wide character strings.

The `wcstoq` function is a GNU extension.

`unsigned long long int` **strtoull** (*const char \*restrict string, char \*\*restrict tailptr, int base*)      Function

The `strtoull` function is related to `strtoll` the same way `strtoul` is related to `strtol`.

The `strtoull` function was introduced in ISO C99.

`unsigned long long int` **wcstoull** (*const wchar\_t \*restrict string, wchar\_t \*\*restrict tailptr, int base*)      Function

The `wcstoull` function is equivalent to the `strtoull` function in nearly all aspects but handles wide character strings.

The `wcstoull` function was introduced in Amendment 1 of ISO C90.

unsigned long long int **strtouq** (*const char \*restrict string, char \*\*restrict tailptr, int base*)      Function  
 strtouq is the BSD name for strtoull.

unsigned long long int **wcstouq** (*const wchar\_t \*restrict string, wchar\_t \*\*restrict tailptr, int base*)      Function

The wcstouq function is equivalent to the strtouq function in nearly all aspects but handles wide character strings.

The wcstouq function is a GNU extension.

intmax\_t **strtoimax** (*const char \*restrict string, char \*\*restrict tailptr, int base*)      Function

The strtoimax function is like strtol except that it returns a intmax\_t value, and accepts numbers of a corresponding range.

If the string has valid syntax for an integer but the value is not representable because of overflow, strtoimax returns either INTMAX\_MAX or INTMAX\_MIN (see [Integers](#)), as appropriate for the sign of the value. It also sets errno to ERANGE to indicate there was overflow.

See [Integers](#) for a description of the intmax\_t type. The strtoimax function was introduced in ISO C99.

intmax\_t **wcstoimax** (*const wchar\_t \*restrict string, wchar\_t \*\*restrict tailptr, int base*)      Function

The wcstoimax function is equivalent to the strtoimax function in nearly all aspects but handles wide character strings.

The wcstoimax function was introduced in ISO C99.

uintmax\_t **strtoumax** (*const char \*restrict string, char \*\*restrict tailptr, int base*)      Function

The strtoumax function is related to strtoimax the same way that strtoul is related to strtol.

See [Integers](#) for a description of the intmax\_t type. The strtoumax function was introduced in ISO C99.

uintmax\_t **wcstoumax** (*const wchar\_t \*restrict string, wchar\_t \*\*restrict tailptr, int base*)      Function

The `wcstoumax` function is equivalent to the `strtoumax` function in nearly all aspects but handles wide character strings.

The `wcstoumax` function was introduced in ISO C99.

`long int atol (const char *string)` Function

This function is similar to the `strtol` function with a *base* argument of 10, except that it need not detect overflow errors. The `atol` function is provided mostly for compatibility with existing code; using `strtol` is more robust.

`int atoi (const char *string)` Function

This function is like `atol`, except that it returns an `int`. The `atoi` function is also considered obsolete; use `strtol` instead.

`long long int atoll (const char *string)` Function

This function is similar to `atol`, except it returns a `long long int`.

The `atoll` function was introduced in ISO C99. It too is obsolete (despite having just been added); use `strtoll` instead.

All the functions mentioned in this section so far do not handle alternative representations of characters as described in the locale data. Some locales specify thousands separator and the way they have to be used which can help to make large numbers more readable. To read such numbers one has to use the `scanf` functions with the `'` flag.

Here is a function which parses a string as a sequence of integers and returns the sum of them:

```
int
sum_ints_from_string (char *string)
{
    int sum = 0;

    while (1) {
        char *tail;
        int next;

        /* Skip whitespace by hand, to detect the end.  */
        while (isspace (*string)) string++;
        if (*string == 0)
            break;

        /* There is more nonwhitespace,  */
```

```

    /* so it ought to be another number.  */
    errno = 0;
    /* Parse it.  */
    next = strtol (string, &tail, 0);
    /* Add it in, if not overflow.  */
    if (errno)
        printf ("Overflow\n");
    else
        sum += next;
    /* Advance past it.  */
    string = tail;
}

return sum;
}

```

---

Node: Parsing of Floats, Previous: [Parsing of Integers](#), Up: [Parsing of Numbers](#)

## Parsing of Floats

The `str` functions are declared in `stdlib.h` and those beginning with `wcs` are declared in `wchar.h`. One might wonder about the use of `restrict` in the prototypes of the functions in this section. It is seemingly useless but the ISO C standard uses it (for the functions defined there) so we have to do it as well.

**double `strtod`** (*const char \*restrict string, char \*\*restrict tailptr*) Function

The `strtod` ("string-to-double") function converts the initial part of *string* to a floating-point number, which is returned as a value of type `double`.

This function attempts to decompose *string* as follows:

- A (possibly empty) sequence of whitespace characters. Which characters are whitespace is determined by the `isspace` function (see [Classification of Characters](#)). These are discarded.
- An optional plus or minus sign (+ or -).
- A floating point number in decimal or hexadecimal format. The decimal format is:
  - A nonempty sequence of digits optionally containing a decimal-point character--normally `.`, but it depends on the locale (see [General Numeric](#)).
  - An optional exponent part, consisting of a character `e` or `E`, an optional sign, and a sequence of digits.

The hexadecimal format is as follows:

- A 0x or 0X followed by a nonempty sequence of hexadecimal digits optionally containing a decimal-point character--normally ., but it depends on the locale (see [General Numeric](#)).
- An optional binary-exponent part, consisting of a character p or P, an optional sign, and a sequence of digits.
- Any remaining characters in the string. If *tailptr* is not a null pointer, a pointer to this tail of the string is stored in *\*tailptr*.

If the string is empty, contains only whitespace, or does not contain an initial substring that has the expected syntax for a floating-point number, no conversion is performed. In this case, `strtod` returns a value of zero and the value returned in *\*tailptr* is the value of *string*.

In a locale other than the standard "C" or "POSIX" locales, this function may recognize additional locale-dependent syntax.

If the string has valid syntax for a floating-point number but the value is outside the range of a double, `strtod` will signal overflow or underflow as described in [Math Error Reporting](#).

`strtod` recognizes four special input strings. The strings "inf" and "infinity" are converted to `&infin;`, or to the largest representable value if the floating-point format doesn't support infinities. You can prepend a "+" or "-" to specify the sign. Case is ignored when scanning these strings.

The strings "nan" and "nan(*chars...*)" are converted to NaN. Again, case is ignored. If *chars...* are provided, they are used in some unspecified fashion to select a particular representation of NaN (there can be several).

Since zero is a valid result as well as the value returned on error, you should check for errors in the same way as for `strtol`, by examining *errno* and *tailptr*.

`float strtof (const char *string, char **tailptr)` Function

`long double strtold (const char *string, char **tailptr)` Function

These functions are analogous to `strtod`, but return `float` and `long double` values respectively. They report errors in the same way as `strtod`. `strtof` can be substantially faster than `strtod`, but has less precision; conversely, `strtold` can be much slower but has more precision (on systems where `long double` is a separate type).

These functions have been GNU extensions and are new to ISO C99.

double **wcstod** (*const wchar\_t \*restrict string, wchar\_t \*\*restrict tailptr*) Function

float **wcstof** (*const wchar\_t \*string, wchar\_t \*\*tailptr*) Function

long double **wcstold** (*const wchar\_t \*string, wchar\_t \*\*tailptr*) Function

The `wcstod`, `wcstof`, and `wcstold` functions are equivalent in nearly all aspect to the `strtod`, `strtof`, and `strtold` functions but it handles wide character string.

The `wcstod` function was introduced in Amendment 1 of ISO C90. The `wcstof` and `wcstold` functions were introduced in ISO C99.

double **atof** (*const char \*string*) Function

This function is similar to the `strtod` function, except that it need not detect overflow and underflow errors. The `atof` function is provided mostly for compatibility with existing code; using `strtod` is more robust.

The GNU C library also provides `_l` versions of these functions, which take an additional argument, the locale to use in conversion. See [Parsing of Integers](#).

---

Node: System V Number Conversion, Previous: [Parsing of Numbers](#), Up: [Arithmetic](#)

## Old-fashioned System V number-to-string functions

The old System V C library provided three functions to convert numbers to strings, with unusual and hard-to-use semantics. The GNU C library also provides these functions and some natural extensions.

These functions are only available in `glibc` and on systems descended from AT&T Unix. Therefore, unless these functions do precisely what you need, it is better to use `sprintf`, which is standard.

All these functions are defined in `stdlib.h`.

char \* **ecvt** (*double value, int ndigit, int \*decpt, int \*neg*) Function



The function `ecvt` converts the floating-point number *value* to a string with at most *ndigit* decimal digits. The returned string contains no decimal point or sign. The first digit of the string is non-zero (unless *value* is actually zero) and the last digit is rounded to nearest. *\*decpt* is set to the index in the string of the first digit after the decimal point. *\*neg* is set to a nonzero value if *value* is negative, zero otherwise.

If *ndigit* decimal digits would exceed the precision of a `double` it is reduced to a system-specific value.

The returned string is statically allocated and overwritten by each call to `ecvt`.

If *value* is zero, it is implementation defined whether *\*decpt* is 0 or 1.

For example: `ecvt (12.3, 5, &d, &n)` returns "12300" and sets *d* to 2 and *n* to 0.

`char * fcvt (double value, int ndigit, int *decpt, int *neg)` Function

The function `fcvt` is like `ecvt`, but *ndigit* specifies the number of digits after the decimal point. If *ndigit* is less than zero, *value* is rounded to the *ndigit*+1'th place to the left of the decimal point. For example, if *ndigit* is -1, *value* will be rounded to the nearest 10. If *ndigit* is negative and larger than the number of digits to the left of the decimal point in *value*, *value* will be rounded to one significant digit.

If *ndigit* decimal digits would exceed the precision of a `double` it is reduced to a system-specific value.

The returned string is statically allocated and overwritten by each call to `fcvt`.

`char * gcvt (double value, int ndigit, char *buf)` Function

`gcvt` is functionally equivalent to `sprintf(buf, "%*g", ndigit, value)`. It is provided only for compatibility's sake. It returns *buf*.

If *ndigit* decimal digits would exceed the precision of a `double` it is reduced to a system-specific value.

As extensions, the GNU C library provides versions of these three functions that take `long double` arguments.

`char * qecvt (long double value, int ndigit, int *decpt, int *neg)` Function

This function is equivalent to `ecvt` except that it takes a `long double` for the first parameter and that `ndigit` is restricted by the precision of a `long double`.

`char * qfcvt (long double value, int ndigit, int *decpt, int *neg)` Function

This function is equivalent to `fcvt` except that it takes a `long double` for the first parameter and that `ndigit` is restricted by the precision of a `long double`.

`char * qgcvt (long double value, int ndigit, char *buf)` Function

This function is equivalent to `gcvt` except that it takes a `long double` for the first parameter and that `ndigit` is restricted by the precision of a `long double`.

The `ecvt` and `fcvt` functions, and their `long double` equivalents, all return a string located in a static buffer which is overwritten by the next call to the function. The GNU C library provides another set of extended functions which write the converted string into a user-supplied buffer. These have the conventional `_r` suffix.

`gcvt_r` is not necessary, because `gcvt` already uses a user-supplied buffer.

`char * ecvt_r (double value, int ndigit, int *decpt, int *neg, char *buf, size_t len)` Function

The `ecvt_r` function is the same as `ecvt`, except that it places its result into the user-specified buffer pointed to by `buf`, with length `len`.

This function is a GNU extension.

`char * fcvt_r (double value, int ndigit, int *decpt, int *neg, char *buf, size_t len)` Function

The `fcvt_r` function is the same as `fcvt`, except that it places its result into the user-specified buffer pointed to by `buf`, with length `len`.

This function is a GNU extension.

`char * qecvt_r (long double value, int ndigit, int *decpt, int *neg, char *buf, size_t len)` Function

The `qecvt_r` function is the same as `qecvt`, except that it places its result into the user-specified buffer pointed to by `buf`, with length `len`.

This function is a GNU extension.

`char * qfcvt_r (long double value, int ndigit, int *decpt, int *neg, char *buf, size_t len)` Function

The `qfcvt_r` function is the same as `qfcvt`, except that it places its result into the user-specified buffer pointed to by *buf*, with length *len*.

This function is a GNU extension.

---

Node: Date and Time, Next: [Resource Usage And Limitation](#), Previous: [Arithmetic](#), Up: [Top](#)

## Date and Time

This chapter describes functions for manipulating dates and times, including functions for determining what time it is and conversion between different time representations.

- [Time Basics](#): Concepts and definitions.
- [Elapsed Time](#): Data types to represent elapsed times
- [Processor And CPU Time](#): Time a program has spent executing.
- [Calendar Time](#): Manipulation of "real" dates and times.
- [Setting an Alarm](#): Sending a signal after a specified time.
- [Sleeping](#): Waiting for a period of time.

---

Node: Time Basics, Next: [Elapsed Time](#), Up: [Date and Time](#)

## Time Basics

Discussing time in a technical manual can be difficult because the word "time" in English refers to lots of different things. In this manual, we use a rigorous terminology to avoid confusion, and the only thing we use the simple word "time" for is to talk about the abstract concept.

A *calendar time* is a point in the time continuum, for example November 4, 1990 at 18:02.5 UTC. Sometimes this is called "absolute time".

We don't speak of a "date", because that is inherent in a calendar time.

An *interval* is a contiguous part of the time continuum between two calendar times, for example the hour between 9:00 and 10:00 on July 4, 1980.

An *elapsed time* is the length of an interval, for example, 35 minutes. People sometimes sloppily use the word "interval" to refer to the elapsed time of some interval.

An *amount of time* is a sum of elapsed times, which need not be of any specific intervals. For example, the amount of time it takes to read a book might be 9 hours, independently of when and in how many sittings it is read.

A *period* is the elapsed time of an interval between two events, especially when they are part of a sequence of regularly repeating events.

*CPU time* is like calendar time, except that it is based on the subset of the time continuum when a particular process is actively using a CPU. CPU time is, therefore, relative to a process.

*Processor time* is an amount of time that a CPU is in use. In fact, it's a basic system resource, since there's a limit to how much can exist in any given interval (that limit is the elapsed time of the interval times the number of CPUs in the processor). People often call this CPU time, but we reserve the latter term in this manual for the definition above.

---

Node: Elapsed Time, Next: [Processor And CPU Time](#), Previous: [Time Basics](#), Up: [Date and Time](#)

## Elapsed Time

One way to represent an elapsed time is with a simple arithmetic data type, as with the following function to compute the elapsed time between two calendar times. This function is declared in `time.h`.

`double difftime (time_t time1, time_t time0)` Function

The `difftime` function returns the number of seconds of elapsed time between calendar time *time1* and calendar time *time0*, as a value of type `double`. The difference ignores leap seconds unless leap second support is enabled.

In the GNU system, you can simply subtract `time_t` values. But on other systems, the `time_t` data type might use some other encoding where subtraction doesn't work directly.

The GNU C library provides two data types specifically for representing an elapsed time. They are used by various GNU C library functions, and you can use them for your own purposes too. They're exactly the same except that one has a resolution in microseconds, and the other, newer one, is in nanoseconds.

`struct timeval` Data Type

The `struct timeval` structure represents an elapsed time. It is declared in `sys/time.h` and has the following members:

```
long int tv_sec
```

This represents the number of whole seconds of elapsed time.

```
long int tv_usec
```

This is the rest of the elapsed time (a fraction of a second), represented as the number of microseconds. It is always less than one million.

## **struct timespec**

Data Type

The `struct timespec` structure represents an elapsed time. It is declared in `time.h` and has the following members:

```
long int tv_sec
```

This represents the number of whole seconds of elapsed time.

```
long int tv_nsec
```

This is the rest of the elapsed time (a fraction of a second), represented as the number of nanoseconds. It is always less than one billion.

It is often necessary to subtract two values of type `struct timeval` or `struct timespec`. Here is the best way to do this. It works even on some peculiar operating systems where the `tv_sec` member has an unsigned type.

```
/* Subtract the `struct timeval' values X and Y,
   storing the result in RESULT.
   Return 1 if the difference is negative, otherwise 0.  */

int
timeval_subtract (result, x, y)
    struct timeval *result, *x, *y;
{
    /* Perform the carry for the later subtraction by updating y. */
    if (x->tv_usec < y->tv_usec) {
        int nsec = (y->tv_usec - x->tv_usec) / 1000000 + 1;
        y->tv_usec -= 1000000 * nsec;
        y->tv_sec += nsec;
    }
    if (x->tv_usec - y->tv_usec > 1000000) {
        int nsec = (x->tv_usec - y->tv_usec) / 1000000;
        y->tv_usec += 1000000 * nsec;
        y->tv_sec -= nsec;
    }
}
```

```

/* Compute the time remaining to wait.
   tv_usec is certainly positive. */
result->tv_sec = x->tv_sec - y->tv_sec;
result->tv_usec = x->tv_usec - y->tv_usec;

/* Return 1 if result is negative. */
return x->tv_sec < y->tv_sec;
}

```

Common functions that use `struct timeval` are `gettimeofday` and `settimeofday`.

There are no GNU C library functions specifically oriented toward dealing with elapsed times, but the calendar time, processor time, and alarm and sleeping functions have a lot to do with them.

---

Node: Processor And CPU Time, Next: [Calendar Time](#), Previous: [Elapsed Time](#), Up: [Date and Time](#)

## Processor And CPU Time

If you're trying to optimize your program or measure its efficiency, it's very useful to know how much processor time it uses. For that, calendar time and elapsed times are useless because a process may spend time waiting for I/O or for other processes to use the CPU. However, you can get the information with the functions in this section.

CPU time (see [Time Basics](#)) is represented by the data type `clock_t`, which is a number of *clock ticks*. It gives the total amount of time a process has actively used a CPU since some arbitrary event. On the GNU system, that event is the creation of the process. While arbitrary in general, the event is always the same event for any particular process, so you can always measure how much time on the CPU a particular computation takes by examining the process' CPU time before and after the computation.

In the GNU system, `clock_t` is equivalent to `long int` and `CLOCKS_PER_SEC` is an integer value. But in other systems, both `clock_t` and the macro `CLOCKS_PER_SEC` can be either integer or floating-point types. Casting CPU time values to `double`, as in the example above, makes sure that operations such as arithmetic and printing work properly and consistently no matter what the underlying representation is.

Note that the clock can wrap around. On a 32bit system with `CLOCKS_PER_SEC` set to one million this function will return the same value approximately every 72 minutes.

For additional functions to examine a process' use of processor time, and to control it, See [Resource Usage And Limitation](#).

- [CPU Time](#): The `clock` function.
- [Processor Time](#): The `times` function.

---

Node: CPU Time, Next: [Processor Time](#), Up: [Processor And CPU Time](#)

## CPU Time Inquiry

To get a process' CPU time, you can use the `clock` function. This facility is declared in the header file `time.h`.

In typical usage, you call the `clock` function at the beginning and end of the interval you want to time, subtract the values, and then divide by `CLOCKS_PER_SEC` (the number of clock ticks per second) to get processor time, like this:

```
#include <time.h>

clock_t start, end;
double cpu_time_used;

start = clock();
... /* Do the work. */
end = clock();
cpu_time_used = ((double) (end - start)) / CLOCKS_PER_SEC;
```

Do not use a single CPU time as an amount of time; it doesn't work that way. Either do a subtraction as shown above or query processor time directly. See [Processor Time](#).

Different computers and operating systems vary wildly in how they keep track of CPU time. It's common for the internal processor clock to have a resolution somewhere between a hundredth and millionth of a second.

**int CLOCKS\_PER\_SEC** Macro

The value of this macro is the number of clock ticks per second measured by the `clock` function. POSIX requires that this value be one million independent of the actual resolution.

**int CLK\_TCK** Macro

This is an obsolete name for `CLOCKS_PER_SEC`.

**clock\_t** Data Type

This is the type of the value returned by the `clock` function. Values of type `clock_t` are numbers of clock ticks.

**clock\_t clock** (*void*) Function

This function returns the calling process' current CPU time. If the CPU time is not available or cannot be represented, `clock` returns the value `(clock_t)(-1)`.

Node: Processor Time, Previous: [CPU Time](#), Up: [Processor And CPU Time](#)

**Processor Time Inquiry**

The `times` function returns information about a process' consumption of processor time in a `struct tms` object, in addition to the process' CPU time. See [Time Basics](#). You should include the header file `sys/times.h` to use this facility.

**struct tms** Data Type

The `tms` structure is used to return information about process times. It contains at least the following members:

`clock_t tms_utime`

This is the total processor time the calling process has used in executing the instructions of its program.

`clock_t tms_stime`

This is the processor time the system has used on behalf of the calling process.

`clock_t tms_cutime`

This is the sum of the `tms_utime` values and the `tms_cutime` values of all terminated child processes of the calling process, whose status has been reported to the parent process by `wait` or `waitpid`; see [Process Completion](#). In other words, it represents the total processor time used in executing the instructions of all the terminated child processes of the calling process, excluding child processes which have not yet been reported by `wait` or `waitpid`.

`clock_t tms_cstime`

This is similar to `tms_cutime`, but represents the total processor time system has used on behalf of all the terminated child processes of the calling process.

All of the times are given in numbers of clock ticks. Unlike CPU time, these are the actual amounts of time; not relative to any event. See [Creating a Process](#).



`clock_t times` (*struct tms \*buffer*)

Function

The `times` function stores the processor time information for the calling process in *buffer*.

The return value is the calling process' CPU time (the same value you get from `clock()`). `times` returns `(clock_t)(-1)` to indicate failure.

**Portability Note:** The `clock` function described in [CPU Time](#) is specified by the ISO C standard. The `times` function is a feature of POSIX.1. In the GNU system, the CPU time is defined to be equivalent to the sum of the `tms_utime` and `tms_stime` fields returned by `times`.

---

Node: [Calendar Time](#), Next: [Setting an Alarm](#), Previous: [Processor And CPU Time](#), Up: [Date and Time](#)

## Calendar Time

This section describes facilities for keeping track of calendar time. See [Time Basics](#).

The GNU C library represents calendar time three ways:

- *Simple time* (the `time_t` data type) is a compact representation, typically giving the number of seconds of elapsed time since some implementation-specific base time.
  - There is also a "high-resolution time" representation. Like simple time, this represents a calendar time as an elapsed time since a base time, but instead of measuring in whole seconds, it uses a `struct timeval` data type, which includes fractions of a second. Use this time representation instead of simple time when you need greater precision.
  - *Local time* or *broken-down time* (the `struct tm` data type) represents a calendar time as a set of components specifying the year, month, and so on in the Gregorian calendar, for a specific time zone. This calendar time representation is usually used only to communicate with people.
- [Simple Calendar Time](#): Facilities for manipulating calendar time.
  - [High-Resolution Calendar](#): A time representation with greater precision.
  - [Broken-down Time](#): Facilities for manipulating local time.
  - [High Accuracy Clock](#): Maintaining a high accuracy system clock.
  - [Formatting Calendar Time](#): Converting times to strings.
  - [Parsing Date and Time](#): Convert textual time and date information back into broken-down time values.
  - [TZ Variable](#): How users specify the time zone.
  - [Time Zone Functions](#): Functions to examine or specify the time zone.
  - [Time Functions Example](#): An example program showing use of some of the time functions.

---

Node: Simple Calendar Time, Next: [High-Resolution Calendar](#), Up: [Calendar Time](#)

## Simple Calendar Time

This section describes the `time_t` data type for representing calendar time as simple time, and the functions which operate on simple time objects. These facilities are declared in the header file `time.h`.

**time\_t** Data Type

This is the data type used to represent simple time. Sometimes, it also represents an elapsed time. When interpreted as a calendar time value, it represents the number of seconds elapsed since 00:00:00 on January 1, 1970, Coordinated Universal Time. (This calendar time is sometimes referred to as the *epoch*.) POSIX requires that this count not include leap seconds, but on some systems this count includes leap seconds if you set TZ to certain values (see [TZ Variable](#)).

Note that a simple time has no concept of local time zone. Calendar Time *T* is the same instant in time regardless of where on the globe the computer is.

In the GNU C library, `time_t` is equivalent to `long int`. In other systems, `time_t` might be either an integer or floating-point type.

The function `difftime` tells you the elapsed time between two simple calendar times, which is not always as easy to compute as just subtracting. See [Elapsed Time](#).

`time_t` **time** (*time\_t* \*result) Function

The `time` function returns the current calendar time as a value of type `time_t`. If the argument *result* is not a null pointer, the calendar time value is also stored in *\*result*. If the current calendar time is not available, the value `(time_t)(-1)` is returned.

`int` **stime** (*time\_t* \*newtime) Function

`stime` sets the system clock, i.e. it tells the system that the current calendar time is *newtime*, where *newtime* is interpreted as described in the above definition of `time_t`.

`settimeofday` is a newer function which sets the system clock to better than one second precision. `settimeofday` is generally a better choice than `stime`. See [High-Resolution Calendar](#).

Only the superuser can set the system clock.

If the function succeeds, the return value is zero. Otherwise, it is `-1` and `errno` is set accordingly:

`EPERM`

The process is not superuser.

Node: [High-Resolution Calendar](#), Next: [Broken-down Time](#), Previous: [Simple Calendar Time](#),  
Up: [Calendar Time](#)

## High-Resolution Calendar

The `time_t` data type used to represent simple times has a resolution of only one second. Some applications need more precision.

So, the GNU C library also contains functions which are capable of representing calendar times to a higher resolution than one second. The functions and the associated data types described in this section are declared in `sys/time.h`.

### **struct timezone**

Data Type

The `struct timezone` structure is used to hold minimal information about the local time zone. It has the following members:

`int tz_minuteswest`

This is the number of minutes west of UTC.

`int tz_dsttime`

If nonzero, Daylight Saving Time applies during some part of the year.

The `struct timezone` type is obsolete and should never be used. Instead, use the facilities described in [Time Zone Functions](#).

**int `gettimeofday`** (*struct timeval* \**tp*, *struct timezone* \**tzp*) Function

The `gettimeofday` function returns the current calendar time as the elapsed time since the epoch in the `struct timeval` structure indicated by *tp*. (see [Elapsed Time](#) for a description of `struct timeval`). Information about the time zone is returned in the structure pointed at *tzp*. If the *tzp* argument is a null pointer, time zone information is ignored.

The return value is 0 on success and -1 on failure. The following `errno` error condition is defined for this function:

#### ENOSYS

The operating system does not support getting time zone information, and *tzp* is not a null pointer. The GNU operating system does not support using `struct timezone` to represent time zone information; that is an obsolete feature of 4.3 BSD. Instead, use the facilities described in [Time Zone Functions](#).

**int `settimeofday`** (*const struct timeval* \**tp*, *const struct timezone* \**tzp*) Function

The `settimeofday` function sets the current calendar time in the system clock according to the arguments. As for `gettimeofday`, the calendar time is represented as the elapsed time since the epoch. As for `gettimeofday`, time zone information is ignored if *tzp* is a null pointer.

You must be a privileged user in order to use `settimeofday`.

Some kernels automatically set the system clock from some source such as a hardware clock when they start up. Others, including Linux, place the system clock in an "invalid" state (in which attempts to read the clock fail). A call of `stime` removes the system clock from an invalid state, and system startup scripts typically run a program that calls `stime`.

`settimeofday` causes a sudden jump forwards or backwards, which can cause a variety of problems in a system. Use `adjtime` (below) to make a smooth transition from one time to another by temporarily speeding up or slowing down the clock.

With a Linux kernel, `adjtimex` does the same thing and can also make permanent changes to the speed of the system clock so it doesn't need to be corrected as often.

The return value is 0 on success and -1 on failure. The following `errno` error conditions are defined for this function:

#### EPERM

This process cannot set the clock because it is not privileged.

ENOSYS

The operating system does not support setting time zone information, and *tzp* is not a null pointer.

int **adjtime** (*const struct timeval \*delta, struct timeval \*olddelta*) Function

This function speeds up or slows down the system clock in order to make a gradual adjustment. This ensures that the calendar time reported by the system clock is always monotonically increasing, which might not happen if you simply set the clock.

The *delta* argument specifies a relative adjustment to be made to the clock time. If negative, the system clock is slowed down for a while until it has lost this much elapsed time. If positive, the system clock is speeded up for a while.

If the *olddelta* argument is not a null pointer, the `adjtime` function returns information about any previous time adjustment that has not yet completed.

This function is typically used to synchronize the clocks of computers in a local network. You must be a privileged user to use it.

With a Linux kernel, you can use the `adjtimex` function to permanently change the clock speed.

The return value is 0 on success and -1 on failure. The following `errno` error condition is defined for this function:

EPERM

You do not have privilege to set the time.

**Portability Note:** The `gettimeofday`, `settimeofday`, and `adjtime` functions are derived from BSD.

Symbols for the following function are declared in `sys/timex.h`.

int **adjtimex** (*struct timex \*timex*) Function

`adjtimex` is functionally identical to `ntp_adjtime`. See [High Accuracy Clock](#).

This function is present only with a Linux kernel.

---

Node: Broken-down Time, Next: [High Accuracy Clock](#), Previous: [High-Resolution Calendar](#),  
Up: [Calendar Time](#)

## Broken-down Time

Calendar time is represented by the usual GNU C library functions as an elapsed time since a fixed base calendar time. This is convenient for computation, but has no relation to the way people normally think of calendar time. By contrast, *broken-down time* is a binary representation of calendar time separated into year, month, day, and so on. Broken-down time values are not useful for calculations, but they are useful for printing human readable time information.

A broken-down time value is always relative to a choice of time zone, and it also indicates which time zone that is.

The symbols in this section are declared in the header file `time.h`.

### **struct tm**

Data Type

This is the data type used to represent a broken-down time. The structure contains at least the following members, which can appear in any order.

`int tm_sec`

This is the number of full seconds since the top of the minute (normally in the range 0 through 59, but the actual upper limit is 60, to allow for leap seconds if leap second support is available).

`int tm_min`

This is the number of full minutes since the top of the hour (in the range 0 through 59).

`int tm_hour`

This is the number of full hours past midnight (in the range 0 through 23).

`int tm_mday`

This is the ordinal day of the month (in the range 1 through 31). Watch out for this one! As the only ordinal number in the structure, it is inconsistent with the rest of the structure.

`int tm_mon`

This is the number of full calendar months since the beginning of the year (in the range 0 through 11). Watch out for this one! People usually use ordinal numbers for month-of-year (where January = 1).

`int tm_year`

This is the number of full calendar years since 1900.

`int tm_wday`

This is the number of full days since Sunday (in the range 0 through 6).

`int tm_yday`

This is the number of full days since the beginning of the year (in the range 0 through 365).

`int tm_isdst`

This is a flag that indicates whether Daylight Saving Time is (or was, or will be) in effect at the time described. The value is positive if Daylight Saving Time is in effect, zero if it is not, and negative if the information is not available.

`long int tm_gmtoff`

This field describes the time zone that was used to compute this broken-down time value, including any adjustment for daylight saving; it is the number of seconds that you must add to UTC to get local time. You can also think of this as the number of seconds east of UTC. For example, for U.S. Eastern Standard Time, the value is  $-5 * 60 * 60$ . The `tm_gmtoff` field is derived from BSD and is a GNU library extension; it is not visible in a strict ISO C environment.

`const char *tm_zone`

This field is the name for the time zone that was used to compute this broken-down time value. Like `tm_gmtoff`, this field is a BSD and GNU extension, and is not visible in a strict ISO C environment.

`struct tm * localtime (const time_t *time)`

Function

The `localtime` function converts the simple time pointed to by *time* to broken-down time representation, expressed relative to the user's specified time zone.

The return value is a pointer to a static broken-down time structure, which might be overwritten by subsequent calls to `ctime`, `gmtime`, or `localtime`. (But no other library function overwrites the contents of this object.)

The return value is the null pointer if *time* cannot be represented as a broken-down time; typically this is because the year cannot fit into an `int`.

Calling `localtime` has one other effect: it sets the variable `tzname` with information about the current time zone. See [Time Zone Functions](#).

Using the `localtime` function is a big problem in multi-threaded programs. The result is returned in a static buffer and this is used in all threads. POSIX.1c introduced a variant of this function.

`struct tm * localtime_r (const time_t *time, struct tm *resultp)`

Function

The `localtime_r` function works just like the `localtime` function. It takes a pointer to a variable containing a simple time and converts it to the broken-down time format.

But the result is not placed in a static buffer. Instead it is placed in the object of type `struct tm` to which the parameter *resultp* points.

If the conversion is successful the function returns a pointer to the object the result was written into, i.e., it returns *resultp*.

`struct tm * gmtime (const time_t *time)` Function

This function is similar to `localtime`, except that the broken-down time is expressed as Coordinated Universal Time (UTC) (formerly called Greenwich Mean Time (GMT)) rather than relative to a local time zone.

As for the `localtime` function we have the problem that the result is placed in a static variable. POSIX.1c also provides a replacement for `gmtime`.

`struct tm * gmtime_r (const time_t *time, struct tm *resultp)` Function

This function is similar to `localtime_r`, except that it converts just like `gmtime` the given time as Coordinated Universal Time.

If the conversion is successful the function returns a pointer to the object the result was written into, i.e., it returns *resultp*.

`time_t mktime (struct tm *broketime)` Function

The `mktime` function is used to convert a broken-down time structure to a simple time representation. It also "normalizes" the contents of the broken-down time structure, by filling in the day of week and day of year based on the other date and time components.

The `mktime` function ignores the specified contents of the `tm_wday` and `tm_yday` members of the broken-down time structure. It uses the values of the other components to determine the calendar time; it's permissible for these components to have unnormalized values outside their normal ranges. The last thing that `mktime` does is adjust the components of the *broketime* structure (including the `tm_wday` and `tm_yday`).

If the specified broken-down time cannot be represented as a simple time, `mktime` returns a value of `(time_t)(-1)` and does not modify the contents of *broketime*.

Calling `mktime` also sets the variable `tzname` with information about the current time zone. See



[Time Zone Functions.](#)

`time_t` **timelocal** (*struct tm \*broketime*) Function

`timelocal` is functionally identical to `mktime`, but more mnemonically named. Note that it is the inverse of the `localtime` function.

**Portability note:** `mktime` is essentially universally available. `timelocal` is rather rare.

`time_t` **timegm** (*struct tm \*broketime*) Function

`timegm` is functionally identical to `mktime` except it always takes the input values to be Coordinated Universal Time (UTC) regardless of any local time zone setting.

Note that `timegm` is the inverse of `gmtime`.

**Portability note:** `mktime` is essentially universally available. `timegm` is rather rare. For the most portable conversion from a UTC broken-down time to a simple time, set the TZ environment variable to UTC, call `mktime`, then set TZ back.

Node: High Accuracy Clock, Next: [Formatting Calendar Time](#), Previous: [Broken-down Time](#),  
Up: [Calendar Time](#)

## High Accuracy Clock

The `ntp_gettime` and `ntp_adjtime` functions provide an interface to monitor and manipulate the system clock to maintain high accuracy time. For example, you can fine tune the speed of the clock or synchronize it with another time source.

A typical use of these functions is by a server implementing the Network Time Protocol to synchronize the clocks of multiple systems and high precision clocks.

These functions are declared in `sys/timex.h`.

**struct ntptimeval** Data Type

This structure is used for information about the system clock. It contains the following members:

`struct timeval time`

This is the current calendar time, expressed as the elapsed time since the epoch. The `struct timeval` data type is described in [Elapsed Time](#).

`long int maxerror`

This is the maximum error, measured in microseconds. Unless updated via `ntp_adjtime` periodically, this value will reach some platform-specific maximum value.

`long int esterror`

This is the estimated error, measured in microseconds. This value can be set by `ntp_adjtime` to indicate the estimated offset of the system clock from the true calendar time.

`int ntp_gettime (struct ntptimeval *tptr)`

Function

The `ntp_gettime` function sets the structure pointed to by `tptr` to current values. The elements of the structure afterwards contain the values the timer implementation in the kernel assumes. They might or might not be correct. If they are not a `ntp_adjtime` call is necessary.

The return value is 0 on success and other values on failure. The following `errno` error conditions are defined for this function:

`TIME_ERROR`

The precision clock model is not properly set up at the moment, thus the clock must be considered unsynchronized, and the values should be treated with care.

`struct timex`

Data Type

This structure is used to control and monitor the system clock. It contains the following members:

`unsigned int modes`

This variable controls whether and which values are set. Several symbolic constants have to be combined with *binary or* to specify the effective mode. These constants start with `MOD_`.

`long int offset`

This value indicates the current offset of the system clock from the true calendar time. The value is given in microseconds. If bit `MOD_OFFSET` is set in `modes`, the offset (and possibly other dependent values) can be set. The offset's absolute value must not exceed `MAXPHASE`.

`long int frequency`

This value indicates the difference in frequency between the true calendar time and the system clock. The value is expressed as scaled PPM (parts per million, 0.0001%). The scaling is  $1 \ll \text{SHIFT\_USEC}$ . The value can be set with bit `MOD_FREQUENCY`, but the absolute value must not exceed `MAXFREQ`.

`long int maxerror`

This is the maximum error, measured in microseconds. A new value can be set using bit `MOD_MAXERROR`. Unless updated via `ntp_adjtime` periodically, this value will increase steadily and reach some platform-specific maximum value.

`long int esterror`

This is the estimated error, measured in microseconds. This value can be set using bit `MOD_ESTERROR`.

`int status`

This variable reflects the various states of the clock machinery. There are symbolic constants for the significant bits, starting with `STA_`. Some of these flags can be updated using the `MOD_STATUS` bit.

`long int constant`

This value represents the bandwidth or stiffness of the PLL (phase locked loop) implemented in the kernel. The value can be changed using bit `MOD_TIMECONST`.

`long int precision`

This value represents the accuracy or the maximum error when reading the system clock. The value is expressed in microseconds.

`long int tolerance`

This value represents the maximum frequency error of the system clock in scaled PPM. This value is used to increase the `maxerror` every second.

`struct timeval time`

The current calendar time.

`long int tick`

The elapsed time between clock ticks in microseconds. A clock tick is a periodic timer interrupt on which the system clock is based.

`long int ppsfreq`

This is the first of a few optional variables that are present only if the system clock can use

a PPS (pulse per second) signal to discipline the system clock. The value is expressed in scaled PPM and it denotes the difference in frequency between the system clock and the PPS signal.

`long int jitter`

This value expresses a median filtered average of the PPS signal's dispersion in microseconds.

`int shift`

This value is a binary exponent for the duration of the PPS calibration interval, ranging from `PPS_SHIFT` to `PPS_SHIFTMAX`.

`long int stabil`

This value represents the median filtered dispersion of the PPS frequency in scaled PPM.

`long int jitcnt`

This counter represents the number of pulses where the jitter exceeded the allowed maximum `MAXTIME`.

`long int calcnt`

This counter reflects the number of successful calibration intervals.

`long int errcnt`

This counter represents the number of calibration errors (caused by large offsets or jitter).

`long int stbcnt`

This counter denotes the number of of calibrations where the stability exceeded the threshold.

`int ntp_adjtime (struct timex *tptr)`

Function

The `ntp_adjtime` function sets the structure specified by `tptr` to current values.

In addition, `ntp_adjtime` updates some settings to match what you pass to it in `*tptr`. Use the `modes` element of `*tptr` to select what settings to update. You can set `offset`, `freq`, `maxerror`, `esterror`, `status`, `constant`, and `tick`.

`modes = zero` means set nothing.

Only the superuser can update settings.

The return value is 0 on success and other values on failure. The following `errno` error conditions are defined for this function:

`TIME_ERROR`

The high accuracy clock model is not properly set up at the moment, thus the clock must be considered unsynchronized, and the values should be treated with care. Another reason could be that the specified new values are not allowed.

E`PERM`

The process specified a settings update, but is not superuser.

For more details see RFC1305 (Network Time Protocol, Version 3) and related documents.

**Portability note:** Early versions of the GNU C library did not have this function but did have the synonymous `adjtimex`.

Node: Formatting Calendar Time, Next: [Parsing Date and Time](#), Previous: [High Accuracy Clock](#),  
Up: [Calendar Time](#)

## Formatting Calendar Time

The functions described in this section format calendar time values as strings. These functions are declared in the header file `time.h`.

`char * asctime (const struct tm *brokentime)` Function

The `asctime` function converts the broken-down time value that *brokentime* points to into a string in a standard format:

```
"Tue May 21 13:46:22 1991\n"
```

The abbreviations for the days of week are: Sun, Mon, Tue, Wed, Thu, Fri, and Sat.

The abbreviations for the months are: Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, and Dec.

The return value points to a statically allocated string, which might be overwritten by subsequent calls to `asctime` or `ctime`. (But no other library function overwrites the contents of this string.)

`char * asctime_r (const struct tm *brokentime, char *buffer)` Function

This function is similar to `asctime` but instead of placing the result in a static buffer it writes the string in the buffer pointed to by the parameter *buffer*. This buffer should have room for at least 26 bytes, including the terminating null.

If no error occurred the function returns a pointer to the string the result was written into, i.e., it returns *buffer*. Otherwise return `NULL`.

char \* **ctime** (*const time\_t \*time*) Function

The `ctime` function is similar to `asctime`, except that you specify the calendar time argument as a `time_t` simple time value rather than in broken-down local time format. It is equivalent to

```
asctime (localtime (time))
```

`ctime` sets the variable `tzname`, because `localtime` does so. See [Time Zone Functions](#).

char \* **ctime\_r** (*const time\_t \*time, char \*buffer*) Function

This function is similar to `ctime`, but places the result in the string pointed to by *buffer*. It is equivalent to (written using gcc extensions, see [Statement Exprs](#)):

```
({ struct tm tm; asctime_r (localtime_r (time, &tm), buf); })
```

If no error occurred the function returns a pointer to the string the result was written into, i.e., it returns *buffer*. Otherwise return `NULL`.

size\_t **strftime** (*char \*s, size\_t size, const char \*template, const struct tm \*broketime*) Function

This function is similar to the `sprintf` function (see [Formatted Input](#)), but the conversion specifications that can appear in the format template *template* are specialized for printing components of the date and time *broketime* according to the locale currently specified for time conversion (see [Locales](#)).

Ordinary characters appearing in the *template* are copied to the output string *s*; this can include multibyte character sequences. Conversion specifiers are introduced by a `%` character, followed by an optional flag which can be one of the following. These flags are all GNU extensions. The first three affect only the output of numbers:

- The number is padded with spaces.
- The number is not padded at all.
- 0 The number is padded with zeros even if the format specifies padding with spaces.
- ^ The output uses uppercase characters, but only if this is possible (see [Case Conversion](#)).

The default action is to pad the number with zeros to keep it a constant width. Numbers that do

not have a range indicated below are never padded, since there is no natural width for them.

Following the flag an optional specification of the width is possible. This is specified in decimal notation. If the natural size of the output of the field has less than the specified number of characters, the result is written right adjusted and space padded to the given size.

An optional modifier can follow the optional flag and width specification. The modifiers, which were first standardized by POSIX.2-1992 and by ISO C99, are:

E

Use the locale's alternate representation for date and time. This modifier applies to the %c, %C, %x, %X, %y and %Y format specifiers. In a Japanese locale, for example, %Ex might yield a date format based on the Japanese Emperors' reigns.

O

Use the locale's alternate numeric symbols for numbers. This modifier applies only to numeric format specifiers.

If the format supports the modifier but no alternate representation is available, it is ignored.

The conversion specifier ends with a format specifier taken from the following list. The whole % sequence is replaced in the output string as follows:

%a

The abbreviated weekday name according to the current locale.

%A

The full weekday name according to the current locale.

%b

The abbreviated month name according to the current locale.

%B

The full month name according to the current locale.

%c

The preferred calendar time representation for the current locale.

%C

The century of the year. This is equivalent to the greatest integer not greater than the year divided by 100.

This format was first standardized by POSIX.2-1992 and by ISO C99.

%d

The day of the month as a decimal number (range 01 through 31).

%D

The date using the format %m/%d/%y.

This format was first standardized by POSIX.2-1992 and by ISO C99.

`%e`

The day of the month like with `%d`, but padded with blank (range 1 through 31).

This format was first standardized by POSIX.2-1992 and by ISO C99.

`%F`

The date using the format `%Y-%m-%d`. This is the form specified in the ISO 8601 standard and is the preferred form for all uses.

This format was first standardized by ISO C99 and by POSIX.1-2001.

`%g`

The year corresponding to the ISO week number, but without the century (range 00 through 99). This has the same format and value as `%y`, except that if the ISO week number (see `%V`) belongs to the previous or next year, that year is used instead.

This format was first standardized by ISO C99 and by POSIX.1-2001.

`%G`

The year corresponding to the ISO week number. This has the same format and value as `%Y`, except that if the ISO week number (see `%V`) belongs to the previous or next year, that year is used instead.

This format was first standardized by ISO C99 and by POSIX.1-2001 but was previously available as a GNU extension.

`%h`

The abbreviated month name according to the current locale. The action is the same as for `%b`.

This format was first standardized by POSIX.2-1992 and by ISO C99.

`%H`

The hour as a decimal number, using a 24-hour clock (range 00 through 23).

`%I`

The hour as a decimal number, using a 12-hour clock (range 01 through 12).

`%j`

The day of the year as a decimal number (range 001 through 366).

`%k`



The hour as a decimal number, using a 24-hour clock like %H, but padded with blank (range 0 through 23).

This format is a GNU extension.

%l

The hour as a decimal number, using a 12-hour clock like %I, but padded with blank (range 1 through 12).

This format is a GNU extension.

%m

The month as a decimal number (range 01 through 12).

%M

The minute as a decimal number (range 00 through 59).

%n

A single \n (newline) character.

This format was first standardized by POSIX.2-1992 and by ISO C99.

%p

Either AM or PM, according to the given time value; or the corresponding strings for the current locale. Noon is treated as PM and midnight as AM. In most locales AM/PM format is not supported, in such cases "%p" yields an empty string.

%P

Either am or pm, according to the given time value; or the corresponding strings for the current locale, printed in lowercase characters. Noon is treated as pm and midnight as am. In most locales AM/PM format is not supported, in such cases "%P" yields an empty string.

This format is a GNU extension.

%r

The complete calendar time using the AM/PM format of the current locale.

This format was first standardized by POSIX.2-1992 and by ISO C99. In the POSIX locale, this format is equivalent to %I : %M : %S %p.

%R

The hour and minute in decimal numbers using the format %H : %M.

This format was first standardized by ISO C99 and by POSIX.1-2001 but was previously available as a GNU extension.

`%s`

The number of seconds since the epoch, i.e., since 1970-01-01 00:00:00 UTC. Leap seconds are not counted unless leap second support is available.

This format is a GNU extension.

`%S`

The seconds as a decimal number (range 00 through 60).

`%t`

A single `\t` (tabulator) character.

This format was first standardized by POSIX.2-1992 and by ISO C99.

`%T`

The time of day using decimal numbers using the format `%H:%M:%S`.

This format was first standardized by POSIX.2-1992 and by ISO C99.

`%u`

The day of the week as a decimal number (range 1 through 7), Monday being 1.

This format was first standardized by POSIX.2-1992 and by ISO C99.

`%U`

The week number of the current year as a decimal number (range 00 through 53), starting with the first Sunday as the first day of the first week. Days preceding the first Sunday in the year are considered to be in week 00.

`%V`

The ISO 8601:1988 week number as a decimal number (range 01 through 53). ISO weeks start with Monday and end with Sunday. Week 01 of a year is the first week which has the majority of its days in that year; this is equivalent to the week containing the year's first Thursday, and it is also equivalent to the week containing January 4. Week 01 of a year can contain days from the previous year. The week before week 01 of a year is the last week (52 or 53) of the previous year even if it contains days from the new year.

This format was first standardized by POSIX.2-1992 and by ISO C99.

`%w`

The day of the week as a decimal number (range 0 through 6), Sunday being 0.

`%W`

The week number of the current year as a decimal number (range 00 through 53), starting

with the first Monday as the first day of the first week. All days preceding the first Monday in the year are considered to be in week 00.

`%x`

The preferred date representation for the current locale.

`%X`

The preferred time of day representation for the current locale.

`%y`

The year without a century as a decimal number (range 00 through 99). This is equivalent to the year modulo 100.

`%Y`

The year as a decimal number, using the Gregorian calendar. Years before the year 1 are numbered 0, -1, and so on.

`%z`

RFC 822/ISO 8601:1988 style numeric time zone (e.g., -0600 or +0100), or nothing if no time zone is determinable.

This format was first standardized by ISO C99 and by POSIX.1-2001 but was previously available as a GNU extension.

In the POSIX locale, a full RFC 822 timestamp is generated by the format "`%a, %d %b %Y %H:%M:%S %z`" (or the equivalent "`%a, %d %b %Y %T %z`").

`%Z`

The time zone abbreviation (empty if the time zone can't be determined).

`%%`

A literal `%` character.

The *size* parameter can be used to specify the maximum number of characters to be stored in the array *s*, including the terminating null character. If the formatted time requires more than *size* characters, `strftime` returns zero and the contents of the array *s* are undefined. Otherwise the return value indicates the number of characters placed in the array *s*, not including the terminating null character.

*Warning:* This convention for the return value which is prescribed in ISO C can lead to problems in some situations. For certain format strings and certain locales the output really can be the empty string and this cannot be discovered by testing the return value only. E.g., in most locales the AM/PM time format is not supported (most of the world uses the 24 hour time representation). In such locales "`%p`" will return the empty string, i.e., the return value is zero. To detect situations like this something similar to the following code should be used:

```
buf[0] = '\1';
len = strftime (buf, bufsize, format, tp);
if (len == 0 && buf[0] != '\0')
```

```

{
    /* Something went wrong in the strftime call.  */
    ...
}

```

If *s* is a null pointer, `strftime` does not actually write anything, but instead returns the number of characters it would have written.

According to POSIX.1 every call to `strftime` implies a call to `tzset`. So the contents of the environment variable `TZ` is examined before any output is produced.

For an example of `strftime`, see [Time Functions Example](#).

`size_t` **wcsftime** (*wchar\_t \*s*, *size\_t size*, *const wchar\_t \*template*, *const struct tm \*broketime*)

Function

The `wcsftime` function is equivalent to the `strftime` function with the difference that it operates on wide character strings. The buffer where the result is stored, pointed to by *s*, must be an array of wide characters. The parameter *size* which specifies the size of the output buffer gives the number of wide character, not the number of bytes.

Also the format string *template* is a wide character string. Since all characters needed to specify the format string are in the basic character set it is portably possible to write format strings in the C source code using the `L" . . . "` notation. The parameter *broketime* has the same meaning as in the `strftime` call.

The `wcsftime` function supports the same flags, modifiers, and format specifiers as the `strftime` function.

The return value of `wcsftime` is the number of wide characters stored in *s*. When more characters would have to be written than can be placed in the buffer *s* the return value is zero, with the same problems indicated in the `strftime` documentation.

---

Node: Parsing Date and Time, Next: [TZ Variable](#), Previous: [Formatting Calendar Time](#), Up: [Calendar Time](#)

## Convert textual time and date information back

The ISO C standard does not specify any functions which can convert the output of the `strftime` function back into a binary format. This led to a variety of more-or-less successful implementations with

different interfaces over the years. Then the Unix standard was extended by the addition of two functions: `strptime` and `getdate`. Both have strange interfaces but at least they are widely available.

- [Low-Level Time String Parsing](#): Interpret string according to given format.
- [General Time String Parsing](#): User-friendly function to parse data and time strings.

Node: [Low-Level Time String Parsing](#), Next: [General Time String Parsing](#), Up: [Parsing Date and Time](#)

## Interpret string according to given format

The first function is rather low-level. It is nevertheless frequently used in software since it is better known. Its interface and implementation are heavily influenced by the `getdate` function, which is defined and implemented in terms of calls to `strptime`.

`char * strptime (const char *s, const char *fmt, struct tm *tp)` Function

The `strptime` function parses the input string *s* according to the format string *fmt* and stores its results in the structure *tp*.

The input string could be generated by a `strftime` call or obtained any other way. It does not need to be in a human-recognizable format; e.g. a date passed as "02:1999:9" is acceptable, even though it is ambiguous without context. As long as the format string *fmt* matches the input string the function will succeed.

The user has to make sure, though, that the input can be parsed in a unambiguous way. The string "1999112" can be parsed using the format "%Y%m%d" as 1999-1-12, 1999-11-2, or even 1999-1-2. It is necessary to add appropriate separators to reliably get results.

The format string consists of the same components as the format string of the `strftime` function. The only difference is that the flags `_`, `-`, `0`, and `^` are not allowed. Several of the distinct formats of `strftime` do the same work in `strptime` since differences like case of the input do not matter. For reasons of symmetry all formats are supported, though.

The modifiers `E` and `O` are also allowed everywhere the `strftime` function allows them.

The formats are:

`%a`

`%A`

The weekday name according to the current locale, in abbreviated form or the full name.

`%b`

`%B`

`%h`

The month name according to the current locale, in abbreviated form or the full name.

`%c`

The date and time representation for the current locale.

`%Ec`

Like `%c` but the locale's alternative date and time format is used.

`%C`

The century of the year.

It makes sense to use this format only if the format string also contains the `%y` format.

`%EC`

The locale's representation of the period.

Unlike `%C` it sometimes makes sense to use this format since some cultures represent years relative to the beginning of eras instead of using the Gregorian years.

`%d`

`%e`

The day of the month as a decimal number (range 1 through 31). Leading zeroes are permitted but not required.

`%Od`

`%Oe`

Same as `%d` but using the locale's alternative numeric symbols.

Leading zeroes are permitted but not required.

`%D`

Equivalent to `%m/%d/%y`.

`%F`

Equivalent to `%Y-%m-%d`, which is the ISO 8601 date format.

This is a GNU extension following an ISO C99 extension to `strftime`.

`%g`

The year corresponding to the ISO week number, but without the century (range 00 through 99).

*Note:* Currently, this is not fully implemented. The format is recognized, input is consumed

but no field in *tm* is set.

This format is a GNU extension following a GNU extension of `strftime`.

`%G`

The year corresponding to the ISO week number.

*Note:* Currently, this is not fully implemented. The format is recognized, input is consumed but no field in *tm* is set.

This format is a GNU extension following a GNU extension of `strftime`.

`%H`

`%k`

The hour as a decimal number, using a 24-hour clock (range 00 through 23).

`%k` is a GNU extension following a GNU extension of `strftime`.

`%OH`

Same as `%H` but using the locale's alternative numeric symbols.

`%I`

`%l`

The hour as a decimal number, using a 12-hour clock (range 01 through 12).

`%l` is a GNU extension following a GNU extension of `strftime`.

`%OI`

Same as `%I` but using the locale's alternative numeric symbols.

`%j`

The day of the year as a decimal number (range 1 through 366).

Leading zeroes are permitted but not required.

`%m`

The month as a decimal number (range 1 through 12).

Leading zeroes are permitted but not required.

`%Om`

Same as `%m` but using the locale's alternative numeric symbols.

`%M`

The minute as a decimal number (range 0 through 59).

Leading zeroes are permitted but not required.

`%OM`

Same as `%M` but using the locale's alternative numeric symbols.

`%n`

`%t`

Matches any white space.

`%p`

`%P`

The locale-dependent equivalent to AM or PM.

This format is not useful unless `%I` or `%l` is also used. Another complication is that the locale might not define these values at all and therefore the conversion fails.

`%P` is a GNU extension following a GNU extension to `strftime`.

`%r`

The complete time using the AM/PM format of the current locale.

A complication is that the locale might not define this format at all and therefore the conversion fails.

`%R`

The hour and minute in decimal numbers using the format `%H:%M`.

`%R` is a GNU extension following a GNU extension to `strftime`.

`%s`

The number of seconds since the epoch, i.e., since 1970-01-01 00:00:00 UTC. Leap seconds are not counted unless leap second support is available.

`%s` is a GNU extension following a GNU extension to `strftime`.

`%S`

The seconds as a decimal number (range 0 through 60).

Leading zeroes are permitted but not required.

**Note:** The Unix specification says the upper bound on this value is 61, a result of a



decision to allow double leap seconds. You will not see the value 61 because no minute has more than one leap second, but the myth persists.

`%OS`

Same as `%S` but using the locale's alternative numeric symbols.

`%T`

Equivalent to the use of `%H:%M:%S` in this place.

`%u`

The day of the week as a decimal number (range 1 through 7), Monday being 1.

Leading zeroes are permitted but not required.

*Note:* Currently, this is not fully implemented. The format is recognized, input is consumed but no field in *tm* is set.

`%U`

The week number of the current year as a decimal number (range 0 through 53).

Leading zeroes are permitted but not required.

`%OU`

Same as `%U` but using the locale's alternative numeric symbols.

`%V`

The ISO 8601:1988 week number as a decimal number (range 1 through 53).

Leading zeroes are permitted but not required.

*Note:* Currently, this is not fully implemented. The format is recognized, input is consumed but no field in *tm* is set.

`%w`

The day of the week as a decimal number (range 0 through 6), Sunday being 0.

Leading zeroes are permitted but not required.

*Note:* Currently, this is not fully implemented. The format is recognized, input is consumed but no field in *tm* is set.

`%Ow`

Same as `%w` but using the locale's alternative numeric symbols.

`%W`

The week number of the current year as a decimal number (range 0 through 53).

Leading zeroes are permitted but not required.

*Note:* Currently, this is not fully implemented. The format is recognized, input is consumed but no field in *tm* is set.

`%OW`

Same as `%W` but using the locale's alternative numeric symbols.

`%x`

The date using the locale's date format.

`%Ex`

Like `%x` but the locale's alternative data representation is used.

`%X`

The time using the locale's time format.

`%EX`

Like `%X` but the locale's alternative time representation is used.

`%y`

The year without a century as a decimal number (range 0 through 99).

Leading zeroes are permitted but not required.

Note that it is questionable to use this format without the `%C` format. The `strptime` function does regard input values in the range 68 to 99 as the years 1969 to 1999 and the values 0 to 68 as the years 2000 to 2068. But maybe this heuristic fails for some input data.

Therefore it is best to avoid `%y` completely and use `%Y` instead.

`%Ey`

The offset from `%EC` in the locale's alternative representation.

`%Oy`

The offset of the year (from `%C`) using the locale's alternative numeric symbols.

`%Y`

The year as a decimal number, using the Gregorian calendar.

`%EY`

The full alternative year representation.

`%z`

The offset from GMT in ISO 8601/RFC822 format.

`%Z`

The *timezone* name.

*Note:* Currently, this is not fully implemented. The format is recognized, input is consumed

but no field in *tm* is set.

%%

A literal % character.

All other characters in the format string must have a matching character in the input string. Exceptions are white spaces in the input string which can match zero or more whitespace characters in the format string.

**Portability Note:** The XPG standard advises applications to use at least one whitespace character (as specified by `isspace`) or other non-alphanumeric characters between any two conversion specifications. The GNU C Library does not have this limitation but other libraries might have trouble parsing formats like "%d%m%Y%H%M%S".

The `strptime` function processes the input string from right to left. Each of the three possible input elements (white space, literal, or format) are handled one after the other. If the input cannot be matched to the format string the function stops. The remainder of the format and input strings are not processed.

The function returns a pointer to the first character it was unable to process. If the input string contains more characters than required by the format string the return value points right after the last consumed input character. If the whole input string is consumed the return value points to the NULL byte at the end of the string. If an error occurs, i.e. `strptime` fails to match all of the format string, the function returns NULL.

The specification of the function in the XPG standard is rather vague, leaving out a few important pieces of information. Most importantly, it does not specify what happens to those elements of *tm* which are not directly initialized by the different formats. The implementations on different Unix systems vary here.

The GNU libc implementation does not touch those fields which are not directly initialized. Exceptions are the `tm_wday` and `tm_yday` elements, which are recomputed if any of the year, month, or date elements changed. This has two implications:

- Before calling the `strptime` function for a new input string, you should prepare the *tm* structure you pass. Normally this will mean initializing all values are to zero. Alternatively, you can set all fields to values like `INT_MAX`, allowing you to determine which elements were set by the function call. Zero does not work here since it is a valid value for many of the fields.

Careful initialization is necessary if you want to find out whether a certain field in *tm* was initialized by the function call.

- You can construct a `struct tm` value with several consecutive `strptime` calls. A useful

application of this is e.g. the parsing of two separate strings, one containing date information and the other time information. By parsing one after the other without clearing the structure in-between, you can construct a complete broken-down time.

The following example shows a function which parses a string which is contains the date information in either US style or ISO 8601 form:

```
const char *
parse_date (const char *input, struct tm *tm)
{
    const char *cp;

    /* First clear the result structure.  */
    memset (tm, '\0', sizeof (*tm));

    /* Try the ISO format first.  */
    cp = strptime (input, "%F", tm);
    if (cp == NULL)
    {
        /* Does not match. Try the US form.  */
        cp = strptime (input, "%D", tm);
    }

    return cp;
}
```

---

Node: [General Time String Parsing](#), Previous: [Low-Level Time String Parsing](#), Up: [Parsing Date and Time](#)

## A More User-friendly Way to Parse Times and Dates

The Unix standard defines another function for parsing date strings. The interface is weird, but if the function happens to suit your application it is just fine. It is problematic to use this function in multi-threaded programs or libraries, since it returns a pointer to a static variable, and uses a global variable and global state (an environment variable).

**getdate\_err**

Variable

This variable of type `int` contains the error code of the last unsuccessful call to `getdate`. Defined values are:

- 1 The environment variable `DATETIME` is not defined or null.
- 2 The template file denoted by the `DATETIME` environment variable cannot be opened.
- 3 Information about the template file cannot be retrieved.
- 4 The template file is not a regular file.
- 5 An I/O error occurred while reading the template file.
- 6 Not enough memory available to execute the function.
- 7 The template file contains no matching template.
- 8 The input date is invalid, but would match a template otherwise. This includes dates like February 31st, and dates which cannot be represented in a `time_t` variable.

`struct tm * getdate (const char *string)`

Function

The interface to `getdate` is the simplest possible for a function to parse a string and return the value. *string* is the input string and the result is returned in a statically-allocated variable.

The details about how the string is processed are hidden from the user. In fact, they can be outside the control of the program. Which formats are recognized is controlled by the file named by the environment variable `DATETIME`. This file should contain lines of valid format strings which could be passed to `strptime`.

The `getdate` function reads these format strings one after the other and tries to match the input string. The first line which completely matches the input string is used.

Elements not initialized through the format string retain the values present at the time of the `getdate` function call.

The formats recognized by `getdate` are the same as for `strptime`. See above for an explanation. There are only a few extensions to the `strptime` behavior:

- If the `%Z` format is given the broken-down time is based on the current time of the

timezone matched, not of the current timezone of the runtime environment.

*Note:* This is not implemented (currently). The problem is that timezone names are not unique. If a fixed timezone is assumed for a given string (say EST meaning US East Coast time), then uses for countries other than the USA will fail. So far we have found no good solution to this.

- If only the weekday is specified the selected day depends on the current date. If the current weekday is greater or equal to the `tm_wday` value the current week's day is chosen, otherwise the day next week is chosen.
- A similar heuristic is used when only the month is given and not the year. If the month is greater than or equal to the current month, then the current year is used. Otherwise it wraps to next year. The first day of the month is assumed if one is not explicitly specified.
- The current hour, minute, and second are used if the appropriate value is not set through the format.
- If no date is given tomorrow's date is used if the time is smaller than the current time. Otherwise today's date is taken.

It should be noted that the format in the template file need not only contain format elements. The following is a list of possible format strings (taken from the Unix standard):

```
%m
%A %B %d, %Y %H:%M:%S
%A
%B
%m/%d/%y %I %p
%d,%m,%Y %H:%M
at %A the %dst of %B in %Y
run job at %I %p,%B %dnd
%A den %d. %B %Y %H.%M Uhr
```

As you can see, the template list can contain very specific strings like `run job at %I %p,%B %dnd`. Using the above list of templates and assuming the current time is `Mon Sep 22 12:19:47 EDT 1986` we can obtain the following results for the given input.

Input	Match	Result
Mon	%a	Mon Sep 22 12:19:47 EDT 1986
Sun	%a	Sun Sep 28 12:19:47 EDT 1986
Fri	%a	Fri Sep 26 12:19:47 EDT 1986
September	%B	Mon Sep 1 12:19:47 EDT 1986

January	%B	Thu Jan 1 12:19:47 EST 1987
December	%B	Mon Dec 1 12:19:47 EST 1986
Sep Mon	%b %a	Mon Sep 1 12:19:47 EDT 1986
Jan Fri	%b %a	Fri Jan 2 12:19:47 EST 1987
Dec Mon	%b %a	Mon Dec 1 12:19:47 EST 1986
Jan Wed 1989	%b %a % Y	Wed Jan 4 12:19:47 EST 1989
Fri 9	%a %H	Fri Sep 26 09:00:00 EDT 1986
Feb 10:30	%b %H:% S	Sun Feb 1 10:00:30 EST 1987
10:30	%H:%M	Tue Sep 23 10:30:00 EDT 1986
13:30	%H:%M	Mon Sep 22 13:30:00 EDT 1986

The return value of the function is a pointer to a static variable of type `struct tm`, or a null pointer if an error occurred. The result is only valid until the next `getdate` call, making this function unusable in multi-threaded applications.

The `errno` variable is *not* changed. Error conditions are stored in the global variable `getdate_err`. See the description above for a list of the possible error values.

*Warning:* The `getdate` function should *never* be used in SUID-programs. The reason is obvious: using the `DATETIME` environment variable you can get the function to open any arbitrary file and chances are high that with some bogus input (such as a binary file) the program will crash.

**int `getdate_r` (*const char \*string, struct tm \*tp*)** Function

The `getdate_r` function is the reentrant counterpart of `getdate`. It does not use the global variable `getdate_err` to signal an error, but instead returns an error code. The same error codes as described in the `getdate_err` documentation above are used, with 0 meaning success.

Moreover, `getdate_r` stores the broken-down time in the variable of type `struct tm` pointed to by the second argument, rather than in a static variable.

This function is not defined in the Unix standard. Nevertheless it is available on some other Unix systems as well.

The warning against using `getdate` in SUID-programs applies to `getdate_r` as well.

Node: TZ Variable, Next: [Time Zone Functions](#), Previous: [Parsing Date and Time](#), Up: [Calendar Time](#)

## Specifying the Time Zone with TZ

In POSIX systems, a user can specify the time zone by means of the TZ environment variable. For information about how to set environment variables, see [Environment Variables](#). The functions for accessing the time zone are declared in `time.h`.

You should not normally need to set TZ. If the system is configured properly, the default time zone will be correct. You might set TZ if you are using a computer over a network from a different time zone, and would like times reported to you in the time zone local to you, rather than what is local to the computer.

In POSIX.1 systems the value of the TZ variable can be in one of three formats. With the GNU C library, the most common format is the last one, which can specify a selection from a large database of time zone information for many regions of the world. The first two formats are used to describe the time zone information directly, which is both more cumbersome and less precise. But the POSIX.1 standard only specifies the details of the first two formats, so it is good to be familiar with them in case you come across a POSIX.1 system that doesn't support a time zone information database.

The first format is used when there is no Daylight Saving Time (or summer time) in the local time zone:

*std offset*

The *std* string specifies the name of the time zone. It must be three or more characters long and must not contain a leading colon, embedded digits, commas, nor plus and minus signs. There is no space character separating the time zone name from the *offset*, so these restrictions are necessary to parse the specification correctly.

The *offset* specifies the time value you must add to the local time to get a Coordinated Universal Time value. It has syntax like `[+|-]hh[:mm[:ss]]`. This is positive if the local time zone is west of the Prime Meridian and negative if it is east. The hour must be between 0 and 23, and the minute and seconds between 0 and 59.

For example, here is how we would specify Eastern Standard Time, but without any Daylight Saving Time alternative:

EST+5

The second format is used when there is Daylight Saving Time:



```
std offset dst [offset],start[/time],end[/time]
```

The initial *std* and *offset* specify the standard time zone, as described above. The *dst* string and *offset* specify the name and offset for the corresponding Daylight Saving Time zone; if the *offset* is omitted, it defaults to one hour ahead of standard time.

The remainder of the specification describes when Daylight Saving Time is in effect. The *start* field is when Daylight Saving Time goes into effect and the *end* field is when the change is made back to standard time. The following formats are recognized for these fields:

*Jn*

This specifies the Julian day, with *n* between 1 and 365. February 29 is never counted, even in leap years.

*n*

This specifies the Julian day, with *n* between 0 and 365. February 29 is counted in leap years.

*Mm.w.d*

This specifies day *d* of week *w* of month *m*. The day *d* must be between 0 (Sunday) and 6. The week *w* must be between 1 and 5; week 1 is the first week in which day *d* occurs, and week 5 specifies the *last d* day in the month. The month *m* should be between 1 and 12.

The *time* fields specify when, in the local time currently in effect, the change to the other time occurs. If omitted, the default is 02:00:00.

For example, here is how you would specify the Eastern time zone in the United States, including the appropriate Daylight Saving Time and its dates of applicability. The normal offset from UTC is 5 hours; since this is west of the prime meridian, the sign is positive. Summer time begins on the first Sunday in April at 2:00am, and ends on the last Sunday in October at 2:00am.

```
EST+5EDT,M4.1.0/2,M10.5.0/2
```

The schedule of Daylight Saving Time in any particular jurisdiction has changed over the years. To be strictly correct, the conversion of dates and times in the past should be based on the schedule that was in effect then. However, this format has no facilities to let you specify how the schedule has changed from year to year. The most you can do is specify one particular schedule--usually the present day schedule--and this is used to convert any date, no matter when. For precise time zone specifications, it is best to use the time zone information database (see below).

The third format looks like this:

```
:characters
```

Each operating system interprets this format differently; in the GNU C library, *characters* is the name of a file which describes the time zone.

If the TZ environment variable does not have a value, the operation chooses a time zone by default. In the GNU C library, the default time zone is like the specification TZ=: /etc/localtime (or TZ=: /usr/local/etc/localtime, depending on how GNU C library was configured; see [Installation](#)). Other C libraries use their own rule for choosing the default time zone, so there is little we can say about them.

If *characters* begins with a slash, it is an absolute file name; otherwise the library looks for the file /share/lib/zoneinfo/*characters*. The zoneinfo directory contains data files describing local time zones in many different parts of the world. The names represent major cities, with subdirectories for geographical areas; for example, America/New\_York, Europe/London, Asia/Hong\_Kong. These data files are installed by the system administrator, who also sets /etc/localtime to point to the data file for the local time zone. The GNU C library comes with a large database of time zone information for most regions of the world, which is maintained by a community of volunteers and put in the public domain.

---

Node: Time Zone Functions, Next: [Time Functions Example](#), Previous: [TZ Variable](#), Up: [Calendar Time](#)

## Functions and Variables for Time Zones

char \* **tzname** [2]

Variable

The array `tzname` contains two strings, which are the standard names of the pair of time zones (standard and Daylight Saving) that the user has selected. `tzname[0]` is the name of the standard time zone (for example, "EST"), and `tzname[1]` is the name for the time zone when Daylight Saving Time is in use (for example, "EDT"). These correspond to the *std* and *dst* strings (respectively) from the TZ environment variable. If Daylight Saving Time is never used, `tzname[1]` is the empty string.

The `tzname` array is initialized from the TZ environment variable whenever `tzset`, `ctime`, `strftime`, `mktime`, or `localtime` is called. If multiple abbreviations have been used (e.g. "EWT" and "EDT" for U.S. Eastern War Time and Eastern Daylight Time), the array contains the most recent abbreviation.

The `tzname` array is required for POSIX.1 compatibility, but in GNU programs it is better to use the `tm_zone` member of the broken-down time structure, since `tm_zone` reports the correct abbreviation even when it is not the latest one.

Though the strings are declared as `char *` the user must refrain from modifying these strings. Modifying the strings will almost certainly lead to trouble.

`void tzset (void)`

Function

The `tzset` function initializes the `tzname` variable from the value of the `TZ` environment variable. It is not usually necessary for your program to call this function, because it is called automatically when you use the other time conversion functions that depend on the time zone.

The following variables are defined for compatibility with System V Unix. Like `tzname`, these variables are set by calling `tzset` or the other time conversion functions.

`long int timezone`

Variable

This contains the difference between UTC and the latest local standard time, in seconds west of UTC. For example, in the U.S. Eastern time zone, the value is  $5 * 60 * 60$ . Unlike the `tm_gmtoff` member of the broken-down time structure, this value is not adjusted for daylight saving, and its sign is reversed. In GNU programs it is better to use `tm_gmtoff`, since it contains the correct offset even when it is not the latest one.

`int daylight`

Variable

This variable has a nonzero value if Daylight Saving Time rules apply. A nonzero value does not necessarily mean that Daylight Saving Time is now in effect; it means only that Daylight Saving Time is sometimes in effect.

---

Node: Time Functions Example, Previous: [Time Zone Functions](#), Up: [Calendar Time](#)

## Time Functions Example

Here is an example program showing the use of some of the calendar time functions.

```
#include <time.h>
#include <stdio.h>

#define SIZE 256

int
main (void)
{
    char buffer[SIZE];
    time_t curtime;
    struct tm *loctime;
```

```

/* Get the current time. */
curtime = time (NULL);

/* Convert it to local time representation. */
loctime = localtime (&curtime);

/* Print out the date and time in the standard format. */
fputs (asctime (loctime), stdout);

/* Print it out in a nice format. */
strftime (buffer, SIZE, "Today is %A, %B %d.\n", loctime);
fputs (buffer, stdout);
strftime (buffer, SIZE, "The time is %I:%M %p.\n", loctime);
fputs (buffer, stdout);

return 0;
}

```

It produces output like this:

```

Wed Jul 31 13:02:36 1991
Today is Wednesday, July 31.
The time is 01:02 PM.

```

---

Node: Setting an Alarm, Next: [Sleeping](#), Previous: [Calendar Time](#), Up: [Date and Time](#)

## Setting an Alarm

The `alarm` and `setitimer` functions provide a mechanism for a process to interrupt itself in the future. They do this by setting a timer; when the timer expires, the process receives a signal.

Each process has three independent interval timers available:

- A real-time timer that counts elapsed time. This timer sends a `SIGALRM` signal to the process when it expires.
- A virtual timer that counts processor time used by the process. This timer sends a `SIGVTALRM` signal to the process when it expires.
- A profiling timer that counts both processor time used by the process, and processor time spent in system calls on behalf of the process. This timer sends a `SIGPROF` signal to the process when it expires.

This timer is useful for profiling in interpreters. The interval timer mechanism does not have the fine granularity necessary for profiling native code.

You can only have one timer of each kind set at any given time. If you set a timer that has not yet expired, that timer is simply reset to the new value.

You should establish a handler for the appropriate alarm signal using `signal` or `sigaction` before issuing a call to `setitimer` or `alarm`. Otherwise, an unusual chain of events could cause the timer to expire before your program establishes the handler. In this case it would be terminated, since termination is the default action for the alarm signals. See [Signal Handling](#).

To be able to use the alarm function to interrupt a system call which might block otherwise indefinitely it is important to *not* set the `SA_RESTART` flag when registering the signal handler using `sigaction`. When not using `sigaction` things get even uglier: the `signal` function has to fixed semantics with respect to restarts. The BSD semantics for this function is to set the flag. Therefore, if `sigaction` for whatever reason cannot be used, it is necessary to use `sysv_signal` and not `signal`.

The `setitimer` function is the primary means for setting an alarm. This facility is declared in the header file `sys/time.h`. The `alarm` function, declared in `unistd.h`, provides a somewhat simpler interface for setting the real-time timer.

## **struct itimerval**

Data Type

This structure is used to specify when a timer should expire. It contains the following members:

```
struct timeval it_interval
```

This is the period between successive timer interrupts. If zero, the alarm will only be sent once.

```
struct timeval it_value
```

This is the period between now and the first timer interrupt. If zero, the alarm is disabled.

The `struct timeval` data type is described in [Elapsed Time](#).

```
int setitimer (int which, struct itimerval *new, struct itimerval *old)
```

Function

The `setitimer` function sets the timer specified by *which* according to *new*. The *which* argument can have a value of `ITIMER_REAL`, `ITIMER_VIRTUAL`, or `ITIMER_PROF`.

If *old* is not a null pointer, `setitimer` returns information about any previous unexpired timer of the same kind in the structure it points to.

The return value is 0 on success and -1 on failure. The following `errno` error conditions are defined for this function:

`EINVAL`

The timer period is too large.

`int` **getitimer** (*int which, struct itimerval \*old*) Function

The `getitimer` function stores information about the timer specified by *which* in the structure pointed at by *old*.

The return value and error conditions are the same as for `setitimer`.

`ITIMER_REAL`

This constant can be used as the *which* argument to the `setitimer` and `getitimer` functions to specify the real-time timer.

`ITIMER_VIRTUAL`

This constant can be used as the *which* argument to the `setitimer` and `getitimer` functions to specify the virtual timer.

`ITIMER_PROF`

This constant can be used as the *which* argument to the `setitimer` and `getitimer` functions to specify the profiling timer.

`unsigned int` **alarm** (*unsigned int seconds*) Function

The `alarm` function sets the real-time timer to expire in *seconds* seconds. If you want to cancel any existing alarm, you can do this by calling `alarm` with a *seconds* argument of zero.

The return value indicates how many seconds remain before the previous alarm would have been sent. If there is no previous alarm, `alarm` returns zero.

The `alarm` function could be defined in terms of `setitimer` like this:

```
unsigned int
alarm (unsigned int seconds)
```

```

{
  struct itimerval old, new;
  new.it_interval.tv_usec = 0;
  new.it_interval.tv_sec = 0;
  new.it_value.tv_usec = 0;
  new.it_value.tv_sec = (long int) seconds;
  if (setitimer (ITIMER_REAL, &new, &old) < 0)
    return 0;
  else
    return old.it_value.tv_sec;
}

```

There is an example showing the use of the `alarm` function in [Handler Returns](#).

If you simply want your process to wait for a given number of seconds, you should use the `sleep` function. See [Sleeping](#).

You shouldn't count on the signal arriving precisely when the timer expires. In a multiprocessing environment there is typically some amount of delay involved.

**Portability Note:** The `setitimer` and `getitimer` functions are derived from BSD Unix, while the `alarm` function is specified by the POSIX.1 standard. `setitimer` is more powerful than `alarm`, but `alarm` is more widely used.

---

Node: [Sleeping](#), Previous: [Setting an Alarm](#), Up: [Date and Time](#)

## Sleeping

The function `sleep` gives a simple way to make the program wait for a short interval. If your program doesn't use signals (except to terminate), then you can expect `sleep` to wait reliably throughout the specified interval. Otherwise, `sleep` can return sooner if a signal arrives; if you want to wait for a given interval regardless of signals, use `select` (see [Waiting for I/O](#)) and don't specify any descriptors to wait for.

unsigned int **sleep** (*unsigned int seconds*)

Function

The `sleep` function waits for *seconds* or until a signal is delivered, whichever happens first.

If `sleep` function returns because the requested interval is over, it returns a value of zero. If it returns because of delivery of a signal, its return value is the remaining time in the sleep interval.

The `sleep` function is declared in `unistd.h`.

Resist the temptation to implement a sleep for a fixed amount of time by using the return value of `sleep`, when nonzero, to call `sleep` again. This will work with a certain amount of accuracy as long as signals arrive infrequently. But each signal can cause the eventual wakeup time to be off by an additional second or so. Suppose a few signals happen to arrive in rapid succession by bad luck--there is no limit on how much this could shorten or lengthen the wait.

Instead, compute the calendar time at which the program should stop waiting, and keep trying to wait until that calendar time. This won't be off by more than a second. With just a little more work, you can use `select` and make the waiting period quite accurate. (Of course, heavy system load can cause additional unavoidable delays--unless the machine is dedicated to one application, there is no way you can avoid this.)

On some systems, `sleep` can do strange things if your program uses `SIGALRM` explicitly. Even if `SIGALRM` signals are being ignored or blocked when `sleep` is called, `sleep` might return prematurely on delivery of a `SIGALRM` signal. If you have established a handler for `SIGALRM` signals and a `SIGALRM` signal is delivered while the process is sleeping, the action taken might be just to cause `sleep` to return instead of invoking your handler. And, if `sleep` is interrupted by delivery of a signal whose handler requests an alarm or alters the handling of `SIGALRM`, this handler and `sleep` will interfere.

On the GNU system, it is safe to use `sleep` and `SIGALRM` in the same program, because `sleep` does not work by means of `SIGALRM`.

`int nanosleep` (*const struct timespec \*requested\_time, struct timespec \*remaining*) Function



If resolution to seconds is not enough the `nanosleep` function can be used. As the name suggests the sleep interval can be specified in nanoseconds. The actual elapsed time of the sleep interval might be longer since the system rounds the elapsed time you request up to the next integer multiple of the actual resolution the system can deliver.

`*requested_time` is the elapsed time of the interval you want to sleep.

The function returns as `*remaining` the elapsed time left in the interval for which you requested to sleep. If the interval completed without getting interrupted by a signal, this is zero.

`struct timespec` is described in See [Elapsed Time](#).

If the function returns because the interval is over the return value is zero. If the function returns - 1 the global variable `errno` is set to the following values:

#### EINTR

The call was interrupted because a signal was delivered to the thread. If the *remaining* parameter is not the null pointer the structure pointed to by *remaining* is updated to contain the remaining elapsed time.

#### EINVAL

The nanosecond value in the *requested\_time* parameter contains an illegal value. Either the value is negative or greater than or equal to 1000 million.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `nanosleep` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this calls to `nanosleep` should be protected using cancellation handlers.

The `nanosleep` function is declared in `time.h`.

---

Node: Resource Usage And Limitation, Next: [Non-Local Exits](#), Previous: [Date and Time](#), Up: [Top](#)

## Resource Usage And Limitation

This chapter describes functions for examining how much of various kinds of resources (CPU time, memory, etc.) a process has used and getting and setting limits on future usage.

- [Resource Usage](#): Measuring various resources used.
- [Limits on Resources](#): Specifying limits on resource usage.

- [Priority](#): Reading or setting process run priority.
- [Memory Resources](#): Querying memory available resources.
- [Processor Resources](#): Learn about the processors available.

Node: Resource Usage, Next: [Limits on Resources](#), Up: [Resource Usage And Limitation](#)

## Resource Usage

The function `getrusage` and the data type `struct rusage` are used to examine the resource usage of a process. They are declared in `sys/resource.h`.

`int` **getrusage** (*int processes*, *struct rusage \*rusage*) Function

This function reports resource usage totals for processes specified by *processes*, storing the information in *\*rusage*.

In most systems, *processes* has only two valid values:

RUSAGE\_SELF

Just the current process.

RUSAGE\_CHILDREN

All child processes (direct and indirect) that have already terminated.

In the GNU system, you can also inquire about a particular child process by specifying its process ID.

The return value of `getrusage` is zero for success, and `-1` for failure.

EINVAL

The argument *processes* is not valid.

One way of getting resource usage for a particular child process is with the function `wait4`, which returns totals for a child when it terminates. See [BSD Wait Functions](#).

`struct rusage` Data Type

This data type stores various resource usage statistics. It has the following members, and possibly others:

```
struct timeval ru_utime
    Time spent executing user instructions.
struct timeval ru_stime
    Time spent in operating system code on behalf of processes.
long int ru_maxrss
    The maximum resident set size used, in kilobytes. That is, the maximum number of kilobytes of physical memory that processes used simultaneously.
long int ru_ixrss
    An integral value expressed in kilobytes times ticks of execution, which indicates the amount of memory used by text that was shared with other processes.
long int ru_idrss
    An integral value expressed the same way, which is the amount of unshared memory used for data.
long int ru_isrss
    An integral value expressed the same way, which is the amount of unshared memory used for stack space.
long int ru_minflt
    The number of page faults which were serviced without requiring any I/O.
long int ru_majflt
    The number of page faults which were serviced by doing I/O.
long int ru_nswap
    The number of times processes was swapped entirely out of main memory.
long int ru_inblock
    The number of times the file system had to read from the disk on behalf of processes.
long int ru_oublock
    The number of times the file system had to write to the disk on behalf of processes.
long int ru_msgsnd
    Number of IPC messages sent.
long int ru_msgrcv
    Number of IPC messages received.
long int ru_nsignals
    Number of signals received.
long int ru_nvcsw
    The number of times processes voluntarily invoked a context switch (usually to wait for some service).
long int ru_nivcsw
    The number of times an involuntary context switch took place (because a time slice expired, or another process of higher priority was scheduled).
```

`vtimes` is a historical function that does some of what `getrusage` does. `getrusage` is a better choice.

`vtimes` and its `vtimes` data structure are declared in `sys/vtimes.h`.

**int `vtimes`** (*struct `vtimes` `current`, struct `vtimes` `child`*)

Function

`vtimes` reports resource usage totals for a process.

If *current* is non-null, `vtimes` stores resource usage totals for the invoking process alone in the structure to which it points. If *child* is non-null, `vtimes` stores resource usage totals for all past children (which have terminated) of the invoking process in the structure to which it points.

**struct `vtimes`**

Data Type

This data type contains information about the resource usage of a process. Each member corresponds to a member of the `struct rusage` data type described above.

`vm_utime`

User CPU time. Analogous to `ru_utime` in `struct rusage`

`vm_stime`

System CPU time. Analogous to `ru_stime` in `struct rusage`

`vm_idrss`

Data and stack memory. The sum of the values that would be reported as `ru_idrss` and `ru_isrss` in `struct rusage`

`vm_ixrss`

Shared memory. Analogous to `ru_ixrss` in `struct rusage`

`vm_maxrss`

Maximint resident set size. Analogous to `ru_maxrss` in `struct rusage`

`vm_majflt`

Major page faults. Analogous to `ru_majflt` in `struct rusage`

`vm_minflt`

Minor page faults. Analogous to `ru_minflt` in `struct rusage`

`vm_nswap`

Swap count. Analogous to `ru_nswap` in `struct rusage`

`vm_inblk`

Disk reads. Analogous to `ru_inblk` in `struct rusage`

`vm_oublk`

Disk writes. Analogous to `ru_oublk` in `struct rusage`

The return value is zero if the function succeeds; `-1` otherwise.

An additional historical function for examining resource usage, `vtimes`, is supported but not documented here. It is declared in `sys/vtimes.h`.

---

Node: Limits on Resources, Next: [Priority](#), Previous: [Resource Usage](#), Up: [Resource Usage And Limitation](#)

## Limiting Resource Usage

You can specify limits for the resource usage of a process. When the process tries to exceed a limit, it may get a signal, or the system call by which it tried to do so may fail, depending on the resource. Each process initially inherits its limit values from its parent, but it can subsequently change them.

There are two per-process limits associated with a resource:

### *current limit*

The current limit is the value the system will not allow usage to exceed. It is also called the "soft limit" because the process being limited can generally raise the current limit at will.

### *maximum limit*

The maximum limit is the maximum value to which a process is allowed to set its current limit. It is also called the "hard limit" because there is no way for a process to get around it. A process may lower its own maximum limit, but only the superuser may increase a maximum limit.

The symbols for use with `getrlimit`, `setrlimit`, `getrlimit64`, and `setrlimit64` are defined in `sys/resource.h`.

**int `getrlimit`** (*int resource, struct rlimit \*rlp*) Function

Read the current and maximum limits for the resource *resource* and store them in *\*rlp*.

The return value is 0 on success and -1 on failure. The only possible `errno` error condition is `EFAULT`.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit system this function is in fact `getrlimit64`. Thus, the LFS interface transparently replaces the old interface.

**int `getrlimit64`** (*int resource, struct rlimit64 \*rlp*) Function

This function is similar to `getrlimit` but its second parameter is a pointer to a variable of type `struct rlimit64`, which allows it to read values which wouldn't fit in the member of a `struct rlimit`.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit machine, this function is available under the name `getrlimit` and so transparently replaces the old interface.

**int `setrlimit`** (*int resource, const struct rlimit \*rlp*) Function

Store the current and maximum limits for the resource *resource* in *\*rlp*.

The return value is 0 on success and -1 on failure. The following `errno` error condition is possible:

`EPERM`

- The process tried to raise a current limit beyond the maximum limit.
- The process tried to raise a maximum limit, but is not superuser.

When the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit system this function is in fact `setrlimit64`. Thus, the LFS interface transparently replaces the old interface.

**int `setrlimit64`** (*int resource, const struct rlimit64 \*rlp*) Function

This function is similar to `setrlimit` but its second parameter is a pointer to a variable of type `struct rlimit64` which allows it to set values which wouldn't fit in the member of a `struct rlimit`.

If the sources are compiled with `_FILE_OFFSET_BITS == 64` on a 32-bit machine this function is available under the name `setrlimit` and so transparently replaces the old interface.

**struct `rlimit`** Data Type

This structure is used with `getrlimit` to receive limit values, and with `setrlimit` to specify limit values for a particular process and resource. It has two fields:

`rlim_t rlim_cur`

The current limit

`rlim_t rlim_max`

The maximum limit.

For `getrlimit`, the structure is an output; it receives the current values. For `setrlimit`, it specifies the new values.

For the LFS functions a similar type is defined in `sys/resource.h`.

## **struct rlimit64**

Data Type

This structure is analogous to the `rlimit` structure above, but its components have wider ranges. It has two fields:

`rlim64_t rlim_cur`

This is analogous to `rlimit.rlim_cur`, but with a different type.

`rlim64_t rlim_max`

This is analogous to `rlimit.rlim_max`, but with a different type.

Here is a list of resources for which you can specify a limit. Memory and file sizes are measured in bytes.

### `RLIMIT_CPU`

The maximum amount of CPU time the process can use. If it runs for longer than this, it gets a signal: `SIGXCPU`. The value is measured in seconds. See [Operation Error Signals](#).

### `RLIMIT_FSIZE`

The maximum size of file the process can create. Trying to write a larger file causes a signal: `SIGXFSZ`. See [Operation Error Signals](#).

### `RLIMIT_DATA`

The maximum size of data memory for the process. If the process tries to allocate data memory beyond this amount, the allocation function fails.

### `RLIMIT_STACK`

The maximum stack size for the process. If the process tries to extend its stack past this size, it gets a `SIGSEGV` signal. See [Program Error Signals](#).

### `RLIMIT_CORE`

The maximum size core file that this process can create. If the process terminates and would dump a core file larger than this, then no core file is created. So setting this limit to zero prevents

core files from ever being created.

#### RLIMIT\_RSS

The maximum amount of physical memory that this process should get. This parameter is a guide for the system's scheduler and memory allocator; the system may give the process more memory when there is a surplus.

#### RLIMIT\_MEMLOCK

The maximum amount of memory that can be locked into physical memory (so it will never be paged out).

#### RLIMIT\_NPROC

The maximum number of processes that can be created with the same user ID. If you have reached the limit for your user ID, `fork` will fail with `EAGAIN`. See [Creating a Process](#).

#### RLIMIT\_NOFILE

#### RLIMIT\_OFILE

The maximum number of files that the process can open. If it tries to open more files than this, its open attempt fails with `errno EMFILE`. See [Error Codes](#). Not all systems support this limit; GNU does, and 4.4 BSD does.

#### RLIMIT\_AS

The maximum size of total memory that this process should get. If the process tries to allocate more memory beyond this amount with, for example, `brk`, `malloc`, `mmap` or `sbrk`, the allocation function fails.

#### RLIM\_NLIMITS

The number of different resource limits. Any valid *resource* operand must be less than `RLIM_NLIMITS`.

### int **RLIM\_INFINITY**

Constant

This constant stands for a value of "infinity" when supplied as the limit value in `setrlimit`.

The following are historical functions to do some of what the functions above do. The functions above are better choices.

`ulimit` and the command symbols are declared in `ulimit.h`.

### int **ulimit** (*int cmd*, ...)

Function



`ulimit` gets the current limit or sets the current and maximum limit for a particular resource for the calling process according to the command *cmd.a*

If you are getting a limit, the command argument is the only argument. If you are setting a limit, there is a second argument: `long int limit` which is the value to which you are setting the limit.

The *cmd* values and the operations they specify are:

GETFSIZE

Get the current limit on the size of a file, in units of 512 bytes.

SETFSIZE

Set the current and maximum limit on the size of a file to *limit* \* 512 bytes.

There are also some other *cmd* values that may do things on some systems, but they are not supported.

Only the superuser may increase a maximum limit.

When you successfully get a limit, the return value of `ulimit` is that limit, which is never negative. When you successfully set a limit, the return value is zero. When the function fails, the return value is `-1` and `errno` is set according to the reason:

EPERM

A process tried to increase a maximum limit, but is not superuser.

`vlimit` and its resource symbols are declared in `sys/vlimit.h`.

`int vlimit` (*int resource*, *int limit*)

Function

`rlimit` sets the current limit for a resource for a process.

*resource* identifies the resource:

`LIM_CPU`

Maximum CPU time. Same as `RLIMIT_CPU` for `setrlimit`.

`LIM_FSIZE`

Maximum file size. Same as `RLIMIT_FSIZE` for `setrlimit`.

`LIM_DATA`

Maximum data memory. Same as `RLIMIT_DATA` for `setrlimit`.

`LIM_STACK`

Maximum stack size. Same as `RLIMIT_STACK` for `setrlimit`.

`LIM_CORE`

Maximum core file size. Same as `RLIMIT_COR` for `setrlimit`.

`LIM_MAXRSS`

Maximum physical memory. Same as `RLIMIT_RSS` for `setrlimit`.

The return value is zero for success, and `-1` with `errno` set accordingly for failure:

`EPERM`

The process tried to set its current limit beyond its maximum limit.

---

Node: Priority, Next: [Memory Resources](#), Previous: [Limits on Resources](#), Up: [Resource Usage And Limitation](#)

## Process CPU Priority And Scheduling

When multiple processes simultaneously require CPU time, the system's scheduling policy and process CPU priorities determine which processes get it. This section describes how that determination is made and GNU C library functions to control it.

It is common to refer to CPU scheduling simply as scheduling and a process' CPU priority simply as the process' priority, with the CPU resource being implied. Bear in mind, though, that CPU time is not the only resource a process uses or that processes contend for. In some cases, it is not even particularly important. Giving a process a high "priority" may have very little effect on how fast a process runs with respect to other processes. The priorities discussed in this section apply only to CPU time.

CPU scheduling is a complex issue and different systems do it in wildly different ways. New ideas continually develop and find their way into the intricacies of the various systems' scheduling algorithms.

This section discusses the general concepts, some specifics of systems that commonly use the GNU C library, and some standards.

For simplicity, we talk about CPU contention as if there is only one CPU in the system. But all the same principles apply when a processor has multiple CPUs, and knowing that the number of processes that can run at any one time is equal to the number of CPUs, you can easily extrapolate the information.

The functions described in this section are all defined by the POSIX.1 and POSIX.1b standards (the `sched...` functions are POSIX.1b). However, POSIX does not define any semantics for the values that these functions get and set. In this chapter, the semantics are based on the Linux kernel's implementation of the POSIX standard. As you will see, the Linux implementation is quite the inverse of what the authors of the POSIX syntax had in mind.

- [Absolute Priority](#): The first tier of priority. Posix
- [Realtime Scheduling](#): Scheduling among the process nobility
- [Basic Scheduling Functions](#): Get/set scheduling policy, priority
- [Traditional Scheduling](#): Scheduling among the vulgar masses
- [CPU Affinity](#): Limiting execution to certain CPUs

---

Node: [Absolute Priority](#), Next: [Realtime Scheduling](#), Up: [Priority](#)

## Absolute Priority

Every process has an absolute priority, and it is represented by a number. The higher the number, the higher the absolute priority.

On systems of the past, and most systems today, all processes have absolute priority 0 and this section is irrelevant. In that case, See [Traditional Scheduling](#). Absolute priorities were invented to accommodate realtime systems, in which it is vital that certain processes be able to respond to external events happening in real time, which means they cannot wait around while some other process that *wants to*, but doesn't *need to* run occupies the CPU.

When two processes are in contention to use the CPU at any instant, the one with the higher absolute priority always gets it. This is true even if the process with the lower priority is already using the CPU (i. e. the scheduling is preemptive). Of course, we're only talking about processes that are running or "ready to run," which means they are ready to execute instructions right now. When a process blocks to wait for something like I/O, its absolute priority is irrelevant.

**Note:** The term "runnable" is a synonym for "ready to run."

When two processes are running or ready to run and both have the same absolute priority, it's more interesting. In that case, who gets the CPU is determined by the scheduling policy. If the processes have absolute priority 0, the traditional scheduling policy described in [Traditional Scheduling](#) applies. Otherwise, the policies described in [Realtime Scheduling](#) apply.

You normally give an absolute priority above 0 only to a process that can be trusted not to hog the CPU. Such processes are designed to block (or terminate) after relatively short CPU runs.

A process begins life with the same absolute priority as its parent process. Functions described in [Basic Scheduling Functions](#) can change it.

Only a privileged process can change a process' absolute priority to something other than 0. Only a privileged process or the target process' owner can change its absolute priority at all.

POSIX requires absolute priority values used with the realtime scheduling policies to be consecutive with a range of at least 32. On Linux, they are 1 through 99. The functions `sched_get_priority_max` and `sched_set_priority_min` portably tell you what the range is on a particular system.

## Using Absolute Priority

One thing you must keep in mind when designing real time applications is that having higher absolute priority than any other process doesn't guarantee the process can run continuously. Two things that can wreck a good CPU run are interrupts and page faults.

Interrupt handlers live in that limbo between processes. The CPU is executing instructions, but they aren't part of any process. An interrupt will stop even the highest priority process. So you must allow for slight delays and make sure that no device in the system has an interrupt handler that could cause too long a delay between instructions for your process.

Similarly, a page fault causes what looks like a straightforward sequence of instructions to take a long time. The fact that other processes get to run while the page faults in is of no consequence, because as soon as the I/O is complete, the high priority process will kick them out and run again, but the wait for the I/O itself could be a problem. To neutralize this threat, use `mlock` or `mlockall`.

There are a few ramifications of the absoluteness of this priority on a single-CPU system that you need to keep in mind when you choose to set a priority and also when you're working on a program that runs with high absolute priority. Consider a process that has higher absolute priority than any other process in the system and due to a bug in its program, it gets into an infinite loop. It will never cede the CPU. You can't run a command to kill it because your command would need to get the CPU in order to run. The errant program is in complete control. It controls the vertical, it controls the horizontal.

There are two ways to avoid this: 1) keep a shell running somewhere with a higher absolute priority. 2) keep a controlling terminal attached to the high priority process group. All the priority in the world won't stop an interrupt handler from running and delivering a signal to the process if you hit Control-C.

Some systems use absolute priority as a means of allocating a fixed percentage of CPU time to a process. To do this, a super high priority privileged process constantly monitors the process' CPU usage and raises its absolute priority when the process isn't getting its entitled share and lowers it when the process is exceeding it.

**Note:** The absolute priority is sometimes called the "static priority." We don't use that term in this manual because it misses the most important feature of the absolute priority: its absoluteness.

---

Node: Realtime Scheduling, Next: [Basic Scheduling Functions](#), Previous: [Absolute Priority](#), Up: [Priority](#)

## Realtime Scheduling

Whenever two processes with the same absolute priority are ready to run, the kernel has a decision to make, because only one can run at a time. If the processes have absolute priority 0, the kernel makes this decision as described in [Traditional Scheduling](#). Otherwise, the decision is as described in this section.

If two processes are ready to run but have different absolute priorities, the decision is much simpler, and is described in [Absolute Priority](#).

Each process has a scheduling policy. For processes with absolute priority other than zero, there are two available:

1. First Come First Served
2. Round Robin

The most sensible case is where all the processes with a certain absolute priority have the same scheduling policy. We'll discuss that first.

In Round Robin, processes share the CPU, each one running for a small quantum of time ("time slice") and then yielding to another in a circular fashion. Of course, only processes that are ready to run and have the same absolute priority are in this circle.

In First Come First Served, the process that has been waiting the longest to run gets the CPU, and it keeps it until it voluntarily relinquishes the CPU, runs out of things to do (blocks), or gets preempted by a higher priority process.

First Come First Served, along with maximal absolute priority and careful control of interrupts and page faults, is the one to use when a process absolutely, positively has to run at full CPU speed or not at all.

Judicious use of `sched_yield` function invocations by processes with First Come First Served scheduling policy forms a good compromise between Round Robin and First Come First Served.

To understand how scheduling works when processes of different scheduling policies occupy the same absolute priority, you have to know the nitty gritty details of how processes enter and exit the ready to run list:

In both cases, the ready to run list is organized as a true queue, where a process gets pushed onto the tail when it becomes ready to run and is popped off the head when the scheduler decides to run it. Note that ready to run and running are two mutually exclusive states. When the scheduler runs a process, that process is no longer ready to run and no longer in the ready to run list. When the process stops running, it may go back to being ready to run again.

The only difference between a process that is assigned the Round Robin scheduling policy and a process that is assigned First Come First Serve is that in the former case, the process is automatically booted off the CPU after a certain amount of time. When that happens, the process goes back to being ready to run, which means it enters the queue at the tail. The time quantum we're talking about is small. Really small. This is not your father's timesharing. For example, with the Linux kernel, the round robin time slice is a thousand times shorter than its typical time slice for traditional scheduling.

A process begins life with the same scheduling policy as its parent process. Functions described in [Basic Scheduling Functions](#) can change it.

Only a privileged process can set the scheduling policy of a process that has absolute priority higher than 0.

---

Node: Basic Scheduling Functions, Next: [Traditional Scheduling](#), Previous: [Realtime Scheduling](#),  
Up: [Priority](#)

## Basic Scheduling Functions

This section describes functions in the GNU C library for setting the absolute priority and scheduling policy of a process.

**Portability Note:** On systems that have the functions in this section, the macro `_POSIX_PRIORITY_SCHEDULING` is defined in `<unistd.h>`.

For the case that the scheduling policy is traditional scheduling, more functions to fine tune the scheduling are in [Traditional Scheduling](#).

Don't try to make too much out of the naming and structure of these functions. They don't match the concepts described in this manual because the functions are as defined by POSIX.1b, but the implementation on systems that use the GNU C library is the inverse of what the POSIX structure contemplates. The POSIX scheme assumes that the primary scheduling parameter is the scheduling policy and that the priority value, if any, is a parameter of the scheduling policy. In the implementation, though, the priority value is king and the scheduling policy, if anything, only fine tunes the effect of that priority.

The symbols in this section are declared by including file `sched.h`.

### **struct sched\_param**

Data Type

This structure describes an absolute priority.

```
int sched_priority
    absolute priority value
```

### **int sched\_setscheduler** (*pid\_t pid*, *int policy*, *const struct sched\_param \*param*)

Function

This function sets both the absolute priority and the scheduling policy for a process.

It assigns the absolute priority value given by *param* and the scheduling policy *policy* to the process with Process ID *pid*, or the calling process if *pid* is zero. If *policy* is negative, `sched_setscheduler` keeps the existing scheduling policy.

The following macros represent the valid values for *policy*:

```
SCHED_OTHER
    Traditional Scheduling
SCHED_FIFO
    First In First Out
SCHED_RR
    Round Robin
```

On success, the return value is 0. Otherwise, it is `-1` and `ERRNO` is set accordingly. The `errno` values specific to this function are:

```
EPERM
```

- The calling process does not have `CAP_SYS_NICE` permission and *policy* is not `SCHED_OTHER` (or it's negative and the existing policy is not `SCHED_OTHER`).
- The calling process does not have `CAP_SYS_NICE` permission and its owner is not the target process' owner. I.e. the effective uid of the calling process is neither the effective nor the real uid of process *pid*.

ESRCH

There is no process with pid *pid* and *pid* is not zero.

EINVAL

- *policy* does not identify an existing scheduling policy.
- The absolute priority value identified by *\*param* is outside the valid range for the scheduling policy *policy* (or the existing scheduling policy if *policy* is negative) or *param* is null. `sched_get_priority_max` and `sched_get_priority_min` tell you what the valid range is.
- *pid* is negative.

**int sched\_getscheduler** (*pid\_t pid*)

Function

This function returns the scheduling policy assigned to the process with Process ID (pid) *pid*, or the calling process if *pid* is zero.

The return value is the scheduling policy. See `sched_setscheduler` for the possible values.

If the function fails, the return value is instead `-1` and `errno` is set accordingly.

The `errno` values specific to this function are:

ESRCH

There is no process with pid *pid* and it is not zero.

EINVAL

*pid* is negative.

Note that this function is not an exact mate to `sched_setscheduler` because while that function sets the scheduling policy and the absolute priority, this function gets only the scheduling policy. To get the absolute priority, use `sched_getparam`.

**int sched\_setparam** (*pid\_t pid*, *const struct sched\_param \*param*)

Function

This function sets a process' absolute priority.

It is functionally identical to `sched_setscheduler` with *policy* = `-1`.



**int sched\_getparam** (*pid\_t pid, const struct sched\_param \*param*)

Function

This function returns a process' absolute priority.

*pid* is the Process ID (pid) of the process whose absolute priority you want to know.

*param* is a pointer to a structure in which the function stores the absolute priority of the process.

On success, the return value is 0. Otherwise, it is -1 and ERRNO is set accordingly. The `errno` values specific to this function are:

ESRCH

There is no process with pid *pid* and it is not zero.

EINVAL

*pid* is negative.

**int sched\_get\_priority\_min** (*int \*policy*);

Function

This function returns the lowest absolute priority value that is allowable for a process with scheduling policy *policy*.

On Linux, it is 0 for SCHED\_OTHER and 1 for everything else.

On success, the return value is 0. Otherwise, it is -1 and ERRNO is set accordingly. The `errno` values specific to this function are:

EINVAL

*policy* does not identify an existing scheduling policy.

**int sched\_get\_priority\_max** (*int \*policy*);

Function

This function returns the highest absolute priority value that is allowable for a process that with scheduling policy *policy*.

On Linux, it is 0 for `SCHED_OTHER` and 99 for everything else.

On success, the return value is 0. Otherwise, it is `-1` and `ERRNO` is set accordingly. The `errno` values specific to this function are:

`EINVAL`

*policy* does not identify an existing scheduling policy.

**int sched\_rr\_get\_interval** (*pid\_t pid*, *struct timespec \*interval*) Function

This function returns the length of the quantum (time slice) used with the Round Robin scheduling policy, if it is used, for the process with Process ID *pid*.

It returns the length of time as *interval*.

With a Linux kernel, the round robin time slice is always 150 microseconds, and *pid* need not even be a real *pid*.

The return value is 0 on success and in the pathological case that it fails, the return value is `-1` and `errno` is set accordingly. There is nothing specific that can go wrong with this function, so there are no specific `errno` values.

**int sched\_yield** (*void*) Function

This function voluntarily gives up the process' claim on the CPU.

Technically, `sched_yield` causes the calling process to be made immediately ready to run (as opposed to running, which is what it was before). This means that if it has absolute priority higher than 0, it gets pushed onto the tail of the queue of processes that share its absolute priority and are ready to run, and it will run again when its turn next arrives. If its absolute priority is 0, it is more complicated, but still has the effect of yielding the CPU to other processes.

If there are no other processes that share the calling process' absolute priority, this function doesn't have any effect.

To the extent that the containing program is oblivious to what other processes in the system are doing and how fast it executes, this function appears as a no-op.

The return value is 0 on success and in the pathological case that it fails, the return value is -1 and `errno` is set accordingly. There is nothing specific that can go wrong with this function, so there are no specific `errno` values.

---

Node: Traditional Scheduling, Next: [CPU Affinity](#), Previous: [Basic Scheduling Functions](#), Up: [Priority](#)

## Traditional Scheduling

This section is about the scheduling among processes whose absolute priority is 0. When the system hands out the scraps of CPU time that are left over after the processes with higher absolute priority have taken all they want, the scheduling described herein determines who among the great unwashed processes gets them.

- [Traditional Scheduling Intro](#):
- [Traditional Scheduling Functions](#):

---

Node: Traditional Scheduling Intro, Next: [Traditional Scheduling Functions](#), Up: [Traditional Scheduling](#)

## Introduction To Traditional Scheduling

Long before there was absolute priority (See [Absolute Priority](#)), Unix systems were scheduling the CPU using this system. When Posix came in like the Romans and imposed absolute priorities to accommodate the needs of realtime processing, it left the indigenous Absolute Priority Zero processes to govern themselves by their own familiar scheduling policy.

Indeed, absolute priorities higher than zero are not available on many systems today and are not typically used when they are, being intended mainly for computers that do realtime processing. So this section describes the only scheduling many programmers need to be concerned about.

But just to be clear about the scope of this scheduling: Any time a process with a absolute priority of 0 and a process with an absolute priority higher than 0 are ready to run at the same time, the one with absolute priority 0 does not run. If it's already running when the higher priority ready-to-run process comes into existence, it stops immediately.

In addition to its absolute priority of zero, every process has another priority, which we will refer to as "dynamic priority" because it changes over time. The dynamic priority is meaningless for processes with an absolute priority higher than zero.

The dynamic priority sometimes determines who gets the next turn on the CPU. Sometimes it

determines how long turns last. Sometimes it determines whether a process can kick another off the CPU.

In Linux, the value is a combination of these things, but mostly it is just determines the length of the time slice. The higher a process' dynamic priority, the longer a shot it gets on the CPU when it gets one. If it doesn't use up its time slice before giving up the CPU to do something like wait for I/O, it is favored for getting the CPU back when it's ready for it, to finish out its time slice. Other than that, selection of processes for new time slices is basically round robin. But the scheduler does throw a bone to the low priority processes: A process' dynamic priority rises every time it is snubbed in the scheduling process. In Linux, even the fat kid gets to play.

The fluctuation of a process' dynamic priority is regulated by another value: The "nice" value. The nice value is an integer, usually in the range -20 to 20, and represents an upper limit on a process' dynamic priority. The higher the nice number, the lower that limit.

On a typical Linux system, for example, a process with a nice value of 20 can get only 10 milliseconds on the CPU at a time, whereas a process with a nice value of -20 can achieve a high enough priority to get 400 milliseconds.

The idea of the nice value is deferential courtesy. In the beginning, in the Unix garden of Eden, all processes shared equally in the bounty of the computer system. But not all processes really need the same share of CPU time, so the nice value gave a courteous process the ability to refuse its equal share of CPU time that others might prosper. Hence, the higher a process' nice value, the nicer the process is. (Then a snake came along and offered some process a negative nice value and the system became the crass resource allocation system we know today).

Dynamic priorities tend upward and downward with an objective of smoothing out allocation of CPU time and giving quick response time to infrequent requests. But they never exceed their nice limits, so on a heavily loaded CPU, the nice value effectively determines how fast a process runs.

In keeping with the socialistic heritage of Unix process priority, a process begins life with the same nice value as its parent process and can raise it at will. A process can also raise the nice value of any other process owned by the same user (or effective user). But only a privileged process can lower its nice value. A privileged process can also raise or lower another process' nice value.

GNU C Library functions for getting and setting nice values are described in See [Traditional Scheduling Functions](#).

---

Node: Traditional Scheduling Functions, Previous: [Traditional Scheduling Intro](#), Up: [Traditional Scheduling](#)

## Functions For Traditional Scheduling

This section describes how you can read and set the nice value of a process. All these symbols are declared in `sys/resource.h`.

The function and macro names are defined by POSIX, and refer to "priority," but the functions actually have to do with nice values, as the terms are used both in the manual and POSIX.

The range of valid nice values depends on the kernel, but typically it runs from  $-20$  to  $20$ . A lower nice value corresponds to higher priority for the process. These constants describe the range of priority values:

`PRIO_MIN`

The lowest valid nice value.

`PRIO_MAX`

The highest valid nice value.

`int getpriority (int class, int id)`

Function

Return the nice value of a set of processes; *class* and *id* specify which ones (see below). If the processes specified do not all have the same nice value, this returns the lowest value that any of them has.

On success, the return value is 0. Otherwise, it is  $-1$  and `ERRNO` is set accordingly. The `errno` values specific to this function are:

`ESRCH`

The combination of *class* and *id* does not match any existing process.

`EINVAL`

The value of *class* is not valid.

If the return value is  $-1$ , it could indicate failure, or it could be the nice value. The only way to make certain is to set `errno = 0` before calling `getpriority`, then use `errno != 0` afterward as the criterion for failure.

`int setpriority (int class, int id, int niceval)`

Function

Set the nice value of a set of processes to *niceval*; *class* and *id* specify which ones (see below).

The return value is 0 on success, and -1 on failure. The following `errno` error condition are possible for this function:

`ESRCH`

The combination of *class* and *id* does not match any existing process.

`EINVAL`

The value of *class* is not valid.

`EPERM`

The call would set the nice value of a process which is owned by a different user than the calling process (i.e. the target process' real or effective uid does not match the calling process' effective uid) and the calling process does not have `CAP_SYS_NICE` permission.

`EACCES`

The call would lower the process' nice value and the process does not have `CAP_SYS_NICE` permission.

The arguments *class* and *id* together specify a set of processes in which you are interested. These are the possible values of *class*:

`PRIO_PROCESS`

One particular process. The argument *id* is a process ID (pid).

`PRIO_PGRP`

All the processes in a particular process group. The argument *id* is a process group ID (pgid).

`PRIO_USER`

All the processes owned by a particular user (i.e. whose real uid indicates the user). The argument *id* is a user ID (uid).

If the argument *id* is 0, it stands for the calling process, its process group, or its owner (real uid), according to *class*.

`int nice (int increment)`

Function

Increment the nice value of the calling process by *increment*. The return value is the new nice value on success, and `-1` on failure. In the case of failure, `errno` will be set to the same values as for `setpriority`.

Here is an equivalent definition of `nice`:

```
int
nice (int increment)
{
    int result, old = getpriority (PRIO_PROCESS, 0);
    result = setpriority (PRIO_PROCESS, 0, old + increment);
    if (result != -1)
        return old + increment;
    else
        return -1;
}
```

---

Node: CPU Affinity, Previous: [Traditional Scheduling](#), Up: [Priority](#)

## Limiting execution to certain CPUs

On a multi-processor system the operating system usually distributes the different processes which are runnable on all available CPUs in a way which allows the system to work most efficiently. Which processes and threads run can be to some extent be control with the scheduling functionality described in the last sections. But which CPU finally executes which process or thread is not covered.

There are a number of reasons why a program might want to have control over this aspect of the system as well:

- One thread or process is responsible for absolutely critical work which under no circumstances must be interrupted or hindered from making process by other process or threads using CPU resources. In this case the special process would be confined to a CPU which no other process or thread is allowed to use.
- The access to certain resources (RAM, I/O ports) has different costs from different CPUs. This is the case in NUMA (Non-Uniform Memory Architecture) machines. Preferably memory should be accessed locally but this requirement is usually not visible to the scheduler. Therefore forcing a process or thread to the CPUs which have local access to the mostly used memory helps to significantly boost the performance.
- In controlled runtimes resource allocation and book-keeping work (for instance garbage collection) is performance local to processors. This can help to reduce locking costs if the

resources do not have to be protected from concurrent accesses from different processors.

The POSIX standard up to this date is of not much help to solve this problem. The Linux kernel provides a set of interfaces to allow specifying *affinity sets* for a process. The scheduler will schedule the thread or process on CPUs specified by the affinity masks. The interfaces which the GNU C library define follow to some extent the Linux kernel interface.

## **cpu\_set\_t**

Data Type

This data set is a bitset where each bit represents a CPU. How the system's CPUs are mapped to bits in the bitset is system dependent. The data type has a fixed size; in the unlikely case that the number of bits are not sufficient to describe the CPUs of the system a different interface has to be used.

This type is a GNU extension and is defined in `sched.h`.

To manipulate the bitset, to set and reset bits, a number of macros is defined. Some of the macros take a CPU number as a parameter. Here it is important to never exceed the size of the bitset. The following macro specifies the number of bits in the `cpu_set_t` bitset.

## **int CPU\_SETSIZE**

Macro

The value of this macro is the maximum number of CPUs which can be handled with a `cpu_set_t` object.

The type `cpu_set_t` should be considered opaque; all manipulation should happen via the next four macros.

## **void CPU\_ZERO** (*cpu\_set\_t \*set*)

Macro

This macro initializes the CPU set *set* to be the empty set.

This macro is a GNU extension and is defined in `sched.h`.

## **void CPU\_SET** (*int cpu, cpu\_set\_t \*set*)

Macro

This macro adds *cpu* to the CPU set *set*.

The *cpu* parameter must not have side effects since it is evaluated more than once.

This macro is a GNU extension and is defined in `sched.h`.



void **CPU\_CLR** (*int cpu, cpu\_set\_t \*set*) Macro

This macro removes *cpu* from the CPU set *set*.

The *cpu* parameter must not have side effects since it is evaluated more than once.

This macro is a GNU extension and is defined in `sched.h`.

int **CPU\_ISSET** (*int cpu, const cpu\_set\_t \*set*) Macro

This macro returns a nonzero value (true) if *cpu* is a member of the CPU set *set*, and zero (false) otherwise.

The *cpu* parameter must not have side effects since it is evaluated more than once.

This macro is a GNU extension and is defined in `sched.h`.

CPU bitsets can be constructed from scratch or the currently installed affinity mask can be retrieved from the system.

int **sched\_getaffinity** (*pid\_t pid, cpu\_set\_t \*cpuset*) Function

This function stores the CPU affinity mask for the process or thread with the ID *pid* in the memory pointed to by *cpuset*. If successful, the function always initializes all bits in the `cpu_set_t` object and returns zero.

If *pid* does not correspond to a process or thread on the system or the function fails for some other reason, it returns `-1` and `errno` is set to represent the error condition.

ESRCH

No process or thread with the given ID found.

EFAULT

The pointer *cpuset* does not point to a valid object.

This function is a GNU extension and is declared in `sched.h`.

Note that it is not portably possible to use this information to retrieve the information for different POSIX threads. A separate interface must be provided for that.

int **sched\_setaffinity** (*pid\_t pid, const cpu\_set\_t \*cpuset*) Function

This function installs the affinity mask pointed to by *cpuset* for the process or thread with the ID *pid*. If successful the function returns zero and the scheduler will in future take the affinity information into account.

If the function fails it will return `-1` and `errno` is set to the error code:

`ESRCH`

No process or thread with the given ID found.

`EFAULT`

The pointer *cpuset* is does not point to a valid object.

`EINVAL`

The bitset is not valid. This might mean that the affinity set might not leave a processor for the process or thread to run on.

This function is a GNU extension and is declared in `sched.h`.

Node: Memory Resources, Next: [Processor Resources](#), Previous: [Priority](#), Up: [Resource Usage And Limitation](#)

## Querying memory available resources

The amount of memory available in the system and the way it is organized determines oftentimes the way programs can and have to work. For functions like `mmap` it is necessary to know about the size of individual memory pages and knowing how much memory is available enables a program to select appropriate sizes for, say, caches. Before we get into these details a few words about memory subsystems in traditional Unix systems will be given.

- [Memory Subsystem](#): Overview about traditional Unix memory handling.
- [Query Memory Parameters](#): How to get information about the memory subsystem?

Node: Memory Subsystem, Next: [Query Memory Parameters](#), Up: [Memory Resources](#)

## Overview about traditional Unix memory handling

Unix systems normally provide processes virtual address spaces. This means that the addresses of the memory regions do not have to correspond directly to the addresses of the actual physical memory which stores the data. An extra level of indirection is introduced which translates virtual addresses into physical addresses. This is normally done by the hardware of the processor.

Using a virtual address space has several advantage. The most important is process isolation. The different processes running on the system cannot interfere directly with each other. No process can write into the address space of another process (except when shared memory is used but then it is wanted and controlled).

Another advantage of virtual memory is that the address space the processes see can actually be larger than the physical memory available. The physical memory can be extended by storage on an external media where the content of currently unused memory regions is stored. The address translation can then intercept accesses to these memory regions and make memory content available again by loading the data back into memory. This concept makes it necessary that programs which have to use lots of memory know the difference between available virtual address space and available physical memory. If the working set of virtual memory of all the processes is larger than the available physical memory the system will slow down dramatically due to constant swapping of memory content from the memory to the storage media and back. This is called "thrashing".

A final aspect of virtual memory which is important and follows from what is said in the last paragraph is the granularity of the virtual address space handling. When we said that the virtual address handling stores memory content externally it cannot do this on a byte-by-byte basis. The administrative overhead does not allow this (leaving alone the processor hardware). Instead several thousand bytes are handled together and form a *page*. The size of each page is always a power of two byte. The smallest page size in use today is 4096, with 8192, 16384, and 65536 being other popular sizes.

---

Node: Query Memory Parameters, Previous: [Memory Subsystem](#), Up: [Memory Resources](#)

## How to get information about the memory subsystem?

The page size of the virtual memory the process sees is essential to know in several situations. Some programming interface (e.g., `mmap`, see [Memory-mapped I/O](#)) require the user to provide information adjusted to the page size. In the case of `mmap` is it necessary to provide a length argument which is a multiple of the page size. Another place where the knowledge about the page size is useful is in memory allocation. If one allocates pieces of memory in larger chunks which are then subdivided by the application code it is useful to adjust the size of the larger blocks to the page size. If the total memory requirement for the block is close (but not larger) to a multiple of the page size the kernel's memory handling can work more effectively since it only has to allocate memory pages which are fully used. (To do this optimization it is necessary to know a bit about the memory allocator which will require a bit of memory itself for each block and this overhead must not push the total size over the page size multiple.

The page size traditionally was a compile time constant. But recent development of processors changed this. Processors now support different page sizes and they can possibly even vary among different processes on the same system. Therefore the system should be queried at runtime about the current page size and no assumptions (except about it being a power of two) should be made.

The correct interface to query about the page size is `sysconf` (see [Sysconf Definition](#)) with the parameter `_SC_PAGESIZE`. There is a much older interface available, too.

**int `getpagesize` (*void*)**

Function

The `getpagesize` function returns the page size of the process. This value is fixed for the runtime of the process but can vary in different runs of the application.

The function is declared in `unistd.h`.

Widely available on System V derived systems is a method to get information about the physical memory the system has. The call

```
sysconf (_SC_PHYS_PAGES)
```

returns the total number of pages of physical the system has. This does not mean all this memory is available. This information can be found using

```
sysconf (_SC_AVPHYS_PAGES)
```

These two values help to optimize applications. The value returned for `_SC_AVPHYS_PAGES` is the amount of memory the application can use without hindering any other process (given that no other process increases its memory usage). The value returned for `_SC_PHYS_PAGES` is more or less a hard limit for the working set. If all applications together constantly use more than that amount of memory the system is in trouble.

The GNU C library provides in addition to these already described way to get this information two functions. They are declared in the file `sys/sysinfo.h`. Programmers should prefer to use the `sysconf` method described above.

**long int `get_phys_pages` (*void*)**

Function

The `get_phys_pages` function returns the total number of pages of physical the system has. To get the amount of memory this number has to be multiplied by the page size.

This function is a GNU extension.

**long int `get_avphys_pages` (*void*)**

Function

The `get_phys_pages` function returns the number of available pages of physical the system has. To get the amount of memory this number has to be multiplied by the page size.

This function is a GNU extension.

---

Node: Processor Resources, Previous: [Memory Resources](#), Up: [Resource Usage And Limitation](#)

## Learn about the processors available

The use of threads or processes with shared memory allows an application to take advantage of all the processing power a system can provide. If the task can be parallelized the optimal way to write an application is to have at any time as many processes running as there are processors. To determine the number of processors available to the system one can run

```
sysconf (_SC_NPROCESSORS_CONF)
```

which returns the number of processors the operating system configured. But it might be possible for the operating system to disable individual processors and so the call

```
sysconf (_SC_NPROCESSORS_ONLN)
```

returns the number of processors which are currently inline (i.e., available).

For these two pieces of information the GNU C library also provides functions to get the information directly. The functions are declared in `sys/sysinfo.h`.

**int `get_nprocs_conf` (*void*)**

Function

The `get_nprocs_conf` function returns the number of processors the operating system configured.

This function is a GNU extension.

**int `get_nprocs` (*void*)**

Function

The `get_nprocs` function returns the number of available processors.

This function is a GNU extension.

Before starting more threads it should be checked whether the processors are not already overused. Unix systems calculate something called the *load average*. This is a number indicating how many processes were running. This number is average over different periods of times (normally 1, 5, and 15 minutes).

**int getloadavg** (*double loadavg*[], *int nelem*) Function

This function gets the 1, 5 and 15 minute load averages of the system. The values are placed in *loadavg*. `getloadavg` will place at most *nelem* elements into the array but never more than three elements. The return value is the number of elements written to *loadavg*, or -1 on error.

This function is declared in `stdlib.h`.

---

Node: Non-Local Exits, Next: [Signal Handling](#), Previous: [Resource Usage And Limitation](#), Up: [Top](#)

## Non-Local Exits

Sometimes when your program detects an unusual situation inside a deeply nested set of function calls, you would like to be able to immediately return to an outer level of control. This section describes how you can do such *non-local exits* using the `setjmp` and `longjmp` functions.

- [Intro](#): When and how to use these facilities.
- [Details](#): Functions for non-local exits.
- [Non-Local Exits and Signals](#): Portability issues.
- [System V contexts](#): Complete context control a la System V.

---

Node: Non-Local Intro, Next: [Non-Local Details](#), Up: [Non-Local Exits](#)

## Introduction to Non-Local Exits

As an example of a situation where a non-local exit can be useful, suppose you have an interactive program that has a "main loop" that prompts for and executes commands. Suppose the "read" command reads input from a file, doing some lexical analysis and parsing of the input while processing it. If a low-level input error is detected, it would be useful to be able to return immediately to the "main loop" instead of having to make each of the lexical analysis, parsing, and processing phases all have to explicitly deal with error situations initially detected by nested calls.

(On the other hand, if each of these phases has to do a substantial amount of cleanup when it exits--such as closing files, deallocating buffers or other data structures, and the like--then it can be more appropriate to do a normal return and have each phase do its own cleanup, because a non-local exit

would bypass the intervening phases and their associated cleanup code entirely. Alternatively, you could use a non-local exit but do the cleanup explicitly either before or after returning to the "main loop".)

In some ways, a non-local exit is similar to using the `return` statement to return from a function. But while `return` abandons only a single function call, transferring control back to the point at which it was called, a non-local exit can potentially abandon many levels of nested function calls.

You identify return points for non-local exits by calling the function `setjmp`. This function saves information about the execution environment in which the call to `setjmp` appears in an object of type `jmp_buf`. Execution of the program continues normally after the call to `setjmp`, but if an exit is later made to this return point by calling `longjmp` with the corresponding `jmp_buf` object, control is transferred back to the point where `setjmp` was called. The return value from `setjmp` is used to distinguish between an ordinary return and a return made by a call to `longjmp`, so calls to `setjmp` usually appear in an `if` statement.

Here is how the example program described above might be set up:

```
#include <setjmp.h>
#include <stdlib.h>
#include <stdio.h>

jmp_buf main_loop;

void
abort_to_main_loop (int status)
{
    longjmp (main_loop, status);
}

int
main (void)
{
    while (1)
        if (setjmp (main_loop))
            puts ("Back at main loop....");
        else
            do_command ();
}

void
do_command (void)
{
    char buffer[128];
    if (fgets (buffer, 128, stdin) == NULL)
        abort_to_main_loop (-1);
    else
```

```

    exit (EXIT_SUCCESS);
}

```

The function `abort_to_main_loop` causes an immediate transfer of control back to the main loop of the program, no matter where it is called from.

The flow of control inside the `main` function may appear a little mysterious at first, but it is actually a common idiom with `setjmp`. A normal call to `setjmp` returns zero, so the "else" clause of the conditional is executed. If `abort_to_main_loop` is called somewhere within the execution of `do_command`, then it actually appears as if the *same* call to `setjmp` in `main` were returning a second time with a value of `-1`.

So, the general pattern for using `setjmp` looks something like:

```

if (setjmp (buffer))
    /* Code to clean up after premature return. */
    ...
else
    /* Code to be executed normally after setting up the return point. */
    ...

```

---

Node: [Non-Local Details](#), Next: [Non-Local Exits and Signals](#), Previous: [Non-Local Intro](#), Up: [Non-Local Exits](#)

## Details of Non-Local Exits

Here are the details on the functions and data structures used for performing non-local exits. These facilities are declared in `setjmp.h`.

### **jmp\_buf**

Data Type

Objects of type `jmp_buf` hold the state information to be restored by a non-local exit. The contents of a `jmp_buf` identify a specific place to return to.

### **int setjmp (jmp\_buf state)**

Macro

When called normally, `setjmp` stores information about the execution state of the program in `state` and returns zero. If `longjmp` is later used to perform a non-local exit to this `state`, `setjmp` returns a nonzero value.



void **longjmp** (*jmp\_buf state*, *int value*)

Function

This function restores current execution to the state saved in *state*, and continues execution from the call to `setjmp` that established that return point. Returning from `setjmp` by means of `longjmp` returns the *value* argument that was passed to `longjmp`, rather than 0. (But if *value* is given as 0, `setjmp` returns 1).

There are a lot of obscure but important restrictions on the use of `setjmp` and `longjmp`. Most of these restrictions are present because non-local exits require a fair amount of magic on the part of the C compiler and can interact with other parts of the language in strange ways.

The `setjmp` function is actually a macro without an actual function definition, so you shouldn't try to `#undef` it or take its address. In addition, calls to `setjmp` are safe in only the following contexts:

- As the test expression of a selection or iteration statement (such as `if`, `switch`, or `while`).
- As one operand of a equality or comparison operator that appears as the test expression of a selection or iteration statement. The other operand must be an integer constant expression.
- As the operand of a unary `!` operator, that appears as the test expression of a selection or iteration statement.
- By itself as an expression statement.

Return points are valid only during the dynamic extent of the function that called `setjmp` to establish them. If you `longjmp` to a return point that was established in a function that has already returned, unpredictable and disastrous things are likely to happen.

You should use a nonzero *value* argument to `longjmp`. While `longjmp` refuses to pass back a zero argument as the return value from `setjmp`, this is intended as a safety net against accidental misuse and is not really good programming style.

When you perform a non-local exit, accessible objects generally retain whatever values they had at the time `longjmp` was called. The exception is that the values of automatic variables local to the function containing the `setjmp` call that have been changed since the call to `setjmp` are indeterminate, unless you have declared them `volatile`.

---

Node: Non-Local Exits and Signals, Next: [System V contexts](#), Previous: [Non-Local Details](#), Up: [Non-Local Exits](#)

## Non-Local Exits and Signals

In BSD Unix systems, `setjmp` and `longjmp` also save and restore the set of blocked signals; see [Blocking Signals](#). However, the POSIX.1 standard requires `setjmp` and `longjmp` not to change the

set of blocked signals, and provides an additional pair of functions (`sigsetjmp` and `siglongjmp`) to get the BSD behavior.

The behavior of `setjmp` and `longjmp` in the GNU library is controlled by feature test macros; see [Feature Test Macros](#). The default in the GNU system is the POSIX.1 behavior rather than the BSD behavior.

The facilities in this section are declared in the header file `setjmp.h`.

**sigjmp\_buf** Data Type

This is similar to `jmp_buf`, except that it can also store state information about the set of blocked signals.

**int sigsetjmp** (*sigjmp\_buf state*, *int savesigs*) Function

This is similar to `setjmp`. If *savesigs* is nonzero, the set of blocked signals is saved in *state* and will be restored if a `siglongjmp` is later performed with this *state*.

**void siglongjmp** (*sigjmp\_buf state*, *int value*) Function

This is similar to `longjmp` except for the type of its *state* argument. If the `sigsetjmp` call that set this *state* used a nonzero *savesigs* flag, `siglongjmp` also restores the set of blocked signals.

---

Node: System V contexts, Previous: [Non-Local Exits and Signals](#), Up: [Non-Local Exits](#)

## Complete Context Control

The Unix standard one more set of function to control the execution path and these functions are more powerful than those discussed in this chapter so far. These function were part of the original System V API and by this route were added to the Unix API. Beside on branded Unix implementations these interfaces are not widely available. Not all platforms and/or architectures the GNU C Library is available on provide this interface. Use `configure` to detect the availability.

Similar to the `jmp_buf` and `sigjmp_buf` types used for the variables to contain the state of the `longjmp` functions the interfaces of interest here have an appropriate type as well. Objects of this type are normally much larger since more information is contained. The type is also used in a few more places as we will see. The types and functions described in this section are all defined and declared respectively in the `ucontext.h` header file.

**ucontext\_t** Data Type

The `ucontext_t` type is defined as a structure with as least the following elements:

`ucontext_t *uc_link`

This is a pointer to the next context structure which is used if the context described in the current structure returns.

`sigset_t uc_sigmask`

Set of signals which are blocked when this context is used.

`stack_t uc_stack`

Stack used for this context. The value need not be (and normally is not) the stack pointer.

See [Signal Stack](#).

`mcontext_t uc_mcontext`

This element contains the actual state of the process. The `mcontext_t` type is also defined in this header but the definition should be treated as opaque. Any use of knowledge of the type makes applications less portable.

Objects of this type have to be created by the user. The initialization and modification happens through one of the following functions:

`int getcontext (ucontext_t *ucp)`

Function

The `getcontext` function initializes the variable pointed to by *ucp* with the context of the calling thread. The context contains the content of the registers, the signal mask, and the current stack. Executing the contents would start at the point where the `getcontext` call just returned.

The function returns 0 if successful. Otherwise it returns -1 and sets *errno* accordingly.

The `getcontext` function is similar to `setjmp` but it does not provide an indication of whether the function returns for the first time or whether the initialized context was used and the execution is resumed at just that point. If this is necessary the user has to take determine this herself. This must be done carefully since the context contains registers which might contain register variables. This is a good situation to define variables with `volatile`.

Once the context variable is initialized it can be used as is or it can be modified. The latter is normally done to implement co-routines or similar constructs. The `makecontext` function is what has to be used to do that.

`void makecontext (ucontext_t *ucp, void (*func) (void), int argc, ...)`

Function

The *ucp* parameter passed to the `makecontext` shall be initialized by a call to `getcontext`. The context will be modified to in a way so that if the context is resumed it will start by calling the function `func` which gets *argc* integer arguments passed. The integer arguments which are to be passed should follow the *argc* parameter in the call to `makecontext`.

Before the call to this function the `uc_stack` and `uc_link` element of the *ucp* structure should be initialized. The `uc_stack` element describes the stack which is used for this context. No two contexts which are used at the same time should use the same memory region for a stack.

The `uc_link` element of the object pointed to by *ucp* should be a pointer to the context to be executed when the function *func* returns or it should be a null pointer. See `setcontext` for more information about the exact use.

While allocating the memory for the stack one has to be careful. Most modern processors keep track of whether a certain memory region is allowed to contain code which is executed or not. Data segments and heap memory is normally not tagged to allow this. The result is that programs would fail. Examples for such code include the calling sequences the GNU C compiler generates for calls to nested functions. Safe ways to allocate stacks correctly include using memory on the original threads stack or explicitly allocate memory tagged for execution using (see [Memory-mapped I/O](#)).

**Compatibility note:** The current Unix standard is very imprecise about the way the stack is allocated. All implementations seem to agree that the `uc_stack` element must be used but the values stored in the elements of the `stack_t` value are unclear. The GNU C library and most other Unix implementations require the `ss_sp` value of the `uc_stack` element to point to the base of the memory region allocated for the stack and the size of the memory region is stored in `ss_size`. There are implements out there which require `ss_sp` to be set to the value the stack pointer will have (which can depending on the direction the stack grows be different). This difference makes the `makecontext` function hard to use and it requires detection of the platform at compile time.

`int setcontext (const ucontext_t *ucp)`

Function

The `setcontext` function restores the context described by `ucp`. The context is not modified and can be reused as often as wanted.

If the context was created by `getcontext` execution resumes with the registers filled with the same values and the same stack as if the `getcontext` call just returned.

If the context was modified with a call to `makecontext` execution continues with the function passed to `makecontext` which gets the specified parameters passed. If this function returns execution is resumed in the context which was referenced by the `uc_link` element of the context structure passed to `makecontext` at the time of the call. If `uc_link` was a null pointer the application terminates in this case.

Since the context contains information about the stack no two threads should use the same context at the same time. The result in most cases would be disastrous.

The `setcontext` function does not return unless an error occurred in which case it returns `-1`.

The `setcontext` function simply replaces the current context with the one described by the `ucp` parameter. This is often useful but there are situations where the current context has to be preserved.

**int `swapcontext` (`ucontext_t *restrict oucp`, `const ucontext_t *restrict ucp`)** Function

The `swapcontext` function is similar to `setcontext` but instead of just replacing the current context the latter is first saved in the object pointed to by `oucp` as if this was a call to `getcontext`. The saved context would resume after the call to `swapcontext`.

Once the current context is saved the context described in `ucp` is installed and execution continues as described in this context.

If `swapcontext` succeeds the function does not return unless the context `oucp` is used without prior modification by `makecontext`. The return value in this case is `0`. If the function fails it returns `-1` and set `errno` accordingly.

## Example for SVID Context Handling

The easiest way to use the context handling functions is as a replacement for `setjmp` and `longjmp`. The context contains on most platforms more information which might lead to less surprises but this also means using these functions is more expensive (beside being less portable).

```
int
random_search (int n, int (*fp) (int, ucontext_t *))
{
```

```

volatile int cnt = 0;
ucontext_t uc;

/* Safe current context. */
if (getcontext (&uc) < 0)
    return -1;

/* If we have not tried n times try again. */
if (cnt++ < n)
    /* Call the function with a new random number
       and the context. */
    if (fp (rand (), &uc) != 0)
        /* We found what we were looking for. */
        return 1;

/* Not found. */
return 0;
}

```

Using contexts in such a way enables emulating exception handling. The search functions passed in the *fp* parameter could be very large, nested, and complex which would make it complicated (or at least would require a lot of code) to leave the function with an error value which has to be passed down to the caller. By using the context it is possible to leave the search function in one step and allow restarting the search which also has the nice side effect that it can be significantly faster.

Something which is harder to implement with `set jmp` and `long jmp` is to switch temporarily to a different execution path and then resume where execution was stopped.

```

#include <signal.h>
#include <stdio.h>
#include <stdlib.h>
#include <ucontext.h>
#include <sys/time.h>

/* Set by the signal handler. */
static volatile int expired;

/* The contexts. */
static ucontext_t uc[3];

/* We do only a certain number of switches. */
static int switches;

/* This is the function doing the work. It is just a
   skeleton, real code has to be filled in. */
static void

```

```

f (int n)
{
    int m = 0;
    while (1)
        {
            /* This is where the work would be done. */
            if (++m % 100 == 0)
                {
                    putchar ('.');
                    fflush (stdout);
                }

            /* Regularly the expire variable must be checked. */
            if (expired)
                {
                    /* We do not want the program to run forever. */
                    if (++switches == 20)
                        return;

                    printf ("\nswitching from %d to %d\n", n, 3 - n);
                    expired = 0;
                    /* Switch to the other context, saving the current one. */
                    swapcontext (&uc[n], &uc[3 - n]);
                }
        }
}

/* This is the signal handler which simply set the variable. */
void
handler (int signal)
{
    expired = 1;
}

int
main (void)
{
    struct sigaction sa;
    struct itimerval it;
    char st1[8192];
    char st2[8192];

    /* Initialize the data structures for the interval timer. */
    sa.sa_flags = SA_RESTART;
    sigfillset (&sa.sa_mask);
    sa.sa_handler = handler;
    it.it_interval.tv_sec = 0;
    it.it_interval.tv_usec = 1;
    it.it_value = it.it_interval;
}

```

```

/* Install the timer and get the context we can manipulate. */
if (sigaction (SIGPROF, &sa, NULL) < 0
    || setitimer (ITIMER_PROF, &it, NULL) < 0
    || getcontext (&uc[1]) == -1
    || getcontext (&uc[2]) == -1)
    abort ();

/* Create a context with a separate stack which causes the
function f to be call with the parameter 1.
Note that the uc_link points to the main context
which will cause the program to terminate once the function
return. */
uc[1].uc_link = &uc[0];
uc[1].uc_stack.ss_sp = st1;
uc[1].uc_stack.ss_size = sizeof st1;
makecontext (&uc[1], (void (*) (void)) f, 1, 1);

/* Similarly, but 2 is passed as the parameter to f. */
uc[2].uc_link = &uc[0];
uc[2].uc_stack.ss_sp = st2;
uc[2].uc_stack.ss_size = sizeof st2;
makecontext (&uc[2], (void (*) (void)) f, 1, 2);

/* Start running. */
swapcontext (&uc[0], &uc[1]);
putchar ('\n');

return 0;
}

```

This an example how the context functions can be used to implement co-routines or cooperative multi-threading. All that has to be done is to call every once in a while `swapcontext` to continue running a different context. It is not allowed to do the context switching from the signal handler directly since neither `setcontext` nor `swapcontext` are functions which can be called from a signal handler. But setting a variable in the signal handler and checking it in the body of the functions which are executed. Since `swapcontext` is saving the current context it is possible to have multiple different scheduling points in the code. Execution will always resume where it was left.

---

Node: Signal Handling, Next: [Program Basics](#), Previous: [Non-Local Exits](#), Up: [Top](#)

## Signal Handling

A *signal* is a software interrupt delivered to a process. The operating system uses signals to report exceptional situations to an executing program. Some signals report errors such as references to invalid



memory addresses; others report asynchronous events, such as disconnection of a phone line.

The GNU C library defines a variety of signal types, each for a particular kind of event. Some kinds of events make it inadvisable or impossible for the program to proceed as usual, and the corresponding signals normally abort the program. Other kinds of signals that report harmless events are ignored by default.

If you anticipate an event that causes signals, you can define a handler function and tell the operating system to run it when that particular type of signal arrives.

Finally, one process can send a signal to another process; this allows a parent process to abort a child, or two related processes to communicate and synchronize.

- [Concepts of Signals](#): Introduction to the signal facilities.
- [Standard Signals](#): Particular kinds of signals with standard names and meanings.
- [Signal Actions](#): Specifying what happens when a particular signal is delivered.
- [Defining Handlers](#): How to write a signal handler function.
- [Interrupted Primitives](#): Signal handlers affect use of `open`, `read`, `write` and other functions.
- [Generating Signals](#): How to send a signal to a process.
- [Blocking Signals](#): Making the system hold signals temporarily.
- [Waiting for a Signal](#): Suspending your program until a signal arrives.
- [Signal Stack](#): Using a Separate Signal Stack.
- [BSD Signal Handling](#): Additional functions for backward compatibility with BSD.

---

Node: Concepts of Signals, Next: [Standard Signals](#), Up: [Signal Handling](#)

## Basic Concepts of Signals

This section explains basic concepts of how signals are generated, what happens after a signal is delivered, and how programs can handle signals.

- [Kinds of Signals](#): Some examples of what can cause a signal.
- [Signal Generation](#): Concepts of why and how signals occur.
- [Delivery of Signal](#): Concepts of what a signal does to the process.

---

Node: Kinds of Signals, Next: [Signal Generation](#), Up: [Concepts of Signals](#)

## Some Kinds of Signals

A signal reports the occurrence of an exceptional event. These are some of the events that can cause (or *generate*, or *raise*) a signal:

- A program error such as dividing by zero or issuing an address outside the valid range.
- A user request to interrupt or terminate the program. Most environments are set up to let a user suspend the program by typing C-z, or terminate it with C-c. Whatever key sequence is used, the operating system sends the proper signal to interrupt the process.
- The termination of a child process.
- Expiration of a timer or alarm.
- A call to `kill` or `raise` by the same process.
- A call to `kill` from another process. Signals are a limited but useful form of interprocess communication.
- An attempt to perform an I/O operation that cannot be done. Examples are reading from a pipe that has no writer (see [Pipes and FIFOs](#)), and reading or writing to a terminal in certain situations (see [Job Control](#)).

Each of these kinds of events (excepting explicit calls to `kill` and `raise`) generates its own particular kind of signal. The various kinds of signals are listed and described in detail in [Standard Signals](#).

---

Node: Signal Generation, Next: [Delivery of Signal](#), Previous: [Kinds of Signals](#), Up: [Concepts of Signals](#)

## Concepts of Signal Generation

In general, the events that generate signals fall into three major categories: errors, external events, and explicit requests.

An error means that a program has done something invalid and cannot continue execution. But not all kinds of errors generate signals--in fact, most do not. For example, opening a nonexistent file is an error, but it does not raise a signal; instead, `open` returns `-1`. In general, errors that are necessarily associated with certain library functions are reported by returning a value that indicates an error. The errors which raise signals are those which can happen anywhere in the program, not just in library calls. These include division by zero and invalid memory addresses.

An external event generally has to do with I/O or other processes. These include the arrival of input, the expiration of a timer, and the termination of a child process.

An explicit request means the use of a library function such as `kill` whose purpose is specifically to generate a signal.

Signals may be generated *synchronously* or *asynchronously*. A synchronous signal pertains to a specific action in the program, and is delivered (unless blocked) during that action. Most errors generate signals synchronously, and so do explicit requests by a process to generate a signal for that same process. On some machines, certain kinds of hardware errors (usually floating-point exceptions) are not reported completely synchronously, but may arrive a few instructions later.

Asynchronous signals are generated by events outside the control of the process that receives them. These signals arrive at unpredictable times during execution. External events generate signals asynchronously, and so do explicit requests that apply to some other process.

A given type of signal is either typically synchronous or typically asynchronous. For example, signals for errors are typically synchronous because errors generate signals synchronously. But any type of signal can be generated synchronously or asynchronously with an explicit request.

---

Node: Delivery of Signal, Previous: [Signal Generation](#), Up: [Concepts of Signals](#)

## How Signals Are Delivered

When a signal is generated, it becomes *pending*. Normally it remains pending for just a short period of time and then is *delivered* to the process that was signaled. However, if that kind of signal is currently *blocked*, it may remain pending indefinitely--until signals of that kind are *unblocked*. Once unblocked, it will be delivered immediately. See [Blocking Signals](#).

When the signal is delivered, whether right away or after a long delay, the *specified action* for that signal is taken. For certain signals, such as SIGKILL and SIGSTOP, the action is fixed, but for most signals, the program has a choice: ignore the signal, specify a *handler function*, or accept the *default action* for that kind of signal. The program specifies its choice using functions such as `signal` or `sigaction` (see [Signal Actions](#)). We sometimes say that a handler *catches* the signal. While the handler is running, that particular signal is normally blocked.

If the specified action for a kind of signal is to ignore it, then any such signal which is generated is discarded immediately. This happens even if the signal is also blocked at the time. A signal discarded in this way will never be delivered, not even if the program subsequently specifies a different action for that kind of signal and then unblocks it.

If a signal arrives which the program has neither handled nor ignored, its *default action* takes place. Each kind of signal has its own default action, documented below (see [Standard Signals](#)). For most kinds of signals, the default action is to terminate the process. For certain kinds of signals that represent "harmless" events, the default action is to do nothing.

When a signal terminates a process, its parent process can determine the cause of termination by examining the termination status code reported by the `wait` or `waitpid` functions. (This is discussed in more detail in [Process Completion](#).) The information it can get includes the fact that termination was due to a signal and the kind of signal involved. If a program you run from a shell is terminated by a signal, the shell typically prints some kind of error message.

The signals that normally represent program errors have a special property: when one of these signals terminates the process, it also writes a *core dump file* which records the state of the process at the time of termination. You can examine the core dump with a debugger to investigate what caused the error.

If you raise a "program error" signal by explicit request, and this terminates the process, it makes a core dump file just as if the signal had been due directly to an error.

---

Node: Standard Signals, Next: [Signal Actions](#), Previous: [Concepts of Signals](#), Up: [Signal Handling](#)

## Standard Signals

This section lists the names for various standard kinds of signals and describes what kind of event they mean. Each signal name is a macro which stands for a positive integer--the *signal number* for that kind of signal. Your programs should never make assumptions about the numeric code for a particular kind of signal, but rather refer to them always by the names defined here. This is because the number for a given kind of signal can vary from system to system, but the meanings of the names are standardized and fairly uniform.

The signal names are defined in the header file `signal.h`.

`int NSIG`

Macro

The value of this symbolic constant is the total number of signals defined. Since the signal numbers are allocated consecutively, `NSIG` is also one greater than the largest defined signal number.

- [Program Error Signals](#): Used to report serious program errors.
- [Termination Signals](#): Used to interrupt and/or terminate the program.
- [Alarm Signals](#): Used to indicate expiration of timers.
- [Asynchronous I/O Signals](#): Used to indicate input is available.
- [Job Control Signals](#): Signals used to support job control.
- [Operation Error Signals](#): Used to report operational system errors.
- [Miscellaneous Signals](#): Miscellaneous Signals.
- [Signal Messages](#): Printing a message describing a signal.

---

Node: Program Error Signals, Next: [Termination Signals](#), Up: [Standard Signals](#)

## Program Error Signals

The following signals are generated when a serious program error is detected by the operating system or the computer itself. In general, all of these signals are indications that your program is seriously broken in some way, and there's usually no way to continue the computation which encountered the error.

Some programs handle program error signals in order to tidy up before terminating; for example, programs that turn off echoing of terminal input should handle program error signals in order to turn echoing back on. The handler should end by specifying the default action for the signal that happened and then reraising it; this will cause the program to terminate with that signal, as if it had not had a handler. (See [Termination in Handler](#).)

Termination is the sensible ultimate outcome from a program error in most programs. However, programming systems such as Lisp that can load compiled user programs might need to keep executing even if a user program incurs an error. These programs have handlers which use `longjmp` to return control to the command level.

The default action for all of these signals is to cause the process to terminate. If you block or ignore these signals or establish handlers for them that return normally, your program will probably break horribly when such signals happen, unless they are generated by `raise` or `kill` instead of a real error.

When one of these program error signals terminates a process, it also writes a *core dump file* which records the state of the process at the time of termination. The core dump file is named `core` and is written in whichever directory is current in the process at the time. (On the GNU system, you can specify the file name for core dumps with the environment variable `COREFILE`.) The purpose of core dump files is so that you can examine them with a debugger to investigate what caused the error.

int **SIGFPE**

Macro

The `SIGFPE` signal reports a fatal arithmetic error. Although the name is derived from "floating-point exception", this signal actually covers all arithmetic errors, including division by zero and overflow. If a program stores integer data in a location which is then used in a floating-point operation, this often causes an "invalid operation" exception, because the processor cannot recognize the data as a floating-point number.

Actual floating-point exceptions are a complicated subject because there are many types of exceptions with subtly different meanings, and the `SIGFPE` signal doesn't distinguish between them. The *IEEE Standard for Binary Floating-Point Arithmetic (ANSI/IEEE Std 754-1985 and ANSI/IEEE Std 854-1987)* defines various floating-point exceptions and requires conforming computer systems to report their occurrences. However, this standard does not specify how the exceptions are reported, or what kinds of handling and control the operating system can offer to the programmer.

BSD systems provide the `SIGFPE` handler with an extra argument that distinguishes various causes of the exception. In order to access this argument, you must define the handler to accept two arguments, which means you must cast it to a one-argument function type in order to establish the handler. The GNU library does provide this extra argument, but the value is meaningful only on operating systems that provide the information (BSD systems and GNU systems).

`FPE_INTOVF_TRAP`

Integer overflow (impossible in a C program unless you enable overflow trapping in a hardware-specific fashion).

`FPE_INTDIV_TRAP`

Integer division by zero.

`FPE_SUBRNG_TRAP`

Subscript-range (something that C programs never check for).

`FPE_FLTOVF_TRAP`

Floating overflow trap.

`FPE_FLTDIV_TRAP`

Floating/decimal division by zero.

`FPE_FLTUND_TRAP`

Floating underflow trap. (Trapping on floating underflow is not normally enabled.)

`FPE_DECOVF_TRAP`

Decimal overflow trap. (Only a few machines have decimal arithmetic and C never uses it.)

int **SIGILL**

Macro

The name of this signal is derived from "illegal instruction"; it usually means your program is trying to execute garbage or a privileged instruction. Since the C compiler generates only valid instructions, `SIGILL` typically indicates that the executable file is corrupted, or that you are trying to execute data. Some common ways of getting into the latter situation are by passing an invalid object where a pointer to a function was expected, or by writing past the end of an automatic array (or similar problems with pointers to automatic variables) and corrupting other data on the stack such as the return address of a stack frame.

`SIGILL` can also be generated when the stack overflows, or when the system has trouble running the handler for a signal.

## int `SIGSEGV`

Macro

This signal is generated when a program tries to read or write outside the memory that is allocated for it, or to write memory that can only be read. (Actually, the signals only occur when the program goes far enough outside to be detected by the system's memory protection mechanism.) The name is an abbreviation for "segmentation violation".

Common ways of getting a `SIGSEGV` condition include dereferencing a null or uninitialized pointer, or when you use a pointer to step through an array, but fail to check for the end of the array. It varies among systems whether dereferencing a null pointer generates `SIGSEGV` or `SIGBUS`.

## int `SIGBUS`

Macro

This signal is generated when an invalid pointer is dereferenced. Like `SIGSEGV`, this signal is typically the result of dereferencing an uninitialized pointer. The difference between the two is that `SIGSEGV` indicates an invalid access to valid memory, while `SIGBUS` indicates an access to an invalid address. In particular, `SIGBUS` signals often result from dereferencing a misaligned pointer, such as referring to a four-word integer at an address not divisible by four. (Each kind of computer has its own requirements for address alignment.)

The name of this signal is an abbreviation for "bus error".

## int `SIGABRT`

Macro

This signal indicates an error detected by the program itself and reported by calling `abort`. See [Aborting a Program](#).

## int `SIGIOT`

Macro

Generated by the PDP-11 "iot" instruction. On most machines, this is just another name for `SIGABRT`.

**int SIGTRAP**

Macro

Generated by the machine's breakpoint instruction, and possibly other trap instructions. This signal is used by debuggers. Your program will probably only see SIGTRAP if it is somehow executing bad instructions.

**int SIGEMT**

Macro

Emulator trap; this results from certain unimplemented instructions which might be emulated in software, or the operating system's failure to properly emulate them.

**int SIGSYS**

Macro

Bad system call; that is to say, the instruction to trap to the operating system was executed, but the code number for the system call to perform was invalid.

---

Node: Termination Signals, Next: [Alarm Signals](#), Previous: [Program Error Signals](#), Up: [Standard Signals](#)

**Termination Signals**

These signals are all used to tell a process to terminate, in one way or another. They have different names because they're used for slightly different purposes, and programs might want to handle them differently.

The reason for handling these signals is usually so your program can tidy up as appropriate before actually terminating. For example, you might want to save state information, delete temporary files, or restore the previous terminal modes. Such a handler should end by specifying the default action for the signal that happened and then reraising it; this will cause the program to terminate with that signal, as if it had not had a handler. (See [Termination in Handler](#).)

The (obvious) default action for all of these signals is to cause the process to terminate.

**int SIGTERM**

Macro

The SIGTERM signal is a generic signal used to cause program termination. Unlike SIGKILL, this signal can be blocked, handled, and ignored. It is the normal way to politely ask a program to terminate.

The shell command `kill` generates SIGTERM by default.



**int SIGINT**

Macro

The SIGINT ("program interrupt") signal is sent when the user types the INTR character (normally C-c). See [Special Characters](#), for information about terminal driver support for C-c.

**int SIGQUIT**

Macro

The SIGQUIT signal is similar to SIGINT, except that it's controlled by a different key--the QUIT character, usually C-\--and produces a core dump when it terminates the process, just like a program error signal. You can think of this as a program error condition "detected" by the user.

See [Program Error Signals](#), for information about core dumps. See [Special Characters](#), for information about terminal driver support.

Certain kinds of cleanups are best omitted in handling SIGQUIT. For example, if the program creates temporary files, it should handle the other termination requests by deleting the temporary files. But it is better for SIGQUIT not to delete them, so that the user can examine them in conjunction with the core dump.

**int SIGKILL**

Macro

The SIGKILL signal is used to cause immediate program termination. It cannot be handled or ignored, and is therefore always fatal. It is also not possible to block this signal.

This signal is usually generated only by explicit request. Since it cannot be handled, you should generate it only as a last resort, after first trying a less drastic method such as C-c or SIGTERM. If a process does not respond to any other termination signals, sending it a SIGKILL signal will almost always cause it to go away.

In fact, if SIGKILL fails to terminate a process, that by itself constitutes an operating system bug which you should report.

The system will generate SIGKILL for a process itself under some unusual conditions where the program cannot possibly continue to run (even to run a signal handler).

**int SIGHUP**

Macro

The `SIGHUP` ("hang-up") signal is used to report that the user's terminal is disconnected, perhaps because a network or telephone connection was broken. For more information about this, see [Control Modes](#).

This signal is also used to report the termination of the controlling process on a terminal to jobs associated with that session; this termination effectively disconnects all processes in the session from the controlling terminal. For more information, see [Termination Internals](#).

---

Node: Alarm Signals, Next: [Asynchronous I/O Signals](#), Previous: [Termination Signals](#), Up: [Standard Signals](#)

## Alarm Signals

These signals are used to indicate the expiration of timers. See [Setting an Alarm](#), for information about functions that cause these signals to be sent.

The default behavior for these signals is to cause program termination. This default is rarely useful, but no other default would be useful; most of the ways of using these signals would require handler functions in any case.

int **SIGALRM** Macro

This signal typically indicates expiration of a timer that measures real or clock time. It is used by the `alarm` function, for example.

int **SIGVTALRM** Macro

This signal typically indicates expiration of a timer that measures CPU time used by the current process. The name is an abbreviation for "virtual time alarm".

int **SIGPROF** Macro

This signal typically indicates expiration of a timer that measures both CPU time used by the current process, and CPU time expended on behalf of the process by the system. Such a timer is used to implement code profiling facilities, hence the name of this signal.

---

Node: Asynchronous I/O Signals, Next: [Job Control Signals](#), Previous: [Alarm Signals](#), Up: [Standard Signals](#)

## Asynchronous I/O Signals

The signals listed in this section are used in conjunction with asynchronous I/O facilities. You have to take explicit action by calling `fcntl` to enable a particular file descriptor to generate these signals (see [Interrupt Input](#)). The default action for these signals is to ignore them.

int **SIGIO** Macro

This signal is sent when a file descriptor is ready to perform input or output.

On most operating systems, terminals and sockets are the only kinds of files that can generate SIGIO; other kinds, including ordinary files, never generate SIGIO even if you ask them to.

In the GNU system SIGIO will always be generated properly if you successfully set asynchronous mode with `fcntl`.

int **SIGURG** Macro

This signal is sent when "urgent" or out-of-band data arrives on a socket. See [Out-of-Band Data](#).

int **SIGPOLL** Macro

This is a System V signal name, more or less similar to SIGIO. It is defined only for compatibility.

---

Node: Job Control Signals, Next: [Operation Error Signals](#), Previous: [Asynchronous I/O Signals](#),  
Up: [Standard Signals](#)

## Job Control Signals

These signals are used to support job control. If your system doesn't support job control, then these macros are defined but the signals themselves can't be raised or handled.

You should generally leave these signals alone unless you really understand how job control works. See [Job Control](#).

int **SIGCHLD** Macro

This signal is sent to a parent process whenever one of its child processes terminates or stops.

The default action for this signal is to ignore it. If you establish a handler for this signal while there are child processes that have terminated but not reported their status via `wait` or `waitpid` (see [Process Completion](#)), whether your new handler applies to those processes or not depends on the particular operating system.

**int SIGCLD** Macro

This is an obsolete name for `SIGCHLD`.

**int SIGCONT** Macro

You can send a `SIGCONT` signal to a process to make it continue. This signal is special--it always makes the process continue if it is stopped, before the signal is delivered. The default behavior is to do nothing else. You cannot block this signal. You can set a handler, but `SIGCONT` always makes the process continue regardless.

Most programs have no reason to handle `SIGCONT`; they simply resume execution without realizing they were ever stopped. You can use a handler for `SIGCONT` to make a program do something special when it is stopped and continued--for example, to reprint a prompt when it is suspended while waiting for input.

**int SIGSTOP** Macro

The `SIGSTOP` signal stops the process. It cannot be handled, ignored, or blocked.

**int SIGTSTP** Macro

The `SIGTSTP` signal is an interactive stop signal. Unlike `SIGSTOP`, this signal can be handled and ignored.

Your program should handle this signal if you have a special need to leave files or system tables in a secure state when a process is stopped. For example, programs that turn off echoing should handle `SIGTSTP` so they can turn echoing back on before stopping.

This signal is generated when the user types the `SUSP` character (normally `C-z`). For more information about terminal driver support, see [Special Characters](#).

**int SIGTTIN** Macro

A process cannot read from the user's terminal while it is running as a background job. When any process in a background job tries to read from the terminal, all of the processes in the job are sent a `SIGTTIN` signal. The default action for this signal is to stop the process. For more information about how this interacts with the terminal driver, see [Access to the Terminal](#).

int **SIGTTOU**

Macro

This is similar to `SIGTTIN`, but is generated when a process in a background job attempts to write to the terminal or set its modes. Again, the default action is to stop the process. `SIGTTOU` is only generated for an attempt to write to the terminal if the `TOSTOP` output mode is set; see [Output Modes](#).

While a process is stopped, no more signals can be delivered to it until it is continued, except `SIGKILL` signals and (obviously) `SIGCONT` signals. The signals are marked as pending, but not delivered until the process is continued. The `SIGKILL` signal always causes termination of the process and can't be blocked, handled or ignored. You can ignore `SIGCONT`, but it always causes the process to be continued anyway if it is stopped. Sending a `SIGCONT` signal to a process causes any pending stop signals for that process to be discarded. Likewise, any pending `SIGCONT` signals for a process are discarded when it receives a stop signal.

When a process in an orphaned process group (see [Orphaned Process Groups](#)) receives a `SIGTSTP`, `SIGTTIN`, or `SIGTTOU` signal and does not handle it, the process does not stop. Stopping the process would probably not be very useful, since there is no shell program that will notice it stop and allow the user to continue it. What happens instead depends on the operating system you are using. Some systems may do nothing; others may deliver another signal instead, such as `SIGKILL` or `SIGHUP`. In the GNU system, the process dies with `SIGKILL`; this avoids the problem of many stopped, orphaned processes lying around the system.

---

Node: Operation Error Signals, Next: [Miscellaneous Signals](#), Previous: [Job Control Signals](#),  
Up: [Standard Signals](#)

## Operation Error Signals

These signals are used to report various errors generated by an operation done by the program. They do not necessarily indicate a programming error in the program, but an error that prevents an operating system call from completing. The default action for all of them is to cause the process to terminate.

int **SIGPIPE**

Macro

Broken pipe. If you use pipes or FIFOs, you have to design your application so that one process opens the pipe for reading before another starts writing. If the reading process never starts, or terminates unexpectedly, writing to the pipe or FIFO raises a `SIGPIPE` signal. If `SIGPIPE` is blocked, handled or ignored, the offending call fails with `EPIPE` instead.

Pipes and FIFO special files are discussed in more detail in [Pipes and FIFOs](#).

Another cause of `SIGPIPE` is when you try to output to a socket that isn't connected. See [Sending Data](#).

int **SIGLOST** Macro

Resource lost. This signal is generated when you have an advisory lock on an NFS file, and the NFS server reboots and forgets about your lock.

In the GNU system, `SIGLOST` is generated when any server program dies unexpectedly. It is usually fine to ignore the signal; whatever call was made to the server that died just returns an error.

int **SIGXCPU** Macro

CPU time limit exceeded. This signal is generated when the process exceeds its soft resource limit on CPU time. See [Limits on Resources](#).

int **SIGXFSZ** Macro

File size limit exceeded. This signal is generated when the process attempts to extend a file so it exceeds the process's soft resource limit on file size. See [Limits on Resources](#).

---

Node: Miscellaneous Signals, Next: [Signal Messages](#), Previous: [Operation Error Signals](#), Up: [Standard Signals](#)

## Miscellaneous Signals

These signals are used for various other purposes. In general, they will not affect your program unless it explicitly uses them for something.

int **SIGUSR1** Macro

int **SIGUSR2** Macro

The SIGUSR1 and SIGUSR2 signals are set aside for you to use any way you want. They're useful for simple interprocess communication, if you write a signal handler for them in the program that receives the signal.

There is an example showing the use of SIGUSR1 and SIGUSR2 in [Signaling Another Process](#).

The default action is to terminate the process.

## int SIGWINCH

Macro

Window size change. This is generated on some systems (including GNU) when the terminal driver's record of the number of rows and columns on the screen is changed. The default action is to ignore it.

If a program does full-screen display, it should handle SIGWINCH. When the signal arrives, it should fetch the new screen size and reformat its display accordingly.

## int SIGINFO

Macro

Information request. In 4.4 BSD and the GNU system, this signal is sent to all the processes in the foreground process group of the controlling terminal when the user types the STATUS character in canonical mode; see [Signal Characters](#).

If the process is the leader of the process group, the default action is to print some status information about the system and what the process is doing. Otherwise the default is to do nothing.

---

Node: Signal Messages, Previous: [Miscellaneous Signals](#), Up: [Standard Signals](#)

## Signal Messages

We mentioned above that the shell prints a message describing the signal that terminated a child process. The clean way to print a message describing a signal is to use the functions `strsignal` and `psignal`. These functions use a signal number to specify which kind of signal to describe. The signal number may come from the termination status of a child process (see [Process Completion](#)) or it may come from a signal handler in the same process.

char \* **strsignal** (*int signum*)

Function

This function returns a pointer to a statically-allocated string containing a message describing the signal *signum*. You should not modify the contents of this string; and, since it can be rewritten on subsequent calls, you should save a copy of it if you need to reference it later.

This function is a GNU extension, declared in the header file `string.h`.

**void `psignal`** (*int signum, const char \*message*) Function

This function prints a message describing the signal *signum* to the standard error output stream `stderr`; see [Standard Streams](#).

If you call `psignal` with a *message* that is either a null pointer or an empty string, `psignal` just prints the message corresponding to *signum*, adding a trailing newline.

If you supply a non-null *message* argument, then `psignal` prefixes its output with this string. It adds a colon and a space character to separate the *message* from the string corresponding to *signum*.

This function is a BSD feature, declared in the header file `signal.h`.

There is also an array `sys_siglist` which contains the messages for the various signal codes. This array exists on BSD systems, unlike `strsignal`.

---

Node: Signal Actions, Next: [Defining Handlers](#), Previous: [Standard Signals](#), Up: [Signal Handling](#)

## Specifying Signal Actions

The simplest way to change the action for a signal is to use the `signal` function. You can specify a built-in action (such as to ignore the signal), or you can *establish a handler*.

The GNU library also implements the more versatile `sigaction` facility. This section describes both facilities and gives suggestions on which to use when.

- [Basic Signal Handling](#): The simple `signal` function.
- [Advanced Signal Handling](#): The more powerful `sigaction` function.
- [Signal and Sigaction](#): How those two functions interact.
- [Sigaction Function Example](#): An example of using the `sigaction` function.
- [Flags for Sigaction](#): Specifying options for signal handling.
- [Initial Signal Actions](#): How programs inherit signal actions.



---

Node: Basic Signal Handling, Next: [Advanced Signal Handling](#), Up: [Signal Actions](#)

## Basic Signal Handling

The `signal` function provides a simple interface for establishing an action for a particular signal. The function and associated macros are declared in the header file `signal.h`.

### `sighandler_t`

Data Type

This is the type of signal handler functions. Signal handlers take one integer argument specifying the signal number, and have return type `void`. So, you should define handler functions like this:

```
void handler (int signum) { ... }
```

The name `sighandler_t` for this data type is a GNU extension.

### `signal` (*int signum, sighandler\_t action*)

Function

The `signal` function establishes *action* as the action for the signal *signum*.

The first argument, *signum*, identifies the signal whose behavior you want to control, and should be a signal number. The proper way to specify a signal number is with one of the symbolic signal names (see [Standard Signals](#))--don't use an explicit number, because the numerical code for a given kind of signal may vary from operating system to operating system.

The second argument, *action*, specifies the action to use for the signal *signum*. This can be one of the following:

#### `SIG_DFL`

`SIG_DFL` specifies the default action for the particular signal. The default actions for various kinds of signals are stated in [Standard Signals](#).

#### `SIG_IGN`

`SIG_IGN` specifies that the signal should be ignored.

Your program generally should not ignore signals that represent serious events or that are normally used to request termination. You cannot ignore the `SIGKILL` or `SIGSTOP` signals at all. You can ignore program error signals like `SIGSEGV`, but ignoring the error won't enable the program to continue executing meaningfully. Ignoring user requests such as `SIGINT`, `SIGQUIT`, and `SIGTSTP` is unfriendly.

When you do not wish signals to be delivered during a certain part of the program, the thing to do is to block them, not ignore them. See [Blocking Signals](#).

### *handler*

Supply the address of a handler function in your program, to specify running this handler as the way to deliver the signal.

For more information about defining signal handler functions, see [Defining Handlers](#).

If you set the action for a signal to `SIG_IGN`, or if you set it to `SIG_DFL` and the default action is to ignore that signal, then any pending signals of that type are discarded (even if they are blocked). Discarding the pending signals means that they will never be delivered, not even if you subsequently specify another action and unblock this kind of signal.

The `signal` function returns the action that was previously in effect for the specified *signum*. You can save this value and restore it later by calling `signal` again.

If `signal` can't honor the request, it returns `SIG_ERR` instead. The following `errno` error conditions are defined for this function:

#### `EINVAL`

You specified an invalid *signum*; or you tried to ignore or provide a handler for `SIGKILL` or `SIGSTOP`.

**Compatibility Note:** A problem encountered when working with the `signal` function is that it has different semantics on BSD and SVID systems. The difference is that on SVID systems the signal handler is deinstalled after signal delivery. On BSD systems the handler must be explicitly deinstalled. In the GNU C Library we use the BSD version by default. To use the SVID version you can either use the function `sysv_signal` (see below) or use the `_XOPEN_SOURCE` feature select macro (see [Feature Test Macros](#)). In general, use of these functions should be avoided because of compatibility problems. It is better to use `sigaction` if it is available since the results are much more reliable.

Here is a simple example of setting up a handler to delete temporary files when certain fatal signals happen:

```
#include <signal.h>

void
termination_handler (int signum)
{
    struct temp_file *p;
```

```

    for (p = temp_file_list; p; p = p->next)
        unlink (p->name);
}

int
main (void)
{
    ...
    if (signal (SIGINT, termination_handler) == SIG_IGN)
        signal (SIGINT, SIG_IGN);
    if (signal (SIGHUP, termination_handler) == SIG_IGN)
        signal (SIGHUP, SIG_IGN);
    if (signal (SIGTERM, termination_handler) == SIG_IGN)
        signal (SIGTERM, SIG_IGN);
    ...
}

```

Note that if a given signal was previously set to be ignored, this code avoids altering that setting. This is because non-job-control shells often ignore certain signals when starting children, and it is important for the children to respect this.

We do not handle SIGQUIT or the program error signals in this example because these are designed to provide information for debugging (a core dump), and the temporary files may give useful information.

**sighandler\_t sysv\_signal** (*int signum, sighandler\_t action*) Function

The `sysv_signal` implements the behavior of the standard `signal` function as found on SVID systems. The difference to BSD systems is that the handler is deinstalled after a delivery of a signal.

**Compatibility Note:** As said above for `signal`, this function should be avoided when possible. `sigaction` is the preferred method.

**sighandler\_t ssignal** (*int signum, sighandler\_t action*) Function

The `ssignal` function does the same thing as `signal`; it is provided only for compatibility with SVID.

**sighandler\_t SIG\_ERR** Macro

The value of this macro is used as the return value from `signal` to indicate an error.

---

Node: Advanced Signal Handling, Next: [Signal and Sigaction](#), Previous: [Basic Signal Handling](#),

Up: [Signal Actions](#)

## Advanced Signal Handling

The `sigaction` function has the same basic effect as `signal`: to specify how a signal should be handled by the process. However, `sigaction` offers more control, at the expense of more complexity. In particular, `sigaction` allows you to specify additional flags to control when the signal is generated and how the handler is invoked.

The `sigaction` function is declared in `signal.h`.

### struct sigaction

Data Type

Structures of type `struct sigaction` are used in the `sigaction` function to specify all the information about how to handle a particular signal. This structure contains at least the following members:

`sighandler_t sa_handler`

This is used in the same way as the *action* argument to the `signal` function. The value can be `SIG_DFL`, `SIG_IGN`, or a function pointer. See [Basic Signal Handling](#).

`sigset_t sa_mask`

This specifies a set of signals to be blocked while the handler runs. Blocking is explained in [Blocking for Handler](#). Note that the signal that was delivered is automatically blocked by default before its handler is started; this is true regardless of the value in `sa_mask`. If you want that signal not to be blocked within its handler, you must write code in the handler to unblock it.

`int sa_flags`

This specifies various flags which can affect the behavior of the signal. These are described in more detail in [Flags for Sigaction](#).

`int sigaction` (*int signum, const struct sigaction \*restrict action, struct sigaction \*restrict old-action*)

Function

The *action* argument is used to set up a new action for the signal *signum*, while the *old-action* argument is used to return information about the action previously associated with this symbol. (In other words, *old-action* has the same purpose as the `signal` function's return value--you can check to see what the old action in effect for the signal was, and restore it later if you want.)

Either *action* or *old-action* can be a null pointer. If *old-action* is a null pointer, this simply suppresses the return of information about the old action. If *action* is a null pointer, the action associated with the signal *signum* is unchanged; this allows you to inquire about how a signal is being handled without changing that handling.

The return value from `sigaction` is zero if it succeeds, and `-1` on failure. The following `errno` error conditions are defined for this function:

#### EINVAL

The *signum* argument is not valid, or you are trying to trap or ignore SIGKILL or SIGSTOP.

---

Node: [Signal and Sigaction](#), Next: [Sigaction Function Example](#), Previous: [Advanced Signal Handling](#),  
Up: [Signal Actions](#)

## Interaction of `signal` and `sigaction`

It's possible to use both the `signal` and `sigaction` functions within a single program, but you have to be careful because they can interact in slightly strange ways.

The `sigaction` function specifies more information than the `signal` function, so the return value from `signal` cannot express the full range of `sigaction` possibilities. Therefore, if you use `signal` to save and later reestablish an action, it may not be able to reestablish properly a handler that was established with `sigaction`.

To avoid having problems as a result, always use `sigaction` to save and restore a handler if your program uses `sigaction` at all. Since `sigaction` is more general, it can properly save and reestablish any action, regardless of whether it was established originally with `signal` or `sigaction`.

On some systems if you establish an action with `signal` and then examine it with `sigaction`, the handler address that you get may not be the same as what you specified with `signal`. It may not even be suitable for use as an action argument with `signal`. But you can rely on using it as an argument to `sigaction`. This problem never happens on the GNU system.

So, you're better off using one or the other of the mechanisms consistently within a single program.

**Portability Note:** The basic `signal` function is a feature of ISO C, while `sigaction` is part of the POSIX.1 standard. If you are concerned about portability to non-POSIX systems, then you should use the `signal` function instead.

---

Node: [Sigaction Function Example](#), Next: [Flags for Sigaction](#), Previous: [Signal and Sigaction](#),  
Up: [Signal Actions](#)

## sigaction Function Example

In [Basic Signal Handling](#), we gave an example of establishing a simple handler for termination signals using `signal`. Here is an equivalent example using `sigaction`:

```
#include <signal.h>

void
termination_handler (int signum)
{
    struct temp_file *p;

    for (p = temp_file_list; p; p = p->next)
        unlink (p->name);
}

int
main (void)
{
    ...
    struct sigaction new_action, old_action;

    /* Set up the structure to specify the new action. */
    new_action.sa_handler = termination_handler;
    sigemptyset (&new_action.sa_mask);
    new_action.sa_flags = 0;

    sigaction (SIGINT, NULL, &old_action);
    if (old_action.sa_handler != SIG_IGN)
        sigaction (SIGINT, &new_action, NULL);
    sigaction (SIGHUP, NULL, &old_action);
    if (old_action.sa_handler != SIG_IGN)
        sigaction (SIGHUP, &new_action, NULL);
    sigaction (SIGTERM, NULL, &old_action);
    if (old_action.sa_handler != SIG_IGN)
        sigaction (SIGTERM, &new_action, NULL);
}
```

```
    ...
}
```

The program just loads the `new_action` structure with the desired parameters and passes it in the `sigaction` call. The usage of `sigemptyset` is described later; see [Blocking Signals](#).

As in the example using `signal`, we avoid handling signals previously set to be ignored. Here we can avoid altering the signal handler even momentarily, by using the feature of `sigaction` that lets us examine the current action without specifying a new one.

Here is another example. It retrieves information about the current action for `SIGINT` without changing that action.

```
struct sigaction query_action;

if (sigaction (SIGINT, NULL, &query_action) < 0)
    /* sigaction returns -1 in case of error. */
else if (query_action.sa_handler == SIG_DFL)
    /* SIGINT is handled in the default, fatal manner. */
else if (query_action.sa_handler == SIG_IGN)
    /* SIGINT is ignored. */
else
    /* A programmer-defined signal handler is in effect. */
```

---

Node: [Flags for Sigaction](#), Next: [Initial Signal Actions](#), Previous: [Sigaction Function Example](#),  
Up: [Signal Actions](#)

## Flags for `sigaction`

The `sa_flags` member of the `sigaction` structure is a catch-all for special features. Most of the time, `SA_RESTART` is a good value to use for this field.

The value of `sa_flags` is interpreted as a bit mask. Thus, you should choose the flags you want to set, OR those flags together, and store the result in the `sa_flags` member of your `sigaction` structure.

Each signal number has its own set of flags. Each call to `sigaction` affects one particular signal number, and the flags that you specify apply only to that particular signal.

In the GNU C library, establishing a handler with `signal` sets all the flags to zero except for `SA_RESTART`, whose value depends on the settings you have made with `siginterrupt`. See

[Interrupted Primitives](#), to see what this is about.

These macros are defined in the header file `signal.h`.

int **SA\_NOCLDSTOP** Macro

This flag is meaningful only for the `SIGCHLD` signal. When the flag is set, the system delivers the signal for a terminated child process but not for one that is stopped. By default, `SIGCHLD` is delivered for both terminated children and stopped children.

Setting this flag for a signal other than `SIGCHLD` has no effect.

int **SA\_ONSTACK** Macro

If this flag is set for a particular signal number, the system uses the signal stack when delivering that kind of signal. See [Signal Stack](#). If a signal with this flag arrives and you have not set a signal stack, the system terminates the program with `SIGILL`.

int **SA\_RESTART** Macro

This flag controls what happens when a signal is delivered during certain primitives (such as `open`, `read` or `write`), and the signal handler returns normally. There are two alternatives: the library function can resume, or it can return failure with error code `EINTR`.

The choice is controlled by the `SA_RESTART` flag for the particular kind of signal that was delivered. If the flag is set, returning from a handler resumes the library function. If the flag is clear, returning from a handler makes the function fail. See [Interrupted Primitives](#).

---

Node: Initial Signal Actions, Previous: [Flags for Sigaction](#), Up: [Signal Actions](#)

## Initial Signal Actions

When a new process is created (see [Creating a Process](#)), it inherits handling of signals from its parent process. However, when you load a new process image using the `exec` function (see [Executing a File](#)), any signals that you've defined your own handlers for revert to their `SIG_DFL` handling. (If you think about it a little, this makes sense; the handler functions from the old program are specific to that program, and aren't even present in the address space of the new program image.) Of course, the new program can establish its own handlers.

When a program is run by a shell, the shell normally sets the initial actions for the child process to `SIG_DFL` or `SIG_IGN`, as appropriate. It's a good idea to check to make sure that the shell has not set



up an initial action of `SIG_IGN` before you establish your own signal handlers.

Here is an example of how to establish a handler for `SIGHUP`, but not if `SIGHUP` is currently ignored:

```
...
struct sigaction temp;

sigaction (SIGHUP, NULL, &temp);

if (temp.sa_handler != SIG_IGN)
{
    temp.sa_handler = handle_sighup;
    sigemptyset (&temp.sa_mask);
    sigaction (SIGHUP, &temp, NULL);
}
```

---

Node: Defining Handlers, Next: [Interrupted Primitives](#), Previous: [Signal Actions](#), Up: [Signal Handling](#)

## Defining Signal Handlers

This section describes how to write a signal handler function that can be established with the `signal` or `sigaction` functions.

A signal handler is just a function that you compile together with the rest of the program. Instead of directly invoking the function, you use `signal` or `sigaction` to tell the operating system to call it when a signal arrives. This is known as *establishing* the handler. See [Signal Actions](#).

There are two basic strategies you can use in signal handler functions:

- You can have the handler function note that the signal arrived by tweaking some global data structures, and then return normally.
- You can have the handler function terminate the program or transfer control to a point where it can recover from the situation that caused the signal.

You need to take special care in writing handler functions because they can be called asynchronously. That is, a handler might be called at any point in the program, unpredictably. If two signals arrive during a very short interval, one handler can run within another. This section describes what your handler should do, and what you should avoid.

- [Handler Returns](#): Handlers that return normally, and what this means.
- [Termination in Handler](#): How handler functions terminate a program.

- [Longjmp in Handler](#): Nonlocal transfer of control out of a signal handler.
- [Signals in Handler](#): What happens when signals arrive while the handler is already occupied.
- [Merged Signals](#): When a second signal arrives before the first is handled.
- [Nonreentrancy](#): Do not call any functions unless you know they are reentrant with respect to signals.
- [Atomic Data Access](#): A single handler can run in the middle of reading or writing a single object.

---

Node: [Handler Returns](#), Next: [Termination in Handler](#), Up: [Defining Handlers](#)

## Signal Handlers that Return

Handlers which return normally are usually used for signals such as SIGALRM and the I/O and interprocess communication signals. But a handler for SIGINT might also return normally after setting a flag that tells the program to exit at a convenient time.

It is not safe to return normally from the handler for a program error signal, because the behavior of the program when the handler function returns is not defined after a program error. See [Program Error Signals](#).

Handlers that return normally must modify some global variable in order to have any effect. Typically, the variable is one that is examined periodically by the program during normal operation. Its data type should be `sig_atomic_t` for reasons described in [Atomic Data Access](#).

Here is a simple example of such a program. It executes the body of the loop until it has noticed that a SIGALRM signal has arrived. This technique is useful because it allows the iteration in progress when the signal arrives to complete before the loop exits.

```
#include <signal.h>
#include <stdio.h>
#include <stdlib.h>

/* This flag controls termination of the main loop. */
volatile sig_atomic_t keep_going = 1;

/* The signal handler just clears the flag and re-enables itself. */
void
catch_alarm (int sig)
{
    keep_going = 0;
    signal (sig, catch_alarm);
}
```

```

void
do_stuff (void)
{
    puts ("Doing stuff while waiting for alarm....");
}

int
main (void)
{
    /* Establish a handler for SIGALRM signals. */
    signal (SIGALRM, catch_alarm);

    /* Set an alarm to go off in a little while. */
    alarm (2);

    /* Check the flag once in a while to see when to quit. */
    while (keep_going)
        do_stuff ();

    return EXIT_SUCCESS;
}

```

---

Node: Termination in Handler, Next: [Longjmp in Handler](#), Previous: [Handler Returns](#), Up: [Defining Handlers](#)

## Handlers That Terminate the Process

Handler functions that terminate the program are typically used to cause orderly cleanup or recovery from program error signals and interactive interrupts.

The cleanest way for a handler to terminate the process is to raise the same signal that ran the handler in the first place. Here is how to do this:

```

volatile sig_atomic_t fatal_error_in_progress = 0;

void
fatal_error_signal (int sig)
{
    /* Since this handler is established for more than one kind of signal,
       it might still get invoked recursively by delivery of some other kind
       of signal. Use a static variable to keep track of that. */
    if (fatal_error_in_progress)
        raise (sig);
    fatal_error_in_progress = 1;
}

```

```

/* Now do the clean up actions:
   - reset terminal modes
   - kill child processes
   - remove lock files */
...

/* Now reraise the signal.  We reactivate the signal's
   default handling, which is to terminate the process.
   We could just call exit or abort,
   but reraising the signal sets the return status
   from the process correctly. */
signal (sig, SIG_DFL);
raise (sig);
}

```

---

Node: Longjmp in Handler, Next: [Signals in Handler](#), Previous: [Termination in Handler](#), Up: [Defining Handlers](#)

## Nonlocal Control Transfer in Handlers

You can do a nonlocal transfer of control out of a signal handler using the `setjmp` and `longjmp` facilities (see [Non-Local Exits](#)).

When the handler does a nonlocal control transfer, the part of the program that was running will not continue. If this part of the program was in the middle of updating an important data structure, the data structure will remain inconsistent. Since the program does not terminate, the inconsistency is likely to be noticed later on.

There are two ways to avoid this problem. One is to block the signal for the parts of the program that update important data structures. Blocking the signal delays its delivery until it is unblocked, once the critical updating is finished. See [Blocking Signals](#).

The other way to re-initialize the crucial data structures in the signal handler, or make their values consistent.

Here is a rather schematic example showing the reinitialization of one global variable.

```

#include <signal.h>
#include <setjmp.h>

jmp_buf return_to_top_level;

volatile sig_atomic_t waiting_for_input;

```

```

void
handle_sigint (int signum)
{
    /* We may have been waiting for input when the signal arrived,
       but we are no longer waiting once we transfer control. */
    waiting_for_input = 0;
    longjmp (return_to_top_level, 1);
}

int
main (void)
{
    ...
    signal (SIGINT, sigint_handler);
    ...
    while (1) {
        prepare_for_command ();
        if (setjmp (return_to_top_level) == 0)
            read_and_execute_command ();
    }
}

/* Imagine this is a subroutine used by various commands. */
char *
read_data ()
{
    if (input_from_terminal) {
        waiting_for_input = 1;
        ...
        waiting_for_input = 0;
    } else {
        ...
    }
}

```

---

Node: Signals in Handler, Next: [Merged Signals](#), Previous: [Longjmp in Handler](#), Up: [Defining Handlers](#)

## Signals Arriving While a Handler Runs

What happens if another signal arrives while your signal handler function is running?

When the handler for a particular signal is invoked, that signal is automatically blocked until the handler returns. That means that if two signals of the same kind arrive close together, the second one will be held until the first has been handled. (The handler can explicitly unblock the signal using `sigprocmask`, if

you want to allow more signals of this type to arrive; see [Process Signal Mask](#).)

However, your handler can still be interrupted by delivery of another kind of signal. To avoid this, you can use the `sa_mask` member of the action structure passed to `sigaction` to explicitly specify which signals should be blocked while the signal handler runs. These signals are in addition to the signal for which the handler was invoked, and any other signals that are normally blocked by the process. See [Blocking for Handler](#).

When the handler returns, the set of blocked signals is restored to the value it had before the handler ran. So using `sigprocmask` inside the handler only affects what signals can arrive during the execution of the handler itself, not what signals can arrive once the handler returns.

**Portability Note:** Always use `sigaction` to establish a handler for a signal that you expect to receive asynchronously, if you want your program to work properly on System V Unix. On this system, the handling of a signal whose handler was established with `signal` automatically sets the signal's action back to `SIG_DFL`, and the handler must re-establish itself each time it runs. This practice, while inconvenient, does work when signals cannot arrive in succession. However, if another signal can arrive right away, it may arrive before the handler can re-establish itself. Then the second signal would receive the default handling, which could terminate the process.

---

Node: Merged Signals, Next: [Nonreentrancy](#), Previous: [Signals in Handler](#), Up: [Defining Handlers](#)

## Signals Close Together Merge into One

If multiple signals of the same type are delivered to your process before your signal handler has a chance to be invoked at all, the handler may only be invoked once, as if only a single signal had arrived. In effect, the signals merge into one. This situation can arise when the signal is blocked, or in a multiprocessing environment where the system is busy running some other processes while the signals are delivered. This means, for example, that you cannot reliably use a signal handler to count signals. The only distinction you can reliably make is whether at least one signal has arrived since a given time in the past.

Here is an example of a handler for `SIGCHLD` that compensates for the fact that the number of signals received may not equal the number of child processes that generate them. It assumes that the program keeps track of all the child processes with a chain of structures as follows:

```
struct process
{
    struct process *next;
    /* The process ID of this child. */
    int pid;
};
```

```

/* The descriptor of the pipe or pseudo terminal
   on which output comes from this child. */
int input_descriptor;
/* Nonzero if this process has stopped or terminated. */
sig_atomic_t have_status;
/* The status of this child; 0 if running,
   otherwise a status value from waitpid. */
int status;
};

struct process *process_list;

```

This example also uses a flag to indicate whether signals have arrived since some time in the past--whenever the program last cleared it to zero.

```

/* Nonzero means some child's status has changed
   so look at process_list for the details. */
int process_status_change;

```

Here is the handler itself:

```

void
sigchld_handler (int signo)
{
    int old_errno = errno;

    while (1) {
        register int pid;
        int w;
        struct process *p;

        /* Keep asking for a status until we get a definitive result. */
        do
            {
                errno = 0;
                pid = waitpid (WAIT_ANY, &w, WNOHANG | WUNTRACED);
            }
        while (pid <= 0 && errno == EINTR);

        if (pid <= 0) {
            /* A real failure means there are no more
               stopped or terminated child processes, so return. */
            errno = old_errno;
            return;
        }

        /* Find the process that signaled us, and record its status. */

```

```

for (p = process_list; p; p = p->next)
  if (p->pid == pid) {
    p->status = w;
    /* Indicate that the status field
       has data to look at. We do this only after storing it. */
    p->have_status = 1;

    /* If process has terminated, stop waiting for its output. */
    if (WIFSIGNALED (w) || WIFEXITED (w))
      if (p->input_descriptor)
        FD_CLR (p->input_descriptor, &input_wait_mask);

    /* The program should check this flag from time to time
       to see if there is any news in process_list. */
    ++process_status_change;
  }

/* Loop around to handle all the processes
   that have something to tell us. */
}
}

```

Here is the proper way to check the flag `process_status_change`:

```

if (process_status_change) {
  struct process *p;
  process_status_change = 0;
  for (p = process_list; p; p = p->next)
    if (p->have_status) {
      ... Examine p->status ...
    }
}

```

It is vital to clear the flag before examining the list; otherwise, if a signal were delivered just before the clearing of the flag, and after the appropriate element of the process list had been checked, the status change would go unnoticed until the next signal arrived to set the flag again. You could, of course, avoid this problem by blocking the signal while scanning the list, but it is much more elegant to guarantee correctness by doing things in the right order.

The loop which checks process status avoids examining `p->status` until it sees that status has been validly stored. This is to make sure that the status cannot change in the middle of accessing it. Once `p->have_status` is set, it means that the child process is stopped or terminated, and in either case, it cannot stop or terminate again until the program has taken notice. See [Atomic Usage](#), for more information about coping with interruptions during accesses of a variable.



Here is another way you can test whether the handler has run since the last time you checked. This technique uses a counter which is never changed outside the handler. Instead of clearing the count, the program remembers the previous value and sees whether it has changed since the previous check. The advantage of this method is that different parts of the program can check independently, each part checking whether there has been a signal since that part last checked.

```
sig_atomic_t process_status_change;

sig_atomic_t last_process_status_change;

...
{
    sig_atomic_t prev = last_process_status_change;
    last_process_status_change = process_status_change;
    if (last_process_status_change != prev) {
        struct process *p;
        for (p = process_list; p; p = p->next)
            if (p->have_status) {
                ... Examine p->status ...
            }
    }
}
```

---

Node: Nonreentrancy, Next: [Atomic Data Access](#), Previous: [Merged Signals](#), Up: [Defining Handlers](#)

## Signal Handling and Nonreentrant Functions

Handler functions usually don't do very much. The best practice is to write a handler that does nothing but set an external variable that the program checks regularly, and leave all serious work to the program. This is best because the handler can be called asynchronously, at unpredictable times--perhaps in the middle of a primitive function, or even between the beginning and the end of a C operator that requires multiple instructions. The data structures being manipulated might therefore be in an inconsistent state when the handler function is invoked. Even copying one `int` variable into another can take two instructions on most machines.

This means you have to be very careful about what you do in a signal handler.

- If your handler needs to access any global variables from your program, declare those variables `volatile`. This tells the compiler that the value of the variable might change asynchronously, and inhibits certain optimizations that would be invalidated by such modifications.
- If you call a function in the handler, make sure it is *reentrant* with respect to signals, or else make sure that the signal cannot interrupt a call to a related function.

A function can be non-reentrant if it uses memory that is not on the stack.

- If a function uses a static variable or a global variable, or a dynamically-allocated object that it finds for itself, then it is non-reentrant and any two calls to the function can interfere.

For example, suppose that the signal handler uses `gethostbyname`. This function returns its value in a static object, reusing the same object each time. If the signal happens to arrive during a call to `gethostbyname`, or even after one (while the program is still using the value), it will clobber the value that the program asked for.

However, if the program does not use `gethostbyname` or any other function that returns information in the same object, or if it always blocks signals around each use, then you are safe.

There are a large number of library functions that return values in a fixed object, always reusing the same object in this fashion, and all of them cause the same problem. Function descriptions in this manual always mention this behavior.

- If a function uses and modifies an object that you supply, then it is potentially non-reentrant; two calls can interfere if they use the same object.

This case arises when you do I/O using streams. Suppose that the signal handler prints a message with `fprintf`. Suppose that the program was in the middle of an `fprintf` call using the same stream when the signal was delivered. Both the signal handler's message and the program's data could be corrupted, because both calls operate on the same data structure--the stream itself.

However, if you know that the stream that the handler uses cannot possibly be used by the program at a time when signals can arrive, then you are safe. It is no problem if the program uses some other stream.

- On most systems, `malloc` and `free` are not reentrant, because they use a static data structure which records what memory blocks are free. As a result, no library functions that allocate or free memory are reentrant. This includes functions that allocate space to store a result.

The best way to avoid the need to allocate memory in a handler is to allocate in advance space for signal handlers to use.

The best way to avoid freeing memory in a handler is to flag or record the objects to be freed, and have the program check from time to time whether anything is waiting to be freed. But this must be done with care, because placing an object on a chain is not atomic, and if it is interrupted by another signal handler that does the same thing, you could "lose" one of the objects.

- Any function that modifies `errno` is non-reentrant, but you can correct for this: in the handler, save the original value of `errno` and restore it before returning normally. This prevents errors that occur within the signal handler from being confused with errors from system calls at the point the program is interrupted to run the handler.

This technique is generally applicable; if you want to call in a handler a function that modifies a particular object in memory, you can make this safe by saving and restoring that object.

- Merely reading from a memory object is safe provided that you can deal with any of the values that might appear in the object at a time when the signal can be delivered. Keep in mind that assignment to some data types requires more than one instruction, which means that the handler could run "in the middle of" an assignment to the variable if its type is not atomic. See [Atomic Data Access](#).
- Merely writing into a memory object is safe as long as a sudden change in the value, at any time when the handler might run, will not disturb anything.

---

Node: Atomic Data Access, Previous: [Nonreentrancy](#), Up: [Defining Handlers](#)

## Atomic Data Access and Signal Handling

Whether the data in your application concerns atoms, or mere text, you have to be careful about the fact that access to a single datum is not necessarily *atomic*. This means that it can take more than one instruction to read or write a single object. In such cases, a signal handler might be invoked in the middle of reading or writing the object.

There are three ways you can cope with this problem. You can use data types that are always accessed atomically; you can carefully arrange that nothing untoward happens if an access is interrupted, or you can block all signals around any access that had better not be interrupted (see [Blocking Signals](#)).

- [Non-atomic Example](#): A program illustrating interrupted access.
- [Types](#): Data types that guarantee no interruption.
- [Usage](#): Proving that interruption is harmless.

---

Node: Non-atomic Example, Next: [Atomic Types](#), Up: [Atomic Data Access](#)

## Problems with Non-Atomic Access

Here is an example which shows what can happen if a signal handler runs in the middle of modifying a variable. (Interrupting the reading of a variable can also lead to paradoxical results, but here we only

show writing.)

```

#include <signal.h>
#include <stdio.h>

struct two_words { int a, b; } memory;

void
handler(int signum)
{
    printf ("%d,%d\n", memory.a, memory.b);
    alarm (1);
}

int
main (void)
{
    static struct two_words zeros = { 0, 0 }, ones = { 1, 1 };
    signal (SIGALRM, handler);
    memory = zeros;
    alarm (1);
    while (1)
        {
            memory = zeros;
            memory = ones;
        }
}

```

This program fills `memory` with zeros, ones, zeros, ones, alternating forever; meanwhile, once per second, the alarm signal handler prints the current contents. (Calling `printf` in the handler is safe in this program because it is certainly not being called outside the handler when the signal happens.)

Clearly, this program can print a pair of zeros or a pair of ones. But that's not all it can do! On most machines, it takes several instructions to store a new value in `memory`, and the value is stored one word at a time. If the signal is delivered in between these instructions, the handler might find that `memory.a` is zero and `memory.b` is one (or vice versa).

On some machines it may be possible to store a new value in `memory` with just one instruction that cannot be interrupted. On these machines, the handler will always print two zeros or two ones.

---

Node: Atomic Types, Next: [Atomic Usage](#), Previous: [Non-atomic Example](#), Up: [Atomic Data Access](#)

## Atomic Types

To avoid uncertainty about interrupting access to a variable, you can use a particular data type for which access is always atomic: `sig_atomic_t`. Reading and writing this data type is guaranteed to happen in a single instruction, so there's no way for a handler to run "in the middle" of an access.

The type `sig_atomic_t` is always an integer data type, but which one it is, and how many bits it contains, may vary from machine to machine.

## `sig_atomic_t`

Data Type

This is an integer data type. Objects of this type are always accessed atomically.

In practice, you can assume that `int` and other integer types no longer than `int` are atomic. You can also assume that pointer types are atomic; that is very convenient. Both of these assumptions are true on all of the machines that the GNU C library supports and on all POSIX systems we know of.

---

Node: Atomic Usage, Previous: [Atomic Types](#), Up: [Atomic Data Access](#)

## Atomic Usage Patterns

Certain patterns of access avoid any problem even if an access is interrupted. For example, a flag which is set by the handler, and tested and cleared by the main program from time to time, is always safe even if access actually requires two instructions. To show that this is so, we must consider each access that could be interrupted, and show that there is no problem if it is interrupted.

An interrupt in the middle of testing the flag is safe because either it's recognized to be nonzero, in which case the precise value doesn't matter, or it will be seen to be nonzero the next time it's tested.

An interrupt in the middle of clearing the flag is no problem because either the value ends up zero, which is what happens if a signal comes in just before the flag is cleared, or the value ends up nonzero, and subsequent events occur as if the signal had come in just after the flag was cleared. As long as the code handles both of these cases properly, it can also handle a signal in the middle of clearing the flag. (This is an example of the sort of reasoning you need to do to figure out whether non-atomic usage is safe.)

Sometimes you can insure uninterrupted access to one object by protecting its use with another object, perhaps one whose type guarantees atomicity. See [Merged Signals](#), for an example.

---

Node: Interrupted Primitives, Next: [Generating Signals](#), Previous: [Defining Handlers](#), Up: [Signal Handling](#)

## Primitives Interrupted by Signals

A signal can arrive and be handled while an I/O primitive such as `open` or `read` is waiting for an I/O device. If the signal handler returns, the system faces the question: what should happen next?

POSIX specifies one approach: make the primitive fail right away. The error code for this kind of failure is `EINTR`. This is flexible, but usually inconvenient. Typically, POSIX applications that use signal handlers must check for `EINTR` after each library function that can return it, in order to try the call again. Often programmers forget to check, which is a common source of error.

The GNU library provides a convenient way to retry a call after a temporary failure, with the macro `TEMP_FAILURE_RETRY`:

**`TEMP_FAILURE_RETRY`** (*expression*)

Macro

This macro evaluates *expression* once. If it fails and reports error code `EINTR`, `TEMP_FAILURE_RETRY` evaluates it again, and over and over until the result is not a temporary failure.

The value returned by `TEMP_FAILURE_RETRY` is whatever value *expression* produced.

BSD avoids `EINTR` entirely and provides a more convenient approach: to restart the interrupted primitive, instead of making it fail. If you choose this approach, you need not be concerned with `EINTR`.

You can choose either approach with the GNU library. If you use `sigaction` to establish a signal handler, you can specify how that handler should behave. If you specify the `SA_RESTART` flag, return from that handler will resume a primitive; otherwise, return from that handler will cause `EINTR`. See [Flags for Sigaction](#).

Another way to specify the choice is with the `siginterrupt` function. See [BSD Handler](#).

When you don't specify with `sigaction` or `siginterrupt` what a particular handler should do, it uses a default choice. The default choice in the GNU library depends on the feature test macros you have defined. If you define `_BSD_SOURCE` or `_GNU_SOURCE` before calling `signal`, the default is to resume primitives; otherwise, the default is to make them fail with `EINTR`. (The library contains alternate versions of the `signal` function, and the feature test macros determine which one you really call.) See [Feature Test Macros](#).

The description of each primitive affected by this issue lists `EINTR` among the error codes it can return.

There is one situation where resumption never happens no matter which choice you make: when a data-

transfer function such as `read` or `write` is interrupted by a signal after transferring part of the data. In this case, the function returns the number of bytes already transferred, indicating partial success.

This might at first appear to cause unreliable behavior on record-oriented devices (including datagram sockets; see [Datagrams](#)), where splitting one `read` or `write` into two would read or write two records. Actually, there is no problem, because interruption after a partial transfer cannot happen on such devices; they always transfer an entire record in one burst, with no waiting once data transfer has started.

Node: [Generating Signals](#), Next: [Blocking Signals](#), Previous: [Interrupted Primitives](#), Up: [Signal Handling](#)

## Generating Signals

Besides signals that are generated as a result of a hardware trap or interrupt, your program can explicitly send signals to itself or to another process.

- [Signaling Yourself](#): A process can send a signal to itself.
- [Signaling Another Process](#): Send a signal to another process.
- [Permission for kill](#): Permission for using `kill`.
- [Kill Example](#): Using `kill` for Communication.

Node: [Signaling Yourself](#), Next: [Signaling Another Process](#), Up: [Generating Signals](#)

## Signaling Yourself

A process can send itself a signal with the `raise` function. This function is declared in `signal.h`.

`int raise (int signum)` Function

The `raise` function sends the signal *signum* to the calling process. It returns zero if successful and a nonzero value if it fails. About the only reason for failure would be if the value of *signum* is invalid.

`int gsignal (int signum)` Function

The `gsignal` function does the same thing as `raise`; it is provided only for compatibility with SVID.

One convenient use for `raise` is to reproduce the default behavior of a signal that you have trapped.

For instance, suppose a user of your program types the SUSP character (usually C-z; see [Special Characters](#)) to send it an interactive stop signal (SIGTSTP), and you want to clean up some internal data buffers before stopping. You might set this up like this:

```
#include <signal.h>

/* When a stop signal arrives, set the action back to the default
   and then resend the signal after doing cleanup actions. */

void
tstp_handler (int sig)
{
    signal (SIGTSTP, SIG_DFL);
    /* Do cleanup actions here. */
    ...
    raise (SIGTSTP);
}

/* When the process is continued again, restore the signal handler. */

void
cont_handler (int sig)
{
    signal (SIGCONT, cont_handler);
    signal (SIGTSTP, tstp_handler);
}

/* Enable both handlers during program initialization. */

int
main (void)
{
    signal (SIGCONT, cont_handler);
    signal (SIGTSTP, tstp_handler);
    ...
}
```

**Portability note:** `raise` was invented by the ISO C committee. Older systems may not support it, so using `kill` may be more portable. See [Signaling Another Process](#).

---

Node: [Signaling Another Process](#), Next: [Permission for kill](#), Previous: [Signaling Yourself](#),  
Up: [Generating Signals](#)

## Signaling Another Process



The `kill` function can be used to send a signal to another process. In spite of its name, it can be used for a lot of things other than causing a process to terminate. Some examples of situations where you might want to send signals between processes are:

- A parent process starts a child to perform a task--perhaps having the child running an infinite loop--and then terminates the child when the task is no longer needed.
- A process executes as part of a group, and needs to terminate or notify the other processes in the group when an error or other event occurs.
- Two processes need to synchronize while working together.

This section assumes that you know a little bit about how processes work. For more information on this subject, see [Processes](#).

The `kill` function is declared in `signal.h`.

int **kill** (*pid\_t pid*, *int signum*) Function

The `kill` function sends the signal *signum* to the process or process group specified by *pid*. Besides the signals listed in [Standard Signals](#), *signum* can also have a value of zero to check the validity of the *pid*.

The *pid* specifies the process or process group to receive the signal:

*pid* > 0

The process whose identifier is *pid*.

*pid* == 0

All processes in the same process group as the sender.

*pid* < -1

The process group whose identifier is *-pid*.

*pid* == -1

If the process is privileged, send the signal to all processes except for some special system processes. Otherwise, send the signal to all processes with the same effective user ID.

A process can send a signal to itself with a call like `kill (getpid(), signum)`. If `kill` is used by a process to send a signal to itself, and the signal is not blocked, then `kill` delivers at least one signal (which might be some other pending unblocked signal instead of the signal *signum*) to that process before it returns.

The return value from `kill` is zero if the signal can be sent successfully. Otherwise, no signal is sent, and a value of `-1` is returned. If *pid* specifies sending a signal to several processes, `kill` succeeds if it can send the signal to at least one of them. There's no way you can tell which of the processes got the signal or whether all of them did.

The following `errno` error conditions are defined for this function:

`EINVAL`

The *signum* argument is an invalid or unsupported number.

`EPERM`

You do not have the privilege to send a signal to the process or any of the processes in the process group named by *pid*.

`ESCRH`

The *pid* argument does not refer to an existing process or group.

int **killpg** (*int pgid*, *int signum*)

Function

This is similar to `kill`, but sends signal *signum* to the process group *pgid*. This function is provided for compatibility with BSD; using `kill` to do this is more portable.

As a simple example of `kill`, the call `kill (getpid ( ), sig)` has the same effect as `raise (sig)`.

---

Node: [Permission for kill](#), Next: [Kill Example](#), Previous: [Signaling Another Process](#), Up: [Generating Signals](#)

## Permission for using `kill`

There are restrictions that prevent you from using `kill` to send signals to any random process. These are intended to prevent antisocial behavior such as arbitrarily killing off processes belonging to another user. In typical use, `kill` is used to pass signals between parent, child, and sibling processes, and in these situations you normally do have permission to send signals. The only common exception is when you run a `setuid` program in a child process; if the program changes its real UID as well as its effective UID, you may not have permission to send a signal. The `su` program does this.

Whether a process has permission to send a signal to another process is determined by the user IDs of the two processes. This concept is discussed in detail in [Process Persona](#).

Generally, for a process to be able to send a signal to another process, either the sending process must belong to a privileged user (like `root`), or the real or effective user ID of the sending process must match the real or effective user ID of the receiving process. If the receiving process has changed its effective user ID from the `set-user-ID` mode bit on its process image file, then the owner of the process image file is used in place of its current effective user ID. In some implementations, a parent process might be able to send signals to a child process even if the user ID's don't match, and other

implementations might enforce other restrictions.

The `SIGCONT` signal is a special case. It can be sent if the sender is part of the same session as the receiver, regardless of user IDs.

---

Node: Kill Example, Previous: [Permission for kill](#), Up: [Generating Signals](#)

## Using `kill` for Communication

Here is a longer example showing how signals can be used for interprocess communication. This is what the `SIGUSR1` and `SIGUSR2` signals are provided for. Since these signals are fatal by default, the process that is supposed to receive them must trap them through `signal` or `sigaction`.

In this example, a parent process forks a child process and then waits for the child to complete its initialization. The child process tells the parent when it is ready by sending it a `SIGUSR1` signal, using the `kill` function.

```
#include <signal.h>
#include <stdio.h>
#include <sys/types.h>
#include <unistd.h>

/* When a SIGUSR1 signal arrives, set this variable. */
volatile sig_atomic_t usr_interrupt = 0;

void
synch_signal (int sig)
{
    usr_interrupt = 1;
}

/* The child process executes this function. */
void
child_function (void)
{
    /* Perform initialization. */
    printf ("I'm here!!! My pid is %d.\n", (int) getpid ());

    /* Let parent know you're done. */
    kill (getppid (), SIGUSR1);

    /* Continue with execution. */
    puts ("Bye, now....");
    exit (0);
}
```

```

int
main (void)
{
    struct sigaction usr_action;
    sigset_t block_mask;
    pid_t child_id;

    /* Establish the signal handler. */
    sigfillset (&block_mask);
    usr_action.sa_handler = synch_signal;
    usr_action.sa_mask = block_mask;
    usr_action.sa_flags = 0;
    sigaction (SIGUSR1, &usr_action, NULL);

    /* Create the child process. */
    child_id = fork ();
    if (child_id == 0)
        child_function ();          /* Does not return. */

    /* Busy wait for the child to send a signal. */
    while (!usr_interrupt)
        ;

    /* Now continue execution. */
    puts ("That's all, folks!");

    return 0;
}

```

This example uses a busy wait, which is bad, because it wastes CPU cycles that other programs could otherwise use. It is better to ask the system to wait until the signal arrives. See the example in [Waiting for a Signal](#).

---

Node: Blocking Signals, Next: [Waiting for a Signal](#), Previous: [Generating Signals](#), Up: [Signal Handling](#)

## Blocking Signals

Blocking a signal means telling the operating system to hold it and deliver it later. Generally, a program does not block signals indefinitely--it might as well ignore them by setting their actions to `SIG_IGN`. But it is useful to block signals briefly, to prevent them from interrupting sensitive operations. For instance:

- You can use the `sigprocmask` function to block signals while you modify global variables that

are also modified by the handlers for these signals.

- You can set `sa_mask` in your `sigaction` call to block certain signals while a particular signal handler runs. This way, the signal handler can run without being interrupted itself by signals.
- [Why Block](#): The purpose of blocking signals.
- [Signal Sets](#): How to specify which signals to block.
- [Process Signal Mask](#): Blocking delivery of signals to your process during normal execution.
- [Testing for Delivery](#): Blocking to Test for Delivery of a Signal.
- [Blocking for Handler](#): Blocking additional signals while a handler is being run.
- [Checking for Pending Signals](#): Checking for Pending Signals
- [Remembering a Signal](#): How you can get almost the same effect as blocking a signal, by handling it and setting a flag to be tested later.

Node: [Why Block](#), Next: [Signal Sets](#), Up: [Blocking Signals](#)

## Why Blocking Signals is Useful

Temporary blocking of signals with `sigprocmask` gives you a way to prevent interrupts during critical parts of your code. If signals arrive in that part of the program, they are delivered later, after you unblock them.

One example where this is useful is for sharing data between a signal handler and the rest of the program. If the type of the data is not `sig_atomic_t` (see [Atomic Data Access](#)), then the signal handler could run when the rest of the program has only half finished reading or writing the data. This would lead to confusing consequences.

To make the program reliable, you can prevent the signal handler from running while the rest of the program is examining or modifying that data--by blocking the appropriate signal around the parts of the program that touch the data.

Blocking signals is also necessary when you want to perform a certain action only if a signal has not arrived. Suppose that the handler for the signal sets a flag of type `sig_atomic_t`; you would like to test the flag and perform the action if the flag is not set. This is unreliable. Suppose the signal is delivered immediately after you test the flag, but before the consequent action: then the program will perform the action even though the signal has arrived.

The only way to test reliably for whether a signal has yet arrived is to test while the signal is blocked.

Node: [Signal Sets](#), Next: [Process Signal Mask](#), Previous: [Why Block](#), Up: [Blocking Signals](#)

## Signal Sets

All of the signal blocking functions use a data structure called a *signal set* to specify what signals are affected. Thus, every activity involves two stages: creating the signal set, and then passing it as an argument to a library function.

These facilities are declared in the header file `signal.h`.

**sigset\_t** Data Type

The `sigset_t` data type is used to represent a signal set. Internally, it may be implemented as either an integer or structure type.

For portability, use only the functions described in this section to initialize, change, and retrieve information from `sigset_t` objects--don't try to manipulate them directly.

There are two ways to initialize a signal set. You can initially specify it to be empty with `sigemptyset` and then add specified signals individually. Or you can specify it to be full with `sigfillset` and then delete specified signals individually.

You must always initialize the signal set with one of these two functions before using it in any other way. Don't try to set all the signals explicitly because the `sigset_t` object might include some other information (like a version field) that needs to be initialized as well. (In addition, it's not wise to put into your program an assumption that the system has no signals aside from the ones you know about.)

**int sigemptyset** (*sigset\_t \*set*) Function

This function initializes the signal set *set* to exclude all of the defined signals. It always returns 0.

**int sigfillset** (*sigset\_t \*set*) Function

This function initializes the signal set *set* to include all of the defined signals. Again, the return value is 0.

**int sigaddset** (*sigset\_t \*set, int signum*) Function

This function adds the signal *signum* to the signal set *set*. All `sigaddset` does is modify *set*; it does not block or unblock any signals.

The return value is 0 on success and -1 on failure. The following `errno` error condition is defined for this function:

`EINVAL`

The *signum* argument doesn't specify a valid signal.

**int sigdelset** (*sigset\_t \*set*, *int signum*) Function

This function removes the signal *signum* from the signal set *set*. All `sigdelset` does is modify *set*; it does not block or unblock any signals. The return value and error conditions are the same as for `sigaddset`.

Finally, there is a function to test what signals are in a signal set:

**int sigismember** (*const sigset\_t \*set*, *int signum*) Function

The `sigismember` function tests whether the signal *signum* is a member of the signal set *set*. It returns 1 if the signal is in the set, 0 if not, and -1 if there is an error.

The following `errno` error condition is defined for this function:

`EINVAL`

The *signum* argument doesn't specify a valid signal.

Node: Process Signal Mask, Next: [Testing for Delivery](#), Previous: [Signal Sets](#), Up: [Blocking Signals](#)

## Process Signal Mask

The collection of signals that are currently blocked is called the *signal mask*. Each process has its own signal mask. When you create a new process (see [Creating a Process](#)), it inherits its parent's mask. You can block or unblock signals with total flexibility by modifying the signal mask.

The prototype for the `sigprocmask` function is in `signal.h`.

Note that you must not use `sigprocmask` in multi-threaded processes, because each thread has its

own signal mask and there is no single process signal mask. According to POSIX, the behavior of `sigprocmask` in a multi-threaded process is "unspecified". Instead, use `pthread_sigmask`. See [Threads and Signal Handling](#).

**int sigprocmask** (*int how, const sigset\_t \*restrict set, sigset\_t \*restrict oldset*) Function

The `sigprocmask` function is used to examine or change the calling process's signal mask. The *how* argument determines how the signal mask is changed, and must be one of the following values:

`SIG_BLOCK`

Block the signals in *set*--add them to the existing mask. In other words, the new mask is the union of the existing mask and *set*.

`SIG_UNBLOCK`

Unblock the signals in *set*--remove them from the existing mask.

`SIG_SETMASK`

Use *set* for the mask; ignore the previous value of the mask.

The last argument, *oldset*, is used to return information about the old process signal mask. If you just want to change the mask without looking at it, pass a null pointer as the *oldset* argument. Similarly, if you want to know what's in the mask without changing it, pass a null pointer for *set* (in this case the *how* argument is not significant). The *oldset* argument is often used to remember the previous signal mask in order to restore it later. (Since the signal mask is inherited over `fork` and `exec` calls, you can't predict what its contents are when your program starts running.)

If invoking `sigprocmask` causes any pending signals to be unblocked, at least one of those signals is delivered to the process before `sigprocmask` returns. The order in which pending signals are delivered is not specified, but you can control the order explicitly by making multiple `sigprocmask` calls to unblock various signals one at a time.

The `sigprocmask` function returns 0 if successful, and -1 to indicate an error. The following `errno` error conditions are defined for this function:

`EINVAL`

The *how* argument is invalid.

You can't block the `SIGKILL` and `SIGSTOP` signals, but if the signal set includes these, `sigprocmask` just ignores them instead of returning an error status.

Remember, too, that blocking program error signals such as `SIGFPE` leads to undesirable results for signals generated by an actual program error (as opposed to signals sent with `raise` or `kill`). This is because your program may be too broken to be able to continue executing to a



point where the signal is unblocked again. See [Program Error Signals](#).

---

Node: [Testing for Delivery](#), Next: [Blocking for Handler](#), Previous: [Process Signal Mask](#), Up: [Blocking Signals](#)

## Blocking to Test for Delivery of a Signal

Now for a simple example. Suppose you establish a handler for SIGALRM signals that sets a flag whenever a signal arrives, and your main program checks this flag from time to time and then resets it. You can prevent additional SIGALRM signals from arriving in the meantime by wrapping the critical part of the code with calls to `sigprocmask`, like this:

```
/* This variable is set by the SIGALRM signal handler. */
volatile sig_atomic_t flag = 0;

int
main (void)
{
    sigset_t block_alarm;

    ...

    /* Initialize the signal mask. */
    sigemptyset (&block_alarm);
    sigaddset (&block_alarm, SIGALRM);

    while (1)
    {
        /* Check if a signal has arrived; if so, reset the flag. */
        sigprocmask (SIG_BLOCK, &block_alarm, NULL);
        if (flag)
        {
            actions-if-not-arrived
            flag = 0;
        }
        sigprocmask (SIG_UNBLOCK, &block_alarm, NULL);

        ...
    }
}
```

---

Node: [Blocking for Handler](#), Next: [Checking for Pending Signals](#), Previous: [Testing for Delivery](#),  
Up: [Blocking Signals](#)

## Blocking Signals for a Handler

When a signal handler is invoked, you usually want it to be able to finish without being interrupted by another signal. From the moment the handler starts until the moment it finishes, you must block signals that might confuse it or corrupt its data.

When a handler function is invoked on a signal, that signal is automatically blocked (in addition to any other signals that are already in the process's signal mask) during the time the handler is running. If you set up a handler for SIGTSTP, for instance, then the arrival of that signal forces further SIGTSTP signals to wait during the execution of the handler.

However, by default, other kinds of signals are not blocked; they can arrive during handler execution.

The reliable way to block other kinds of signals during the execution of the handler is to use the `sa_mask` member of the `sigaction` structure.

Here is an example:

```
#include <signal.h>
#include <stddef.h>

void catch_stop ();

void
install_handler (void)
{
    struct sigaction setup_action;
    sigset_t block_mask;

    sigemptyset (&block_mask);
    /* Block other terminal-generated signals while handler runs. */
    sigaddset (&block_mask, SIGINT);
    sigaddset (&block_mask, SIGQUIT);
    setup_action.sa_handler = catch_stop;
    setup_action.sa_mask = block_mask;
    setup_action.sa_flags = 0;
    sigaction (SIGTSTP, &setup_action, NULL);
}
```

This is more reliable than blocking the other signals explicitly in the code for the handler. If you block signals explicitly in the handler, you can't avoid at least a short interval at the beginning of the handler where they are not yet blocked.

You cannot remove signals from the process's current mask using this mechanism. However, you can make calls to `sigprocmask` within your handler to block or unblock signals as you wish.

In any case, when the handler returns, the system restores the mask that was in place before the handler was entered. If any signals that become unblocked by this restoration are pending, the process will receive those signals immediately, before returning to the code that was interrupted.

Node: [Checking for Pending Signals](#), Next: [Remembering a Signal](#), Previous: [Blocking for Handler](#), Up: [Blocking Signals](#)

## Checking for Pending Signals

You can find out which signals are pending at any time by calling `sigpending`. This function is declared in `signal.h`.

`int sigpending (sigset_t *set)` Function

The `sigpending` function stores information about pending signals in *set*. If there is a pending signal that is blocked from delivery, then that signal is a member of the returned set. (You can test whether a particular signal is a member of this set using `sigismember`; see [Signal Sets](#).)

The return value is 0 if successful, and -1 on failure.

Testing whether a signal is pending is not often useful. Testing when that signal is not blocked is almost certainly bad design.

Here is an example.

```
#include <signal.h>
#include <stddef.h>

sigset_t base_mask, waiting_mask;

sigemptyset (&base_mask);
sigaddset (&base_mask, SIGINT);
sigaddset (&base_mask, SIGTSTP);

/* Block user interrupts while doing other processing. */
sigprocmask (SIG_SETMASK, &base_mask, NULL);
...

/* After a while, check to see whether any signals are pending. */
sigpending (&waiting_mask);
```

```

if (sigismember (&waiting_mask, SIGINT)) {
    /* User has tried to kill the process. */
}
else if (sigismember (&waiting_mask, SIGTSTP)) {
    /* User has tried to stop the process. */
}

```

Remember that if there is a particular signal pending for your process, additional signals of that same type that arrive in the meantime might be discarded. For example, if a SIGINT signal is pending when another SIGINT signal arrives, your program will probably only see one of them when you unblock this signal.

**Portability Note:** The `sigpending` function is new in POSIX.1. Older systems have no equivalent facility.

---

Node: Remembering a Signal, Previous: [Checking for Pending Signals](#), Up: [Blocking Signals](#)

## Remembering a Signal to Act On Later

Instead of blocking a signal using the library facilities, you can get almost the same results by making the handler set a flag to be tested later, when you "unblock". Here is an example:

```

/* If this flag is nonzero, don't handle the signal right away. */
volatile sig_atomic_t signal_pending;

/* This is nonzero if a signal arrived and was not handled. */
volatile sig_atomic_t defer_signal;

void
handler (int signum)
{
    if (defer_signal)
        signal_pending = signum;
    else
        ... /* "Really" handle the signal. */
}

...

void
update_mumble (int frob)
{
    /* Prevent signals from having immediate effect. */
    defer_signal++;
    /* Now update mumble, without worrying about interruption. */
}

```

```

mumble.a = 1;
mumble.b = hack ();
mumble.c = frob;
/* We have updated mumble.  Handle any signal that came in. */
defer_signal--;
if (defer_signal == 0 && signal_pending != 0)
    raise (signal_pending);
}

```

Note how the particular signal that arrives is stored in `signal_pending`. That way, we can handle several types of inconvenient signals with the same mechanism.

We increment and decrement `defer_signal` so that nested critical sections will work properly; thus, if `update_mumble` were called with `signal_pending` already nonzero, signals would be deferred not only within `update_mumble`, but also within the caller. This is also why we do not check `signal_pending` if `defer_signal` is still nonzero.

The incrementing and decrementing of `defer_signal` each require more than one instruction; it is possible for a signal to happen in the middle. But that does not cause any problem. If the signal happens early enough to see the value from before the increment or decrement, that is equivalent to a signal which came before the beginning of the increment or decrement, which is a case that works properly.

It is absolutely vital to decrement `defer_signal` before testing `signal_pending`, because this avoids a subtle bug. If we did these things in the other order, like this,

```

if (defer_signal == 1 && signal_pending != 0)
    raise (signal_pending);
defer_signal--;

```

then a signal arriving in between the `if` statement and the decrement would be effectively "lost" for an indefinite amount of time. The handler would merely set `defer_signal`, but the program having already tested this variable, it would not test the variable again.

Bugs like these are called *timing errors*. They are especially bad because they happen only rarely and are nearly impossible to reproduce. You can't expect to find them with a debugger as you would find a reproducible bug. So it is worth being especially careful to avoid them.

(You would not be tempted to write the code in this order, given the use of `defer_signal` as a counter which must be tested along with `signal_pending`. After all, testing for zero is cleaner than testing for one. But if you did not use `defer_signal` as a counter, and gave it values of zero and one only, then either order might seem equally simple. This is a further advantage of using a counter for `defer_signal`: it will reduce the chance you will write the code in the wrong order and create a

subtle bug.)

---

Node: [Waiting for a Signal](#), Next: [Signal Stack](#), Previous: [Blocking Signals](#), Up: [Signal Handling](#)

## Waiting for a Signal

If your program is driven by external events, or uses signals for synchronization, then when it has nothing to do it should probably wait until a signal arrives.

- [Using Pause](#): The simple way, using `pause`.
- [Pause Problems](#): Why the simple way is often not very good.
- [Sigsuspend](#): Reliably waiting for a specific signal.

---

Node: [Using Pause](#), Next: [Pause Problems](#), Up: [Waiting for a Signal](#)

## Using `pause`

The simple way to wait until a signal arrives is to call `pause`. Please read about its disadvantages, in the following section, before you use it.

`int pause ()`

Function

The `pause` function suspends program execution until a signal arrives whose action is either to execute a handler function, or to terminate the process.

If the signal causes a handler function to be executed, then `pause` returns. This is considered an unsuccessful return (since "successful" behavior would be to suspend the program forever), so the return value is `-1`. Even if you specify that other primitives should resume when a system handler returns (see [Interrupted Primitives](#)), this has no effect on `pause`; it always fails when a signal is handled.

The following `errno` error conditions are defined for this function:

`EINTR`

The function was interrupted by delivery of a signal.

If the signal causes program termination, `pause` doesn't return (obviously).

This function is a cancellation point in multithreaded programs. This is a problem if the thread

allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `pause` is called. If the thread gets cancelled these resources stay allocated until the program ends. To avoid this calls to `pause` should be protected using cancellation handlers.

The `pause` function is declared in `unistd.h`.

Node: [Pause Problems](#), Next: [Sigsuspend](#), Previous: [Using Pause](#), Up: [Waiting for a Signal](#)

## Problems with `pause`

The simplicity of `pause` can conceal serious timing errors that can make a program hang mysteriously.

It is safe to use `pause` if the real work of your program is done by the signal handlers themselves, and the "main program" does nothing but call `pause`. Each time a signal is delivered, the handler will do the next batch of work that is to be done, and then return, so that the main loop of the program can call `pause` again.

You can't safely use `pause` to wait until one more signal arrives, and then resume real work. Even if you arrange for the signal handler to cooperate by setting a flag, you still can't use `pause` reliably. Here is an example of this problem:

```
/* usr_interrupt is set by the signal handler. */
if (!usr_interrupt)
    pause ();

/* Do work once the signal arrives. */
...
```

This has a bug: the signal could arrive after the variable `usr_interrupt` is checked, but before the call to `pause`. If no further signals arrive, the process would never wake up again.

You can put an upper limit on the excess waiting by using `sleep` in a loop, instead of using `pause`. (See [Sleeping](#), for more about `sleep`.) Here is what this looks like:

```
/* usr_interrupt is set by the signal handler.
while (!usr_interrupt)
    sleep (1);

/* Do work once the signal arrives. */
...
```

For some purposes, that is good enough. But with a little more complexity, you can wait reliably until a particular signal handler is run, using `sigsuspend`.

---

Node: `Sigsuspend`, Previous: [Pause Problems](#), Up: [Waiting for a Signal](#)

## Using `sigsuspend`

The clean and reliable way to wait for a signal to arrive is to block it and then use `sigsuspend`. By using `sigsuspend` in a loop, you can wait for certain kinds of signals, while letting other kinds of signals be handled by their handlers.

**`int sigsuspend`** (*const sigset\_t \*set*) Function

This function replaces the process's signal mask with *set* and then suspends the process until a signal is delivered whose action is either to terminate the process or invoke a signal handling function. In other words, the program is effectively suspended until one of the signals that is not a member of *set* arrives.

If the process is woken up by delivery of a signal that invokes a handler function, and the handler function returns, then `sigsuspend` also returns.

The mask remains *set* only as long as `sigsuspend` is waiting. The function `sigsuspend` always restores the previous signal mask when it returns.

The return value and error conditions are the same as for `pause`.

With `sigsuspend`, you can replace the `pause` or `sleep` loop in the previous section with something completely reliable:

```
sigset_t mask, oldmask;

...

/* Set up the mask of signals to temporarily block. */
sigemptyset (&mask);
sigaddset (&mask, SIGUSR1);

...

/* Wait for a signal to arrive. */
sigprocmask (SIG_BLOCK, &mask, &oldmask);
while (!usr_interrupt)
    sigsuspend (&oldmask);
```



```
sigprocmask (SIG_UNBLOCK, &mask, NULL);
```

This last piece of code is a little tricky. The key point to remember here is that when `sigsuspend` returns, it resets the process's signal mask to the original value, the value from before the call to `sigsuspend`--in this case, the `SIGUSR1` signal is once again blocked. The second call to `sigprocmask` is necessary to explicitly unblock this signal.

One other point: you may be wondering why the `while` loop is necessary at all, since the program is apparently only waiting for one `SIGUSR1` signal. The answer is that the mask passed to `sigsuspend` permits the process to be woken up by the delivery of other kinds of signals, as well--for example, job control signals. If the process is woken up by a signal that doesn't set `usr_interrupt`, it just suspends itself again until the "right" kind of signal eventually arrives.

This technique takes a few more lines of preparation, but that is needed just once for each kind of wait criterion you want to use. The code that actually waits is just four lines.

---

Node: Signal Stack, Next: [BSD Signal Handling](#), Previous: [Waiting for a Signal](#), Up: [Signal Handling](#)

## Using a Separate Signal Stack

A signal stack is a special area of memory to be used as the execution stack during signal handlers. It should be fairly large, to avoid any danger that it will overflow in turn; the macro `SIGSTKSZ` is defined to a canonical size for signal stacks. You can use `malloc` to allocate the space for the stack. Then call `sigaltstack` or `sigstack` to tell the system to use that space for the signal stack.

You don't need to write signal handlers differently in order to use a signal stack. Switching from one stack to the other happens automatically. (Some non-GNU debuggers on some machines may get confused if you examine a stack trace while a handler that uses the signal stack is running.)

There are two interfaces for telling the system to use a separate signal stack. `sigstack` is the older interface, which comes from 4.2 BSD. `sigaltstack` is the newer interface, and comes from 4.4 BSD. The `sigaltstack` interface has the advantage that it does not require your program to know which direction the stack grows, which depends on the specific machine and operating system.

**stack\_t** Data Type

This structure describes a signal stack. It contains the following members:

`void *ss_sp`

This points to the base of the signal stack.

`size_t ss_size`

This is the size (in bytes) of the signal stack which `ss_sp` points to. You should set this to however much space you allocated for the stack.

There are two macros defined in `signal.h` that you should use in calculating this size:

`SIGSTKSZ`

This is the canonical size for a signal stack. It is judged to be sufficient for normal uses.

`MINSIGSTKSZ`

This is the amount of signal stack space the operating system needs just to implement signal delivery. The size of a signal stack **must** be greater than this.

For most cases, just using `SIGSTKSZ` for `ss_size` is sufficient. But if you know how much stack space your program's signal handlers will need, you may want to use a different size. In this case, you should allocate `MINSIGSTKSZ` additional bytes for the signal stack and increase `ss_size` accordingly.

`int ss_flags`

This field contains the bitwise OR of these flags:

`SS_DISABLE`

This tells the system that it should not use the signal stack.

`SS_ONSTACK`

This is set by the system, and indicates that the signal stack is currently in use. If this bit is not set, then signals will be delivered on the normal user stack.

`int sigaltstack (const stack_t *restrict stack, stack_t *restrict oldstack)`

Function

The `sigaltstack` function specifies an alternate stack for use during signal handling. When a signal is received by the process and its action indicates that the signal stack is used, the system arranges a switch to the currently installed signal stack while the handler for that signal is executed.

If `oldstack` is not a null pointer, information about the currently installed signal stack is returned in the location it points to. If `stack` is not a null pointer, then this is installed as the new stack for use by signal handlers.

The return value is 0 on success and -1 on failure. If `sigaltstack` fails, it sets `errno` to one of these values:

`EINVAL`

You tried to disable a stack that was in fact currently in use.

`ENOMEM`

The size of the alternate stack was too small. It must be greater than `MINSIGSTKSZ`.

Here is the older `sigstack` interface. You should use `sigaltstack` instead on systems that have it.

## **struct sigstack**

Data Type

This structure describes a signal stack. It contains the following members:

`void *ss_sp`

This is the stack pointer. If the stack grows downwards on your machine, this should point to the top of the area you allocated. If the stack grows upwards, it should point to the bottom.

`int ss_onstack`

This field is true if the process is currently using this stack.

**int sigstack** (*const struct sigstack \*stack, struct sigstack \*oldstack*)

Function

The `sigstack` function specifies an alternate stack for use during signal handling. When a signal is received by the process and its action indicates that the signal stack is used, the system arranges a switch to the currently installed signal stack while the handler for that signal is executed.

If `oldstack` is not a null pointer, information about the currently installed signal stack is returned in the location it points to. If `stack` is not a null pointer, then this is installed as the new stack for use by signal handlers.

The return value is 0 on success and `-1` on failure.

---

Node: BSD Signal Handling, Previous: [Signal Stack](#), Up: [Signal Handling](#)

## BSD Signal Handling

This section describes alternative signal handling functions derived from BSD Unix. These facilities were an advance, in their time; today, they are mostly obsolete, and supported mainly for compatibility with BSD Unix.

There are many similarities between the BSD and POSIX signal handling facilities, because the POSIX facilities were inspired by the BSD facilities. Besides having different names for all the functions to avoid conflicts, the main differences between the two are:

- BSD Unix represents signal masks as an `int` bit mask, rather than as a `sigset_t` object.
- The BSD facilities use a different default for whether an interrupted primitive should fail or resume. The POSIX facilities make system calls fail unless you specify that they should resume. With the BSD facility, the default is to make system calls resume unless you say they should fail. See [Interrupted Primitives](#).

The BSD facilities are declared in `signal.h`.

- [BSD Handler](#): BSD Function to Establish a Handler.
- [Blocking in BSD](#): BSD Functions for Blocking Signals.

---

Node: BSD Handler, Next: [Blocking in BSD](#), Up: [BSD Signal Handling](#)

## BSD Function to Establish a Handler

**struct sigvec**

Data Type

This data type is the BSD equivalent of `struct sigaction` (see [Advanced Signal Handling](#)); it is used to specify signal actions to the `sigvec` function. It contains the following members:

`sighandler_t sv_handler`

This is the handler function.

`int sv_mask`

This is the mask of additional signals to be blocked while the handler function is being called.

`int sv_flags`

This is a bit mask used to specify various flags which affect the behavior of the signal. You can also refer to this field as `sv_onstack`.

These symbolic constants can be used to provide values for the `sv_flags` field of a `sigvec` structure. This field is a bit mask value, so you bitwise-OR the flags of interest to you together.

**int SV\_ONSTACK**

Macro

If this bit is set in the `sv_flags` field of a `sigvec` structure, it means to use the signal stack when delivering the signal.

**int SV\_INTERRUPT**

Macro

If this bit is set in the `sv_flags` field of a `sigvec` structure, it means that system calls interrupted by this kind of signal should not be restarted if the handler returns; instead, the system calls should return with a `EINTR` error status. See [Interrupted Primitives](#).

**int SV\_RESETHAND**

Macro

If this bit is set in the `sv_flags` field of a `sigvec` structure, it means to reset the action for the signal back to `SIG_DFL` when the signal is received.

**int sigvec** (*int signum, const struct sigvec \*action, struct sigvec \*old-action*)

Function

This function is the equivalent of `sigaction` (see [Advanced Signal Handling](#)); it installs the action *action* for the signal *signum*, returning information about the previous action in effect for that signal in *old-action*.

**int siginterrupt** (*int signum, int failflag*)

Function

This function specifies which approach to use when certain primitives are interrupted by handling signal *signum*. If *failflag* is false, signal *signum* restarts primitives. If *failflag* is true, handling *signum* causes these primitives to fail with error code `EINTR`. See [Interrupted Primitives](#).

Node: [Blocking in BSD](#), Previous: [BSD Handler](#), Up: [BSD Signal Handling](#)

## BSD Functions for Blocking Signals

`int sigmask (int signum)` Macro

This macro returns a signal mask that has the bit for signal *signum* set. You can bitwise-OR the results of several calls to `sigmask` together to specify more than one signal. For example,

```
(sigmask (SIGTSTP) | sigmask (SIGSTOP)
 | sigmask (SIGTTIN) | sigmask (SIGTTOU))
```

specifies a mask that includes all the job-control stop signals.

`int sigblock (int mask)` Function

This function is equivalent to `sigprocmask` (see [Process Signal Mask](#)) with a *how* argument of `SIG_BLOCK`: it adds the signals specified by *mask* to the calling process's set of blocked signals. The return value is the previous set of blocked signals.

`int sigsetmask (int mask)` Function

This function equivalent to `sigprocmask` (see [Process Signal Mask](#)) with a *how* argument of `SIG_SETMASK`: it sets the calling process's signal mask to *mask*. The return value is the previous set of blocked signals.

`int sigpause (int mask)` Function

This function is the equivalent of `sigsuspend` (see [Waiting for a Signal](#)): it sets the calling process's signal mask to *mask*, and waits for a signal to arrive. On return the previous set of blocked signals is restored.

Node: [Program Basics](#), Next: [Processes](#), Previous: [Signal Handling](#), Up: [Top](#)

## The Basic Program/System Interface

*Processes* are the primitive units for allocation of system resources. Each process has its own address space and (usually) one thread of control. A process executes a program; you can have multiple processes executing the same program, but each process has its own copy of the program within its own address space and executes it independently of the other copies. Though it may have multiple threads of control within the same program and a program may be composed of multiple logically separate modules, a process always executes exactly one program.

Note that we are using a specific definition of "program" for the purposes of this manual, which corresponds to a common definition in the context of Unix system. In popular usage, "program" enjoys a much broader definition; it can refer for example to a system's kernel, an editor macro, a complex package of software, or a discrete section of code executing within a process.

Writing the program is what this manual is all about. This chapter explains the most basic interface between your program and the system that runs, or calls, it. This includes passing of parameters (arguments and environment) from the system, requesting basic services from the system, and telling the system the program is done.

A program starts another program with the `exec` family of system calls. This chapter looks at program startup from the `execee`'s point of view. To see the event from the `execor`'s point of view, See [Executing a File](#).

- [Program Arguments](#): Parsing your program's command-line arguments.
- [Environment Variables](#): Less direct parameters affecting your program
- [System Calls](#): Requesting service from the system
- [Program Termination](#): Telling the system you're done; return status

---

Node: Program Arguments, Next: [Environment Variables](#), Up: [Program Basics](#)

## Program Arguments

The system starts a C program by calling the function `main`. It is up to you to write a function named `main`--otherwise, you won't even be able to link your program without errors.

In ISO C you can define `main` either to take no arguments, or to take two arguments that represent the command line arguments to the program, like this:

```
int main (int argc, char *argv[])
```

The command line arguments are the whitespace-separated tokens given in the shell command used to invoke the program; thus, in `cat foo bar`, the arguments are `foo` and `bar`. The only way a program can look at its command line arguments is via the arguments of `main`. If `main` doesn't take arguments, then you cannot get at the command line.

The value of the `argc` argument is the number of command line arguments. The `argv` argument is a vector of C strings; its elements are the individual command line argument strings. The file name of the program being run is also included in the vector as the first element; the value of `argc` counts this element. A null pointer always follows the last element: `argv[argc]` is this null pointer.

For the command `cat foo bar`, `argc` is 3 and `argv` has three elements, `"cat"`, `"foo"` and `"bar"`.

In Unix systems you can define `main` a third way, using three arguments:

```
int main (int argc, char *argv[], char *envp[])
```

The first two arguments are just the same. The third argument `envp` gives the program's environment; it is the same as the value of `environ`. See [Environment Variables](#). POSIX.1 does not allow this three-argument form, so to be portable it is best to write `main` to take two arguments, and use the value of `environ`.

- [Argument Syntax](#): By convention, options start with a hyphen.
- [Parsing Program Arguments](#): Ways to parse program options and arguments.

---

Node: [Argument Syntax](#), Next: [Parsing Program Arguments](#), Up: [Program Arguments](#)

## Program Argument Syntax Conventions

POSIX recommends these conventions for command line arguments. `getopt` (see [Getopt](#)) and `argp_parse` (see [Argp](#)) make it easy to implement them.

- Arguments are options if they begin with a hyphen delimiter (`-`).
- Multiple options may follow a hyphen delimiter in a single token if the options do not take arguments. Thus, `-abc` is equivalent to `-a -b -c`.
- Option names are single alphanumeric characters (as for `isalnum`; see [Classification of Characters](#)).
- Certain options require an argument. For example, the `-o` command of the `ld` command requires an argument--an output file name.
- An option and its argument may or may not appear as separate tokens. (In other words, the



whitespace separating them is optional.) Thus, `-o foo` and `-ofoo` are equivalent.

- Options typically precede other non-option arguments.

The implementations of `getopt` and `argp_parse` in the GNU C library normally make it appear as if all the option arguments were specified before all the non-option arguments for the purposes of parsing, even if the user of your program intermixed option and non-option arguments. They do this by reordering the elements of the `argv` array. This behavior is nonstandard; if you want to suppress it, define the `_POSIX_OPTION_ORDER` environment variable. See [Standard Environment](#).

- The argument `--` terminates all options; any following arguments are treated as non-option arguments, even if they begin with a hyphen.
- A token consisting of a single hyphen character is interpreted as an ordinary non-option argument. By convention, it is used to specify input from or output to the standard input and output streams.
- Options may be supplied in any order, or appear multiple times. The interpretation is left up to the particular application program.

GNU adds *long options* to these conventions. Long options consist of `--` followed by a name made of alphanumeric characters and dashes. Option names are typically one to three words long, with hyphens to separate words. Users can abbreviate the option names as long as the abbreviations are unique.

To specify an argument for a long option, write `--name=value`. This syntax enables a long option to accept an argument that is itself optional.

Eventually, the GNU system will provide completion for long option names in the shell.

---

Node: Parsing Program Arguments, Previous: [Argument Syntax](#), Up: [Program Arguments](#)

## Parsing Program Arguments

If the syntax for the command line arguments to your program is simple enough, you can simply pick the arguments off from `argv` by hand. But unless your program takes a fixed number of arguments, or all of the arguments are interpreted in the same way (as file names, for example), you are usually better off using `getopt` (see [Getopt](#)) or `argp_parse` (see [Argp](#)) to do the parsing.

`getopt` is more standard (the short-option only version of it is a part of the POSIX standard), but using `argp_parse` is often easier, both for very simple and very complex option structures, because it does more of the dirty work for you.

- [Getopt](#): Parsing program options using `getopt`.
- [Argp](#): Parsing program options using `argp_parse`.
- [Suboptions](#): Some programs need more detailed options.
- [Suboptions Example](#): This shows how it could be done for `mount`.

Node: [Getopt](#), Next: [Argp](#), Up: [Parsing Program Arguments](#)

## Parsing program options using `getopt`

The `getopt` and `getopt_long` functions automate some of the chore involved in parsing typical unix command line options.

- [Using Getopt](#): Using the `getopt` function.
- [Example of Getopt](#): An example of parsing options with `getopt`.
- [Getopt Long Options](#): GNU suggests utilities accept long-named options; here is one way to do.
- [Getopt Long Option Example](#): An example of using `getopt_long`.

Node: [Using Getopt](#), Next: [Example of Getopt](#), Up: [Getopt](#)

## Using the `getopt` function

Here are the details about how to call the `getopt` function. To use this facility, your program must include the header file `unistd.h`.

**int opterr** Variable

If the value of this variable is nonzero, then `getopt` prints an error message to the standard error stream if it encounters an unknown option character or an option with a missing required argument. This is the default behavior. If you set this variable to zero, `getopt` does not print any messages, but it still returns the character `?` to indicate an error.

**int optopt** Variable

When `getopt` encounters an unknown option character or an option with a missing required argument, it stores that option character in this variable. You can use this for providing your own diagnostic messages.

**int optind** Variable

This variable is set by `getopt` to the index of the next element of the *argv* array to be processed. Once `getopt` has found all of the option arguments, you can use this variable to determine where the remaining non-option arguments begin. The initial value of this variable is 1.

**char \* optarg** Variable

This variable is set by `getopt` to point at the value of the option argument, for those options that accept arguments.

**int getopt** (*int argc, char \*\*argv, const char \*options*) Function

The `getopt` function gets the next option argument from the argument list specified by the *argv* and *argc* arguments. Normally these values come directly from the arguments received by `main`.

The *options* argument is a string that specifies the option characters that are valid for this program. An option character in this string can be followed by a colon (:) to indicate that it takes a required argument. If an option character is followed by two colons (::), its argument is optional; this is a GNU extension.

`getopt` has three ways to deal with options that follow non-options *argv* elements. The special argument `--` forces in all cases the end of option scanning.

- The default is to permute the contents of *argv* while scanning it so that eventually all the non-options are at the end. This allows options to be given in any order, even with programs that were not written to expect this.
- If the *options* argument string begins with a hyphen (-), this is treated specially. It permits arguments that are not options to be returned as if they were associated with option character \1.
- POSIX demands the following behavior: The first non-option stops option processing. This mode is selected by either setting the environment variable `POSIXLY_CORRECT` or beginning the *options* argument string with a plus sign (+).

The `getopt` function returns the option character for the next command line option. When no more option arguments are available, it returns `-1`. There may still be more non-option arguments; you must compare the external variable `optind` against the *argc* parameter to check this.

If the option has an argument, `getopt` returns the argument by storing it in the variable *optarg*. You don't ordinarily need to copy the `optarg` string, since it is a pointer into the original *argv* array, not into a static area that might be overwritten.

If `getopt` finds an option character in *argv* that was not included in *options*, or a missing option

argument, it returns `?` and sets the external variable `optopt` to the actual option character. If the first character of *options* is a colon (`:`), then `getopt` returns `:` instead of `?` to indicate a missing option argument. In addition, if the external variable `opterr` is nonzero (which is the default), `getopt` prints an error message.

---

Node: Example of Getopt, Next: [Getopt Long Options](#), Previous: [Using Getopt](#), Up: [Getopt](#)

## Example of Parsing Arguments with `getopt`

Here is an example showing how `getopt` is typically used. The key points to notice are:

- Normally, `getopt` is called in a loop. When `getopt` returns `-1`, indicating no more options are present, the loop terminates.
- A `switch` statement is used to dispatch on the return value from `getopt`. In typical use, each case just sets a variable that is used later in the program.
- A second loop is used to process the remaining non-option arguments.

```
#include <unistd.h>
#include <stdio.h>

int
main (int argc, char **argv)
{
    int aflag = 0;
    int bflag = 0;
    char *cvalue = NULL;
    int index;
    int c;

    opterr = 0;

    while ((c = getopt (argc, argv, "abc:")) != -1)
        switch (c)
        {
            case 'a':
                aflag = 1;
                break;
            case 'b':
                bflag = 1;
                break;
            case 'c':
                cvalue = optarg;
                break;
            case '?':
                if (isprint (optopt))
```

```

        fprintf (stderr, "Unknown option `-%c'.\n", optopt);
    else
        fprintf (stderr,
                "Unknown option character `\\x%x'.\n",
                optopt);
    return 1;
default:
    abort ();
}

printf ("aflag = %d, bflag = %d, cvalue = %s\n",
        aflag, bflag, cvalue);

for (index = optind; index < argc; index++)
    printf ("Non-option argument %s\n", argv[index]);
return 0;
}

```

Here are some examples showing what this program prints with different combinations of arguments:

```

% testopt
aflag = 0, bflag = 0, cvalue = (null)

% testopt -a -b
aflag = 1, bflag = 1, cvalue = (null)

% testopt -ab
aflag = 1, bflag = 1, cvalue = (null)

% testopt -c foo
aflag = 0, bflag = 0, cvalue = foo

% testopt -cfoo
aflag = 0, bflag = 0, cvalue = foo

% testopt arg1
aflag = 0, bflag = 0, cvalue = (null)
Non-option argument arg1

% testopt -a arg1
aflag = 1, bflag = 0, cvalue = (null)
Non-option argument arg1

% testopt -c foo arg1
aflag = 0, bflag = 0, cvalue = foo
Non-option argument arg1

% testopt -a -- -b
aflag = 1, bflag = 0, cvalue = (null)

```

```
Non-option argument -b
```

```
% testopt -a -
aflag = 1, bflag = 0, cvalue = (null)
Non-option argument -
```

Node: [Getopt Long Options](#), Next: [Getopt Long Option Example](#), Previous: [Example of Getopt](#),  
Up: [Getopt](#)

## Parsing Long Options with `getopt_long`

To accept GNU-style long options as well as single-character options, use `getopt_long` instead of `getopt`. This function is declared in `getopt.h`, not `unistd.h`. You should make every program accept long options if it uses any options, for this takes little extra work and helps beginners remember how to use the program.

### struct option

Data Type

This structure describes a single long option name for the sake of `getopt_long`. The argument *longopts* must be an array of these structures, one for each long option. Terminate the array with an element containing all zeros.

The `struct option` structure has these fields:

```
const char *name
```

This field is the name of the option. It is a string.

```
int has_arg
```

This field says whether the option takes an argument. It is an integer, and there are three legitimate values: `no_argument`, `required_argument` and `optional_argument`.

```
int *flag
```

```
int val
```

These fields control how to report or act on the option when it occurs.

If `flag` is a null pointer, then the `val` is a value which identifies this option. Often these values are chosen to uniquely identify particular long options.

If `flag` is not a null pointer, it should be the address of an `int` variable which is the flag for this option. The value in `val` is the value to store in the flag to indicate that the option was seen.

**int getopt\_long** (*int argc, char \*const \*argv, const char \*shortopts, const struct option \*longopts, int \*indexptr*) Function

Decode options from the vector *argv* (whose length is *argc*). The argument *shortopts* describes the short options to accept, just as it does in `getopt`. The argument *longopts* describes the long options to accept (see above).

When `getopt_long` encounters a short option, it does the same thing that `getopt` would do: it returns the character code for the option, and stores the options argument (if it has one) in `optarg`.

When `getopt_long` encounters a long option, it takes actions based on the `flag` and `val` fields of the definition of that option.

If `flag` is a null pointer, then `getopt_long` returns the contents of `val` to indicate which option it found. You should arrange distinct values in the `val` field for options with different meanings, so you can decode these values after `getopt_long` returns. If the long option is equivalent to a short option, you can use the short option's character code in `val`.

If `flag` is not a null pointer, that means this option should just set a flag in the program. The flag is a variable of type `int` that you define. Put the address of the flag in the `flag` field. Put in the `val` field the value you would like this option to store in the flag. In this case, `getopt_long` returns 0.

For any long option, `getopt_long` tells you the index in the array *longopts* of the options definition, by storing it into *\*indexptr*. You can get the name of the option with *longopts* [*\*indexptr*].`name`. So you can distinguish among long options either by the values in their `val` fields or by their indices. You can also distinguish in this way among long options that set flags.

When a long option has an argument, `getopt_long` puts the argument value in the variable `optarg` before returning. When the option has no argument, the value in `optarg` is a null pointer. This is how you can tell whether an optional argument was supplied.

When `getopt_long` has no more options to handle, it returns `-1`, and leaves in the variable `optind` the index in *argv* of the next remaining argument.

Since long option names were used before before the `getopt_long` options was invented there are program interfaces which require programs to recognize options like `-option value` instead of `--option value`. To enable these programs to use the GNU `getopt` functionality there is one more function available.

**int getopt\_long\_only** (*int argc, char \*const \*argv, const char \*shortopts, const struct option \*longopts, int \*indexptr*) Function

The `getopt_long_only` function is equivalent to the `getopt_long` function but it allows to specify the user of the application to pass long options with only `-` instead of `--`. The `--` prefix is still recognized but instead of looking through the short options if a `-` is seen it is first tried whether this parameter names a long option. If not, it is parsed as a short option.

Assuming `getopt_long_only` is used starting an application with

```
app -foo
```

the `getopt_long_only` will first look for a long option named `foo`. If this is not found, the short options `f`, `o`, and again `o` are recognized.

---

Node: [Getopt Long Option Example](#), Previous: [Getopt Long Options](#), Up: [Getopt](#)

## Example of Parsing Long Options with `getopt_long`

```
#include <stdio.h>
#include <stdlib.h>
#include <getopt.h>

/* Flag set by --verbose. */
static int verbose_flag;

int
main (argc, argv)
    int argc;
    char **argv;
{
    int c;

    while (1)
    {
        static struct option long_options[] =
            {
                /* These options set a flag. */
                {"verbose", no_argument,      &verbose_flag, 1},
                {"brief",   no_argument,      &verbose_flag, 0},
                /* These options don't set a flag.
                 * We distinguish them by their indices. */
                {"add",     no_argument,      0, 'a'},
                {"append", no_argument,      0, 'b'},
            }
    }
}
```



```

        {"delete",  required_argument, 0, 'd'},
        {"create",  required_argument, 0, 'c'},
        {"file",    required_argument, 0, 'f'},
        {0, 0, 0, 0}
    };
    /* getopt_long stores the option index here. */
    int option_index = 0;

    c = getopt_long (argc, argv, "abc:d:f:",
                    long_options, &option_index);

    /* Detect the end of the options. */
    if (c == -1)
        break;

    switch (c)
    {
    case 0:
        /* If this option set a flag, do nothing else now. */
        if (long_options[option_index].flag != 0)
            break;
        printf ("option %s", long_options[option_index].name);
        if (optarg)
            printf (" with arg %s", optarg);
        printf ("\n");
        break;

    case 'a':
        puts ("option -a\n");
        break;

    case 'b':
        puts ("option -b\n");
        break;

    case 'c':
        printf ("option -c with value `%s'\n", optarg);
        break;

    case 'd':
        printf ("option -d with value `%s'\n", optarg);
        break;

    case 'f':
        printf ("option -f with value `%s'\n", optarg);
        break;

    case '?':
        /* getopt_long already printed an error message. */
        break;
    }

```

```

        default:
            abort ();
        }
    }

/* Instead of reporting --verbose
   and --brief as they are encountered,
   we report the final status resulting from them. */
if (verbose_flag)
    puts ("verbose flag is set");

/* Print any remaining command line arguments (not options). */
if (optind < argc)
    {
        printf ("non-option ARGV-elements: ");
        while (optind < argc)
            printf ("%s ", argv[optind++]);
        putchar ('\n');
    }

exit (0);
}

```

---

Node: Argp, Next: [Suboptions](#), Previous: [Getopt](#), Up: [Parsing Program Arguments](#)

## Parsing Program Options with Argp

*Argp* is an interface for parsing unix-style argument vectors. See [Program Arguments](#).

Argp provides features unavailable in the more commonly used `getopt` interface. These features include automatically producing output in response to the `--help` and `--version` options, as described in the GNU coding standards. Using `argp` makes it less likely that programmers will neglect to implement these additional options or keep them up to date.

Argp also provides the ability to merge several independently defined option parsers into one, mediating conflicts between them and making the result appear seamless. A library can export an `argp` option parser that user programs might employ in conjunction with their own option parsers, resulting in less work for the user programs. Some programs may use only argument parsers exported by libraries, thereby achieving consistent and efficient option-parsing for abstractions implemented by the libraries.

The header file `<argp.h>` should be included to use `argp`.

## The `argp_parse` Function

The main interface to `argp` is the `argp_parse` function. In many cases, calling `argp_parse` is the only argument-parsing code needed in `main`. See [Program Arguments](#).

`error_t` **argp\_parse** (*const struct argp \*argp, int argc, char \*\*argv, unsigned flags, int \*arg\_index, void \*input*)

Function

The `argp_parse` function parses the arguments in `argv`, of length `argc`, using the `argp` parser `argp`. See [Argp Parsers](#).

A value of zero is the same as a `struct argp` containing all zeros. `flags` is a set of flag bits that modify the parsing behavior. See [Argp Flags](#). `input` is passed through to the `argp` parser `argp`, and has meaning defined by `argp`. A typical usage is to pass a pointer to a structure which is used for specifying parameters to the parser and passing back the results.

Unless the `ARGP_NO_EXIT` or `ARGP_NO_HELP` flags are included in `flags`, calling `argp_parse` may result in the program exiting. This behavior is true if an error is detected, or when an unknown option is encountered. See [Program Termination](#).

If `arg_index` is non-null, the index of the first unparsed option in `argv` is returned as a value.

The return value is zero for successful parsing, or an error code (see [Error Codes](#)) if an error is detected. Different `argp` parsers may return arbitrary error codes, but the standard error codes are: `ENOMEM` if a memory allocation error occurred, or `EINVAL` if an unknown option or option argument is encountered.

- [Globals](#): Global `argp` parameters.
- [Parsers](#): Defining parsers for use with `argp_parse`.
- [Flags](#): Flags that modify the behavior of `argp_parse`.
- [Help](#): Printing help messages when not parsing.
- [Examples](#): Simple examples of programs using `argp`.
- [Customization](#): Users may control the `--help` output format.

---

Node: [Argp Global Variables](#), Next: [Argp Parsers](#), Up: [Argp](#)

## Argp Global Variables

These variables make it easy for user programs to implement the `--version` option and provide a bug-

reporting address in the `--help` output. These are implemented in `argp` by default.

`const char * argp_program_version` Variable

If defined or set by the user program to a non-zero value, then a `--version` option is added when parsing with `argp_parse`, which will print the `--version` string followed by a newline and exit. The exception to this is if the `ARGP_NO_EXIT` flag is used.

`const char * argp_program_bug_address` Variable

If defined or set by the user program to a non-zero value, `argp_program_bug_address` should point to a string that will be printed at the end of the standard output for the `--help` option, embedded in a sentence that says Report bugs to *address*..

`argp_program_version_hook` Variable

If defined or set by the user program to a non-zero value, a `--version` option is added when parsing with `arg_parse`, which prints the program version and exits with a status of zero. This is not the case if the `ARGP_NO_HELP` flag is used. If the `ARGP_NO_EXIT` flag is set, the exit behavior of the program is suppressed or modified, as when the `argp` parser is going to be used by other programs.

It should point to a function with this type of signature:

```
void print-version (FILE *stream, struct argp_state *state)
```

See [Argp Parsing State](#), for an explanation of *state*.

This variable takes precedence over `argp_program_version`, and is useful if a program has version information not easily expressed in a simple string.

`error_t argp_err_exit_status` Variable

This is the exit status used when `argp` exits due to a parsing error. If not defined or set by the user program, this defaults to: `EX_USAGE` from `<syssexits.h>`.

---

Node: [Argp Parsers](#), Next: [Argp Flags](#), Previous: [Argp Global Variables](#), Up: [Argp](#)

## Specifying Argp Parsers

The first argument to the `argp_parse` function is a pointer to a `struct argp`, which is known as

an *argp parser*:

## struct argp

Data Type

This structure specifies how to parse a given set of options and arguments, perhaps in conjunction with other argp parsers. It has the following fields:

`const struct argp_option *options`

A pointer to a vector of `argp_option` structures specifying which options this argp parser understands; it may be zero if there are no options at all. See [Argp Option Vectors](#).

`argp_parser_t parser`

A pointer to a function that defines actions for this parser; it is called for each option parsed, and at other well-defined points in the parsing process. A value of zero is the same as a pointer to a function that always returns `ARGP_ERR_UNKNOWN`. See [Argp Parser Functions](#).

`const char *args_doc`

If non-zero, a string describing what non-option arguments are called by this parser. This is only used to print the `Usage:` message. If it contains newlines, the strings separated by them are considered alternative usage patterns and printed on separate lines. Lines after the first are prefixed by `or:` instead of `Usage:`.

`const char *doc`

If non-zero, a string containing extra text to be printed before and after the options in a long help message, with the two sections separated by a vertical tab (`'\v'`, `'\013'`) character. By convention, the documentation before the options is just a short string explaining what the program does. Documentation printed after the options describe behavior in more detail.

`const struct argp_child *children`

A pointer to a vector of `argp_child` structures. This pointer specifies which additional argp parsers should be combined with this one. See [Argp Children](#).

`char *(*help_filter)(int key, const char *text, void *input)`

If non-zero, a pointer to a function that filters the output of help messages. See [Argp Help Filtering](#).

`const char *argp_domain`

If non-zero, the strings used in the argp library are translated using the domain described by this string. If zero, the current default domain is used.

Of the above group, `options`, `parser`, `args_doc`, and the `doc` fields are usually all that are needed. If an argp parser is defined as an initialized C variable, only the fields used need be specified in the initializer. The rest will default to zero due to the way C structure initialization works. This design is exploited in most argp structures; the most-used fields are grouped near the beginning, the unused fields left unspecified.

- [Options](#): Specifying options in an argp parser.
- [Argp Parser Functions](#): Defining actions for an argp parser.
- [Children](#): Combining multiple argp parsers.
- [Help Filtering](#): Customizing help output for an argp parser.

Node: Argp Option Vectors, Next: [Argp Parser Functions](#), Previous: [Argp Parsers](#), Up: [Argp Parsers](#)

## Specifying Options in an Argp Parser

The `options` field in a `struct argp` points to a vector of `struct argp_option` structures, each of which specifies an option that the argp parser supports. Multiple entries may be used for a single option provided it has multiple names. This should be terminated by an entry with zero in all fields. Note that when using an initialized C array for options, writing `{ 0 }` is enough to achieve this.

### **struct argp\_option**

Data Type

This structure specifies a single option that an argp parser understands, as well as how to parse and document that option. It has the following fields:

`const char *name`

The long name for this option, corresponding to the long option `--name`; this field may be zero if this option *only* has a short name. To specify multiple names for an option, additional entries may follow this one, with the `OPTION_ALIAS` flag set. See [Argp Option Flags](#).

`int key`

The integer key provided by the current option to the option parser. If `key` has a value that is a printable ASCII character (i.e., `isascii (key)` is true), it *also* specifies a short option `-char`, where `char` is the ASCII character with the code `key`.

`const char *arg`

If non-zero, this is the name of an argument associated with this option, which must be provided (e.g., with the `--name=value` or `-char value` syntaxes), unless the `OPTION_ARG_OPTIONAL` flag (see [Argp Option Flags](#)) is set, in which case it *may* be provided.

`int flags`

Flags associated with this option, some of which are referred to above. See [Argp Option Flags](#).

`const char *doc`

A documentation string for this option, for printing in help messages.

If both the `name` and `key` fields are zero, this string will be printed tabbed left from the

normal option column, making it useful as a group header. This will be the first thing printed in its group. In this usage, it's conventional to end the string with a `:` character.

```
int group
```

Group identity for this option.

In a long help message, options are sorted alphabetically within each group, and the groups presented in the order 0, 1, 2, ...,  $n$ ,  $-m$ , ..., -2, -1.

Every entry in an options array with this field 0 will inherit the group number of the previous entry, or zero if it's the first one. If it's a group header with name and key fields both zero, the previous entry + 1 is the default. Automagic options such as `--help` are put into group -1.

Note that because of C structure initialization rules, this field often need not be specified, because 0 is the correct value.

- [Flags](#): Flags for options.

---

Node: Argp Option Flags, Up: [Argp Option Vectors](#)

## Flags for Argp Options

The following flags may be or'd together in the `flags` field of a `struct argp_option`. These flags control various aspects of how that option is parsed or displayed in help messages:

`OPTION_ARG_OPTIONAL`

The argument associated with this option is optional.

`OPTION_HIDDEN`

This option isn't displayed in any help messages.

`OPTION_ALIAS`

This option is an alias for the closest previous non-alias option. This means that it will be displayed in the same help entry, and will inherit fields other than name and key from the option being aliased.

`OPTION_DOC`

This option isn't actually an option and should be ignored by the actual option parser. It is an arbitrary section of documentation that should be displayed in much the same manner as the options. This is known as a *documentation option*.

If this flag is set, then the option name field is displayed unmodified (e.g., no `--` prefix is added) at the left-margin where a *short* option would normally be displayed, and this documentation string is left in it's usual place. For purposes of sorting, any leading whitespace and punctuation is ignored, unless the first non-whitespace character is `-`. This entry is displayed after all options, after `OPTION_DOC` entries with a leading `-`, in the same group.

#### OPTION\_NO\_USAGE

This option shouldn't be included in `'long'` usage messages, but should still be included in other help messages. This is intended for options that are completely documented in an `argp's args_doc` field. See [Argp Parsers](#). Including this option in the generic usage list would be redundant, and should be avoided.

For instance, if `args_doc` is `"FOO BAR\n-x BLAH"`, and the `-x` option's purpose is to distinguish these two cases, `-x` should probably be marked `OPTION_NO_USAGE`.

---

Node: [Argp Parser Functions](#), Next: [Argp Children](#), Previous: [Argp Option Vectors](#), Up: [Argp Parsers](#)

## Argp Parser Functions

The function pointed to by the `parser` field in a `struct argp` (see [Argp Parsers](#)) defines what actions take place in response to each option or argument parsed. It is also used as a hook, allowing a parser to perform tasks at certain other points during parsing.

Argp parser functions have the following type signature:

```
error_t parser (int key, char *arg, struct argp_state *state)
```

where the arguments are as follows:

#### *key*

For each option that is parsed, *parser* is called with a value of *key* from that option's `key` field in the option vector. See [Argp Option Vectors](#). *parser* is also called at other times with special reserved keys, such as `ARGP_KEY_ARG` for non-option arguments. See [Argp Special Keys](#).

#### *arg*

If *key* is an option, *arg* is its given value. This defaults to zero if no value is specified. Only options that have a non-zero `arg` field can ever have a value. These must *always* have a value unless the `OPTION_ARG_OPTIONAL` flag is specified. If the input being parsed specifies a value for an option that doesn't allow one, an error results before *parser* ever gets called.



If *key* is `ARGP_KEY_ARG`, *arg* is a non-option argument. Other special keys always have a zero *arg*.

*state*

*state* points to a struct `argp_state`, containing useful information about the current parsing state for use by *parser*. See [Argp Parsing State](#).

When *parser* is called, it should perform whatever action is appropriate for *key*, and return 0 for success, `ARGP_ERR_UNKNOWN` if the value of *key* is not handled by this parser function, or a unix error code if a real error occurred. See [Error Codes](#).

int **ARGP\_ERR\_UNKNOWN**

Macro

Argp parser functions should return `ARGP_ERR_UNKNOWN` for any *key* value they do not recognize, or for non-option arguments (*key* == `ARGP_KEY_ARG`) that they are not equipped to handle.

A typical parser function uses a switch statement on *key*:

```
error_t
parse_opt (int key, char *arg, struct argp_state *state)
{
    switch (key)
    {
        case option_key:
            action
            break;
        ...
        default:
            return ARGP_ERR_UNKNOWN;
    }
    return 0;
}
```

- [Keys](#): Special values for the *key* argument.
- [State](#): What the *state* argument refers to.
- [Functions](#): Functions to help during argp parsing.

---

Node: Argp Special Keys, Next: [Argp Parsing State](#), Up: [Argp Parser Functions](#)

## Special Keys for Argp Parser Functions

In addition to key values corresponding to user options, the *key* argument to argp parser functions may have a number of other special values. In the following example *arg* and *state* refer to parser function arguments. See [Argp Parser Functions](#).

#### ARGP\_KEY\_ARG

This is not an option at all, but rather a command line argument, whose value is pointed to by *arg*.

When there are multiple parser functions in play due to argp parsers being combined, it's impossible to know which one will handle a specific argument. Each is called until one returns 0 or an error other than `ARGP_ERR_UNKNOWN`; if an argument is not handled, `argp_parse` immediately returns success, without parsing any more arguments.

Once a parser function returns success for this key, that fact is recorded, and the `ARGP_KEY_NO_ARGS` case won't be used. *However*, if while processing the argument a parser function decrements the `next` field of its *state* argument, the option won't be considered processed; this is to allow you to actually modify the argument, perhaps into an option, and have it processed again.

#### ARGP\_KEY\_ARGS

If a parser function returns `ARGP_ERR_UNKNOWN` for `ARGP_KEY_ARG`, it is immediately called again with the key `ARGP_KEY_ARGS`, which has a similar meaning, but is slightly more convenient for consuming all remaining arguments. *arg* is 0, and the tail of the argument vector may be found at `state->argv + state->next`. If success is returned for this key, and `state->next` is unchanged, all remaining arguments are considered to have been consumed. Otherwise, the amount by which `state->next` has been adjusted indicates how many were used. Here's an example that uses both, for different args:

```
...
case ARGP_KEY_ARG:
    if (state->arg_num == 0)
        /* First argument */
        first_arg = arg;
    else
        /* Let the next case parse it. */
        return ARGP_KEY_UNKNOWN;
    break;
case ARGP_KEY_ARGS:
    remaining_args = state->argv + state->next;
    num_remaining_args = state->argc - state->next;
    break;
```

**ARGP\_KEY\_END**

This indicates that there are no more command line arguments. Parser functions are called in a different order, children first. This allows each parser to clean up its state for the parent.

**ARGP\_KEY\_NO\_ARGS**

Because it's common to do some special processing if there aren't any non-option args, parser functions are called with this key if they didn't successfully process any non-option arguments. This is called just before **ARGP\_KEY\_END**, where more general validity checks on previously parsed arguments take place.

**ARGP\_KEY\_INIT**

This is passed in before any parsing is done. Afterwards, the values of each element of the `child_input` field of `state`, if any, are copied to each child's state to be the initial value of the input when *their* parsers are called.

**ARGP\_KEY\_SUCCESS**

Passed in when parsing has successfully been completed, even if arguments remain.

**ARGP\_KEY\_ERROR**

Passed in if an error has occurred and parsing is terminated. In this case a call with a key of **ARGP\_KEY\_SUCCESS** is never made.

**ARGP\_KEY\_FINI**

The final key ever seen by any parser, even after **ARGP\_KEY\_SUCCESS** and **ARGP\_KEY\_ERROR**. Any resources allocated by **ARGP\_KEY\_INIT** may be freed here. At times, certain resources allocated are to be returned to the caller after a successful parse. In that case, those particular resources can be freed in the **ARGP\_KEY\_ERROR** case.

In all cases, **ARGP\_KEY\_INIT** is the first key seen by parser functions, and **ARGP\_KEY\_FINI** the last, unless an error was returned by the parser for **ARGP\_KEY\_INIT**. Other keys can occur in one the following orders. *opt* refers to an arbitrary option key:

*opt*... **ARGP\_KEY\_NO\_ARGS** **ARGP\_KEY\_END** **ARGP\_KEY\_SUCCESS**

The arguments being parsed did not contain any non-option arguments.

( *opt* | **ARGP\_KEY\_ARG** )... **ARGP\_KEY\_END** **ARGP\_KEY\_SUCCESS**

All non-option arguments were successfully handled by a parser function. There may be multiple parser functions if multiple argp parsers were combined.

( *opt* | **ARGP\_KEY\_ARG** )... **ARGP\_KEY\_SUCCESS**

Some non-option argument went unrecognized.

This occurs when every parser function returns **ARGP\_KEY\_UNKNOWN** for an argument, in which case parsing stops at that argument if *arg\_index* is a null pointer. Otherwise an error occurs.

In all cases, if a non-null value for *arg\_index* gets passed to `argp_parse`, the index of the first unparsed command-line argument is passed back in that value.

If an error occurs and is either detected by `argp` or because a parser function returned an error value, each parser is called with `ARGP_KEY_ERROR`. No further calls are made, except the final call with `ARGP_KEY_FINI`.

---

Node: [Argp Helper Functions](#), Previous: [Argp Parsing State](#), Up: [Argp Parser Functions](#)

## Functions For Use in Argp Parsers

Argp provides a number of functions available to the user of `argp` (see [Argp Parser Functions](#)), mostly for producing error messages. These take as their first argument the *state* argument to the parser function. See [Argp Parsing State](#).

**void `argp_usage`** (*const struct argp\_state \*state*) Function

Outputs the standard usage message for the `argp` parser referred to by *state* to *state->err\_stream* and terminate the program with `exit (argp_err_exit_status)`. See [Argp Global Variables](#).

**void `argp_error`** (*const struct argp\_state \*state, const char \*fmt, ...*) Function

Prints the `printf` format string *fmt* and following args, preceded by the program name and `:`, and followed by a `Try ... --help` message, and terminates the program with an exit status of `argp_err_exit_status`. See [Argp Global Variables](#).

**void `argp_failure`** (*const struct argp\_state \*state, int status, int errnum, const char \*fmt, ...*) Function

Similar to the standard gnu error-reporting function `error`, this prints the program name and `:`, the `printf` format string *fmt*, and the appropriate following args. If it is non-zero, the standard unix error text for *errnum* is printed. If *status* is non-zero, it terminates the program with that value as its exit status.

The difference between `argp_failure` and `argp_error` is that `argp_error` is for *parsing errors*, whereas `argp_failure` is for other problems that occur during parsing but don't reflect a syntactic problem with the input, such as illegal values for options, bad phase of the moon, etc.

**void `argp_state_help`** (*const struct argp\_state \*state, FILE \*stream, unsigned flags*) Function

Outputs a help message for the `argp` parser referred to by *state*, to *stream*. The *flags* argument determines what sort of help message is produced. See [Argp Help Flags](#).

Error output is sent to *state->err\_stream*, and the program name printed is *state->name*.

The output or program termination behavior of these functions may be suppressed if the `ARGP_NO_EXIT` or `ARGP_NO_ERRS` flags are passed to `argp_parse`. See [Argp Flags](#).

This behavior is useful if an argp parser is exported for use by other programs (e.g., by a library), and may be used in a context where it is not desirable to terminate the program in response to parsing errors. In argp parsers intended for such general use, and for the case where the program *doesn't* terminate, calls to any of these functions should be followed by code that returns the appropriate error code:

```
if (bad argument syntax)
{
    argp_usage (state);
    return EINVAL;
}
```

If a parser function will *only* be used when `ARGP_NO_EXIT` is not set, the return may be omitted.

---

Node: Argp Parsing State, Next: [Argp Helper Functions](#), Previous: [Argp Special Keys](#), Up: [Argp Parser Functions](#)

## Argp Parsing State

The third argument to argp parser functions (see [Argp Parser Functions](#)) is a pointer to a struct `argp_state`, which contains information about the state of the option parsing.

### **struct argp\_state**

Data Type

This structure has the following fields, which may be modified as noted:

```
const struct argp *const root_argp
```

The top level argp parser being parsed. Note that this is often *not* the same struct `argp` passed into `argp_parse` by the invoking program. See [Argp](#). It is an internal argp parser that contains options implemented by `argp_parse` itself, such as `--help`.

```
int argc
```

```
char **argv
```

The argument vector being parsed. This may be modified.

```
int next
```

The index in `argv` of the next argument to be parsed. This may be modified.

One way to consume all remaining arguments in the input is to set `state->next = state->argc`, perhaps after recording the value of the `next` field to find the consumed

arguments. The current option can be re-parsed immediately by decrementing this field, then modifying `state->argv[state->next]` to reflect the option that should be reexamined.

unsigned flags

The flags supplied to `argp_parse`. These may be modified, although some flags may only take effect when `argp_parse` is first invoked. See [Argp Flags](#).

unsigned arg\_num

While calling a parsing function with the *key* argument `ARGP_KEY_ARG`, this represents the number of the current arg, starting at 0. It is incremented after each `ARGP_KEY_ARG` call returns. At all other times, this is the number of `ARGP_KEY_ARG` arguments that have been processed.

int quoted

If non-zero, the index in `argv` of the first argument following a special `--` argument. This prevents anything that follows from being interpreted as an option. It is only set after argument parsing has proceeded past this point.

void \*input

An arbitrary pointer passed in from the caller of `argp_parse`, in the *input* argument.

void \*\*child\_inputs

These are values that will be passed to child parsers. This vector will be the same length as the number of children in the current parser. Each child parser will be given the value of `state->child_inputs[i]` as its `state->input` field, where *i* is the index of the child in the this parser's `children` field. See [Argp Children](#).

void \*hook

For the parser function's use. Initialized to 0, but otherwise ignored by `argp`.

char \*name

The name used when printing messages. This is initialized to `argv[0]`, or `program_invocation_name` if `argv[0]` is unavailable.

FILE \*err\_stream

FILE \*out\_stream

The stdio streams used when `argp` prints. Error messages are printed to `err_stream`, all other output, such as `--help` output) to `out_stream`. These are initialized to `stderr` and `stdout` respectively. See [Standard Streams](#).

void \*pstate

Private, for use by the `argp` implementation.

---

Node: [Argp Children](#), Next: [Argp Help Filtering](#), Previous: [Argp Parser Functions](#), Up: [Argp Parsers](#)

## Combining Multiple Argp Parsers

The `children` field in a `struct argp` enables other argp parsers to be combined with the referencing one for the parsing of a single set of arguments. This field should point to a vector of `struct argp_child`, which is terminated by an entry having a value of zero in the `argp` field.

Where conflicts between combined parsers arise, as when two specify an option with the same name, the parser conflicts are resolved in favor of the parent argp parser(s), or the earlier of the argp parsers in the list of children.

## **struct argp\_child**

Data Type

An entry in the list of subsidiary argp parsers pointed to by the `children` field in a `struct argp`. The fields are as follows:

```
const struct argp *argp
```

The child argp parser, or zero to end of the list.

```
int flags
```

Flags for this child.

```
const char *header
```

If non-zero, this is an optional header to be printed within help output before the child options. As a side-effect, a non-zero value forces the child options to be grouped together. To achieve this effect without actually printing a header string, use a value of " ". As with header strings specified in an option entry, the conventional value of the last character is `:`. See [Argp Option Vectors](#).

```
int group
```

This is where the child options are grouped relative to the other `consolidated' options in the parent argp parser. The values are the same as the `group` field in `struct argp_option`. See [Argp Option Vectors](#). All child-groupings follow parent options at a particular group level. If both this field and `header` are zero, then the child's options aren't grouped together, they are merged with parent options at the parent option group level.

---

Node: Argp Flags, Next: [Argp Help](#), Previous: [Argp Parsers](#), Up: [Argp](#)

## **Flags for argp\_parse**

The default behavior of `argp_parse` is designed to be convenient for the most common case of parsing program command line argument. To modify these defaults, the following flags may be or'd together in the `flags` argument to `argp_parse`:

```
ARGP_PARSE_ARGV0
```

Don't ignore the first element of the *argv* argument to `argp_parse`. Unless `ARGP_NO_ERRS` is set, the first element of the argument vector is skipped for option parsing purposes, as it corresponds to the program name in a command line.

#### `ARGP_NO_ERRS`

Don't print error messages for unknown options to `stderr`; unless this flag is set, `ARGP_PARSE_ARGV0` is ignored, as `argv[0]` is used as the program name in the error messages. This flag implies `ARGP_NO_EXIT`. This is based on the assumption that silent exiting upon errors is bad behavior.

#### `ARGP_NO_ARGS`

Don't parse any non-option args. Normally these are parsed by calling the parse functions with a key of `ARGP_KEY_ARG`, the actual argument being the value. This flag needn't normally be set, as the default behavior is to stop parsing as soon as an argument fails to be parsed. See [Argp Parser Functions](#).

#### `ARGP_IN_ORDER`

Parse options and arguments in the same order they occur on the command line. Normally they're rearranged so that all options come first.

#### `ARGP_NO_HELP`

Don't provide the standard long option `--help`, which ordinarily causes usage and option help information to be output to `stdout` and `exit (0)`.

#### `ARGP_NO_EXIT`

Don't exit on errors, although they may still result in error messages.

#### `ARGP_LONG_ONLY`

Use the `gnu getopt `long-only`` rules for parsing arguments. This allows long-options to be recognized with only a single `-` (i.e. `-help`). This results in a less useful interface, and its use is discouraged as it conflicts with the way most GNU programs work as well as the GNU coding standards.

#### `ARGP_SILENT`

Turns off any message-printing/exiting options, specifically `ARGP_NO_EXIT`, `ARGP_NO_ERRS`, and `ARGP_NO_HELP`.

Node: [Argp Help Filtering](#), Previous: [Argp Children](#), Up: [Argp Parsers](#)

## Customizing Argp Help Output

The `help_filter` field in a `struct argp` is a pointer to a function that filters the text of help messages before displaying them. They have a function signature like:

```
char *help-filter (int key, const char *text, void *input)
```

Where *key* is either a key from an option, in which case *text* is that option's help text. See [Argp Option](#)



[Vectors](#). Alternately, one of the special keys with names beginning with `ARGP_KEY_HELP_` might be used, describing which other help text *text* will contain. See [Argp Help Filter Keys](#).

The function should return either *text* if it remains as-is, or a replacement string allocated using `malloc`. This will be either be freed by `argp` or zero, which prints nothing. The value of *text* is supplied *after* any translation has been done, so if any of the replacement text needs translation, it will be done by the filter function. *input* is either the input supplied to `argp_parse` or it is zero, if `argp_help` was called directly by the user.

- [Keys](#): Special *key* values for help filter functions.

---

Node: [Argp Help Filter Keys](#), Up: [Argp Help Filtering](#)

## Special Keys for Argp Help Filter Functions

The following special values may be passed to an `argp` help filter function as the first argument in addition to key values for user options. They specify which help text the *text* argument contains:

`ARGP_KEY_HELP_PRE_DOC`

The help text preceding options.

`ARGP_KEY_HELP_POST_DOC`

The help text following options.

`ARGP_KEY_HELP_HEADER`

The option header string.

`ARGP_KEY_HELP_EXTRA`

This is used after all other documentation; *text* is zero for this key.

`ARGP_KEY_HELP_DUP_ARGS_NOTE`

The explanatory note printed when duplicate option arguments have been suppressed.

`ARGP_KEY_HELP_ARGS_DOC`

The argument doc string; formally the `args_doc` field from the `argp` parser. See [Argp Parsers](#).

---

Node: [Argp Help](#), Next: [Argp Examples](#), Previous: [Argp Flags](#), Up: [Argp](#)

## The `argp_help` Function

Normally programs using `argp` need not be written with particular printing argument-usage-type help messages in mind as the standard `--help` option is handled automatically by `argp`. Typical error cases can be handled using `argp_usage` and `argp_error`. See [Argp Helper Functions](#). However, if it's desirable to print a help message in some context other than parsing the program options, `argp` offers the

argp\_help interface.

void **argp\_help** (*const struct argp \*argp, FILE \*stream, unsigned flags, char \*name*) Function

This outputs a help message for the argp parser *argp* to *stream*. The type of messages printed will be determined by *flags*.

Any options such as `--help` that are implemented automatically by argp itself will *not* be present in the help output; for this reason it is best to use `argp_state_help` if calling from within an argp parser function. See [Argp Helper Functions](#).

- [Flags](#): Specifying what sort of help message to print.

Node: Argp Help Flags, Up: [Argp Help](#)

## Flags for the argp\_help Function

When calling `argp_help` (see [Argp Help](#)) or `argp_state_help` (see [Argp Helper Functions](#)) the exact output is determined by the *flags* argument. This should consist of any of the following flags, or'd together:

ARGP\_HELP\_USAGE

A unix Usage : message that explicitly lists all options.

ARGP\_HELP\_SHORT\_USAGE

A unix Usage : message that displays an appropriate placeholder to indicate where the options go; useful for showing the non-option argument syntax.

ARGP\_HELP\_SEE

A Try ... for more help message; ... contains the program name and `--help`.

ARGP\_HELP\_LONG

A verbose option help message that gives each option available along with its documentation string.

ARGP\_HELP\_PRE\_DOC

The part of the argp parser doc string preceding the verbose option help.

ARGP\_HELP\_POST\_DOC

The part of the argp parser doc string that following the verbose option help.

ARGP\_HELP\_DOC

(ARGP\_HELP\_PRE\_DOC | ARGP\_HELP\_POST\_DOC)

ARGP\_HELP\_BUG\_ADDR

A message that prints where to report bugs for this program, if the `argp_program_bug_address` variable contains this information.

ARGP\_HELP\_LONG\_ONLY

This will modify any output to reflect the `ARGP_LONG_ONLY` mode.

The following flags are only understood when used with `argp_state_help`. They control whether the function returns after printing its output, or terminates the program:

`ARGP_HELP_EXIT_ERR`

This will terminate the program with `exit (argp_err_exit_status)`.

`ARGP_HELP_EXIT_OK`

This will terminate the program with `exit (0)`.

The following flags are combinations of the basic flags for printing standard messages:

`ARGP_HELP_STD_ERR`

Assuming that an error message for a parsing error has printed, this prints a message on how to get help, and terminates the program with an error.

`ARGP_HELP_STD_USAGE`

This prints a standard usage message and terminates the program with an error. This is used when no other specific error messages are appropriate or available.

`ARGP_HELP_STD_HELP`

This prints the standard response for a `--help` option, and terminates the program successfully.

---

Node: Argp Examples, Next: [Argp User Customization](#), Previous: [Argp Help](#), Up: [Argp](#)

## Argp Examples

These example programs demonstrate the basic usage of `argp`.

- [1](#): A minimal program using `argp`.
- [2](#): A program using only default options.
- [3](#): A simple program with user options.
- [4](#): Combining multiple `argp` parsers.

---

Node: Argp Example 1, Next: [Argp Example 2](#), Up: [Argp Examples](#)

## A Minimal Program Using Argp

This is perhaps the smallest program possible that uses `argp`. It won't do much except give an error messages and exit when there are any arguments, and prints a rather pointless message for `--help`.

```

/* Argp example #1 - a minimal program using argp */

/* This is (probably) the smallest possible program that
   uses argp.  It won't do much except give an error
   messages and exit when there are any arguments, and print
   a (rather pointless) messages for -help. */

#include <argp.h>

int main (int argc, char **argv)
{
    argp_parse (0, argc, argv, 0, 0, 0);
    exit (0);
}

```

---

Node: [Argp Example 2](#), Next: [Argp Example 3](#), Previous: [Argp Example 1](#), Up: [Argp Examples](#)

## A Program Using Argp with Only Default Options

This program doesn't use any options or arguments, it uses argp to be compliant with the GNU standard command line format.

In addition to giving no arguments and implementing a `--help` option, this example has a `--version` option, which will put the given documentation string and bug address in the `--help` output, as per GNU standards.

The variable `argp` contains the argument parser specification. Adding fields to this structure is the way most parameters are passed to `argp_parse`. The first three fields are normally used, but they are not in this small program. There are also two global variables that argp can use defined here, `argp_program_version` and `argp_program_bug_address`. They are considered global variables because they will almost always be constant for a given program, even if they use different argument parsers for various tasks.

```

/* Argp example #2 - a pretty minimal program using argp */

/* This program doesn't use any options or arguments, but uses
   argp to be compliant with the GNU standard command line
   format.

   In addition to making sure no arguments are given, and
   implementing a -help option, this example will have a
   -version option, and will put the given documentation string
   and bug address in the -help output, as per GNU standards.

```

The variable `ARGP` contains the argument parser specification; adding fields to this structure is the way most parameters are passed to `argp_parse` (the first three fields are usually used, but not in this small program). There are also two global variables that `argp` knows about defined here, `ARGP_PROGRAM_VERSION` and `ARGP_PROGRAM_BUG_ADDRESS` (they are global variables because they will almost always be constant for a given program, even if it uses different argument parsers for various tasks). `*/`

```
#include <argp.h>

const char *argp_program_version =
  "argp-ex2 1.0";
const char *argp_program_bug_address =
  "<bug-gnu-utils@gnu.org>";

/* Program documentation. */
static char doc[] =
  "Argp example #2 -- a pretty minimal program using argp";

/* Our argument parser.  The options, parser, and
   args_doc fields are zero because we have neither options or
   arguments; doc and argp_program_bug_address will be
   used in the output for --help, and the --version
   option will print out argp_program_version. */
static struct argp argp = { 0, 0, 0, doc };

int main (int argc, char **argv)
{
  argp_parse (&argp, argc, argv, 0, 0, 0);
  exit (0);
}
```

---

Node: [Argp Example 3](#), Next: [Argp Example 4](#), Previous: [Argp Example 2](#), Up: [Argp Examples](#)

## A Program Using Argp with User Options

This program uses the same features as example 2, adding user options and arguments.

We now use the first four fields in `argp` (see [Argp Parsers](#)) and specify `parse_opt` as the parser function. See [Argp Parser Functions](#).

Note that in this example, `main` uses a structure to communicate with the `parse_opt` function, a pointer to which it passes in the input argument to `argp_parse`. See [Argp](#). It is retrieved by

parse\_opt through the input field in its state argument. See [Argp Parsing State](#). Of course, it's also possible to use global variables instead, but using a structure like this is somewhat more flexible and clean.

```
/* Argp example #3 - a program with options and arguments using argp */

/* This program uses the same features as example 2, and uses options and
arguments.
```

We now use the first four fields in ARGV, so here's a description of them:

- OPTIONS - A pointer to a vector of struct argp\_option (see below)
- PARSER - A function to parse a single option, called by argp
- ARGS\_DOC - A string describing how the non-option arguments should look
- DOC - A descriptive string about this program; if it contains a vertical tab character (\v), the part after it will be printed *following* the options

The function PARSER takes the following arguments:

- KEY - An integer specifying which option this is (taken from the KEY field in each struct argp\_option), or a special key specifying something else; the only special keys we use here are ARGV\_KEY\_ARG, meaning a non-option argument, and ARGV\_KEY\_END, meaning that all arguments have been parsed
- ARG - For an option KEY, the string value of its argument, or NULL if it has none
- STATE- A pointer to a struct argp\_state, containing various useful information about the parsing state; used here are the INPUT field, which reflects the INPUT argument to argp\_parse, and the ARG\_NUM field, which is the number of the current non-option argument being parsed

It should return either 0, meaning success, ARGV\_ERR\_UNKNOWN, meaning the given KEY wasn't recognized, or an errno value indicating some other error.

Note that in this example, main uses a structure to communicate with the parse\_opt function, a pointer to which it passes in the INPUT argument to argp\_parse. Of course, it's also possible to use global variables instead, but this is somewhat more flexible.

The OPTIONS field contains a pointer to a vector of struct argp\_option's; that structure has the following fields (if you assign your option structures using array initialization like this example, unspecified fields will be defaulted to 0, and need not be specified):

- NAME - The name of this option's long option (may be zero)
- KEY - The KEY to pass to the PARSER function when parsing this

option,

- \*and\* the name of this option's short option, if it is a printable ascii character

```

ARG      - The name of this option's argument, if any
FLAGS    - Flags describing this option; some of them are:
           OPTION_ARG_OPTIONAL - The argument to this option is
optional

```

```

           OPTION_ALIAS         - This option is an alias for the
                                   previous option
           OPTION_HIDDEN        - Don't show this option in -help output
DOC      - A documentation string for this option, shown in -help output

```

An options vector should be terminated by an option with all fields zero.

```
*/
```

```

#include <argp.h>

const char *argp_program_version =
  "argp-ex3 1.0";
const char *argp_program_bug_address =
  "<bug-gnu-utils@gnu.org>";

/* Program documentation. */
static char doc[] =
  "Argp example #3 -- a program with options and arguments using argp";

/* A description of the arguments we accept. */
static char args_doc[] = "ARG1 ARG2";

/* The options we understand. */
static struct argp_option options[] = {
  {"verbose", 'v', 0, 0, "Produce verbose output" },
  {"quiet", 'q', 0, 0, "Don't produce any output" },
  {"silent", 's', 0, OPTION_ALIAS },
  {"output", 'o', "FILE", 0,
   "Output to FILE instead of standard output" },
  { 0 }
};

/* Used by main to communicate with parse_opt. */
struct arguments
{
  char *args[2];          /* arg1 & arg2 */
  int silent, verbose;
  char *output_file;
};

/* Parse a single option. */
static error_t
parse_opt (int key, char *arg, struct argp_state *state)
{
  /* Get the input argument from argp_parse, which we
   know is a pointer to our arguments structure. */

```

```

struct arguments *arguments = state->input;

switch (key)
{
  case 'q': case 's':
    arguments->silent = 1;
    break;
  case 'v':
    arguments->verbose = 1;
    break;
  case 'o':
    arguments->output_file = arg;
    break;

  case ARGP_KEY_ARG:
    if (state->arg_num >= 2)
      /* Too many arguments. */
      argp_usage (state);

    arguments->args[state->arg_num] = arg;

    break;

  case ARGP_KEY_END:
    if (state->arg_num < 2)
      /* Not enough arguments. */
      argp_usage (state);
    break;

  default:
    return ARGP_ERR_UNKNOWN;
}
return 0;
}

/* Our argp parser. */
static struct argp argp = { options, parse_opt, args_doc, doc };

int main (int argc, char **argv)
{
  struct arguments arguments;

  /* Default values. */
  arguments.silent = 0;
  arguments.verbose = 0;
  arguments.output_file = "-";

  /* Parse our arguments; every option seen by parse_opt will
     be reflected in arguments. */
  argp_parse (&argp, argc, argv, 0, 0, &arguments);
}

```



```

printf ("ARG1 = %s\nARG2 = %s\nOUTPUT_FILE = %s\n"
       "VERBOSE = %s\nSILENT = %s\n",
       arguments.args[0], arguments.args[1],
       arguments.output_file,
       arguments.verbose ? "yes" : "no",
       arguments.silent ? "yes" : "no");

exit (0);
}

```

---

Node: [Argp Example 4](#), Previous: [Argp Example 3](#), Up: [Argp Examples](#)

## A Program Using Multiple Combined Argp Parsers

This program uses the same features as example 3, but has more options, and presents more structure in the `--help` output. It also illustrates how you can 'steal' the remainder of the input arguments past a certain point for programs that accept a list of items. It also illustrates the *key value* `ARGP_KEY_NO_ARGS`, which is only given if no non-option arguments were supplied to the program. See [Argp Special Keys](#).

For structuring help output, two features are used: *headers* and a two part option string. The *headers* are entries in the options vector. See [Argp Option Vectors](#). The first four fields are zero. The two part documentation string are in the variable `doc`, which allows documentation both before and after the options. See [Argp Parsers](#), the two parts of `doc` are separated by a vertical-tab character (`'\v'`, or `'\013'`). By convention, the documentation before the options is a short string stating what the program does, and after any options it is longer, describing the behavior in more detail. All documentation strings are automatically filled for output, although newlines may be included to force a line break at a particular point. In addition, documentation strings are passed to the `gettext` function, for possible translation into the current locale.

```

/* Argp example #4 - a program with somewhat more complicated options */

/* This program uses the same features as example 3, but has more
options, and somewhat more structure in the -help output. It
also shows how you can 'steal' the remainder of the input
arguments past a certain point, for programs that accept a
list of items. It also shows the special argp KEY value
ARGP_KEY_NO_ARGS, which is only given if no non-option
arguments were supplied to the program.

```

```

For structuring the help output, two features are used,
*headers* which are entries in the options vector with the

```

```

first four fields being zero, and a two part documentation
string (in the variable DOC), which allows documentation both
before and after the options; the two parts of DOC are
separated by a vertical-tab character ('\v', or '\013'). By
convention, the documentation before the options is just a
short string saying what the program does, and that afterwards
is longer, describing the behavior in more detail. All
documentation strings are automatically filled for output,
although newlines may be included to force a line break at a
particular point. All documentation strings are also passed to
the `gettext' function, for possible translation into the
current locale. */

```

```

#include <stdlib.h>
#include <error.h>
#include <argp.h>

const char *argp_program_version =
  "argp-ex4 1.0";
const char *argp_program_bug_address =
  "<bug-gnu-utils@prep.ai.mit.edu>";

/* Program documentation. */
static char doc[] =
  "Argp example #4 -- a program with somewhat more complicated\
options\
\vThis part of the documentation comes *after* the options;\
note that the text is automatically filled, but it's possible\
to force a line-break, e.g.\n<-- here.";

/* A description of the arguments we accept. */
static char args_doc[] = "ARG1 [STRING...]";

/* Keys for options without short-options. */
#define OPT_ABORT 1          /* -abort */

/* The options we understand. */
static struct argp_option options[] = {
  {"verbose", 'v', 0, 0, "Produce verbose output" },
  {"quiet", 'q', 0, 0, "Don't produce any output" },
  {"silent", 's', 0, OPTION_ALIAS },
  {"output", 'o', "FILE", 0,
   "Output to FILE instead of standard output" },

  {0,0,0,0, "The following options should be grouped together:" },
  {"repeat", 'r', "COUNT", OPTION_ARG_OPTIONAL,
   "Repeat the output COUNT (default 10) times"},
  {"abort", OPT_ABORT, 0, 0, "Abort before showing any output"},

  { 0 }

```

```

};

/* Used by main to communicate with parse_opt. */
struct arguments
{
  char *arg1;           /* arg1 */
  char **strings;      /* [string...] */
  int silent, verbose, abort; /* -s, -v, --abort */
  char *output_file;   /* file arg to --output */
  int repeat_count;    /* count arg to --repeat */
};

/* Parse a single option. */
static error_t
parse_opt (int key, char *arg, struct argp_state *state)
{
  /* Get the input argument from argp_parse, which we
   know is a pointer to our arguments structure. */
  struct arguments *arguments = state->input;

  switch (key)
  {
    case 'q': case 's':
      arguments->silent = 1;
      break;
    case 'v':
      arguments->verbose = 1;
      break;
    case 'o':
      arguments->output_file = arg;
      break;
    case 'r':
      arguments->repeat_count = arg ? atoi (arg) : 10;
      break;
    case OPT_ABORT:
      arguments->abort = 1;
      break;

    case ARGP_KEY_NO_ARGS:
      argp_usage (state);

    case ARGP_KEY_ARG:
      /* Here we know that state->arg_num == 0, since we
       force argument parsing to end before any more arguments can
       get here. */
      arguments->arg1 = arg;

      /* Now we consume all the rest of the arguments.
       state->next is the index in state->argv of the
       next argument to be parsed, which is the first string

```

we're interested in, so we can just use `&state->argv[state->next]` as the value for `arguments->strings`.

*In addition*, by setting `state->next` to the end of the arguments, we can force `argp` to stop parsing here and return. *\*/*

```
arguments->strings = &state->argv[state->next];
state->next = state->argc;
```

```
break;
```

```
default:
```

```
    return ARGP_ERR_UNKNOWN;
```

```
}
```

```
return 0;
```

```
}
```

```
/* Our argp parser. */
```

```
static struct argp argp = { options, parse_opt, args_doc, doc };
```

```
int main (int argc, char **argv)
```

```
{
```

```
    int i, j;
```

```
    struct arguments arguments;
```

```
/* Default values. */
```

```
arguments.silent = 0;
```

```
arguments.verbose = 0;
```

```
arguments.output_file = "-";
```

```
arguments.repeat_count = 1;
```

```
arguments.abort = 0;
```

```
/* Parse our arguments; every option seen by parse_opt will be
   reflected in arguments. */
```

```
argp_parse (&argp, argc, argv, 0, 0, &arguments);
```

```
if (arguments.abort)
```

```
    error (10, 0, "ABORTED");
```

```
for (i = 0; i < arguments.repeat_count; i++)
```

```
{
```

```
    printf ("ARG1 = %s\n", arguments.arg1);
```

```
    printf ("STRINGS = ");
```

```
    for (j = 0; arguments.strings[j]; j++)
```

```
        printf (j == 0 ? "%s" : ", %s", arguments.strings[j]);
```

```
    printf ("\n");
```

```
    printf ("OUTPUT_FILE = %s\nVERBOSE = %s\nSILENT = %s\n",
```

```
           arguments.output_file,
```

```
           arguments.verbose ? "yes" : "no",
```

```

        arguments.silent ? "yes" : "no");
    }
    exit (0);
}

```

---

Node: [Argp User Customization](#), Previous: [Argp Examples](#), Up: [Argp](#)

## Argp User Customization

The formatting of `argp --help` output may be controlled to some extent by a program's users, by setting the `ARGP_HELP_FMT` environment variable to a comma-separated list of tokens. Whitespace is ignored:

`dup-args`

`no-dup-args`

These turn *duplicate-argument-mode* on or off. In duplicate argument mode, if an option that accepts an argument has multiple names, the argument is shown for each name. Otherwise, it is only shown for the first long option. A note is subsequently printed so the user knows that it applies to other names as well. The default is `no-dup-args`, which is less consistent, but prettier.

`dup-args-note`

`no-dup-args-note`

These will enable or disable the note informing the user of suppressed option argument duplication. The default is `dup-args-note`.

`short-opt-col=n`

This prints the first short option in column *n*. The default is 2.

`long-opt-col=n`

This prints the first long option in column *n*. The default is 6.

`doc-opt-col=n`

This prints 'documentation options' (see [Argp Option Flags](#)) in column *n*. The default is 2.

`opt-doc-col=n`

This prints the documentation for options starting in column *n*. The default is 29.

`header-col=n`

This will indent the group headers that document groups of options to column *n*. The default is 1.

`usage-indent=n`

This will indent continuation lines in `Usage :` messages to column *n*. The default is 12.

`rmargin=n`

This will word wrap help output at or before column *n*. The default is 79.

Node: Suboptions, Next: [Suboptions Example](#), Previous: [Argp](#), Up: [Parsing Program Arguments](#)

## Parsing of Suboptions

Having a single level of options is sometimes not enough. There might be too many options which have to be available or a set of options is closely related.

For this case some programs use suboptions. One of the most prominent programs is certainly `mount` (8). The `-o` option take one argument which itself is a comma separated list of options. To ease the programming of code like this the function `getsubopt` is available.

`int getsubopt (char **optionp, const char* const *tokens, char **valuep)` Function

The *optionp* parameter must be a pointer to a variable containing the address of the string to process. When the function returns the reference is updated to point to the next suboption or to the terminating `\0` character if there is no more suboption available.

The *tokens* parameter references an array of strings containing the known suboptions. All strings must be `\0` terminated and to mark the end a null pointer must be stored. When `getsubopt` finds a possible legal suboption it compares it with all strings available in the *tokens* array and returns the index in the string as the indicator.

In case the suboption has an associated value introduced by a `=` character, a pointer to the value is returned in *valuep*. The string is `\0` terminated. If no argument is available *valuep* is set to the null pointer. By doing this the caller can check whether a necessary value is given or whether no unexpected value is present.

In case the next suboption in the string is not mentioned in the *tokens* array the starting address of the suboption including a possible value is returned in *valuep* and the return value of the function is `-1`.

Node: Suboptions Example, Previous: [Suboptions](#), Up: [Parsing Program Arguments](#)

## Parsing of Suboptions Example

The code which might appear in the `mount(8)` program is a perfect example of the use of `getsubopt`:

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
```

```
int do_all;
const char *type;
int read_size;
int write_size;
int read_only;

enum
{
    RO_OPTION = 0,
    RW_OPTION,
    READ_SIZE_OPTION,
    WRITE_SIZE_OPTION,
    THE_END
};

const char *mount_opts[] =
{
    [RO_OPTION] = "ro",
    [RW_OPTION] = "rw",
    [READ_SIZE_OPTION] = "rsize",
    [WRITE_SIZE_OPTION] = "wsize",
    [THE_END] = NULL
};

int
main (int argc, char *argv[])
{
    char *subopts, *value;
    int opt;

    while ((opt = getopt (argc, argv, "at:o:")) != -1)
        switch (opt)
        {
            case 'a':
                do_all = 1;
                break;
            case 't':
                type = optarg;
                break;
            case 'o':
                subopts = optarg;
                while (*subopts != '\0')
                    switch (getsubopt (&subopts, mount_opts, &value))
                    {
                        case RO_OPTION:
                            read_only = 1;
                            break;
                        case RW_OPTION:
                            read_only = 0;
                            break;
                    }
        }
}
```

```

    case READ_SIZE_OPTION:
        if (value == NULL)
            abort ();
        read_size = atoi (value);
        break;
    case WRITE_SIZE_OPTION:
        if (value == NULL)
            abort ();
        write_size = atoi (value);
        break;
    default:
        /* Unknown suboption. */
        printf ("Unknown suboption `%s'\n", value);
        break;
    }
    break;
default:
    abort ();
}

/* Do the real work. */

return 0;
}

```

---

Node: Environment Variables, Next: [System Calls](#), Previous: [Program Arguments](#), Up: [Program Basics](#)

## Environment Variables

When a program is executed, it receives information about the context in which it was invoked in two ways. The first mechanism uses the *argv* and *argc* arguments to its `main` function, and is discussed in [Program Arguments](#). The second mechanism uses *environment variables* and is discussed in this section.

The *argv* mechanism is typically used to pass command-line arguments specific to the particular program being invoked. The environment, on the other hand, keeps track of information that is shared by many programs, changes infrequently, and that is less frequently used.

The environment variables discussed in this section are the same environment variables that you set using assignments and the `export` command in the shell. Programs executed from the shell inherit all of the environment variables from the shell.

Standard environment variables are used for information about the user's home directory, terminal type, current locale, and so on; you can define additional variables for other purposes. The set of all environment variables that have values is collectively known as the *environment*.



Names of environment variables are case-sensitive and must not contain the character =. System-defined environment variables are invariably uppercase.

The values of environment variables can be anything that can be represented as a string. A value must not contain an embedded null character, since this is assumed to terminate the string.

- [Environment Access](#): How to get and set the values of environment variables.
- [Standard Environment](#): These environment variables have standard interpretations.

---

Node: Environment Access, Next: [Standard Environment](#), Up: [Environment Variables](#)

## Environment Access

The value of an environment variable can be accessed with the `getenv` function. This is declared in the header file `stdlib.h`. All of the following functions can be safely used in multi-threaded programs. It is made sure that concurrent modifications to the environment do not lead to errors.

`char * getenv (const char *name)` Function

This function returns a string that is the value of the environment variable *name*. You must not modify this string. In some non-Unix systems not using the GNU library, it might be overwritten by subsequent calls to `getenv` (but not by any other library function). If the environment variable *name* is not defined, the value is a null pointer.

`int putenv (char *string)` Function

The `putenv` function adds or removes definitions from the environment. If the *string* is of the form *name=value*, the definition is added to the environment. Otherwise, the *string* is interpreted as the name of an environment variable, and any definition for this variable in the environment is removed.

The difference to the `setenv` function is that the exact string given as the parameter *string* is put into the environment. If the user should change the string after the `putenv` call this will reflect in automatically in the environment. This also requires that *string* is no automatic variable which scope is left before the variable is removed from the environment. The same applies of course to dynamically allocated variables which are freed later.

This function is part of the extended Unix interface. Since it was also available in old SVID libraries you should define either `_XOPEN_SOURCE` or `_SVID_SOURCE` before including any header.

int **setenv** (*const char \*name, const char \*value, int replace*)

Function

The `setenv` function can be used to add a new definition to the environment. The entry with the name *name* is replaced by the value *name=value*. Please note that this is also true if *value* is the empty string. To do this a new string is created and the strings *name* and *value* are copied. A null pointer for the *value* parameter is illegal. If the environment already contains an entry with key *name* the *replace* parameter controls the action. If *replace* is zero, nothing happens. Otherwise the old entry is replaced by the new one.

Please note that you cannot remove an entry completely using this function.

This function was originally part of the BSD library but is now part of the Unix standard.

int **unsetenv** (*const char \*name*)

Function

Using this function one can remove an entry completely from the environment. If the environment contains an entry with the key *name* this whole entry is removed. A call to this function is equivalent to a call to `putenv` when the *value* part of the string is empty.

The function return `-1` if *name* is a null pointer, points to an empty string, or points to a string containing a `=` character. It returns `0` if the call succeeded.

This function was originally part of the BSD library but is now part of the Unix standard. The BSD version had no return value, though.

There is one more function to modify the whole environment. This function is said to be used in the POSIX.9 (POSIX bindings for Fortran 77) and so one should expect it did made it into POSIX.1. But this never happened. But we still provide this function as a GNU extension to enable writing standard compliant Fortran environments.

int **clearenv** (*void*)

Function

The `clearenv` function removes all entries from the environment. Using `putenv` and `setenv` new entries can be added again later.

If the function is successful it returns `0`. Otherwise the return value is nonzero.

You can deal directly with the underlying representation of environment objects to add more variables to the environment (for example, to communicate with another program you are about to execute; see [Executing a File](#)).

**char \*\* environ**

Variable

The environment is represented as an array of strings. Each string is of the format *name=value*. The order in which strings appear in the environment is not significant, but the same *name* must not appear more than once. The last element of the array is a null pointer.

This variable is declared in the header file `unistd.h`.

If you just want to get the value of an environment variable, use `getenv`.

Unix systems, and the GNU system, pass the initial value of `environ` as the third argument to `main`. See [Program Arguments](#).

---

Node: Standard Environment, Previous: [Environment Access](#), Up: [Environment Variables](#)

## Standard Environment Variables

These environment variables have standard meanings. This doesn't mean that they are always present in the environment; but if these variables *are* present, they have these meanings. You shouldn't try to use these environment variable names for some other purpose.

### HOME

This is a string representing the user's *home directory*, or initial default working directory.

The user can set HOME to any value. If you need to make sure to obtain the proper home directory for a particular user, you should not use HOME; instead, look up the user's name in the user database (see [User Database](#)).

For most purposes, it is better to use HOME, precisely because this lets the user specify the value.

### LOGNAME

This is the name that the user used to log in. Since the value in the environment can be tweaked arbitrarily, this is not a reliable way to identify the user who is running a program; a function like `getlogin` (see [Who Logged In](#)) is better for that purpose.

For most purposes, it is better to use LOGNAME, precisely because this lets the user specify the value.

## PATH

A *path* is a sequence of directory names which is used for searching for a file. The variable `PATH` holds a path used for searching for programs to be run.

The `exec1p` and `execvp` functions (see [Executing a File](#)) use this environment variable, as do many shells and other utilities which are implemented in terms of those functions.

The syntax of a path is a sequence of directory names separated by colons. An empty string instead of a directory name stands for the current directory (see [Working Directory](#)).

A typical value for this environment variable might be a string like:

```
:/bin:/etc:/usr/bin:/usr/new/X11:/usr/new:/usr/local/bin
```

This means that if the user tries to execute a program named `foo`, the system will look for files named `foo`, `/bin/foo`, `/etc/foo`, and so on. The first of these files that exists is the one that is executed.

## TERM

This specifies the kind of terminal that is receiving program output. Some programs can make use of this information to take advantage of special escape sequences or terminal modes supported by particular kinds of terminals. Many programs which use the `termcap` library (see [Find](#)) use the `TERM` environment variable, for example.

## TZ

This specifies the time zone. See [TZ Variable](#), for information about the format of this string and how it is used.

## LANG

This specifies the default locale to use for attribute categories where neither `LC_ALL` nor the specific environment variable for that category is set. See [Locales](#), for more information about locales.

## LC\_ALL

If this environment variable is set it overrides the selection for all the locales done using the other

LC\_\* environment variables. The value of the other LC\_\* environment variables is simply ignored in this case.

#### LC\_COLLATE

This specifies what locale to use for string sorting.

#### LC\_CTYPE

This specifies what locale to use for character sets and character classification.

#### LC\_MESSAGES

This specifies what locale to use for printing messages and to parse responses.

#### LC\_MONETARY

This specifies what locale to use for formatting monetary values.

#### LC\_NUMERIC

This specifies what locale to use for formatting numbers.

#### LC\_TIME

This specifies what locale to use for formatting date/time values.

#### NLSPATH

This specifies the directories in which the `catopen` function looks for message translation catalogs.

#### \_\_POSIX\_OPTION\_ORDER

If this environment variable is defined, it suppresses the usual reordering of command line arguments by `getopt` and `argp_parse`. See [Argument Syntax](#).

---

Node: System Calls, Next: [Program Termination](#), Previous: [Environment Variables](#), Up: [Program Basics](#)

## System Calls

A system call is a request for service that a program makes of the kernel. The service is generally something that only the kernel has the privilege to do, such as doing I/O. Programmers don't normally need to be concerned with system calls because there are functions in the GNU C library to do virtually everything that system calls do. These functions work by making system calls themselves. For example, there is a system call that changes the permissions of a file, but you don't need to know about it because you can just use the GNU C library's `chmod` function.

System calls are sometimes called kernel calls.

However, there are times when you want to make a system call explicitly, and for that, the GNU C library provides the `syscall` function. `syscall` is harder to use and less portable than functions like `chmod`, but easier and more portable than coding the system call in assembler instructions.

`syscall` is most useful when you are working with a system call which is special to your system or is newer than the GNU C library you are using. `syscall` is implemented in an entirely generic way; the function does not know anything about what a particular system call does or even if it is valid.

The description of `syscall` in this section assumes a certain protocol for system calls on the various platforms on which the GNU C library runs. That protocol is not defined by any strong authority, but we won't describe it here either because anyone who is coding `syscall` probably won't accept anything less than kernel and C library source code as a specification of the interface between them anyway.

`syscall` is declared in `unistd.h`.

<code>long int <b>syscall</b> (<i>long int sysno</i>, ...)</code>	Function
<code>syscall</code> performs a generic system call.	

*sysno* is the system call number. Each kind of system call is identified by a number. Macros for all the possible system call numbers are defined in `sys/syscall.h`

The remaining arguments are the arguments for the system call, in order, and their meanings depend on the kind of system call. Each kind of system call has a definite number of arguments, from zero to five. If you code more arguments than the system call takes, the extra ones to the right are ignored.

The return value is the return value from the system call, unless the system call failed. In that case, `syscall` returns `-1` and sets `errno` to an error code that the system call returned. Note that system calls do not return `-1` when they succeed.

If you specify an invalid *sysno*, `syscall` returns `-1` with `errno = ENOSYS`.

Example:

```
#include <unistd.h>
#include <sys/syscall.h>
#include <errno.h>

...

int rc;

rc = syscall(SYS_chmod, "/etc/passwd", 0444);

if (rc == -1)
    fprintf(stderr, "chmod failed, errno = %d\n", errno);
```

This, if all the compatibility stars are aligned, is equivalent to the following preferable code:

```
#include <sys/types.h>
#include <sys/stat.h>
#include <errno.h>

...

int rc;

rc = chmod("/etc/passwd", 0444);
if (rc == -1)
    fprintf(stderr, "chmod failed, errno = %d\n", errno);
```

---

Node: Program Termination, Previous: [System Calls](#), Up: [Program Basics](#)

## Program Termination

The usual way for a program to terminate is simply for its `main` function to return. The *exit status value* returned from the `main` function is used to report information back to the process's parent process or shell.

A program can also terminate normally by calling the `exit` function.

In addition, programs can be terminated by signals; this is discussed in more detail in [Signal Handling](#). The `abort` function causes a signal that kills the program.

- [Normal Termination](#): If a program calls `exit`, a process terminates normally.
- [Exit Status](#): The `exit` status provides information about why the process terminated.
- [Cleanups on Exit](#): A process can run its own cleanup functions upon normal termination.
- [Aborting a Program](#): The `abort` function causes abnormal program termination.
- [Termination Internals](#): What happens when a process terminates.

---

Node: Normal Termination, Next: [Exit Status](#), Up: [Program Termination](#)

## Normal Termination

A process terminates normally when its program signals it is done by calling `exit`. Returning from `main` is equivalent to calling `exit`, and the value that `main` returns is used as the argument to `exit`.

void **exit** (*int status*)

Function

The `exit` function tells the system that the program is done, which causes it to terminate the process.

*status* is the program's exit status, which becomes part of the process' termination status. This function does not return.

Normal termination causes the following actions:

1. Functions that were registered with the `atexit` or `on_exit` functions are called in the reverse order of their registration. This mechanism allows your application to specify its own "cleanup" actions to be performed at program termination. Typically, this is used to do things like saving program state information in a file, or unlocking locks in shared data bases.
2. All open streams are closed, writing out any buffered output data. See [Closing Streams](#). In addition, temporary files opened with the `tmpfile` function are removed; see [Temporary Files](#).
3. `_exit` is called, terminating the program. See [Termination Internals](#).

---

Node: Exit Status, Next: [Cleanups on Exit](#), Previous: [Normal Termination](#), Up: [Program Termination](#)



## Exit Status

When a program exits, it can return to the parent process a small amount of information about the cause of termination, using the *exit status*. This is a value between 0 and 255 that the exiting process passes as an argument to `exit`.

Normally you should use the exit status to report very broad information about success or failure. You can't provide a lot of detail about the reasons for the failure, and most parent processes would not want much detail anyway.

There are conventions for what sorts of status values certain programs should return. The most common convention is simply 0 for success and 1 for failure. Programs that perform comparison use a different convention: they use status 1 to indicate a mismatch, and status 2 to indicate an inability to compare. Your program should follow an existing convention if an existing convention makes sense for it.

A general convention reserves status values 128 and up for special purposes. In particular, the value 128 is used to indicate failure to execute another program in a subprocess. This convention is not universally obeyed, but it is a good idea to follow it in your programs.

**Warning:** Don't try to use the number of errors as the exit status. This is actually not very useful; a parent process would generally not care how many errors occurred. Worse than that, it does not work, because the status value is truncated to eight bits. Thus, if the program tried to report 256 errors, the parent would receive a report of 0 errors--that is, success.

For the same reason, it does not work to use the value of `errno` as the exit status--these can exceed 255.

**Portability note:** Some non-POSIX systems use different conventions for exit status values. For greater portability, you can use the macros `EXIT_SUCCESS` and `EXIT_FAILURE` for the conventional status value for success and failure, respectively. They are declared in the file `stdlib.h`.

int **EXIT\_SUCCESS**

Macro

This macro can be used with the `exit` function to indicate successful program completion.

On POSIX systems, the value of this macro is 0. On other systems, the value might be some other (possibly non-constant) integer expression.

int **EXIT\_FAILURE**

Macro

This macro can be used with the `exit` function to indicate unsuccessful program completion in a general sense.

On POSIX systems, the value of this macro is 1. On other systems, the value might be some other (possibly non-constant) integer expression. Other nonzero status values also indicate failures. Certain programs use different nonzero status values to indicate particular kinds of "non-success". For example, `diff` uses status value 1 to mean that the files are different, and 2 or more to mean that there was difficulty in opening the files.

Don't confuse a program's exit status with a process' termination status. There are lots of ways a process can terminate besides having it's program finish. In the event that the process termination *is* caused by program termination (i.e. `exit`), though, the program's exit status becomes part of the process' termination status.

---

Node: Cleanups on Exit, Next: [Aborting a Program](#), Previous: [Exit Status](#), Up: [Program Termination](#)

## Cleanups on Exit

Your program can arrange to run its own cleanup functions if normal termination happens. If you are writing a library for use in various application programs, then it is unreliable to insist that all applications call the library's cleanup functions explicitly before exiting. It is much more robust to make the cleanup invisible to the application, by setting up a cleanup function in the library itself using `atexit` or `on_exit`.

**int `atexit`** (*void (\*function) (void)*) Function

The `atexit` function registers the function *function* to be called at normal program termination. The *function* is called with no arguments.

The return value from `atexit` is zero on success and nonzero if the function cannot be registered.

**int `on_exit`** (*void (\*function)(int status, void \*arg), void \*arg*) Function

This function is a somewhat more powerful variant of `atexit`. It accepts two arguments, a function *function* and an arbitrary pointer *arg*. At normal program termination, the *function* is called with two arguments: the *status* value passed to `exit`, and the *arg*.

This function is included in the GNU C library only for compatibility for SunOS, and may not be supported by other implementations.

Here's a trivial program that illustrates the use of `exit` and `atexit`:

```
#include <stdio.h>
#include <stdlib.h>

void
bye (void)
{
    puts ("Goodbye, cruel world....");
}

int
main (void)
{
    atexit (bye);
    exit (EXIT_SUCCESS);
}
```

When this program is executed, it just prints the message and exits.

---

Node: [Aborting a Program](#), Next: [Termination Internals](#), Previous: [Cleanups on Exit](#), Up: [Program Termination](#)

## Aborting a Program

You can abort your program using the `abort` function. The prototype for this function is in `stdlib.h`.

`void abort (void)` Function

The `abort` function causes abnormal program termination. This does not execute cleanup functions registered with `atexit` or `on_exit`.

This function actually terminates the process by raising a SIGABRT signal, and your program can include a handler to intercept this signal; see [Signal Handling](#).

**Future Change Warning:** Proposed Federal censorship regulations may prohibit us from giving you information about the possibility of calling this function. We would be required to say that this is not an acceptable way of terminating a program.

---

Node: [Termination Internals](#), Previous: [Aborting a Program](#), Up: [Program Termination](#)

## Termination Internals

The `_exit` function is the primitive used for process termination by `exit`. It is declared in the header file `unistd.h`.

`void _exit (int status)` Function

The `_exit` function is the primitive for causing a process to terminate with status *status*. Calling this function does not execute cleanup functions registered with `atexit` or `on_exit`.

`void _Exit (int status)` Function

The `_Exit` function is the ISO C equivalent to `_exit`. The ISO C committee members were not sure whether the definitions of `_exit` and `_Exit` were compatible so they have not used the POSIX name.

This function was introduced in ISO C99 and is declared in `stdlib.h`.

When a process terminates for any reason--either because the program terminates, or as a result of a signal--the following things happen:

- All open file descriptors in the process are closed. See [Low-Level I/O](#). Note that streams are not flushed automatically when the process terminates; see [I/O on Streams](#).
- A process exit status is saved to be reported back to the parent process via `wait` or `waitpid`; see [Process Completion](#). If the program exited, this status includes as its low-order 8 bits the program exit status.
- Any child processes of the process being terminated are assigned a new parent process. (On most systems, including GNU, this is the `init` process, with process ID 1.)
- A `SIGCHLD` signal is sent to the parent process.
- If the process is a session leader that has a controlling terminal, then a `SIGHUP` signal is sent to each process in the foreground job, and the controlling terminal is disassociated from that session. See [Job Control](#).
- If termination of a process causes a process group to become orphaned, and any member of that process group is stopped, then a `SIGHUP` signal and a `SIGCONT` signal are sent to each process in the group. See [Job Control](#).

---

Node: Processes, Next: [Job Control](#), Previous: [Program Basics](#), Up: [Top](#)

## Processes

*Processes* are the primitive units for allocation of system resources. Each process has its own address space and (usually) one thread of control. A process executes a program; you can have multiple processes executing the same program, but each process has its own copy of the program within its own address space and executes it independently of the other copies.

Processes are organized hierarchically. Each process has a *parent process* which explicitly arranged to create it. The processes created by a given parent are called its *child processes*. A child inherits many of its attributes from the parent process.

This chapter describes how a program can create, terminate, and control child processes. Actually, there are three distinct operations involved: creating a new child process, causing the new process to execute a program, and coordinating the completion of the child process with the original program.

The `system` function provides a simple, portable mechanism for running another program; it does all three steps automatically. If you need more control over the details of how this is done, you can use the primitive functions to do each step individually instead.

- [Running a Command](#): The easy way to run another program.
- [Process Creation Concepts](#): An overview of the hard way to do it.
- [Process Identification](#): How to get the process ID of a process.
- [Creating a Process](#): How to fork a child process.
- [Executing a File](#): How to make a process execute another program.
- [Process Completion](#): How to tell when a child process has completed.
- [Process Completion Status](#): How to interpret the status value returned from a child process.
- [BSD Wait Functions](#): More functions, for backward compatibility.
- [Process Creation Example](#): A complete example program.

---

Node: Running a Command, Next: [Process Creation Concepts](#), Up: [Processes](#)

## Running a Command

The easy way to run another program is to use the `system` function. This function does all the work of running a subprogram, but it doesn't give you much control over the details: you have to wait until the subprogram terminates before you can do anything else.

```
int system (const char *command)
```

Function

This function executes *command* as a shell command. In the GNU C library, it always uses the default shell `sh` to run the command. In particular, it searches the directories in `PATH` to find programs to execute. The return value is `-1` if it wasn't possible to create the shell process, and otherwise is the status of the shell process. See [Process Completion](#), for details on how this status code can be interpreted.

If the *command* argument is a null pointer, a return value of zero indicates that no command processor is available.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `system` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this calls to `system` should be protected using cancellation handlers.

The `system` function is declared in the header file `stdlib.h`.

**Portability Note:** Some C implementations may not have any notion of a command processor that can execute other programs. You can determine whether a command processor exists by executing `system (NULL)`; if the return value is nonzero, a command processor is available.

The `popen` and `pclose` functions (see [Pipe to a Subprocess](#)) are closely related to the `system` function. They allow the parent process to communicate with the standard input and output channels of the command being executed.

---

Node: Process Creation Concepts, Next: [Process Identification](#), Previous: [Running a Command](#),  
Up: [Processes](#)

## Process Creation Concepts

This section gives an overview of processes and of the steps involved in creating a process and making it run another program.

Each process is named by a *process ID* number. A unique process ID is allocated to each process when it is created. The *lifetime* of a process ends when its termination is reported to its parent process; at that time, all of the process resources, including its process ID, are freed.

Processes are created with the `fork` system call (so the operation of creating a new process is sometimes called *forking* a process). The *child process* created by `fork` is a copy of the original *parent process*, except that it has its own process ID.

After forking a child process, both the parent and child processes continue to execute normally. If you want your program to wait for a child process to finish executing before continuing, you must do this explicitly after the `fork` operation, by calling `wait` or `waitpid` (see [Process Completion](#)). These functions give you limited information about why the child terminated--for example, its exit status code.

A newly forked child process continues to execute the same program as its parent process, at the point where the `fork` call returns. You can use the return value from `fork` to tell whether the program is running in the parent process or the child.

Having several processes run the same program is only occasionally useful. But the child can execute another program using one of the `exec` functions; see [Executing a File](#). The program that the process is executing is called its *process image*. Starting execution of a new program causes the process to forget all about its previous process image; when the new program exits, the process exits too, instead of returning to the previous process image.

---

Node: Process Identification, Next: [Creating a Process](#), Previous: [Process Creation Concepts](#),  
Up: [Processes](#)

## Process Identification

The `pid_t` data type represents process IDs. You can get the process ID of a process by calling `getpid`. The function `getppid` returns the process ID of the parent of the current process (this is also known as the *parent process ID*). Your program should include the header files `unistd.h` and `sys/types.h` to use these functions.

**pid\_t** Data Type

The `pid_t` data type is a signed integer type which is capable of representing a process ID. In the GNU library, this is an `int`.

`pid_t` **getpid** (*void*) Function

The `getpid` function returns the process ID of the current process.

`pid_t` **getppid** (*void*) Function

The `getppid` function returns the process ID of the parent of the current process.

---

Node: Creating a Process, Next: [Executing a File](#), Previous: [Process Identification](#), Up: [Processes](#)

## Creating a Process

The `fork` function is the primitive for creating a process. It is declared in the header file `unistd.h`.

`pid_t fork (void)` Function

The `fork` function creates a new process.

If the operation is successful, there are then both parent and child processes and both see `fork` return, but with different values: it returns a value of 0 in the child process and returns the child's process ID in the parent process.

If process creation failed, `fork` returns a value of -1 in the parent process. The following `errno` error conditions are defined for `fork`:

### EAGAIN

There aren't enough system resources to create another process, or the user already has too many processes running. This means exceeding the `RLIMIT_NPROC` resource limit, which can usually be increased; see [Limits on Resources](#).

### ENOMEM

The process requires more space than the system can supply.

The specific attributes of the child process that differ from the parent process are:

- The child process has its own unique process ID.
- The parent process ID of the child process is the process ID of its parent process.
- The child process gets its own copies of the parent process's open file descriptors. Subsequently changing attributes of the file descriptors in the parent process won't affect the file descriptors in the child, and vice versa. See [Control Operations](#). However, the file position associated with each descriptor is shared by both processes; see [File Position](#).
- The elapsed processor times for the child process are set to zero; see [Processor Time](#).
- The child doesn't inherit file locks set by the parent process. See [Control Operations](#).
- The child doesn't inherit alarms set by the parent process. See [Setting an Alarm](#).
- The set of pending signals (see [Delivery of Signal](#)) for the child process is cleared. (The child process inherits its mask of blocked signals and signal actions from the parent process.)

`pid_t vfork (void)` Function



The `vfork` function is similar to `fork` but on some systems it is more efficient; however, there are restrictions you must follow to use it safely.

While `fork` makes a complete copy of the calling process's address space and allows both the parent and child to execute independently, `vfork` does not make this copy. Instead, the child process created with `vfork` shares its parent's address space until it calls `_exit` or one of the `exec` functions. In the meantime, the parent process suspends execution.

You must be very careful not to allow the child process created with `vfork` to modify any global data or even local variables shared with the parent. Furthermore, the child process cannot return from (or do a long jump out of) the function that called `vfork`! This would leave the parent process's control information very confused. If in doubt, use `fork` instead.

Some operating systems don't really implement `vfork`. The GNU C library permits you to use `vfork` on all systems, but actually executes `fork` if `vfork` isn't available. If you follow the proper precautions for using `vfork`, your program will still work even if the system uses `fork` instead.

---

Node: Executing a File, Next: [Process Completion](#), Previous: [Creating a Process](#), Up: [Processes](#)

## Executing a File

This section describes the `exec` family of functions, for executing a file as a process image. You can use these functions to make a child process execute a new program after it has been forked.

To see the effects of `exec` from the point of view of the called program, See [Program Basics](#).

The functions in this family differ in how you specify the arguments, but otherwise they all do the same thing. They are declared in the header file `unistd.h`.

`int execv (const char *filename, char *const argv[ ])` Function

The `execv` function executes the file named by *filename* as a new process image.

The *argv* argument is an array of null-terminated strings that is used to provide a value for the `argv` argument to the `main` function of the program to be executed. The last element of this array must be a null pointer. By convention, the first element of this array is the file name of the program sans directory names. See [Program Arguments](#), for full details on how programs can access these arguments.

The environment for the new process image is taken from the `environ` variable of the current process image; see [Environment Variables](#), for information about environments.

`int execl (const char *filename, const char *arg0, ...)` Function

This is similar to `execv`, but the *argv* strings are specified individually instead of as an array. A null pointer must be passed as the last such argument.

`int execve (const char *filename, char *const argv[ ], char *const env[ ])` Function

This is similar to `execv`, but permits you to specify the environment for the new program explicitly as the *env* argument. This should be an array of strings in the same format as for the `environ` variable; see [Environment Access](#).

`int execle (const char *filename, const char *arg0, char *const env[ ], ...)` Function

This is similar to `execl`, but permits you to specify the environment for the new program explicitly. The environment argument is passed following the null pointer that marks the last *argv* argument, and should be an array of strings in the same format as for the `environ` variable.

`int execvp (const char *filename, char *const argv[ ])` Function

The `execvp` function is similar to `execv`, except that it searches the directories listed in the `PATH` environment variable (see [Standard Environment](#)) to find the full file name of a file from *filename* if *filename* does not contain a slash.

This function is useful for executing system utility programs, because it looks for them in the places that the user has chosen. Shells use it to run the commands that users type.

`int execlp (const char *filename, const char *arg0, ...)` Function

This function is like `execl`, except that it performs the same file name searching as the `execvp` function.

The size of the argument list and environment list taken together must not be greater than `ARG_MAX` bytes. See [General Limits](#). In the GNU system, the size (which compares against `ARG_MAX`) includes, for each string, the number of characters in the string, plus the size of a `char *`, plus one, rounded up to a multiple of the size of a `char *`. Other systems may have somewhat different rules for counting.

These functions normally don't return, since execution of a new program causes the currently executing program to go away completely. A value of `-1` is returned in the event of a failure. In addition to the usual file name errors (see [File Name Errors](#)), the following `errno` error conditions are defined for these functions:

#### E2BIG

The combined size of the new program's argument list and environment list is larger than `ARG_MAX` bytes. The GNU system has no specific limit on the argument list size, so this error code cannot result, but you may get `ENOMEM` instead if the arguments are too big for available memory.

#### ENOEXEC

The specified file can't be executed because it isn't in the right format.

#### ENOMEM

Executing the specified file requires more storage than is available.

If execution of the new file succeeds, it updates the access time field of the file as if the file had been read. See [File Times](#), for more details about access times of files.

The point at which the file is closed again is not specified, but is at some point before the process exits or before another process image is executed.

Executing a new process image completely changes the contents of memory, copying only the argument and environment strings to new locations. But many other attributes of the process are unchanged:

- The process ID and the parent process ID. See [Process Creation Concepts](#).
- Session and process group membership. See [Concepts of Job Control](#).
- Real user ID and group ID, and supplementary group IDs. See [Process Persona](#).
- Pending alarms. See [Setting an Alarm](#).
- Current working directory and root directory. See [Working Directory](#). In the GNU system, the root directory is not copied when executing a `setuid` program; instead the system default root directory is used for the new program.
- File mode creation mask. See [Setting Permissions](#).
- Process signal mask; see [Process Signal Mask](#).
- Pending signals; see [Blocking Signals](#).
- Elapsed processor time associated with the process; see [Processor Time](#).

If the set-user-ID and set-group-ID mode bits of the process image file are set, this affects the effective user ID and effective group ID (respectively) of the process. These concepts are discussed in detail in [Process Persona](#).

Signals that are set to be ignored in the existing process image are also set to be ignored in the new process image. All other signals are set to the default action in the new process image. For more information about signals, see [Signal Handling](#).

File descriptors open in the existing process image remain open in the new process image, unless they have the `FD_CLOEXEC` (close-on-exec) flag set. The files that remain open inherit all attributes of the open file description from the existing process image, including file locks. File descriptors are discussed in [Low-Level I/O](#).

Streams, by contrast, cannot survive through `exec` functions, because they are located in the memory of the process itself. The new process image has no streams except those it creates afresh. Each of the streams in the pre-`exec` process image has a descriptor inside it, and these descriptors do survive through `exec` (provided that they do not have `FD_CLOEXEC` set). The new process image can reconnect these to new streams using `fdopen` (see [Descriptors and Streams](#)).

---

Node: Process Completion, Next: [Process Completion Status](#), Previous: [Executing a File](#), Up: [Processes](#)

## Process Completion

The functions described in this section are used to wait for a child process to terminate or stop, and determine its status. These functions are declared in the header file `sys/wait.h`.

`pid_t` **waitpid** (*pid\_t pid, int \*status-ptr, int options*) Function

The `waitpid` function is used to request status information from a child process whose process ID is *pid*. Normally, the calling process is suspended until the child process makes status information available by terminating.

Other values for the *pid* argument have special interpretations. A value of `-1` or `WAIT_ANY` requests status information for any child process; a value of `0` or `WAIT_MYPGRP` requests information for any child process in the same process group as the calling process; and any other negative value - *pgid* requests information for any child process whose process group ID is *pgid*.

If status information for a child process is available immediately, this function returns immediately without waiting. If more than one eligible child process has status information available, one of them is chosen randomly, and its status is returned immediately. To get the status from the other eligible child processes, you need to call `waitpid` again.

The *options* argument is a bit mask. Its value should be the bitwise OR (that is, the `|` operator) of zero or more of the `WNOHANG` and `WUNTRACED` flags. You can use the `WNOHANG` flag to indicate that the parent process shouldn't wait; and the `WUNTRACED` flag to request status information from stopped processes as well as processes that have terminated.

The status information from the child process is stored in the object that *status\_ptr* points to, unless *status\_ptr* is a null pointer.

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `waitpid` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this calls to `waitpid` should be protected using cancellation handlers.

The return value is normally the process ID of the child process whose status is reported. If there are child processes but none of them is waiting to be noticed, `waitpid` will block until one is. However, if the `WNOHANG` option was specified, `waitpid` will return zero instead of blocking.

If a specific PID to wait for was given to `waitpid`, it will ignore all other children (if any). Therefore if there are children waiting to be noticed but the child whose PID was specified is not one of them, `waitpid` will block or return zero as described above.

A value of `-1` is returned in case of error. The following `errno` error conditions are defined for this function:

`EINTR`

The function was interrupted by delivery of a signal to the calling process. See [Interrupted Primitives](#).

`ECHILD`

There are no child processes to wait for, or the specified *pid* is not a child of the calling process.

`EINVAL`

An invalid value was provided for the *options* argument.

These symbolic constants are defined as values for the *pid* argument to the `waitpid` function.

`WAIT_ANY`

This constant macro (whose value is `-1`) specifies that `waitpid` should return status information about any child process.

`WAIT_MYPGRP`

This constant (with value 0) specifies that `waitpid` should return status information about any child process in the same process group as the calling process.

These symbolic constants are defined as flags for the *options* argument to the `waitpid` function. You can bitwise-OR the flags together to obtain a value to use as the argument.

#### WNOHANG

This flag specifies that `waitpid` should return immediately instead of waiting, if there is no child process ready to be noticed.

#### WUNTRACED

This flag specifies that `waitpid` should report the status of any child processes that have been stopped as well as those that have terminated.

### `pid_t wait (int *status-ptr)` Function

This is a simplified version of `waitpid`, and is used to wait until any one child process terminates. The call:

```
wait (&status)
```

is exactly equivalent to:

```
waitpid (-1, &status, 0)
```

This function is a cancellation point in multi-threaded programs. This is a problem if the thread allocates some resources (like memory, file descriptors, semaphores or whatever) at the time `wait` is called. If the thread gets canceled these resources stay allocated until the program ends. To avoid this calls to `wait` should be protected using cancellation handlers.

### `pid_t wait4 (pid_t pid, int *status-ptr, int options, struct rusage *usage)` Function

If *usage* is a null pointer, `wait4` is equivalent to `waitpid (pid, status-ptr, options)`.

If *usage* is not null, `wait4` stores usage figures for the child process in *\*usage* (but only if the child has terminated, not if it has stopped). See [Resource Usage](#).

This function is a BSD extension.

Here's an example of how to use `waitpid` to get the status from all child processes that have terminated, without ever waiting. This function is designed to be a handler for `SIGCHLD`, the signal that indicates that at least one child process has terminated.

```

void
sigchld_handler (int signum)
{
    int pid, status, serrno;
    serrno = errno;
    while (1)
        {
            pid = waitpid (WAIT_ANY, &status, WNOHANG);
            if (pid < 0)
                {
                    perror ("waitpid");
                    break;
                }
            if (pid == 0)
                break;
            notice_termination (pid, status);
        }
    errno = serrno;
}

```

---

Node: Process Completion Status, Next: [BSD Wait Functions](#), Previous: [Process Completion](#),

Up: [Processes](#)

## Process Completion Status

If the exit status value (see [Program Termination](#)) of the child process is zero, then the status value reported by `waitpid` or `wait` is also zero. You can test for other kinds of information encoded in the returned status value using the following macros. These macros are defined in the header file `sys/wait.h`.

**int WIFEXITED** (*int status*) Macro

This macro returns a nonzero value if the child process terminated normally with `exit` or `_exit`.

**int WEXITSTATUS** (*int status*) Macro

If `WIFEXITED` is true of *status*, this macro returns the low-order 8 bits of the exit status value from the child process. See [Exit Status](#).

**int WIFSIGNALED** (*int status*) Macro

This macro returns a nonzero value if the child process terminated because it received a signal that was not handled. See [Signal Handling](#).

int **WTERMSIG** (*int status*) Macro

If `WIFSIGNALED` is true of *status*, this macro returns the signal number of the signal that terminated the child process.

int **WCOREDUMP** (*int status*) Macro

This macro returns a nonzero value if the child process terminated and produced a core dump.

int **WIFSTOPPED** (*int status*) Macro

This macro returns a nonzero value if the child process is stopped.

int **WSTOPSIG** (*int status*) Macro

If `WIFSTOPPED` is true of *status*, this macro returns the signal number of the signal that caused the child process to stop.

Node: BSD Wait Functions, Next: [Process Creation Example](#), Previous: [Process Completion Status](#),

Up: [Processes](#)

## BSD Process Wait Functions

The GNU library also provides these related facilities for compatibility with BSD Unix. BSD uses the union `wait` data type to represent status values rather than an `int`. The two representations are actually interchangeable; they describe the same bit patterns. The GNU C Library defines macros such as `WEXITSTATUS` so that they will work on either kind of object, and the `wait` function is defined to accept either type of pointer as its *status-ptr* argument.

These functions are declared in `sys/wait.h`.

**union wait** Data Type



This data type represents program termination status values. It has the following members:

`int w_termsig`

The value of this member is the same as that of the `WTERMSIG` macro.

`int w_coredump`

The value of this member is the same as that of the `WCOREDUMP` macro.

`int w_retcode`

The value of this member is the same as that of the `WEXITSTATUS` macro.

`int w_stopsig`

The value of this member is the same as that of the `WSTOPSIG` macro.

Instead of accessing these members directly, you should use the equivalent macros.

The `wait3` function is the predecessor to `wait4`, which is more flexible. `wait3` is now obsolete.

`pid_t wait3` (*union wait* \**status-ptr*, *int options*, *struct rusage* \**usage*) Function

If *usage* is a null pointer, `wait3` is equivalent to `waitpid (-1, status-ptr, options)`.

If *usage* is not null, `wait3` stores usage figures for the child process in \**usage* (but only if the child has terminated, not if it has stopped). See [Resource Usage](#).

Node: Process Creation Example, Previous: [BSD Wait Functions](#), Up: [Processes](#)

## Process Creation Example

Here is an example program showing how you might write a function similar to the built-in `system`. It executes its *command* argument using the equivalent of `sh -c command`.

```
#include <stddef.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>

/* Execute the command using this shell program. */
#define SHELL "/bin/sh"

int
my_system (const char *command)
{
    int status;
```

```

pid_t pid;

pid = fork ();
if (pid == 0)
{
    /* This is the child process.  Execute the shell command. */
    execl (SHELL, SHELL, "-c", command, NULL);
    _exit (EXIT_FAILURE);
}
else if (pid < 0)
    /* The fork failed.  Report failure.  */
    status = -1;
else
    /* This is the parent process.  Wait for the child to complete.  */
    if (waitpid (pid, &status, 0) != pid)
        status = -1;
return status;
}

```

There are a couple of things you should pay attention to in this example.

Remember that the first `argv` argument supplied to the program represents the name of the program being executed. That is why, in the call to `execl`, `SHELL` is supplied once to name the program to execute and a second time to supply a value for `argv[0]`.

The `execl` call in the child process doesn't return if it is successful. If it fails, you must do something to make the child process terminate. Just returning a bad status code with `return` would leave two processes running the original program. Instead, the right behavior is for the child process to report failure to its parent process.

Call `_exit` to accomplish this. The reason for using `_exit` instead of `exit` is to avoid flushing fully buffered streams such as `stdout`. The buffers of these streams probably contain data that was copied from the parent process by the `fork`, data that will be output eventually by the parent process. Calling `exit` in the child would output the data twice. See [Termination Internals](#).

---

Node: Job Control, Next: [Name Service Switch](#), Previous: [Processes](#), Up: [Top](#)

## Job Control

*Job control* refers to the protocol for allowing a user to move between multiple *process groups* (or *jobs*) within a single *login session*. The job control facilities are set up so that appropriate behavior for most programs happens automatically and they need not do anything special about job control. So you can

probably ignore the material in this chapter unless you are writing a shell or login program.

You need to be familiar with concepts relating to process creation (see [Process Creation Concepts](#)) and signal handling (see [Signal Handling](#)) in order to understand this material presented in this chapter.

- [Concepts of Job Control](#): Jobs can be controlled by a shell.
- [Job Control is Optional](#): Not all POSIX systems support job control.
- [Controlling Terminal](#): How a process gets its controlling terminal.
- [Access to the Terminal](#): How processes share the controlling terminal.
- [Orphaned Process Groups](#): Jobs left after the user logs out.
- [Implementing a Shell](#): What a shell must do to implement job control.
- [Functions for Job Control](#): Functions to control process groups.

---

Node: Concepts of Job Control, Next: [Job Control is Optional](#), Up: [Job Control](#)

## Concepts of Job Control

The fundamental purpose of an interactive shell is to read commands from the user's terminal and create processes to execute the programs specified by those commands. It can do this using the `fork` (see [Creating a Process](#)) and `exec` (see [Executing a File](#)) functions.

A single command may run just one process--but often one command uses several processes. If you use the `|` operator in a shell command, you explicitly request several programs in their own processes. But even if you run just one program, it can use multiple processes internally. For example, a single compilation command such as `cc -c foo.c` typically uses four processes (though normally only two at any given time). If you run `make`, its job is to run other programs in separate processes.

The processes belonging to a single command are called a *process group* or *job*. This is so that you can operate on all of them at once. For example, typing `C-c` sends the signal `SIGINT` to terminate all the processes in the foreground process group.

A *session* is a larger group of processes. Normally all the processes that stem from a single login belong to the same session.

Every process belongs to a process group. When a process is created, it becomes a member of the same process group and session as its parent process. You can put it in another process group using the `setpgid` function, provided the process group belongs to the same session.

The only way to put a process in a different session is to make it the initial process of a new session, or a

*session leader*, using the `setsid` function. This also puts the session leader into a new process group, and you can't move it out of that process group again.

Usually, new sessions are created by the system login program, and the session leader is the process running the user's login shell.

A shell that supports job control must arrange to control which job can use the terminal at any time. Otherwise there might be multiple jobs trying to read from the terminal at once, and confusion about which process should receive the input typed by the user. To prevent this, the shell must cooperate with the terminal driver using the protocol described in this chapter.

The shell can give unlimited access to the controlling terminal to only one process group at a time. This is called the *foreground job* on that controlling terminal. Other process groups managed by the shell that are executing without such access to the terminal are called *background jobs*.

If a background job needs to read from its controlling terminal, it is *stopped* by the terminal driver; if the `TOSTOP` mode is set, likewise for writing. The user can stop a foreground job by typing the `SUSP` character (see [Special Characters](#)) and a program can stop any job by sending it a `SIGSTOP` signal. It's the responsibility of the shell to notice when jobs stop, to notify the user about them, and to provide mechanisms for allowing the user to interactively continue stopped jobs and switch jobs between foreground and background.

See [Access to the Terminal](#), for more information about I/O to the controlling terminal,

---

Node: Job Control is Optional, Next: [Controlling Terminal](#), Previous: [Concepts of Job Control](#), Up: [Job Control](#)

## Job Control is Optional

Not all operating systems support job control. The GNU system does support job control, but if you are using the GNU library on some other system, that system may not support job control itself.

You can use the `_POSIX_JOB_CONTROL` macro to test at compile-time whether the system supports job control. See [System Options](#).

If job control is not supported, then there can be only one process group per session, which behaves as if it were always in the foreground. The functions for creating additional process groups simply fail with the error code `ENOSYS`.

The macros naming the various job control signals (see [Job Control Signals](#)) are defined even if job

control is not supported. However, the system never generates these signals, and attempts to send a job control signal or examine or specify their actions report errors or do nothing.

---

Node: Controlling Terminal, Next: [Access to the Terminal](#), Previous: [Job Control is Optional](#), Up: [Job Control](#)

## Controlling Terminal of a Process

One of the attributes of a process is its controlling terminal. Child processes created with `fork` inherit the controlling terminal from their parent process. In this way, all the processes in a session inherit the controlling terminal from the session leader. A session leader that has control of a terminal is called the *controlling process* of that terminal.

You generally do not need to worry about the exact mechanism used to allocate a controlling terminal to a session, since it is done for you by the system when you log in.

An individual process disconnects from its controlling terminal when it calls `setsid` to become the leader of a new session. See [Process Group Functions](#).

---

Node: Access to the Terminal, Next: [Orphaned Process Groups](#), Previous: [Controlling Terminal](#), Up: [Job Control](#)

## Access to the Controlling Terminal

Processes in the foreground job of a controlling terminal have unrestricted access to that terminal; background processes do not. This section describes in more detail what happens when a process in a background job tries to access its controlling terminal.

When a process in a background job tries to read from its controlling terminal, the process group is usually sent a `SIGTTIN` signal. This normally causes all of the processes in that group to stop (unless they handle the signal and don't stop themselves). However, if the reading process is ignoring or blocking this signal, then `read` fails with an `EIO` error instead.

Similarly, when a process in a background job tries to write to its controlling terminal, the default behavior is to send a `SIGTTOU` signal to the process group. However, the behavior is modified by the `TOSTOP` bit of the local modes flags (see [Local Modes](#)). If this bit is not set (which is the default), then writing to the controlling terminal is always permitted without sending a signal. Writing is also permitted if the `SIGTTOU` signal is being ignored or blocked by the writing process.

Most other terminal operations that a program can do are treated as reading or as writing. (The description of each operation should say which.)

For more information about the primitive `read` and `write` functions, see [I/O Primitives](#).

---

Node: Orphaned Process Groups, Next: [Implementing a Shell](#), Previous: [Access to the Terminal](#),  
Up: [Job Control](#)

## Orphaned Process Groups

When a controlling process terminates, its terminal becomes free and a new session can be established on it. (In fact, another user could log in on the terminal.) This could cause a problem if any processes from the old session are still trying to use that terminal.

To prevent problems, process groups that continue running even after the session leader has terminated are marked as *orphaned process groups*.

When a process group becomes an orphan, its processes are sent a `SIGHUP` signal. Ordinarily, this causes the processes to terminate. However, if a program ignores this signal or establishes a handler for it (see [Signal Handling](#)), it can continue running as in the orphan process group even after its controlling process terminates; but it still cannot access the terminal any more.

---

Node: Implementing a Shell, Next: [Functions for Job Control](#), Previous: [Orphaned Process Groups](#),  
Up: [Job Control](#)

## Implementing a Job Control Shell

This section describes what a shell must do to implement job control, by presenting an extensive sample program to illustrate the concepts involved.

- [Data Structures](#): Introduction to the sample shell.
- [Initializing the Shell](#): What the shell must do to take responsibility for job control.
- [Launching Jobs](#): Creating jobs to execute commands.
- [Foreground and Background](#): Putting a job in foreground or background.
- [Stopped and Terminated Jobs](#): Reporting job status.
- [Continuing Stopped Jobs](#): How to continue a stopped job in the foreground or background.
- [Missing Pieces](#): Other parts of the shell.

Node: Data Structures, Next: [Initializing the Shell](#), Up: [Implementing a Shell](#)

## Data Structures for the Shell

All of the program examples included in this chapter are part of a simple shell program. This section presents data structures and utility functions which are used throughout the example.

The sample shell deals mainly with two data structures. The `job` type contains information about a job, which is a set of subprocesses linked together with pipes. The `process` type holds information about a single subprocess. Here are the relevant data structure declarations:

```

/* A process is a single process.  */
typedef struct process
{
    struct process *next;          /* next process in pipeline */
    char **argv;                  /* for exec */
    pid_t pid;                    /* process ID */
    char completed;               /* true if process has completed */
    char stopped;                 /* true if process has stopped */
    int status;                   /* reported status value */
} process;

/* A job is a pipeline of processes.  */
typedef struct job
{
    struct job *next;             /* next active job */
    char *command;               /* command line, used for messages */
    process *first_process;      /* list of processes in this job */
    pid_t pgid;                  /* process group ID */
    char notified;               /* true if user told about stopped job */
    struct termios tmodes;       /* saved terminal modes */
    int stdin, stdout, stderr;   /* standard i/o channels */
} job;

/* The active jobs are linked into a list.  This is its head.  */
job *first_job = NULL;

```

Here are some utility functions that are used for operating on job objects.

```

/* Find the active job with the indicated pgid.  */
job *
find_job (pid_t pgid)
{
    job *j;

```

```

    for (j = first_job; j; j = j->next)
        if (j->pgid == pgid)
            return j;
    return NULL;
}

/* Return true if all processes in the job have stopped or completed. */
int
job_is_stopped (job *j)
{
    process *p;

    for (p = j->first_process; p; p = p->next)
        if (!p->completed && !p->stopped)
            return 0;
    return 1;
}

/* Return true if all processes in the job have completed. */
int
job_is_completed (job *j)
{
    process *p;

    for (p = j->first_process; p; p = p->next)
        if (!p->completed)
            return 0;
    return 1;
}

```

---

Node: [Initializing the Shell](#), Next: [Launching Jobs](#), Previous: [Data Structures](#), Up: [Implementing a Shell](#)

## Initializing the Shell

When a shell program that normally performs job control is started, it has to be careful in case it has been invoked from another shell that is already doing its own job control.

A subshell that runs interactively has to ensure that it has been placed in the foreground by its parent shell before it can enable job control itself. It does this by getting its initial process group ID with the `getpgrp` function, and comparing it to the process group ID of the current foreground job associated with its controlling terminal (which can be retrieved using the `tcgetpgrp` function).

If the subshell is not running as a foreground job, it must stop itself by sending a `SIGTTIN` signal to its own process group. It may not arbitrarily put itself into the foreground; it must wait for the user to tell the parent shell to do this. If the subshell is continued again, it should repeat the check and stop itself



again if it is still not in the foreground.

Once the subshell has been placed into the foreground by its parent shell, it can enable its own job control. It does this by calling `setpgid` to put itself into its own process group, and then calling `tcsetpgrp` to place this process group into the foreground.

When a shell enables job control, it should set itself to ignore all the job control stop signals so that it doesn't accidentally stop itself. You can do this by setting the action for all the stop signals to `SIG_IGN`.

A subshell that runs non-interactively cannot and should not support job control. It must leave all processes it creates in the same process group as the shell itself; this allows the non-interactive shell and its child processes to be treated as a single job by the parent shell. This is easy to do--just don't use any of the job control primitives--but you must remember to make the shell do it.

Here is the initialization code for the sample shell that shows how to do all of this.

```

/* Keep track of attributes of the shell.  */

#include <sys/types.h>
#include <termios.h>
#include <unistd.h>

pid_t shell_pgid;
struct termios shell_tmodes;
int shell_terminal;
int shell_is_interactive;

/* Make sure the shell is running interactively as the foreground job
   before proceeding.  */

void
init_shell ()
{
    /* See if we are running interactively.  */
    shell_terminal = STDIN_FILENO;
    shell_is_interactive = isatty (shell_terminal);

    if (shell_is_interactive)
    {
        /* Loop until we are in the foreground.  */
        while (tcgetpgrp (shell_terminal) != (shell_pgid = getpgrp ()))
            kill (- shell_pgid, SIGTTIN);

        /* Ignore interactive and job-control signals.  */
        signal (SIGINT, SIG_IGN);
    }
}

```

```

signal (SIGQUIT, SIG_IGN);
signal (SIGTSTP, SIG_IGN);
signal (SIGTTIN, SIG_IGN);
signal (SIGTTOU, SIG_IGN);
signal (SIGCHLD, SIG_IGN);

/* Put ourselves in our own process group.  */
shell_pgid = getpid ();
if (setpgid (shell_pgid, shell_pgid) < 0)
  {
    perror ("Couldn't put the shell in its own process group");
    exit (1);
  }

/* Grab control of the terminal.  */
tcsetpgrp (shell_terminal, shell_pgid);

/* Save default terminal attributes for shell.  */
tcgetattr (shell_terminal, &shell_tmodes);
}
}

```

---

Node: [Launching Jobs](#), Next: [Foreground and Background](#), Previous: [Initializing the Shell](#),  
Up: [Implementing a Shell](#)

## Launching Jobs

Once the shell has taken responsibility for performing job control on its controlling terminal, it can launch jobs in response to commands typed by the user.

To create the processes in a process group, you use the same `fork` and `exec` functions described in [Process Creation Concepts](#). Since there are multiple child processes involved, though, things are a little more complicated and you must be careful to do things in the right order. Otherwise, nasty race conditions can result.

You have two choices for how to structure the tree of parent-child relationships among the processes. You can either make all the processes in the process group be children of the shell process, or you can make one process in group be the ancestor of all the other processes in that group. The sample shell program presented in this chapter uses the first approach because it makes bookkeeping somewhat simpler.

As each process is forked, it should put itself in the new process group by calling `setpgid`; see [Process Group Functions](#). The first process in the new group becomes its *process group leader*, and its process

ID becomes the *process group ID* for the group.

The shell should also call `setpgid` to put each of its child processes into the new process group. This is because there is a potential timing problem: each child process must be put in the process group before it begins executing a new program, and the shell depends on having all the child processes in the group before it continues executing. If both the child processes and the shell call `setpgid`, this ensures that the right things happen no matter which process gets to it first.

If the job is being launched as a foreground job, the new process group also needs to be put into the foreground on the controlling terminal using `tcsetpgrp`. Again, this should be done by the shell as well as by each of its child processes, to avoid race conditions.

The next thing each child process should do is to reset its signal actions.

During initialization, the shell process set itself to ignore job control signals; see [Initializing the Shell](#). As a result, any child processes it creates also ignore these signals by inheritance. This is definitely undesirable, so each child process should explicitly set the actions for these signals back to `SIG_DFL` just after it is forked.

Since shells follow this convention, applications can assume that they inherit the correct handling of these signals from the parent process. But every application has a responsibility not to mess up the handling of stop signals. Applications that disable the normal interpretation of the SUSE character should provide some other mechanism for the user to stop the job. When the user invokes this mechanism, the program should send a `SIGTSTP` signal to the process group of the process, not just to the process itself. See [Signaling Another Process](#).

Finally, each child process should call `exec` in the normal way. This is also the point at which redirection of the standard input and output channels should be handled. See [Duplicating Descriptors](#), for an explanation of how to do this.

Here is the function from the sample shell program that is responsible for launching a program. The function is executed by each child process immediately after it has been forked by the shell, and never returns.

```
void
launch_process (process *p, pid_t pgid,
               int infile, int outfile, int errfile,
               int foreground)
{
    pid_t pid;

    if (shell_is_interactive)
    {
```

```

    /* Put the process into the process group and give the process group
       the terminal, if appropriate.
       This has to be done both by the shell and in the individual
       child processes because of potential race conditions.  */
    pid = getpid ();
    if (pgid == 0) pgid = pid;
    setpgid (pid, pgid);
    if (foreground)
        tcsetpgrp (shell_terminal, pgid);

    /* Set the handling for job control signals back to the default.  */
    signal (SIGINT, SIG_DFL);
    signal (SIGQUIT, SIG_DFL);
    signal (SIGTSTP, SIG_DFL);
    signal (SIGTTIN, SIG_DFL);
    signal (SIGTTOU, SIG_DFL);
    signal (SIGCHLD, SIG_DFL);
}

/* Set the standard input/output channels of the new process.  */
if (infile != STDIN_FILENO)
{
    dup2 (infile, STDIN_FILENO);
    close (infile);
}
if (outfile != STDOUT_FILENO)
{
    dup2 (outfile, STDOUT_FILENO);
    close (outfile);
}
if (errfile != STDERR_FILENO)
{
    dup2 (errfile, STDERR_FILENO);
    close (errfile);
}

/* Exec the new process.  Make sure we exit.  */
execvp (p->argv[0], p->argv);
perror ("execvp");
exit (1);
}

```

If the shell is not running interactively, this function does not do anything with process groups or signals. Remember that a shell not performing job control must keep all of its subprocesses in the same process group as the shell itself.

Next, here is the function that actually launches a complete job. After creating the child processes, this function calls some other functions to put the newly created job into the foreground or background;

these are discussed in [Foreground and Background](#).

```

void
launch_job (job *j, int foreground)
{
    process *p;
    pid_t pid;
    int mypipe[2], infile, outfile;

    infile = j->stdin;
    for (p = j->first_process; p; p = p->next)
    {
        /* Set up pipes, if necessary.  */
        if (p->next)
        {
            if (pipe (mypipe) < 0)
            {
                perror ("pipe");
                exit (1);
            }
            outfile = mypipe[1];
        }
        else
            outfile = j->stdout;

        /* Fork the child processes.  */
        pid = fork ();
        if (pid == 0)
            /* This is the child process.  */
            launch_process (p, j->pgid, infile,
                           outfile, j->stderr, foreground);
        else if (pid < 0)
        {
            /* The fork failed.  */
            perror ("fork");
            exit (1);
        }
        else
        {
            /* This is the parent process.  */
            p->pid = pid;
            if (shell_is_interactive)
            {
                if (!j->pgid)
                    j->pgid = pid;
                setpgid (pid, j->pgid);
            }
        }
    }

    /* Clean up after pipes.  */

```

```

    if (infile != j->stdin)
        close (infile);
    if (outfile != j->stdout)
        close (outfile);
    infile = mypipe[0];
}

format_job_info (j, "launched");

if (!shell_is_interactive)
    wait_for_job (j);
else if (foreground)
    put_job_in_foreground (j, 0);
else
    put_job_in_background (j, 0);
}

```

---

Node: [Foreground and Background](#), Next: [Stopped and Terminated Jobs](#), Previous: [Launching Jobs](#),  
Up: [Implementing a Shell](#)

## Foreground and Background

Now let's consider what actions must be taken by the shell when it launches a job into the foreground, and how this differs from what must be done when a background job is launched.

When a foreground job is launched, the shell must first give it access to the controlling terminal by calling `tcsetpgrp`. Then, the shell should wait for processes in that process group to terminate or stop. This is discussed in more detail in [Stopped and Terminated Jobs](#).

When all of the processes in the group have either completed or stopped, the shell should regain control of the terminal for its own process group by calling `tcsetpgrp` again. Since stop signals caused by I/O from a background process or a SUSP character typed by the user are sent to the process group, normally all the processes in the job stop together.

The foreground job may have left the terminal in a strange state, so the shell should restore its own saved terminal modes before continuing. In case the job is merely stopped, the shell should first save the current terminal modes so that it can restore them later if the job is continued. The functions for dealing with terminal modes are `tcgetattr` and `tcsetattr`; these are described in [Terminal Modes](#).

Here is the sample shell's function for doing all of this.

```

/* Put job j in the foreground.  If cont is nonzero,

```

```
restore the saved terminal modes and send the process group a
SIGCONT signal to wake it up before we block.  */
```

```
void
put_job_in_foreground (job *j, int cont)
{
  /* Put the job into the foreground.  */
  tcsetpgrp (shell_terminal, j->pgid);

  /* Send the job a continue signal, if necessary.  */
  if (cont)
    {
      tcsetattr (shell_terminal, TCSADRAIN, &j->tmodes);
      if (kill (- j->pgid, SIGCONT) < 0)
        perror ("kill (SIGCONT)");
    }

  /* Wait for it to report.  */
  wait_for_job (j);

  /* Put the shell back in the foreground.  */
  tcsetpgrp (shell_terminal, shell_pgid);

  /* Restore the shell's terminal modes.  */
  tcgetattr (shell_terminal, &j->tmodes);
  tcsetattr (shell_terminal, TCSADRAIN, &shell_tmodes);
}
```

If the process group is launched as a background job, the shell should remain in the foreground itself and continue to read commands from the terminal.

In the sample shell, there is not much that needs to be done to put a job into the background. Here is the function it uses:

```
/* Put a job in the background.  If the cont argument is true, send
the process group a SIGCONT signal to wake it up.  */

void
put_job_in_background (job *j, int cont)
{
  /* Send the job a continue signal, if necessary.  */
  if (cont)
    if (kill (-j->pgid, SIGCONT) < 0)
      perror ("kill (SIGCONT)");
}
```

Node: Stopped and Terminated Jobs, Next: [Continuing Stopped Jobs](#), Previous: [Foreground and Background](#), Up: [Implementing a Shell](#)

## Stopped and Terminated Jobs

When a foreground process is launched, the shell must block until all of the processes in that job have either terminated or stopped. It can do this by calling the `waitpid` function; see [Process Completion](#). Use the `WUNTRACED` option so that status is reported for processes that stop as well as processes that terminate.

The shell must also check on the status of background jobs so that it can report terminated and stopped jobs to the user; this can be done by calling `waitpid` with the `WNOHANG` option. A good place to put a such a check for terminated and stopped jobs is just before prompting for a new command.

The shell can also receive asynchronous notification that there is status information available for a child process by establishing a handler for `SIGCHLD` signals. See [Signal Handling](#).

In the sample shell program, the `SIGCHLD` signal is normally ignored. This is to avoid reentrancy problems involving the global data structures the shell manipulates. But at specific times when the shell is not using these data structures--such as when it is waiting for input on the terminal--it makes sense to enable a handler for `SIGCHLD`. The same function that is used to do the synchronous status checks (`do_job_notification`, in this case) can also be called from within this handler.

Here are the parts of the sample shell program that deal with checking the status of jobs and reporting the information to the user.

```

/* Store the status of the process pid that was returned by waitpid.
   Return 0 if all went well, nonzero otherwise.  */

int
mark_process_status (pid_t pid, int status)
{
    job *j;
    process *p;

    if (pid > 0)
    {
        /* Update the record for the process.  */
        for (j = first_job; j; j = j->next)
            for (p = j->first_process; p; p = p->next)
                if (p->pid == pid)
                {
                    p->status = status;
                    if (WIFSTOPPED (status))

```



```

        p->stopped = 1;
    else
    {
        p->completed = 1;
        if (WIFSIGNALED (status))
            fprintf (stderr, "%d: Terminated by signal %d.\n",
                    (int) pid, WTERMSIG (p->status));
    }
    return 0;
}
fprintf (stderr, "No child process %d.\n", pid);
return -1;
}
else if (pid == 0 || errno == ECHILD)
    /* No processes ready to report.  */
    return -1;
else {
    /* Other weird errors.  */
    perror ("waitpid");
    return -1;
}
}

```

```

/* Check for processes that have status information available,
   without blocking.  */

```

```

void
update_status (void)
{
    int status;
    pid_t pid;

    do
        pid = waitpid (WAIT_ANY, &status, WUNTRACED|WNOHANG);
    while (!mark_process_status (pid, status));
}

```

```

/* Check for processes that have status information available,
   blocking until all processes in the given job have reported.  */

```

```

void
wait_for_job (job *j)
{
    int status;
    pid_t pid;

    do
        pid = waitpid (WAIT_ANY, &status, WUNTRACED);
    while (!mark_process_status (pid, status)
           && !job_is_stopped (j)

```

```

        && !job_is_completed (j));
    }

/* Format information about job status for the user to look at. */

void
format_job_info (job *j, const char *status)
{
    fprintf (stderr, "%ld (%s): %s\n", (long)j->pgid, status, j->command);
}

/* Notify the user about stopped or terminated jobs.
   Delete terminated jobs from the active job list. */

void
do_job_notification (void)
{
    job *j, *jlast, *jnext;
    process *p;

    /* Update status information for child processes. */
    update_status ();

    jlast = NULL;
    for (j = first_job; j; j = jnext)
        {
            jnext = j->next;

            /* If all processes have completed, tell the user the job has
               completed and delete it from the list of active jobs. */
            if (job_is_completed (j)) {
                format_job_info (j, "completed");
                if (jlast)
                    jlast->next = jnext;
                else
                    first_job = jnext;
                free_job (j);
            }

            /* Notify the user about stopped jobs,
               marking them so that we won't do this more than once. */
            else if (job_is_stopped (j) && !j->notified) {
                format_job_info (j, "stopped");
                j->notified = 1;
                jlast = j;
            }

            /* Don't say anything about jobs that are still running. */
            else
                jlast = j;
        }
}

```

```

    }
}

```

---

Node: Continuing Stopped Jobs, Next: [Missing Pieces](#), Previous: [Stopped and Terminated Jobs](#),  
Up: [Implementing a Shell](#)

## Continuing Stopped Jobs

The shell can continue a stopped job by sending a SIGCONT signal to its process group. If the job is being continued in the foreground, the shell should first invoke `tcsetpgrp` to give the job access to the terminal, and restore the saved terminal settings. After continuing a job in the foreground, the shell should wait for the job to stop or complete, as if the job had just been launched in the foreground.

The sample shell program handles both newly created and continued jobs with the same pair of functions, `put_job_in_foreground` and `put_job_in_background`. The definitions of these functions were given in [Foreground and Background](#). When continuing a stopped job, a nonzero value is passed as the *cont* argument to ensure that the SIGCONT signal is sent and the terminal modes reset, as appropriate.

This leaves only a function for updating the shell's internal bookkeeping about the job being continued:

```

/* Mark a stopped job J as being running again.  */

void
mark_job_as_running (job *j)
{
    Process *p;

    for (p = j->first_process; p; p = p->next)
        p->stopped = 0;
    j->notified = 0;
}

/* Continue the job J.  */

void
continue_job (job *j, int foreground)
{
    mark_job_as_running (j);
    if (foreground)
        put_job_in_foreground (j, 1);
    else
        put_job_in_background (j, 1);
}

```

---

Node: Missing Pieces, Previous: [Continuing Stopped Jobs](#), Up: [Implementing a Shell](#)

## The Missing Pieces

The code extracts for the sample shell included in this chapter are only a part of the entire shell program. In particular, nothing at all has been said about how `job` and `program` data structures are allocated and initialized.

Most real shells provide a complex user interface that has support for a command language; variables; abbreviations, substitutions, and pattern matching on file names; and the like. All of this is far too complicated to explain here! Instead, we have concentrated on showing how to implement the core process creation and job control functions that can be called from such a shell.

Here is a table summarizing the major entry points we have presented:

```
void init_shell (void)
```

Initialize the shell's internal state. See [Initializing the Shell](#).

```
void launch_job (job *j, int foreground)
```

Launch the job `j` as either a foreground or background job. See [Launching Jobs](#).

```
void do_job_notification (void)
```

Check for and report any jobs that have terminated or stopped. Can be called synchronously or within a handler for SIGCHLD signals. See [Stopped and Terminated Jobs](#).

```
void continue_job (job *j, int foreground)
```

Continue the job `j`. See [Continuing Stopped Jobs](#).

Of course, a real shell would also want to provide other functions for managing jobs. For example, it would be useful to have commands to list all active jobs or to send a signal (such as SIGKILL) to a job.

---

Node: Functions for Job Control, Previous: [Implementing a Shell](#), Up: [Job Control](#)

## Functions for Job Control

This section contains detailed descriptions of the functions relating to job control.

- [Identifying the Terminal](#): Determining the controlling terminal's name.
- [Process Group Functions](#): Functions for manipulating process groups.
- [Terminal Access Functions](#): Functions for controlling terminal access.

---

Node: Identifying the Terminal, Next: [Process Group Functions](#), Up: [Functions for Job Control](#)

## Identifying the Controlling Terminal

You can use the `ctermid` function to get a file name that you can use to open the controlling terminal. In the GNU library, it returns the same string all the time: `"/dev/tty"`. That is a special "magic" file name that refers to the controlling terminal of the current process (if it has one). To find the name of the specific terminal device, use `ttyname`; see [Is It a Terminal](#).

The function `ctermid` is declared in the header file `stdio.h`.

`char * ctermid (char *string)` Function

The `ctermid` function returns a string containing the file name of the controlling terminal for the current process. If *string* is not a null pointer, it should be an array that can hold at least `L_ctermid` characters; the string is returned in this array. Otherwise, a pointer to a string in a static area is returned, which might get overwritten on subsequent calls to this function.

An empty string is returned if the file name cannot be determined for any reason. Even if a file name is returned, access to the file it represents is not guaranteed.

`int L_ctermid` Macro

The value of this macro is an integer constant expression that represents the size of a string large enough to hold the file name returned by `ctermid`.

See also the `isatty` and `ttyname` functions, in [Is It a Terminal](#).

---

Node: Process Group Functions, Next: [Terminal Access Functions](#), Previous: [Identifying the Terminal](#), Up: [Functions for Job Control](#)

## Process Group Functions

Here are descriptions of the functions for manipulating process groups. Your program should include the header files `sys/types.h` and `unistd.h` to use these functions.

`pid_t setsid (void)` Function

The `setsid` function creates a new session. The calling process becomes the session leader, and is put in a new process group whose process group ID is the same as the process ID of that process. There are initially no other processes in the new process group, and no other process groups in the new session.

This function also makes the calling process have no controlling terminal.

The `setsid` function returns the new process group ID of the calling process if successful. A return value of `-1` indicates an error. The following `errno` error conditions are defined for this function:

#### EPERM

The calling process is already a process group leader, or there is already another process group around that has the same process group ID.

### `pid_t getsid (pid_t pid)`

Function

The `getsid` function returns the process group ID of the session leader of the specified process. If a `pid` is `0`, the process group ID of the session leader of the current process is returned.

In case of error `-1` is returned and `errno` is set. The following `errno` error conditions are defined for this function:

#### ESRCH

There is no process with the given process ID `pid`.

#### EPERM

The calling process and the process specified by `pid` are in different sessions, and the implementation doesn't allow to access the process group ID of the session leader of the process with ID `pid` from the calling process.

The `getpgrp` function has two definitions: one derived from BSD Unix, and one from the POSIX.1 standard. The feature test macros you have selected (see [Feature Test Macros](#)) determine which definition you get. Specifically, you get the BSD version if you define `_BSD_SOURCE`; otherwise, you get the POSIX version if you define `_POSIX_SOURCE` or `_GNU_SOURCE`. Programs written for old BSD systems will not include `unistd.h`, which defines `getpgrp` specially under `_BSD_SOURCE`. You must link such programs with the `-lbsd-compat` option to get the BSD definition.

### `pid_t getpgrp (void)`

POSIX.1 Function

The POSIX.1 definition of `getpgrp` returns the process group ID of the calling process.

**pid\_t getpgrp** (*pid\_t pid*)

BSD Function

The BSD definition of `getpgrp` returns the process group ID of the process *pid*. You can supply a value of 0 for the *pid* argument to get information about the calling process.

**int getpgid** (*pid\_t pid*)

System V Function

`getpgid` is the same as the BSD function `getpgrp`. It returns the process group ID of the process *pid*. You can supply a value of 0 for the *pid* argument to get information about the calling process.

In case of error -1 is returned and `errno` is set. The following `errno` error conditions are defined for this function:

## ESRCH

There is no process with the given process ID *pid*. The calling process and the process specified by *pid* are in different sessions, and the implementation doesn't allow to access the process group ID of the process with ID *pid* from the calling process.

**int setpgid** (*pid\_t pid, pid\_t pgid*)

Function

The `setpgid` function puts the process *pid* into the process group *pgid*. As a special case, either *pid* or *pgid* can be zero to indicate the process ID of the calling process.

This function fails on a system that does not support job control. See [Job Control is Optional](#), for more information.

If the operation is successful, `setpgid` returns zero. Otherwise it returns -1. The following `errno` error conditions are defined for this function:

## EACCES

The child process named by *pid* has executed an `exec` function since it was forked.

## EINVAL

The value of the *pgid* is not valid.

## ENOSYS

The system doesn't support job control.

## EPERM

The process indicated by the *pid* argument is a session leader, or is not in the same session as the calling process, or the value of the *pgid* argument doesn't match a process group ID in the same session as the calling process.

## ESRCH

The process indicated by the *pid* argument is not the calling process or a child of the calling process.

int **setpgrp** (*pid\_t pid*, *pid\_t pgid*)

Function

This is the BSD Unix name for `setpgid`. Both functions do exactly the same thing.

---

Node: Terminal Access Functions, Previous: [Process Group Functions](#), Up: [Functions for Job Control](#)

## Functions for Controlling Terminal Access

These are the functions for reading or setting the foreground process group of a terminal. You should include the header files `sys/types.h` and `unistd.h` in your application to use these functions.

Although these functions take a file descriptor argument to specify the terminal device, the foreground job is associated with the terminal file itself and not a particular open file descriptor.

*pid\_t* **tcgetpgrp** (*int filedes*)

Function

This function returns the process group ID of the foreground process group associated with the terminal open on descriptor *filedes*.

If there is no foreground process group, the return value is a number greater than 1 that does not match the process group ID of any existing process group. This can happen if all of the processes in the job that was formerly the foreground job have terminated, and no other job has yet been moved into the foreground.

In case of an error, a value of `-1` is returned. The following `errno` error conditions are defined for this function:

`EBADF`

The *filedes* argument is not a valid file descriptor.

`ENOSYS`

The system doesn't support job control.

`ENOTTY`

The terminal file associated with the *filedes* argument isn't the controlling terminal of the calling process.



**int tcsetpgrp** (*int filedes*, *pid\_t pgid*)

Function

This function is used to set a terminal's foreground process group ID. The argument *filedes* is a descriptor which specifies the terminal; *pgid* specifies the process group. The calling process must be a member of the same session as *pgid* and must have the same controlling terminal.

For terminal access purposes, this function is treated as output. If it is called from a background process on its controlling terminal, normally all processes in the process group are sent a SIGTTOU signal. The exception is if the calling process itself is ignoring or blocking SIGTTOU signals, in which case the operation is performed and no signal is sent.

If successful, `tcsetpgrp` returns 0. A return value of `-1` indicates an error. The following `errno` error conditions are defined for this function:

EBADF

The *filedes* argument is not a valid file descriptor.

EINVAL

The *pgid* argument is not valid.

ENOSYS

The system doesn't support job control.

ENOTTY

The *filedes* isn't the controlling terminal of the calling process.

EPERM

The *pgid* isn't a process group in the same session as the calling process.

**pid\_t tcgetsid** (*int fildes*)

Function

This function is used to obtain the process group ID of the session for which the terminal specified by *fildes* is the controlling terminal. If the call is successful the group ID is returned. Otherwise the return value is `(pid_t) -1` and the global variable *errno* is set to the following value:

EBADF

The *filedes* argument is not a valid file descriptor.

ENOTTY

The calling process does not have a controlling terminal, or the file is not the controlling terminal.

# System Databases and Name Service Switch

Various functions in the C Library need to be configured to work correctly in the local environment. Traditionally, this was done by using files (e.g., `/etc/passwd`), but other nameservices (like the Network Information Service (NIS) and the Domain Name Service (DNS)) became popular, and were hacked into the C library, usually with a fixed search order (see [frobinate](#)).

The GNU C Library contains a cleaner solution of this problem. It is designed after a method used by Sun Microsystems in the C library of Solaris 2. GNU C Library follows their name and calls this scheme *Name Service Switch* (NSS).

Though the interface might be similar to Sun's version there is no common code. We never saw any source code of Sun's implementation and so the internal interface is incompatible. This also manifests in the file names we use as we will see later.

- [NSS Basics](#): What is this NSS good for.
- [NSS Configuration File](#): Configuring NSS.
- [NSS Module Internals](#): How does it work internally.
- [Extending NSS](#): What to do to add services or databases.

---

Node: NSS Basics, Next: [NSS Configuration File](#), Previous: [Name Service Switch](#), Up: [Name Service Switch](#)

## NSS Basics

The basic idea is to put the implementation of the different services offered to access the databases in separate modules. This has some advantages:

1. Contributors can add new services without adding them to GNU C Library.
2. The modules can be updated separately.
3. The C library image is smaller.

To fulfill the first goal above the ABI of the modules will be described below. For getting the implementation of a new service right it is important to understand how the functions in the modules get called. They are in no way designed to be used by the programmer directly. Instead the programmer should only use the documented and standardized functions to access the databases.

The databases available in the NSS are

aliases

Mail aliases

ethers

Ethernet numbers,

group

Groups of users, see [Group Database](#).

hosts

Host names and numbers, see [Host Names](#).

netgroup

Network wide list of host and users, see [Netgroup Database](#).

networks

Network names and numbers, see [Networks Database](#).

protocols

Network protocols, see [Protocols Database](#).

passwd

User passwords, see [User Database](#).

rpc

Remote procedure call names and numbers,

services

Network services, see [Services Database](#).

shadow

Shadow user passwords,

There will be some more added later (automount, bootparams, netmasks, and publickey).

---

Node: NSS Configuration File, Next: [NSS Module Internals](#), Previous: [NSS Basics](#), Up: [Name Service Switch](#)

## The NSS Configuration File

Somehow the NSS code must be told about the wishes of the user. For this reason there is the file `/etc/nsswitch.conf`. For each database this file contain a specification how the lookup process should work. The file could look like this:

```
# /etc/nsswitch.conf
#
# Name Service Switch configuration file.
#

passwd:      db files nis
```

```

shadow:      files
group:       db files nis

hosts:       files nisplus nis dns
networks:    nisplus [NOTFOUND=return] files

ethers:      nisplus [NOTFOUND=return] db files
protocols:   nisplus [NOTFOUND=return] db files
rpc:         nisplus [NOTFOUND=return] db files
services:    nisplus [NOTFOUND=return] db files

```

The first column is the database as you can guess from the table above. The rest of the line specifies how the lookup process works. Please note that you specify the way it works for each database individually. This cannot be done with the old way of a monolithic implementation.

The configuration specification for each database can contain two different items:

- the service specification like `files`, `db`, or `nis`.
- the reaction on lookup result like `[NOTFOUND=return]`.
- [Services in the NSS configuration](#): Service names in the NSS configuration.
- [Actions in the NSS configuration](#): React appropriately to the lookup result.
- [Notes on NSS Configuration File](#): Things to take care about while configuring NSS.

---

Node: Services in the NSS configuration, Next: [Actions in the NSS configuration](#), Previous: [NSS Configuration File](#), Up: [NSS Configuration File](#)

## Services in the NSS configuration File

The above example file mentions four different services: `files`, `db`, `nis`, and `nisplus`. This does not mean these services are available on all sites and it does also not mean these are all the services which will ever be available.

In fact, these names are simply strings which the NSS code uses to find the implicitly addressed functions. The internal interface will be described later. Visible to the user are the modules which implement an individual service.

Assume the service *name* shall be used for a lookup. The code for this service is implemented in a module called `libnss_name`. On a system supporting shared libraries this is in fact a shared library

with the name (for example) `libnss_name.so.2`. The number at the end is the currently used version of the interface which will not change frequently. Normally the user should not have to be cognizant of these files since they should be placed in a directory where they are found automatically. Only the names of all available services are important.

---

Node: Actions in the NSS configuration, Next: [Notes on NSS Configuration File](#), Previous: [Services in the NSS configuration](#), Up: [NSS Configuration File](#)

## Actions in the NSS configuration

The second item in the specification gives the user much finer control on the lookup process. Action items are placed between two service names and are written within brackets. The general form is

```
[ ( !? status = action )+ ]
```

where

```
status => success | notfound | unavail | tryagain
action => return | continue
```

The case of the keywords is insignificant. The *status* values are the results of a call to a lookup function of a specific service. They mean

**success**

No error occurred and the wanted entry is returned. The default action for this is `return`.

**notfound**

The lookup process works ok but the needed value was not found. The default action is `continue`.

**unavail**

The service is permanently unavailable. This can either mean the needed file is not available, or, for DNS, the server is not available or does not allow queries. The default action is `continue`.

**tryagain**

The service is temporarily unavailable. This could mean a file is locked or a server currently cannot accept more connections. The default action is `continue`.

If we have a line like

```
ethers: nisplus [NOTFOUND=return] db files
```

this is equivalent to

```
ethers: nisplus [SUCCESS=return NOTFOUND=return UNAVAIL=continue
                TRYAGAIN=continue]
db          [SUCCESS=return NOTFOUND=continue UNAVAIL=continue
            TRYAGAIN=continue]
files
```

(except that it would have to be written on one line). The default value for the actions are normally what you want, and only need to be changed in exceptional cases.

If the optional `!` is placed before the *status* this means the following action is used for all statuses but *status* itself. I.e., `!` is negation as in the C language (and others).

Before we explain the exception which makes this action item necessary one more remark: obviously it makes no sense to add another action item after the `files` service. Since there is no other service following the action *always* is `return`.

Now, why is this `[NOTFOUND=return]` action useful? To understand this we should know that the `nisplus` service is often complete; i.e., if an entry is not available in the NIS+ tables it is not available anywhere else. This is what is expressed by this action item: it is useless to examine further services since they will not give us a result.

The situation would be different if the NIS+ service is not available because the machine is booting. In this case the return value of the lookup function is not `notfound` but instead `unavail`. And as you can see in the complete form above: in this situation the `db` and `files` services are used. Neat, isn't it? The system administrator need not pay special care for the time the system is not completely ready to work (while booting or shutdown or network problems).

---

Node: Notes on NSS Configuration File, Previous: [Actions in the NSS configuration](#), Up: [NSS Configuration File](#)

## Notes on the NSS Configuration File

Finally a few more hints. The NSS implementation is not completely helpless if `/etc/nsswitch.conf` does not exist. For all supported databases there is a default value so it should normally be possible to get the system running even if the file is corrupted or missing.

For the `hosts` and `networks` databases the default value is `dns [!UNAVAIL=return] files`. I.e., the system is prepared for the DNS service not to be available but if it is available the answer it

returns is definitive.

The `passwd`, `group`, and `shadow` databases are traditionally handled in a special way. The appropriate files in the `/etc` directory are read but if an entry with a name starting with a `+` character is found NIS is used. This kind of lookup remains possible by using the special lookup service `compat` and the default value for the three databases above is `compat [NOTFOUND=return] files`.

For all other databases the default value is `nis [NOTFOUND=return] files`. This solution give the best chance to be correct since NIS and file based lookup is used.

A second point is that the user should try to optimize the lookup process. The different service have different response times. A simple file look up on a local file could be fast, but if the file is long and the needed entry is near the end of the file this may take quite some time. In this case it might be better to use the `db` service which allows fast local access to large data sets.

Often the situation is that some global information like NIS must be used. So it is unavoidable to use service entries like `nis` etc. But one should avoid slow services like this if possible.

---

Node: NSS Module Internals, Next: [Extending NSS](#), Previous: [NSS Configuration File](#), Up: [Name Service Switch](#)

## NSS Module Internals

Now it is time to describe what the modules look like. The functions contained in a module are identified by their names. I.e., there is no jump table or the like. How this is done is of no interest here; those interested in this topic should read about Dynamic Linking.

- [NSS Module Names](#): Construction of the interface function of the NSS modules.
- [NSS Modules Interface](#): Programming interface in the NSS module functions.

---

Node: NSS Module Names, Next: [NSS Modules Interface](#), Previous: [NSS Module Internals](#), Up: [NSS Module Internals](#)

## The Naming Scheme of the NSS Modules

The name of each function consist of various parts:

*\_nss\_service\_function*

*service* of course corresponds to the name of the module this function is found in.<sup>3</sup> The *function* part is derived from the interface function in the C library itself. If the user calls the function `gethostbyname` and the service used is `files` the function

```
_nss_files_gethostbyname_r
```

in the module

```
libnss_files.so.2
```

is used. You see, what is explained above is not the whole truth. In fact the NSS modules only contain reentrant versions of the lookup functions. I.e., if the user would call the `gethostbyname_r` function this also would end in the above function. For all user interface functions the C library maps this call to a call to the reentrant function. For reentrant functions this is trivial since the interface is (nearly) the same. For the non-reentrant version The library keeps internal buffers which are used to replace the user supplied buffer.

I.e., the reentrant functions *can* have counterparts. No service module is forced to have functions for all databases and all kinds to access them. If a function is not available it is simply treated as if the function would return `unavail` (see [Actions in the NSS configuration](#)).

The file name `libnss_files.so.2` would be on a Solaris 2 system `nss_files.so.2`. This is the difference mentioned above. Sun's NSS modules are usable as modules which get indirectly loaded only.

The NSS modules in the GNU C Library are prepared to be used as normal libraries themselves. This is *not* true at the moment, though. However, the organization of the name space in the modules does not make it impossible like it is for Solaris. Now you can see why the modules are still libraries.<sup>4</sup>

---

Node: NSS Modules Interface, Previous: [NSS Module Names](#), Up: [NSS Module Internals](#)

## The Interface of the Function in NSS Modules

Now we know about the functions contained in the modules. It is now time to describe the types. When we mentioned the reentrant versions of the functions above, this means there are some additional arguments (compared with the standard, non-reentrant version). The prototypes for the non-reentrant and reentrant versions of our function above are:

```
struct hostent *gethostbyname (const char *name)
```



```
int gethostbyname_r (const char *name, struct hostent *result_buf,
                    char *buf, size_t buflen, struct hostent **result,
                    int *h_errnop)
```

The actual prototype of the function in the NSS modules in this case is

```
enum nss_status _nss_files_gethostbyname_r (const char *name,
                                            struct hostent *result_buf,
                                            char *buf, size_t buflen,
                                            int *errnop, int *h_errnop)
```

I.e., the interface function is in fact the reentrant function with the change of the return value and the omission of the *result* parameter. While the user-level function returns a pointer to the result the reentrant function return an enum `nss_status` value:

```
NSS_STATUS_TRYAGAIN
    numeric value -2
NSS_STATUS_UNAVAIL
    numeric value -1
NSS_STATUS_NOTFOUND
    numeric value 0
NSS_STATUS_SUCCESS
    numeric value 1
```

Now you see where the action items of the `/etc/nsswitch.conf` file are used.

If you study the source code you will find there is a fifth value: `NSS_STATUS_RETURN`. This is an internal use only value, used by a few functions in places where none of the above value can be used. If necessary the source code should be examined to learn about the details.

In case the interface function has to return an error it is important that the correct error code is stored in *\*errnop*. Some return status value have only one associated error code, others have more.

```
NSS_STATUS_TRYAGAIN  EAGAIN  One of the functions used ran temporarily out of resources or a
                        service is currently not available.
                        ERANGE  The provided buffer is not large enough. The function should
                        be called again with a larger buffer.
NSS_STATUS_UNAVAIL   ENOENT  A necessary input file cannot be found.
NSS_STATUS_NOTFOUND  ENOENT  The requested entry is not available.
```

These are proposed values. There can be other error codes and the described error codes can have different meaning. **With one exception:** when returning `NSS_STATUS_TRYAGAIN` the error code `ERANGE` *must* mean that the user provided buffer is too small. Everything is non-critical.

The above function has something special which is missing for almost all the other module functions. There is an argument `h_errnop`. This points to a variable which will be filled with the error code in case the execution of the function fails for some reason. The reentrant function cannot use the global variable `h_errno`; `gethostbyname` calls `gethostbyname_r` with the last argument set to `&h_errno`.

The `getXXXbyYYY` functions are the most important functions in the NSS modules. But there are others which implement the other ways to access system databases (say for the password database, there are `setpwent`, `getpwent`, and `endpwent`). These will be described in more detail later. Here we give a general way to determine the signature of the module function:

- the return value is `int`;
- the name is as explained in see [NSS Module Names](#);
- the first arguments are identical to the arguments of the non-reentrant function;
- the next three arguments are:
  - `STRUCT_TYPE *result_buf`  
pointer to buffer where the result is stored. `STRUCT_TYPE` is normally a struct which corresponds to the database.
  - `char *buffer`  
pointer to a buffer where the function can store additional data for the result etc.
  - `size_t buflen`  
length of the buffer pointed to by *buffer*.
- possibly a last argument `h_errnop`, for the host name and network name lookup functions.

This table is correct for all functions but the `set . . . ent` and `end . . . ent` functions.

---

Node: Extending NSS, Previous: [NSS Module Internals](#), Up: [Name Service Switch](#)

## Extending NSS

One of the advantages of NSS mentioned above is that it can be extended quite easily. There are two ways in which the extension can happen: adding another database or adding another service. The former is normally done only by the C library developers. It is here only important to remember that adding another database is independent from adding another service because a service need not support all databases or lookup functions.

A designer/implementor of a new service is therefore free to choose the databases s/he is interested in and leave the rest for later (or completely aside).

- [Adding another Service to NSS](#): What is to do to add a new service.
- [NSS Module Function Internals](#): Guidelines for writing new NSS service functions.

---

Node: Adding another Service to NSS, Next: [NSS Module Function Internals](#), Previous: [Extending NSS](#),  
Up: [Extending NSS](#)

## Adding another Service to NSS

The sources for a new service need not (and should not) be part of the GNU C Library itself. The developer retains complete control over the sources and its development. The links between the C library and the new service module consists solely of the interface functions.

Each module is designed following a specific interface specification. For now the version is 2 (the interface in version 1 was not adequate) and this manifests in the version number of the shared library object of the NSS modules: they have the extension `.2`. If the interface changes again in an incompatible way, this number will be increased. Modules using the old interface will still be usable.

Developers of a new service will have to make sure that their module is created using the correct interface number. This means the file itself must have the correct name and on ELF systems the *soname* (Shared Object Name) must also have this number. Building a module from a bunch of object files on an ELF system using GNU CC could be done like this:

```
gcc -shared -o libnss_NAME.so.2 -Wl,-soname,libnss_NAME.so.2 OBJECTS
```

[Options for Linking](#), to learn more about this command line.

To use the new module the library must be able to find it. This can be achieved by using options for the dynamic linker so that it will search the directory where the binary is placed. For an ELF system this could be done by adding the wanted directory to the value of `LD_LIBRARY_PATH`.

But this is not always possible since some programs (those which run under IDs which do not belong to the user) ignore this variable. Therefore the stable version of the module should be placed into a directory which is searched by the dynamic linker. Normally this should be the directory `$prefix/lib`, where `$prefix` corresponds to the value given to configure using the `--prefix` option. But be careful: this should only be done if it is clear the module does not cause any harm. System administrators should be careful.

Node: NSS Module Function Internals, Previous: [Adding another Service to NSS](#), Up: [Extending NSS](#)

## Internals of the NSS Module Functions

Until now we only provided the syntactic interface for the functions in the NSS module. In fact there is not much more we can say since the implementation obviously is different for each function. But a few general rules must be followed by all functions.

In fact there are four kinds of different functions which may appear in the interface. All derive from the traditional ones for system databases. *db* in the following table is normally an abbreviation for the database (e.g., it is *pw* for the password database).

```
enum nss_status _nss_database_setdbent (void)
```

This function prepares the service for following operations. For a simple file based lookup this means files could be opened, for other services this function simply is a noop.

One special case for this function is that it takes an additional argument for some *databases* (i.e., the interface is `int setdbent (int)`). [Host Names](#), which describes the `sethostent` function.

The return value should be `NSS_STATUS_SUCCESS` or according to the table above in case of an error (see [NSS Modules Interface](#)).

```
enum nss_status _nss_database_enddbent (void)
```

This function simply closes all files which are still open or removes buffer caches. If there are no files or buffers to remove this is again a simple noop.

There normally is no return value different to `NSS_STATUS_SUCCESS`.

```
enum nss_status _nss_database_getdbent_r (STRUCTURE *result, char
*buffer, size_t buflen, int *errno)
```

Since this function will be called several times in a row to retrieve one entry after the other it must keep some kind of state. But this also means the functions are not really reentrant. They are reentrant only in that simultaneous calls to this function will not try to write the retrieved data in the same place (as it would be the case for the non-reentrant functions); instead, it writes to the structure pointed to by the *result* parameter. But the calls share a common state and in the case of a file access this means they return neighboring entries in the file.

The buffer of length *buflen* pointed to by *buffer* can be used for storing some additional data for the result. It is *not* guaranteed that the same buffer will be passed for the next call of this function. Therefore one must not misuse this buffer to save some state information from one call

to another.

Before the function returns the implementation should store the value of the local *errno* variable in the variable pointed to be *errnop*. This is important to guarantee the module working in statically linked programs.

As explained above this function could also have an additional last argument. This depends on the database used; it happens only for `host` and `networks`.

The function shall return `NSS_STATUS_SUCCESS` as long as there are more entries. When the last entry was read it should return `NSS_STATUS_NOTFOUND`. When the buffer given as an argument is too small for the data to be returned `NSS_STATUS_TRYAGAIN` should be returned. When the service was not formerly initialized by a call to `_nss_DATABASE_setdbent` all return value allowed for this function can also be returned here.

```
enum nss_status _nss_DATABASE_getdbbyXX_r (PARAMS, STRUCTURE *result,
char *buffer, size_t buflen, int *errnop)
```

This function shall return the entry from the database which is addressed by the *PARAMS*. The type and number of these arguments vary. It must be individually determined by looking to the user-level interface functions. All arguments given to the non-reentrant version are here described by *PARAMS*.

The result must be stored in the structure pointed to by *result*. If there is additional data to return (say strings, where the *result* structure only contains pointers) the function must use the *buffer* or length *buflen*. There must not be any references to non-constant global data.

The implementation of this function should honor the *stayopen* flag set by the `setDBent` function whenever this makes sense.

Before the function returns the implementation should store the value of the local *errno* variable in the variable pointed to be *errnop*. This is important to guarantee the module working in statically linked programs.

Again, this function takes an additional last argument for the `host` and `networks` database.

The return value should as always follow the rules given above (see [NSS Modules Interface](#)).

---

Node: Users and Groups, Next: [System Management](#), Previous: [Name Service Switch](#), Up: [Top](#)

## Users and Groups

Every user who can log in on the system is identified by a unique number called the *user ID*. Each process has an effective user ID which says which user's access permissions it has.

Users are classified into *groups* for access control purposes. Each process has one or more *group ID values* which say which groups the process can use for access to files.

The effective user and group IDs of a process collectively form its *persona*. This determines which files the process can access. Normally, a process inherits its persona from the parent process, but under special circumstances a process can change its persona and thus change its access permissions.

Each file in the system also has a user ID and a group ID. Access control works by comparing the user and group IDs of the file with those of the running process.

The system keeps a database of all the registered users, and another database of all the defined groups. There are library functions you can use to examine these databases.

- [User and Group IDs](#): Each user has a unique numeric ID; likewise for groups.
- [Process Persona](#): The user IDs and group IDs of a process.
- [Why Change Persona](#): Why a program might need to change its user and/or group IDs.
- [How Change Persona](#): Changing the user and group IDs.
- [Reading Persona](#): How to examine the user and group IDs.
  
- [Setting User ID](#): Functions for setting the user ID.
- [Setting Groups](#): Functions for setting the group IDs.
  
- [Enable/Disable Setuid](#): Turning setuid access on and off.
- [Setuid Program Example](#): The pertinent parts of one sample program.
- [Tips for Setuid](#): How to avoid granting unlimited access.
  
- [Who Logged In](#): Getting the name of the user who logged in, or of the real user ID of the current process.
  
- [User Accounting Database](#): Keeping information about users and various actions in databases.
  
- [User Database](#): Functions and data structures for accessing the user database.
- [Group Database](#): Functions and data structures for accessing the group database.
- [Database Example](#): Example program showing the use of database inquiry functions.
- [Netgroup Database](#): Functions for accessing the netgroup database.

---

Node: User and Group IDs, Next: [Process Persona](#), Up: [Users and Groups](#)

## User and Group IDs

Each user account on a computer system is identified by a *user name* (or *login name*) and *user ID*. Normally, each user name has a unique user ID, but it is possible for several login names to have the same user ID. The user names and corresponding user IDs are stored in a data base which you can access as described in [User Database](#).

Users are classified in *groups*. Each user name belongs to one *default group* and may also belong to any number of *supplementary groups*. Users who are members of the same group can share resources (such as files) that are not accessible to users who are not a member of that group. Each group has a *group name* and *group ID*. See [Group Database](#), for how to find information about a group ID or group name.

---

Node: Process Persona, Next: [Why Change Persona](#), Previous: [User and Group IDs](#), Up: [Users and Groups](#)

## The Persona of a Process

At any time, each process has an *effective user ID*, a *effective group ID*, and a set of *supplementary group IDs*. These IDs determine the privileges of the process. They are collectively called the *persona* of the process, because they determine "who it is" for purposes of access control.

Your login shell starts out with a persona which consists of your user ID, your default group ID, and your supplementary group IDs (if you are in more than one group). In normal circumstances, all your other processes inherit these values.

A process also has a *real user ID* which identifies the user who created the process, and a *real group ID* which identifies that user's default group. These values do not play a role in access control, so we do not consider them part of the persona. But they are also important.

Both the real and effective user ID can be changed during the lifetime of a process. See [Why Change Persona](#).

For details on how a process's effective user ID and group IDs affect its permission to access files, see [Access Permission](#).

The effective user ID of a process also controls permissions for sending signals using the `kill` function. See [Signaling Another Process](#).

Finally, there are many operations which can only be performed by a process whose effective user ID is zero. A process with this user ID is a *privileged process*. Commonly the user name `root` is associated with user ID 0, but there may be other user names with this ID.

---

Node: Why Change Persona, Next: [How Change Persona](#), Previous: [Process Persona](#), Up: [Users and Groups](#)

## Why Change the Persona of a Process?

The most obvious situation where it is necessary for a process to change its user and/or group IDs is the `login` program. When `login` starts running, its user ID is `root`. Its job is to start a shell whose user and group IDs are those of the user who is logging in. (To accomplish this fully, `login` must set the real user and group IDs as well as its persona. But this is a special case.)

The more common case of changing persona is when an ordinary user program needs access to a resource that wouldn't ordinarily be accessible to the user actually running it.

For example, you may have a file that is controlled by your program but that shouldn't be read or modified directly by other users, either because it implements some kind of locking protocol, or because you want to preserve the integrity or privacy of the information it contains. This kind of restricted access can be implemented by having the program change its effective user or group ID to match that of the resource.

Thus, imagine a game program that saves scores in a file. The game program itself needs to be able to update this file no matter who is running it, but if users can write the file without going through the game, they can give themselves any scores they like. Some people consider this undesirable, or even reprehensible. It can be prevented by creating a new user ID and login name (say, `games`) to own the scores file, and make the file writable only by this user. Then, when the game program wants to update this file, it can change its effective user ID to be that for `games`. In effect, the program must adopt the persona of `games` so it can write the scores file.

---

Node: How Change Persona, Next: [Reading Persona](#), Previous: [Why Change Persona](#), Up: [Users and Groups](#)

## How an Application Can Change Persona

The ability to change the persona of a process can be a source of unintentional privacy violations, or even intentional abuse. Because of the potential for problems, changing persona is restricted to special



circumstances.

You can't arbitrarily set your user ID or group ID to anything you want; only privileged processes can do that. Instead, the normal way for a program to change its persona is that it has been set up in advance to change to a particular user or group. This is the function of the `setuid` and `setgid` bits of a file's access mode. See [Permission Bits](#).

When the `setuid` bit of an executable file is on, executing that file gives the process a third user ID: the *file user ID*. This ID is set to the owner ID of the file. The system then changes the effective user ID to the file user ID. The real user ID remains as it was. Likewise, if the `setgid` bit is on, the process is given a *file group ID* equal to the group ID of the file, and its effective group ID is changed to the file group ID.

If a process has a file ID (user or group), then it can at any time change its effective ID to its real ID and back to its file ID. Programs use this feature to relinquish their special privileges except when they actually need them. This makes it less likely that they can be tricked into doing something inappropriate with their privileges.

**Portability Note:** Older systems do not have file IDs. To determine if a system has this feature, you can test the compiler define `_POSIX_SAVED_IDS`. (In the POSIX standard, file IDs are known as saved IDs.)

See [File Attributes](#), for a more general discussion of file modes and accessibility.

---

Node: Reading Persona, Next: [Setting User ID](#), Previous: [How Change Persona](#), Up: [Users and Groups](#)

## Reading the Persona of a Process

Here are detailed descriptions of the functions for reading the user and group IDs of a process, both real and effective. To use these facilities, you must include the header files `sys/types.h` and `unistd.h`.

**uid\_t** Data Type

This is an integer data type used to represent user IDs. In the GNU library, this is an alias for `unsigned int`.

**gid\_t** Data Type

This is an integer data type used to represent group IDs. In the GNU library, this is an alias for `unsigned int`.

**uid\_t getuid** (*void*) Function

The `getuid` function returns the real user ID of the process.

**gid\_t getgid** (*void*) Function

The `getgid` function returns the real group ID of the process.

**uid\_t geteuid** (*void*) Function

The `geteuid` function returns the effective user ID of the process.

**gid\_t getegid** (*void*) Function

The `getegid` function returns the effective group ID of the process.

**int getgroups** (*int count, gid\_t \*groups*) Function

The `getgroups` function is used to inquire about the supplementary group IDs of the process. Up to *count* of these group IDs are stored in the array *groups*; the return value from the function is the number of group IDs actually stored. If *count* is smaller than the total number of supplementary group IDs, then `getgroups` returns a value of `-1` and `errno` is set to `EINVAL`.

If *count* is zero, then `getgroups` just returns the total number of supplementary group IDs. On systems that do not support supplementary groups, this will always be zero.

Here's how to use `getgroups` to read all the supplementary group IDs:

```
gid_t *
read_all_groups (void)
{
    int ngroups = getgroups (0, NULL);
    gid_t *groups
        = (gid_t *) xmalloc (ngroups * sizeof (gid_t));
    int val = getgroups (ngroups, groups);
    if (val < 0)
        {
            free (groups);
            return NULL;
        }
    return groups;
}
```

Node: Setting User ID, Next: [Setting Groups](#), Previous: [Reading Persona](#), Up: [Users and Groups](#)

## Setting the User ID

This section describes the functions for altering the user ID (real and/or effective) of a process. To use these facilities, you must include the header files `sys/types.h` and `unistd.h`.

**int seteuid** (*uid\_t neweuid*) Function

This function sets the effective user ID of a process to *newuid*, provided that the process is allowed to change its effective user ID. A privileged process (effective user ID zero) can change its effective user ID to any legal value. An unprivileged process with a file user ID can change its effective user ID to its real user ID or to its file user ID. Otherwise, a process may not change its effective user ID at all.

The `seteuid` function returns a value of 0 to indicate successful completion, and a value of -1 to indicate an error. The following `errno` error conditions are defined for this function:

`EINVAL`

The value of the *newuid* argument is invalid.

`EPERM`

The process may not change to the specified ID.

Older systems (those without the `_POSIX_SAVED_IDS` feature) do not have this function.

**int setuid** (*uid\_t newuid*) Function

If the calling process is privileged, this function sets both the real and effective user ID of the process to *newuid*. It also deletes the file user ID of the process, if any. *newuid* may be any legal value. (Once this has been done, there is no way to recover the old effective user ID.)

If the process is not privileged, and the system supports the `_POSIX_SAVED_IDS` feature, then this function behaves like `seteuid`.

The return values and error conditions are the same as for `seteuid`.

**int setreuid** (*uid\_t ruid, uid\_t euid*) Function

This function sets the real user ID of the process to *ruid* and the effective user ID to *euid*. If *ruid* is `-1`, it means not to change the real user ID; likewise if *euid* is `-1`, it means not to change the effective user ID.

The `setreuid` function exists for compatibility with 4.3 BSD Unix, which does not support file IDs. You can use this function to swap the effective and real user IDs of the process. (Privileged processes are not limited to this particular usage.) If file IDs are supported, you should use that feature instead of this function. See [Enable/Disable Setuid](#).

The return value is 0 on success and `-1` on failure. The following `errno` error conditions are defined for this function:

#### EPERM

The process does not have the appropriate privileges; you do not have permission to change to the specified ID.

---

Node: [Setting Groups](#), Next: [Enable/Disable Setuid](#), Previous: [Setting User ID](#), Up: [Users and Groups](#)

## Setting the Group IDs

This section describes the functions for altering the group IDs (real and effective) of a process. To use these facilities, you must include the header files `sys/types.h` and `unistd.h`.

**int `setegid` (*gid\_t newgid*)** Function

This function sets the effective group ID of the process to *newgid*, provided that the process is allowed to change its group ID. Just as with `seteuid`, if the process is privileged it may change its effective group ID to any value; if it isn't, but it has a file group ID, then it may change to its real group ID or file group ID; otherwise it may not change its effective group ID.

Note that a process is only privileged if its effective *user* ID is zero. The effective group ID only affects access permissions.

The return values and error conditions for `setegid` are the same as those for `seteuid`.

This function is only present if `_POSIX_SAVED_IDS` is defined.

**int `setgid` (*gid\_t newgid*)** Function

This function sets both the real and effective group ID of the process to *newgid*, provided that the process is privileged. It also deletes the file group ID, if any.

If the process is not privileged, then `setgid` behaves like `setegid`.

The return values and error conditions for `setgid` are the same as those for `seteuid`.

int **setregid** (*gid\_t rgid*, *gid\_t egid*)

Function

This function sets the real group ID of the process to *rgid* and the effective group ID to *egid*. If *rgid* is `-1`, it means not to change the real group ID; likewise if *egid* is `-1`, it means not to change the effective group ID.

The `setregid` function is provided for compatibility with 4.3 BSD Unix, which does not support file IDs. You can use this function to swap the effective and real group IDs of the process. (Privileged processes are not limited to this usage.) If file IDs are supported, you should use that feature instead of using this function. See [Enable/Disable Setuid](#).

The return values and error conditions for `setregid` are the same as those for `setreuid`.

`setuid` and `setgid` behave differently depending on whether the effective user ID at the time is zero. If it is not zero, they behave like `seteuid` and `setegid`. If it is, they change both effective and real IDs and delete the file ID. To avoid confusion, we recommend you always use `seteuid` and `setegid` except when you know the effective user ID is zero and your intent is to change the persona permanently. This case is rare--most of the programs that need it, such as `login` and `su`, have already been written.

Note that if your program is `setuid` to some user other than `root`, there is no way to drop privileges permanently.

The system also lets privileged processes change their supplementary group IDs. To use `setgroups` or `initgroups`, your programs should include the header file `grp.h`.

int **setgroups** (*size\_t count*, *gid\_t \*groups*)

Function

This function sets the process's supplementary group IDs. It can only be called from privileged processes. The *count* argument specifies the number of group IDs in the array *groups*.

This function returns 0 if successful and -1 on error. The following `errno` error conditions are defined for this function:

`EPERM`

The calling process is not privileged.

**int `initgroups`** (*const char \*user, gid\_t group*) Function

The `initgroups` function sets the process's supplementary group IDs to be the normal default for the user name *user*. The group *group* is automatically included.

This function works by scanning the group database for all the groups *user* belongs to. It then calls `setgroups` with the list it has constructed.

The return values and error conditions are the same as for `setgroups`.

If you are interested in the groups a particular user belongs to, but do not want to change the process's supplementary group IDs, you can use `getgrouplist`. To use `getgrouplist`, your programs should include the header file `grp.h`.

**int `getgrouplist`** (*const char \*user, gid\_t group, gid\_t \*groups, int \*ngroups*) Function

The `getgrouplist` function scans the group database for all the groups *user* belongs to. Up to *\*ngroups* group IDs corresponding to these groups are stored in the array *groups*; the return value from the function is the number of group IDs actually stored. If *\*ngroups* is smaller than the total number of groups found, then `getgrouplist` returns a value of -1 and stores the actual number of groups in *\*ngroups*. The group *group* is automatically included in the list of groups returned by `getgrouplist`.

Here's how to use `getgrouplist` to read all supplementary groups for *user*:

```
gid_t *
supplementary_groups (char *user)
{
    int ngroups = 16;
    gid_t *groups
        = (gid_t *) xmalloc (ngroups * sizeof (gid_t));
    struct passwd *pw = getpwnam (user);
```

```

    if (pw == NULL)
        return NULL;

    if (getgrouplist (pw->pw_name, pw->pw_gid, groups, &ngroups) < 0)
    {
        groups = xrealloc (ngroups * sizeof (gid_t));
        getgrouplist (pw->pw_name, pw->pw_gid, groups, &ngroups);
    }
    return groups;
}

```

---

Node: [Enable/Disable Setuid](#), Next: [Setuid Program Example](#), Previous: [Setting Groups](#), Up: [Users and Groups](#)

## Enabling and Disabling Setuid Access

A typical setuid program does not need its special access all of the time. It's a good idea to turn off this access when it isn't needed, so it can't possibly give unintended access.

If the system supports the `_POSIX_SAVED_IDS` feature, you can accomplish this with `seteuid`. When the game program starts, its real user ID is `jdoe`, its effective user ID is `games`, and its saved user ID is also `games`. The program should record both user ID values once at the beginning, like this:

```

user_user_id = getuid ();
game_user_id = geteuid ();

```

Then it can turn off game file access with

```

seteuid (user_user_id);

```

and turn it on with

```

seteuid (game_user_id);

```

Throughout this process, the real user ID remains `jdoe` and the file user ID remains `games`, so the program can always set its effective user ID to either one.

On other systems that don't support file user IDs, you can turn setuid access on and off by using

setreuid to swap the real and effective user IDs of the process, as follows:

```
setreuid (geteuid ( ), getuid ( ));
```

This special case is always allowed--it cannot fail.

Why does this have the effect of toggling the setuid access? Suppose a game program has just started, and its real user ID is `jdoe` while its effective user ID is `games`. In this state, the game can write the scores file. If it swaps the two uids, the real becomes `games` and the effective becomes `jdoe`; now the program has only `jdoe` access. Another swap brings `games` back to the effective user ID and restores access to the scores file.

In order to handle both kinds of systems, test for the saved user ID feature with a preprocessor conditional, like this:

```
#ifdef _POSIX_SAVED_IDS
    seteuid (user_user_id);
#else
    setreuid (geteuid ( ), getuid ( ));
#endif
```

---

Node: Setuid Program Example, Next: [Tips for Setuid](#), Previous: [Enable/Disable Setuid](#), Up: [Users and Groups](#)

## Setuid Program Example

Here's an example showing how to set up a program that changes its effective user ID.

This is part of a game program called `caber-toss` that manipulates a file `scores` that should be writable only by the game program itself. The program assumes that its executable file will be installed with the setuid bit set and owned by the same user as the `scores` file. Typically, a system administrator will set up an account like `games` for this purpose.

The executable file is given mode `4755`, so that doing an `ls -l` on it produces output like:

```
-rwsr-xr-x  1 games  184422 Jul 30 15:17 caber-toss
```

The setuid bit shows up in the file modes as the `s`.



The scores file is given mode 644, and doing an `ls -l` on it shows:

```
-rw-r--r--  1 games          0 Jul 31 15:33 scores
```

Here are the parts of the program that show how to set up the changed user ID. This program is conditionalized so that it makes use of the file IDs feature if it is supported, and otherwise uses `setreuid` to swap the effective and real user IDs.

```
#include <stdio.h>
#include <sys/types.h>
#include <unistd.h>
#include <stdlib.h>

/* Remember the effective and real UIDs. */

static uid_t euid, ruid;

/* Restore the effective UID to its original value. */

void
do_setuid (void)
{
    int status;

#ifdef _POSIX_SAVED_IDS
    status = seteuid (euid);
#else
    status = setreuid (ruid, euid);
#endif
    if (status < 0) {
        fprintf (stderr, "Couldn't set uid.\n");
        exit (status);
    }
}

/* Set the effective UID to the real UID. */

void
undo_setuid (void)
{
    int status;

#ifdef _POSIX_SAVED_IDS
    status = seteuid (ruid);
#else
```

```

    status = setreuid (euid, ruid);
#endif
    if (status < 0) {
        fprintf (stderr, "Couldn't set uid.\n");
        exit (status);
    }
}

/* Main program. */

int
main (void)
{
    /* Remember the real and effective user IDs.  */
    ruid = getuid ();
    euid = geteuid ();
    undo_setuid ();

    /* Do the game and record the score.  */
    ...
}

```

Notice how the first thing the main function does is to set the effective user ID back to the real user ID. This is so that any other file accesses that are performed while the user is playing the game use the real user ID for determining permissions. Only when the program needs to open the scores file does it switch back to the file user ID, like this:

```

/* Record the score. */

int
record_score (int score)
{
    FILE *stream;
    char *myname;

    /* Open the scores file. */
    do_setuid ();
    stream = fopen (SCORES_FILE, "a");
    undo_setuid ();

    /* Write the score to the file. */
    if (stream)
    {
        myname = cuserid (NULL);
        if (score < 0)
            fprintf (stream, "%10s: Couldn't lift the caber.\n", myname);
        else
            fprintf (stream, "%10s: %d feet.\n", myname, score);
    }
}

```

```
        fclose (stream);
        return 0;
    }
else
    return -1;
}
```

---

Node: Tips for Setuid, Next: [Who Logged In](#), Previous: [Setuid Program Example](#), Up: [Users and Groups](#)

## Tips for Writing Setuid Programs

It is easy for setuid programs to give the user access that isn't intended--in fact, if you want to avoid this, you need to be careful. Here are some guidelines for preventing unintended access and minimizing its consequences when it does occur:

- Don't have setuid programs with privileged user IDs such as `root` unless it is absolutely necessary. If the resource is specific to your particular program, it's better to define a new, nonprivileged user ID or group ID just to manage that resource. It's better if you can write your program to use a special group than a special user.
- Be cautious about using the `exec` functions in combination with changing the effective user ID. Don't let users of your program execute arbitrary programs under a changed user ID. Executing a shell is especially bad news. Less obviously, the `execvp` and `execvp` functions are a potential risk (since the program they execute depends on the user's `PATH` environment variable).

If you must `exec` another program under a changed ID, specify an absolute file name (see [File Name Resolution](#)) for the executable, and make sure that the protections on that executable and *all* containing directories are such that ordinary users cannot replace it with some other program.

You should also check the arguments passed to the program to make sure they do not have unexpected effects. Likewise, you should examine the environment variables. Decide which arguments and variables are safe, and reject all others.

You should never use `system` in a privileged program, because it invokes a shell.

- Only use the user ID controlling the resource in the part of the program that actually uses that resource. When you're finished with it, restore the effective user ID back to the actual user's user ID. See [Enable/Disable Setuid](#).
- If the setuid part of your program needs to access other files besides the controlled resource, it should verify that the real user would ordinarily have permission to access those files. You can use the `access` function (see [Access Permission](#)) to check this; it uses the real user and group

IDs, rather than the effective IDs.

---

Node: Who Logged In, Next: [User Accounting Database](#), Previous: [Tips for Setuid](#), Up: [Users and Groups](#)

## Identifying Who Logged In

You can use the functions listed in this section to determine the login name of the user who is running a process, and the name of the user who logged in the current session. See also the function `getuid` and friends (see [Reading Persona](#)). How this information is collected by the system and how to control/add/remove information from the background storage is described in [User Accounting Database](#).

The `getlogin` function is declared in `unistd.h`, while `cuserid` and `L_cuserid` are declared in `stdio.h`.

`char * getlogin (void)` Function

The `getlogin` function returns a pointer to a string containing the name of the user logged in on the controlling terminal of the process, or a null pointer if this information cannot be determined. The string is statically allocated and might be overwritten on subsequent calls to this function or to `cuserid`.

`char * cuserid (char *string)` Function

The `cuserid` function returns a pointer to a string containing a user name associated with the effective ID of the process. If *string* is not a null pointer, it should be an array that can hold at least `L_cuserid` characters; the string is returned in this array. Otherwise, a pointer to a string in a static area is returned. This string is statically allocated and might be overwritten on subsequent calls to this function or to `getlogin`.

The use of this function is deprecated since it is marked to be withdrawn in XPG4.2 and has already been removed from newer revisions of POSIX.1.

`int L_cuserid` Macro

An integer constant that indicates how long an array you might need to store a user name.

These functions let your program identify positively the user who is running or the user who logged in this session. (These can differ when `setuid` programs are involved; see [Process Persona](#).) The user cannot do anything to fool these functions.

For most purposes, it is more useful to use the environment variable `LOGNAME` to find out who the user is. This is more flexible precisely because the user can set `LOGNAME` arbitrarily. See [Standard Environment](#).

---

Node: User Accounting Database, Next: [User Database](#), Previous: [Who Logged In](#), Up: [Users and Groups](#)

## The User Accounting Database

Most Unix-like operating systems keep track of logged in users by maintaining a user accounting database. This user accounting database stores for each terminal, who has logged on, at what time, the process ID of the user's login shell, etc., etc., but also stores information about the run level of the system, the time of the last system reboot, and possibly more.

The user accounting database typically lives in `/etc/utmp`, `/var/adm/utmp` or `/var/run/utmp`. However, these files should **never** be accessed directly. For reading information from and writing information to the user accounting database, the functions described in this section should be used.

- [Manipulating the Database](#): Scanning and modifying the user accounting database.
- [XPG Functions](#): A standardized way for doing the same thing.
- [Logging In and Out](#): Functions from BSD that modify the user accounting database.

---

Node: Manipulating the Database, Next: [XPG Functions](#), Up: [User Accounting Database](#)

## Manipulating the User Accounting Database

These functions and the corresponding data structures are declared in the header file `utmp.h`.

### **struct exit\_status**

Data Type

The `exit_status` data structure is used to hold information about the exit status of processes marked as `DEAD_PROCESS` in the user accounting database.

```
short int e_termination
    The exit status of the process.
short int e_exit
    The exit status of the process.
```

**struct utmp**

The `utmp` data structure is used to hold information about entries in the user accounting database. On the GNU system it has the following members:

`short int ut_type`

Specifies the type of login; one of `EMPTY`, `RUN_LVL`, `BOOT_TIME`, `OLD_TIME`, `NEW_TIME`, `INIT_PROCESS`, `LOGIN_PROCESS`, `USER_PROCESS`, `DEAD_PROCESS` or `ACCOUNTING`.

`pid_t ut_pid`

The process ID number of the login process.

`char ut_line[]`

The device name of the tty (without `/dev/`).

`char ut_id[]`

The inittab ID of the process.

`char ut_user[]`

The user's login name.

`char ut_host[]`

The name of the host from which the user logged in.

`struct exit_status ut_exit`

The exit status of a process marked as `DEAD_PROCESS`.

`long ut_session`

The Session ID, used for windowing.

`struct timeval ut_tv`

Time the entry was made. For entries of type `OLD_TIME` this is the time when the system clock changed, and for entries of type `NEW_TIME` this is the time the system clock was set to.

`int32_t ut_addr_v6[4]`

The Internet address of a remote host.

The `ut_type`, `ut_pid`, `ut_id`, `ut_tv`, and `ut_host` fields are not available on all systems. Portable applications therefore should be prepared for these situations. To help doing this the `utmp.h` header provides macros `_HAVE_UT_TYPE`, `_HAVE_UT_PID`, `_HAVE_UT_ID`, `_HAVE_UT_TV`, and `_HAVE_UT_HOST` if the respective field is available. The programmer can handle the situations by using `#ifdef` in the program code.

The following macros are defined for use as values for the `ut_type` member of the `utmp` structure. The values are integer constants.

`EMPTY`

This macro is used to indicate that the entry contains no valid user accounting information.

`RUN_LVL`

This macro is used to identify the systems runlevel.

`BOOT_TIME`

This macro is used to identify the time of system boot.

`OLD_TIME`

This macro is used to identify the time when the system clock changed.

`NEW_TIME`

This macro is used to identify the time after the system changed.

`INIT_PROCESS`

This macro is used to identify a process spawned by the init process.

`LOGIN_PROCESS`

This macro is used to identify the session leader of a logged in user.

`USER_PROCESS`

This macro is used to identify a user process.

`DEAD_PROCESS`

This macro is used to identify a terminated process.

`ACCOUNTING`

???

The size of the `ut_line`, `ut_id`, `ut_user` and `ut_host` arrays can be found using the `sizeof` operator.

Many older systems have, instead of an `ut_tv` member, an `ut_time` member, usually of type `time_t`, for representing the time associated with the entry. Therefore, for backwards compatibility only, `utmp.h` defines `ut_time` as an alias for `ut_tv.tv_sec`.

`void setutent (void)`

Function

This function opens the user accounting database to begin scanning it. You can then call `getutent`, `getutid` or `getutline` to read entries and `pututline` to write entries.

If the database is already open, it resets the input to the beginning of the database.

`struct utmp * getutent (void)`

Function

The `getutent` function reads the next entry from the user accounting database. It returns a pointer to the entry, which is statically allocated and may be overwritten by subsequent calls to `getutent`. You must copy the contents of the structure if you wish to save the information or you can use the `getutent_r` function which stores the data in a user-provided buffer.

A null pointer is returned in case no further entry is available.

`void endutent (void)`

Function

This function closes the user accounting database.

`struct utmp * getutid (const struct utmp *id)` Function

This function searches forward from the current point in the database for an entry that matches *id*. If the `ut_type` member of the *id* structure is one of `RUN_LVL`, `BOOT_TIME`, `OLD_TIME` or `NEW_TIME` the entries match if the `ut_type` members are identical. If the `ut_type` member of the *id* structure is `INIT_PROCESS`, `LOGIN_PROCESS`, `USER_PROCESS` or `DEAD_PROCESS`, the entries match if the `ut_type` member of the entry read from the database is one of these four, and the `ut_id` members match. However if the `ut_id` member of either the *id* structure or the entry read from the database is empty it checks if the `ut_line` members match instead. If a matching entry is found, `getutid` returns a pointer to the entry, which is statically allocated, and may be overwritten by a subsequent call to `getutent`, `getutid` or `getutline`. You must copy the contents of the structure if you wish to save the information.

A null pointer is returned in case the end of the database is reached without a match.

The `getutid` function may cache the last read entry. Therefore, if you are using `getutid` to search for multiple occurrences, it is necessary to zero out the static data after each call. Otherwise `getutid` could just return a pointer to the same entry over and over again.

`struct utmp * getutline (const struct utmp *line)` Function

This function searches forward from the current point in the database until it finds an entry whose `ut_type` value is `LOGIN_PROCESS` or `USER_PROCESS`, and whose `ut_line` member matches the `ut_line` member of the *line* structure. If it finds such an entry, it returns a pointer to the entry which is statically allocated, and may be overwritten by a subsequent call to `getutent`, `getutid` or `getutline`. You must copy the contents of the structure if you wish to save the information.

A null pointer is returned in case the end of the database is reached without a match.

The `getutline` function may cache the last read entry. Therefore if you are using `getutline` to search for multiple occurrences, it is necessary to zero out the static data after each call. Otherwise `getutline` could just return a pointer to the same entry over and over again.

`struct utmp * pututline (const struct utmp *utmp)` Function



The `pututline` function inserts the entry `*utmp` at the appropriate place in the user accounting database. If it finds that it is not already at the correct place in the database, it uses `getutid` to search for the position to insert the entry, however this will not modify the static structure returned by `getutent`, `getutid` and `getutline`. If this search fails, the entry is appended to the database.

The `pututline` function returns a pointer to a copy of the entry inserted in the user accounting database, or a null pointer if the entry could not be added. The following `errno` error conditions are defined for this function:

#### EPERM

The process does not have the appropriate privileges; you cannot modify the user accounting database.

All the `get*` functions mentioned before store the information they return in a static buffer. This can be a problem in multi-threaded programs since the data returned for the request is overwritten by the return value data in another thread. Therefore the GNU C Library provides as extensions three more functions which return the data in a user-provided buffer.

**int `getutent_r` (*struct utmp \*buffer, struct utmp \*\*result*)** Function

The `getutent_r` is equivalent to the `getutent` function. It returns the next entry from the database. But instead of storing the information in a static buffer it stores it in the buffer pointed to by the parameter `buffer`.

If the call was successful, the function returns 0 and the pointer variable pointed to by the parameter `result` contains a pointer to the buffer which contains the result (this is most probably the same value as `buffer`). If something went wrong during the execution of `getutent_r` the function returns -1.

This function is a GNU extension.

**int `getutid_r` (*const struct utmp \*id, struct utmp \*buffer, struct utmp \*\*result*)** Function

This function retrieves just like `getutid` the next entry matching the information stored in *id*. But the result is stored in the buffer pointed to by the parameter *buffer*.

If successful the function returns 0 and the pointer variable pointed to by the parameter *result* contains a pointer to the buffer with the result (probably the same as *result*). If not successful the function return -1.

This function is a GNU extension.

**int `getutline_r`** (*const struct utmp \*line, struct utmp \*buffer, struct utmp \*\*result*) Function

This function retrieves just like `getutline` the next entry matching the information stored in *line*. But the result is stored in the buffer pointed to by the parameter *buffer*.

If successful the function returns 0 and the pointer variable pointed to by the parameter *result* contains a pointer to the buffer with the result (probably the same as *result*). If not successful the function return -1.

This function is a GNU extension.

In addition to the user accounting database, most systems keep a number of similar databases. For example most systems keep a log file with all previous logins (usually in `/etc/wtmp` or `/var/log/wtmp`).

For specifying which database to examine, the following function should be used.

**int `utmpname`** (*const char \*file*) Function

The `utmpname` function changes the name of the database to be examined to *file*, and closes any previously opened database. By default `getutent`, `getutid`, `getutline` and `pututline` read from and write to the user accounting database.

The following macros are defined for use as the *file* argument:

**char \* `_PATH_UTMP`** Macro

This macro is used to specify the user accounting database.

**char \* `_PATH_WTMP`** Macro

This macro is used to specify the user accounting log file.

The `utmpname` function returns a value of 0 if the new name was successfully stored, and a value of -1 to indicate an error. Note that `utmpname` does not try to open the database, and that therefore the return value does not say anything about whether the database can be successfully opened.

Specially for maintaining log-like databases the GNU C Library provides the following function:

`void updwtmp (const char *wtmp_file, const struct utmp *utmp)` Function

The `updwtmp` function appends the entry `*utmp` to the database specified by `wtmp_file`. For possible values for the `wtmp_file` argument see the `utmpname` function.

**Portability Note:** Although many operating systems provide a subset of these functions, they are not standardized. There are often subtle differences in the return types, and there are considerable differences between the various definitions of `struct utmp`. When programming for the GNU system, it is probably best to stick with the functions described in this section. If however, you want your program to be portable, consider using the XPG functions described in [XPG Functions](#), or take a look at the BSD compatible functions in [Logging In and Out](#).

---

Node: XPG Functions, Next: [Logging In and Out](#), Previous: [Manipulating the Database](#), Up: [User Accounting Database](#)

## XPG User Accounting Database Functions

These functions, described in the X/Open Portability Guide, are declared in the header file `utmpx.h`.

`struct utmpx` Data Type

The `utmpx` data structure contains at least the following members:

```
short int ut_type
    Specifies the type of login; one of EMPTY, RUN_LVL, BOOT_TIME, OLD_TIME,
    NEW_TIME, INIT_PROCESS, LOGIN_PROCESS, USER_PROCESS or
    DEAD_PROCESS.
pid_t ut_pid
    The process ID number of the login process.
char ut_line[]
    The device name of the tty (without /dev/).
char ut_id[]
    The inittab ID of the process.
char ut_user[]
```

The user's login name.

```
struct timeval ut_tv
```

Time the entry was made. For entries of type `OLD_TIME` this is the time when the system clock changed, and for entries of type `NEW_TIME` this is the time the system clock was set to.

On the GNU system, `struct utmpx` is identical to `struct utmp` except for the fact that including `utmpx.h` does not make visible the declaration of `struct exit_status`.

The following macros are defined for use as values for the `ut_type` member of the `utmpx` structure. The values are integer constants and are, on the GNU system, identical to the definitions in `utmp.h`.

`EMPTY`

This macro is used to indicate that the entry contains no valid user accounting information.

`RUN_LVL`

This macro is used to identify the systems runlevel.

`BOOT_TIME`

This macro is used to identify the time of system boot.

`OLD_TIME`

This macro is used to identify the time when the system clock changed.

`NEW_TIME`

This macro is used to identify the time after the system changed.

`INIT_PROCESS`

This macro is used to identify a process spawned by the init process.

`LOGIN_PROCESS`

This macro is used to identify the session leader of a logged in user.

`USER_PROCESS`

This macro is used to identify a user process.

`DEAD_PROCESS`

This macro is used to identify a terminated process.

The size of the `ut_line`, `ut_id` and `ut_user` arrays can be found using the `sizeof` operator.

`void setutxent (void)`

Function

This function is similar to `setutent`. On the GNU system it is simply an alias for `setutent`.

`struct utmpx * getutxent (void)`

Function

The `getutxent` function is similar to `getutent`, but returns a pointer to a `struct utmpx` instead of `struct utmp`. On the GNU system it simply is an alias for `getutent`.

void **endutxent** (*void*) Function

This function is similar to `endutent`. On the GNU system it is simply an alias for `endutent`.

struct utmpx \* **getutxid** (*const struct utmpx \*id*) Function

This function is similar to `getutid`, but uses `struct utmpx` instead of `struct utmp`. On the GNU system it is simply an alias for `getutid`.

struct utmpx \* **getutxline** (*const struct utmpx \*line*) Function

This function is similar to `getutid`, but uses `struct utmpx` instead of `struct utmp`. On the GNU system it is simply an alias for `getutline`.

struct utmpx \* **pututxline** (*const struct utmpx \*utmp*) Function

The `pututxline` function is functionally identical to `pututline`, but uses `struct utmpx` instead of `struct utmp`. On the GNU system, `pututxline` is simply an alias for `pututline`.

int **utmpxname** (*const char \*file*) Function

The `utmpxname` function is functionally identical to `utmpname`. On the GNU system, `utmpxname` is simply an alias for `utmpname`.

You can translate between a traditional `struct utmp` and an XPG `struct utmpx` with the following functions. On the GNU system, these functions are merely copies, since the two structures are identical.

int **getutmp** (*const struct utmpx \*utmpx, struct utmp \*utmp*) Function

`getutmp` copies the information, insofar as the structures are compatible, from `utmpx` to `utmp`.

int **getutmpx** (*const struct utmp \*utmp, struct utmpx \*utmpx*) Function

`getutmpx` copies the information, insofar as the structures are compatible, from `utmp` to `utmpx`.

Node: Logging In and Out, Previous: [XPG Functions](#), Up: [User Accounting Database](#)

## Logging In and Out

These functions, derived from BSD, are available in the separate `libutil` library, and declared in `utmp.h`.

Note that the `ut_user` member of `struct utmp` is called `ut_name` in BSD. Therefore, `ut_name` is defined as an alias for `ut_user` in `utmp.h`.

**int `login_tty`** (*int `filedes`*) Function

This function makes *filedes* the controlling terminal of the current process, redirects standard input, standard output and standard error output to this terminal, and closes *filedes*.

This function returns 0 on successful completion, and -1 on error.

**void `login`** (*const struct utmp \*`entry`*) Function

The `login` function inserts an entry into the user accounting database. The `ut_line` member is set to the name of the terminal on standard input. If standard input is not a terminal `login` uses standard output or standard error output to determine the name of the terminal. If `struct utmp` has a `ut_type` member, `login` sets it to `USER_PROCESS`, and if there is an `ut_pid` member, it will be set to the process ID of the current process. The remaining entries are copied from *entry*.

A copy of the entry is written to the user accounting log file.

**int `logout`** (*const char \*`ut_line`*) Function

This function modifies the user accounting database to indicate that the user on *ut\_line* has logged out.

The `logout` function returns 1 if the entry was successfully written to the database, or 0 on error.

**void `logwtmp`** (*const char \*`ut_line`, const char \*`ut_name`, const char \*`ut_host`*) Function

The `logwtmp` function appends an entry to the user accounting log file, for the current time and the information provided in the *ut\_line*, *ut\_name* and *ut\_host* arguments.

**Portability Note:** The BSD `struct utmp` only has the `ut_line`, `ut_name`, `ut_host` and `ut_time` members. Older systems do not even have the `ut_host` member.

---

Node: User Database, Next: [Group Database](#), Previous: [User Accounting Database](#), Up: [Users and Groups](#)

## User Database

This section describes how to search and scan the database of registered users. The database itself is kept in the file `/etc/passwd` on most systems, but on some systems a special network server gives access to it.

- [User Data Structure](#): What each user record contains.
- [Lookup User](#): How to look for a particular user.
- [Scanning All Users](#): Scanning the list of all users, one by one.
- [Writing a User Entry](#): How a program can rewrite a user's record.

---

Node: [User Data Structure](#), Next: [Lookup User](#), Up: [User Database](#)

## The Data Structure that Describes a User

The functions and data structures for accessing the system user database are declared in the header file `pwd.h`.

### **struct passwd**

Data Type

The `passwd` data structure is used to hold information about entries in the system user data base. It has at least the following members:

```
char *pw_name
    The user's login name.
char *pw_passwd.
    The encrypted password string.
uid_t pw_uid
    The user ID number.
gid_t pw_gid
    The user's default group ID number.
char *pw_gecos
    A string typically containing the user's real name, and possibly other information such as a
    phone number.
char *pw_dir
    The user's home directory, or initial working directory. This might be a null pointer, in
    which case the interpretation is system-dependent.
char *pw_shell
    The user's default shell, or the initial program run when the user logs in. This might be a
    null pointer, indicating that the system default should be used.
```

Node: Lookup User, Next: [Scanning All Users](#), Previous: [User Data Structure](#), Up: [User Database](#)

## Looking Up One User

You can search the system user database for information about a specific user using `getpwuid` or `getpwnam`. These functions are declared in `pwd.h`.

`struct passwd * getpwuid (uid_t uid)` Function

This function returns a pointer to a statically-allocated structure containing information about the user whose user ID is *uid*. This structure may be overwritten on subsequent calls to `getpwuid`.

A null pointer value indicates there is no user in the data base with user ID *uid*.

`int getpwuid_r (uid_t uid, struct passwd *result_buf, char *buffer, size_t buflen, struct passwd **result)` Function

This function is similar to `getpwuid` in that it returns information about the user whose user ID is *uid*. However, it fills the user supplied structure pointed to by *result\_buf* with the information instead of using a static buffer. The first *buflen* bytes of the additional buffer pointed to by *buffer* are used to contain additional information, normally strings which are pointed to by the elements of the result structure.

If a user with ID *uid* is found, the pointer returned in *result* points to the record which contains the wanted data (i.e., *result* contains the value *result\_buf*). If no user is found or if an error occurred, the pointer returned in *result* is a null pointer. The function returns zero or an error code. If the buffer *buffer* is too small to contain all the needed information, the error code `ERANGE` is returned and *errno* is set to `ERANGE`.

`struct passwd * getpwnam (const char *name)` Function

This function returns a pointer to a statically-allocated structure containing information about the user whose user name is *name*. This structure may be overwritten on subsequent calls to `getpwnam`.

A null pointer return indicates there is no user named *name*.

`int getpwnam_r (const char *name, struct passwd *result_buf, char *buffer, size_t buflen, struct passwd **result)` Function



This function is similar to `getpwnam` in that it returns information about the user whose user name is *name*. However, like `getpwuid_r`, it fills the user supplied buffers in *result\_buf* and *buffer* with the information instead of using a static buffer.

The return values are the same as for `getpwuid_r`.

---

Node: Scanning All Users, Next: [Writing a User Entry](#), Previous: [Lookup User](#), Up: [User Database](#)

## Scanning the List of All Users

This section explains how a program can read the list of all users in the system, one user at a time. The functions described here are declared in `pwd.h`.

You can use the `fgetpwent` function to read user entries from a particular file.

`struct passwd * fgetpwent (FILE *stream)` Function

This function reads the next user entry from *stream* and returns a pointer to the entry. The structure is statically allocated and is rewritten on subsequent calls to `fgetpwent`. You must copy the contents of the structure if you wish to save the information.

The stream must correspond to a file in the same format as the standard password database file.

`int fgetpwent_r (FILE *stream, struct passwd *result_buf, char *buffer, size_t buflen, struct passwd **result)` Function

This function is similar to `fgetpwent` in that it reads the next user entry from *stream*. But the result is returned in the structure pointed to by *result\_buf*. The first *buflen* bytes of the additional buffer pointed to by *buffer* are used to contain additional information, normally strings which are pointed to by the elements of the result structure.

The stream must correspond to a file in the same format as the standard password database file.

If the function returns zero *result* points to the structure with the wanted data (normally this is in *result\_buf*). If errors occurred the return value is nonzero and *result* contains a null pointer.

The way to scan all the entries in the user database is with `setpwent`, `getpwent`, and `endpwent`.

`void setpwent (void)` Function

This function initializes a stream which `getpwent` and `getpwent_r` use to read the user database.

`struct passwd *` **getpwent** (*void*) Function

The `getpwent` function reads the next entry from the stream initialized by `setpwent`. It returns a pointer to the entry. The structure is statically allocated and is rewritten on subsequent calls to `getpwent`. You must copy the contents of the structure if you wish to save the information.

A null pointer is returned when no more entries are available.

`int` **getpwent\_r** (*struct passwd \*result\_buf, char \*buffer, int buflen, struct passwd \*\*result*) Function

This function is similar to `getpwent` in that it returns the next entry from the stream initialized by `setpwent`. Like `fgetpwent_r`, it uses the user-supplied buffers in *result\_buf* and *buffer* to return the information requested.

The return values are the same as for `fgetpwent_r`.

`void` **endpwent** (*void*) Function

This function closes the internal stream used by `getpwent` or `getpwent_r`.

---

Node: Writing a User Entry, Previous: [Scanning All Users](#), Up: [User Database](#)

## Writing a User Entry

`int` **putpwent** (*const struct passwd \*p, FILE \*stream*) Function

This function writes the user entry *p* to the stream *stream*, in the format used for the standard user database file. The return value is zero on success and nonzero on failure.

This function exists for compatibility with SVID. We recommend that you avoid using it, because it makes sense only on the assumption that the `struct passwd` structure has no members except the standard ones; on a system which merges the traditional Unix data base with other extended information about users, adding an entry using this function would inevitably leave out much of the important information.

The function `putpwent` is declared in `pwd.h`.

Node: Group Database, Next: [Database Example](#), Previous: [User Database](#), Up: [Users and Groups](#)

## Group Database

This section describes how to search and scan the database of registered groups. The database itself is kept in the file `/etc/group` on most systems, but on some systems a special network service provides access to it.

- [Group Data Structure](#): What each group record contains.
- [Lookup Group](#): How to look for a particular group.
- [Scanning All Groups](#): Scanning the list of all groups.

---

Node: Group Data Structure, Next: [Lookup Group](#), Up: [Group Database](#)

## The Data Structure for a Group

The functions and data structures for accessing the system group database are declared in the header file `grp.h`.

### **struct group**

Data Type

The `group` structure is used to hold information about an entry in the system group database. It has at least the following members:

`char *gr_name`

The name of the group.

`gid_t gr_gid`

The group ID of the group.

`char **gr_mem`

A vector of pointers to the names of users in the group. Each user name is a null-terminated string, and the vector itself is terminated by a null pointer.

---

Node: Lookup Group, Next: [Scanning All Groups](#), Previous: [Group Data Structure](#), Up: [Group Database](#)

## Looking Up One Group

You can search the group database for information about a specific group using `getgrgid` or

`getgrnam`. These functions are declared in `grp.h`.

`struct group * getgrgid (gid_t gid)` Function

This function returns a pointer to a statically-allocated structure containing information about the group whose group ID is *gid*. This structure may be overwritten by subsequent calls to `getgrgid`.

A null pointer indicates there is no group with ID *gid*.

`int getgrgid_r (gid_t gid, struct group *result_buf, char *buffer, size_t buflen, struct group **result)` Function

This function is similar to `getgrgid` in that it returns information about the group whose group ID is *gid*. However, it fills the user supplied structure pointed to by *result\_buf* with the information instead of using a static buffer. The first *buflen* bytes of the additional buffer pointed to by *buffer* are used to contain additional information, normally strings which are pointed to by the elements of the result structure.

If a group with ID *gid* is found, the pointer returned in *result* points to the record which contains the wanted data (i.e., *result* contains the value *result\_buf*). If no group is found or if an error occurred, the pointer returned in *result* is a null pointer. The function returns zero or an error code. If the buffer *buffer* is too small to contain all the needed information, the error code `ERANGE` is returned and *errno* is set to `ERANGE`.

`struct group * getgrnam (const char *name)` Function

This function returns a pointer to a statically-allocated structure containing information about the group whose group name is *name*. This structure may be overwritten by subsequent calls to `getgrnam`.

A null pointer indicates there is no group named *name*.

`int getgrnam_r (const char *name, struct group *result_buf, char *buffer, size_t buflen, struct group **result)` Function

This function is similar to `getgrnam` in that it returns information about the group whose group name is *name*. Like `getgrgid_r`, it uses the user supplied buffers in *result\_buf* and *buffer*, not a static buffer.

The return values are the same as for `getgrgid_r` `ERANGE`.

Node: Scanning All Groups, Previous: [Lookup Group](#), Up: [Group Database](#)

## Scanning the List of All Groups

This section explains how a program can read the list of all groups in the system, one group at a time. The functions described here are declared in `grp.h`.

You can use the `fgetgrent` function to read group entries from a particular file.

struct group \* **fgetgrent** (*FILE \*stream*) Function

The `fgetgrent` function reads the next entry from *stream*. It returns a pointer to the entry. The structure is statically allocated and is overwritten on subsequent calls to `fgetgrent`. You must copy the contents of the structure if you wish to save the information.

The stream must correspond to a file in the same format as the standard group database file.

int **fgetgrent\_r** (*FILE \*stream, struct group \*result\_buf, char \*buffer, size\_t buflen, struct group \*\*result*) Function

This function is similar to `fgetgrent` in that it reads the next user entry from *stream*. But the result is returned in the structure pointed to by *result\_buf*. The first *buflen* bytes of the additional buffer pointed to by *buffer* are used to contain additional information, normally strings which are pointed to by the elements of the result structure.

This stream must correspond to a file in the same format as the standard group database file.

If the function returns zero *result* points to the structure with the wanted data (normally this is in *result\_buf*). If errors occurred the return value is non-zero and *result* contains a null pointer.

The way to scan all the entries in the group database is with `setgrent`, `getgrent`, and `endgrent`.

void **setgrent** (*void*) Function

This function initializes a stream for reading from the group data base. You use this stream by calling `getgrent` or `getgrent_r`.

struct group \* **getgrent** (*void*) Function

The `getgrent` function reads the next entry from the stream initialized by `setgrent`. It returns a pointer to the entry. The structure is statically allocated and is overwritten on subsequent calls to `getgrent`. You must copy the contents of the structure if you wish to save the information.

`int getgrent_r (struct group *result_buf, char *buffer, size_t buflen, struct group **result)`      Function

This function is similar to `getgrent` in that it returns the next entry from the stream initialized by `setgrent`. Like `fgetgrent_r`, it places the result in user-supplied buffers pointed to `result_buf` and `buffer`.

If the function returns zero `result` contains a pointer to the data (normally equal to `result_buf`). If errors occurred the return value is non-zero and `result` contains a null pointer.

`void endgrent (void)`      Function

This function closes the internal stream used by `getgrent` or `getgrent_r`.

---

Node: Database Example, Next: [Netgroup Database](#), Previous: [Group Database](#), Up: [Users and Groups](#)

## User and Group Database Example

Here is an example program showing the use of the system database inquiry functions. The program prints some information about the user running the program.

```
#include <grp.h>
#include <pwd.h>
#include <sys/types.h>
#include <unistd.h>
#include <stdlib.h>

int
main (void)
{
    uid_t me;
    struct passwd *my_passwd;
    struct group *my_group;
    char **members;

    /* Get information about the user ID. */
    me = getuid ();
    my_passwd = getpwuid (me);
    if (!my_passwd)
    {
```

```

    printf ("Couldn't find out about user %d.\n", (int) me);
    exit (EXIT_FAILURE);
}

/* Print the information. */
printf ("I am %s.\n", my_passwd->pw_gecos);
printf ("My login name is %s.\n", my_passwd->pw_name);
printf ("My uid is %d.\n", (int) (my_passwd->pw_uid));
printf ("My home directory is %s.\n", my_passwd->pw_dir);
printf ("My default shell is %s.\n", my_passwd->pw_shell);

/* Get information about the default group ID. */
my_group = getgrgid (my_passwd->pw_gid);
if (!my_group)
{
    printf ("Couldn't find out about group %d.\n",
           (int) my_passwd->pw_gid);
    exit (EXIT_FAILURE);
}

/* Print the information. */
printf ("My default group is %s (%d).\n",
       my_group->gr_name, (int) (my_passwd->pw_gid));
printf ("The members of this group are:\n");
members = my_group->gr_mem;
while (*members)
{
    printf ("  %s\n", *(members));
    members++;
}

return EXIT_SUCCESS;
}

```

Here is some output from this program:

```

I am Throckmorton Snurd.
My login name is snurd.
My uid is 31093.
My home directory is /home/fsg/snurd.
My default shell is /bin/sh.
My default group is guest (12).
The members of this group are:
  friedman
  tami

```

Node: Netgroup Database, Previous: [Database Example](#), Up: [Users and Groups](#)

## Netgroup Database

- [Netgroup Data](#): Data in the Netgroup database and where it comes from.
- [Lookup Netgroup](#): How to look for a particular netgroup.
- [Netgroup Membership](#): How to test for netgroup membership.

---

Node: Netgroup Data, Next: [Lookup Netgroup](#), Up: [Netgroup Database](#)

## Netgroup Data

Sometimes it is useful to group users according to other criteria (see [Group Database](#)). E.g., it is useful to associate a certain group of users with a certain machine. On the other hand grouping of host names is not supported so far.

In Sun Microsystems SunOS appeared a new kind of database, the netgroup database. It allows grouping hosts, users, and domains freely, giving them individual names. To be more concrete, a netgroup is a list of triples consisting of a host name, a user name, and a domain name where any of the entries can be a wildcard entry matching all inputs. A last possibility is that names of other netgroups can also be given in the list specifying a netgroup. So one can construct arbitrary hierarchies without loops.

Sun's implementation allows netgroups only for the `nis` or `nisplus` service, see [Services in the NSS configuration](#). The implementation in the GNU C library has no such restriction. An entry in either of the input services must have the following form:

```
groupname ( groupname | (hostname,username,domainname) )+
```

Any of the fields in the triple can be empty which means anything matches. While describing the functions we will see that the opposite case is useful as well. I.e., there may be entries which will not match any input. For entries like this, a name consisting of the single character `-` shall be used.

---

Node: Lookup Netgroup, Next: [Netgroup Membership](#), Previous: [Netgroup Data](#), Up: [Netgroup Database](#)

## Looking up one Netgroup



The lookup functions for netgroups are a bit different to all other system database handling functions. Since a single netgroup can contain many entries a two-step process is needed. First a single netgroup is selected and then one can iterate over all entries in this netgroup. These functions are declared in `netdb.h`.

**int `setnetgrent`** (*const char \*netgroup*) Function

A call to this function initializes the internal state of the library to allow following calls of the `getnetgrent` to iterate over all entries in the netgroup with name *netgroup*.

When the call is successful (i.e., when a netgroup with this name exists) the return value is 1. When the return value is 0 no netgroup of this name is known or some other error occurred.

It is important to remember that there is only one single state for iterating the netgroups. Even if the programmer uses the `getnetgrent_r` function the result is not really reentrant since always only one single netgroup at a time can be processed. If the program needs to process more than one netgroup simultaneously she must protect this by using external locking. This problem was introduced in the original netgroups implementation in SunOS and since we must stay compatible it is not possible to change this.

Some other functions also use the netgroups state. Currently these are the `innetgr` function and parts of the implementation of the `compat` service part of the NSS implementation.

**int `getnetgrent`** (*char \*\*hostp, char \*\*userp, char \*\*domainp*) Function

This function returns the next unprocessed entry of the currently selected netgroup. The string pointers, in which addresses are passed in the arguments *hostp*, *userp*, and *domainp*, will contain after a successful call pointers to appropriate strings. If the string in the next entry is empty the pointer has the value `NULL`. The returned string pointers are only valid if none of the netgroup related functions are called.

The return value is 1 if the next entry was successfully read. A value of 0 means no further entries exist or internal errors occurred.

**int `getnetgrent_r`** (*char \*\*hostp, char \*\*userp, char \*\*domainp, char \*buffer, int buflen*) Function

This function is similar to `getnetgrent` with only one exception: the strings the three string pointers *hostp*, *userp*, and *domainp* point to, are placed in the buffer of *buflen* bytes starting at *buffer*. This means the returned values are valid even after other netgroup related functions are called.

The return value is 1 if the next entry was successfully read and the buffer contains enough room to place the strings in it. 0 is returned in case no more entries are found, the buffer is too small, or internal errors occurred.

This function is a GNU extension. The original implementation in the SunOS libc does not provide this function.

void **endnetgrent** (*void*) Function

This function frees all buffers which were allocated to process the last selected netgroup. As a result all string pointers returned by calls to `getnetgrent` are invalid afterwards.

---

Node: Netgroup Membership, Previous: [Lookup Netgroup](#), Up: [Netgroup Database](#)

## Testing for Netgroup Membership

It is often not necessary to scan the whole netgroup since often the only interesting question is whether a given entry is part of the selected netgroup.

int **innetgr** (*const char \*netgroup, const char \*host, const char \*user, const char \*domain*) Function

This function tests whether the triple specified by the parameters *hostp*, *userp*, and *domainp* is part of the netgroup *netgroup*. Using this function has the advantage that

1. no other netgroup function can use the global netgroup state since internal locking is used and
2. the function is implemented more efficiently than successive calls to the other `set/get/endnetgrent` functions.

Any of the pointers *hostp*, *userp*, and *domainp* can be `NULL` which means any value is accepted in this position. This is also true for the name – which should not match any other string otherwise.

The return value is 1 if an entry matching the given triple is found in the netgroup. The return value is 0 if the netgroup itself is not found, the netgroup does not contain the triple or internal errors occurred.

Node: System Management, Next: [System Configuration](#), Previous: [Users and Groups](#), Up: [Top](#)

## System Management

This chapter describes facilities for controlling the system that underlies a process (including the operating system and hardware) and for getting information about it. Anyone can generally use the informational facilities, but usually only a properly privileged process can make changes.

- [Host Identification](#): Determining the name of the machine.
- [Platform Type](#): Determining operating system and basic machine type
- [Filesystem Handling](#): Controlling/querying mounts
- [System Parameters](#): Getting and setting various system parameters

To get information on parameters of the system that are built into the system, such as the maximum length of a filename, [System Configuration](#).

---

Node: Host Identification, Next: [Platform Type](#), Up: [System Management](#)

## Host Identification

This section explains how to identify the particular system on which your program is running. First, let's review the various ways computer systems are named, which is a little complicated because of the history of the development of the Internet.

Every Unix system (also known as a host) has a host name, whether it's connected to a network or not. In its simplest form, as used before computer networks were an issue, it's just a word like `chicken`.

But any system attached to the Internet or any network like it conforms to a more rigorous naming convention as part of the Domain Name System (DNS). In DNS, every host name is composed of two parts:

1. hostname
2. domain name

You will note that "hostname" looks a lot like "host name", but is not the same thing, and that people often incorrectly refer to entire host names as "domain names."

In DNS, the full host name is properly called the FQDN (Fully Qualified Domain Name) and consists of

the hostname, then a period, then the domain name. The domain name itself usually has multiple components separated by periods. So for example, a system's hostname may be `chicken` and its domain name might be `ai.mit.edu`, so its FQDN (which is its host name) is `chicken.ai.mit.edu`.

Adding to the confusion, though, is that DNS is not the only name space in which a computer needs to be known. Another name space is the NIS (aka YP) name space. For NIS purposes, there is another domain name, which is called the NIS domain name or the YP domain name. It need not have anything to do with the DNS domain name.

Confusing things even more is the fact that in DNS, it is possible for multiple FQDNs to refer to the same system. However, there is always exactly one of them that is the true host name, and it is called the canonical FQDN.

In some contexts, the host name is called a "node name."

For more information on DNS host naming, See [Host Names](#).

Prototypes for these functions appear in `unistd.h`.

The programs `hostname`, `hostid`, and `domainname` work by calling these functions.

**int `gethostname`** (*char \*name, size\_t size*) Function

This function returns the host name of the system on which it is called, in the array *name*. The *size* argument specifies the size of this array, in bytes. Note that this is *not* the DNS hostname. If the system participates in DNS, this is the FQDN (see above).

The return value is 0 on success and -1 on failure. In the GNU C library, `gethostname` fails if *size* is not large enough; then you can try again with a larger array. The following `errno` error condition is defined for this function:

`ENAMETOOLONG`

The *size* argument is less than the size of the host name plus one.

On some systems, there is a symbol for the maximum possible host name length: `MAXHOSTNAMELEN`. It is defined in `sys/param.h`. But you can't count on this to exist, so it is cleaner to handle failure and try again.

`gethostname` stores the beginning of the host name in *name* even if the host name won't entirely fit. For some purposes, a truncated host name is good enough. If it is, you can ignore the error code.

**int sethostname** (*const char \*name, size\_t length*) Function

The `sethostname` function sets the host name of the system that calls it to *name*, a string with length *length*. Only privileged processes are permitted to do this.

Usually `sethostname` gets called just once, at system boot time. Often, the program that calls it sets it to the value it finds in the file `/etc/hostname`.

Be sure to set the host name to the full host name, not just the DNS hostname (see above).

The return value is 0 on success and -1 on failure. The following `errno` error condition is defined for this function:

`EPERM`

This process cannot set the host name because it is not privileged.

**int getdomainname** (*char \*name, size\_t length*) Function

`getdomainname` returns the NIS (aka YP) domain name of the system on which it is called. Note that this is not the more popular DNS domain name. Get that with `gethostname`.

The specifics of this function are analogous to `gethostname`, above.

**int setdomainname** (*const char \*name, size\_t length*) Function

`setdomainname` sets the NIS (aka YP) domain name of the system on which it is called. Note that this is not the more popular DNS domain name. Set that with `sethostname`.

The specifics of this function are analogous to `sethostname`, above.

**long int gethostid** (*void*) Function

This function returns the "host ID" of the machine the program is running on. By convention, this is usually the primary Internet IP address of that machine, converted to a `long int`. However, on some systems it is a meaningless but unique number which is hard-coded for each machine.

This is not widely used. It arose in BSD 4.2, but was dropped in BSD 4.4. It is not required by POSIX.

The proper way to query the IP address is to use `gethostbyname` on the results of `gethostname`. For more information on IP addresses, See [Host Addresses](#).

`int sethostid (long int id)` Function

The `sethostid` function sets the "host ID" of the host machine to *id*. Only privileged processes are permitted to do this. Usually it happens just once, at system boot time.

The proper way to establish the primary IP address of a system is to configure the IP address resolver to associate that IP address with the system's host name as returned by `gethostname`. For example, put a record for the system in `/etc/hosts`.

See `gethostid` above for more information on host ids.

The return value is 0 on success and -1 on failure. The following `errno` error conditions are defined for this function:

`EPERM`

This process cannot set the host name because it is not privileged.

`ENOSYS`

The operating system does not support setting the host ID. On some systems, the host ID is a meaningless but unique number hard-coded for each machine.

---

Node: Platform Type, Next: [Filesystem Handling](#), Previous: [Host Identification](#), Up: [System Management](#)

## Platform Type Identification

You can use the `uname` function to find out some information about the type of computer your program is running on. This function and the associated data type are declared in the header file `sys/utsname.h`.

As a bonus, `uname` also gives some information identifying the particular system your program is running on. This is the same information which you can get with functions targetted to this purpose described in [Host Identification](#).

## **struct utsname**

Data Type

The `utsname` structure is used to hold information returned by the `uname` function. It has the following members:

`char sysname[ ]`

This is the name of the operating system in use.

`char release[ ]`

This is the current release level of the operating system implementation.

`char version[ ]`

This is the current version level within the release of the operating system.

`char machine[ ]`

This is a description of the type of hardware that is in use.

Some systems provide a mechanism to interrogate the kernel directly for this information. On systems without such a mechanism, the GNU C library fills in this field based on the configuration name that was specified when building and installing the library.

GNU uses a three-part name to describe a system configuration; the three parts are *cpu*, *manufacturer* and *system-type*, and they are separated with dashes. Any possible combination of three names is potentially meaningful, but most such combinations are meaningless in practice and even the meaningful ones are not necessarily supported by any particular GNU program.

Since the value in `machine` is supposed to describe just the hardware, it consists of the first two parts of the configuration name: *cpu-manufacturer*. For example, it might be one of these:

```
"sparc-sun", "i386-anything", "m68k-hp", "m68k-sony",
"m68k-sun", "mips-dec"
```

`char nodename[ ]`

This is the host name of this particular computer. In the GNU C library, the value is the same as that returned by `gethostname`; see [Host Identification](#).

`gethostname()` is implemented with a call to `uname()`.

char domainname[ ]

This is the NIS or YP domain name. It is the same value returned by `getdomainname`; see [Host Identification](#). This element is a relatively recent invention and use of it is not as portable as use of the rest of the structure.

int **uname** (*struct utsname \*info*)

Function

The `uname` function fills in the structure pointed to by *info* with information about the operating system and host machine. A non-negative value indicates that the data was successfully stored.

-1 as the value indicates an error. The only error possible is `EFAULT`, which we normally don't mention as it is always a possibility.

Node: [Filesystem Handling](#), Next: [System Parameters](#), Previous: [Platform Type](#), Up: [System Management](#)

## Controlling and Querying Mounts

All files are in filesystems, and before you can access any file, its filesystem must be mounted. Because of Unix's concept of *Everything is a file*, mounting of filesystems is central to doing almost anything. This section explains how to find out what filesystems are currently mounted and what filesystems are available for mounting, and how to change what is mounted.

The classic filesystem is the contents of a disk drive. The concept is considerably more abstract, though, and lots of things other than disk drives can be mounted.

Some block devices don't correspond to traditional devices like disk drives. For example, a loop device is a block device whose driver uses a regular file in another filesystem as its medium. So if that regular file contains appropriate data for a filesystem, you can by mounting the loop device essentially mount a regular file.

Some filesystems aren't based on a device of any kind. The "proc" filesystem, for example, contains files whose data is made up by the filesystem driver on the fly whenever you ask for it. And when you write to it, the data you write causes changes in the system. No data gets stored.

- [Mount Information](#): What is or could be mounted?
- [Mount-Unmount-Remount](#): Controlling what is mounted and how



Node: Mount Information, Next: [Mount-Unmount-Remount](#), Up: [Filesystem Handling](#)

## Mount Information

For some programs it is desirable and necessary to access information about whether a certain filesystem is mounted and, if it is, where, or simply to get lists of all the available filesystems. The GNU libc provides some functions to retrieve this information portably.

Traditionally Unix systems have a file named `/etc/fstab` which describes all possibly mounted filesystems. The `mount` program uses this file to mount at startup time of the system all the necessary filesystems. The information about all the filesystems actually mounted is normally kept in a file named either `/var/run/mtab` or `/etc/mtab`. Both files share the same syntax and it is crucial that this syntax is followed all the time. Therefore it is best to never directly write the files. The functions described in this section can do this and they also provide the functionality to convert the external textual representation to the internal representation.

Note that the `fstab` and `mtab` files are maintained on a system by *convention*. It is possible for the files not to exist or not to be consistent with what is really mounted or available to mount, if the system's administration policy allows it. But programs that mount and unmount filesystems typically maintain and use these files as described herein.

The filenames given above should never be used directly. The portable way to handle these file is to use the macro `_PATH_FSTAB`, defined in `fstab.h`, or `_PATH_MNTTAB`, defined in `mntent.h` and `paths.h`, for `fstab`; and the macro `_PATH_MOUNTED`, also defined in `mntent.h` and `paths.h`, for `mtab`. There are also two alternate macro names `FSTAB`, `MNTTAB`, and `MOUNTED` defined but these names are deprecated and kept only for backward compatibility. The names `_PATH_MNTTAB` and `_PATH_MOUNTED` should always be used.

- [fstab](#): The `fstab` file
- [mtab](#): The `mtab` file
- [Other Mount Information](#): Other (non-libc) sources of mount information

---

Node: `fstab`, Next: [mtab](#), Up: [Mount Information](#)

## The `fstab` file

The internal representation for entries of the file is `struct fstab`, defined in `fstab.h`.

**struct `fstab`**

Data Type

This structure is used with the `getfsent`, `getfsspec`, and `getfsfile` functions.

`char *fs_spec`

This element describes the device from which the filesystem is mounted. Normally this is the name of a special device, such as a hard disk partition, but it could also be a more or less generic string. For *NFS* it would be a hostname and directory name combination.

Even though the element is not declared `const` it shouldn't be modified. The missing `const` has historic reasons, since this function predates ISO C. The same is true for the other string elements of this structure.

`char *fs_file`

This describes the mount point on the local system. I.e., accessing any file in this filesystem has implicitly or explicitly this string as a prefix.

`char *fs_vfstype`

This is the type of the filesystem. Depending on what the underlying kernel understands it can be any string.

`char *fs_mntops`

This is a string containing options passed to the kernel with the `mount` call. Again, this can be almost anything. There can be more than one option, separated from the others by a comma. Each option consists of a name and an optional value part, introduced by an `=` character.

If the value of this element must be processed it should ideally be done using the `getsubopt` function; see [Suboptions](#).

`const char *fs_type`

This name is poorly chosen. This element points to a string (possibly in the `fs_mntops` string) which describes the modes with which the filesystem is mounted. `fstab` defines five macros to describe the possible values:

`FSTAB_RW`

The filesystems gets mounted with read and write enabled.

`FSTAB_RQ`

The filesystems gets mounted with read and write enabled. Write access is restricted by quotas.

`FSTAB_RO`

The filesystem gets mounted read-only.

`FSTAB_SW`

This is not a real filesystem, it is a swap device.

`FSTAB_XX`

This entry from the `fstab` file is totally ignored.

Testing for equality with these value must happen using `strcmp` since these are all strings. Comparing the pointer will probably always fail.

`int fs_freq`

This element describes the dump frequency in days.

`int fs_passno`

This element describes the pass number on parallel dumps. It is closely related to the `dump` utility used on Unix systems.

To read the entire content of the of the `fstab` file the GNU libc contains a set of three functions which are designed in the usual way.

`int setfsent (void)` Function

This function makes sure that the internal read pointer for the `fstab` file is at the beginning of the file. This is done by either opening the file or resetting the read pointer.

Since the file handle is internal to the libc this function is not thread-safe.

This function returns a non-zero value if the operation was successful and the `getfs*` functions can be used to read the entries of the file.

`void endfsent (void)` Function

This function makes sure that all resources acquired by a prior call to `setfsent` (explicitly or implicitly by calling `getfsent`) are freed.

`struct fstab * getfsent (void)` Function

This function returns the next entry of the `fstab` file. If this is the first call to any of the functions handling `fstab` since program start or the last call of `endfsent`, the file will be opened.

The function returns a pointer to a variable of type `struct fstab`. This variable is shared by all threads and therefore this function is not thread-safe. If an error occurred `getfsent` returns a `NULL` pointer.

`struct fstab * getfsspec (const char *name)` Function

This function returns the next entry of the `fstab` file which has a string equal to *name* pointed to by the `fs_spec` element. Since there is normally exactly one entry for each special device it makes no sense to call this function more than once for the same argument. If this is the first call to any of the functions handling `fstab` since program start or the last call of `endfsent`, the file will be opened.

The function returns a pointer to a variable of type `struct fstab`. This variable is shared by all threads and therefore this function is not thread-safe. If an error occurred `getfsent` returns a `NULL` pointer.

`struct fstab * getfsfile (const char *name)`

Function

This function returns the next entry of the `fstab` file which has a string equal to *name* pointed to by the `fs_file` element. Since there is normally exactly one entry for each mount point it makes no sense to call this function more than once for the same argument. If this is the first call to any of the functions handling `fstab` since program start or the last call of `endfsent`, the file will be opened.

The function returns a pointer to a variable of type `struct fstab`. This variable is shared by all threads and therefore this function is not thread-safe. If an error occurred `getfsent` returns a `NULL` pointer.

---

Node: `mtab`, Next: [Other Mount Information](#), Previous: [fstab](#), Up: [Mount Information](#)

## The `mtab` file

The following functions and data structure access the `mtab` file.

`struct mntent`

Data Type

This structure is used with the `getmntent`, `getmntent_t`, `addmntent`, and `hasmntopt` functions.

`char *mnt_fsname`

This element contains a pointer to a string describing the name of the special device from which the filesystem is mounted. It corresponds to the `fs_spec` element in `struct fstab`.

`char *mnt_dir`

This element points to a string describing the mount point of the filesystem. It corresponds to the `fs_file` element in `struct fstab`.

`char *mnt_type`

`mnt_type` describes the filesystem type and is therefore equivalent to `fs_vfstype` in `struct fstab`. `mntent.h` defines a few symbolic names for some of the values this string can have. But since the kernel can support arbitrary filesystems it does not make much sense to give them symbolic names. If one knows the symbol name one also knows the filesystem name. Nevertheless here follows the list of the symbols provided in `mntent.h`.

`MNTTYPE_IGNORE`

This symbol expands to `"ignore"`. The value is sometime used in `fstab` files to make sure entries are not used without removing them.

`MNTTYPE_NFS`

Expands to `"nfs"`. Using this macro sometimes could make sense since it names the default NFS implementation, in case both version 2 and 3 are supported.

`MNTTYPE_SWAP`

This symbol expands to `"swap"`. It names the special `fstab` entry which names one of the possibly multiple swap partitions.

`char *mnt_opts`

The element contains a string describing the options used while mounting the filesystem. As for the equivalent element `fs_mntops` of `struct fstab` it is best to use the function `getsubopt` (see [Suboptions](#)) to access the parts of this string.

The `mntent.h` file defines a number of macros with string values which correspond to some of the options understood by the kernel. There might be many more options which are possible so it doesn't make much sense to rely on these macros but to be consistent here is the list:

`MNTOPT_DEFAULTS`

Expands to `"defaults"`. This option should be used alone since it indicates all values for the customizable values are chosen to be the default.

`MNTOPT_RO`

Expands to `"ro"`. See the `FSTAB_RO` value, it means the filesystem is mounted

read-only.

`MNTOPT_RW`

Expand to `"rw"`. See the `FSTAB_RW` value, it means the filesystem is mounted with read and write permissions.

`MNTOPT_SUID`

Expands to `"suid"`. This means that the SUID bit (see [How Change Persona](#)) is respected when a program from the filesystem is started.

`MNTOPT_NOSUID`

Expands to `"nosuid"`. This is the opposite of `MNTOPT_SUID`, the SUID bit for all files from the filesystem is ignored.

`MNTOPT_NOAUTO`

Expands to `"noauto"`. At startup time the `mount` program will ignore this entry if it is started with the `-a` option to mount all filesystems mentioned in the `fstab` file.

As for the `FSTAB_*` entries introduced above it is important to use `strcmp` to check for equality.

`mnt_freq`

This element corresponds to `fs_freq` and also specifies the frequency in days in which dumps are made.

`mnt_passno`

This element is equivalent to `fs_passno` with the same meaning which is uninteresting for all programs beside `dump`.

For accessing the `mtab` file there is again a set of three functions to access all entries in a row. Unlike the functions to handle `fstab` these functions do not access a fixed file and there is even a thread safe variant of the `get` function. Beside this the GNU libc contains functions to alter the file and test for specific options.

**FILE \* `setmntent`** (*const char \*file, const char \*mode*) Function

The `setmntent` function prepares the file named *FILE* which must be in the format of a `fstab` and `mtab` file for the upcoming processing through the other functions of the family. The *mode* parameter can be chosen in the way the *opentype* parameter for `fopen` (see [Opening Streams](#)) can be chosen. If the file is opened for writing the file is also allowed to be empty.

If the file was successfully opened `setmntent` returns a file descriptor for future use. Otherwise the return value is `NULL` and `errno` is set accordingly.

**int `endmntent`** (*FILE \*stream*) Function

This function takes for the *stream* parameter a file handle which previously was returned from the `setmntent` call. `endmntent` closes the stream and frees all resources.

The return value is 1 unless an error occurred in which case it is 0.

`struct mntent * getmntent (FILE *stream)` Function

The `getmntent` function takes as the parameter a file handle previously returned by successful call to `setmntent`. It returns a pointer to a static variable of type `struct mntent` which is filled with the information from the next entry from the file currently read.

The file format used prescribes the use of spaces or tab characters to separate the fields. This makes it harder to use name containing one of these characters (e.g., mount points using spaces). Therefore these characters are encoded in the files and the `getmntent` function takes care of the decoding while reading the entries back in. `'\040'` is used to encode a space character, `'\011'` to encode a tab character, `'\012'` to encode a newline character, and `'\\'` to encode a backslash.

If there was an error or the end of the file is reached the return value is `NULL`.

This function is not thread-safe since all calls to this function return a pointer to the same static variable. `getmntent_r` should be used in situations where multiple threads access the file.

`struct mntent * getmntent_r (FILE *stream, struct mntent *result, char *buffer, int bufsize)` Function

The `getmntent_r` function is the reentrant variant of `getmntent`. It also returns the next entry from the file and returns a pointer. The actual variable the values are stored in is not static, though. Instead the function stores the values in the variable pointed to by the *result* parameter. Additional information (e.g., the strings pointed to by the elements of the result) are kept in the buffer of size *bufsize* pointed to by *buffer*.

Escaped characters (space, tab, backslash) are converted back in the same way as it happens for `getmntent`.

The function returns a `NULL` pointer in error cases. Errors could be:

- error while reading the file,
- end of file reached,
- *bufsize* is too small for reading a complete new entry.

int **addmntent** (*FILE \*stream, const struct mntent \*mnt*)

Function

The `addmntent` function allows adding a new entry to the file previously opened with `setmntent`. The new entries are always appended. I.e., even if the position of the file descriptor is not at the end of the file this function does not overwrite an existing entry following the current position.

The implication of this is that to remove an entry from a file one has to create a new file while leaving out the entry to be removed and after closing the file remove the old one and rename the new file to the chosen name.

This function takes care of spaces and tab characters in the names to be written to the file. It converts them and the backslash character into the format describe in the `getmntent` description above.

This function returns 0 in case the operation was successful. Otherwise the return value is 1 and `errno` is set appropriately.

char \* **hasmntopt** (*const struct mntent \*mnt, const char \*opt*)

Function

This function can be used to check whether the string pointed to by the `mnt_opts` element of the variable pointed to by `mnt` contains the option `opt`. If this is true a pointer to the beginning of the option in the `mnt_opts` element is returned. If no such option exists the function returns `NULL`.

This function is useful to test whether a specific option is present but when all options have to be processed one is better off with using the `getsubopt` function to iterate over all options in the string.

---

Node: Other Mount Information, Previous: [mtab](#), Up: [Mount Information](#)

## Other (Non-libc) Sources of Mount Information

On a system with a Linux kernel and the `proc` filesystem, you can get information on currently mounted filesystems from the file `mounts` in the `proc` filesystem. Its format is similar to that of the `mtab` file, but represents what is truly mounted without relying on facilities outside the kernel to keep `mtab` up to date.

---

Node: Mount-Unmount-Remount, Previous: [Mount Information](#), Up: [Filesystem Handling](#)

## Mount, Unmount, Remount



This section describes the functions for mounting, unmounting, and remounting filesystems.

Only the superuser can mount, unmount, or remount a filesystem.

These functions do not access the `fstab` and `mtab` files. You should maintain and use these separately. See [Mount Information](#).

The symbols in this section are declared in `sys/mount.h`.

`int mount` (*const char \*special\_file, const char \*dir, const char \*fstype, unsigned long int options, const void \*data*) Function

`mount` mounts or remounts a filesystem. The two operations are quite different and are merged rather unnaturally into this one function. The `MS_REMOUNT` option, explained below, determines whether `mount` mounts or remounts.

For a mount, the filesystem on the block device represented by the device special file named *special\_file* gets mounted over the mount point *dir*. This means that the directory *dir* (along with any files in it) is no longer visible; in its place (and still with the name *dir*) is the root directory of the filesystem on the device.

As an exception, if the filesystem type (see below) is one which is not based on a device (e.g. "proc"), `mount` instantiates a filesystem and mounts it over *dir* and ignores *special\_file*.

For a remount, *dir* specifies the mount point where the filesystem to be remounted is (and remains) mounted and *special\_file* is ignored. Remounting a filesystem means changing the options that control operations on the filesystem while it is mounted. It does not mean unmounting and mounting again.

For a mount, you must identify the type of the filesystem as *fstype*. This type tells the kernel how to access the filesystem and can be thought of as the name of a filesystem driver. The acceptable values are system dependent. On a system with a Linux kernel and the `proc` filesystem, the list of possible values is in the file `filesystems` in the `proc` filesystem (e.g. type `cat /proc/filesystems` to see the list). With a Linux kernel, the types of filesystems that `mount` can mount, and their type names, depends on what filesystem drivers are configured into the kernel or loaded as loadable kernel modules. An example of a common value for *fstype* is `ext2`.

For a remount, `mount` ignores *fstype*.

*options* specifies a variety of options that apply until the filesystem is unmounted or remounted. The precise meaning of an option depends on the filesystem and with some filesystems, an option

may have no effect at all. Furthermore, for some filesystems, some of these options (but never `MS_RDONLY`) can be overridden for individual file accesses via `ioctl`.

*options* is a bit string with bit fields defined using the following mask and masked value macros:

#### `MS_MGC_MASK`

This multibit field contains a magic number. If it does not have the value `MS_MGC_VAL`, `mount` assumes all the following bits are zero and the *data* argument is a null string, regardless of their actual values.

#### `MS_REMOUNT`

This bit on means to remount the filesystem. Off means to mount it.

#### `MS_RDONLY`

This bit on specifies that no writing to the filesystem shall be allowed while it is mounted. This cannot be overridden by `ioctl`. This option is available on nearly all filesystems.

#### `S_IMMUTABLE`

This bit on specifies that no writing to the files in the filesystem shall be allowed while it is mounted. This can be overridden for a particular file access by a properly privileged call to `ioctl`. This option is a relatively new invention and is not available on many filesystems.

#### `S_APPEND`

This bit on specifies that the only file writing that shall be allowed while the filesystem is mounted is appending. Some filesystems allow this to be overridden for a particular process by a properly privileged call to `ioctl`. This is a relatively new invention and is not available on many filesystems.

#### `MS_NOSUID`

This bit on specifies that Setuid and Setgid permissions on files in the filesystem shall be ignored while it is mounted.

#### `MS_NOEXEC`

This bit on specifies that no files in the filesystem shall be executed while the filesystem is mounted.

#### `MS_NODEV`

This bit on specifies that no device special files in the filesystem shall be accessible while the filesystem is mounted.

#### `MS_SYNCHRONOUS`

This bit on specifies that all writes to the filesystem while it is mounted shall be synchronous; i.e. data shall be synced before each write completes rather than held in the buffer cache.

#### `MS_MANDLOCK`

This bit on specifies that mandatory locks on files shall be permitted while the filesystem is mounted.

#### `MS_NOATIME`

This bit on specifies that access times of files shall not be updated when the files are accessed while the filesystem is mounted.

#### `MS_NODIRATIME`

This bit on specifies that access times of directories shall not be updated when the directories are accessed while the filesystem is mounted.

Any bits not covered by the above masks should be set off; otherwise, results are undefined.

The meaning of *data* depends on the filesystem type and is controlled entirely by the filesystem driver in the kernel.

Example:

```
#include <sys/mount.h>

mount("/dev/hdb", "/cdrom", MS_MGC_VAL | MS_RDONLY | MS_NOSUID, "");

mount("/dev/hda2", "/mnt", MS_MGC_VAL | MS_REMOUNT, "");
```

Appropriate arguments for `mount` are conventionally recorded in the `fstab` table. See [Mount Information](#).

The return value is zero if the `mount` or `remount` is successful. Otherwise, it is `-1` and `errno` is set appropriately. The values of `errno` are filesystem dependent, but here is a general list:

`EPERM`

The process is not superuser.

`ENODEV`

The file system type *fstype* is not known to the kernel.

`ENOTBLK`

The file *dev* is not a block device special file.

`EBUSY`

- The device is already mounted.
- The mount point is busy. (E.g. it is some process' working directory or has a filesystem mounted on it already).
- The request is to remount read-only, but there are files open for write.

`EINVAL`

- A remount was attempted, but there is no filesystem mounted over the specified mount point.
- The supposed filesystem has an invalid superblock.

`EACCES`

- The filesystem is inherently read-only (possibly due to a switch on the device) and the process attempted to mount it read/write (by setting the `MS_RDONLY` bit off).

- *special\_file* or *dir* is not accessible due to file permissions.
- *special\_file* is not accessible because it is in a filesystem that is mounted with the `MS_NODEV` option.

**EM\_FILE**

The table of dummy devices is full. `mount` needs to create a dummy device (aka "unnamed" device) if the filesystem being mounted is not one that uses a device.

**int `umount2`** (*const char \*file, int flags*)

Function

`umount2` unmounts a filesystem.

You can identify the filesystem to unmount either by the device special file that contains the filesystem or by the mount point. The effect is the same. Specify either as the string *file*.

*flags* contains the one-bit field identified by the following mask macro:

**MNT\_FORCE**

This bit on means to force the unmounting even if the filesystem is busy, by making it unbusy first. If the bit is off and the filesystem is busy, `umount2` fails with `errno = EBUSY`. Depending on the filesystem, this may override all, some, or no busy conditions.

All other bits in *flags* should be set to zero; otherwise, the result is undefined.

Example:

```
#include <sys/mount.h>

umount2( "/mnt", MNT_FORCE );

umount2( "/dev/hdd1", 0 );
```

After the filesystem is unmounted, the directory that was the mount point is visible, as are any files in it.

As part of unmounting, `umount2` syncs the filesystem.

If the unmounting is successful, the return value is zero. Otherwise, it is `-1` and `errno` is set accordingly:

**EPERM**

The process is not superuser.

**EBUSY**

The filesystem cannot be unmounted because it is busy. E.g. it contains a directory that is some process's working directory or a file that some process has open. With some filesystems in some cases, you can avoid this failure with the `MNT_FORCE` option.

**EINVAL**

*file* validly refers to a file, but that file is neither a mount point nor a device special file of a currently mounted filesystem.

This function is not available on all systems.

**int `umount`** (*const char \*file*)

Function

`umount` does the same thing as `umount2` with *flags* set to zeroes. It is more widely available than `umount2` but since it lacks the possibility to forcefully unmount a filesystem is deprecated when `umount2` is also available.

Node: System Parameters, Previous: [Filesystem Handling](#), Up: [System Management](#)

## System Parameters

This section describes the `sysctl` function, which gets and sets a variety of system parameters.

The symbols used in this section are declared in the file `sysctl.h`.

**int `sysctl`** (*int \*names, int nlen, void \*oldval,*

Function

*size\_t \*oldlenp, void \*newval, size\_t newlen*)

`sysctl` gets or sets a specified system parameter. There are so many of these parameters that it is not practical to list them all here, but here are some examples:

- network domain name
- paging parameters
- network Address Resolution Protocol timeout time
- maximum number of files that may be open
- root filesystem device
- when kernel was built

The set of available parameters depends on the kernel configuration and can change while the

system is running, particularly when you load and unload loadable kernel modules.

The system parameters with which `syslog` is concerned are arranged in a hierarchical structure like a hierarchical filesystem. To identify a particular parameter, you specify a path through the structure in a way analogous to specifying the pathname of a file. Each component of the path is specified by an integer and each of these integers has a macro defined for it by `sysctl.h`. *names* is the path, in the form of an array of integers. Each component of the path is one element of the array, in order. *nlen* is the number of components in the path.

For example, the first component of the path for all the paging parameters is the value `CTL_VM`. For the free page thresholds, the second component of the path is `VM_FREEPG`. So to get the free page threshold values, make *names* an array containing the two elements `CTL_VM` and `VM_FREEPG` and make *nlen* = 2.

The format of the value of a parameter depends on the parameter. Sometimes it is an integer; sometimes it is an ASCII string; sometimes it is an elaborate structure. In the case of the free page thresholds used in the example above, the parameter value is a structure containing several integers.

In any case, you identify a place to return the parameter's value with *oldval* and specify the amount of storage available at that location as *\*oldlenp*. *\*oldlenp* does double duty because it is also the output location that contains the actual length of the returned value.

If you don't want the parameter value returned, specify a null pointer for *oldval*.

To set the parameter, specify the address and length of the new value as *newval* and *newlen*. If you don't want to set the parameter, specify a null pointer as *newval*.

If you get and set a parameter in the same `sysctl` call, the value returned is the value of the parameter before it was set.

Each system parameter has a set of permissions similar to the permissions for a file (including the permissions on directories in its path) that determine whether you may get or set it. For the purposes of these permissions, every parameter is considered to be owned by the superuser and Group 0 so processes with that effective uid or gid may have more access to system parameters. Unlike with files, the superuser does not invariably have full permission to all system parameters, because some of them are designed not to be changed ever.

`sysctl` returns a zero return value if it succeeds. Otherwise, it returns `-1` and sets `errno` appropriately. Besides the failures that apply to all system calls, the following are the `errno` codes for all possible failures:

**EPERM**

The process is not permitted to access one of the components of the path of the system parameter or is not permitted to access the system parameter itself in the way (read or write) that it requested.

**ENOTDIR**

There is no system parameter corresponding to *name*.

**EFAULT**

*oldval* is not null, which means the process wanted to read the parameter, but *\*oldlenp* is zero, so there is no place to return it.

**EINVAL**

- The process attempted to set a system parameter to a value that is not valid for that parameter.
- The space provided for the return of the system parameter is not the right size for that parameter.

**ENOMEM**

This value may be returned instead of the more correct **EINVAL** in some cases where the space provided for the return of the system parameter is too small.

If you have a Linux kernel with the `proc` filesystem, you can get and set most of the same parameters by reading and writing to files in the `sys` directory of the `proc` filesystem. In the `sys` directory, the directory structure represents the hierarchical structure of the parameters. E.g. you can display the free page thresholds with

```
cat /proc/sys/vm/freepages
```

Some more traditional and more widely available, though less general, GNU C library functions for getting and setting some of the same system parameters are:

- `getdomainname`, `setdomainname`
- `gethostname`, `sethostname` (See [Host Identification](#).)
- `uname` (See [Platform Type](#).)
- `bdflush`

---

Node: System Configuration, Next: [Cryptographic Functions](#), Previous: [System Management](#), Up: [Top](#)

## System Configuration Parameters

The functions and macros listed in this chapter give information about configuration parameters of the

operating system--for example, capacity limits, presence of optional POSIX features, and the default path for executable files (see [String Parameters](#)).

- [General Limits](#): Constants and functions that describe various process-related limits that have one uniform value for any given machine.
- [System Options](#): Optional POSIX features.
- [Version Supported](#): Version numbers of POSIX.1 and POSIX.2.
- [Sysconf](#): Getting specific configuration values of general limits and system options.
- [Minimums](#): Minimum values for general limits.
  
- [Limits for Files](#): Size limitations that pertain to individual files. These can vary between file systems or even from file to file.
- [Options for Files](#): Optional features that some files may support.
- [File Minimums](#): Minimum values for file limits.
- [Pathconf](#): Getting the limit values for a particular file.
  
- [Utility Limits](#): Capacity limits of some POSIX.2 utility programs.
- [Utility Minimums](#): Minimum allowable values of those limits.
  
- [String Parameters](#): Getting the default search path.

---

Node: [General Limits](#), Next: [System Options](#), Up: [System Configuration](#)

## General Capacity Limits

The POSIX.1 and POSIX.2 standards specify a number of parameters that describe capacity limitations of the system. These limits can be fixed constants for a given operating system, or they can vary from machine to machine. For example, some limit values may be configurable by the system administrator, either at run time or by rebuilding the kernel, and this should not require recompiling application programs.

Each of the following limit parameters has a macro that is defined in `limits.h` only if the system has a fixed, uniform limit for the parameter in question. If the system allows different file systems or files to have different limits, then the macro is undefined; use `sysconf` to find out the limit that applies at a particular time on a particular machine. See [Sysconf](#).

Each of these parameters also has another macro, with a name starting with `__POSIX`, which gives the lowest value that the limit is allowed to have on *any* POSIX system. See [Minimums](#).



int **ARG\_MAX** Macro

If defined, the unvarying maximum combined length of the *argv* and *environ* arguments that can be passed to the `exec` functions.

int **CHILD\_MAX** Macro

If defined, the unvarying maximum number of processes that can exist with the same real user ID at any one time. In BSD and GNU, this is controlled by the `RLIMIT_NPROC` resource limit; see [Limits on Resources](#).

int **OPEN\_MAX** Macro

If defined, the unvarying maximum number of files that a single process can have open simultaneously. In BSD and GNU, this is controlled by the `RLIMIT_NOFILE` resource limit; see [Limits on Resources](#).

int **STREAM\_MAX** Macro

If defined, the unvarying maximum number of streams that a single process can have open simultaneously. See [Opening Streams](#).

int **TZNAME\_MAX** Macro

If defined, the unvarying maximum length of a time zone name. See [Time Zone Functions](#).

These limit macros are always defined in `limits.h`.

int **NGROUPS\_MAX** Macro

The maximum number of supplementary group IDs that one process can have.

The value of this macro is actually a lower bound for the maximum. That is, you can count on being able to have that many supplementary group IDs, but a particular machine might let you have even more. You can use `sysconf` to see whether a particular machine will let you have more (see [Sysconf](#)).

int **SSIZE\_MAX** Macro

The largest value that can fit in an object of type `ssize_t`. Effectively, this is the limit on the number of bytes that can be read or written in a single operation.

This macro is defined in all POSIX systems because this limit is never configurable.

**int RE\_DUP\_MAX**

Macro

The largest number of repetitions you are guaranteed is allowed in the construct  $\{min, max\}$  in a regular expression.

The value of this macro is actually a lower bound for the maximum. That is, you can count on being able to have that many repetitions, but a particular machine might let you have even more. You can use `sysconf` to see whether a particular machine will let you have more (see [Sysconf](#)). And even the value that `sysconf` tells you is just a lower bound--larger values might work.

This macro is defined in all POSIX.2 systems, because POSIX.2 says it should always be defined even if there is no specific imposed limit.

---

Node: System Options, Next: [Version Supported](#), Previous: [General Limits](#), Up: [System Configuration](#)

**Overall System Options**

POSIX defines certain system-specific options that not all POSIX systems support. Since these options are provided in the kernel, not in the library, simply using the GNU C library does not guarantee any of these features is supported; it depends on the system you are using.

You can test for the availability of a given option using the macros in this section, together with the function `sysconf`. The macros are defined only if you include `unistd.h`.

For the following macros, if the macro is defined in `unistd.h`, then the option is supported. Otherwise, the option may or may not be supported; use `sysconf` to find out. See [Sysconf](#).

**int \_POSIX\_JOB\_CONTROL**

Macro

If this symbol is defined, it indicates that the system supports job control. Otherwise, the implementation behaves as if all processes within a session belong to a single process group. See [Job Control](#).

**int \_POSIX\_SAVED\_IDS**

Macro

If this symbol is defined, it indicates that the system remembers the effective user and group IDs of a process before it executes an executable file with the set-user-ID or set-group-ID bits set, and that explicitly changing the effective user or group IDs back to these values is permitted. If this option is not defined, then if a nonprivileged process changes its effective user or group ID to the real user or group ID of the process, it can't change it back again. See [Enable/Disable Setuid](#).

For the following macros, if the macro is defined in `unistd.h`, then its value indicates whether the option is supported. A value of `-1` means no, and any other value means yes. If the macro is not defined, then the option may or may not be supported; use `sysconf` to find out. See [Sysconf](#).

`int _POSIX2_C_DEV` Macro

If this symbol is defined, it indicates that the system has the POSIX.2 C compiler command, `c89`. The GNU C library always defines this as `1`, on the assumption that you would not have installed it if you didn't have a C compiler.

`int _POSIX2_FORT_DEV` Macro

If this symbol is defined, it indicates that the system has the POSIX.2 Fortran compiler command, `fort77`. The GNU C library never defines this, because we don't know what the system has.

`int _POSIX2_FORT_RUN` Macro

If this symbol is defined, it indicates that the system has the POSIX.2 `asa` command to interpret Fortran carriage control. The GNU C library never defines this, because we don't know what the system has.

`int _POSIX2_LOCALEDEF` Macro

If this symbol is defined, it indicates that the system has the POSIX.2 `localedef` command. The GNU C library never defines this, because we don't know what the system has.

`int _POSIX2_SW_DEV` Macro

If this symbol is defined, it indicates that the system has the POSIX.2 commands `ar`, `make`, and `strip`. The GNU C library always defines this as `1`, on the assumption that you had to have `ar` and `make` to install the library, and it's unlikely that `strip` would be absent when those are present.

---

Node: [Version Supported](#), Next: [Sysconf](#), Previous: [System Options](#), Up: [System Configuration](#)

## Which Version of POSIX is Supported

`long int _POSIX_VERSION` Macro

This constant represents the version of the POSIX.1 standard to which the implementation conforms. For an implementation conforming to the 1995 POSIX.1 standard, the value is the integer 199506L.

`_POSIX_VERSION` is always defined (in `unistd.h`) in any POSIX system.

**Usage Note:** Don't try to test whether the system supports POSIX by including `unistd.h` and then checking whether `_POSIX_VERSION` is defined. On a non-POSIX system, this will probably fail because there is no `unistd.h`. We do not know of *any* way you can reliably test at compilation time whether your target system supports POSIX or whether `unistd.h` exists.

The GNU C compiler predefines the symbol `__POSIX__` if the target system is a POSIX system. Provided you do not use any other compilers on POSIX systems, testing `defined (__POSIX__)` will reliably detect such systems.

long int **`_POSIX2_C_VERSION`**

Macro

This constant represents the version of the POSIX.2 standard which the library and system kernel support. We don't know what value this will be for the first version of the POSIX.2 standard, because the value is based on the year and month in which the standard is officially adopted.

The value of this symbol says nothing about the utilities installed on the system.

**Usage Note:** You can use this macro to tell whether a POSIX.1 system library supports POSIX.2 as well. Any POSIX.1 system contains `unistd.h`, so include that file and then test `defined (_POSIX2_C_VERSION)`.

---

Node: [Sysconf](#), Next: [Minimums](#), Previous: [Version Supported](#), Up: [System Configuration](#)

## Using `sysconf`

When your system has configurable system limits, you can use the `sysconf` function to find out the value that applies to any particular machine. The function and the associated *parameter* constants are declared in the header file `unistd.h`.

- [Sysconf Definition](#): Detailed specifications of `sysconf`.
- [Constants for Sysconf](#): The list of parameters `sysconf` can read.
- [Examples of Sysconf](#): How to use `sysconf` and the parameter macros properly together.

Node: Sysconf Definition, Next: [Constants for Sysconf](#), Up: [Sysconf](#)

## Definition of `sysconf`

long int **sysconf** (*int parameter*)

Function

This function is used to inquire about runtime system parameters. The *parameter* argument should be one of the `_SC_` symbols listed below.

The normal return value from `sysconf` is the value you requested. A value of `-1` is returned both if the implementation does not impose a limit, and in case of an error.

The following `errno` error conditions are defined for this function:

`EINVAL`

The value of the *parameter* is invalid.

Node: Constants for Sysconf, Next: [Examples of Sysconf](#), Previous: [Sysconf Definition](#), Up: [Sysconf](#)

## Constants for `sysconf` Parameters

Here are the symbolic constants for use as the *parameter* argument to `sysconf`. The values are all integer constants (more specifically, enumeration type values).

`_SC_ARG_MAX`

Inquire about the parameter corresponding to `ARG_MAX`.

`_SC_CHILD_MAX`

Inquire about the parameter corresponding to `CHILD_MAX`.

`_SC_OPEN_MAX`

Inquire about the parameter corresponding to `OPEN_MAX`.

`_SC_STREAM_MAX`

Inquire about the parameter corresponding to `STREAM_MAX`.

`_SC_TZNAME_MAX`

Inquire about the parameter corresponding to `TZNAME_MAX`.

`_SC_NGROUPS_MAX`

Inquire about the parameter corresponding to `NGROUPS_MAX`.

`_SC_JOB_CONTROL`

Inquire about the parameter corresponding to `_POSIX_JOB_CONTROL`.

`_SC_SAVED_IDS`

Inquire about the parameter corresponding to `_POSIX_SAVED_IDS`.

`_SC_VERSION`

Inquire about the parameter corresponding to `_POSIX_VERSION`.

`_SC_CLK_TCK`

Inquire about the parameter corresponding to `CLOCKS_PER_SEC`; see [CPU Time](#).

`_SC_CHARCLASS_NAME_MAX`

Inquire about the parameter corresponding to maximal length allowed for a character class name in an extended locale specification. These extensions are not yet standardized and so this option is not standardized as well.

`_SC_REALTIME_SIGNALS`

Inquire about the parameter corresponding to `_POSIX_REALTIME_SIGNALS`.

`_SC_PRIORITY_SCHEDULING`

Inquire about the parameter corresponding to `_POSIX_PRIORITY_SCHEDULING`.

`_SC_TIMERS`

Inquire about the parameter corresponding to `_POSIX_TIMERS`.

`_SC_ASYNCHRONOUS_IO`

Inquire about the parameter corresponding to `_POSIX_ASYNCHRONOUS_IO`.

`_SC_PRIORITIZED_IO`

Inquire about the parameter corresponding to `_POSIX_PRIORITIZED_IO`.

`_SC_SYNCHRONIZED_IO`

Inquire about the parameter corresponding to `_POSIX_SYNCHRONIZED_IO`.

`_SC_FSYNC`

Inquire about the parameter corresponding to `_POSIX_FSYNC`.

`_SC_MAPPED_FILES`

Inquire about the parameter corresponding to `_POSIX_MAPPED_FILES`.

`_SC_MEMLOCK`

Inquire about the parameter corresponding to `_POSIX_MEMLOCK`.

`_SC_MEMLOCK_RANGE`

Inquire about the parameter corresponding to `_POSIX_MEMLOCK_RANGE`.

`_SC_MEMORY_PROTECTION`

Inquire about the parameter corresponding to `_POSIX_MEMORY_PROTECTION`.

`_SC_MESSAGE_PASSING`

Inquire about the parameter corresponding to `_POSIX_MESSAGE_PASSING`.

`_SC_SEMAPHORES`

Inquire about the parameter corresponding to `_POSIX_SEMAPHORES`.

`_SC_SHARED_MEMORY_OBJECTS`

Inquire about the parameter corresponding to

`_POSIX_SHARED_MEMORY_OBJECTS`.

`_SC_AIO_LISTIO_MAX`

Inquire about the parameter corresponding to `_POSIX_AIO_LISTIO_MAX`.

`_SC_AIO_MAX`

Inquire about the parameter corresponding to `_POSIX_AIO_MAX`.

`_SC_AIO_PRIO_DELTA_MAX`

Inquire the value by which a process can decrease its asynchronous I/O priority level from its own scheduling priority. This corresponds to the run-time invariant value

`AIO_PRIO_DELTA_MAX`.

`_SC_DELAYTIMER_MAX`

Inquire about the parameter corresponding to `_POSIX_DELAYTIMER_MAX`.

`_SC_MQ_OPEN_MAX`

Inquire about the parameter corresponding to `_POSIX_MQ_OPEN_MAX`.

`_SC_MQ_PRIO_MAX`

Inquire about the parameter corresponding to `_POSIX_MQ_PRIO_MAX`.

`_SC_RTSIG_MAX`

Inquire about the parameter corresponding to `_POSIX_RTSIG_MAX`.

`_SC_SEM_NSEMS_MAX`

Inquire about the parameter corresponding to `_POSIX_SEM_NSEMS_MAX`.

`_SC_SEM_VALUE_MAX`

Inquire about the parameter corresponding to `_POSIX_SEM_VALUE_MAX`.

`_SC_SIGQUEUE_MAX`

Inquire about the parameter corresponding to `_POSIX_SIGQUEUE_MAX`.

`_SC_TIMER_MAX`

Inquire about the parameter corresponding to `_POSIX_TIMER_MAX`.

`_SC_PII`

Inquire about the parameter corresponding to `_POSIX_PII`.

`_SC_PII_XTI`

Inquire about the parameter corresponding to `_POSIX_PII_XTI`.

`_SC_PII_SOCKET`

Inquire about the parameter corresponding to `_POSIX_PII_SOCKET`.

`_SC_PII_INTERNET`

Inquire about the parameter corresponding to `_POSIX_PII_INTERNET`.

`_SC_PII_OSI`

Inquire about the parameter corresponding to `_POSIX_PII_OSI`.

`_SC_SELECT`

Inquire about the parameter corresponding to `_POSIX_SELECT`.

`_SC_UIO_MAXIOV`

Inquire about the parameter corresponding to `_POSIX_UIO_MAXIOV`.

`_SC_PII_INTERNET_STREAM`

Inquire about the parameter corresponding to `_POSIX_PII_INTERNET_STREAM`.

`_SC_PII_INTERNET_DGRAM`

Inquire about the parameter corresponding to `_POSIX_PII_INTERNET_DGRAM`.

`_SC_PII_OSI_COTS`

Inquire about the parameter corresponding to `_POSIX_PII_OSI_COTS`.

`_SC_PII_OSI_CLTS`

Inquire about the parameter corresponding to `_POSIX_PII_OSI_CLTS`.

`_SC_PII_OSI_M`

Inquire about the parameter corresponding to `_POSIX_PII_OSI_M`.

`_SC_T_IOV_MAX`

Inquire the value of the value associated with the `T_IOV_MAX` variable.

`_SC_THREADS`

Inquire about the parameter corresponding to `_POSIX_THREADS`.

`_SC_THREAD_SAFE_FUNCTIONS`

Inquire about the parameter corresponding to `_POSIX_THREAD_SAFE_FUNCTIONS`.

`_SC_GETGR_R_SIZE_MAX`

Inquire about the parameter corresponding to `_POSIX_GETGR_R_SIZE_MAX`.

`_SC_GETPW_R_SIZE_MAX`

Inquire about the parameter corresponding to `_POSIX_GETPW_R_SIZE_MAX`.

`_SC_LOGIN_NAME_MAX`

Inquire about the parameter corresponding to `_POSIX_LOGIN_NAME_MAX`.

`_SC_TTY_NAME_MAX`

Inquire about the parameter corresponding to `_POSIX_TTY_NAME_MAX`.

`_SC_THREAD_DESTRUCTOR_ITERATIONS`

Inquire about the parameter corresponding to `_POSIX_THREAD_DESTRUCTOR_ITERATIONS`.

`_SC_THREAD_KEYS_MAX`

Inquire about the parameter corresponding to `_POSIX_THREAD_KEYS_MAX`.

`_SC_THREAD_STACK_MIN`

Inquire about the parameter corresponding to `_POSIX_THREAD_STACK_MIN`.

`_SC_THREAD_THREADS_MAX`

Inquire about the parameter corresponding to `_POSIX_THREAD_THREADS_MAX`.

`_SC_THREAD_ATTR_STACKADDR`

Inquire about the parameter corresponding to a `_POSIX_THREAD_ATTR_STACKADDR`.

`_SC_THREAD_ATTR_STACKSIZE`

Inquire about the parameter corresponding to `_POSIX_THREAD_ATTR_STACKSIZE`.

`_SC_THREAD_PRIORITY_SCHEDULING`

Inquire about the parameter corresponding to `_POSIX_THREAD_PRIORITY_SCHEDULING`.

`_SC_THREAD_PRIO_INHERIT`

Inquire about the parameter corresponding to `_POSIX_THREAD_PRIO_INHERIT`.

`_SC_THREAD_PRIO_PROTECT`

Inquire about the parameter corresponding to `_POSIX_THREAD_PRIO_PROTECT`.

`_SC_THREAD_PROCESS_SHARED`

Inquire about the parameter corresponding to `_POSIX_THREAD_PROCESS_SHARED`.

`_SC_2_C_DEV`

Inquire about whether the system has the POSIX.2 C compiler command, `c89`.

`_SC_2_FORT_DEV`

Inquire about whether the system has the POSIX.2 Fortran compiler command, `fort77`.

`_SC_2_FORT_RUN`



Inquire about whether the system has the POSIX.2 `asa` command to interpret Fortran carriage control.

`_SC_2_LOCALEDEF`

Inquire about whether the system has the POSIX.2 `localedef` command.

`_SC_2_SW_DEV`

Inquire about whether the system has the POSIX.2 commands `ar`, `make`, and `strip`.

`_SC_BC_BASE_MAX`

Inquire about the maximum value of `obase` in the `bc` utility.

`_SC_BC_DIM_MAX`

Inquire about the maximum size of an array in the `bc` utility.

`_SC_BC_SCALE_MAX`

Inquire about the maximum value of `scale` in the `bc` utility.

`_SC_BC_STRING_MAX`

Inquire about the maximum size of a string constant in the `bc` utility.

`_SC_COLL_WEIGHTS_MAX`

Inquire about the maximum number of weights that can necessarily be used in defining the collating sequence for a locale.

`_SC_EXPR_NEST_MAX`

Inquire about the maximum number of expressions nested within parentheses when using the `expr` utility.

`_SC_LINE_MAX`

Inquire about the maximum size of a text line that the POSIX.2 text utilities can handle.

`_SC_EQUIV_CLASS_MAX`

Inquire about the maximum number of weights that can be assigned to an entry of the `LC_COLLATE` category `order` keyword in a locale definition. The GNU C library does not presently support locale definitions.

`_SC_VERSION`

Inquire about the version number of POSIX.1 that the library and kernel support.

`_SC_2_VERSION`

Inquire about the version number of POSIX.2 that the system utilities support.

`_SC_PAGESIZE`

Inquire about the virtual memory page size of the machine. `getpagesize` returns the same value (see [Query Memory Parameters](#)).

`_SC_NPROCESSORS_CONF`

Inquire about the number of configured processors.

`_SC_NPROCESSORS_ONLN`

Inquire about the number of processors online.

`_SC_PHYS_PAGES`

Inquire about the number of physical pages in the system.

`_SC_AVPHYS_PAGES`

Inquire about the number of available physical pages in the system.

`_SC_ATEXIT_MAX`

Inquire about the number of functions which can be registered as termination functions for

`atexit`; see [Cleanups on Exit](#).

`_SC_XOPEN_VERSION`

Inquire about the parameter corresponding to `_XOPEN_VERSION`.

`_SC_XOPEN_XCU_VERSION`

Inquire about the parameter corresponding to `_XOPEN_XCU_VERSION`.

`_SC_XOPEN_UNIX`

Inquire about the parameter corresponding to `_XOPEN_UNIX`.

`_SC_XOPEN_REALTIME`

Inquire about the parameter corresponding to `_XOPEN_REALTIME`.

`_SC_XOPEN_REALTIME_THREADS`

Inquire about the parameter corresponding to `_XOPEN_REALTIME_THREADS`.

`_SC_XOPEN_LEGACY`

Inquire about the parameter corresponding to `_XOPEN_LEGACY`.

`_SC_XOPEN_CRYPT`

Inquire about the parameter corresponding to `_XOPEN_CRYPT`.

`_SC_XOPEN_ENH_I18N`

Inquire about the parameter corresponding to `_XOPEN_ENH_I18N`.

`_SC_XOPEN_SHM`

Inquire about the parameter corresponding to `_XOPEN_SHM`.

`_SC_XOPEN_XPG2`

Inquire about the parameter corresponding to `_XOPEN_XPG2`.

`_SC_XOPEN_XPG3`

Inquire about the parameter corresponding to `_XOPEN_XPG3`.

`_SC_XOPEN_XPG4`

Inquire about the parameter corresponding to `_XOPEN_XPG4`.

`_SC_CHAR_BIT`

Inquire about the number of bits in a variable of type `char`.

`_SC_CHAR_MAX`

Inquire about the maximum value which can be stored in a variable of type `char`.

`_SC_CHAR_MIN`

Inquire about the minimum value which can be stored in a variable of type `char`.

`_SC_INT_MAX`

Inquire about the maximum value which can be stored in a variable of type `int`.

`_SC_INT_MIN`

Inquire about the minimum value which can be stored in a variable of type `int`.

`_SC_LONG_BIT`

Inquire about the number of bits in a variable of type `long int`.

`_SC_WORD_BIT`

Inquire about the number of bits in a variable of a register word.

`_SC_MB_LEN_MAX`

Inquire the maximum length of a multi-byte representation of a wide character value.

`_SC_NZERO`

Inquire about the value used to internally represent the zero priority level for the process

execution.

`_SC_SSIZE_MAX`

Inquire about the maximum value which can be stored in a variable of type `ssize_t`.

`_SC_SCHAR_MAX`

Inquire about the maximum value which can be stored in a variable of type `signed char`.

`_SC_SCHAR_MIN`

Inquire about the minimum value which can be stored in a variable of type `signed char`.

`_SC_SHRT_MAX`

Inquire about the maximum value which can be stored in a variable of type `short int`.

`_SC_SHRT_MIN`

Inquire about the minimum value which can be stored in a variable of type `short int`.

`_SC_UCHAR_MAX`

Inquire about the maximum value which can be stored in a variable of type `unsigned char`.

`_SC_UINT_MAX`

Inquire about the maximum value which can be stored in a variable of type `unsigned int`.

`_SC_ULONG_MAX`

Inquire about the maximum value which can be stored in a variable of type `unsigned long int`.

`_SC_USHRT_MAX`

Inquire about the maximum value which can be stored in a variable of type `unsigned short int`.

`_SC_NL_ARGMAX`

Inquire about the parameter corresponding to `NL_ARGMAX`.

`_SC_NL_LANGMAX`

Inquire about the parameter corresponding to `NL_LANGMAX`.

`_SC_NL_MSGMAX`

Inquire about the parameter corresponding to `NL_MSGMAX`.

`_SC_NL_NMAX`

Inquire about the parameter corresponding to `NL_NMAX`.

`_SC_NL_SETMAX`

Inquire about the parameter corresponding to `NL_SETMAX`.

`_SC_NL_TEXTMAX`

Inquire about the parameter corresponding to `NL_TEXTMAX`.

---

Node: Examples of `sysconf`, Previous: [Constants for `sysconf`](#), Up: [`sysconf`](#)

## Examples of `sysconf`

We recommend that you first test for a macro definition for the parameter you are interested in, and call `sysconf` only if the macro is not defined. For example, here is how to test whether job control is supported:

```

int
have_job_control (void)
{
#ifdef _POSIX_JOB_CONTROL
    return 1;
#else
    int value = sysconf (_SC_JOB_CONTROL);
    if (value < 0)
        /* If the system is that badly wedged,
           there's no use trying to go on.  */
        fatal (strerror (errno));
    return value;
#endif
}

```

Here is how to get the value of a numeric limit:

```

int
get_child_max ()
{
#ifdef CHILD_MAX
    return CHILD_MAX;
#else
    int value = sysconf (_SC_CHILD_MAX);
    if (value < 0)
        fatal (strerror (errno));
    return value;
#endif
}

```

---

Node: Minimums, Next: [Limits for Files](#), Previous: [Sysconf](#), Up: [System Configuration](#)

## Minimum Values for General Capacity Limits

Here are the names for the POSIX minimum upper bounds for the system limit parameters. The significance of these values is that you can safely push to these limits without checking whether the particular system you are using can go that far.

`__POSIX_AIO_LISTIO_MAX`

The most restrictive limit permitted by POSIX for the maximum number of I/O operations that can be specified in a list I/O call. The value of this constant is 2; thus you can add up to two new entries of the list of outstanding operations.

`__POSIX_AIO_MAX`

The most restrictive limit permitted by POSIX for the maximum number of outstanding asynchronous I/O operations. The value of this constant is 1. So you cannot expect that you can issue more than one operation and immediately continue with the normal work, receiving the notifications asynchronously.

#### `__POSIX_ARG_MAX`

The value of this macro is the most restrictive limit permitted by POSIX for the maximum combined length of the *argv* and *environ* arguments that can be passed to the `exec` functions. Its value is 4096.

#### `__POSIX_CHILD_MAX`

The value of this macro is the most restrictive limit permitted by POSIX for the maximum number of simultaneous processes per real user ID. Its value is 6.

#### `__POSIX_NGROUPS_MAX`

The value of this macro is the most restrictive limit permitted by POSIX for the maximum number of supplementary group IDs per process. Its value is 0.

#### `__POSIX_OPEN_MAX`

The value of this macro is the most restrictive limit permitted by POSIX for the maximum number of files that a single process can have open simultaneously. Its value is 16.

#### `__POSIX_SSIZE_MAX`

The value of this macro is the most restrictive limit permitted by POSIX for the maximum value that can be stored in an object of type `ssize_t`. Its value is 32767.

#### `__POSIX_STREAM_MAX`

The value of this macro is the most restrictive limit permitted by POSIX for the maximum number of streams that a single process can have open simultaneously. Its value is 8.

#### `__POSIX_TZNAME_MAX`

The value of this macro is the most restrictive limit permitted by POSIX for the maximum length of a time zone name. Its value is 3.

#### `__POSIX2_RE_DUP_MAX`

The value of this macro is the most restrictive limit permitted by POSIX for the numbers used in the `\{min,max\}` construct in a regular expression. Its value is 255.

---

Node: Limits for Files, Next: [Options for Files](#), Previous: [Minimums](#), Up: [System Configuration](#)

## Limits on File System Capacity

The POSIX.1 standard specifies a number of parameters that describe the limitations of the file system. It's possible for the system to have a fixed, uniform limit for a parameter, but this isn't the usual case. On most systems, it's possible for different file systems (and, for some parameters, even different files) to have different maximum limits. For example, this is very likely if you use NFS to mount some of the file systems from other machines.

Each of the following macros is defined in `limits.h` only if the system has a fixed, uniform limit for

the parameter in question. If the system allows different file systems or files to have different limits, then the macro is undefined; use `pathconf` or `fpathconf` to find out the limit that applies to a particular file. See [Pathconf](#).

Each parameter also has another macro, with a name starting with `_POSIX`, which gives the lowest value that the limit is allowed to have on *any* POSIX system. See [File Minimums](#).

int **LINK\_MAX** Macro

The uniform system limit (if any) for the number of names for a given file. See [Hard Links](#).

int **MAX\_CANON** Macro

The uniform system limit (if any) for the amount of text in a line of input when input editing is enabled. See [Canonical or Not](#).

int **MAX\_INPUT** Macro

The uniform system limit (if any) for the total number of characters typed ahead as input. See [I/O Queues](#).

int **NAME\_MAX** Macro

The uniform system limit (if any) for the length of a file name component.

int **PATH\_MAX** Macro

The uniform system limit (if any) for the length of an entire file name (that is, the argument given to system calls such as `open`).

int **PIPE\_BUF** Macro

The uniform system limit (if any) for the number of bytes that can be written atomically to a pipe. If multiple processes are writing to the same pipe simultaneously, output from different processes might be interleaved in chunks of this size. See [Pipes and FIFOs](#).

These are alternative macro names for some of the same information.

int **MAXNAMLEN** Macro

This is the BSD name for `NAME_MAX`. It is defined in `dirent.h`.

int **FILENAME\_MAX** Macro

The value of this macro is an integer constant expression that represents the maximum length of a file name string. It is defined in `stdio.h`.

Unlike `PATH_MAX`, this macro is defined even if there is no actual limit imposed. In such a case, its value is typically a very large number. **This is always the case on the GNU system.**

**Usage Note:** Don't use `FILENAME_MAX` as the size of an array in which to store a file name! You can't possibly make an array that big! Use dynamic allocation (see [Memory Allocation](#)) instead.

Node: Options for Files, Next: [File Minimums](#), Previous: [Limits for Files](#), Up: [System Configuration](#)

## Optional Features in File Support

POSIX defines certain system-specific options in the system calls for operating on files. Some systems support these options and others do not. Since these options are provided in the kernel, not in the library, simply using the GNU C library does not guarantee that any of these features is supported; it depends on the system you are using. They can also vary between file systems on a single machine.

This section describes the macros you can test to determine whether a particular option is supported on your machine. If a given macro is defined in `unistd.h`, then its value says whether the corresponding feature is supported. (A value of `-1` indicates no; any other value indicates yes.) If the macro is undefined, it means particular files may or may not support the feature.

Since all the machines that support the GNU C library also support NFS, one can never make a general statement about whether all file systems support the `_POSIX_CHOWN_RESTRICTED` and `_POSIX_NO_TRUNC` features. So these names are never defined as macros in the GNU C library.

`int` **`_POSIX_CHOWN_RESTRICTED`** Macro

If this option is in effect, the `chown` function is restricted so that the only changes permitted to nonprivileged processes is to change the group owner of a file to either be the effective group ID of the process, or one of its supplementary group IDs. See [File Owner](#).

`int` **`_POSIX_NO_TRUNC`** Macro

If this option is in effect, file name components longer than `NAME_MAX` generate an `ENAMETOOLONG` error. Otherwise, file name components that are too long are silently truncated.

`unsigned char` **`_POSIX_VDISABLE`** Macro

This option is only meaningful for files that are terminal devices. If it is enabled, then handling for special control characters can be disabled individually. See [Special Characters](#).

If one of these macros is undefined, that means that the option might be in effect for some files and not for others. To inquire about a particular file, call `pathconf` or `fpathconf`. See [Pathconf](#).

---

Node: File Minimums, Next: [Pathconf](#), Previous: [Options for Files](#), Up: [System Configuration](#)

## Minimum Values for File System Limits

Here are the names for the POSIX minimum upper bounds for some of the above parameters. The significance of these values is that you can safely push to these limits without checking whether the particular system you are using can go that far. In most cases GNU systems do not have these strict limitations. The actual limit should be requested if necessary.

### `__POSIX_LINK_MAX`

The most restrictive limit permitted by POSIX for the maximum value of a file's link count. The value of this constant is 8; thus, you can always make up to eight names for a file without running into a system limit.

### `__POSIX_MAX_CANON`

The most restrictive limit permitted by POSIX for the maximum number of bytes in a canonical input line from a terminal device. The value of this constant is 255.

### `__POSIX_MAX_INPUT`

The most restrictive limit permitted by POSIX for the maximum number of bytes in a terminal device input queue (or typeahead buffer). See [Input Modes](#). The value of this constant is 255.

### `__POSIX_NAME_MAX`

The most restrictive limit permitted by POSIX for the maximum number of bytes in a file name component. The value of this constant is 14.

### `__POSIX_PATH_MAX`

The most restrictive limit permitted by POSIX for the maximum number of bytes in a file name. The value of this constant is 256.

### `__POSIX_PIPE_BUF`

The most restrictive limit permitted by POSIX for the maximum number of bytes that can be written atomically to a pipe. The value of this constant is 512.

### `SYMLINK_MAX`

Maximum number of bytes in a symbolic link.

### `POSIX_REC_INCR_XFER_SIZE`

Recommended increment for file transfer sizes between the `POSIX_REC_MIN_XFER_SIZE` and `POSIX_REC_MAX_XFER_SIZE` values.

### `POSIX_REC_MAX_XFER_SIZE`



Maximum recommended file transfer size.

POSIX\_REC\_MIN\_XFER\_SIZE

Minimum recommended file transfer size.

POSIX\_REC\_XFER\_ALIGN

Recommended file transfer buffer alignment.

Node: Pathconf, Next: [Utility Limits](#), Previous: [File Minimums](#), Up: [System Configuration](#)

## Using pathconf

When your machine allows different files to have different values for a file system parameter, you can use the functions in this section to find out the value that applies to any particular file.

These functions and the associated constants for the *parameter* argument are declared in the header file `unistd.h`.

long int **pathconf** (*const char \*filename, int parameter*) Function

This function is used to inquire about the limits that apply to the file named *filename*.

The *parameter* argument should be one of the `_PC_` constants listed below.

The normal return value from `pathconf` is the value you requested. A value of `-1` is returned both if the implementation does not impose a limit, and in case of an error. In the former case, `errno` is not set, while in the latter case, `errno` is set to indicate the cause of the problem. So the only way to use this function robustly is to store `0` into `errno` just before calling it.

Besides the usual file name errors (see [File Name Errors](#)), the following error condition is defined for this function:

EINVAL

The value of *parameter* is invalid, or the implementation doesn't support the *parameter* for the specific file.

long int **fpathconf** (*int filedes, int parameter*) Function

This is just like `pathconf` except that an open file descriptor is used to specify the file for which information is requested, instead of a file name.

The following `errno` error conditions are defined for this function:

`EBADF`

The *filedes* argument is not a valid file descriptor.

`EINVAL`

The value of *parameter* is invalid, or the implementation doesn't support the *parameter* for the specific file.

Here are the symbolic constants that you can use as the *parameter* argument to `pathconf` and `fpathconf`. The values are all integer constants.

`_PC_LINK_MAX`

Inquire about the value of `LINK_MAX`.

`_PC_MAX_CANON`

Inquire about the value of `MAX_CANON`.

`_PC_MAX_INPUT`

Inquire about the value of `MAX_INPUT`.

`_PC_NAME_MAX`

Inquire about the value of `NAME_MAX`.

`_PC_PATH_MAX`

Inquire about the value of `PATH_MAX`.

`_PC_PIPE_BUF`

Inquire about the value of `PIPE_BUF`.

`_PC_CHOWN_RESTRICTED`

Inquire about the value of `_POSIX_CHOWN_RESTRICTED`.

`_PC_NO_TRUNC`

Inquire about the value of `_POSIX_NO_TRUNC`.

`_PC_VDISABLE`

Inquire about the value of `_POSIX_VDISABLE`.

`_PC_SYNC_IO`

Inquire about the value of `_POSIX_SYNC_IO`.

`_PC_ASYNC_IO`

Inquire about the value of `_POSIX_ASYNC_IO`.

`_PC_PRIO_IO`

Inquire about the value of `_POSIX_PRIO_IO`.

`_PC_SOCK_MAXBUF`

Inquire about the value of `_POSIX_PIPE_BUF`.

`_PC_FILESIZEBITS`

Inquire about the availability of large files on the filesystem.

`_PC_REC_INCR_XFER_SIZE`

Inquire about the value of `POSIX_REC_INCR_XFER_SIZE`.

`_PC_REC_MAX_XFER_SIZE`

Inquire about the value of `POSIX_REC_MAX_XFER_SIZE`.

`_PC_REC_MIN_XFER_SIZE`

Inquire about the value of `POSIX_REC_MIN_XFER_SIZE`.

`_PC_REC_XFER_ALIGN`

Inquire about the value of `POSIX_REC_XFER_ALIGN`.

Node: Utility Limits, Next: [Utility Minimums](#), Previous: [Pathconf](#), Up: [System Configuration](#)

## Utility Program Capacity Limits

The POSIX.2 standard specifies certain system limits that you can access through `sysconf` that apply to utility behavior rather than the behavior of the library or the operating system.

The GNU C library defines macros for these limits, and `sysconf` returns values for them if you ask; but these values convey no meaningful information. They are simply the smallest values that POSIX.2 permits.

int **BC\_BASE\_MAX** Macro

The largest value of `obase` that the `bc` utility is guaranteed to support.

int **BC\_DIM\_MAX** Macro

The largest number of elements in one array that the `bc` utility is guaranteed to support.

int **BC\_SCALE\_MAX** Macro

The largest value of `scale` that the `bc` utility is guaranteed to support.

int **BC\_STRING\_MAX** Macro

The largest number of characters in one string constant that the `bc` utility is guaranteed to support.

int **COLL\_WEIGHTS\_MAX** Macro

The largest number of weights that can necessarily be used in defining the collating sequence for a locale.

int **EXPR\_NEST\_MAX** Macro

The maximum number of expressions that can be nested within parenthesis by the `expr` utility.

int **LINE\_MAX** Macro

The largest text line that the text-oriented POSIX.2 utilities can support. (If you are using the GNU versions of these utilities, then there is no actual limit except that imposed by the available virtual memory, but there is no way that the library can tell you this.)

int **EQUIV\_CLASS\_MAX** Macro

The maximum number of weights that can be assigned to an entry of the `LC_COLLATE` category `order` keyword in a locale definition. The GNU C library does not presently support locale definitions.

Node: Utility Minimums, Next: [String Parameters](#), Previous: [Utility Limits](#), Up: [System Configuration](#)

## Minimum Values for Utility Limits

`__POSIX2_BC_BASE_MAX`

The most restrictive limit permitted by POSIX.2 for the maximum value of `obase` in the `bc` utility. Its value is 99.

`__POSIX2_BC_DIM_MAX`

The most restrictive limit permitted by POSIX.2 for the maximum size of an array in the `bc` utility. Its value is 2048.

`__POSIX2_BC_SCALE_MAX`

The most restrictive limit permitted by POSIX.2 for the maximum value of `scale` in the `bc` utility. Its value is 99.

`__POSIX2_BC_STRING_MAX`

The most restrictive limit permitted by POSIX.2 for the maximum size of a string constant in the `bc` utility. Its value is 1000.

`__POSIX2_COLL_WEIGHTS_MAX`

The most restrictive limit permitted by POSIX.2 for the maximum number of weights that can necessarily be used in defining the collating sequence for a locale. Its value is 2.

`__POSIX2_EXPR_NEST_MAX`

The most restrictive limit permitted by POSIX.2 for the maximum number of expressions nested within parenthesis when using the `expr` utility. Its value is 32.

`__POSIX2_LINE_MAX`

The most restrictive limit permitted by POSIX.2 for the maximum size of a text line that the text utilities can handle. Its value is 2048.

`__POSIX2_EQUIV_CLASS_MAX`

The most restrictive limit permitted by POSIX.2 for the maximum number of weights that can be assigned to an entry of the LC\_COLLATE category `order` keyword in a locale definition. Its value is 2. The GNU C library does not presently support locale definitions.

---

Node: String Parameters, Previous: [Utility Minimums](#), Up: [System Configuration](#)

## String-Valued Parameters

POSIX.2 defines a way to get string-valued parameters from the operating system with the function `confstr`:

`size_t confstr` (*int parameter, char \*buf, size\_t len*) Function

This function reads the value of a string-valued system parameter, storing the string into *len* bytes of memory space starting at *buf*. The *parameter* argument should be one of the `_CS_` symbols listed below.

The normal return value from `confstr` is the length of the string value that you asked for. If you supply a null pointer for *buf*, then `confstr` does not try to store the string; it just returns its length. A value of 0 indicates an error.

If the string you asked for is too long for the buffer (that is, longer than  $len - 1$ ), then `confstr` stores just that much (leaving room for the terminating null character). You can tell that this has happened because `confstr` returns a value greater than or equal to *len*.

The following `errno` error conditions are defined for this function:

`EINVAL`

The value of the *parameter* is invalid.

Currently there is just one parameter you can read with `confstr`:

`_CS_PATH`

This parameter's value is the recommended default path for searching for executable files. This is the path that a user has by default just after logging in.

`_CS_LFS_CFLAGS`

The returned string specifies which additional flags must be given to the C compiler if a source is compiled using the `__LARGEFILE__SOURCE` feature select macro; see [Feature Test Macros](#).

`_CS_LFS_LDFLAGS`

The returned string specifies which additional flags must be given to the linker if a source is

compiled using the `_LARGEFILE_SOURCE` feature select macro; see [Feature Test Macros](#).

#### `_CS_LFS_LIBS`

The returned string specifies which additional libraries must be linked to the application if a source is compiled using the `_LARGEFILE_SOURCE` feature select macro; see [Feature Test Macros](#).

#### `_CS_LFS_LINTFLAGS`

The returned string specifies which additional flags must be given to the lint tool if a source is compiled using the `_LARGEFILE_SOURCE` feature select macro; see [Feature Test Macros](#).

#### `_CS_LFS64_CFLAGS`

The returned string specifies which additional flags must be given to the C compiler if a source is compiled using the `_LARGEFILE64_SOURCE` feature select macro; see [Feature Test Macros](#).

#### `_CS_LFS64_LDFLAGS`

The returned string specifies which additional flags must be given to the linker if a source is compiled using the `_LARGEFILE64_SOURCE` feature select macro; see [Feature Test Macros](#).

#### `_CS_LFS64_LIBS`

The returned string specifies which additional libraries must be linked to the application if a source is compiled using the `_LARGEFILE64_SOURCE` feature select macro; see [Feature Test Macros](#).

#### `_CS_LFS64_LINTFLAGS`

The returned string specifies which additional flags must be given to the lint tool if a source is compiled using the `_LARGEFILE64_SOURCE` feature select macro; see [Feature Test Macros](#).

The way to use `confstr` without any arbitrary limit on string size is to call it twice: first call it to get the length, allocate the buffer accordingly, and then call `confstr` again to fill the buffer, like this:

```
char *
get_default_path (void)
{
    size_t len = confstr (_CS_PATH, NULL, 0);
    char *buffer = (char *) xmalloc (len);

    if (confstr (_CS_PATH, buf, len + 1) == 0)
    {
        free (buffer);
        return NULL;
    }

    return buffer;
}
```

# DES Encryption and Password Handling

On many systems, it is unnecessary to have any kind of user authentication; for instance, a workstation which is not connected to a network probably does not need any user authentication, because to use the machine an intruder must have physical access.

Sometimes, however, it is necessary to be sure that a user is authorized to use some service a machine provides--for instance, to log in as a particular user id (see [Users and Groups](#)). One traditional way of doing this is for each user to choose a secret *password*; then, the system can ask someone claiming to be a user what the user's password is, and if the person gives the correct password then the system can grant the appropriate privileges.

If all the passwords are just stored in a file somewhere, then this file has to be very carefully protected. To avoid this, passwords are run through a *one-way function*, a function which makes it difficult to work out what its input was by looking at its output, before storing in the file.

The GNU C library provides a one-way function that is compatible with the behavior of the `crypt` function introduced in FreeBSD 2.0. It supports two one-way algorithms: one based on the MD5 message-digest algorithm that is compatible with modern BSD systems, and the other based on the Data Encryption Standard (DES) that is compatible with Unix systems.

It also provides support for Secure RPC, and some library functions that can be used to perform normal DES encryption.

- [Legal Problems](#): This software can get you locked up, or worse.
- [getpass](#): Prompting the user for a password.
- [crypt](#): A one-way function for passwords.
- [DES Encryption](#): Routines for DES encryption.

---

Node: [Legal Problems](#), Next: [getpass](#), Up: [Cryptographic Functions](#)

## Legal Problems

Because of the continuously changing state of the law, it's not possible to provide a definitive survey of the laws affecting cryptography. Instead, this section warns you of some of the known trouble spots; this may help you when you try to find out what the laws of your country are.

Some countries require that you have a licence to use, possess, or import cryptography. These countries are believed to include Byelorussia, Burma, India, Indonesia, Israel, Kazakhstan, Pakistan, Russia, and Saudi Arabia.

Some countries restrict the transmission of encrypted messages by radio; some telecommunications carriers restrict the transmission of encrypted messages over their network.

Many countries have some form of export control for encryption software. The Wassenaar Arrangement is a multilateral agreement between 33 countries (Argentina, Australia, Austria, Belgium, Bulgaria, Canada, the Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Japan, Luxembourg, the Netherlands, New Zealand, Norway, Poland, Portugal, the Republic of Korea, Romania, the Russian Federation, the Slovak Republic, Spain, Sweden, Switzerland, Turkey, Ukraine, the United Kingdom and the United States) which restricts some kinds of encryption exports. Different countries apply the arrangement in different ways; some do not allow the exception for certain kinds of "public domain" software (which would include this library), some only restrict the export of software in tangible form, and others impose significant additional restrictions.

The United States has additional rules. This software would generally be exportable under 15 CFR 740.13(e), which permits exports of "encryption source code" which is "publicly available" and which is "not subject to an express agreement for the payment of a licensing fee or royalty for commercial production or sale of any product developed with the source code" to most countries.

The rules in this area are continuously changing. If you know of any information in this manual that is out-of-date, please report it using the `glibcbug` script. See [Reporting Bugs](#).

---

Node: `getpass`, Next: [crypt](#), Previous: [Legal Problems](#), Up: [Cryptographic Functions](#)

## Reading Passwords

When reading in a password, it is desirable to avoid displaying it on the screen, to help keep it secret. The following function handles this in a convenient way.

```
char * getpass (const char *prompt)
```

Function



`getpass` outputs *prompt*, then reads a string in from the terminal without echoing it. It tries to connect to the real terminal, `/dev/tty`, if possible, to encourage users not to put plaintext passwords in files; otherwise, it uses `stdin` and `stderr`. `getpass` also disables the INTR, QUIT, and SUSP characters on the terminal using the ISIG terminal attribute (see [Local Modes](#)). The terminal is flushed before and after `getpass`, so that characters of a mistyped password are not accidentally visible.

In other C libraries, `getpass` may only return the first `PASS_MAX` bytes of a password. The GNU C library has no limit, so `PASS_MAX` is undefined.

The prototype for this function is in `unistd.h`. `PASS_MAX` would be defined in `limits.h`.

This precise set of operations may not suit all possible situations. In this case, it is recommended that users write their own `getpass` substitute. For instance, a very simple substitute is as follows:

```
#include <termios.h>
#include <stdio.h>

ssize_t
my_getpass (char **lineptr, size_t *n, FILE *stream)
{
    struct termios old, new;
    int nread;

    /* Turn echoing off and fail if we can't. */
    if (tcgetattr (fileno (stream), &old) != 0)
        return -1;
    new = old;
    new.c_lflag &= ~ECHO;
    if (tcsetattr (fileno (stream), TCSAFLUSH, &new) != 0)
        return -1;

    /* Read the password. */
    nread = getline (lineptr, n, stream);

    /* Restore terminal. */
    (void) tcsetattr (fileno (stream), TCSAFLUSH, &old);

    return nread;
}
```

The substitute takes the same parameters as `getline` (see [Line Input](#)); the user must print any prompt desired.

## Encrypting Passwords

char \* **crypt** (*const char \*key, const char \*salt*) Function

The `crypt` function takes a password, *key*, as a string, and a *salt* character array which is described below, and returns a printable ASCII string which starts with another salt. It is believed that, given the output of the function, the best way to find a *key* that will produce that output is to guess values of *key* until the original value of *key* is found.

The *salt* parameter does two things. Firstly, it selects which algorithm is used, the MD5-based one or the DES-based one. Secondly, it makes life harder for someone trying to guess passwords against a file containing many passwords; without a *salt*, an intruder can make a guess, run `crypt` on it once, and compare the result with all the passwords. With a *salt*, the intruder must run `crypt` once for each different salt.

For the MD5-based algorithm, the *salt* should consist of the string `$1$`, followed by up to 8 characters, terminated by either another `$` or the end of the string. The result of `crypt` will be the *salt*, followed by a `$` if the salt didn't end with one, followed by 22 characters from the alphabet `./0-9A-Za-z`, up to 34 characters total. Every character in the *key* is significant.

For the DES-based algorithm, the *salt* should consist of two characters from the alphabet `./0-9A-Za-z`, and the result of `crypt` will be those two characters followed by 11 more from the same alphabet, 13 in total. Only the first 8 characters in the *key* are significant.

The MD5-based algorithm has no limit on the useful length of the password used, and is slightly more secure. It is therefore preferred over the DES-based algorithm.

When the user enters their password for the first time, the *salt* should be set to a new string which is reasonably random. To verify a password against the result of a previous call to `crypt`, pass the result of the previous call as the *salt*.

The following short program is an example of how to use `crypt` the first time a password is entered. Note that the *salt* generation is just barely acceptable; in particular, it is not unique between machines, and in many applications it would not be acceptable to let an attacker know what time the user's password was last set.

```
#include <stdio.h>
#include <time.h>
#include <unistd.h>
#include <crypt.h>
```

```

int
main(void)
{
    unsigned long seed[2];
    char salt[] = "$1$. . . . .";
    const char *const seedchars =
        "./0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ"
        "UVWXYZabcdefghijklmnopqrstuvwxyz";
    char *password;
    int i;

    /* Generate a (not very) random seed.
       You should do it better than this... */
    seed[0] = time(NULL);
    seed[1] = getpid() ^ (seed[0] >> 14 & 0x30000);

    /* Turn it into printable characters from `seedchars'. */
    for (i = 0; i < 8; i++)
        salt[3+i] = seedchars[(seed[i/5] >> (i%5)*6) & 0x3f];

    /* Read in the user's password and encrypt it. */
    password = crypt(getpass("Password:"), salt);

    /* Print the results. */
    puts(password);
    return 0;
}

```

The next program shows how to verify a password. It prompts the user for a password and prints "Access granted." if the user types GNU libc manual.

```

#include <stdio.h>
#include <string.h>
#include <unistd.h>
#include <crypt.h>

int
main(void)
{
    /* Hashed form of "GNU libc manual". */
    const char *const pass = "$1$/iSaq7rB$EoUw5jJPPvAPECNaaWzMK/";

    char *result;
    int ok;

    /* Read in the user's password and encrypt it,
       passing the expected password in as the salt. */
    result = crypt(getpass("Password:"), pass);

```

```

/* Test the result. */
ok = strcmp (result, pass) == 0;

puts(ok ? "Access granted." : "Access denied.");
return ok ? 0 : 1;
}

```

char \* **crypt\_r** (*const char \*key, const char \*salt, struct crypt\_data \* data*) Function

The `crypt_r` function does the same thing as `crypt`, but takes an extra parameter which includes space for its result (among other things), so it can be reentrant. `data->initialized` must be cleared to zero before the first time `crypt_r` is called.

The `crypt_r` function is a GNU extension.

The `crypt` and `crypt_r` functions are prototyped in the header `crypt.h`.

Node: DES Encryption, Previous: [crypt](#), Up: [Cryptographic Functions](#)

## DES Encryption

The Data Encryption Standard is described in the US Government Federal Information Processing Standards (FIPS) 46-3 published by the National Institute of Standards and Technology. The DES has been very thoroughly analyzed since it was developed in the late 1970s, and no new significant flaws have been found.

However, the DES uses only a 56-bit key (plus 8 parity bits), and a machine has been built in 1998 which can search through all possible keys in about 6 days, which cost about US\$200000; faster searches would be possible with more money. This makes simple DES insecure for most purposes, and NIST no longer permits new US government systems to use simple DES.

For serious encryption functionality, it is recommended that one of the many free encryption libraries be used instead of these routines.

The DES is a reversible operation which takes a 64-bit block and a 64-bit key, and produces another 64-bit block. Usually the bits are numbered so that the most-significant bit, the first bit, of each block is numbered 1.

Under that numbering, every 8th bit of the key (the 8th, 16th, and so on) is not used by the encryption algorithm itself. But the key must have odd parity; that is, out of bits 1 through 8, and 9 through 16, and

so on, there must be an odd number of `1' bits, and this completely specifies the unused bits.

void **setkey** (*const char \*key*) Function

The `setkey` function sets an internal data structure to be an expanded form of *key*. *key* is specified as an array of 64 bits each stored in a `char`, the first bit is `key[0]` and the 64th bit is `key[63]`. The *key* should have the correct parity.

void **encrypt** (*char \*block, int edflag*) Function

The `encrypt` function encrypts *block* if *edflag* is 0, otherwise it decrypts *block*, using a key previously set by `setkey`. The result is placed in *block*.

Like `setkey`, *block* is specified as an array of 64 bits each stored in a `char`, but there are no parity bits in *block*.

void **setkey\_r** (*const char \*key, struct crypt\_data \*data*) Function

void **encrypt\_r** (*char \*block, int edflag, struct crypt\_data \*data*) Function

These are reentrant versions of `setkey` and `encrypt`. The only difference is the extra parameter, which stores the expanded version of *key*. Before calling `setkey_r` the first time, `data->initialized` must be cleared to zero.

The `setkey_r` and `encrypt_r` functions are GNU extensions. `setkey`, `encrypt`, `setkey_r`, and `encrypt_r` are defined in `crypt.h`.

int **ecb\_crypt** (*char \*key, char \*blocks, unsigned len, unsigned mode*) Function

The function `ecb_crypt` encrypts or decrypts one or more blocks using DES. Each block is encrypted independently.

The *blocks* and the *key* are stored packed in 8-bit bytes, so that the first bit of the key is the most-significant bit of `key[0]` and the 63rd bit of the key is stored as the least-significant bit of `key[7]`. The *key* should have the correct parity.

*len* is the number of bytes in *blocks*. It should be a multiple of 8 (so that there is a whole number of blocks to encrypt). *len* is limited to a maximum of `DES_MAXDATA` bytes.

The result of the encryption replaces the input in *blocks*.

The *mode* parameter is the bitwise OR of two of the following:

DES\_ENCRYPT

This constant, used in the *mode* parameter, specifies that *blocks* is to be encrypted.

DES\_DECRYPT

This constant, used in the *mode* parameter, specifies that *blocks* is to be decrypted.

DES\_HW

This constant, used in the *mode* parameter, asks to use a hardware device. If no hardware device is available, encryption happens anyway, but in software.

DES\_SW

This constant, used in the *mode* parameter, specifies that no hardware device is to be used.

The result of the function will be one of these values:

DESERR\_NONE

The encryption succeeded.

DESERR\_NOHWDEVICE

The encryption succeeded, but there was no hardware device available.

DESERR\_HWERROR

The encryption failed because of a hardware problem.

DESERR\_BADPARAM

The encryption failed because of a bad parameter, for instance *len* is not a multiple of 8 or *len* is larger than DES\_MAXDATA.

int **DES\_FAILED** (*int err*) Function

This macro returns 1 if *err* is a 'success' result code from `ecb_crypt` or `cbc_crypt`, and 0 otherwise.

int **cbc\_crypt** (*char \*key, char \*blocks, unsigned len, unsigned mode, char \*ivec*) Function

The function `cbc_crypt` encrypts or decrypts one or more blocks using DES in Cipher Block Chaining mode.

For encryption in CBC mode, each block is exclusive-ored with *ivec* before being encrypted, then *ivec* is replaced with the result of the encryption, then the next block is processed. Decryption is the reverse of this process.

This has the advantage that blocks which are the same before being encrypted are very unlikely to be the same after being encrypted, making it much harder to detect patterns in the data.

Usually, *ivec* is set to 8 random bytes before encryption starts. Then the 8 random bytes are transmitted along with the encrypted data (without themselves being encrypted), and passed back in as *ivec* for decryption. Another possibility is to set *ivec* to 8 zeroes initially, and have the first

the block encrypted consist of 8 random bytes.

Otherwise, all the parameters are similar to those for `ecb_crypt`.

void **des\_setparity** (*char \*key*)

Function

The function `des_setparity` changes the 64-bit *key*, stored packed in 8-bit bytes, to have odd parity by altering the low bits of each byte.

The `ecb_crypt`, `cbc_crypt`, and `des_setparity` functions and their accompanying macros are all defined in the header `rpc/des_crypt.h`.

---

Node: Debugging Support, Next: [POSIX Threads](#), Previous: [Cryptographic Functions](#), Up: [Top](#)

## Debugging support

Applications are usually debugged using dedicated debugger programs. But sometimes this is not possible and, in any case, it is useful to provide the developer with as much information as possible at the time the problems are experienced. For this reason a few functions are provided which a program can use to help the developer more easily locate the problem.

- [Backtraces](#): Obtaining and printing a back trace of the current stack.

---

Node: Backtraces, Up: [Debugging Support](#)

## Backtraces

A *backtrace* is a list of the function calls that are currently active in a thread. The usual way to inspect a backtrace of a program is to use an external debugger such as `gdb`. However, sometimes it is useful to obtain a backtrace programmatically from within a program, e.g., for the purposes of logging or diagnostics.

The header file `execinfo.h` declares three functions that obtain and manipulate backtraces of the current thread.

int **backtrace** (*void \*\*buffer, int size*)

Function

The `backtrace` function obtains a backtrace for the current thread, as a list of pointers, and places the information into *buffer*. The argument *size* should be the number of `void *` elements that will fit into *buffer*. The return value is the actual number of entries of *buffer* that are obtained, and is at most *size*.

The pointers placed in *buffer* are actually return addresses obtained by inspecting the stack, one return address per stack frame.

Note that certain compiler optimizations may interfere with obtaining a valid backtrace. Function inlining causes the inlined function to not have a stack frame; tail call optimization replaces one stack frame with another; frame pointer elimination will stop `backtrace` from interpreting the stack contents correctly.

`char ** backtrace_symbols (void *const *buffer, int size)` Function

The `backtrace_symbols` function translates the information obtained from the `backtrace` function into an array of strings. The argument *buffer* should be a pointer to an array of addresses obtained via the `backtrace` function, and *size* is the number of entries in that array (the return value of `backtrace`).

The return value is a pointer to an array of strings, which has *size* entries just like the array *buffer*. Each string contains a printable representation of the corresponding element of *buffer*. It includes the function name (if this can be determined), an offset into the function, and the actual return address (in hexadecimal).

Currently, the function name and offset only be obtained on systems that use the ELF binary format for programs and libraries. On other systems, only the hexadecimal return address will be present. Also, you may need to pass additional flags to the linker to make the function names available to the program. (For example, on systems using GNU ld, you must pass `(-rdynamic)`.)

The return value of `backtrace_symbols` is a pointer obtained via the `malloc` function, and it is the responsibility of the caller to `free` that pointer. Note that only the return value need be freed, not the individual strings.

The return value is `NULL` if sufficient memory for the strings cannot be obtained.

`void backtrace_symbols_fd (void *const *buffer, int size, int fd)` Function

The `backtrace_symbols_fd` function performs the same translation as the function `backtrace_symbols` function. Instead of returning the strings to the caller, it writes the strings to the file descriptor *fd*, one per line. It does not use the `malloc` function, and can therefore be used in situations where that function might fail.



The following program illustrates the use of these functions. Note that the array to contain the return addresses returned by `backtrace` is allocated on the stack. Therefore code like this can be used in situations where the memory handling via `malloc` does not work anymore (in which case the `backtrace_symbols` has to be replaced by a `backtrace_symbols_fd` call as well). The number of return addresses is normally not very large. Even complicated programs rather seldom have a nesting level of more than, say, 50 and with 200 possible entries probably all programs should be covered.

```
#include <execinfo.h>
#include <stdio.h>
#include <stdlib.h>

/* Obtain a backtrace and print it to stdout. */
void
print_trace (void)
{
    void *array[10];
    size_t size;
    char **strings;
    size_t i;

    size = backtrace (array, 10);
    strings = backtrace_symbols (array, size);

    printf ("Obtained %zd stack frames.\n", size);

    for (i = 0; i < size; i++)
        printf ("%s\n", strings[i]);

    free (strings);
}

/* A dummy function to make the backtrace more interesting. */
void
dummy_function (void)
{
    print_trace ();
}

int
main (void)
{
    dummy_function ();
    return 0;
}
```

Node: POSIX Threads, Next: [Language Features](#), Previous: [Debugging Support](#), Up: [Top](#)

## POSIX Threads

This chapter describes the pthreads (POSIX threads) library. This library provides support functions for multithreaded programs: thread primitives, synchronization objects, and so forth. It also implements POSIX 1003.1b semaphores (not to be confused with System V semaphores).

The threads operations (`pthread_*`) do not use *errno*. Instead they return an error code directly. The semaphore operations do use *errno*.

- [Basic Thread Operations](#): Creating, terminating, and waiting for threads.
- [Thread Attributes](#): Tuning thread scheduling.
- [Cancellation](#): Stopping a thread before it's done.
- [Cleanup Handlers](#): Deallocating resources when a thread is canceled.
- [Mutexes](#): One way to synchronize threads.
- [Condition Variables](#): Another way.
- [POSIX Semaphores](#): And a third way.
- [Thread-Specific Data](#): Variables with different values in different threads.
- [Threads and Signal Handling](#): Why you should avoid mixing the two, and how to do it if you must.
- [Threads and Fork](#): Interactions between threads and the `fork` function.
- [Streams and Fork](#): Interactions between stdio streams and `fork`.
- [Miscellaneous Thread Functions](#): A grab bag of utility routines.

---

Node: Basic Thread Operations, Next: [Thread Attributes](#), Up: [POSIX Threads](#)

## Basic Thread Operations

These functions are the thread equivalents of `fork`, `exit`, and `wait`.

`int pthread_create` (*pthread\_t \* thread, pthread\_attr\_t \* attr, void \* (\*start\_routine)(void \*), void \* arg*) Function

`pthread_create` creates a new thread of control that executes concurrently with the calling thread. The new thread calls the function *start\_routine*, passing it *arg* as first argument. The new thread terminates either explicitly, by calling `pthread_exit`, or implicitly, by returning from the *start\_routine* function. The latter case is equivalent to calling `pthread_exit` with the result returned by *start\_routine* as exit code.

The *attr* argument specifies thread attributes to be applied to the new thread. See [Thread Attributes](#), for details. The *attr* argument can also be `NULL`, in which case default attributes are used: the created thread is joinable (not detached) and has an ordinary (not realtime) scheduling policy.

On success, the identifier of the newly created thread is stored in the location pointed by the *thread* argument, and a 0 is returned. On error, a non-zero error code is returned.

This function may return the following errors:

`EAGAIN`

Not enough system resources to create a process for the new thread, or more than `PTHREAD_THREADS_MAX` threads are already active.

**void `pthread_exit` (*void \*retval*)** Function

`pthread_exit` terminates the execution of the calling thread. All cleanup handlers (see [Cleanup Handlers](#)) that have been set for the calling thread with `pthread_cleanup_push` are executed in reverse order (the most recently pushed handler is executed first). Finalization functions for thread-specific data are then called for all keys that have non-`NULL` values associated with them in the calling thread (see [Thread-Specific Data](#)). Finally, execution of the calling thread is stopped.

The *retval* argument is the return value of the thread. It can be retrieved from another thread using `pthread_join`.

The `pthread_exit` function never returns.

**int `pthread_cancel` (*pthread\_t thread*)** Function

`pthread_cancel` sends a cancellation request to the thread denoted by the *thread* argument. If there is no such thread, `pthread_cancel` fails and returns `ESRCH`. Otherwise it returns 0. See [Cancellation](#), for details.

**int pthread\_join** (*pthread\_t th*, *void \*\*thread\_return*)

Function

`pthread_join` suspends the execution of the calling thread until the thread identified by *th* terminates, either by calling `pthread_exit` or by being canceled.

If *thread\_return* is not `NULL`, the return value of *th* is stored in the location pointed to by *thread\_return*. The return value of *th* is either the argument it gave to `pthread_exit`, or `PTHREAD_CANCELED` if *th* was canceled.

The joined thread *th* must be in the joinable state: it must not have been detached using `pthread_detach` or the `PTHREAD_CREATE_DETACHED` attribute to `pthread_create`.

When a joinable thread terminates, its memory resources (thread descriptor and stack) are not deallocated until another thread performs `pthread_join` on it. Therefore, `pthread_join` must be called once for each joinable thread created to avoid memory leaks.

At most one thread can wait for the termination of a given thread. Calling `pthread_join` on a thread *th* on which another thread is already waiting for termination returns an error.

`pthread_join` is a cancellation point. If a thread is canceled while suspended in `pthread_join`, the thread execution resumes immediately and the cancellation is executed without waiting for the *th* thread to terminate. If cancellation occurs during `pthread_join`, the *th* thread remains not joined.

On success, the return value of *th* is stored in the location pointed to by *thread\_return*, and 0 is returned. On error, one of the following values is returned:

`ESRCH`

No thread could be found corresponding to that specified by *th*.

`EINVAL`

The *th* thread has been detached, or another thread is already waiting on termination of *th*.

`EDEADLK`

The *th* argument refers to the calling thread.

---

Node: Thread Attributes, Next: [Cancellation](#), Previous: [Basic Thread Operations](#), Up: [POSIX Threads](#)

## Thread Attributes

Threads have a number of attributes that may be set at creation time. This is done by filling a thread attribute object *attr* of type `pthread_attr_t`, then passing it as second argument to

`pthread_create`. Passing `NULL` is equivalent to passing a thread attribute object with all attributes set to their default values.

Attribute objects are consulted only when creating a new thread. The same attribute object can be used for creating several threads. Modifying an attribute object after a call to `pthread_create` does not change the attributes of the thread previously created.

int **pthread\_attr\_init** (*pthread\_attr\_t \*attr*) Function

`pthread_attr_init` initializes the thread attribute object *attr* and fills it with default values for the attributes. (The default values are listed below for each attribute.)

Each attribute *attrname* (see below for a list of all attributes) can be individually set using the function `pthread_attr_setattrname` and retrieved using the function `pthread_attr_getattrname`.

int **pthread\_attr\_destroy** (*pthread\_attr\_t \*attr*) Function

`pthread_attr_destroy` destroys the attribute object pointed to by *attr* releasing any resources associated with it. *attr* is left in an undefined state, and you must not use it again in a call to any pthreads function until it has been reinitialized.

int **pthread\_attr\_setattr** (*pthread\_attr\_t \*obj, int value*) Function

Set attribute *attr* to *value* in the attribute object pointed to by *obj*. See below for a list of possible attributes and the values they can take.

On success, these functions return 0. If *value* is not meaningful for the *attr* being modified, they will return the error code `EINVAL`. Some of the functions have other failure modes; see below.

int **pthread\_attr\_getattr** (*const pthread\_attr\_t \*obj, int \*value*) Function

Store the current setting of *attr* in *obj* into the variable pointed to by *value*.

These functions always return 0.

The following thread attributes are supported:

#### detachstate

Choose whether the thread is created in the joinable state (value `PTHREAD_CREATE_JOINABLE`) or in the detached state (`PTHREAD_CREATE_DETACHED`). The default is `PTHREAD_CREATE_JOINABLE`.

In the joinable state, another thread can synchronize on the thread termination and recover its termination code using `pthread_join`, but some of the thread resources are kept allocated after the thread terminates, and reclaimed only when another thread performs `pthread_join` on that thread.

In the detached state, the thread resources are immediately freed when it terminates, but `pthread_join` cannot be used to synchronize on the thread termination.

A thread created in the joinable state can later be put in the detached thread using `pthread_detach`.

## `schedpolicy`

Select the scheduling policy for the thread: one of `SCHED_OTHER` (regular, non-realtime scheduling), `SCHED_RR` (realtime, round-robin) or `SCHED_FIFO` (realtime, first-in first-out). The default is `SCHED_OTHER`.

The realtime scheduling policies `SCHED_RR` and `SCHED_FIFO` are available only to processes with superuser privileges. `pthread_attr_setschedparam` will fail and return `ENOTSUP` if you try to set a realtime policy when you are unprivileged.

The scheduling policy of a thread can be changed after creation with `pthread_setschedparam`.

## `schedparam`

Change the scheduling parameter (the scheduling priority) for the thread. The default is 0.

This attribute is not significant if the scheduling policy is `SCHED_OTHER`; it only matters for the realtime policies `SCHED_RR` and `SCHED_FIFO`.

The scheduling priority of a thread can be changed after creation with `pthread_setschedparam`.

## `inheritsched`

Choose whether the scheduling policy and scheduling parameter for the newly created thread are determined by the values of the `schedpolicy` and `schedparam` attributes (value `PTHREAD_EXPLICIT_SCHED`) or are inherited from the parent thread (value `PTHREAD_INHERIT_SCHED`). The default is `PTHREAD_EXPLICIT_SCHED`.

## `scope`

Choose the scheduling contention scope for the created thread. The default is `PTHREAD_SCOPE_SYSTEM`, meaning that the threads contend for CPU time with all processes running on the machine. In particular, thread priorities are interpreted relative to the priorities of all other processes on the machine. The other possibility, `PTHREAD_SCOPE_PROCESS`, means

that scheduling contention occurs only between the threads of the running process: thread priorities are interpreted relative to the priorities of the other threads of the process, regardless of the priorities of other processes.

`PTHREAD_SCOPE_PROCESS` is not supported in LinuxThreads. If you try to set the scope to this value, `pthread_attr_setscope` will fail and return `ENOTSUP`.

#### `stackaddr`

Provide an address for an application managed stack. The size of the stack must be at least `PTHREAD_STACK_MIN`.

#### `stacksize`

Change the size of the stack created for the thread. The value defines the minimum stack size, in bytes.

If the value exceeds the system's maximum stack size, or is smaller than `PTHREAD_STACK_MIN`, `pthread_attr_setstacksize` will fail and return `EINVAL`.

#### `stack`

Provide both the address and size of an application managed stack to use for the new thread. The base of the memory area is *stackaddr* with the size of the memory area, *stacksize*, measured in bytes.

If the value of *stacksize* is less than `PTHREAD_STACK_MIN`, or greater than the system's maximum stack size, or if the value of *stackaddr* lacks the proper alignment, `pthread_attr_setstack` will fail and return `EINVAL`.

#### `guardsize`

Change the minimum size in bytes of the guard area for the thread's stack. The default size is a single page. If this value is set, it will be rounded up to the nearest page size. If the value is set to 0, a guard area will not be created for this thread. The space allocated for the guard area is used to catch stack overflow. Therefore, when allocating large structures on the stack, a larger guard area may be required to catch a stack overflow.

If the caller is managing their own stacks (if the `stackaddr` attribute has been set), then the `guardsize` attribute is ignored.

If the value exceeds the `stacksize`, `pthread_attr_setguardsize` will fail and return `EINVAL`.

---

Node: Cancellation, Next: [Cleanup Handlers](#), Previous: [Thread Attributes](#), Up: [POSIX Threads](#)

## Cancellation

Cancellation is the mechanism by which a thread can terminate the execution of another thread. More precisely, a thread can send a cancellation request to another thread. Depending on its settings, the target thread can then either ignore the request, honor it immediately, or defer it till it reaches a cancellation point. When threads are first created by `pthread_create`, they always defer cancellation requests.

When a thread eventually honors a cancellation request, it behaves as if `pthread_exit` (`PTHREAD_CANCELED`) was called. All cleanup handlers are executed in reverse order, finalization functions for thread-specific data are called, and finally the thread stops executing. If the canceled thread was joinable, the return value `PTHREAD_CANCELED` is provided to whichever thread calls `pthread_join` on it. See `pthread_exit` for more information.

Cancellation points are the points where the thread checks for pending cancellation requests and performs them. The POSIX threads functions `pthread_join`, `pthread_cond_wait`, `pthread_cond_timedwait`, `pthread_testcancel`, `sem_wait`, and `sigwait` are cancellation points. In addition, these system calls are cancellation points:

<code>accept</code>	<code>open</code>	<code>sendmsg</code>
<code>close</code>	<code>pause</code>	<code>sendto</code>
<code>connect</code>	<code>read</code>	<code>system</code>
<code>fcntl</code>	<code>recv</code>	<code>tcdrain</code>
<code>fsync</code>	<code>recvfrom</code>	<code>wait</code>
<code>lseek</code>	<code>recvmsg</code>	<code>waitpid</code>
<code>msync</code>	<code>send</code>	<code>write</code>
<code>nanosleep</code>		

All library functions that call these functions (such as `printf`) are also cancellation points.

**`int pthread_setcancelstate`** (*int state, int \*oldstate*)

Function



`pthread_setcancelstate` changes the cancellation state for the calling thread - that is, whether cancellation requests are ignored or not. The *state* argument is the new cancellation state: either `PTHREAD_CANCEL_ENABLE` to enable cancellation, or `PTHREAD_CANCEL_DISABLE` to disable cancellation (cancellation requests are ignored).

If *oldstate* is not `NULL`, the previous cancellation state is stored in the location pointed to by *oldstate*, and can thus be restored later by another call to `pthread_setcancelstate`.

If the *state* argument is not `PTHREAD_CANCEL_ENABLE` or `PTHREAD_CANCEL_DISABLE`, `pthread_setcancelstate` fails and returns `EINVAL`. Otherwise it returns `0`.

**int `pthread_setcanceltype` (*int type*, *int \*oldtype*)** Function

`pthread_setcanceltype` changes the type of responses to cancellation requests for the calling thread: asynchronous (immediate) or deferred. The *type* argument is the new cancellation type: either `PTHREAD_CANCEL_ASYNCHRONOUS` to cancel the calling thread as soon as the cancellation request is received, or `PTHREAD_CANCEL_DEFERRED` to keep the cancellation request pending until the next cancellation point. If *oldtype* is not `NULL`, the previous cancellation state is stored in the location pointed to by *oldtype*, and can thus be restored later by another call to `pthread_setcanceltype`.

If the *type* argument is not `PTHREAD_CANCEL_DEFERRED` or `PTHREAD_CANCEL_ASYNCHRONOUS`, `pthread_setcanceltype` fails and returns `EINVAL`. Otherwise it returns `0`.

**void `pthread_testcancel` (*void*)** Function

`pthread_testcancel` does nothing except testing for pending cancellation and executing it. Its purpose is to introduce explicit checks for cancellation in long sequences of code that do not call cancellation point functions otherwise.

---

Node: Cleanup Handlers, Next: [Mutexes](#), Previous: [Cancellation](#), Up: [POSIX Threads](#)

## Cleanup Handlers

Cleanup handlers are functions that get called when a thread terminates, either by calling `pthread_exit` or because of cancellation. Cleanup handlers are installed and removed following a stack-like discipline.

The purpose of cleanup handlers is to free the resources that a thread may hold at the time it terminates. In particular, if a thread exits or is canceled while it owns a locked mutex, the mutex will remain locked

forever and prevent other threads from executing normally. The best way to avoid this is, just before locking the mutex, to install a cleanup handler whose effect is to unlock the mutex. Cleanup handlers can be used similarly to free blocks allocated with `malloc` or close file descriptors on thread termination.

Here is how to lock a mutex *mut* in such a way that it will be unlocked if the thread is canceled while *mut* is locked:

```
pthread_cleanup_push(pthread_mutex_unlock, (void *) &mut);
pthread_mutex_lock(&mut);
/* do some work */
pthread_mutex_unlock(&mut);
pthread_cleanup_pop(0);
```

Equivalently, the last two lines can be replaced by

```
pthread_cleanup_pop(1);
```

Notice that the code above is safe only in deferred cancellation mode (see `pthread_setcanceltype`). In asynchronous cancellation mode, a cancellation can occur between `pthread_cleanup_push` and `pthread_mutex_lock`, or between `pthread_mutex_unlock` and `pthread_cleanup_pop`, resulting in both cases in the thread trying to unlock a mutex not locked by the current thread. This is the main reason why asynchronous cancellation is difficult to use.

If the code above must also work in asynchronous cancellation mode, then it must switch to deferred mode for locking and unlocking the mutex:

```
pthread_setcanceltype(PTHREAD_CANCEL_DEFERRED, &oldtype);
pthread_cleanup_push(pthread_mutex_unlock, (void *) &mut);
pthread_mutex_lock(&mut);
/* do some work */
pthread_cleanup_pop(1);
pthread_setcanceltype(oldtype, NULL);
```

The code above can be rewritten in a more compact and efficient way, using the non-portable functions `pthread_cleanup_push_defer_np` and `pthread_cleanup_pop_restore_np`:

```
pthread_cleanup_push_defer_np(pthread_mutex_unlock, (void *) &mut);
pthread_mutex_lock(&mut);
/* do some work */
pthread_cleanup_pop_restore_np(1);
```

**void pthread\_cleanup\_push** (*void (\*routine) (void \*), void \*arg*) Function

`pthread_cleanup_push` installs the *routine* function with argument *arg* as a cleanup handler. From this point on to the matching `pthread_cleanup_pop`, the function *routine* will be called with arguments *arg* when the thread terminates, either through `pthread_exit` or by cancellation. If several cleanup handlers are active at that point, they are called in LIFO order: the most recently installed handler is called first.

**void pthread\_cleanup\_pop** (*int execute*) Function

`pthread_cleanup_pop` removes the most recently installed cleanup handler. If the *execute* argument is not 0, it also executes the handler, by calling the *routine* function with arguments *arg*. If the *execute* argument is 0, the handler is only removed but not executed.

Matching pairs of `pthread_cleanup_push` and `pthread_cleanup_pop` must occur in the same function, at the same level of block nesting. Actually, `pthread_cleanup_push` and `pthread_cleanup_pop` are macros, and the expansion of `pthread_cleanup_push` introduces an open brace { with the matching closing brace } being introduced by the expansion of the matching `pthread_cleanup_pop`.

**void pthread\_cleanup\_push\_defer\_np** (*void (\*routine) (void \*), void \*arg*) Function

`pthread_cleanup_push_defer_np` is a non-portable extension that combines `pthread_cleanup_push` and `pthread_setcanceltype`. It pushes a cleanup handler just as `pthread_cleanup_push` does, but also saves the current cancellation type and sets it to deferred cancellation. This ensures that the cleanup mechanism is effective even if the thread was initially in asynchronous cancellation mode.

**void pthread\_cleanup\_pop\_restore\_np** (*int execute*) Function

`pthread_cleanup_pop_restore_np` pops a cleanup handler introduced by `pthread_cleanup_push_defer_np`, and restores the cancellation type to its value at the time `pthread_cleanup_push_defer_np` was called.

`pthread_cleanup_push_defer_np` and `pthread_cleanup_pop_restore_np` must occur in matching pairs, at the same level of block nesting.

The sequence

```
pthread_cleanup_push_defer_np(routine, arg);
...
pthread_cleanup_pop_restore_np(execute);
```

is functionally equivalent to (but more compact and efficient than)

```
{
  int oldtype;
  pthread_setcanceltype(PTHREAD_CANCEL_DEFERRED, &oldtype);
  pthread_cleanup_push(routine, arg);
  ...
  pthread_cleanup_pop(execute);
  pthread_setcanceltype(oldtype, NULL);
}
```

---

Node: Mutexes, Next: [Condition Variables](#), Previous: [Cleanup Handlers](#), Up: [POSIX Threads](#)

## Mutexes

A mutex is a MUTual EXclusion device, and is useful for protecting shared data structures from concurrent modifications, and implementing critical sections and monitors.

A mutex has two possible states: unlocked (not owned by any thread), and locked (owned by one thread). A mutex can never be owned by two different threads simultaneously. A thread attempting to lock a mutex that is already locked by another thread is suspended until the owning thread unlocks the mutex first.

None of the mutex functions is a cancellation point, not even `pthread_mutex_lock`, in spite of the fact that it can suspend a thread for arbitrary durations. This way, the status of mutexes at cancellation points is predictable, allowing cancellation handlers to unlock precisely those mutexes that need to be unlocked before the thread stops executing. Consequently, threads using deferred cancellation should never hold a mutex for extended periods of time.

It is not safe to call mutex functions from a signal handler. In particular, calling `pthread_mutex_lock` or `pthread_mutex_unlock` from a signal handler may deadlock the calling thread.

**int pthread\_mutex\_init** (*pthread\_mutex\_t \*mutex, const pthread\_mutexattr\_t \*mutexattr*)      Function

`pthread_mutex_init` initializes the mutex object pointed to by *mutex* according to the mutex attributes specified in *mutexattr*. If *mutexattr* is `NULL`, default attributes are used instead.

The LinuxThreads implementation supports only one mutex attribute, the *mutex type*, which is either "fast", "recursive", or "error checking". The type of a mutex determines whether it can be locked again by a thread that already owns it. The default type is "fast".

Variables of type `pthread_mutex_t` can also be initialized statically, using the constants `PTHREAD_MUTEX_INITIALIZER` (for timed mutexes), `PTHREAD_RECURSIVE_MUTEX_INITIALIZER_NP` (for recursive mutexes), `PTHREAD_ADAPTIVE_MUTEX_INITIALIZER_NP` (for fast mutexes), and `PTHREAD_ERRORCHECK_MUTEX_INITIALIZER_NP` (for error checking mutexes).

`pthread_mutex_init` always returns 0.

**int `pthread_mutex_lock` (*pthread\_mutex\_t \*mutex*)** Function

`pthread_mutex_lock` locks the given mutex. If the mutex is currently unlocked, it becomes locked and owned by the calling thread, and `pthread_mutex_lock` returns immediately. If the mutex is already locked by another thread, `pthread_mutex_lock` suspends the calling thread until the mutex is unlocked.

If the mutex is already locked by the calling thread, the behavior of `pthread_mutex_lock` depends on the type of the mutex. If the mutex is of the "fast" type, the calling thread is suspended. It will remain suspended forever, because no other thread can unlock the mutex. If the mutex is of the "error checking" type, `pthread_mutex_lock` returns immediately with the error code `EDEADLK`. If the mutex is of the "recursive" type, `pthread_mutex_lock` succeeds and returns immediately, recording the number of times the calling thread has locked the mutex. An equal number of `pthread_mutex_unlock` operations must be performed before the mutex returns to the unlocked state.

**int `pthread_mutex_trylock` (*pthread\_mutex\_t \*mutex*)** Function

`pthread_mutex_trylock` behaves identically to `pthread_mutex_lock`, except that it does not block the calling thread if the mutex is already locked by another thread (or by the calling thread in the case of a "fast" mutex). Instead, `pthread_mutex_trylock` returns immediately with the error code `EBUSY`.

**int `pthread_mutex_timedlock` (*pthread\_mutex\_t \*mutex, const struct timespec \*abstime*)** Function

The `pthread_mutex_timedlock` is similar to the `pthread_mutex_lock` function but instead of blocking for an indefinite time if the mutex is locked by another thread, it returns when the time specified in *abstime* is reached.

This function can only be used on standard ("timed") and "error checking" mutexes. It behaves just like `pthread_mutex_lock` for all other types.

If the mutex is successfully locked, the function returns zero. If the time specified in *abstime* is reached without the mutex being locked, `ETIMEDOUT` is returned.

This function was introduced in the POSIX.1d revision of the POSIX standard.

**int `pthread_mutex_unlock` (*pthread\_mutex\_t \*mutex*)** Function

`pthread_mutex_unlock` unlocks the given mutex. The mutex is assumed to be locked and owned by the calling thread on entrance to `pthread_mutex_unlock`. If the mutex is of the "fast" type, `pthread_mutex_unlock` always returns it to the unlocked state. If it is of the "recursive" type, it decrements the locking count of the mutex (number of `pthread_mutex_lock` operations performed on it by the calling thread), and only when this count reaches zero is the mutex actually unlocked.

On "error checking" mutexes, `pthread_mutex_unlock` actually checks at run-time that the mutex is locked on entrance, and that it was locked by the same thread that is now calling `pthread_mutex_unlock`. If these conditions are not met, `pthread_mutex_unlock` returns `EPERM`, and the mutex remains unchanged. "Fast" and "recursive" mutexes perform no such checks, thus allowing a locked mutex to be unlocked by a thread other than its owner. This is non-portable behavior and must not be relied upon.

**int `pthread_mutex_destroy` (*pthread\_mutex\_t \*mutex*)** Function

`pthread_mutex_destroy` destroys a mutex object, freeing the resources it might hold. The mutex must be unlocked on entrance. In the LinuxThreads implementation, no resources are associated with mutex objects, thus `pthread_mutex_destroy` actually does nothing except checking that the mutex is unlocked.

If the mutex is locked by some thread, `pthread_mutex_destroy` returns `EBUSY`. Otherwise it returns 0.

If any of the above functions (except `pthread_mutex_init`) is applied to an uninitialized mutex, they will simply return `EINVAL` and do nothing.

A shared global variable *x* can be protected by a mutex as follows:

```
int x;
pthread_mutex_t mut = PTHREAD_MUTEX_INITIALIZER;
```

All accesses and modifications to *x* should be bracketed by calls to `pthread_mutex_lock` and `pthread_mutex_unlock` as follows:

```
pthread_mutex_lock(&mut);
/* operate on x */
pthread_mutex_unlock(&mut);
```

Mutex attributes can be specified at mutex creation time, by passing a mutex attribute object as second argument to `pthread_mutex_init`. Passing `NULL` is equivalent to passing a mutex attribute object with all attributes set to their default values.

int **pthread\_mutexattr\_init** (*pthread\_mutexattr\_t \*attr*) Function

`pthread_mutexattr_init` initializes the mutex attribute object *attr* and fills it with default values for the attributes.

This function always returns 0.

int **pthread\_mutexattr\_destroy** (*pthread\_mutexattr\_t \*attr*) Function

`pthread_mutexattr_destroy` destroys a mutex attribute object, which must not be reused until it is reinitialized. `pthread_mutexattr_destroy` does nothing in the LinuxThreads implementation.

This function always returns 0.

LinuxThreads supports only one mutex attribute: the mutex type, which is either `PTHREAD_MUTEX_ADAPTIVE_NP` for "fast" mutexes, `PTHREAD_MUTEX_RECURSIVE_NP` for "recursive" mutexes, `PTHREAD_MUTEX_TIMED_NP` for "timed" mutexes, or `PTHREAD_MUTEX_ERRORCHECK_NP` for "error checking" mutexes. As the NP suffix indicates, this is a non-portable extension to the POSIX standard and should not be employed in portable programs.

The mutex type determines what happens if a thread attempts to lock a mutex it already owns with `pthread_mutex_lock`. If the mutex is of the "fast" type, `pthread_mutex_lock` simply suspends the calling thread forever. If the mutex is of the "error checking" type, `pthread_mutex_lock` returns immediately with the error code `EDEADLK`. If the mutex is of the "recursive" type, the call to `pthread_mutex_lock` returns immediately with a success return code. The number of times the thread owning the mutex has locked it is recorded in the mutex. The owning

thread must call `pthread_mutex_unlock` the same number of times before the mutex returns to the unlocked state.

The default mutex type is "timed", that is, `PTHREAD_MUTEX_TIMED_NP`.

int **pthread\_mutexattr\_settype** (*pthread\_mutexattr\_t \*attr, int type*) Function

`pthread_mutexattr_settype` sets the mutex type attribute in *attr* to the value specified by *type*.

If *type* is not `PTHREAD_MUTEX_ADAPTIVE_NP`, `PTHREAD_MUTEX_RECURSIVE_NP`, `PTHREAD_MUTEX_TIMED_NP`, or `PTHREAD_MUTEX_ERRORCHECK_NP`, this function will return `EINVAL` and leave *attr* unchanged.

The standard Unix98 identifiers `PTHREAD_MUTEX_DEFAULT`, `PTHREAD_MUTEX_NORMAL`, `PTHREAD_MUTEX_RECURSIVE`, and `PTHREAD_MUTEX_ERRORCHECK` are also permitted.

int **pthread\_mutexattr\_gettype** (*const pthread\_mutexattr\_t \*attr, int \*type*) Function

`pthread_mutexattr_gettype` retrieves the current value of the mutex type attribute in *attr* and stores it in the location pointed to by *type*.

This function always returns 0.

---

Node: Condition Variables, Next: [POSIX Semaphores](#), Previous: [Mutexes](#), Up: [POSIX Threads](#)

## Condition Variables

A condition (short for "condition variable") is a synchronization device that allows threads to suspend execution until some predicate on shared data is satisfied. The basic operations on conditions are: signal the condition (when the predicate becomes true), and wait for the condition, suspending the thread execution until another thread signals the condition.

A condition variable must always be associated with a mutex, to avoid the race condition where a thread prepares to wait on a condition variable and another thread signals the condition just before the first thread actually waits on it.

int **pthread\_cond\_init** (*pthread\_cond\_t \*cond, pthread\_condattr\_t \*cond\_attr*) Function



`pthread_cond_init` initializes the condition variable *cond*, using the condition attributes specified in *cond\_attr*, or default attributes if *cond\_attr* is `NULL`. The LinuxThreads implementation supports no attributes for conditions, hence the *cond\_attr* parameter is actually ignored.

Variables of type `pthread_cond_t` can also be initialized statically, using the constant `PTHREAD_COND_INITIALIZER`.

This function always returns 0.

int **pthread\_cond\_signal** (*pthread\_cond\_t \*cond*) Function

`pthread_cond_signal` restarts one of the threads that are waiting on the condition variable *cond*. If no threads are waiting on *cond*, nothing happens. If several threads are waiting on *cond*, exactly one is restarted, but it is not specified which.

This function always returns 0.

int **pthread\_cond\_broadcast** (*pthread\_cond\_t \*cond*) Function

`pthread_cond_broadcast` restarts all the threads that are waiting on the condition variable *cond*. Nothing happens if no threads are waiting on *cond*.

This function always returns 0.

int **pthread\_cond\_wait** (*pthread\_cond\_t \*cond*, *pthread\_mutex\_t \*mutex*) Function

`pthread_cond_wait` atomically unlocks the *mutex* (as per `pthread_unlock_mutex`) and waits for the condition variable *cond* to be signaled. The thread execution is suspended and does not consume any CPU time until the condition variable is signaled. The *mutex* must be locked by the calling thread on entrance to `pthread_cond_wait`. Before returning to the calling thread, `pthread_cond_wait` re-acquires *mutex* (as per `pthread_lock_mutex`).

Unlocking the mutex and suspending on the condition variable is done atomically. Thus, if all threads always acquire the mutex before signaling the condition, this guarantees that the condition cannot be signaled (and thus ignored) between the time a thread locks the mutex and the time it waits on the condition variable.

This function always returns 0.

int **pthread\_cond\_timedwait** (*pthread\_cond\_t \*cond*, *pthread\_mutex\_t \*mutex*, *const struct timespec \*abstime*) Function

`pthread_cond_timedwait` atomically unlocks *mutex* and waits on *cond*, as `pthread_cond_wait` does, but it also bounds the duration of the wait. If *cond* has not been signaled before time *abstime*, the mutex *mutex* is re-acquired and `pthread_cond_timedwait` returns the error code `ETIMEDOUT`. The wait can also be interrupted by a signal; in that case `pthread_cond_timedwait` returns `EINTR`.

The *abstime* parameter specifies an absolute time, with the same origin as `time` and `gettimeofday`: an *abstime* of 0 corresponds to 00:00:00 GMT, January 1, 1970.

**int `pthread_cond_destroy` (*pthread\_cond\_t* \**cond*)** Function

`pthread_cond_destroy` destroys the condition variable *cond*, freeing the resources it might hold. If any threads are waiting on the condition variable, `pthread_cond_destroy` leaves *cond* untouched and returns `EBUSY`. Otherwise it returns 0, and *cond* must not be used again until it is reinitialized.

In the LinuxThreads implementation, no resources are associated with condition variables, so `pthread_cond_destroy` actually does nothing.

`pthread_cond_wait` and `pthread_cond_timedwait` are cancellation points. If a thread is canceled while suspended in one of these functions, the thread immediately resumes execution, relocks the mutex specified by *mutex*, and finally executes the cancellation. Consequently, cleanup handlers are assured that *mutex* is locked when they are called.

It is not safe to call the condition variable functions from a signal handler. In particular, calling `pthread_cond_signal` or `pthread_cond_broadcast` from a signal handler may deadlock the calling thread.

Consider two shared variables *x* and *y*, protected by the mutex *mut*, and a condition variable *cond* that is to be signaled whenever *x* becomes greater than *y*.

```
int x,y;
pthread_mutex_t mut = PTHREAD_MUTEX_INITIALIZER;
pthread_cond_t cond = PTHREAD_COND_INITIALIZER;
```

Waiting until *x* is greater than *y* is performed as follows:

```
pthread_mutex_lock(&mut);
while (x <= y) {
    pthread_cond_wait(&cond, &mut);
}
/* operate on x and y */
```

```
pthread_mutex_unlock(&mut);
```

Modifications on  $x$  and  $y$  that may cause  $x$  to become greater than  $y$  should signal the condition if needed:

```
pthread_mutex_lock(&mut);
/* modify x and y */
if (x > y) pthread_cond_broadcast(&cond);
pthread_mutex_unlock(&mut);
```

If it can be proved that at most one waiting thread needs to be waken up (for instance, if there are only two threads communicating through  $x$  and  $y$ ), `pthread_cond_signal` can be used as a slightly more efficient alternative to `pthread_cond_broadcast`. In doubt, use `pthread_cond_broadcast`.

To wait for  $x$  to become greater than  $y$  with a timeout of 5 seconds, do:

```
struct timeval now;
struct timespec timeout;
int retcode;

pthread_mutex_lock(&mut);
gettimeofday(&now);
timeout.tv_sec = now.tv_sec + 5;
timeout.tv_nsec = now.tv_usec * 1000;
retcode = 0;
while (x <= y && retcode != ETIMEDOUT) {
    retcode = pthread_cond_timedwait(&cond, &mut, &timeout);
}
if (retcode == ETIMEDOUT) {
    /* timeout occurred */
} else {
    /* operate on x and y */
}
pthread_mutex_unlock(&mut);
```

Condition attributes can be specified at condition creation time, by passing a condition attribute object as second argument to `pthread_cond_init`. Passing `NULL` is equivalent to passing a condition attribute object with all attributes set to their default values.

The LinuxThreads implementation supports no attributes for conditions. The functions on condition attributes are included only for compliance with the POSIX standard.

**int pthread\_condattr\_init** (*pthread\_condattr\_t* \*attr)

Function

**int pthread\_condattr\_destroy** (*pthread\_condattr\_t \*attr*)

Function

`pthread_condattr_init` initializes the condition attribute object *attr* and fills it with default values for the attributes. `pthread_condattr_destroy` destroys the condition attribute object *attr*.

Both functions do nothing in the LinuxThreads implementation.

`pthread_condattr_init` and `pthread_condattr_destroy` always return 0.

Node: POSIX Semaphores, Next: [Thread-Specific Data](#), Previous: [Condition Variables](#), Up: [POSIX Threads](#)

## POSIX Semaphores

Semaphores are counters for resources shared between threads. The basic operations on semaphores are: increment the counter atomically, and wait until the counter is non-null and decrement it atomically.

Semaphores have a maximum value past which they cannot be incremented. The macro `SEM_VALUE_MAX` is defined to be this maximum value. In the GNU C library, `SEM_VALUE_MAX` is equal to `INT_MAX` (see [Range of Type](#)), but it may be much smaller on other systems.

The pthreads library implements POSIX 1003.1b semaphores. These should not be confused with System V semaphores (`ipc`, `semctl` and `semop`).

All the semaphore functions and macros are defined in `semaphore.h`.

**int sem\_init** (*sem\_t \*sem, int pshared, unsigned int value*)

Function

`sem_init` initializes the semaphore object pointed to by *sem*. The count associated with the semaphore is set initially to *value*. The *pshared* argument indicates whether the semaphore is local to the current process (*pshared* is zero) or is to be shared between several processes (*pshared* is not zero).

On success `sem_init` returns 0. On failure it returns -1 and sets *errno* to one of the following values:

`EINVAL`

*value* exceeds the maximal counter value `SEM_VALUE_MAX`

`ENOSYS`

*pshared* is not zero. LinuxThreads currently does not support process-shared semaphores.

(This will eventually change.)

int **sem\_destroy** (*sem\_t* \* *sem*) Function

`sem_destroy` destroys a semaphore object, freeing the resources it might hold. If any threads are waiting on the semaphore when `sem_destroy` is called, it fails and sets *errno* to `EBUSY`.

In the LinuxThreads implementation, no resources are associated with semaphore objects, thus `sem_destroy` actually does nothing except checking that no thread is waiting on the semaphore. This will change when process-shared semaphores are implemented.

int **sem\_wait** (*sem\_t* \* *sem*) Function

`sem_wait` suspends the calling thread until the semaphore pointed to by *sem* has non-zero count. It then atomically decreases the semaphore count.

`sem_wait` is a cancellation point. It always returns 0.

int **sem\_trywait** (*sem\_t* \* *sem*) Function

`sem_trywait` is a non-blocking variant of `sem_wait`. If the semaphore pointed to by *sem* has non-zero count, the count is atomically decreased and `sem_trywait` immediately returns 0. If the semaphore count is zero, `sem_trywait` immediately returns -1 and sets *errno* to `EAGAIN`.

int **sem\_post** (*sem\_t* \* *sem*) Function

`sem_post` atomically increases the count of the semaphore pointed to by *sem*. This function never blocks.

On processors supporting atomic compare-and-swap (Intel 486, Pentium and later, Alpha, PowerPC, MIPS II, Motorola 68k, Ultraspac), the `sem_post` function is can safely be called from signal handlers. This is the only thread synchronization function provided by POSIX threads that is async-signal safe. On the Intel 386 and earlier Sparc chips, the current LinuxThreads implementation of `sem_post` is not async-signal safe, because the hardware does not support the required atomic operations.

`sem_post` always succeeds and returns 0, unless the semaphore count would exceed `SEM_VALUE_MAX` after being incremented. In that case `sem_post` returns -1 and sets *errno* to `EINVAL`. The semaphore count is left unchanged.

int **sem\_getvalue** (*sem\_t* \* *sem*, *int* \* *sval*) Function

`sem_getvalue` stores in the location pointed to by *sval* the current count of the semaphore *sem*. It always returns 0.

---

Node: Thread-Specific Data, Next: [Threads and Signal Handling](#), Previous: [POSIX Semaphores](#), Up: [POSIX Threads](#)

## Thread-Specific Data

Programs often need global or static variables that have different values in different threads. Since threads share one memory space, this cannot be achieved with regular variables. Thread-specific data is the POSIX threads answer to this need.

Each thread possesses a private memory block, the thread-specific data area, or TSD area for short. This area is indexed by TSD keys. The TSD area associates values of type `void *` to TSD keys. TSD keys are common to all threads, but the value associated with a given TSD key can be different in each thread.

For concreteness, the TSD areas can be viewed as arrays of `void *` pointers, TSD keys as integer indices into these arrays, and the value of a TSD key as the value of the corresponding array element in the calling thread.

When a thread is created, its TSD area initially associates `NULL` with all keys.

**`int pthread_key_create`** (*pthread\_key\_t \*key*, *void (\*destr\_function)* (*void \**)) Function

`pthread_key_create` allocates a new TSD key. The key is stored in the location pointed to by *key*. There is a limit of `PTHREAD_KEYS_MAX` on the number of keys allocated at a given time. The value initially associated with the returned key is `NULL` in all currently executing threads.

The *destr\_function* argument, if not `NULL`, specifies a destructor function associated with the key. When a thread terminates via `pthread_exit` or by cancellation, *destr\_function* is called on the value associated with the key in that thread. The *destr\_function* is not called if a key is deleted with `pthread_key_delete` or a value is changed with `pthread_setspecific`. The order in which destructor functions are called at thread termination time is unspecified.

Before the destructor function is called, the `NULL` value is associated with the key in the current thread. A destructor function might, however, re-associate non-`NULL` values to that key or some other key. To deal with this, if after all the destructors have been called for all non-`NULL` values, there are still some non-`NULL` values with associated destructors, then the process is repeated. The LinuxThreads implementation stops the process after `PTHREAD_DESTRUCTOR_ITERATIONS`

iterations, even if some non-NULL values with associated descriptors remain. Other implementations may loop indefinitely.

`pthread_key_create` returns 0 unless `PTHREAD_KEYS_MAX` keys have already been allocated, in which case it fails and returns `EAGAIN`.

int **pthread\_key\_delete** (*pthread\_key\_t key*) Function

`pthread_key_delete` deallocates a TSD key. It does not check whether non-NULL values are associated with that key in the currently executing threads, nor call the destructor function associated with the key.

If there is no such key *key*, it returns `EINVAL`. Otherwise it returns 0.

int **pthread\_setspecific** (*pthread\_key\_t key, const void \*pointer*) Function

`pthread_setspecific` changes the value associated with *key* in the calling thread, storing the given *pointer* instead.

If there is no such key *key*, it returns `EINVAL`. Otherwise it returns 0.

void \* **pthread\_getspecific** (*pthread\_key\_t key*) Function

`pthread_getspecific` returns the value currently associated with *key* in the calling thread.

If there is no such key *key*, it returns `NULL`.

The following code fragment allocates a thread-specific array of 100 characters, with automatic reclamation at thread exit:

```
/* Key for the thread-specific buffer */
static pthread_key_t buffer_key;

/* Once-only initialisation of the key */
static pthread_once_t buffer_key_once = PTHREAD_ONCE_INIT;

/* Allocate the thread-specific buffer */
void buffer_alloc(void)
{
    pthread_once(&buffer_key_once, buffer_key_alloc);
    pthread_setspecific(buffer_key, malloc(100));
}

/* Return the thread-specific buffer */
char * get_buffer(void)
```

```

{
    return (char *) pthread_getspecific(buffer_key);
}

/* Allocate the key */
static void buffer_key_alloc()
{
    pthread_key_create(&buffer_key, buffer_destroy);
}

/* Free the thread-specific buffer */
static void buffer_destroy(void * buf)
{
    free(buf);
}

```

---

Node: [Threads and Signal Handling](#), Next: [Threads and Fork](#), Previous: [Thread-Specific Data](#),  
Up: [POSIX Threads](#)

## Threads and Signal Handling

**int pthread\_sigmask** (*int how, const sigset\_t \*newmask, sigset\_t \*oldmask*) Function

`pthread_sigmask` changes the signal mask for the calling thread as described by the *how* and *newmask* arguments. If *oldmask* is not NULL, the previous signal mask is stored in the location pointed to by *oldmask*.

The meaning of the *how* and *newmask* arguments is the same as for `sigprocmask`. If *how* is `SIG_SETMASK`, the signal mask is set to *newmask*. If *how* is `SIG_BLOCK`, the signals specified to *newmask* are added to the current signal mask. If *how* is `SIG_UNBLOCK`, the signals specified to *newmask* are removed from the current signal mask.

Recall that signal masks are set on a per-thread basis, but signal actions and signal handlers, as set with `sigaction`, are shared between all threads.

The `pthread_sigmask` function returns 0 on success, and one of the following error codes on error:

`EINVAL`

*how* is not one of `SIG_SETMASK`, `SIG_BLOCK`, or `SIG_UNBLOCK`

`EFAULT`

*newmask* or *oldmask* point to invalid addresses



**int pthread\_kill** (*pthread\_t thread, int signo*)

Function

`pthread_kill` sends signal number *signo* to the thread *thread*. The signal is delivered and handled as described in [Signal Handling](#).

`pthread_kill` returns 0 on success, one of the following error codes on error:

EINVAL

*signo* is not a valid signal number

ESRCH

The thread *thread* does not exist (e.g. it has already terminated)

**int sigwait** (*const sigset\_t \*set, int \*sig*)

Function

`sigwait` suspends the calling thread until one of the signals in *set* is delivered to the calling thread. It then stores the number of the signal received in the location pointed to by *sig* and returns. The signals in *set* must be blocked and not ignored on entrance to `sigwait`. If the delivered signal has a signal handler function attached, that function is *not* called.

`sigwait` is a cancellation point. It always returns 0.

For `sigwait` to work reliably, the signals being waited for must be blocked in all threads, not only in the calling thread, since otherwise the POSIX semantics for signal delivery do not guarantee that it's the thread doing the `sigwait` that will receive the signal. The best way to achieve this is block those signals before any threads are created, and never unblock them in the program other than by calling `sigwait`.

Signal handling in LinuxThreads departs significantly from the POSIX standard. According to the standard, "asynchronous" (external) signals are addressed to the whole process (the collection of all threads), which then delivers them to one particular thread. The thread that actually receives the signal is any thread that does not currently block the signal.

In LinuxThreads, each thread is actually a kernel process with its own PID, so external signals are always directed to one particular thread. If, for instance, another thread is blocked in `sigwait` on that signal, it will not be restarted.

The LinuxThreads implementation of `sigwait` installs dummy signal handlers for the signals in *set* for the duration of the wait. Since signal handlers are shared between all threads, other threads must not attach their own signal handlers to these signals, or alternatively they should all block these signals (which is recommended anyway).

---

Node: [Threads and Fork](#), Next: [Streams and Fork](#), Previous: [Threads and Signal Handling](#), Up: [POSIX Threads](#)

## Threads and Fork

It's not intuitively obvious what should happen when a multi-threaded POSIX process calls `fork`. Not only are the semantics tricky, but you may need to write code that does the right thing at fork time even if that code doesn't use the `fork` function. Moreover, you need to be aware of interaction between `fork` and some library features like `pthread_once` and `stdio` streams.

When `fork` is called by one of the threads of a process, it creates a new process which is copy of the calling process. Effectively, in addition to copying certain system objects, the function takes a snapshot of the memory areas of the parent process, and creates identical areas in the child. To make matters more complicated, with threads it's possible for two or more threads to concurrently call `fork` to create two or more child processes.

The child process has a copy of the address space of the parent, but it does not inherit any of its threads. Execution of the child process is carried out by a new thread which returns from `fork` function with a return value of zero; it is the only thread in the child process. Because threads are not inherited across `fork`, issues arise. At the time of the call to `fork`, threads in the parent process other than the one calling `fork` may have been executing critical regions of code. As a result, the child process may get a copy of objects that are not in a well-defined state. This potential problem affects all components of the program.

Any program component which will continue being used in a child process must correctly handle its state during `fork`. For this purpose, the POSIX interface provides the special function `pthread_atfork` for installing pointers to handler functions which are called from within `fork`.

**int `pthread_atfork`** (*void (\*prepare)(void), void (\*parent)(void), void (\*child)(void)*)      Function

`pthread_atfork` registers handler functions to be called just before and just after a new process is created with `fork`. The *prepare* handler will be called from the parent process, just before the new process is created. The *parent* handler will be called from the parent process, just before `fork` returns. The *child* handler will be called from the child process, just before `fork` returns.

`pthread_atfork` returns 0 on success and a non-zero error code on error.

One or more of the three handlers *prepare*, *parent* and *child* can be given as `NULL`, meaning that no handler needs to be called at the corresponding point.

`pthread_atfork` can be called several times to install several sets of handlers. At `fork` time, the *prepare* handlers are called in LIFO order (last added with `pthread_atfork`, first called before `fork`), while the *parent* and *child* handlers are called in FIFO order (first added, first called).

If there is insufficient memory available to register the handlers, `pthread_atfork` fails and returns `ENOMEM`. Otherwise it returns 0.

The functions `fork` and `pthread_atfork` must not be regarded as reentrant from the context of the handlers. That is to say, if a `pthread_atfork` handler invoked from within `fork` calls `pthread_atfork` or `fork`, the behavior is undefined.

Registering a triplet of handlers is an atomic operation with respect to `fork`. If new handlers are registered at about the same time as a `fork` occurs, either all three handlers will be called, or none of them will be called.

The handlers are inherited by the child process, and there is no way to remove them, short of using `exec` to load a new process image.

To understand the purpose of `pthread_atfork`, recall that `fork` duplicates the whole memory space, including mutexes in their current locking state, but only the calling thread: other threads are not running in the child process. The mutexes are not usable after the `fork` and must be initialized with `pthread_mutex_init` in the child process. This is a limitation of the current implementation and might or might not be present in future versions.

To avoid this, install handlers with `pthread_atfork` as follows: have the *prepare* handler lock the mutexes (in locking order), and the *parent* handler unlock the mutexes. The *child* handler should reset the mutexes using `pthread_mutex_init`, as well as any other synchronization objects such as condition variables.

Locking the global mutexes before the `fork` ensures that all other threads are locked out of the critical regions of code protected by those mutexes. Thus when `fork` takes a snapshot of the parent's address space, that snapshot will copy valid, stable data. Resetting the synchronization objects in the child process will ensure they are properly cleansed of any artifacts from the threading subsystem of the parent process. For example, a mutex may inherit a wait queue of threads waiting for the lock; this wait queue makes no sense in the child process. Initializing the mutex takes care of this.

---

Node: Streams and Fork, Next: [Miscellaneous Thread Functions](#), Previous: [Threads and Fork](#),  
Up: [POSIX Threads](#)

## Streams and Fork

The GNU standard I/O library has an internal mutex which guards the internal linked list of all standard C FILE objects. This mutex is properly taken care of during `fork` so that the child receives an intact copy of the list. This allows the `fopen` function, and related stream-creating functions, to work correctly in the child process, since these functions need to insert into the list.

However, the individual stream locks are not completely taken care of. Thus unless the multithreaded application takes special precautions in its use of `fork`, the child process might not be able to safely use the streams that it inherited from the parent. In general, for any given open stream in the parent that is to be used by the child process, the application must ensure that that stream is not in use by another thread when `fork` is called. Otherwise an inconsistent copy of the stream object be produced. An easy way to ensure this is to use `flockfile` to lock the stream prior to calling `fork` and then unlock it with `funlockfile` inside the parent process, provided that the parent's threads properly honor these locks. Nothing special needs to be done in the child process, since the library internally resets all stream locks.

Note that the stream locks are not shared between the parent and child. For example, even if you ensure that, say, the stream `stdout` is properly treated and can be safely used in the child, the stream locks do not provide an exclusion mechanism between the parent and child. If both processes write to `stdout`, strangely interleaved output may result regardless of the explicit use of `flockfile` or implicit locks.

Also note that these provisions are a GNU extension; other systems might not provide any way for streams to be used in the child of a multithreaded process. POSIX requires that such a child process confines itself to calling only asynchronous safe functions, which excludes much of the library, including standard I/O.

---

Node: Miscellaneous Thread Functions, Previous: [Streams and Fork](#), Up: [POSIX Threads](#)

## Miscellaneous Thread Functions

`pthread_t` **pthread\_self** (*void*) Function

`pthread_self` returns the thread identifier for the calling thread.

`int` **pthread\_equal** (*pthread\_t thread1, pthread\_t thread2*) Function

`pthread_equal` determines if two thread identifiers refer to the same thread.

A non-zero value is returned if *thread1* and *thread2* refer to the same thread. Otherwise, 0 is returned.

int **pthread\_detach** (*pthread\_t th*)

Function

`pthread_detach` puts the thread *th* in the detached state. This guarantees that the memory resources consumed by *th* will be freed immediately when *th* terminates. However, this prevents other threads from synchronizing on the termination of *th* using `pthread_join`.

A thread can be created initially in the detached state, using the `detachstate` attribute to `pthread_create`. In contrast, `pthread_detach` applies to threads created in the joinable state, and which need to be put in the detached state later.

After `pthread_detach` completes, subsequent attempts to perform `pthread_join` on *th* will fail. If another thread is already joining the thread *th* at the time `pthread_detach` is called, `pthread_detach` does nothing and leaves *th* in the joinable state.

On success, 0 is returned. On error, one of the following codes is returned:

ESRCH

No thread could be found corresponding to that specified by *th*

EINVAL

The thread *th* is already in the detached state

void **pthread\_kill\_other\_threads\_np** (*void*)

Function

`pthread_kill_other_threads_np` is a non-portable LinuxThreads extension. It causes all threads in the program to terminate immediately, except the calling thread which proceeds normally. It is intended to be called just before a thread calls one of the `exec` functions, e.g. `execve`.

Termination of the other threads is not performed through `pthread_cancel` and completely bypasses the cancellation mechanism. Hence, the current settings for cancellation state and cancellation type are ignored, and the cleanup handlers are not executed in the terminated threads.

According to POSIX 1003.1c, a successful `exec*` in one of the threads should automatically terminate all other threads in the program. This behavior is not yet implemented in LinuxThreads. Calling `pthread_kill_other_threads_np` before `exec*` achieves much of the same behavior, except that if `exec*` ultimately fails, then all other threads are already killed.

int **pthread\_once** (*pthread\_once\_t \*once\_control, void (\*init\_routine) (void)*)

Function

The purpose of `pthread_once` is to ensure that a piece of initialization code is executed at most once. The *once\_control* argument points to a static or extern variable statically initialized to `PTHREAD_ONCE_INIT`.

The first time `pthread_once` is called with a given *once\_control* argument, it calls *init\_routine* with no argument and changes the value of the *once\_control* variable to record that initialization has been performed. Subsequent calls to `pthread_once` with the same *once\_control* argument do nothing.

If a thread is cancelled while executing *init\_routine* the state of the *once\_control* variable is reset so that a future call to `pthread_once` will call the routine again.

If the process forks while one or more threads are executing `pthread_once` initialization routines, the states of their respective *once\_control* variables will appear to be reset in the child process so that if the child calls `pthread_once`, the routines will be executed.

`pthread_once` always returns 0.

**int pthread\_setschedparam** (*pthread\_t target\_thread*, *int policy*, *const struct sched\_param \*param*) Function

`pthread_setschedparam` sets the scheduling parameters for the thread *target\_thread* as indicated by *policy* and *param*. *policy* can be either `SCHED_OTHER` (regular, non-realtime scheduling), `SCHED_RR` (realtime, round-robin) or `SCHED_FIFO` (realtime, first-in first-out). *param* specifies the scheduling priority for the two realtime policies. See `sched_setpolicy` for more information on scheduling policies.

The realtime scheduling policies `SCHED_RR` and `SCHED_FIFO` are available only to processes with superuser privileges.

On success, `pthread_setschedparam` returns 0. On error it returns one of the following codes:

`EINVAL`

*policy* is not one of `SCHED_OTHER`, `SCHED_RR`, `SCHED_FIFO`, or the priority value specified by *param* is not valid for the specified policy

`EPERM`

Realtime scheduling was requested but the calling process does not have sufficient privileges.

`ESRCH`

The *target\_thread* is invalid or has already terminated

`EFAULT`

*param* points outside the process memory space

**int pthread\_getschedparam** (*pthread\_t target\_thread*, *int \*policy*, *struct sched\_param \*param*) Function

`pthread_getschedparam` retrieves the scheduling policy and scheduling parameters for the thread *target\_thread* and stores them in the locations pointed to by *policy* and *param*, respectively.

`pthread_getschedparam` returns 0 on success, or one of the following error codes on failure:

ESRCH

The *target\_thread* is invalid or has already terminated.

EFAULT

*policy* or *param* point outside the process memory space.

**int pthread\_setconcurrency** (*int level*) Function

`pthread_setconcurrency` is unused in LinuxThreads due to the lack of a mapping of user threads to kernel threads. It exists for source compatibility. It does store the value *level* so that it can be returned by a subsequent call to `pthread_getconcurrency`. It takes no other action however.

**int pthread\_getconcurrency** () Function

`pthread_getconcurrency` is unused in LinuxThreads due to the lack of a mapping of user threads to kernel threads. It exists for source compatibility. However, it will return the value that was set by the last call to `pthread_setconcurrency`.

---

Node: Language Features, Next: [Library Summary](#), Previous: [POSIX Threads](#), Up: [Top](#)

## C Language Facilities in the Library

Some of the facilities implemented by the C library really should be thought of as parts of the C language itself. These facilities ought to be documented in the C Language Manual, not in the library manual; but since we don't have the language manual yet, and documentation for these features has been written, we are publishing it here.

- [Consistency Checking](#): Using `assert` to abort if something "impossible" happens.
- [Variadic Functions](#): Defining functions with varying numbers of args.
- [Null Pointer Constant](#): The macro `NULL`.
- [Important Data Types](#): Data types for object sizes.
- [Data Type Measurements](#): Parameters of data type representations.

Node: Consistency Checking, Next: [Variadic Functions](#), Up: [Language Features](#)

## Explicitly Checking Internal Consistency

When you're writing a program, it's often a good idea to put in checks at strategic places for "impossible" errors or violations of basic assumptions. These kinds of checks are helpful in debugging problems with the interfaces between different parts of the program, for example.

The `assert` macro, defined in the header file `assert.h`, provides a convenient way to abort the program while printing a message about where in the program the error was detected.

Once you think your program is debugged, you can disable the error checks performed by the `assert` macro by recompiling with the macro `NDEBUG` defined. This means you don't actually have to change the program source code to disable these checks.

But disabling these consistency checks is undesirable unless they make the program significantly slower. All else being equal, more error checking is good no matter who is running the program. A wise user would rather have a program crash, visibly, than have it return nonsense without indicating anything might be wrong.

void **assert** (*int expression*)

Macro

Verify the programmer's belief that *expression* is nonzero at this point in the program.

If `NDEBUG` is not defined, `assert` tests the value of *expression*. If it is false (zero), `assert` aborts the program (see [Aborting a Program](#)) after printing a message of the form:

```
file:linenum: function: Assertion `expression' failed.
```

on the standard error stream `stderr` (see [Standard Streams](#)). The filename and line number are taken from the C preprocessor macros `__FILE__` and `__LINE__` and specify where the call to `assert` was made. When using the GNU C compiler, the name of the function which calls `assert` is taken from the built-in variable `__PRETTY_FUNCTION__`; with older compilers, the function name and following colon are omitted.



If the preprocessor macro `NDEBUG` is defined before `assert.h` is included, the `assert` macro is defined to do absolutely nothing.

**Warning:** Even the argument expression *expression* is not evaluated if `NDEBUG` is in effect. So never use `assert` with arguments that involve side effects. For example, `assert (++i > 0);` is a bad idea, because `i` will not be incremented if `NDEBUG` is defined.

Sometimes the "impossible" condition you want to check for is an error return from an operating system function. Then it is useful to display not only where the program crashes, but also what error was returned. The `assert_perror` macro makes this easy.

`void assert_perror (int errnum)`

Macro

Similar to `assert`, but verifies that *errnum* is zero.

If `NDEBUG` is not defined, `assert_perror` tests the value of *errnum*. If it is nonzero, `assert_perror` aborts the program after printing a message of the form:

```
file:linenum: function: error text
```

on the standard error stream. The file name, line number, and function name are as for `assert`. The error text is the result of `strerror (errnum)`. See [Error Messages](#).

Like `assert`, if `NDEBUG` is defined before `assert.h` is included, the `assert_perror` macro does absolutely nothing. It does not evaluate the argument, so *errnum* should not have any side effects. It is best for *errnum* to be just a simple variable reference; often it will be `errno`.

This macro is a GNU extension.

**Usage note:** The `assert` facility is designed for detecting *internal inconsistency*; it is not suitable for reporting invalid input or improper usage by the *user* of the program.

The information in the diagnostic messages printed by the `assert` and `assert_perror` macro is intended to help you, the programmer, track down the cause of a bug, but is not really useful for telling a user of your program why his or her input was invalid or why a command could not be carried out. What's more, your program should not abort when given invalid input, as `assert` would do--it should exit with nonzero status (see [Exit Status](#)) after printing its error messages, or perhaps read another command or move on to the next input file.

See [Error Messages](#), for information on printing error messages for problems that *do not* represent bugs

in the program.

---

Node: Variadic Functions, Next: [Null Pointer Constant](#), Previous: [Consistency Checking](#), Up: [Language Features](#)

## Variadic Functions

ISO C defines a syntax for declaring a function to take a variable number or type of arguments. (Such functions are referred to as *varargs functions* or *variadic functions*.) However, the language itself provides no mechanism for such functions to access their non-required arguments; instead, you use the variable arguments macros defined in `stdarg.h`.

This section describes how to declare variadic functions, how to write them, and how to call them properly.

**Compatibility Note:** Many older C dialects provide a similar, but incompatible, mechanism for defining functions with variable numbers of arguments, using `varargs.h`.

- [Why Variadic](#): Reasons for making functions take variable arguments.
- [How Variadic](#): How to define and call variadic functions.
- [Variadic Example](#): A complete example.

---

Node: Why Variadic, Next: [How Variadic](#), Up: [Variadic Functions](#)

## Why Variadic Functions are Used

Ordinary C functions take a fixed number of arguments. When you define a function, you specify the data type for each argument. Every call to the function should supply the expected number of arguments, with types that can be converted to the specified ones. Thus, if the function `foo` is declared with `int foo (int, char *)`; then you must call it with two arguments, a number (any kind will do) and a string pointer.

But some functions perform operations that can meaningfully accept an unlimited number of arguments.

In some cases a function can handle any number of values by operating on all of them as a block. For example, consider a function that allocates a one-dimensional array with `malloc` to hold a specified set of values. This operation makes sense for any number of values, as long as the length of the array corresponds to that number. Without facilities for variable arguments, you would have to define a separate function for each possible array size.

The library function `printf` (see [Formatted Output](#)) is an example of another class of function where variable arguments are useful. This function prints its arguments (which can vary in type as well as number) under the control of a format template string.

These are good reasons to define a *variadic* function which can handle as many arguments as the caller chooses to pass.

Some functions such as `open` take a fixed set of arguments, but occasionally ignore the last few. Strict adherence to ISO C requires these functions to be defined as variadic; in practice, however, the GNU C compiler and most other C compilers let you define such a function to take a fixed set of arguments--the most it can ever use--and then only *declare* the function as variadic (or not declare its arguments at all!).

---

Node: [How Variadic](#), Next: [Variadic Example](#), Previous: [Why Variadic](#), Up: [Variadic Functions](#)

## How Variadic Functions are Defined and Used

Defining and using a variadic function involves three steps:

- *Define* the function as variadic, using an ellipsis ( . . . ) in the argument list, and using special macros to access the variable arguments. See [Receiving Arguments](#).
  - *Declare* the function as variadic, using a prototype with an ellipsis ( . . . ), in all the files which call it. See [Variadic Prototypes](#).
  - *Call* the function by writing the fixed arguments followed by the additional variable arguments. See [Calling Variadics](#).
- 
- [Variadic Prototypes](#): How to make a prototype for a function with variable arguments.
  - [Receiving Arguments](#): Steps you must follow to access the optional argument values.
  - [How Many Arguments](#): How to decide whether there are more arguments.
  - [Calling Variadics](#): Things you need to know about calling variable arguments functions.
  - [Argument Macros](#): Detailed specification of the macros for accessing variable arguments.
  - [Old Varargs](#): The pre-ISO way of defining variadic functions.

---

Node: [Variadic Prototypes](#), Next: [Receiving Arguments](#), Up: [How Variadic](#)

## Syntax for Variable Arguments

A function that accepts a variable number of arguments must be declared with a prototype that says so.

You write the fixed arguments as usual, and then tack on `...` to indicate the possibility of additional arguments. The syntax of ISO C requires at least one fixed argument before the `...`. For example,

```
int
func (const char *a, int b, ...)
{
    ...
}
```

defines a function `func` which returns an `int` and takes two required arguments, a `const char *` and an `int`. These are followed by any number of anonymous arguments.

**Portability note:** For some C compilers, the last required argument must not be declared `register` in the function definition. Furthermore, this argument's type must be *self-promoting*: that is, the default promotions must not change its type. This rules out array and function types, as well as `float`, `char` (whether signed or not) and `short int` (whether signed or not). This is actually an ISO C requirement.

---

Node: Receiving Arguments, Next: [How Many Arguments](#), Previous: [Variadic Prototypes](#), Up: [How Variadic](#)

## Receiving the Argument Values

Ordinary fixed arguments have individual names, and you can use these names to access their values. But optional arguments have no names--nothing but `...`. How can you access them?

The only way to access them is sequentially, in the order they were written, and you must use special macros from `stdarg.h` in the following three step process:

1. You initialize an argument pointer variable of type `va_list` using `va_start`. The argument pointer when initialized points to the first optional argument.
2. You access the optional arguments by successive calls to `va_arg`. The first call to `va_arg` gives you the first optional argument, the next call gives you the second, and so on.

You can stop at any time if you wish to ignore any remaining optional arguments. It is perfectly all right for a function to access fewer arguments than were supplied in the call, but you will get garbage values if you try to access too many arguments.

3. You indicate that you are finished with the argument pointer variable by calling `va_end`.

(In practice, with most C compilers, calling `va_end` does nothing. This is always true in the GNU C compiler. But you might as well call `va_end` just in case your program is someday compiled with a peculiar compiler.)

See [Argument Macros](#), for the full definitions of `va_start`, `va_arg` and `va_end`.

Steps 1 and 3 must be performed in the function that accepts the optional arguments. However, you can pass the `va_list` variable as an argument to another function and perform all or part of step 2 there.

You can perform the entire sequence of three steps multiple times within a single function invocation. If you want to ignore the optional arguments, you can do these steps zero times.

You can have more than one argument pointer variable if you like. You can initialize each variable with `va_start` when you wish, and then you can fetch arguments with each argument pointer as you wish. Each argument pointer variable will sequence through the same set of argument values, but at its own pace.

**Portability note:** With some compilers, once you pass an argument pointer value to a subroutine, you must not keep using the same argument pointer value after that subroutine returns. For full portability, you should just pass it to `va_end`. This is actually an ISO C requirement, but most ANSI C compilers work happily regardless.

---

Node: [How Many Arguments](#), Next: [Calling Variadics](#), Previous: [Receiving Arguments](#), Up: [How Variadic](#)

## How Many Arguments Were Supplied

There is no general way for a function to determine the number and type of the optional arguments it was called with. So whoever designs the function typically designs a convention for the caller to specify the number and type of arguments. It is up to you to define an appropriate calling convention for each variadic function, and write all calls accordingly.

One kind of calling convention is to pass the number of optional arguments as one of the fixed arguments. This convention works provided all of the optional arguments are of the same type.

A similar alternative is to have one of the required arguments be a bit mask, with a bit for each possible purpose for which an optional argument might be supplied. You would test the bits in a predefined sequence; if the bit is set, fetch the value of the next argument, otherwise use a default value.

A required argument can be used as a pattern to specify both the number and types of the optional

arguments. The format string argument to `printf` is one example of this (see [Formatted Output Functions](#)).

Another possibility is to pass an "end marker" value as the last optional argument. For example, for a function that manipulates an arbitrary number of pointer arguments, a null pointer might indicate the end of the argument list. (This assumes that a null pointer isn't otherwise meaningful to the function.) The `exec1` function works in just this way; see [Executing a File](#).

---

Node: Calling Variadics, Next: [Argument Macros](#), Previous: [How Many Arguments](#), Up: [How Variadic](#)

## Calling Variadic Functions

You don't have to do anything special to call a variadic function. Just put the arguments (required arguments, followed by optional ones) inside parentheses, separated by commas, as usual. But you must declare the function with a prototype and know how the argument values are converted.

In principle, functions that are *defined* to be variadic must also be *declared* to be variadic using a function prototype whenever you call them. (See [Variadic Prototypes](#), for how.) This is because some C compilers use a different calling convention to pass the same set of argument values to a function depending on whether that function takes variable arguments or fixed arguments.

In practice, the GNU C compiler always passes a given set of argument types in the same way regardless of whether they are optional or required. So, as long as the argument types are self-promoting, you can safely omit declaring them. Usually it is a good idea to declare the argument types for variadic functions, and indeed for all functions. But there are a few functions which it is extremely convenient not to have to declare as variadic--for example, `open` and `printf`.

Since the prototype doesn't specify types for optional arguments, in a call to a variadic function the *default argument promotions* are performed on the optional argument values. This means the objects of type `char` or `short int` (whether signed or not) are promoted to either `int` or `unsigned int`, as appropriate; and that objects of type `float` are promoted to type `double`. So, if the caller passes a `char` as an optional argument, it is promoted to an `int`, and the function can access it with `va_arg(ap, int)`.

Conversion of the required arguments is controlled by the function prototype in the usual way: the argument expression is converted to the declared argument type as if it were being assigned to a variable of that type.

---

Node: Argument Macros, Next: [Old Varargs](#), Previous: [Calling Variadics](#), Up: [How Variadic](#)

## Argument Access Macros

Here are descriptions of the macros used to retrieve variable arguments. These macros are defined in the header file `stdarg.h`.

**va\_list** Data Type

The type `va_list` is used for argument pointer variables.

**void va\_start** (*va\_list ap, last-required*) Macro

This macro initializes the argument pointer variable *ap* to point to the first of the optional arguments of the current function; *last-required* must be the last required argument to the function.

See [Old Varargs](#), for an alternate definition of `va_start` found in the header file `varargs.h`.

*type va\_arg* (*va\_list ap, type*) Macro

The `va_arg` macro returns the value of the next optional argument, and modifies the value of *ap* to point to the subsequent argument. Thus, successive uses of `va_arg` return successive optional arguments.

The type of the value returned by `va_arg` is *type* as specified in the call. *type* must be a self-promoting type (not `char` or `short int` or `float`) that matches the type of the actual argument.

**void va\_end** (*va\_list ap*) Macro

This ends the use of *ap*. After a `va_end` call, further `va_arg` calls with the same *ap* may not work. You should invoke `va_end` before returning from the function in which `va_start` was invoked with the same *ap* argument.

In the GNU C library, `va_end` does nothing, and you need not ever use it except for reasons of portability.

Sometimes it is necessary to parse the list of parameters more than once or one wants to remember a certain position in the parameter list. To do this, one will have to make a copy of the current value of the argument. But `va_list` is an opaque type and one cannot necessarily assign the value of one variable of type `va_list` to another variable of the same type.

**void \_\_va\_copy** (*va\_list dest, va\_list src*) Macro

The `__va_copy` macro allows copying of objects of type `va_list` even if this is not an integral type. The argument pointer in *dest* is initialized to point to the same argument as the pointer in *src*.

This macro is a GNU extension but it will hopefully also be available in the next update of the ISO C standard.

If you want to use `__va_copy` you should always be prepared for the possibility that this macro will not be available. On architectures where a simple assignment is invalid, hopefully `__va_copy` *will* be available, so one should always write something like this:

```
{
    va_list ap, save;
    ...
#ifdef __va_copy
    __va_copy (save, ap);
#else
    save = ap;
#endif
    ...
}
```

---

Node: Variadic Example, Previous: [How Variadic](#), Up: [Variadic Functions](#)

## Example of a Variadic Function

Here is a complete sample function that accepts a variable number of arguments. The first argument to the function is the count of remaining arguments, which are added up and the result returned. While trivial, this function is sufficient to illustrate how to use the variable arguments facility.

```
#include <stdarg.h>
#include <stdio.h>

int
add_em_up (int count, ...)
{
    va_list ap;
    int i, sum;

    va_start (ap, count);          /* Initialize the argument list. */

    sum = 0;
    for (i = 0; i < count; i++)
```



```

    sum += va_arg (ap, int);    /* Get the next argument value. */

    va_end (ap);              /* Clean up. */
    return sum;
}

int
main (void)
{
    /* This call prints 16. */
    printf ("%d\n", add_em_up (3, 5, 5, 6));

    /* This call prints 55. */
    printf ("%d\n", add_em_up (10, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10));

    return 0;
}

```

---

Node: Old Varargs, Previous: [Argument Macros](#), Up: [How Variadic](#)

## Old-Style Variadic Functions

Before ISO C, programmers used a slightly different facility for writing variadic functions. The GNU C compiler still supports it; currently, it is more portable than the ISO C facility, since support for ISO C is still not universal. The header file which defines the old-fashioned variadic facility is called `varargs.h`.

Using `varargs.h` is almost the same as using `stdarg.h`. There is no difference in how you call a variadic function; see [Calling Variadics](#). The only difference is in how you define them. First of all, you must use old-style non-prototype syntax, like this:

```

tree
build (va_alist)
    va_dcl
{

```

Secondly, you must give `va_start` only one argument, like this:

```

va_list p;
va_start (p);

```

These are the special macros used for defining old-style variadic functions:

**va\_alist** Macro

This macro stands for the argument name list required in a variadic function.

**va\_dcl** Macro

This macro declares the implicit argument or arguments for a variadic function.

void **va\_start** (*va\_list ap*) Macro

This macro, as defined in `varargs.h`, initializes the argument pointer variable *ap* to point to the first argument of the current function.

The other argument macros, `va_arg` and `va_end`, are the same in `varargs.h` as in `stdarg.h`; see [Argument Macros](#), for details.

It does not work to include both `varargs.h` and `stdarg.h` in the same compilation; they define `va_start` in conflicting ways.

Node: [Null Pointer Constant](#), Next: [Important Data Types](#), Previous: [Variadic Functions](#), Up: [Language Features](#)

## Null Pointer Constant

The null pointer constant is guaranteed not to point to any real object. You can assign it to any pointer variable since it has type `void *`. The preferred way to write a null pointer constant is with `NULL`.

`void * NULL` Macro

This is a null pointer constant.

You can also use `0` or `(void *)0` as a null pointer constant, but using `NULL` is cleaner because it makes the purpose of the constant more evident.

If you use the null pointer constant as a function argument, then for complete portability you should make sure that the function has a prototype declaration. Otherwise, if the target machine has two different pointer representations, the compiler won't know which representation to use for that argument. You can avoid the problem by explicitly casting the constant to the proper pointer type, but we recommend instead adding a prototype for the function you are calling.

Node: Important Data Types, Next: [Data Type Measurements](#), Previous: [Null Pointer Constant](#),  
Up: [Language Features](#)

## Important Data Types

The result of subtracting two pointers in C is always an integer, but the precise data type varies from C compiler to C compiler. Likewise, the data type of the result of `sizeof` also varies between compilers. ISO defines standard aliases for these two types, so you can refer to them in a portable fashion. They are defined in the header file `stddef.h`.

### `ptrdiff_t`

Data Type

This is the signed integer type of the result of subtracting two pointers. For example, with the declaration `char *p1, *p2;`, the expression `p2 - p1` is of type `ptrdiff_t`. This will probably be one of the standard signed integer types (`short int`, `int` or `long int`), but might be a nonstandard type that exists only for this purpose.

### `size_t`

Data Type

This is an unsigned integer type used to represent the sizes of objects. The result of the `sizeof` operator is of this type, and functions such as `malloc` (see [Unconstrained Allocation](#)) and `memcpy` (see [Copying and Concatenation](#)) accept arguments of this type to specify object sizes.

**Usage Note:** `size_t` is the preferred way to declare any arguments or variables that hold the size of an object.

In the GNU system `size_t` is equivalent to either `unsigned int` or `unsigned long int`. These types have identical properties on the GNU system and, for most purposes, you can use them interchangeably. However, they are distinct as data types, which makes a difference in certain contexts.

For example, when you specify the type of a function argument in a function prototype, it makes a difference which one you use. If the system header files declare `malloc` with an argument of type `size_t` and you declare `malloc` with an argument of type `unsigned int`, you will get a compilation error if `size_t` happens to be `unsigned long int` on your system. To avoid any possibility of error, when a function argument or value is supposed to have type `size_t`, never declare its type in any other way.

**Compatibility Note:** Implementations of C before the advent of ISO C generally used `unsigned int` for representing object sizes and `int` for pointer subtraction results. They did not necessarily define either `size_t` or `ptrdiff_t`. Unix systems did define `size_t`, in `sys/types.h`, but the definition was usually a signed type.

---

Node: Data Type Measurements, Previous: [Important Data Types](#), Up: [Language Features](#)

## Data Type Measurements

Most of the time, if you choose the proper C data type for each object in your program, you need not be concerned with just how it is represented or how many bits it uses. When you do need such information, the C language itself does not provide a way to get it. The header files `limits.h` and `float.h` contain macros which give you this information in full detail.

- [Width of Type](#): How many bits does an integer type hold?
- [Range of Type](#): What are the largest and smallest values that an integer type can hold?
- [Floating Type Macros](#): Parameters that measure the floating point types.
- [Structure Measurement](#): Getting measurements on structure types.

---

Node: Width of Type, Next: [Range of Type](#), Up: [Data Type Measurements](#)

## Computing the Width of an Integer Data Type

The most common reason that a program needs to know how many bits are in an integer type is for using an array of `long int` as a bit vector. You can access the bit at index  $n$  with

```
vector[n / LONGBITS] & (1 << (n % LONGBITS))
```

provided you define `LONGBITS` as the number of bits in a `long int`.

There is no operator in the C language that can give you the number of bits in an integer data type. But you can compute it from the macro `CHAR_BIT`, defined in the header file `limits.h`.

### `CHAR_BIT`

This is the number of bits in a `char`--eight, on most systems. The value has type `int`.

You can compute the number of bits in any data type *type* like this:

```
sizeof (type) * CHAR_BIT
```

---

Node: Range of Type, Next: [Floating Type Macros](#), Previous: [Width of Type](#), Up: [Data Type](#)

[Measurements](#)

## Range of an Integer Type

Suppose you need to store an integer value which can range from zero to one million. Which is the smallest type you can use? There is no general rule; it depends on the C compiler and target machine. You can use the `MIN` and `MAX` macros in `limits.h` to determine which type will work.

Each signed integer type has a pair of macros which give the smallest and largest values that it can hold. Each unsigned integer type has one such macro, for the maximum value; the minimum value is, of course, zero.

The values of these macros are all integer constant expressions. The `MAX` and `MIN` macros for `char` and `short int` types have values of type `int`. The `MAX` and `MIN` macros for the other types have values of the same type described by the macro--thus, `ULONG_MAX` has type `unsigned long int`.

### `SCHAR_MIN`

This is the minimum value that can be represented by a `signed char`.

### `SCHAR_MAX`

### `UCHAR_MAX`

These are the maximum values that can be represented by a `signed char` and `unsigned char`, respectively.

### `CHAR_MIN`

This is the minimum value that can be represented by a `char`. It's equal to `SCHAR_MIN` if `char` is signed, or zero otherwise.

### `CHAR_MAX`

This is the maximum value that can be represented by a `char`. It's equal to `SCHAR_MAX` if `char` is signed, or `UCHAR_MAX` otherwise.

### `SHRT_MIN`

This is the minimum value that can be represented by a `signed short int`. On most machines that the GNU C library runs on, `short` integers are 16-bit quantities.

### `SHRT_MAX`

### `USHRT_MAX`

These are the maximum values that can be represented by a `signed short int` and `unsigned short int`, respectively.

### `INT_MIN`

This is the minimum value that can be represented by a `signed int`. On most machines that the GNU C system runs on, an `int` is a 32-bit quantity.

### `INT_MAX`

### `UINT_MAX`

These are the maximum values that can be represented by, respectively, the type `signed int` and the type `unsigned int`.

**LONG\_MIN**

This is the minimum value that can be represented by a `signed long int`. On most machines that the GNU C system runs on, `long` integers are 32-bit quantities, the same size as `int`.

**LONG\_MAX****ULONG\_MAX**

These are the maximum values that can be represented by a `signed long int` and `unsigned long int`, respectively.

**LONG\_LONG\_MIN**

This is the minimum value that can be represented by a `signed long long int`. On most machines that the GNU C system runs on, `long long` integers are 64-bit quantities.

**LONG\_LONG\_MAX****ULONG\_LONG\_MAX**

These are the maximum values that can be represented by a `signed long long int` and `unsigned long long int`, respectively.

**WCHAR\_MAX**

This is the maximum value that can be represented by a `wchar_t`. See [Extended Char Intro](#).

The header file `limits.h` also defines some additional constants that parameterize various operating system and file system limits. These constants are described in [System Configuration](#).

---

Node: [Floating Type Macros](#), Next: [Structure Measurement](#), Previous: [Range of Type](#), Up: [Data Type Measurements](#)

## Floating Type Macros

The specific representation of floating point numbers varies from machine to machine. Because floating point numbers are represented internally as approximate quantities, algorithms for manipulating floating point data often need to take account of the precise details of the machine's floating point representation.

Some of the functions in the C library itself need this information; for example, the algorithms for printing and reading floating point numbers (see [I/O on Streams](#)) and for calculating trigonometric and irrational functions (see [Mathematics](#)) use it to avoid round-off error and loss of accuracy. User programs that implement numerical analysis techniques also often need this information in order to minimize or compute error bounds.

The header file `float.h` describes the format used by your machine.

- [Floating Point Concepts](#): Definitions of terminology.
- [Floating Point Parameters](#): Details of specific macros.

- [IEEE Floating Point](#): The measurements for one common representation.

---

Node: Floating Point Concepts, Next: [Floating Point Parameters](#), Up: [Floating Type Macros](#)

## Floating Point Representation Concepts

This section introduces the terminology for describing floating point representations.

You are probably already familiar with most of these concepts in terms of scientific or exponential notation for floating point numbers. For example, the number 123456.0 could be expressed in exponential notation as  $1.23456e+05$ , a shorthand notation indicating that the mantissa 1.23456 is multiplied by the base 10 raised to power 5.

More formally, the internal representation of a floating point number can be characterized in terms of the following parameters:

- The *sign* is either  $-1$  or  $1$ .
- The *base* or *radix* for exponentiation, an integer greater than 1. This is a constant for a particular representation.
- The *exponent* to which the base is raised. The upper and lower bounds of the exponent value are constants for a particular representation.

Sometimes, in the actual bits representing the floating point number, the exponent is *biased* by adding a constant to it, to make it always be represented as an unsigned quantity. This is only important if you have some reason to pick apart the bit fields making up the floating point number by hand, which is something for which the GNU library provides no support. So this is ignored in the discussion that follows.

- The *mantissa* or *significand* is an unsigned integer which is a part of each floating point number.
- The *precision* of the mantissa. If the base of the representation is  $b$ , then the precision is the number of base- $b$  digits in the mantissa. This is a constant for a particular representation.

Many floating point representations have an implicit *hidden bit* in the mantissa. This is a bit which is present virtually in the mantissa, but not stored in memory because its value is always 1 in a normalized number. The precision figure (see above) includes any hidden bits.

Again, the GNU library provides no facilities for dealing with such low-level aspects of the representation.

The mantissa of a floating point number represents an implicit fraction whose denominator is the base

raised to the power of the precision. Since the largest representable mantissa is one less than this denominator, the value of the fraction is always strictly less than 1. The mathematical value of a floating point number is then the product of this fraction, the sign, and the base raised to the exponent.

We say that the floating point number is *normalized* if the fraction is at least  $1/b$ , where  $b$  is the base. In other words, the mantissa would be too large to fit if it were multiplied by the base. Non-normalized numbers are sometimes called *denormal*; they contain less precision than the representation normally can hold.

If the number is not normalized, then you can subtract 1 from the exponent while multiplying the mantissa by the base, and get another floating point number with the same value. *Normalization* consists of doing this repeatedly until the number is normalized. Two distinct normalized floating point numbers cannot be equal in value.

(There is an exception to this rule: if the mantissa is zero, it is considered normalized. Another exception happens on certain machines where the exponent is as small as the representation can hold. Then it is impossible to subtract 1 from the exponent, so a number may be normalized even if its fraction is less than  $1/b$ .)

---

Node: [Floating Point Parameters](#), Next: [IEEE Floating Point](#), Previous: [Floating Point Concepts](#),  
Up: [Floating Type Macros](#)

## Floating Point Parameters

These macro definitions can be accessed by including the header file `float.h` in your program.

Macro names starting with `FLT_` refer to the `float` type, while names beginning with `DBL_` refer to the `double` type and names beginning with `LDBL_` refer to the `long double` type. (If GCC does not support `long double` as a distinct data type on a target machine then the values for the `LDBL_` constants are equal to the corresponding constants for the `double` type.)

Of these macros, only `FLT_RADIX` is guaranteed to be a constant expression. The other macros listed here cannot be reliably used in places that require constant expressions, such as `#if` preprocessing directives or in the dimensions of static arrays.

Although the ISO C standard specifies minimum and maximum values for most of these parameters, the GNU C implementation uses whatever values describe the floating point representation of the target machine. So in principle GNU C actually satisfies the ISO C requirements only if the target machine is suitable. In practice, all the machines currently supported are suitable.



## FLT\_ROUNDS

This value characterizes the rounding mode for floating point addition. The following values indicate standard rounding modes:

-1

The mode is indeterminable.

0

Rounding is towards zero.

1

Rounding is to the nearest number.

2

Rounding is towards positive infinity.

3

Rounding is towards negative infinity.

Any other value represents a machine-dependent nonstandard rounding mode.

On most machines, the value is 1, in accordance with the IEEE standard for floating point.

Here is a table showing how certain values round for each possible value of `FLT_ROUNDS`, if the other aspects of the representation match the IEEE single-precision standard.

	0	1	2	3
1.00000003	1.0	1.0	1.00000012	1.0
1.00000007	1.0	1.00000012	1.00000012	1.0
-1.00000003	-1.0	-1.0	-1.0	-1.00000012
-1.00000007	-1.0	-1.00000012	-1.0	-1.00000012

## FLT\_RADIX

This is the value of the base, or radix, of the exponent representation. This is guaranteed to be a constant expression, unlike the other macros described in this section. The value is 2 on all machines we know of except the IBM 360 and derivatives.

## FLT\_MANT\_DIG

This is the number of base-`FLT_RADIX` digits in the floating point mantissa for the `float` data type. The following expression yields 1.0 (even though mathematically it should not) due to the limited number of mantissa digits:

```
float radix = FLT_RADIX;

1.0f + 1.0f / radix / radix / ... / radix
```

where `radix` appears `FLT_MANT_DIG` times.

DBL\_MANT\_DIG

LDBL\_MANT\_DIG

This is the number of base-FLT\_RADIX digits in the floating point mantissa for the data types `double` and `long double`, respectively.

FLT\_DIG

This is the number of decimal digits of precision for the `float` data type. Technically, if  $p$  and  $b$  are the precision and base (respectively) for the representation, then the decimal precision  $q$  is the maximum number of decimal digits such that any floating point number with  $q$  base 10 digits can be rounded to a floating point number with  $p$  base  $b$  digits and back again, without change to the  $q$  decimal digits.

The value of this macro is supposed to be at least 6, to satisfy ISO C.

DBL\_DIG

LDBL\_DIG

These are similar to FLT\_DIG, but for the data types `double` and `long double`, respectively. The values of these macros are supposed to be at least 10.

FLT\_MIN\_EXP

This is the smallest possible exponent value for type `float`. More precisely, is the minimum negative integer such that the value FLT\_RADIX raised to this power minus 1 can be represented as a normalized floating point number of type `float`.

DBL\_MIN\_EXP

LDBL\_MIN\_EXP

These are similar to FLT\_MIN\_EXP, but for the data types `double` and `long double`, respectively.

FLT\_MIN\_10\_EXP

This is the minimum negative integer such that 10 raised to this power minus 1 can be represented as a normalized floating point number of type `float`. This is supposed to be -37 or even less.

DBL\_MIN\_10\_EXP

LDBL\_MIN\_10\_EXP

These are similar to FLT\_MIN\_10\_EXP, but for the data types `double` and `long double`, respectively.

FLT\_MAX\_EXP

This is the largest possible exponent value for type `float`. More precisely, this is the maximum positive integer such that value FLT\_RADIX raised to this power minus 1 can be represented as a floating point number of type `float`.

DBL\_MAX\_EXP

LDBL\_MAX\_EXP

These are similar to FLT\_MAX\_EXP, but for the data types `double` and `long double`, respectively.

FLT\_MAX\_10\_EXP

This is the maximum positive integer such that 10 raised to this power minus 1 can be represented as a normalized floating point number of type `float`. This is supposed to be at least 37.

`DBL_MAX_10_EXP`

`LDBL_MAX_10_EXP`

These are similar to `FLT_MAX_10_EXP`, but for the data types `double` and `long double`, respectively.

`FLT_MAX`

The value of this macro is the maximum number representable in type `float`. It is supposed to be at least  $1E+37$ . The value has type `float`.

The smallest representable number is  $-FLT\_MAX$ .

`DBL_MAX`

`LDBL_MAX`

These are similar to `FLT_MAX`, but for the data types `double` and `long double`, respectively. The type of the macro's value is the same as the type it describes.

`FLT_MIN`

The value of this macro is the minimum normalized positive floating point number that is representable in type `float`. It is supposed to be no more than  $1E-37$ .

`DBL_MIN`

`LDBL_MIN`

These are similar to `FLT_MIN`, but for the data types `double` and `long double`, respectively. The type of the macro's value is the same as the type it describes.

`FLT_EPSILON`

This is the minimum positive floating point number of type `float` such that  $1.0 + FLT\_EPSILON \neq 1.0$  is true. It's supposed to be no greater than  $1E-5$ .

`DBL_EPSILON`

`LDBL_EPSILON`

These are similar to `FLT_EPSILON`, but for the data types `double` and `long double`, respectively. The type of the macro's value is the same as the type it describes. The values are not supposed to be greater than  $1E-9$ .

---

Node: IEEE Floating Point, Previous: [Floating Point Parameters](#), Up: [Floating Type Macros](#)

## IEEE Floating Point

Here is an example showing how the floating type measurements come out for the most common floating point representation, specified by the *IEEE Standard for Binary Floating Point Arithmetic (ANSI/IEEE Std 754-1985)*. Nearly all computers designed since the 1980s use this format.

The IEEE single-precision float representation uses a base of 2. There is a sign bit, a mantissa with 23 bits plus one hidden bit (so the total precision is 24 base-2 digits), and an 8-bit exponent that can represent values in the range -125 to 128, inclusive.

So, for an implementation that uses this representation for the `float` data type, appropriate values for the corresponding parameters are:

<code>FLT_RADIX</code>	2
<code>FLT_MANT_DIG</code>	24
<code>FLT_DIG</code>	6
<code>FLT_MIN_EXP</code>	-125
<code>FLT_MIN_10_EXP</code>	-37
<code>FLT_MAX_EXP</code>	128
<code>FLT_MAX_10_EXP</code>	+38
<code>FLT_MIN</code>	1.17549435E-38F
<code>FLT_MAX</code>	3.40282347E+38F
<code>FLT_EPSILON</code>	1.19209290E-07F

Here are the values for the `double` data type:

<code>DBL_MANT_DIG</code>	53
<code>DBL_DIG</code>	15
<code>DBL_MIN_EXP</code>	-1021
<code>DBL_MIN_10_EXP</code>	-307
<code>DBL_MAX_EXP</code>	1024
<code>DBL_MAX_10_EXP</code>	308
<code>DBL_MAX</code>	1.7976931348623157E+308
<code>DBL_MIN</code>	2.2250738585072014E-308
<code>DBL_EPSILON</code>	2.2204460492503131E-016

---

Node: Structure Measurement, Previous: [Floating Type Macros](#), Up: [Data Type Measurements](#)

## Structure Field Offset Measurement

You can use `offsetof` to measure the location within a structure type of a particular structure member.

`size_t` **offsetof** (*type*, *member*)

Macro

This expands to a integer constant expression that is the offset of the structure member named *member* in a the structure type *type*. For example, `offsetof (struct s, elem)` is the offset, in bytes, of the member `elem` in a `struct s`.

This macro won't work if *member* is a bit field; you get an error from the C compiler in that case.

---

Node: Library Summary, Next: [Installation](#), Previous: [Language Features](#), Up: [Top](#)

## Summary of Library Facilities

This appendix is a complete list of the facilities declared within the header files supplied with the GNU C library. Each entry also lists the standard or other source from which each facility is derived, and tells you where in the manual you can find more information about how to use it.

```
long int a64l (const char *string)
    stdlib.h (XPG): Encode Binary Data.
void abort (void)
    stdlib.h (ISO): Aborting a Program.
int abs (int number)
    stdlib.h (ISO): Absolute Value.
int accept (int socket, struct sockaddr *addr, socklen_t *length_ptr)
    sys/socket.h (BSD): Accepting Connections.
int access (const char *filename, int how)
    unistd.h (POSIX.1): Testing File Access.
ACCOUNTING
    utmp.h (SVID): Manipulating the Database.
double acos (double x)
    math.h (ISO): Inverse Trig Functions.
float acosf (float x)
    math.h (ISO): Inverse Trig Functions.
double acosh (double x)
    math.h (ISO): Hyperbolic Functions.
float acoshf (float x)
    math.h (ISO): Hyperbolic Functions.
long double acoshl (long double x)
    math.h (ISO): Hyperbolic Functions.
long double acosl (long double x)
    math.h (ISO): Inverse Trig Functions.
```

int addmntent (FILE *\*stream*, const struct mntent *\*mnt*)  
 mntent.h (BSD): [mntab](#).

int adjtime (const struct timeval *\*delta*, struct timeval *\*olddelta*)  
 sys/time.h (BSD): [High-Resolution Calendar](#).

int adjtimex (struct timex *\*timex*)  
 sys/timex.h (GNU): [High-Resolution Calendar](#).

AF\_FILE  
 sys/socket.h (GNU): [Address Formats](#).

AF\_INET  
 sys/socket.h (BSD): [Address Formats](#).

AF\_INET6  
 sys/socket.h (IPv6 Basic API): [Address Formats](#).

AF\_LOCAL  
 sys/socket.h (POSIX): [Address Formats](#).

AF\_UNIX  
 sys/socket.h (BSD, Unix98): [Address Formats](#).

AF\_UNSPEC  
 sys/socket.h (BSD): [Address Formats](#).

int aio\_cancel (int *filides*, struct aiocb *\*aiocbp*)  
 aio.h (POSIX.1b): [Cancel AIO Operations](#).

int aio\_cancel64 (int *filides*, struct aiocb64 *\*aiocbp*)  
 aio.h (Unix98): [Cancel AIO Operations](#).

int aio\_error (const struct aiocb *\*aiocbp*)  
 aio.h (POSIX.1b): [Status of AIO Operations](#).

int aio\_error64 (const struct aiocb64 *\*aiocbp*)  
 aio.h (Unix98): [Status of AIO Operations](#).

int aio\_fsync (int *op*, struct aiocb *\*aiocbp*)  
 aio.h (POSIX.1b): [Synchronizing AIO Operations](#).

int aio\_fsync64 (int *op*, struct aiocb64 *\*aiocbp*)  
 aio.h (Unix98): [Synchronizing AIO Operations](#).

void aio\_init (const struct aiocb *\*init*)  
 aio.h (GNU): [Configuration of AIO](#).

int aio\_read (struct aiocb *\*aiocbp*)  
 aio.h (POSIX.1b): [Asynchronous Reads/Writes](#).

int aio\_read64 (struct aiocb *\*aiocbp*)  
 aio.h (Unix98): [Asynchronous Reads/Writes](#).

ssize\_t aio\_return (const struct aiocb *\*aiocbp*)  
 aio.h (POSIX.1b): [Status of AIO Operations](#).

int aio\_return64 (const struct aiocb64 *\*aiocbp*)  
 aio.h (Unix98): [Status of AIO Operations](#).

int aio\_suspend (const struct aiocb *\*const list*[], int *nent*, const

```

struct timespec *timeout)
    aio.h (POSIX.1b): Synchronizing AIO Operations.
int aio_suspend64 (const struct aiocb64 *const list[], int nent, const
struct timespec *timeout)
    aio.h (Unix98): Synchronizing AIO Operations.
int aio_write (struct aiocb *aiocbp)
    aio.h (POSIX.1b): Asynchronous Reads/Writes.
int aio_write64 (struct aiocb *aiocbp)
    aio.h (Unix98): Asynchronous Reads/Writes.
unsigned int alarm (unsigned int seconds)
    unistd.h (POSIX.1): Setting an Alarm.
void *alloca (size_t size);
    stdlib.h (GNU, BSD): Variable Size Automatic.
int alphasort (const void *a, const void *b)
    dirent.h (BSD/SVID): Scanning Directory Content.
int alphasort64 (const void *a, const void *b)
    dirent.h (GNU): Scanning Directory Content.
tcflag_t ALTWERASE
    termios.h (BSD): Local Modes.
int ARG_MAX
    limits.h (POSIX.1): General Limits.
error_t argp_err_exit_status
    argp.h (GNU): Argp Global Variables.
void argp_error (const struct argp_state *state, const char *fmt, ...)
    argp.h (GNU): Argp Helper Functions.
int ARGP_ERR_UNKNOWN
    argp.h (GNU): Argp Parser Functions.
void argp_failure (const struct argp_state *state, int status, int errnum,
const char *fmt, ...)
    argp.h (GNU): Argp Helper Functions.
void argp_help (const struct argp *argp, FILE *stream, unsigned flags,
char *name)
    argp.h (GNU): Argp Help.
ARGP_IN_ORDER
    argp.h (GNU): Argp Flags.
ARGP_KEY_ARG
    argp.h (GNU): Argp Special Keys.
ARGP_KEY_ARGS
    argp.h (GNU): Argp Special Keys.
ARGP_KEY_END
    argp.h (GNU): Argp Special Keys.

```

ARGP\_KEY\_ERROR

argp.h (GNU): [Argp Special Keys](#).

ARGP\_KEY\_FINI

argp.h (GNU): [Argp Special Keys](#).

ARGP\_KEY\_HELP\_ARGS\_DOC

argp.h (GNU): [Argp Help Filter Keys](#).

ARGP\_KEY\_HELP\_DUP\_ARGS\_NOTE

argp.h (GNU): [Argp Help Filter Keys](#).

ARGP\_KEY\_HELP\_EXTRA

argp.h (GNU): [Argp Help Filter Keys](#).

ARGP\_KEY\_HELP\_HEADER

argp.h (GNU): [Argp Help Filter Keys](#).

ARGP\_KEY\_HELP\_POST\_DOC

argp.h (GNU): [Argp Help Filter Keys](#).

ARGP\_KEY\_HELP\_PRE\_DOC

argp.h (GNU): [Argp Help Filter Keys](#).

ARGP\_KEY\_INIT

argp.h (GNU): [Argp Special Keys](#).

ARGP\_KEY\_NO\_ARGS

argp.h (GNU): [Argp Special Keys](#).

ARGP\_KEY\_SUCCESS

argp.h (GNU): [Argp Special Keys](#).

ARGP\_LONG\_ONLY

argp.h (GNU): [Argp Flags](#).

ARGP\_NO\_ARGS

argp.h (GNU): [Argp Flags](#).

ARGP\_NO\_ERRS

argp.h (GNU): [Argp Flags](#).

ARGP\_NO\_EXIT

argp.h (GNU): [Argp Flags](#).

ARGP\_NO\_HELP

argp.h (GNU): [Argp Flags](#).

error\_t argp\_parse (const struct argp \**argp*, int *argc*, char \*\**argv*,  
unsigned *flags*, int \**arg\_index*, void \**input*)

argp.h (GNU): [Suboptions](#).

ARGP\_PARSE\_ARGV0

argp.h (GNU): [Argp Flags](#).

const char \* argp\_program\_bug\_address

argp.h (GNU): [Argp Global Variables](#).

const char \* argp\_program\_version

argp.h (GNU): [Argp Global Variables](#).



`argp_program_version_hook`

`argp.h` (GNU): [Argp Global Variables](#).

`ARGP_SILENT`

`argp.h` (GNU): [Argp Flags](#).

`void argp_state_help (const struct argp_state *state, FILE *stream, unsigned flags)`

`argp.h` (GNU): [Argp Helper Functions](#).

`void argp_usage (const struct argp_state *state)`

`argp.h` (GNU): [Argp Helper Functions](#).

`error_t argz_add (char **argz, size_t *argz_len, const char *str)`

`argz.h` (GNU): [Argz Functions](#).

`error_t argz_add_sep (char **argz, size_t *argz_len, const char *str, int delim)`

`argz.h` (GNU): [Argz Functions](#).

`error_t argz_append (char **argz, size_t *argz_len, const char *buf, size_t buf_len)`

`argz.h` (GNU): [Argz Functions](#).

`size_t argz_count (const char *argz, size_t arg_len)`

`argz.h` (GNU): [Argz Functions](#).

`error_t argz_create (char *const argv[], char **argz, size_t *argz_len)`

`argz.h` (GNU): [Argz Functions](#).

`error_t argz_create_sep (const char *string, int sep, char **argz, size_t *argz_len)`

`argz.h` (GNU): [Argz Functions](#).

`error_t argz_delete (char **argz, size_t *argz_len, char *entry)`

`argz.h` (GNU): [Argz Functions](#).

`void argz_extract (char *argz, size_t argz_len, char **argv)`

`argz.h` (GNU): [Argz Functions](#).

`error_t argz_insert (char **argz, size_t *argz_len, char *before, const char *entry)`

`argz.h` (GNU): [Argz Functions](#).

`char * argz_next (char *argz, size_t argz_len, const char *entry)`

`argz.h` (GNU): [Argz Functions](#).

`error_t argz_replace (char **argz, size_t *argz_len, const char *str, const char *with, unsigned *replace_count)`

`argz.h` (GNU): [Argz Functions](#).

`void argz_stringify (char *argz, size_t len, int sep)`

`argz.h` (GNU): [Argz Functions](#).

`char * asctime (const struct tm *brokentime)`

`time.h` (ISO): [Formatting Calendar Time](#).

`char * asctime_r (const struct tm *brokentime, char *buffer)`

time.h (POSIX.1c): [Formatting Calendar Time](#).

double asin (double  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

float asinf (float  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

double asinh (double  $x$ )

math.h (ISO): [Hyperbolic Functions](#).

float asinhf (float  $x$ )

math.h (ISO): [Hyperbolic Functions](#).

long double asinhl (long double  $x$ )

math.h (ISO): [Hyperbolic Functions](#).

long double asinl (long double  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

int asprintf (char \*\**ptr*, const char \**template*, ...)

stdio.h (GNU): [Dynamic Output](#).

void assert (int *expression*)

assert.h (ISO): [Consistency Checking](#).

void assert\_perror (int *errnum*)

assert.h (GNU): [Consistency Checking](#).

double atan (double  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

double atan2 (double  $y$ , double  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

float atan2f (float  $y$ , float  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

long double atan2l (long double  $y$ , long double  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

float atanf (float  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

double atanh (double  $x$ )

math.h (ISO): [Hyperbolic Functions](#).

float atanhf (float  $x$ )

math.h (ISO): [Hyperbolic Functions](#).

long double atanh1 (long double  $x$ )

math.h (ISO): [Hyperbolic Functions](#).

long double atanl (long double  $x$ )

math.h (ISO): [Inverse Trig Functions](#).

int atexit (void (\**function*) (void))

stdlib.h (ISO): [Cleanups on Exit](#).

double atof (const char \**string*)

stdlib.h (ISO): [Parsing of Floats](#).

int atoi (const char \**string*)

stdlib.h (ISO): [Parsing of Integers](#).

long int atol (const char \**string*)

stdlib.h (ISO): [Parsing of Integers](#).

long long int atoll (const char \**string*)

stdlib.h (ISO): [Parsing of Integers](#).

B0

termios.h (POSIX.1): [Line Speed](#).

B110

termios.h (POSIX.1): [Line Speed](#).

B115200

termios.h (GNU): [Line Speed](#).

B1200

termios.h (POSIX.1): [Line Speed](#).

B134

termios.h (POSIX.1): [Line Speed](#).

B150

termios.h (POSIX.1): [Line Speed](#).

B1800

termios.h (POSIX.1): [Line Speed](#).

B19200

termios.h (POSIX.1): [Line Speed](#).

B200

termios.h (POSIX.1): [Line Speed](#).

B230400

termios.h (GNU): [Line Speed](#).

B2400

termios.h (POSIX.1): [Line Speed](#).

B300

termios.h (POSIX.1): [Line Speed](#).

B38400

termios.h (POSIX.1): [Line Speed](#).

B460800

termios.h (GNU): [Line Speed](#).

B4800

termios.h (POSIX.1): [Line Speed](#).

B50

termios.h (POSIX.1): [Line Speed](#).

B57600

termios.h (GNU): [Line Speed](#).

B600

termios.h (POSIX.1): [Line Speed](#).

B75

termios.h (POSIX.1): [Line Speed](#).

B9600

termios.h (POSIX.1): [Line Speed](#).

int backtrace (void \*\**buffer*, int *size*)

execinfo.h (GNU): [Backtraces](#).

char \*\* backtrace\_symbols (void \*const \**buffer*, int *size*)

execinfo.h (GNU): [Backtraces](#).

void backtrace\_symbols\_fd (void \*const \**buffer*, int *size*, int *fd*)

execinfo.h (GNU): [Backtraces](#).

char \* basename (char \**path*)

libgen.h (XPG): [Finding Tokens in a String](#).

char \* basename (const char \**filename*)

string.h (GNU): [Finding Tokens in a String](#).

int BC\_BASE\_MAX

limits.h (POSIX.2): [Utility Limits](#).

int BC\_DIM\_MAX

limits.h (POSIX.2): [Utility Limits](#).

int bcmp (const void \**a1*, const void \**a2*, size\_t *size*)

string.h (BSD): [String/Array Comparison](#).

void bcopy (const void \**from*, void \**to*, size\_t *size*)

string.h (BSD): [Copying and Concatenation](#).

int BC\_SCALE\_MAX

limits.h (POSIX.2): [Utility Limits](#).

int BC\_STRING\_MAX

limits.h (POSIX.2): [Utility Limits](#).

int bind (int *socket*, struct sockaddr \**addr*, socklen\_t *length*)

sys/socket.h (BSD): [Setting Address](#).

char \* bindtextdomain (const char \**domainname*, const char \**dirname*)

libintl.h (GNU): [Locating gettext catalog](#).

char \* bind\_textdomain\_codeset (const char \**domainname*, const char \**codeset*)

libintl.h (GNU): [Charset conversion in gettext](#).

blkcnt64\_t

sys/types.h (Unix98): [Attribute Meanings](#).

blkcnt\_t

sys/types.h (Unix98): [Attribute Meanings](#).

BOOT\_TIME

utmp.h (SVID): [Manipulating the Database](#).

BOOT\_TIME

utmpx.h (XPG4.2): [XPG Functions](#).

int brk (void \**addr*)

unistd.h (BSD): [Resizing the Data Segment](#).

tcflag\_t BRKINT

termios.h (POSIX.1): [Input Modes](#).

\_BSD\_SOURCE

(GNU): [Feature Test Macros](#).

void \* bsearch (const void \**key*, const void \**array*, size\_t *count*, size\_t *size*, comparison\_fn\_t *compare*)

stdlib.h (ISO): [Array Search Function](#).

wint\_t btowc (int *c*)

wchar.h (ISO): [Converting a Character](#).

int BUFSIZ

stdio.h (ISO): [Controlling Buffering](#).

void bzero (void \**block*, size\_t *size*)

string.h (BSD): [Copying and Concatenation](#).

double cabs (complex double *z*)

complex.h (ISO): [Absolute Value](#).

float cabsf (complex float *z*)

complex.h (ISO): [Absolute Value](#).

long double cabsl (complex long double *z*)

complex.h (ISO): [Absolute Value](#).

complex double cacos (complex double *z*)

complex.h (ISO): [Inverse Trig Functions](#).

complex float cacosf (complex float *z*)

complex.h (ISO): [Inverse Trig Functions](#).

complex double cacosh (complex double *z*)

complex.h (ISO): [Hyperbolic Functions](#).

complex float cacoshf (complex float *z*)

complex.h (ISO): [Hyperbolic Functions](#).

complex long double cacoshl (complex long double *z*)

complex.h (ISO): [Hyperbolic Functions](#).

complex long double cacosl (complex long double *z*)

complex.h (ISO): [Inverse Trig Functions](#).

void \* calloc (size\_t *count*, size\_t *eltsize*)

malloc.h, stdlib.h (ISO): [Allocating Cleared Space](#).

char \* canonicalize\_file\_name (const char \**name*)

stdlib.h (GNU): [Symbolic Links](#).

double carg (complex double  $z$ )  
 complex.h (ISO): [Operations on Complex](#).

float cargf (complex float  $z$ )  
 complex.h (ISO): [Operations on Complex](#).

long double cargl (complex long double  $z$ )  
 complex.h (ISO): [Operations on Complex](#).

complex double casin (complex double  $z$ )  
 complex.h (ISO): [Inverse Trig Functions](#).

complex float casinf (complex float  $z$ )  
 complex.h (ISO): [Inverse Trig Functions](#).

complex double casinh (complex double  $z$ )  
 complex.h (ISO): [Hyperbolic Functions](#).

complex float casinhf (complex float  $z$ )  
 complex.h (ISO): [Hyperbolic Functions](#).

complex long double casinhl (complex long double  $z$ )  
 complex.h (ISO): [Hyperbolic Functions](#).

complex long double casinl (complex long double  $z$ )  
 complex.h (ISO): [Inverse Trig Functions](#).

complex double catan (complex double  $z$ )  
 complex.h (ISO): [Inverse Trig Functions](#).

complex float catanf (complex float  $z$ )  
 complex.h (ISO): [Inverse Trig Functions](#).

complex double catanh (complex double  $z$ )  
 complex.h (ISO): [Hyperbolic Functions](#).

complex float catanhf (complex float  $z$ )  
 complex.h (ISO): [Hyperbolic Functions](#).

complex long double catanhl (complex long double  $z$ )  
 complex.h (ISO): [Hyperbolic Functions](#).

complex long double catanl (complex long double  $z$ )  
 complex.h (ISO): [Inverse Trig Functions](#).

nl\_catd catopen (const char *\*cat\_name*, int *flag*)  
 nl\_types.h (X/Open): [The catgets Functions](#).

int cbc\_crypt (char *\*key*, char *\*blocks*, unsigned *len*, unsigned *mode*, char *\*ivec*)  
 rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

double cbrt (double  $x$ )  
 math.h (BSD): [Exponents and Logarithms](#).

float cbrtf (float  $x$ )  
 math.h (BSD): [Exponents and Logarithms](#).

long double cbrtl (long double  $x$ )  
 math.h (BSD): [Exponents and Logarithms](#).

complex double ccos (complex double *z*)  
 complex.h (ISO): [Trig Functions](#).

complex float ccosf (complex float *z*)  
 complex.h (ISO): [Trig Functions](#).

complex double ccosh (complex double *z*)  
 complex.h (ISO): [Hyperbolic Functions](#).

complex float ccoshf (complex float *z*)  
 complex.h (ISO): [Hyperbolic Functions](#).

complex long double ccoshl (complex long double *z*)  
 complex.h (ISO): [Hyperbolic Functions](#).

complex long double ccosl (complex long double *z*)  
 complex.h (ISO): [Trig Functions](#).

cc\_t  
 termios.h (POSIX.1): [Mode Data Types](#).

tcflag\_t CCTS\_OFLOW  
 termios.h (BSD): [Control Modes](#).

double ceil (double *x*)  
 math.h (ISO): [Rounding Functions](#).

float ceilf (float *x*)  
 math.h (ISO): [Rounding Functions](#).

long double ceill (long double *x*)  
 math.h (ISO): [Rounding Functions](#).

complex double cexp (complex double *z*)  
 complex.h (ISO): [Exponents and Logarithms](#).

complex float cexpf (complex float *z*)  
 complex.h (ISO): [Exponents and Logarithms](#).

complex long double cexpl (complex long double *z*)  
 complex.h (ISO): [Exponents and Logarithms](#).

speed\_t cfgetispeed (const struct termios *\*termios-p*)  
 termios.h (POSIX.1): [Line Speed](#).

speed\_t cfgetospeed (const struct termios *\*termios-p*)  
 termios.h (POSIX.1): [Line Speed](#).

void cfmakeraw (struct termios *\*termios-p*)  
 termios.h (BSD): [Noncanonical Input](#).

void cfree (void *\*ptr*)  
 stdlib.h (Sun): [Freeing after Malloc](#).

int cfsetispeed (struct termios *\*termios-p*, speed\_t *speed*)  
 termios.h (POSIX.1): [Line Speed](#).

int cfsetospeed (struct termios *\*termios-p*, speed\_t *speed*)  
 termios.h (POSIX.1): [Line Speed](#).

`int cfsetspeed (struct termios *termios-p, speed_t speed)`  
termios.h (BSD): [Line Speed](#).

`CHAR_BIT`  
limits.h (ISO): [Width of Type](#).

`CHAR_MAX`  
limits.h (ISO): [Range of Type](#).

`CHAR_MIN`  
limits.h (ISO): [Range of Type](#).

`int chdir (const char *filename)`  
unistd.h (POSIX.1): [Working Directory](#).

`int CHILD_MAX`  
limits.h (POSIX.1): [General Limits](#).

`int chmod (const char *filename, mode_t mode)`  
sys/stat.h (POSIX.1): [Setting Permissions](#).

`int chown (const char *filename, uid_t owner, gid_t group)`  
unistd.h (POSIX.1): [File Owner](#).

`tcflag_t CIGNORE`  
termios.h (BSD): [Control Modes](#).

`double cimag (complex double z)`  
complex.h (ISO): [Operations on Complex](#).

`float cimagf (complex float z)`  
complex.h (ISO): [Operations on Complex](#).

`long double cimagl (complex long double z)`  
complex.h (ISO): [Operations on Complex](#).

`int clearenv (void)`  
stdlib.h (GNU): [Environment Access](#).

`void clearerr (FILE *stream)`  
stdio.h (ISO): [Error Recovery](#).

`void clearerr_unlocked (FILE *stream)`  
stdio.h (GNU): [Error Recovery](#).

`int CLK_TCK`  
time.h (POSIX.1): [CPU Time](#).

`tcflag_t CLOCAL`  
termios.h (POSIX.1): [Control Modes](#).

`clock_t clock (void)`  
time.h (ISO): [CPU Time](#).

`int CLOCKS_PER_SEC`  
time.h (ISO): [CPU Time](#).

`clock_t`  
time.h (ISO): [CPU Time](#).

`complex double clog (complex double z)`



complex.h (ISO): [Exponents and Logarithms](#).  
 complex double clog10 (complex double  $z$ )  
 complex.h (GNU): [Exponents and Logarithms](#).  
 complex float clog10f (complex float  $z$ )  
 complex.h (GNU): [Exponents and Logarithms](#).  
 complex long double clog10l (complex long double  $z$ )  
 complex.h (GNU): [Exponents and Logarithms](#).  
 complex float clogf (complex float  $z$ )  
 complex.h (ISO): [Exponents and Logarithms](#).  
 complex long double clogl (complex long double  $z$ )  
 complex.h (ISO): [Exponents and Logarithms](#).  
 int close (int *filedes*)  
 unistd.h (POSIX.1): [Opening and Closing Files](#).  
 int closedir (DIR *\*dirstream*)  
 dirent.h (POSIX.1): [Reading/Closing Directory](#).  
 void closelog (void)  
 syslog.h (BSD): [closelog](#).  
 int COLL\_WEIGHTS\_MAX  
 limits.h (POSIX.2): [Utility Limits](#).  
 size\_t confstr (int *parameter*, char *\*buf*, size\_t *len*)  
 unistd.h (POSIX.2): [String Parameters](#).  
 complex double conj (complex double  $z$ )  
 complex.h (ISO): [Operations on Complex](#).  
 complex float conjf (complex float  $z$ )  
 complex.h (ISO): [Operations on Complex](#).  
 complex long double conjl (complex long double  $z$ )  
 complex.h (ISO): [Operations on Complex](#).  
 int connect (int *socket*, struct sockaddr *\*addr*, socklen\_t *length*)  
 sys/socket.h (BSD): [Connecting](#).  
 cookie\_close\_function  
 stdio.h (GNU): [Hook Functions](#).  
 cookie\_io\_functions\_t  
 stdio.h (GNU): [Streams and Cookies](#).  
 cookie\_read\_function  
 stdio.h (GNU): [Hook Functions](#).  
 cookie\_seek\_function  
 stdio.h (GNU): [Hook Functions](#).  
 cookie\_write\_function  
 stdio.h (GNU): [Hook Functions](#).  
 double copysign (double  $x$ , double  $y$ )

`math.h` (ISO): [FP Bit Twiddling](#).

`float copysignf (float x, float y)`

`math.h` (ISO): [FP Bit Twiddling](#).

`long double copysignl (long double x, long double y)`

`math.h` (ISO): [FP Bit Twiddling](#).

`double cos (double x)`

`math.h` (ISO): [Trig Functions](#).

`float cosf (float x)`

`math.h` (ISO): [Trig Functions](#).

`double cosh (double x)`

`math.h` (ISO): [Hyperbolic Functions](#).

`float coshf (float x)`

`math.h` (ISO): [Hyperbolic Functions](#).

`long double coshl (long double x)`

`math.h` (ISO): [Hyperbolic Functions](#).

`long double cosl (long double x)`

`math.h` (ISO): [Trig Functions](#).

`complex double cpow (complex double base, complex double power)`

`complex.h` (ISO): [Exponents and Logarithms](#).

`complex float cpowf (complex float base, complex float power)`

`complex.h` (ISO): [Exponents and Logarithms](#).

`complex long double cpowl (complex long double base, complex long double power)`

`complex.h` (ISO): [Exponents and Logarithms](#).

`complex double cproj (complex double z)`

`complex.h` (ISO): [Operations on Complex](#).

`complex float cprojf (complex float z)`

`complex.h` (ISO): [Operations on Complex](#).

`complex long double cprojl (complex long double z)`

`complex.h` (ISO): [Operations on Complex](#).

`void CPU_CLR (int cpu, cpu_set_t *set)`

`sched.h` (GNU): [CPU Affinity](#).

`int CPU_ISSET (int cpu, const cpu_set_t *set)`

`sched.h` (GNU): [CPU Affinity](#).

`void CPU_SET (int cpu, cpu_set_t *set)`

`sched.h` (GNU): [CPU Affinity](#).

`int CPU_SETSIZE`

`sched.h` (GNU): [CPU Affinity](#).

`cpu_set_t`

`sched.h` (GNU): [CPU Affinity](#).

`void CPU_ZERO (cpu_set_t *set)`

`sched.h` (GNU): [CPU Affinity](#).

`tcflag_t` CREAD

`termios.h` (POSIX.1): [Control Modes](#).

`double` `creal` (complex double  $z$ )

`complex.h` (ISO): [Operations on Complex](#).

`float` `crealf` (complex float  $z$ )

`complex.h` (ISO): [Operations on Complex](#).

`long double` `creall` (complex long double  $z$ )

`complex.h` (ISO): [Operations on Complex](#).

`int` `creat` (const char *\*filename*, mode\_t *mode*)

`fcntl.h` (POSIX.1): [Opening and Closing Files](#).

`int` `creat64` (const char *\*filename*, mode\_t *mode*)

`fcntl.h` (Unix98): [Opening and Closing Files](#).

`tcflag_t` CRTS\_IFLOW

`termios.h` (BSD): [Control Modes](#).

`char *` `crypt` (const char *\*key*, const char *\*salt*)

`crypt.h` (BSD, SVID): [crypt](#).

`char *` `crypt_r` (const char *\*key*, const char *\*salt*, struct `crypt_data` *\*data*)

`crypt.h` (GNU): [crypt](#).

`tcflag_t` CS5

`termios.h` (POSIX.1): [Control Modes](#).

`tcflag_t` CS6

`termios.h` (POSIX.1): [Control Modes](#).

`tcflag_t` CS7

`termios.h` (POSIX.1): [Control Modes](#).

`tcflag_t` CS8

`termios.h` (POSIX.1): [Control Modes](#).

`complex double` `csin` (complex double  $z$ )

`complex.h` (ISO): [Trig Functions](#).

`complex float` `csinf` (complex float  $z$ )

`complex.h` (ISO): [Trig Functions](#).

`complex double` `csinh` (complex double  $z$ )

`complex.h` (ISO): [Hyperbolic Functions](#).

`complex float` `csinhf` (complex float  $z$ )

`complex.h` (ISO): [Hyperbolic Functions](#).

`complex long double` `csinhl` (complex long double  $z$ )

`complex.h` (ISO): [Hyperbolic Functions](#).

`complex long double` `csinl` (complex long double  $z$ )

`complex.h` (ISO): [Trig Functions](#).

`tcflag_t` `CSIZE`

`termios.h` (POSIX.1): [Control Modes](#).

`_CS_LFS64_CFLAGS`

`unistd.h` (Unix98): [String Parameters](#).

`_CS_LFS64_LDFLAGS`

`unistd.h` (Unix98): [String Parameters](#).

`_CS_LFS64_LIBS`

`unistd.h` (Unix98): [String Parameters](#).

`_CS_LFS64_LINTFLAGS`

`unistd.h` (Unix98): [String Parameters](#).

`_CS_LFS_CFLAGS`

`unistd.h` (Unix98): [String Parameters](#).

`_CS_LFS_LDFLAGS`

`unistd.h` (Unix98): [String Parameters](#).

`_CS_LFS_LIBS`

`unistd.h` (Unix98): [String Parameters](#).

`_CS_LFS_LINTFLAGS`

`unistd.h` (Unix98): [String Parameters](#).

`_CS_PATH`

`unistd.h` (POSIX.2): [String Parameters](#).

complex double `csqrt` (complex double  $z$ )

`complex.h` (ISO): [Exponents and Logarithms](#).

complex float `csqrtf` (complex float  $z$ )

`complex.h` (ISO): [Exponents and Logarithms](#).

complex long double `csqrtl` (complex long double  $z$ )

`complex.h` (ISO): [Exponents and Logarithms](#).

`tcflag_t` `CSTOPB`

`termios.h` (POSIX.1): [Control Modes](#).

complex double `ctan` (complex double  $z$ )

`complex.h` (ISO): [Trig Functions](#).

complex float `ctanf` (complex float  $z$ )

`complex.h` (ISO): [Trig Functions](#).

complex double `ctanh` (complex double  $z$ )

`complex.h` (ISO): [Hyperbolic Functions](#).

complex float `ctanhf` (complex float  $z$ )

`complex.h` (ISO): [Hyperbolic Functions](#).

complex long double `ctanhl` (complex long double  $z$ )

`complex.h` (ISO): [Hyperbolic Functions](#).

complex long double `ctanl` (complex long double  $z$ )

`complex.h` (ISO): [Trig Functions](#).

`char *` `ctermid` (`char *` *string*)

stdio.h (POSIX.1): [Identifying the Terminal](#).

char \* ctime (const time\_t \*time)

time.h (ISO): [Formatting Calendar Time](#).

char \* ctime\_r (const time\_t \*time, char \*buffer)

time.h (POSIX.1c): [Formatting Calendar Time](#).

char \* cuserid (char \*string)

stdio.h (POSIX.1): [Who Logged In](#).

int daylight

time.h (SVID): [Time Zone Functions](#).

DBL\_DIG

float.h (ISO): [Floating Point Parameters](#).

DBL\_EPSILON

float.h (ISO): [Floating Point Parameters](#).

DBL\_MANT\_DIG

float.h (ISO): [Floating Point Parameters](#).

DBL\_MAX

float.h (ISO): [Floating Point Parameters](#).

DBL\_MAX\_10\_EXP

float.h (ISO): [Floating Point Parameters](#).

DBL\_MAX\_EXP

float.h (ISO): [Floating Point Parameters](#).

DBL\_MIN

float.h (ISO): [Floating Point Parameters](#).

DBL\_MIN\_10\_EXP

float.h (ISO): [Floating Point Parameters](#).

DBL\_MIN\_EXP

float.h (ISO): [Floating Point Parameters](#).

char \* dcgettext (const char \*domainname, const char \*msgid, int category)

libintl.h (GNU): [Translation with gettext](#).

char \* dcngettext (const char \*domain, const char \*msgid1, const char \*msgid2, unsigned long int n, int category)

libintl.h (GNU): [Advanced gettext functions](#).

DEAD\_PROCESS

utmp.h (SVID): [Manipulating the Database](#).

DEAD\_PROCESS

utmpx.h (XPG4.2): [XPG Functions](#).

DES\_DECRYPT

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

DES\_ENCRYPT

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

DESERR\_BADPARAM

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

DESERR\_HWERROR

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

DESERR\_NOHWDEVICE

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

DESERR\_NONE

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

int DES\_FAILED (int *err*)

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

DES\_HW

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

void des\_setparity (char \**key*)

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

DES\_SW

rpc/des\_crypt.h (SUNRPC): [DES Encryption](#).

dev\_t

sys/types.h (POSIX.1): [Attribute Meanings](#).

char \* dgettext (const char \**domainname*, const char \**msgid*)

libintl.h (GNU): [Translation with gettext](#).

double difftime (time\_t *time1*, time\_t *time0*)

time.h (ISO): [Elapsed Time](#).

DIR

dirent.h (POSIX.1): [Opening a Directory](#).

int dirfd (DIR \**dirstream*)

dirent.h (GNU): [Opening a Directory](#).

char \* dirname (char \**path*)

libgen.h (XPG): [Finding Tokens in a String](#).

div\_t div (int *numerator*, int *denominator*)

stdlib.h (ISO): [Integer Division](#).

div\_t

stdlib.h (ISO): [Integer Division](#).

char \* dngettext (const char \**domain*, const char \**msgid1*, const char \**msgid2*, unsigned long int *n*)

libintl.h (GNU): [Advanced gettext functions](#).

double drand48 (void)

stdlib.h (SVID): [SVID Random](#).

int drand48\_r (struct drand48\_data \**buffer*, double \**result*)

stdlib.h (GNU): [SVID Random](#).

double drem (double *numerator*, double *denominator*)

math.h (BSD): [Remainder Functions](#).

float dremf (float *numerator*, float *denominator*)  
math.h (BSD): [Remainder Functions](#).

long double drem1 (long double *numerator*, long double *denominator*)  
math.h (BSD): [Remainder Functions](#).

mode\_t DTTOIF (int *dtype*)  
dirent.h (BSD): [Directory Entries](#).

int dup (int *old*)  
unistd.h (POSIX.1): [Duplicating Descriptors](#).

int dup2 (int *old*, int *new*)  
unistd.h (POSIX.1): [Duplicating Descriptors](#).

int E2BIG  
errno.h (POSIX.1: Argument list too long): [Error Codes](#).

int EACCES  
errno.h (POSIX.1: Permission denied): [Error Codes](#).

int EADDRINUSE  
errno.h (BSD: Address already in use): [Error Codes](#).

int EADDRNOTAVAIL  
errno.h (BSD: Cannot assign requested address): [Error Codes](#).

int EADV  
errno.h (Linux???: Advertise error): [Error Codes](#).

int EAFNOSUPPORT  
errno.h (BSD: Address family not supported by protocol): [Error Codes](#).

int EAGAIN  
errno.h (POSIX.1: Resource temporarily unavailable): [Error Codes](#).

int EALREADY  
errno.h (BSD: Operation already in progress): [Error Codes](#).

int EAUTH  
errno.h (BSD: Authentication error): [Error Codes](#).

int EBACKGROUND  
errno.h (GNU: Inappropriate operation for background process): [Error Codes](#).

int EBADE  
errno.h (Linux???: Invalid exchange): [Error Codes](#).

int EBADF  
errno.h (POSIX.1: Bad file descriptor): [Error Codes](#).

int EBADFD  
errno.h (Linux???: File descriptor in bad state): [Error Codes](#).

int EBADMSG  
errno.h (XOPEN: Bad message): [Error Codes](#).

int EBADR  
errno.h (Linux???: Invalid request descriptor): [Error Codes](#).

`int EBADRPC`  
    `errno.h` (BSD: RPC struct is bad): [Error Codes](#).

`int EBADRQC`  
    `errno.h` (Linux???: Invalid request code): [Error Codes](#).

`int EBADSLT`  
    `errno.h` (Linux???: Invalid slot): [Error Codes](#).

`int EBFONT`  
    `errno.h` (Linux???: Bad font file format): [Error Codes](#).

`int EBUSY`  
    `errno.h` (POSIX.1: Device or resource busy): [Error Codes](#).

`int ECANCELED`  
    `errno.h` (POSIX.1: Operation canceled): [Error Codes](#).

`int ecb_crypt (char *key, char *blocks, unsigned len, unsigned mode)`  
    `rpc/des_crypt.h` (SUNRPC): [DES Encryption](#).

`int ECHILD`  
    `errno.h` (POSIX.1: No child processes): [Error Codes](#).

`tcflag_t ECHO`  
    `termios.h` (POSIX.1): [Local Modes](#).

`tcflag_t ECHOCTL`  
    `termios.h` (BSD): [Local Modes](#).

`tcflag_t ECHOE`  
    `termios.h` (POSIX.1): [Local Modes](#).

`tcflag_t ECHOK`  
    `termios.h` (POSIX.1): [Local Modes](#).

`tcflag_t ECHOKE`  
    `termios.h` (BSD): [Local Modes](#).

`tcflag_t ECHONL`  
    `termios.h` (POSIX.1): [Local Modes](#).

`tcflag_t ECHOPRT`  
    `termios.h` (BSD): [Local Modes](#).

`int ECHRNG`  
    `errno.h` (Linux???: Channel number out of range): [Error Codes](#).

`int ECOMM`  
    `errno.h` (Linux???: Communication error on send): [Error Codes](#).

`int ECONNABORTED`  
    `errno.h` (BSD: Software caused connection abort): [Error Codes](#).

`int ECONNREFUSED`  
    `errno.h` (BSD: Connection refused): [Error Codes](#).

`int ECONNRESET`  
    `errno.h` (BSD: Connection reset by peer): [Error Codes](#).

`char * ecvt (double value, int ndigit, int *decpt, int *neg)`



stdlib.h (SVID, Unix98): [System V Number Conversion](#).

char \* ecvt\_r (double *value*, int *ndigit*, int \**decpt*, int \**neg*, char \**buf*, size\_t *len*)

stdlib.h (GNU): [System V Number Conversion](#).

int ED

errno.h (GNU: ?): [Error Codes](#).

int EDEADLK

errno.h (POSIX.1: Resource deadlock avoided): [Error Codes](#).

int EDEADLOCK

errno.h (Linux???: File locking deadlock error): [Error Codes](#).

int EDESTADDRREQ

errno.h (BSD: Destination address required): [Error Codes](#).

int EDIED

errno.h (GNU: Translator died): [Error Codes](#).

int EDOM

errno.h (ISO: Numerical argument out of domain): [Error Codes](#).

int EDOTDOT

errno.h (Linux???: RFS specific error): [Error Codes](#).

int EDQUOT

errno.h (BSD: Disk quota exceeded): [Error Codes](#).

int EEXIST

errno.h (POSIX.1: File exists): [Error Codes](#).

int EFAULT

errno.h (POSIX.1: Bad address): [Error Codes](#).

int EFBIG

errno.h (POSIX.1: File too large): [Error Codes](#).

int EFTYPE

errno.h (BSD: Inappropriate file type or format): [Error Codes](#).

int EGRATUITOUS

errno.h (GNU: Gratuitous error): [Error Codes](#).

int EGREGIOUS

errno.h (GNU: You really blew it this time): [Error Codes](#).

int EHOSTDOWN

errno.h (BSD: Host is down): [Error Codes](#).

int EHOSTUNREACH

errno.h (BSD: No route to host): [Error Codes](#).

int EIDRM

errno.h (XOPEN: Identifier removed): [Error Codes](#).

int EIEIO

errno.h (GNU: Computer bought the farm): [Error Codes](#).

`int EILSEQ`  
`errno.h` (ISO: Invalid or incomplete multibyte or wide character): [Error Codes](#).

`int EINPROGRESS`  
`errno.h` (BSD: Operation now in progress): [Error Codes](#).

`int EINTR`  
`errno.h` (POSIX.1: Interrupted system call): [Error Codes](#).

`int EINVAL`  
`errno.h` (POSIX.1: Invalid argument): [Error Codes](#).

`int EIO`  
`errno.h` (POSIX.1: Input/output error): [Error Codes](#).

`int EISCONN`  
`errno.h` (BSD: Transport endpoint is already connected): [Error Codes](#).

`int EISDIR`  
`errno.h` (POSIX.1: Is a directory): [Error Codes](#).

`int EISNAM`  
`errno.h` (Linux???: Is a named type file): [Error Codes](#).

`int EL2HLT`  
`errno.h` (Obsolete: Level 2 halted): [Error Codes](#).

`int EL2NSYNC`  
`errno.h` (Obsolete: Level 2 not synchronized): [Error Codes](#).

`int EL3HLT`  
`errno.h` (Obsolete: Level 3 halted): [Error Codes](#).

`int EL3RST`  
`errno.h` (Obsolete: Level 3 reset): [Error Codes](#).

`int ELIBACC`  
`errno.h` (Linux???: Can not access a needed shared library): [Error Codes](#).

`int ELIBBAD`  
`errno.h` (Linux???: Accessing a corrupted shared library): [Error Codes](#).

`int ELIBEXEC`  
`errno.h` (Linux???: Cannot exec a shared library directly): [Error Codes](#).

`int ELIBMAX`  
`errno.h` (Linux???: Attempting to link in too many shared libraries): [Error Codes](#).

`int ELIBSCN`  
`errno.h` (Linux???: .lib section in a.out corrupted): [Error Codes](#).

`int ELNRNG`  
`errno.h` (Linux???: Link number out of range): [Error Codes](#).

`int ELOOP`  
`errno.h` (BSD: Too many levels of symbolic links): [Error Codes](#).

`int EMEDIUMTYPE`  
`errno.h` (Linux???: Wrong medium type): [Error Codes](#).

`int EMFILE`

`errno.h` (POSIX.1: Too many open files): [Error Codes](#).

`int EMLINK`

`errno.h` (POSIX.1: Too many links): [Error Codes](#).

`EMPTY`

`utmp.h` (SVID): [Manipulating the Database](#).

`EMPTY`

`utmpx.h` (XPG4.2): [XPG Functions](#).

`int EMSGSIZE`

`errno.h` (BSD: Message too long): [Error Codes](#).

`int EMULTIHOP`

`errno.h` (XOPEN: Multihop attempted): [Error Codes](#).

`int ENAMETOOLONG`

`errno.h` (POSIX.1: File name too long): [Error Codes](#).

`int ENAVAAIL`

`errno.h` (Linux???: No XENIX semaphores available): [Error Codes](#).

`void encrypt (char *block, int edflag)`

`crypt.h` (BSD, SVID): [DES Encryption](#).

`void encrypt_r (char *block, int edflag, struct crypt_data * data)`

`crypt.h` (GNU): [DES Encryption](#).

`void endfsent (void)`

`fstab.h` (BSD): [fstab](#).

`void endgrent (void)`

`grp.h` (SVID, BSD): [Scanning All Groups](#).

`void endhostent (void)`

`netdb.h` (BSD): [Host Names](#).

`int endmntent (FILE *stream)`

`mntent.h` (BSD): [mtab](#).

`void endnetent (void)`

`netdb.h` (BSD): [Networks Database](#).

`void endnetgrent (void)`

`netdb.h` (BSD): [Lookup Netgroup](#).

`void endprotoent (void)`

`netdb.h` (BSD): [Protocols Database](#).

`void endpwent (void)`

`pwd.h` (SVID, BSD): [Scanning All Users](#).

`void endservent (void)`

`netdb.h` (BSD): [Services Database](#).

`void endutent (void)`

`utmp.h` (SVID): [Manipulating the Database](#).

`void endutxent (void)`

utmpx.h (XPG4.2): [XPG Functions](#).

int ENEEDAUTH

errno.h (BSD: Need authenticator): [Error Codes](#).

int ENETDOWN

errno.h (BSD: Network is down): [Error Codes](#).

int ENETRESET

errno.h (BSD: Network dropped connection on reset): [Error Codes](#).

int ENETUNREACH

errno.h (BSD: Network is unreachable): [Error Codes](#).

int ENFILE

errno.h (POSIX.1: Too many open files in system): [Error Codes](#).

int ENOANO

errno.h (Linux???: No anode): [Error Codes](#).

int ENOBUFS

errno.h (BSD: No buffer space available): [Error Codes](#).

int ENOCSI

errno.h (Linux???: No CSI structure available): [Error Codes](#).

int ENODATA

errno.h (XOPEN: No data available): [Error Codes](#).

int ENODEV

errno.h (POSIX.1: No such device): [Error Codes](#).

int ENOENT

errno.h (POSIX.1: No such file or directory): [Error Codes](#).

int ENOEXEC

errno.h (POSIX.1: Exec format error): [Error Codes](#).

int ENOLCK

errno.h (POSIX.1: No locks available): [Error Codes](#).

int ENOLINK

errno.h (XOPEN: Link has been severed): [Error Codes](#).

int ENOMEDIUM

errno.h (Linux???: No medium found): [Error Codes](#).

int ENOMEM

errno.h (POSIX.1: Cannot allocate memory): [Error Codes](#).

int ENOMSG

errno.h (XOPEN: No message of desired type): [Error Codes](#).

int ENONET

errno.h (Linux???: Machine is not on the network): [Error Codes](#).

int ENOPKG

errno.h (Linux???: Package not installed): [Error Codes](#).

int ENOPROTOOPT

`errno.h` (BSD: Protocol not available): [Error Codes](#).

`int ENOSPC`

`errno.h` (POSIX.1: No space left on device): [Error Codes](#).

`int ENOSR`

`errno.h` (XOPEN: Out of streams resources): [Error Codes](#).

`int ENOSTR`

`errno.h` (XOPEN: Device not a stream): [Error Codes](#).

`int ENOSYS`

`errno.h` (POSIX.1: Function not implemented): [Error Codes](#).

`int ENOTBLK`

`errno.h` (BSD: Block device required): [Error Codes](#).

`int ENOTCONN`

`errno.h` (BSD: Transport endpoint is not connected): [Error Codes](#).

`int ENOTDIR`

`errno.h` (POSIX.1: Not a directory): [Error Codes](#).

`int ENOTEMPTY`

`errno.h` (POSIX.1: Directory not empty): [Error Codes](#).

`int ENOTNAM`

`errno.h` (Linux???: Not a XENIX named type file): [Error Codes](#).

`int ENOTSOCK`

`errno.h` (BSD: Socket operation on non-socket): [Error Codes](#).

`int ENOTSUP`

`errno.h` (POSIX.1: Not supported): [Error Codes](#).

`int ENOTTY`

`errno.h` (POSIX.1: Inappropriate ioctl for device): [Error Codes](#).

`int ENOTUNIQ`

`errno.h` (Linux???: Name not unique on network): [Error Codes](#).

`char ** environ`

`unistd.h` (POSIX.1): [Environment Access](#).

`error_t envz_add (char **envz, size_t *envz_len, const char *name, const char *value)`

`envz.h` (GNU): [Envz Functions](#).

`char * envz_entry (const char *envz, size_t envz_len, const char *name)`

`envz.h` (GNU): [Envz Functions](#).

`char * envz_get (const char *envz, size_t envz_len, const char *name)`

`envz.h` (GNU): [Envz Functions](#).

`error_t envz_merge (char **envz, size_t *envz_len, const char *envz2, size_t envz2_len, int override)`

`envz.h` (GNU): [Envz Functions](#).

`void envz_strip (char **envz, size_t *envz_len)`

`envz.h` (GNU): [Envz Functions](#).

`int ENXIO`  
`errno.h` (POSIX.1: No such device or address): [Error Codes](#).

`int EOF`  
`stdio.h` (ISO): [EOF and Errors](#).

`int EOPNOTSUPP`  
`errno.h` (BSD: Operation not supported): [Error Codes](#).

`int EOVERFLOW`  
`errno.h` (XOPEN: Value too large for defined data type): [Error Codes](#).

`int EPERM`  
`errno.h` (POSIX.1: Operation not permitted): [Error Codes](#).

`int EPFNOSUPPORT`  
`errno.h` (BSD: Protocol family not supported): [Error Codes](#).

`int EPIPE`  
`errno.h` (POSIX.1: Broken pipe): [Error Codes](#).

`int EPROCLIM`  
`errno.h` (BSD: Too many processes): [Error Codes](#).

`int EPROCUNAVAIL`  
`errno.h` (BSD: RPC bad procedure for program): [Error Codes](#).

`int EPROGMISMATCH`  
`errno.h` (BSD: RPC program version wrong): [Error Codes](#).

`int EPROGUNAVAIL`  
`errno.h` (BSD: RPC program not available): [Error Codes](#).

`int EPROTO`  
`errno.h` (XOPEN: Protocol error): [Error Codes](#).

`int EPROTONOSUPPORT`  
`errno.h` (BSD: Protocol not supported): [Error Codes](#).

`int EPROTOTYPE`  
`errno.h` (BSD: Protocol wrong type for socket): [Error Codes](#).

`int EQUIV_CLASS_MAX`  
`limits.h` (POSIX.2): [Utility Limits](#).

`double erand48` (unsigned short int *xsubi*[3])  
`stdlib.h` (SVID): [SVID Random](#).

`int erand48_r` (unsigned short int *xsubi*[3], struct *drand48\_data* \**buffer*,  
`double *result`)  
`stdlib.h` (GNU): [SVID Random](#).

`int ERANGE`  
`errno.h` (ISO: Numerical result out of range): [Error Codes](#).

`int EREMCHG`  
`errno.h` (Linux???: Remote address changed): [Error Codes](#).

`int EREMOTE`

`errno.h` (BSD: Object is remote): [Error Codes](#).

`int EREMOTEIO`

`errno.h` (Linux???: Remote I/O error): [Error Codes](#).

`int ERESTART`

`errno.h` (Linux???: Interrupted system call should be restarted): [Error Codes](#).

`double erf (double x)`

`math.h` (SVID): [Special Functions](#).

`double erfc (double x)`

`math.h` (SVID): [Special Functions](#).

`float erfcf (float x)`

`math.h` (SVID): [Special Functions](#).

`long double erfcl (long double x)`

`math.h` (SVID): [Special Functions](#).

`float erff (float x)`

`math.h` (SVID): [Special Functions](#).

`long double erfll (long double x)`

`math.h` (SVID): [Special Functions](#).

`int EROFS`

`errno.h` (POSIX.1: Read-only file system): [Error Codes](#).

`int ERPCMISMATCH`

`errno.h` (BSD: RPC version wrong): [Error Codes](#).

`void err (int status, const char *format, ...)`

`err.h` (BSD): [Error Messages](#).

`volatile int errno`

`errno.h` (ISO): [Checking for Errors](#).

`void error (int status, int errnum, const char *format, ...)`

`error.h` (GNU): [Error Messages](#).

`void error_at_line (int status, int errnum, const char *fname, unsigned int lineno, const char *format, ...)`

`error.h` (GNU): [Error Messages](#).

`unsigned int error_message_count`

`error.h` (GNU): [Error Messages](#).

`int error_one_per_line`

`error.h` (GNU): [Error Messages](#).

`void (* error_print_progname ) (void)`

`error.h` (GNU): [Error Messages](#).

`void errx (int status, const char *format, ...)`

`err.h` (BSD): [Error Messages](#).

`int ESHUTDOWN`

`errno.h` (BSD: Cannot send after transport endpoint shutdown): [Error Codes](#).

`int ESOCKETNOSUPPORT`

`errno.h` (BSD: Socket type not supported): [Error Codes](#).

`int` `ESPIPE`  
`errno.h` (POSIX.1: Illegal seek): [Error Codes](#).

`int` `ESRCH`  
`errno.h` (POSIX.1: No such process): [Error Codes](#).

`int` `ESRMNT`  
`errno.h` (Linux???: Srmount error): [Error Codes](#).

`int` `ESTALE`  
`errno.h` (BSD: Stale NFS file handle): [Error Codes](#).

`int` `ESTRPIPE`  
`errno.h` (Linux???: Streams pipe error): [Error Codes](#).

`int` `ETIME`  
`errno.h` (XOPEN: Timer expired): [Error Codes](#).

`int` `ETIMEDOUT`  
`errno.h` (BSD: Connection timed out): [Error Codes](#).

`int` `ETOOMANYREFS`  
`errno.h` (BSD: Too many references: cannot splice): [Error Codes](#).

`int` `ETXTBSY`  
`errno.h` (BSD: Text file busy): [Error Codes](#).

`int` `EUCLEAN`  
`errno.h` (Linux???: Structure needs cleaning): [Error Codes](#).

`int` `EUNATCH`  
`errno.h` (Linux???: Protocol driver not attached): [Error Codes](#).

`int` `EUSERS`  
`errno.h` (BSD: Too many users): [Error Codes](#).

`int` `EWouldBlock`  
`errno.h` (BSD: Operation would block): [Error Codes](#).

`int` `EXDEV`  
`errno.h` (POSIX.1: Invalid cross-device link): [Error Codes](#).

`int` `execl` (`const char *filename`, `const char *arg0`, ...)  
`unistd.h` (POSIX.1): [Executing a File](#).

`int` `execle` (`const char *filename`, `const char *arg0`, `char *const env`  
`[], ...`)  
`unistd.h` (POSIX.1): [Executing a File](#).

`int` `execlp` (`const char *filename`, `const char *arg0`, ...)  
`unistd.h` (POSIX.1): [Executing a File](#).

`int` `execv` (`const char *filename`, `char *const argv[]`)  
`unistd.h` (POSIX.1): [Executing a File](#).

`int` `execve` (`const char *filename`, `char *const argv[]`, `char *const env[]`)  
`unistd.h` (POSIX.1): [Executing a File](#).



`int execvp (const char *filename, char *const argv[])`  
unistd.h (POSIX.1): [Executing a File](#).

`int EXFULL`  
errno.h (Linux???: Exchange full): [Error Codes](#).

`void exit (int status)`  
stdlib.h (ISO): [Normal Termination](#).

`void _Exit (int status)`  
stdlib.h (ISO): [Termination Internals](#).

`void _exit (int status)`  
unistd.h (POSIX.1): [Termination Internals](#).

`int EXIT_FAILURE`  
stdlib.h (ISO): [Exit Status](#).

`int EXIT_SUCCESS`  
stdlib.h (ISO): [Exit Status](#).

`double exp (double x)`  
math.h (ISO): [Exponents and Logarithms](#).

`double exp10 (double x)`  
math.h (GNU): [Exponents and Logarithms](#).

`float exp10f (float x)`  
math.h (GNU): [Exponents and Logarithms](#).

`long double exp10l (long double x)`  
math.h (GNU): [Exponents and Logarithms](#).

`double exp2 (double x)`  
math.h (ISO): [Exponents and Logarithms](#).

`float exp2f (float x)`  
math.h (ISO): [Exponents and Logarithms](#).

`long double exp2l (long double x)`  
math.h (ISO): [Exponents and Logarithms](#).

`float expf (float x)`  
math.h (ISO): [Exponents and Logarithms](#).

`long double expl (long double x)`  
math.h (ISO): [Exponents and Logarithms](#).

`double expm1 (double x)`  
math.h (ISO): [Exponents and Logarithms](#).

`float expm1f (float x)`  
math.h (ISO): [Exponents and Logarithms](#).

`long double expm1l (long double x)`  
math.h (ISO): [Exponents and Logarithms](#).

`int EXPR_NEST_MAX`  
limits.h (POSIX.2): [Utility Limits](#).

`double fabs (double number)`

math.h (ISO): [Absolute Value](#).

float fabsf (float *number*)

math.h (ISO): [Absolute Value](#).

long double fabsl (long double *number*)

math.h (ISO): [Absolute Value](#).

size\_t \_\_fbufsize (FILE *\*stream*)

stdio\_ext.h (GNU): [Controlling Buffering](#).

int fchdir (int *filedes*)

unistd.h (XPG): [Working Directory](#).

int fchmod (int *filedes*, int *mode*)

sys/stat.h (BSD): [Setting Permissions](#).

int fchown (int *filedes*, int *owner*, int *group*)

unistd.h (BSD): [File Owner](#).

int fclean (FILE *\*stream*)

stdio.h (GNU): [Cleaning Streams](#).

int fclose (FILE *\*stream*)

stdio.h (ISO): [Closing Streams](#).

int fcloseall (void)

stdio.h (GNU): [Closing Streams](#).

int fcntl (int *filedes*, int *command*, ...)

fcntl.h (POSIX.1): [Control Operations](#).

char \* fcvt (double *value*, int *ndigit*, int *\*decpt*, int *\*neg*)

stdlib.h (SVID, Unix98): [System V Number Conversion](#).

char \* fcvt\_r (double *value*, int *ndigit*, int *\*decpt*, int *\*neg*, char *\*buf*, size\_t *len*)

stdlib.h (SVID, Unix98): [System V Number Conversion](#).

int fdatsync (int *filedes*)

unistd.h (POSIX): [Synchronizing I/O](#).

int FD\_CLOEXEC

fcntl.h (POSIX.1): [Descriptor Flags](#).

void FD\_CLR (int *filedes*, fd\_set *\*set*)

sys/types.h (BSD): [Waiting for I/O](#).

double fdim (double *x*, double *y*)

math.h (ISO): [Misc FP Arithmetic](#).

float fdimf (float *x*, float *y*)

math.h (ISO): [Misc FP Arithmetic](#).

long double fdiml (long double *x*, long double *y*)

math.h (ISO): [Misc FP Arithmetic](#).

int FD\_ISSET (int *filedes*, const fd\_set *\*set*)

sys/types.h (BSD): [Waiting for I/O](#).

FILE \* fdopen (int *filedes*, const char \**opentype*)  
 stdio.h (POSIX.1): [Descriptors and Streams](#).

fd\_set  
 sys/types.h (BSD): [Waiting for I/O](#).

void FD\_SET (int *filedes*, fd\_set \**set*)  
 sys/types.h (BSD): [Waiting for I/O](#).

int FD\_SETSIZE  
 sys/types.h (BSD): [Waiting for I/O](#).

int F\_DUPFD  
 fcntl.h (POSIX.1): [Duplicating Descriptors](#).

void FD\_ZERO (fd\_set \**set*)  
 sys/types.h (BSD): [Waiting for I/O](#).

int fclearexcept (int *excepts*)  
 fenv.h (ISO): [Status bit operations](#).

int fedisableexcept (int *excepts*)  
 fenv.h (GNU): [Control Functions](#).

FE\_DIVBYZERO  
 fenv.h (ISO): [Status bit operations](#).

FE\_DOWNWARD  
 fenv.h (ISO): [Rounding](#).

int feenableexcept (int *excepts*)  
 fenv.h (GNU): [Control Functions](#).

int fegetenv (fenv\_t \**envp*)  
 fenv.h (ISO): [Control Functions](#).

int fegetexcept (int *excepts*)  
 fenv.h (GNU): [Control Functions](#).

int fegetexceptflag (fexcept\_t \**flagp*, int *excepts*)  
 fenv.h (ISO): [Status bit operations](#).

int fegetround (void)  
 fenv.h (ISO): [Rounding](#).

int feholdexcept (fenv\_t \**envp*)  
 fenv.h (ISO): [Control Functions](#).

FE\_INEXACT  
 fenv.h (ISO): [Status bit operations](#).

FE\_INVALID  
 fenv.h (ISO): [Status bit operations](#).

int feof (FILE \**stream*)  
 stdio.h (ISO): [EOF and Errors](#).

int feof\_unlocked (FILE \**stream*)  
 stdio.h (GNU): [EOF and Errors](#).

FE\_OVERFLOW

fenv.h (ISO): [Status bit operations](#).  
 int feraiseexcept (int *excepts*)  
 fenv.h (ISO): [Status bit operations](#).  
 int ferror (FILE *\*stream*)  
 stdio.h (ISO): [EOF and Errors](#).  
 int ferror\_unlocked (FILE *\*stream*)  
 stdio.h (GNU): [EOF and Errors](#).  
 int fesetenv (const fenv\_t *\*envp*)  
 fenv.h (ISO): [Control Functions](#).  
 int fesetexceptflag (const fexcept\_t *\*flagp*, int  
 fenv.h (ISO): [Status bit operations](#).  
 int fesetround (int *round*)  
 fenv.h (ISO): [Rounding](#).  
 int fetestexcept (int *excepts*)  
 fenv.h (ISO): [Status bit operations](#).  
 FE\_TONEAREST  
 fenv.h (ISO): [Rounding](#).  
 FE\_TOWARDZERO  
 fenv.h (ISO): [Rounding](#).  
 FE\_UNDERFLOW  
 fenv.h (ISO): [Status bit operations](#).  
 int feupdateenv (const fenv\_t *\*envp*)  
 fenv.h (ISO): [Control Functions](#).  
 FE\_UPWARD  
 fenv.h (ISO): [Rounding](#).  
 int fflush (FILE *\*stream*)  
 stdio.h (ISO): [Flushing Buffers](#).  
 int fflush\_unlocked (FILE *\*stream*)  
 stdio.h (POSIX): [Flushing Buffers](#).  
 int fgetc (FILE *\*stream*)  
 stdio.h (ISO): [Character Input](#).  
 int fgetc\_unlocked (FILE *\*stream*)  
 stdio.h (POSIX): [Character Input](#).  
 int F\_GETFD  
 fcntl.h (POSIX.1): [Descriptor Flags](#).  
 int F\_GETFL  
 fcntl.h (POSIX.1): [Getting File Status Flags](#).  
 struct group \* fgetgrent (FILE *\*stream*)  
 grp.h (SVID): [Scanning All Groups](#).  
 int fgetgrent\_r (FILE *\*stream*, struct group *\*result\_buf*, char *\*buffer*,

`size_t buflen, struct group **result)`  
 grp.h (GNU): [Scanning All Groups](#).

`int F_GETLK`  
 fcntl.h (POSIX.1): [File Locks](#).

`int F_GETOWN`  
 fcntl.h (BSD): [Interrupt Input](#).

`int fgetpos (FILE *stream, fpos_t *position)`  
 stdio.h (ISO): [Portable Positioning](#).

`int fgetpos64 (FILE *stream, fpos64_t *position)`  
 stdio.h (Unix98): [Portable Positioning](#).

`struct passwd * fgetpwent (FILE *stream)`  
 pwd.h (SVID): [Scanning All Users](#).

`int fgetpwent_r (FILE *stream, struct passwd *result_buf, char *buffer, size_t buflen, struct passwd **result)`  
 pwd.h (GNU): [Scanning All Users](#).

`char * fgets (char *s, int count, FILE *stream)`  
 stdio.h (ISO): [Line Input](#).

`char * fgets_unlocked (char *s, int count, FILE *stream)`  
 stdio.h (GNU): [Line Input](#).

`wint_t fgetwc (FILE *stream)`  
 wchar.h (ISO): [Character Input](#).

`wint_t fgetwc_unlocked (FILE *stream)`  
 wchar.h (GNU): [Character Input](#).

`wchar_t * fgetws (wchar_t *ws, int count, FILE *stream)`  
 wchar.h (ISO): [Line Input](#).

`wchar_t * fgetws_unlocked (wchar_t *ws, int count, FILE *stream)`  
 wchar.h (GNU): [Line Input](#).

`FILE`  
 stdio.h (ISO): [Streams](#).

`int FILENAME_MAX`  
 stdio.h (ISO): [Limits for Files](#).

`int fileno (FILE *stream)`  
 stdio.h (POSIX.1): [Descriptors and Streams](#).

`int fileno_unlocked (FILE *stream)`  
 stdio.h (GNU): [Descriptors and Streams](#).

`int finite (double x)`  
 math.h (BSD): [Floating Point Classes](#).

`int finitf (float x)`  
 math.h (BSD): [Floating Point Classes](#).

`int finitel (long double x)`  
 math.h (BSD): [Floating Point Classes](#).

`int __flbf (FILE *stream)`  
    stdio\_ext.h (GNU): [Controlling Buffering](#).

`void flockfile (FILE *stream)`  
    stdio.h (POSIX): [Streams and Threads](#).

`double floor (double x)`  
    math.h (ISO): [Rounding Functions](#).

`float floorf (float x)`  
    math.h (ISO): [Rounding Functions](#).

`long double floorl (long double x)`  
    math.h (ISO): [Rounding Functions](#).

`FLT_DIG`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_EPSILON`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_MANT_DIG`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_MAX`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_MAX_10_EXP`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_MAX_EXP`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_MIN`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_MIN_10_EXP`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_MIN_EXP`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_RADIX`  
    float.h (ISO): [Floating Point Parameters](#).

`FLT_ROUNDS`  
    float.h (ISO): [Floating Point Parameters](#).

`void _flushlbf (void)`  
    stdio\_ext.h (GNU): [Flushing Buffers](#).

`tcflag_t FLUSHO`  
    termios.h (BSD): [Local Modes](#).

`double fma (double x, double y, double z)`  
    math.h (ISO): [Misc FP Arithmetic](#).

`float fmaf (float x, float y, float z)`  
    math.h (ISO): [Misc FP Arithmetic](#).

long double fmal (long double *x*, long double *y*, long double *z*)  
 math.h (ISO): [Misc FP Arithmetic](#).

double fmax (double *x*, double *y*)  
 math.h (ISO): [Misc FP Arithmetic](#).

float fmaxf (float *x*, float *y*)  
 math.h (ISO): [Misc FP Arithmetic](#).

long double fmaxl (long double *x*, long double *y*)  
 math.h (ISO): [Misc FP Arithmetic](#).

FILE \* fmemopen (void \**buf*, size\_t *size*, const char \**opentype*)  
 stdio.h (GNU): [String Streams](#).

double fmin (double *x*, double *y*)  
 math.h (ISO): [Misc FP Arithmetic](#).

float fminf (float *x*, float *y*)  
 math.h (ISO): [Misc FP Arithmetic](#).

long double fminl (long double *x*, long double *y*)  
 math.h (ISO): [Misc FP Arithmetic](#).

double fmod (double *numerator*, double *denominator*)  
 math.h (ISO): [Remainder Functions](#).

float fmodf (float *numerator*, float *denominator*)  
 math.h (ISO): [Remainder Functions](#).

long double fmodl (long double *numerator*, long double *denominator*)  
 math.h (ISO): [Remainder Functions](#).

int fmtmsg (long int *classification*, const char \**label*, int *severity*, const char \**text*, const char \**action*, const char \**tag*)  
 fmtmsg.h (XPG): [Printing Formatted Messages](#).

int fnmatch (const char \**pattern*, const char \**string*, int *flags*)  
 fnmatch.h (POSIX.2): [Wildcard Matching](#).

FNM\_CASEFOLD  
 fnmatch.h (GNU): [Wildcard Matching](#).

FNM\_EXTMATCH  
 fnmatch.h (GNU): [Wildcard Matching](#).

FNM\_FILE\_NAME  
 fnmatch.h (GNU): [Wildcard Matching](#).

FNM\_LEADING\_DIR  
 fnmatch.h (GNU): [Wildcard Matching](#).

FNM\_NOESCAPE  
 fnmatch.h (POSIX.2): [Wildcard Matching](#).

FNM\_PATHNAME  
 fnmatch.h (POSIX.2): [Wildcard Matching](#).

FNM\_PERIOD  
 fnmatch.h (POSIX.2): [Wildcard Matching](#).

int F\_OK  
 unistd.h (POSIX.1): [Testing File Access](#).

FILE \* fopen (const char \**filename*, const char \**opentype*)  
 stdio.h (ISO): [Opening Streams](#).

FILE \* fopen64 (const char \**filename*, const char \**opentype*)  
 stdio.h (Unix98): [Opening Streams](#).

FILE \* fopencookie (void \**cookie*, const char \**opentype*,  
 cookie\_io\_functions\_t *io-functions*)  
 stdio.h (GNU): [Streams and Cookies](#).

int FOPEN\_MAX  
 stdio.h (ISO): [Opening Streams](#).

pid\_t fork (void)  
 unistd.h (POSIX.1): [Creating a Process](#).

int forkpty (int \**amaster*, char \**name*, struct termios \**termp*, struct  
 winsize \**winp*)  
 pty.h (BSD): [Pseudo-Terminal Pairs](#).

long int fpathconf (int *filedes*, int *parameter*)  
 unistd.h (POSIX.1): [Pathconf](#).

int fpclassify (*float-type x*)  
 math.h (ISO): [Floating Point Classes](#).

FPE\_DECOVF\_TRAP  
 signal.h (BSD): [Program Error Signals](#).

FPE\_FLTDIV\_FAULT  
 signal.h (BSD): [Program Error Signals](#).

FPE\_FLTDIV\_TRAP  
 signal.h (BSD): [Program Error Signals](#).

FPE\_FLTOVF\_FAULT  
 signal.h (BSD): [Program Error Signals](#).

FPE\_FLTOVF\_TRAP  
 signal.h (BSD): [Program Error Signals](#).

FPE\_FLTUND\_FAULT  
 signal.h (BSD): [Program Error Signals](#).

FPE\_FLTUND\_TRAP  
 signal.h (BSD): [Program Error Signals](#).

FPE\_INTDIV\_TRAP  
 signal.h (BSD): [Program Error Signals](#).

FPE\_INTOVF\_TRAP  
 signal.h (BSD): [Program Error Signals](#).

size\_t \_\_fpending (FILE \**stream*) The \_\_fpending  
 stdio\_ext.h (GNU): [Controlling Buffering](#).

FPE\_SUBRNG\_TRAP



signal.h (BSD): [Program Error Signals](#).

int FP\_ILOGB0

math.h (ISO): [Exponents and Logarithms](#).

int FP\_ILOGBNAN

math.h (ISO): [Exponents and Logarithms](#).

fpos64\_t

stdio.h (Unix98): [Portable Positioning](#).

fpos\_t

stdio.h (ISO): [Portable Positioning](#).

int fprintf (FILE \**stream*, const char \**template*, ...)

stdio.h (ISO): [Formatted Output Functions](#).

void \_\_fpurge (FILE \**stream*)

stdio\_ext.h (GNU): [Flushing Buffers](#).

int fputc (int *c*, FILE \**stream*)

stdio.h (ISO): [Simple Output](#).

int fputc\_unlocked (int *c*, FILE \**stream*)

stdio.h (POSIX): [Simple Output](#).

int fputs (const char \**s*, FILE \**stream*)

stdio.h (ISO): [Simple Output](#).

int fputs\_unlocked (const char \**s*, FILE \**stream*)

stdio.h (GNU): [Simple Output](#).

wint\_t fputwc (wchar\_t *wc*, FILE \**stream*)

wchar.h (ISO): [Simple Output](#).

wint\_t fputwc\_unlocked (wint\_t *wc*, FILE \**stream*)

wchar.h (POSIX): [Simple Output](#).

int fputws (const wchar\_t \**ws*, FILE \**stream*)

wchar.h (ISO): [Simple Output](#).

int fputws\_unlocked (const wchar\_t \**ws*, FILE \**stream*)

wchar.h (GNU): [Simple Output](#).

F\_RDLCK

fcntl.h (POSIX.1): [File Locks](#).

size\_t fread (void \**data*, size\_t *size*, size\_t *count*, FILE \**stream*)

stdio.h (ISO): [Block Input/Output](#).

int \_\_freadable (FILE \**stream*)

stdio\_ext.h (GNU): [Opening Streams](#).

int \_\_freading (FILE \**stream*)

stdio\_ext.h (GNU): [Opening Streams](#).

size\_t fread\_unlocked (void \**data*, size\_t *size*, size\_t *count*, FILE \**stream*)

stdio.h (GNU): [Block Input/Output](#).

void free (void \**ptr*)

malloc.h, stdlib.h (ISO): [Freeing after Malloc.](#)

\_\_free\_hook

malloc.h (GNU): [Hooks for Malloc.](#)

FILE \* freopen (const char \**filename*, const char \**opentype*, FILE \**stream*)  
stdio.h (ISO): [Opening Streams.](#)

FILE \* freopen64 (const char \**filename*, const char \**opentype*, FILE \**stream*)  
stdio.h (Unix98): [Opening Streams.](#)

double frexp (double *value*, int \**exponent*)  
math.h (ISO): [Normalization Functions.](#)

float frexpf (float *value*, int \**exponent*)  
math.h (ISO): [Normalization Functions.](#)

long double frexpl (long double *value*, int \**exponent*)  
math.h (ISO): [Normalization Functions.](#)

int fscanf (FILE \**stream*, const char \**template*, ...)  
stdio.h (ISO): [Formatted Input Functions.](#)

int fseek (FILE \**stream*, long int *offset*, int *whence*)  
stdio.h (ISO): [File Positioning.](#)

int fseeko (FILE \**stream*, off\_t *offset*, int *whence*)  
stdio.h (Unix98): [File Positioning.](#)

int fseeko64 (FILE \**stream*, off64\_t *offset*, int *whence*)  
stdio.h (Unix98): [File Positioning.](#)

int F\_SETFD  
fcntl.h (POSIX.1): [Descriptor Flags.](#)

int F\_SETFL  
fcntl.h (POSIX.1): [Getting File Status Flags.](#)

int F\_SETLK  
fcntl.h (POSIX.1): [File Locks.](#)

int F\_SETLKW  
fcntl.h (POSIX.1): [File Locks.](#)

int \_\_fsetlocking (FILE \**stream*, int *type*)  
stdio\_ext.h (GNU): [Streams and Threads.](#)

int F\_SETOWN  
fcntl.h (BSD): [Interrupt Input.](#)

int fsetpos (FILE \**stream*, const fpos\_t \**position*)  
stdio.h (ISO): [Portable Positioning.](#)

int fsetpos64 (FILE \**stream*, const fpos64\_t \**position*)  
stdio.h (Unix98): [Portable Positioning.](#)

int fstat (int *filedes*, struct stat \**buf*)  
sys/stat.h (POSIX.1): [Reading Attributes.](#)

int fstat64 (int *filedes*, struct stat64 \**buf*)

sys/stat.h (Unix98): [Reading Attributes](#).

int fsync (int *fd*)

unistd.h (POSIX): [Synchronizing I/O](#).

long int ftell (FILE *\*stream*)

stdio.h (ISO): [File Positioning](#).

off\_t ftello (FILE *\*stream*)

stdio.h (Unix98): [File Positioning](#).

off64\_t ftello64 (FILE *\*stream*)

stdio.h (Unix98): [File Positioning](#).

int ftruncate (int *fd*, off\_t *length*)

unistd.h (POSIX): [File Size](#).

int ftruncate64 (int *fd*, off64\_t *length*)

unistd.h (Unix98): [File Size](#).

int ftrylockfile (FILE *\*stream*)

stdio.h (POSIX): [Streams and Threads](#).

int ftw (const char *\*filename*, \_\_ftw\_func\_t *func*, int *descriptors*)

ftw.h (SVID): [Working with Directory Trees](#).

int ftw64 (const char *\*filename*, \_\_ftw64\_func\_t *func*, int *descriptors*)

ftw.h (Unix98): [Working with Directory Trees](#).

\_\_ftw64\_func\_t

ftw.h (GNU): [Working with Directory Trees](#).

\_\_ftw\_func\_t

ftw.h (GNU): [Working with Directory Trees](#).

F\_UNLCK

fcntl.h (POSIX.1): [File Locks](#).

void funlockfile (FILE *\*stream*)

stdio.h (POSIX): [Streams and Threads](#).

int futimes (int *\*fd*, struct timeval *tv*[2])

sys/time.h (BSD): [File Times](#).

int fwide (FILE *\*stream*, int *mode*)

wchar.h (ISO): [Streams and I18N](#).

int fwprintf (FILE *\*stream*, const wchar\_t *\*template*, ...)

wchar.h (ISO): [Formatted Output Functions](#).

int \_\_fwritable (FILE *\*stream*)

stdio\_ext.h (GNU): [Opening Streams](#).

size\_t fwrite (const void *\*data*, size\_t *size*, size\_t *count*, FILE *\*stream*)

stdio.h (ISO): [Block Input/Output](#).

size\_t fwrite\_unlocked (const void *\*data*, size\_t *size*, size\_t *count*, FILE *\*stream*)

stdio.h (GNU): [Block Input/Output](#).

int \_\_fwriting (FILE *\*stream*)

`stdio_ext.h` (GNU): [Opening Streams](#).

`F_WRLCK`

`fcntl.h` (POSIX.1): [File Locks](#).

`int fwscanf (FILE *stream, const wchar_t *template, ...)`

`wchar.h` (ISO): [Formatted Input Functions](#).

`double gamma (double x)`

`math.h` (SVID): [Special Functions](#).

`float gammaf (float x)`

`math.h` (SVID): [Special Functions](#).

`long double gammal (long double x)`

`math.h` (SVID): [Special Functions](#).

`void (*__gconv_end_fct) (struct gconv_step *)`

`gconv.h` (GNU): [glibc iconv Implementation](#).

`int (*__gconv_fct) (struct __gconv_step *, struct __gconv_step_data *, const char **, const char *, size_t *, int)`

`gconv.h` (GNU): [glibc iconv Implementation](#).

`int (*__gconv_init_fct) (struct __gconv_step *)`

`gconv.h` (GNU): [glibc iconv Implementation](#).

`char * gcvt (double value, int ndigit, char *buf)`

`stdlib.h` (SVID, Unix98): [System V Number Conversion](#).

`long int get_avphys_pages (void)`

`sys/sysinfo.h` (GNU): [Query Memory Parameters](#).

`int getc (FILE *stream)`

`stdio.h` (ISO): [Character Input](#).

`int getchar (void)`

`stdio.h` (ISO): [Character Input](#).

`int getchar_unlocked (void)`

`stdio.h` (POSIX): [Character Input](#).

`int getcontext (ucontext_t *ucp)`

`ucontext.h` (SVID): [System V contexts](#).

`int getc_unlocked (FILE *stream)`

`stdio.h` (POSIX): [Character Input](#).

`char * get_current_dir_name (void)`

`unistd.h` (GNU): [Working Directory](#).

`char * getcwd (char *buffer, size_t size)`

`unistd.h` (POSIX.1): [Working Directory](#).

`struct tm * getdate (const char *string)`

`time.h` (Unix98): [General Time String Parsing](#).

`getdate_err`

`time.h` (Unix98): [General Time String Parsing](#).

`int getdate_r (const char *string, struct tm *tp)`  
 time.h (GNU): [General Time String Parsing](#).

`ssize_t getdelim (char **lineptr, size_t *n, int delimiter, FILE *stream)`  
 stdio.h (GNU): [Line Input](#).

`int getdomainname (char *name, size_t length)`  
 unistd.h (???): [Host Identification](#).

`gid_t getegid (void)`  
 unistd.h (POSIX.1): [Reading Persona](#).

`char * getenv (const char *name)`  
 stdlib.h (ISO): [Environment Access](#).

`uid_t geteuid (void)`  
 unistd.h (POSIX.1): [Reading Persona](#).

`struct fstab * getfsent (void)`  
 fstab.h (BSD): [fstab](#).

`struct fstab * getfsfile (const char *name)`  
 fstab.h (BSD): [fstab](#).

`struct fstab * getfsspec (const char *name)`  
 fstab.h (BSD): [fstab](#).

`gid_t getgid (void)`  
 unistd.h (POSIX.1): [Reading Persona](#).

`struct group * getgrent (void)`  
 grp.h (SVID, BSD): [Scanning All Groups](#).

`int getgrent_r (struct group *result_buf, char *buffer, size_t buflen, struct group **result)`  
 grp.h (GNU): [Scanning All Groups](#).

`struct group * getgrgid (gid_t gid)`  
 grp.h (POSIX.1): [Lookup Group](#).

`int getgrgid_r (gid_t gid, struct group *result_buf, char *buffer, size_t buflen, struct group **result)`  
 grp.h (POSIX.1c): [Lookup Group](#).

`struct group * getgrnam (const char *name)`  
 grp.h (SVID, BSD): [Lookup Group](#).

`int getgrnam_r (const char *name, struct group *result_buf, char *buffer, size_t buflen, struct group **result)`  
 grp.h (POSIX.1c): [Lookup Group](#).

`int getgrouplist (const char *user, gid_t group, gid_t *groups, int *ngroups)`  
 grp.h (BSD): [Setting Groups](#).

`int getgroups (int count, gid_t *groups)`  
 unistd.h (POSIX.1): [Reading Persona](#).

`struct hostent * gethostbyaddr (const char *addr, size_t length, int`

*format*)

netdb.h (BSD): [Host Names](#).

int gethostbyaddr\_r (const char \**addr*, size\_t *length*, int *format*, struct hostent \*restrict *result\_buf*, char \*restrict *buf*, size\_t *buflen*, struct hostent \*\*restrict *result*, int \*restrict *h\_errnop*)

netdb.h (GNU): [Host Names](#).

struct hostent \* gethostbyname (const char \**name*)

netdb.h (BSD): [Host Names](#).

struct hostent \* gethostbyname2 (const char \**name*, int *af*)

netdb.h (IPv6 Basic API): [Host Names](#).

int gethostbyname2\_r (const char \**name*, int *af*, struct hostent \*restrict *result\_buf*, char \*restrict *buf*, size\_t *buflen*, struct hostent \*\*restrict *result*, int \*restrict *h\_errnop*)

netdb.h (GNU): [Host Names](#).

int gethostbyname\_r (const char \*restrict *name*, struct hostent \*restrict *result\_buf*, char \*restrict *buf*, size\_t *buflen*, struct hostent \*\*restrict *result*, int \*restrict *h\_errnop*)

netdb.h (GNU): [Host Names](#).

struct hostent \* gethostent (void)

netdb.h (BSD): [Host Names](#).

long int gethostid (void)

unistd.h (BSD): [Host Identification](#).

int gethostname (char \**name*, size\_t *size*)

unistd.h (BSD): [Host Identification](#).

int getitimer (int *which*, struct itimerval \**old*)

sys/time.h (BSD): [Setting an Alarm](#).

ssize\_t getline (char \*\**lineptr*, size\_t \**n*, FILE \**stream*)

stdio.h (GNU): [Line Input](#).

int getloadavg (double *loadavg*[], int *nelem*)

stdlib.h (BSD): [Processor Resources](#).

char \* getlogin (void)

unistd.h (POSIX.1): [Who Logged In](#).

struct mntent \* getmntent (FILE \**stream*)

mntent.h (BSD): [mtab](#).

struct mntent \* getmntent\_r (FILE \**stream*, struct mntent \**result*, char \**buffer*, int *bufsize*)

mntent.h (BSD): [mtab](#).

struct netent \* getnetbyaddr (unsigned long int *net*, int *type*)

netdb.h (BSD): [Networks Database](#).

struct netent \* getnetbyname (const char \**name*)

netdb.h (BSD): [Networks Database](#).

```

struct netent * getnetent (void)
    netdb.h (BSD): Networks Database.

int getnetgrent (char **hostp, char **userp, char **domainp)
    netdb.h (BSD): Lookup Netgroup.

int getnetgrent_r (char **hostp, char **userp, char **domainp, char
*buffer, int buflen)
    netdb.h (GNU): Lookup Netgroup.

int get_nprocs (void)
    sys/sysinfo.h (GNU): Processor Resources.

int get_nprocs_conf (void)
    sys/sysinfo.h (GNU): Processor Resources.

int getopt (int argc, char **argv, const char *options)
    unistd.h (POSIX.2): Using Getopt.

int getopt_long (int argc, char *const *argv, const char *shortopts, const
struct option *longopts, int *indexptr)
    getopt.h (GNU): Getopt Long Options.

int getopt_long_only (int argc, char *const *argv, const char *shortopts,
const struct option *longopts, int *indexptr)
    getopt.h (GNU): Getopt Long Options.

int getpagesize (void)
    unistd.h (BSD): Query Memory Parameters.

char * getpass (const char *prompt)
    unistd.h (BSD): getpass.

int getpeername (int socket, struct sockaddr *addr, socklen_t *length-ptr)
    sys/socket.h (BSD): Who is Connected.

int getpgid (pid_t pid)
    unistd.h (SVID): Process Group Functions.

pid_t getpgrp (pid_t pid)
    unistd.h (BSD): Process Group Functions.

pid_t getpgrp (void)
    unistd.h (POSIX.1): Process Group Functions.

long int get_phys_pages (void)
    sys/sysinfo.h (GNU): Query Memory Parameters.

pid_t getpid (void)
    unistd.h (POSIX.1): Process Identification.

pid_t getppid (void)
    unistd.h (POSIX.1): Process Identification.

int getpriority (int class, int id)
    sys/resource.h (BSD,POSIX): Traditional Scheduling Functions.

struct protoent * getprotobyname (const char *name)
    netdb.h (BSD): Protocols Database.

```

```

struct protoent * getprotobynumber (int protocol)
    netdb.h (BSD): Protocols Database.
struct protoent * getprotoent (void)
    netdb.h (BSD): Protocols Database.
int getpt (void)
    stdlib.h (GNU): Allocation.
struct passwd * getpwent (void)
    pwd.h (POSIX.1): Scanning All Users.
int getpwent_r (struct passwd *result_buf, char *buffer, int buflen, struct
passwd **result)
    pwd.h (GNU): Scanning All Users.
struct passwd * getpwnam (const char *name)
    pwd.h (POSIX.1): Lookup User.
int getpwnam_r (const char *name, struct passwd *result_buf, char *buffer,
size_t buflen, struct passwd **result)
    pwd.h (POSIX.1c): Lookup User.
struct passwd * getpwuid (uid_t uid)
    pwd.h (POSIX.1): Lookup User.
int getpwuid_r (uid_t uid, struct passwd *result_buf, char *buffer, size_t
buflen, struct passwd **result)
    pwd.h (POSIX.1c): Lookup User.
int getrlimit (int resource, struct rlimit *rlp)
    sys/resource.h (BSD): Limits on Resources.
int getrlimit64 (int resource, struct rlimit64 *rlp)
    sys/resource.h (Unix98): Limits on Resources.
int getrusage (int processes, struct rusage *rusage)
    sys/resource.h (BSD): Resource Usage.
char * gets (char *s)
    stdio.h (ISO): Line Input.
struct servent * getservbyname (const char *name, const char *proto)
    netdb.h (BSD): Services Database.
struct servent * getservbyport (int port, const char *proto)
    netdb.h (BSD): Services Database.
struct servent * getservent (void)
    netdb.h (BSD): Services Database.
pid_t getsid (pid_t pid)
    unistd.h (SVID): Process Group Functions.
int getsockname (int socket, struct sockaddr *addr, socklen_t *length_ptr)
    sys/socket.h (BSD): Reading Address.
int getsockopt (int socket, int level, int optname, void *optval, socklen_t
*optlen_ptr)

```



sys/socket.h (BSD): [Socket Option Functions](#).

int getsubopt (char \*\**optionp*, const char\* const \**tokens*, char \*\**valuep*)  
 stdlib.h (stdlib.h): [Suboptions Example](#).

char \* gettext (const char \**msgid*)  
 libintl.h (GNU): [Translation with gettext](#).

int gettimeofday (struct timeval \**tp*, struct timezone \**tzp*)  
 sys/time.h (BSD): [High-Resolution Calendar](#).

uid\_t getuid (void)  
 unistd.h (POSIX.1): [Reading Persona](#).

mode\_t getumask (void)  
 sys/stat.h (GNU): [Setting Permissions](#).

struct utmp \* getutent (void)  
 utmp.h (SVID): [Manipulating the Database](#).

int getutent\_r (struct utmp \**buffer*, struct utmp \*\**result*)  
 utmp.h (GNU): [Manipulating the Database](#).

struct utmp \* getutid (const struct utmp \**id*)  
 utmp.h (SVID): [Manipulating the Database](#).

int getutid\_r (const struct utmp \**id*, struct utmp \**buffer*, struct utmp \*\**result*)  
 utmp.h (GNU): [Manipulating the Database](#).

struct utmp \* getutline (const struct utmp \**line*)  
 utmp.h (SVID): [Manipulating the Database](#).

int getutline\_r (const struct utmp \**line*, struct utmp \**buffer*, struct utmp \*\**result*)  
 utmp.h (GNU): [Manipulating the Database](#).

int getutmp (const struct utmpx \**utmpx*, struct utmp \**utmp*)  
 utmp.h (GNU): [XPG Functions](#).

int getutmpx (const struct utmp \**utmp*, struct utmpx \**utmpx*)  
 utmp.h (GNU): [XPG Functions](#).

struct utmpx \* getutxent (void)  
 utmpx.h (XPG4.2): [XPG Functions](#).

struct utmpx \* getutxid (const struct utmpx \**id*)  
 utmpx.h (XPG4.2): [XPG Functions](#).

struct utmpx \* getutxline (const struct utmpx \**line*)  
 utmpx.h (XPG4.2): [XPG Functions](#).

int getw (FILE \**stream*)  
 stdio.h (SVID): [Character Input](#).

wint\_t getwc (FILE \**stream*)  
 wchar.h (ISO): [Character Input](#).

wint\_t getwchar (void)  
 wchar.h (ISO): [Character Input](#).

wint\_t getwchar\_unlocked (void)

wchar.h (GNU): [Character Input](#).

wint\_t getwc\_unlocked (FILE \**stream*)

wchar.h (GNU): [Character Input](#).

char \* getwd (char \**buffer*)

unistd.h (BSD): [Working Directory](#).

gid\_t

sys/types.h (POSIX.1): [Reading Persona](#).

int glob (const char \**pattern*, int *flags*, int (\**errfunc*) (const char \**filename*, int *error-code*), glob\_t \**vector\_ptr*)

glob.h (POSIX.2): [Calling Glob](#).

int glob64 (const char \**pattern*, int *flags*, int (\**errfunc*) (const char \**filename*, int *error-code*), glob64\_t \**vector\_ptr*)

glob.h (GNU): [Calling Glob](#).

glob64\_t

glob.h (GNU): [Calling Glob](#).

GLOB\_ABORTED

glob.h (POSIX.2): [Calling Glob](#).

GLOB\_ALTDIRFUNC

glob.h (GNU): [More Flags for Globbing](#).

GLOB\_APPEND

glob.h (POSIX.2): [Flags for Globbing](#).

GLOB\_BRACE

glob.h (GNU): [More Flags for Globbing](#).

GLOB\_DOOFFS

glob.h (POSIX.2): [Flags for Globbing](#).

GLOB\_ERR

glob.h (POSIX.2): [Flags for Globbing](#).

void globfree (glob\_t \**pglob*)

glob.h (POSIX.2): [More Flags for Globbing](#).

void globfree64 (glob64\_t \**pglob*)

glob.h (GNU): [More Flags for Globbing](#).

GLOB\_MAGCHAR

glob.h (GNU): [More Flags for Globbing](#).

GLOB\_MARK

glob.h (POSIX.2): [Flags for Globbing](#).

GLOB\_NOCHECK

glob.h (POSIX.2): [Flags for Globbing](#).

GLOB\_NOESCAPE

glob.h (POSIX.2): [Flags for Globbing](#).

GLOB\_NOMAGIC

glob.h (GNU): [More Flags for Globbing](#).

GLOB\_NOMATCH

glob.h (POSIX.2): [Calling Glob](#).

GLOB\_NOSORT

glob.h (POSIX.2): [Flags for Globbing](#).

GLOB\_NOSPACE

glob.h (POSIX.2): [Calling Glob](#).

GLOB\_ONLYDIR

glob.h (GNU): [More Flags for Globbing](#).

GLOB\_PERIOD

glob.h (GNU): [More Flags for Globbing](#).

glob\_t

glob.h (POSIX.2): [Calling Glob](#).

GLOB\_TILDE

glob.h (GNU): [More Flags for Globbing](#).

GLOB\_TILDE\_CHECK

glob.h (GNU): [More Flags for Globbing](#).

struct tm \* gmtime (const time\_t \**time*)

time.h (ISO): [Broken-down Time](#).

struct tm \* gmtime\_r (const time\_t \**time*, struct tm \**resultp*)

time.h (POSIX.1c): [Broken-down Time](#).

\_GNU\_SOURCE

(GNU): [Feature Test Macros](#).

int grantpt (int *filedes*)

stdlib.h (SVID, XPG4.2): [Allocation](#).

int gsignal (int *signum*)

signal.h (SVID): [Signaling Yourself](#).

int gtty (int *filedes*, struct sgttyb \**attributes*)

sgtty.h (BSD): [BSD Terminal Modes](#).

char \* hasmntopt (const struct mntent \**mnt*, const char \**opt*)

mntent.h (BSD): [mtab](#).

int hcreate (size\_t *nel*)

search.h (SVID): [Hash Search Function](#).

int hcreate\_r (size\_t *nel*, struct hsearch\_data \**htab*)

search.h (GNU): [Hash Search Function](#).

void hdestroy (void)

search.h (SVID): [Hash Search Function](#).

void hdestroy\_r (struct hsearch\_data \**htab*)

search.h (GNU): [Hash Search Function](#).

HOST\_NOT\_FOUND

netdb.h (BSD): [Host Names](#).

ENTRY \* hsearch (ENTRY *item*, ACTION *action*)

search.h (SVID): [Hash Search Function](#).

int hsearch\_r (ENTRY *item*, ACTION *action*, ENTRY \*\**retval*, struct hsearch\_data \**htab*)

search.h (GNU): [Hash Search Function](#).

uint32\_t htonl (uint32\_t *hostlong*)

netinet/in.h (BSD): [Byte Order](#).

uint16\_t htons (uint16\_t *hostshort*)

netinet/in.h (BSD): [Byte Order](#).

double HUGE\_VAL

math.h (ISO): [Math Error Reporting](#).

float HUGE\_VALF

math.h (ISO): [Math Error Reporting](#).

long double HUGE\_VALL

math.h (ISO): [Math Error Reporting](#).

tcflag\_t HUPCL

termios.h (POSIX.1): [Control Modes](#).

double hypot (double *x*, double *y*)

math.h (ISO): [Exponents and Logarithms](#).

float hypotf (float *x*, float *y*)

math.h (ISO): [Exponents and Logarithms](#).

long double hypotl (long double *x*, long double *y*)

math.h (ISO): [Exponents and Logarithms](#).

tcflag\_t ICANON

termios.h (POSIX.1): [Local Modes](#).

size\_t iconv (iconv\_t *cd*, char \*\**inbuf*, size\_t \**inbytesleft*, char \*\**outbuf*, size\_t \**outbytesleft*)

iconv.h (XPG2): [Generic Conversion Interface](#).

int iconv\_close (iconv\_t *cd*)

iconv.h (XPG2): [Generic Conversion Interface](#).

iconv\_t iconv\_open (const char \**to*code, const char \**from*code)

iconv.h (XPG2): [Generic Conversion Interface](#).

iconv\_t

iconv.h (XPG2): [Generic Conversion Interface](#).

tcflag\_t ICRNL

termios.h (POSIX.1): [Input Modes](#).

tcflag\_t IEXTEN

termios.h (POSIX.1): [Local Modes](#).

void if\_freenameindex (struct if\_nameindex \**ptr*)

net/if.h (IPv6 basic API): [Interface Naming](#).

char \* if\_indextoname (unsigned int ifindex, char \*ifname)  
 net/if.h (IPv6 basic API): [Interface Naming](#).

struct if\_nameindex \* if\_nameindex (void)  
 net/if.h (IPv6 basic API): [Interface Naming](#).

unsigned int if\_nametoindex (const char \*ifname)  
 net/if.h (IPv6 basic API): [Interface Naming](#).

size\_t IFNAMSIZ  
 net/if.h (net/if.h): [Interface Naming](#).

int IFTODT (mode\_t *mode*)  
 dirent.h (BSD): [Directory Entries](#).

tcflag\_t IGNBRK  
 termios.h (POSIX.1): [Input Modes](#).

tcflag\_t IGNCR  
 termios.h (POSIX.1): [Input Modes](#).

tcflag\_t IGNPAR  
 termios.h (POSIX.1): [Input Modes](#).

int ilogb (double *x*)  
 math.h (ISO): [Exponents and Logarithms](#).

int ilogbf (float *x*)  
 math.h (ISO): [Exponents and Logarithms](#).

int ilogbl (long double *x*)  
 math.h (ISO): [Exponents and Logarithms](#).

intmax\_t imaxabs (intmax\_t *number*)  
 inttypes.h (ISO): [Absolute Value](#).

tcflag\_t IMAXBEL  
 termios.h (BSD): [Input Modes](#).

imaxdiv\_t imaxdiv (intmax\_t *numerator*, intmax\_t *denominator*)  
 inttypes.h (ISO): [Integer Division](#).

imaxdiv\_t  
 inttypes.h (ISO): [Integer Division](#).

struct in6\_addr in6addr\_any  
 netinet/in.h (IPv6 basic API): [Host Address Data Type](#).

struct in6\_addr in6addr\_loopback  
 netinet/in.h (IPv6 basic API): [Host Address Data Type](#).

uint32\_t INADDR\_ANY  
 netinet/in.h (BSD): [Host Address Data Type](#).

uint32\_t INADDR\_BROADCAST  
 netinet/in.h (BSD): [Host Address Data Type](#).

uint32\_t INADDR\_LOOPBACK  
 netinet/in.h (BSD): [Host Address Data Type](#).

uint32\_t INADDR\_NONE  
 netinet/in.h (BSD): [Host Address Data Type](#).

char \* index (const char \*string, int c)  
 string.h (BSD): [Search Functions](#).

uint32\_t inet\_addr (const char \*name)  
 arpa/inet.h (BSD): [Host Address Functions](#).

int inet\_aton (const char \*name, struct in\_addr \*addr)  
 arpa/inet.h (BSD): [Host Address Functions](#).

uint32\_t inet\_lnaof (struct in\_addr addr)  
 arpa/inet.h (BSD): [Host Address Functions](#).

struct in\_addr inet\_makeaddr (uint32\_t net, uint32\_t local)  
 arpa/inet.h (BSD): [Host Address Functions](#).

uint32\_t inet\_netof (struct in\_addr addr)  
 arpa/inet.h (BSD): [Host Address Functions](#).

uint32\_t inet\_network (const char \*name)  
 arpa/inet.h (BSD): [Host Address Functions](#).

char \* inet\_ntoa (struct in\_addr addr)  
 arpa/inet.h (BSD): [Host Address Functions](#).

const char \* inet\_ntop (int af, const void \*cp, char \*buf, size\_t len)  
 arpa/inet.h (IPv6 basic API): [Host Address Functions](#).

int inet\_pton (int af, const char \*cp, void \*buf)  
 arpa/inet.h (IPv6 basic API): [Host Address Functions](#).

float INFINITY  
 math.h (ISO): [Infinity and NaN](#).

int initgroups (const char \*user, gid\_t group)  
 grp.h (BSD): [Setting Groups](#).

INIT\_PROCESS  
 utmp.h (SVID): [Manipulating the Database](#).

INIT\_PROCESS  
 utmpx.h (XPG4.2): [XPG Functions](#).

void \* initstate (unsigned int seed, void \*state, size\_t size)  
 stdlib.h (BSD): [BSD Random](#).

int initstate\_r (unsigned int seed, char \*restrict statebuf, size\_t statelen, struct random\_data \*restrict buf)  
 stdlib.h (GNU): [BSD Random](#).

tcflag\_t INLCR  
 termios.h (POSIX.1): [Input Modes](#).

int innetgr (const char \*netgroup, const char \*host, const char \*user, const char \*domain)  
 netdb.h (BSD): [Netgroup Membership](#).

ino64\_t

sys/types.h (Unix98): [Attribute Meanings](#).

ino\_t

sys/types.h (POSIX.1): [Attribute Meanings](#).

tcflag\_t INPCK

termios.h (POSIX.1): [Input Modes](#).

INT\_MAX

limits.h (ISO): [Range of Type](#).

INT\_MIN

limits.h (ISO): [Range of Type](#).

int ioctl (int *filedes*, int *command*, ...)

sys/ioctl.h (BSD): [IOCTLs](#).

int \_IOFBF

stdio.h (ISO): [Controlling Buffering](#).

int \_IOLBF

stdio.h (ISO): [Controlling Buffering](#).

int \_IONBF

stdio.h (ISO): [Controlling Buffering](#).

int IPPORT\_RESERVED

netinet/in.h (BSD): [Ports](#).

int IPPORT\_USERRESERVED

netinet/in.h (BSD): [Ports](#).

int isalnum (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int isalpha (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int isascii (int *c*)

ctype.h (SVID, BSD): [Classification of Characters](#).

int isatty (int *filedes*)

unistd.h (POSIX.1): [Is It a Terminal](#).

int isblank (int *c*)

ctype.h (GNU): [Classification of Characters](#).

int iscntrl (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int isdigit (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int isfinite (*float-type* *x*)

math.h (ISO): [Floating Point Classes](#).

int isgraph (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int isgreater (*real-floating* *x*, *real-floating* *y*)

math.h (ISO): [FP Comparison Functions](#).

int isgreaterequal (*real-floating x, real-floating y*)

math.h (ISO): [FP Comparison Functions](#).

tcflag\_t ISIG

termios.h (POSIX.1): [Local Modes](#).

int isinf (double *x*)

math.h (BSD): [Floating Point Classes](#).

int isinff (float *x*)

math.h (BSD): [Floating Point Classes](#).

int isinfl (long double *x*)

math.h (BSD): [Floating Point Classes](#).

int isless (*real-floating x, real-floating y*)

math.h (ISO): [FP Comparison Functions](#).

int islessequal (*real-floating x, real-floating y*)

math.h (ISO): [FP Comparison Functions](#).

int islessgreater (*real-floating x, real-floating y*)

math.h (ISO): [FP Comparison Functions](#).

int islower (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int isnan (double *x*)

math.h (BSD): [Floating Point Classes](#).

int isnan (*float-type x*)

math.h (ISO): [Floating Point Classes](#).

int isnanf (float *x*)

math.h (BSD): [Floating Point Classes](#).

int isnanl (long double *x*)

math.h (BSD): [Floating Point Classes](#).

int isnormal (*float-type x*)

math.h (ISO): [Floating Point Classes](#).

\_ISOC99\_SOURCE

(GNU): [Feature Test Macros](#).

int isprint (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int ispunct (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int isspace (int *c*)

ctype.h (ISO): [Classification of Characters](#).

tcflag\_t ISTRIP

termios.h (POSIX.1): [Input Modes](#).

int isunordered (*real-floating x, real-floating y*)



math.h (ISO): [FP Comparison Functions](#).

int isupper (int *c*)

ctype.h (ISO): [Classification of Characters](#).

int iswalnum (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswalpha (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswblank (wint\_t *wc*)

wctype.h (GNU): [Classification of Wide Characters](#).

int iswcntrl (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswctype (wint\_t *wc*, wctype\_t *desc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswdigit (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswgraph (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswlower (wint\_t *wc*)

ctype.h (ISO): [Classification of Wide Characters](#).

int iswprint (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswpunct (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswspace (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswupper (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int iswxdigit (wint\_t *wc*)

wctype.h (ISO): [Classification of Wide Characters](#).

int isxdigit (int *c*)

ctype.h (ISO): [Classification of Characters](#).

ITIMER\_PROF

sys/time.h (BSD): [Setting an Alarm](#).

ITIMER\_REAL

sys/time.h (BSD): [Setting an Alarm](#).

ITIMER\_VIRTUAL

sys/time.h (BSD): [Setting an Alarm](#).

tcflag\_t IXANY

termios.h (BSD): [Input Modes](#).

tcflag\_t IXOFF

`termios.h` (POSIX.1): [Input Modes](#).

`tcflag_t` `IXON`

`termios.h` (POSIX.1): [Input Modes](#).

`double` `j0` (`double`  $x$ )

`math.h` (SVID): [Special Functions](#).

`float` `j0f` (`float`  $x$ )

`math.h` (SVID): [Special Functions](#).

`long double` `j0l` (`long double`  $x$ )

`math.h` (SVID): [Special Functions](#).

`double` `j1` (`double`  $x$ )

`math.h` (SVID): [Special Functions](#).

`float` `j1f` (`float`  $x$ )

`math.h` (SVID): [Special Functions](#).

`long double` `j1l` (`long double`  $x$ )

`math.h` (SVID): [Special Functions](#).

`jmp_buf`

`setjmp.h` (ISO): [Non-Local Details](#).

`double` `jn` (`int`  $n$ , `double`  $x$ )

`math.h` (SVID): [Special Functions](#).

`float` `jnf` (`int`  $n$ , `float`  $x$ )

`math.h` (SVID): [Special Functions](#).

`long double` `jnl` (`int`  $n$ , `long double`  $x$ )

`math.h` (SVID): [Special Functions](#).

`long int` `jrand48` (`unsigned short int`  $xsubi[3]$ )

`stdlib.h` (SVID): [SVID Random](#).

`int` `jrand48_r` (`unsigned short int`  $xsubi[3]$ , `struct drand48_data`  $*buffer$ , `long int`  $*result$ )

`stdlib.h` (GNU): [SVID Random](#).

`int` `kill` (`pid_t`  $pid$ , `int`  $signum$ )

`signal.h` (POSIX.1): [Signaling Another Process](#).

`int` `killpg` (`int`  $pgid$ , `int`  $signum$ )

`signal.h` (BSD): [Signaling Another Process](#).

`char *` `l64a` (`long int`  $n$ )

`stdlib.h` (XPG): [Encode Binary Data](#).

`long int` `labs` (`long int`  $number$ )

`stdlib.h` (ISO): [Absolute Value](#).

`LANG`

`locale.h` (ISO): [Locale Categories](#).

`LC_ALL`

`locale.h` (ISO): [Locale Categories](#).

`LC_COLLATE`

locale.h (ISO): [Locale Categories](#).

LC\_CTYPE

locale.h (ISO): [Locale Categories](#).

LC\_MESSAGES

locale.h (XOPEN): [Locale Categories](#).

LC\_MONETARY

locale.h (ISO): [Locale Categories](#).

LC\_NUMERIC

locale.h (ISO): [Locale Categories](#).

void lcong48 (unsigned short int *param*[7])

stdlib.h (SVID): [SVID Random](#).

int lcong48\_r (unsigned short int *param*[7], struct drand48\_data *\*buffer*)

stdlib.h (GNU): [SVID Random](#).

int L\_ctermid

stdio.h (POSIX.1): [Identifying the Terminal](#).

LC\_TIME

locale.h (ISO): [Locale Categories](#).

int L\_cuserid

stdio.h (POSIX.1): [Who Logged In](#).

double ldexp (double *value*, int *exponent*)

math.h (ISO): [Normalization Functions](#).

float ldexpf (float *value*, int *exponent*)

math.h (ISO): [Normalization Functions](#).

long double ldexpl (long double *value*, int *exponent*)

math.h (ISO): [Normalization Functions](#).

ldiv\_t ldiv (long int *numerator*, long int *denominator*)

stdlib.h (ISO): [Integer Division](#).

ldiv\_t

stdlib.h (ISO): [Integer Division](#).

void \* lfind (const void *\*key*, void *\*base*, size\_t *\*nmemb*, size\_t *size*,  
comparison\_fn\_t *compar*)

search.h (SVID): [Array Search Function](#).

double lgamma (double *x*)

math.h (SVID): [Special Functions](#).

float lgammaf (float *x*)

math.h (SVID): [Special Functions](#).

float lgammaf\_r (float *x*, int *\*signp*)

math.h (XPG): [Special Functions](#).

long double lgammal (long double *x*)

math.h (SVID): [Special Functions](#).

long double lgammal\_r (long double *x*, int *\*signp*)  
 math.h (XPG): [Special Functions](#).

double lgamma\_r (double *x*, int *\*signp*)  
 math.h (XPG): [Special Functions](#).

L\_INCR  
 sys/file.h (BSD): [File Positioning](#).

int LINE\_MAX  
 limits.h (POSIX.2): [Utility Limits](#).

int link (const char *\*oldname*, const char *\*newname*)  
 unistd.h (POSIX.1): [Hard Links](#).

int LINK\_MAX  
 limits.h (POSIX.1): [Limits for Files](#).

int lio\_listio (int *mode*, struct aiocb *\*const list[]*, int *nent*, struct sigevent *\*sig*)  
 aio.h (POSIX.1b): [Asynchronous Reads/Writes](#).

int lio\_listio64 (int *mode*, struct aiocb *\*const list*, int *nent*, struct sigevent *\*sig*)  
 aio.h (Unix98): [Asynchronous Reads/Writes](#).

int listen (int *socket*, unsigned int *n*)  
 sys/socket.h (BSD): [Listening](#).

long long int llabs (long long int *number*)  
 stdlib.h (ISO): [Absolute Value](#).

lldiv\_t lldiv (long long int *numerator*, long long int *denominator*)  
 stdlib.h (ISO): [Integer Division](#).

lldiv\_t  
 stdlib.h (ISO): [Integer Division](#).

long long int llrint (double *x*)  
 math.h (ISO): [Rounding Functions](#).

long long int llrintf (float *x*)  
 math.h (ISO): [Rounding Functions](#).

long long int llrintl (long double *x*)  
 math.h (ISO): [Rounding Functions](#).

long long int llround (double *x*)  
 math.h (ISO): [Rounding Functions](#).

long long int llroundf (float *x*)  
 math.h (ISO): [Rounding Functions](#).

long long int llroundl (long double *x*)  
 math.h (ISO): [Rounding Functions](#).

struct lconv *\* localeconv* (void)  
 locale.h (ISO): [The Lame Way to Locale Data](#).

struct tm *\* localtime* (const time\_t *\*time*)

time.h (ISO): [Broken-down Time](#).

struct tm \* localtime\_r (const time\_t \**time*, struct tm \**resultp*)

time.h (POSIX.1c): [Broken-down Time](#).

double log (double *x*)

math.h (ISO): [Exponents and Logarithms](#).

double log10 (double *x*)

math.h (ISO): [Exponents and Logarithms](#).

float log10f (float *x*)

math.h (ISO): [Exponents and Logarithms](#).

long double log10l (long double *x*)

math.h (ISO): [Exponents and Logarithms](#).

double loglp (double *x*)

math.h (ISO): [Exponents and Logarithms](#).

float loglpf (float *x*)

math.h (ISO): [Exponents and Logarithms](#).

long double loglpl (long double *x*)

math.h (ISO): [Exponents and Logarithms](#).

double log2 (double *x*)

math.h (ISO): [Exponents and Logarithms](#).

float log2f (float *x*)

math.h (ISO): [Exponents and Logarithms](#).

long double log2l (long double *x*)

math.h (ISO): [Exponents and Logarithms](#).

double logb (double *x*)

math.h (ISO): [Exponents and Logarithms](#).

float logbf (float *x*)

math.h (ISO): [Exponents and Logarithms](#).

long double logbl (long double *x*)

math.h (ISO): [Exponents and Logarithms](#).

float logf (float *x*)

math.h (ISO): [Exponents and Logarithms](#).

void login (const struct utmp \**entry*)

utmp.h (BSD): [Logging In and Out](#).

LOGIN\_PROCESS

utmp.h (SVID): [Manipulating the Database](#).

LOGIN\_PROCESS

utmpx.h (XPG4.2): [XPG Functions](#).

int login\_tty (int *filedes*)

utmp.h (BSD): [Logging In and Out](#).

long double logl (long double *x*)

`math.h` (ISO): [Exponents and Logarithms](#).

`int logout` (`const char *ut_line`)

`utmp.h` (BSD): [Logging In and Out](#).

`void logwtmp` (`const char *ut_line`, `const char *ut_name`, `const char *ut_host`)

`utmp.h` (BSD): [Logging In and Out](#).

`void longjmp` (`jmp_buf state`, `int value`)

`setjmp.h` (ISO): [Non-Local Details](#).

`LONG_LONG_MAX`

`limits.h` (GNU): [Range of Type](#).

`LONG_LONG_MIN`

`limits.h` (GNU): [Range of Type](#).

`LONG_MAX`

`limits.h` (ISO): [Range of Type](#).

`LONG_MIN`

`limits.h` (ISO): [Range of Type](#).

`long int lrand48` (`void`)

`stdlib.h` (SVID): [SVID Random](#).

`int lrand48_r` (`struct drand48_data *buffer`, `double *result`)

`stdlib.h` (GNU): [SVID Random](#).

`long int lrint` (`double x`)

`math.h` (ISO): [Rounding Functions](#).

`long int lrintf` (`float x`)

`math.h` (ISO): [Rounding Functions](#).

`long int lrintl` (`long double x`)

`math.h` (ISO): [Rounding Functions](#).

`long int lround` (`double x`)

`math.h` (ISO): [Rounding Functions](#).

`long int lroundf` (`float x`)

`math.h` (ISO): [Rounding Functions](#).

`long int lroundl` (`long double x`)

`math.h` (ISO): [Rounding Functions](#).

`void * lsearch` (`const void *key`, `void *base`, `size_t *nmem`, `size_t size`, `comparison_fn_t compar`)

`search.h` (SVID): [Array Search Function](#).

`off_t lseek` (`int files`, `off_t offset`, `int whence`)

`unistd.h` (POSIX.1): [File Position Primitive](#).

`off64_t lseek64` (`int files`, `off64_t offset`, `int whence`)

`unistd.h` (Unix98): [File Position Primitive](#).

`L_SET`

`sys/file.h` (BSD): [File Positioning](#).

`int lstat (const char *filename, struct stat *buf)`  
 sys/stat.h (BSD): [Reading Attributes](#).

`int lstat64 (const char *filename, struct stat64 *buf)`  
 sys/stat.h (Unix98): [Reading Attributes](#).

`int L_tmpnam`  
 stdio.h (ISO): [Temporary Files](#).

`int lutimes (const char *filename, struct timeval tvp[2])`  
 sys/time.h (BSD): [File Times](#).

`L_XTND`  
 sys/file.h (BSD): [File Positioning](#).

`int madvise (void *addr, size_t length, int advice)`  
 sys/mman.h (POSIX): [Memory-mapped I/O](#).

`void makecontext (ucontext_t *ucp, void (*func) (void), int argc, ...)`  
 ucontext.h (SVID): [System V contexts](#).

`struct mallinfo mallinfo (void)`  
 malloc.h (SVID): [Statistics of Malloc](#).

`void * malloc (size_t size)`  
 malloc.h, stdlib.h (ISO): [Basic Allocation](#).

`__malloc_hook`  
 malloc.h (GNU): [Hooks for Malloc](#).

`__malloc_initialize_hook`  
 malloc.h (GNU): [Hooks for Malloc](#).

`int MAX_CANON`  
 limits.h (POSIX.1): [Limits for Files](#).

`int MAX_INPUT`  
 limits.h (POSIX.1): [Limits for Files](#).

`int MAXNAMLEN`  
 dirent.h (BSD): [Limits for Files](#).

`int MAXSYMLINKS`  
 sys/param.h (BSD): [Symbolic Links](#).

`int MB_CUR_MAX`  
 stdlib.h (ISO): [Selecting the Conversion](#).

`int mblen (const char *string, size_t size)`  
 stdlib.h (ISO): [Non-reentrant Character Conversion](#).

`int MB_LEN_MAX`  
 limits.h (ISO): [Selecting the Conversion](#).

`size_t mbrlen (const char *restrict s, size_t n, mbstate_t *ps)`  
 wchar.h (ISO): [Converting a Character](#).

`size_t mbrtowc (wchar_t *restrict pwc, const char *restrict s, size_t n, mbstate_t *restrict ps)`

wchar.h (ISO): [Converting a Character](#).

int mbsinit (const mbstate\_t \*ps)

wchar.h (ISO): [Keeping the state](#).

size\_t mbsnrtowcs (wchar\_t \*restrict dst, const char \*\*restrict src, size\_t nmc, size\_t len, mbstate\_t \*restrict ps)

wchar.h (GNU): [Converting Strings](#).

size\_t mbsrtowcs (wchar\_t \*restrict dst, const char \*\*restrict src, size\_t len, mbstate\_t \*restrict ps)

wchar.h (ISO): [Converting Strings](#).

mbstate\_t

wchar.h (ISO): [Keeping the state](#).

size\_t mbstowcs (wchar\_t \*wstring, const char \*string, size\_t size)

stdlib.h (ISO): [Non-reentrant String Conversion](#).

int mbtowlc (wchar\_t \*restrict result, const char \*restrict string, size\_t size)

stdlib.h (ISO): [Non-reentrant Character Conversion](#).

int mcheck (void (\*abortfn) (enum mcheck\_status status))

mcheck.h (GNU): [Heap Consistency Checking](#).

tcflag\_t MDMBUF

termios.h (BSD): [Control Modes](#).

void \* memalign (size\_t boundary, size\_t size)

malloc.h (BSD): [Aligned Memory Blocks](#).

\_\_memalign\_hook

malloc.h (GNU): [Hooks for Malloc](#).

void \* memccpy (void \*restrict to, const void \*restrict from, int c, size\_t size)

string.h (SVID): [Copying and Concatenation](#).

void \* memchr (const void \*block, int c, size\_t size)

string.h (ISO): [Search Functions](#).

int memcmp (const void \*a1, const void \*a2, size\_t size)

string.h (ISO): [String/Array Comparison](#).

void \* memcpy (void \*restrict to, const void \*restrict from, size\_t size)

string.h (ISO): [Copying and Concatenation](#).

void \* memfrob (void \*mem, size\_t length)

string.h (GNU): [Trivial Encryption](#).

void \* memmem (const void \*haystack, size\_t haystack-len, const void \*needle, size\_t needle-len)

string.h (GNU): [Search Functions](#).

void \* memmove (void \*to, const void \*from, size\_t size)

string.h (ISO): [Copying and Concatenation](#).

void \* mempcpy (void \*restrict to, const void \*restrict from, size\_t



*size*)

string.h (GNU): [Copying and Concatenation](#).

void \* memrchr (const void \**block*, int *c*, size\_t *size*)

string.h (GNU): [Search Functions](#).

void \* memset (void \**block*, int *c*, size\_t *size*)

string.h (ISO): [Copying and Concatenation](#).

int mkdir (const char \**filename*, mode\_t *mode*)

sys/stat.h (POSIX.1): [Creating Directories](#).

char \* mkdtemp (char \**template*)

stdlib.h (BSD): [Temporary Files](#).

int mkfifo (const char \**filename*, mode\_t *mode*)

sys/stat.h (POSIX.1): [FIFO Special Files](#).

int mknod (const char \**filename*, int *mode*, int *dev*)

sys/stat.h (BSD): [Making Special Files](#).

int mkstemp (char \**template*)

stdlib.h (BSD): [Temporary Files](#).

char \* mktemp (char \**template*)

stdlib.h (Unix): [Temporary Files](#).

time\_t mktime (struct tm \**brokentime*)

time.h (ISO): [Broken-down Time](#).

int mlock (const void \**addr*, size\_t *len*)

sys/mman.h (POSIX.1b): [Page Lock Functions](#).

int mlockall (int *flags*)

sys/mman.h (POSIX.1b): [Page Lock Functions](#).

void \* mmap (void \**address*, size\_t *length*, int *protect*, int *flags*, int *filedes*, off\_t *offset*)

sys/mman.h (POSIX): [Memory-mapped I/O](#).

void \* mmap64 (void \**address*, size\_t *length*, int *protect*, int *flags*, int *filedes*, off64\_t *offset*)

sys/mman.h (LFS): [Memory-mapped I/O](#).

mode\_t

sys/types.h (POSIX.1): [Attribute Meanings](#).

double modf (double *value*, double \**integer-part*)

math.h (ISO): [Rounding Functions](#).

float modff (float *value*, float \**integer-part*)

math.h (ISO): [Rounding Functions](#).

long double modfl (long double *value*, long double \**integer-part*)

math.h (ISO): [Rounding Functions](#).

int mount (const char \**special\_file*, const char \**dir*, const char \**fstype*, unsigned long int *options*, const void \**data*)

sys/mount.h (SVID, BSD): [Mount-Unmount-Remount](#).

`long int mrand48 (void)`  
`stdlib.h (SVID): SVID Random.`

`int mrand48_r (struct drand48_data *buffer, double *result)`  
`stdlib.h (GNU): SVID Random.`

`void * mremap (void *address, size_t length, size_t new_length, int flag)`  
`sys/mman.h (GNU): Memory-mapped I/O.`

`int MSG_DONTROUTE`  
`sys/socket.h (BSD): Socket Data Options.`

`int MSG_OOB`  
`sys/socket.h (BSD): Socket Data Options.`

`int MSG_PEEK`  
`sys/socket.h (BSD): Socket Data Options.`

`int msync (void *address, size_t length, int flags)`  
`sys/mman.h (POSIX): Memory-mapped I/O.`

`void mtrace (void)`  
`mcheck.h (GNU): Tracing malloc.`

`int munlock (const void *addr, size_t len)`  
`sys/mman.h (POSIX.1b): Page Lock Functions.`

`int munlockall (void)`  
`sys/mman.h (POSIX.1b): Page Lock Functions.`

`int munmap (void *addr, size_t length)`  
`sys/mman.h (POSIX): Memory-mapped I/O.`

`void muntrace (void)`  
`mcheck.h (GNU): Tracing malloc.`

`int NAME_MAX`  
`limits.h (POSIX.1): Limits for Files.`

`double nan (const char *tagp)`  
`math.h (ISO): FP Bit Twiddling.`

`float NAN`  
`math.h (GNU): Infinity and NaN.`

`float nanf (const char *tagp)`  
`math.h (ISO): FP Bit Twiddling.`

`long double nanl (const char *tagp)`  
`math.h (ISO): FP Bit Twiddling.`

`int nanosleep (const struct timespec *requested_time, struct timespec *remaining)`  
`time.h (POSIX.1): Sleeping.`

`int NCCS`  
`termios.h (POSIX.1): Mode Data Types.`

`double nearbyint (double x)`  
`math.h (ISO): Rounding Functions.`

float nearbyintf (float *x*)

math.h (ISO): [Rounding Functions](#).

long double nearbyintl (long double *x*)

math.h (ISO): [Rounding Functions](#).

NEW\_TIME

utmp.h (SVID): [Manipulating the Database](#).

NEW\_TIME

utmpx.h (XPG4.2): [XPG Functions](#).

double nextafter (double *x*, double *y*)

math.h (ISO): [FP Bit Twiddling](#).

float nextafterf (float *x*, float *y*)

math.h (ISO): [FP Bit Twiddling](#).

long double nextafterl (long double *x*, long double *y*)

math.h (ISO): [FP Bit Twiddling](#).

double nexttoward (double *x*, long double *y*)

math.h (ISO): [FP Bit Twiddling](#).

float nexttowardf (float *x*, long double *y*)

math.h (ISO): [FP Bit Twiddling](#).

long double nexttowardl (long double *x*, long double *y*)

math.h (ISO): [FP Bit Twiddling](#).

int nftw (const char \**filename*, \_\_nftw\_func\_t *func*, int *descriptors*, int *flag*)

ftw.h (XPG4.2): [Working with Directory Trees](#).

int nftw64 (const char \**filename*, \_\_nftw64\_func\_t *func*, int *descriptors*, int *flag*)

ftw.h (Unix98): [Working with Directory Trees](#).

\_\_nftw64\_func\_t

ftw.h (GNU): [Working with Directory Trees](#).

\_\_nftw\_func\_t

ftw.h (GNU): [Working with Directory Trees](#).

char \* ngettext (const char \**msgid1*, const char \**msgid2*, unsigned long int *n*)

libintl.h (GNU): [Advanced gettext functions](#).

int NGROUPS\_MAX

limits.h (POSIX.1): [General Limits](#).

int nice (int *increment*)

unistd.h (BSD): [Traditional Scheduling Functions](#).

nlink\_t

sys/types.h (POSIX.1): [Attribute Meanings](#).

char \* nl\_langinfo (nl\_item *item*)

langinfo.h (XOPEN): [The Elegant and Fast Way](#).

NO\_ADDRESS

netdb.h (BSD): [Host Names](#).

tcflag\_t NOFLSH

termios.h (POSIX.1): [Local Modes](#).

tcflag\_t NOKERNINFO

termios.h (BSD): [Local Modes](#).

NO\_RECOVERY

netdb.h (BSD): [Host Names](#).

long int nrand48 (unsigned short int *xsubi*[3])

stdlib.h (SVID): [SVID Random](#).

int nrand48\_r (unsigned short int *xsubi*[3], struct drand48\_data *\*buffer*,  
long int *\*result*)

stdlib.h (GNU): [SVID Random](#).

int NSIG

signal.h (BSD): [Standard Signals](#).

uint32\_t ntohl (uint32\_t *netlong*)

netinet/in.h (BSD): [Byte Order](#).

uint16\_t ntohs (uint16\_t *netshort*)

netinet/in.h (BSD): [Byte Order](#).

int ntp\_adjtime (struct timex *\*tptr*)

sys/timex.h (GNU): [High Accuracy Clock](#).

int ntp\_gettime (struct ntptimeval *\*tptr*)

sys/timex.h (GNU): [High Accuracy Clock](#).

void \* NULL

stddef.h (ISO): [Null Pointer Constant](#).

int O\_ACCMODE

fcntl.h (POSIX.1): [Access Modes](#).

int O\_APPEND

fcntl.h (POSIX.1): [Operating Modes](#).

int O\_ASYNC

fcntl.h (BSD): [Operating Modes](#).

void obstack\_lgrow (struct obstack *\*obstack\_ptr*, char *c*)

obstack.h (GNU): [Growing Objects](#).

void obstack\_lgrow\_fast (struct obstack *\*obstack\_ptr*, char *c*)

obstack.h (GNU): [Extra Fast Growing](#).

int obstack\_alignment\_mask (struct obstack *\*obstack\_ptr*)

obstack.h (GNU): [Obstacks Data Alignment](#).

void \* obstack\_alloc (struct obstack *\*obstack\_ptr*, int *size*)

obstack.h (GNU): [Allocation in an Obstack](#).

obstack\_alloc\_failed\_handler

obstack.h (GNU): [Preparing for Obstacks](#).

void \* obstack\_base (struct obstack *\*obstack\_ptr*)

`obstack.h` (GNU): [Status of an Obstack](#).

`void obstack_blank (struct obstack *obstack-ptr, int size)`

`obstack.h` (GNU): [Growing Objects](#).

`void obstack_blank_fast (struct obstack *obstack-ptr, int size)`

`obstack.h` (GNU): [Extra Fast Growing](#).

`int obstack_chunk_size (struct obstack *obstack-ptr)`

`obstack.h` (GNU): [Obstack Chunks](#).

`void * obstack_copy (struct obstack *obstack-ptr, void *address, int size)`

`obstack.h` (GNU): [Allocation in an Obstack](#).

`void * obstack_copy0 (struct obstack *obstack-ptr, void *address, int size)`

`obstack.h` (GNU): [Allocation in an Obstack](#).

`void * obstack_finish (struct obstack *obstack-ptr)`

`obstack.h` (GNU): [Growing Objects](#).

`void obstack_free (struct obstack *obstack-ptr, void *object)`

`obstack.h` (GNU): [Freeing Obstack Objects](#).

`void obstack_grow (struct obstack *obstack-ptr, void *data, int size)`

`obstack.h` (GNU): [Growing Objects](#).

`void obstack_grow0 (struct obstack *obstack-ptr, void *data, int size)`

`obstack.h` (GNU): [Growing Objects](#).

`int obstack_init (struct obstack *obstack-ptr)`

`obstack.h` (GNU): [Preparing for Obstacks](#).

`void obstack_int_grow (struct obstack *obstack-ptr, int data)`

`obstack.h` (GNU): [Growing Objects](#).

`void obstack_int_grow_fast (struct obstack *obstack-ptr, int data)`

`obstack.h` (GNU): [Extra Fast Growing](#).

`void * obstack_next_free (struct obstack *obstack-ptr)`

`obstack.h` (GNU): [Status of an Obstack](#).

`int obstack_object_size (struct obstack *obstack-ptr)`

`obstack.h` (GNU): [Growing Objects](#).

`int obstack_object_size (struct obstack *obstack-ptr)`

`obstack.h` (GNU): [Status of an Obstack](#).

`int obstack_printf (struct obstack *obstack, const char *template, ...)`

`stdio.h` (GNU): [Dynamic Output](#).

`void obstack_ptr_grow (struct obstack *obstack-ptr, void *data)`

`obstack.h` (GNU): [Growing Objects](#).

`void obstack_ptr_grow_fast (struct obstack *obstack-ptr, void *data)`

`obstack.h` (GNU): [Extra Fast Growing](#).

`int obstack_room (struct obstack *obstack-ptr)`

`obstack.h` (GNU): [Extra Fast Growing](#).

`int obstack_vprintf (struct obstack *obstack, const char *template,`

`va_list ap)`  
`stdio.h` (GNU): [Variable Arguments Output](#).

`int O_CREAT`  
`fcntl.h` (POSIX.1): [Open-time Flags](#).

`int O_EXCL`  
`fcntl.h` (POSIX.1): [Open-time Flags](#).

`int O_EXEC`  
`fcntl.h` (GNU): [Access Modes](#).

`int O_EXLOCK`  
`fcntl.h` (BSD): [Open-time Flags](#).

`off64_t`  
`sys/types.h` (Unix98): [File Position Primitive](#).

`size_t offsetof (type, member)`  
`stddef.h` (ISO): [Structure Measurement](#).

`off_t`  
`sys/types.h` (POSIX.1): [File Position Primitive](#).

`int O_FSYNC`  
`fcntl.h` (BSD): [Operating Modes](#).

`int O_IGNORE_CTTY`  
`fcntl.h` (GNU): [Open-time Flags](#).

`OLD_TIME`  
`utmp.h` (SVID): [Manipulating the Database](#).

`OLD_TIME`  
`utmpx.h` (XPG4.2): [XPG Functions](#).

`int O_NDELAY`  
`fcntl.h` (BSD): [Operating Modes](#).

`int on_exit (void (*function)(int status, void *arg), void *arg)`  
`stdlib.h` (SunOS): [Cleanups on Exit](#).

`tcflag_t ONLCR`  
`termios.h` (BSD): [Output Modes](#).

`int O_NOATIME`  
`fcntl.h` (GNU): [Operating Modes](#).

`int O_NOCTTY`  
`fcntl.h` (POSIX.1): [Open-time Flags](#).

`tcflag_t ONOEOT`  
`termios.h` (BSD): [Output Modes](#).

`int O_NOLINK`  
`fcntl.h` (GNU): [Open-time Flags](#).

`int O_NONBLOCK`  
`fcntl.h` (POSIX.1): [Open-time Flags](#).

`int O_NONBLOCK`

`fcntl.h` (POSIX.1): [Operating Modes](#).

`int O_NOTRANS`

`fcntl.h` (GNU): [Open-time Flags](#).

`int open` (`const char *filename`, `int flags`[, `mode_t mode`])

`fcntl.h` (POSIX.1): [Opening and Closing Files](#).

`int open64` (`const char *filename`, `int flags`[, `mode_t mode`])

`fcntl.h` (Unix98): [Opening and Closing Files](#).

`DIR * opendir` (`const char *dirname`)

`dirent.h` (POSIX.1): [Opening a Directory](#).

`void openlog` (`const char *ident`, `int option`, `int facility`)

`syslog.h` (BSD): [openlog](#).

`int OPEN_MAX`

`limits.h` (POSIX.1): [General Limits](#).

`FILE * open_memstream` (`char **ptr`, `size_t *sizeloc`)

`stdio.h` (GNU): [String Streams](#).

`FILE * open_obstack_stream` (`struct obstack *obstack`)

`stdio.h` (GNU): [Obstack Streams](#).

`int openpty` (`int *amaster`, `int *aslave`, `char *name`, `struct termios *term`,

`struct winsize *winp`)

`pty.h` (BSD): [Pseudo-Terminal Pairs](#).

`tcflag_t OPOST`

`termios.h` (POSIX.1): [Output Modes](#).

`char * optarg`

`unistd.h` (POSIX.2): [Using Getopt](#).

`int opterr`

`unistd.h` (POSIX.2): [Using Getopt](#).

`int optind`

`unistd.h` (POSIX.2): [Using Getopt](#).

`OPTION_ALIAS`

`argp.h` (GNU): [Argp Option Flags](#).

`OPTION_ARG_OPTIONAL`

`argp.h` (GNU): [Argp Option Flags](#).

`OPTION_DOC`

`argp.h` (GNU): [Argp Option Flags](#).

`OPTION_HIDDEN`

`argp.h` (GNU): [Argp Option Flags](#).

`OPTION_NO_USAGE`

`argp.h` (GNU): [Argp Option Flags](#).

`int optopt`

`unistd.h` (POSIX.2): [Using Getopt](#).

`int O_RDONLY`  
    `fcntl.h` (POSIX.1): [Access Modes](#).

`int O_RDWR`  
    `fcntl.h` (POSIX.1): [Access Modes](#).

`int O_READ`  
    `fcntl.h` (GNU): [Access Modes](#).

`int O_SHLOCK`  
    `fcntl.h` (BSD): [Open-time Flags](#).

`int O_SYNC`  
    `fcntl.h` (BSD): [Operating Modes](#).

`int O_TRUNC`  
    `fcntl.h` (POSIX.1): [Open-time Flags](#).

`int O_WRITE`  
    `fcntl.h` (GNU): [Access Modes](#).

`int O_WRONLY`  
    `fcntl.h` (POSIX.1): [Access Modes](#).

`tcflag_t OXTABS`  
    `termios.h` (BSD): [Output Modes](#).

`PA_CHAR`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_DOUBLE`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_FLAG_LONG`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_FLAG_LONG_DOUBLE`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_FLAG_LONG_LONG`  
    `printf.h` (GNU): [Parsing a Template String](#).

`int PA_FLAG_MASK`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_FLAG_PTR`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_FLAG_SHORT`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_FLOAT`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_INT`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_LAST`  
    `printf.h` (GNU): [Parsing a Template String](#).

`PA_POINTER`



`printf.h` (GNU): [Parsing a Template String](#).

`tcflag_t PARENB`

`termios.h` (POSIX.1): [Control Modes](#).

`tcflag_t PARMRK`

`termios.h` (POSIX.1): [Input Modes](#).

`tcflag_t PARODD`

`termios.h` (POSIX.1): [Control Modes](#).

`size_t parse_printf_format (const char *template, size_t n, int *argtypes)`

`printf.h` (GNU): [Parsing a Template String](#).

`PA_STRING`

`printf.h` (GNU): [Parsing a Template String](#).

`long int pathconf (const char *filename, int parameter)`

`unistd.h` (POSIX.1): [Pathconf](#).

`int PATH_MAX`

`limits.h` (POSIX.1): [Limits for Files](#).

`int pause ()`

`unistd.h` (POSIX.1): [Using Pause](#).

`_PC_ASYNC_IO`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_CHOWN_RESTRICTED`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_FILESIZEBITS`

`unistd.h` (LFS): [Pathconf](#).

`_PC_LINK_MAX`

`unistd.h` (POSIX.1): [Pathconf](#).

`int pclose (FILE *stream)`

`stdio.h` (POSIX.2, SVID, BSD): [Pipe to a Subprocess](#).

`_PC_MAX_CANON`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_MAX_INPUT`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_NAME_MAX`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_NO_TRUNC`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_PATH_MAX`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_PIPE_BUF`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_PRIO_IO`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_REC_INCR_XFER_SIZE`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_REC_MAX_XFER_SIZE`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_REC_MIN_XFER_SIZE`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_REC_XFER_ALIGN`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_SOCKET_MAXBUF`

`unistd.h` (POSIX.1g): [Pathconf](#).

`_PC_SYNC_IO`

`unistd.h` (POSIX.1): [Pathconf](#).

`_PC_VDISABLE`

`unistd.h` (POSIX.1): [Pathconf](#).

`tcflag_t` `PENDIN`

`termios.h` (BSD): [Local Modes](#).

`void perror (const char *message)`

`stdio.h` (ISO): [Error Messages](#).

`int` `PF_FILE`

`sys/socket.h` (GNU): [Local Namespace Details](#).

`int` `PF_INET`

`sys/socket.h` (BSD): [Internet Namespace](#).

`int` `PF_INET6`

`sys/socket.h` (X/Open): [Internet Namespace](#).

`int` `PF_LOCAL`

`sys/socket.h` (POSIX): [Local Namespace Details](#).

`int` `PF_UNIX`

`sys/socket.h` (BSD): [Local Namespace Details](#).

`pid_t`

`sys/types.h` (POSIX.1): [Process Identification](#).

`int` `pipe (int filedes[2])`

`unistd.h` (POSIX.1): [Creating a Pipe](#).

`int` `PIPE_BUF`

`limits.h` (POSIX.1): [Limits for Files](#).

`FILE * popen (const char *command, const char *mode)`

`stdio.h` (POSIX.2, SVID, BSD): [Pipe to a Subprocess](#).

`_POSIX2_BC_BASE_MAX`

`limits.h` (POSIX.2): [Utility Minimums](#).

`_POSIX2_BC_DIM_MAX`

`limits.h` (POSIX.2): [Utility Minimums](#).  
`_POSIX2_BC_SCALE_MAX`  
`limits.h` (POSIX.2): [Utility Minimums](#).  
`_POSIX2_BC_STRING_MAX`  
`limits.h` (POSIX.2): [Utility Minimums](#).  
`int _POSIX2_C_DEV`  
`unistd.h` (POSIX.2): [System Options](#).  
`_POSIX2_COLL_WEIGHTS_MAX`  
`limits.h` (POSIX.2): [Utility Minimums](#).  
`long int _POSIX2_C_VERSION`  
`unistd.h` (POSIX.2): [Version Supported](#).  
`_POSIX2_EQUIV_CLASS_MAX`  
`limits.h` (POSIX.2): [Utility Minimums](#).  
`_POSIX2_EXPR_NEST_MAX`  
`limits.h` (POSIX.2): [Utility Minimums](#).  
`int _POSIX2_FORT_DEV`  
`unistd.h` (POSIX.2): [System Options](#).  
`int _POSIX2_FORT_RUN`  
`unistd.h` (POSIX.2): [System Options](#).  
`_POSIX2_LINE_MAX`  
`limits.h` (POSIX.2): [Utility Minimums](#).  
`int _POSIX2_LOCALEDEF`  
`unistd.h` (POSIX.2): [System Options](#).  
`_POSIX2_RE_DUP_MAX`  
`limits.h` (POSIX.2): [Minimums](#).  
`int _POSIX2_SW_DEV`  
`unistd.h` (POSIX.2): [System Options](#).  
`_POSIX_AIO_LISTIO_MAX`  
`limits.h` (POSIX.1): [Minimums](#).  
`_POSIX_AIO_MAX`  
`limits.h` (POSIX.1): [Minimums](#).  
`_POSIX_ARG_MAX`  
`limits.h` (POSIX.1): [Minimums](#).  
`_POSIX_CHILD_MAX`  
`limits.h` (POSIX.1): [Minimums](#).  
`int _POSIX_CHOWN_RESTRICTED`  
`unistd.h` (POSIX.1): [Options for Files](#).  
`_POSIX_C_SOURCE`  
(POSIX.2): [Feature Test Macros](#).  
`int _POSIX_JOB_CONTROL`

`unistd.h` (POSIX.1): [System Options](#).

`_POSIX_LINK_MAX`

`limits.h` (POSIX.1): [File Minimums](#).

`_POSIX_MAX_CANON`

`limits.h` (POSIX.1): [File Minimums](#).

`_POSIX_MAX_INPUT`

`limits.h` (POSIX.1): [File Minimums](#).

`int posix_memalign (void **memptr, size_t alignment, size_t size)`

`stdlib.h` (POSIX): [Aligned Memory Blocks](#).

`_POSIX_NAME_MAX`

`limits.h` (POSIX.1): [File Minimums](#).

`_POSIX_NGROUPS_MAX`

`limits.h` (POSIX.1): [Minimums](#).

`int _POSIX_NO_TRUNC`

`unistd.h` (POSIX.1): [Options for Files](#).

`_POSIX_OPEN_MAX`

`limits.h` (POSIX.1): [Minimums](#).

`_POSIX_PATH_MAX`

`limits.h` (POSIX.1): [File Minimums](#).

`_POSIX_PIPE_BUF`

`limits.h` (POSIX.1): [File Minimums](#).

`POSIX_REC_INCR_XFER_SIZE`

`limits.h` (POSIX.1): [File Minimums](#).

`POSIX_REC_MAX_XFER_SIZE`

`limits.h` (POSIX.1): [File Minimums](#).

`POSIX_REC_MIN_XFER_SIZE`

`limits.h` (POSIX.1): [File Minimums](#).

`POSIX_REC_XFER_ALIGN`

`limits.h` (POSIX.1): [File Minimums](#).

`int _POSIX_SAVED_IDS`

`unistd.h` (POSIX.1): [System Options](#).

`_POSIX_SOURCE`

(POSIX.1): [Feature Test Macros](#).

`_POSIX_SSIZE_MAX`

`limits.h` (POSIX.1): [Minimums](#).

`_POSIX_STREAM_MAX`

`limits.h` (POSIX.1): [Minimums](#).

`_POSIX_TZNAME_MAX`

`limits.h` (POSIX.1): [Minimums](#).

`unsigned char _POSIX_VDISABLE`

unistd.h (POSIX.1): [Options for Files](#).

long int \_POSIX\_VERSION

unistd.h (POSIX.1): [Version Supported](#).

double pow (double *base*, double *power*)

math.h (ISO): [Exponents and Logarithms](#).

double pow10 (double *x*)

math.h (GNU): [Exponents and Logarithms](#).

float pow10f (float *x*)

math.h (GNU): [Exponents and Logarithms](#).

long double pow10l (long double *x*)

math.h (GNU): [Exponents and Logarithms](#).

float powf (float *base*, float *power*)

math.h (ISO): [Exponents and Logarithms](#).

long double powl (long double *base*, long double *power*)

math.h (ISO): [Exponents and Logarithms](#).

ssize\_t pread (int *filedes*, void *\*buffer*, size\_t *size*, off\_t *offset*)

unistd.h (Unix98): [I/O Primitives](#).

ssize\_t pread64 (int *filedes*, void *\*buffer*, size\_t *size*, off64\_t *offset*)

unistd.h (Unix98): [I/O Primitives](#).

int printf (const char *\*template*, ...)

stdio.h (ISO): [Formatted Output Functions](#).

printf\_arginfo\_function

printf.h (GNU): [Defining the Output Handler](#).

printf\_function

printf.h (GNU): [Defining the Output Handler](#).

int printf\_size (FILE *\*fp*, const struct printf\_info *\*info*, const void *\*const \*args*)

printf.h (GNU): [Predefined Printf Handlers](#).

int printf\_size\_info (const struct printf\_info *\*info*, size\_t *n*, int *\*argtypes*)

printf.h (GNU): [Predefined Printf Handlers](#).

PRIO\_MAX

sys/resource.h (BSD): [Traditional Scheduling Functions](#).

PRIO\_MIN

sys/resource.h (BSD): [Traditional Scheduling Functions](#).

PRIO\_PGRP

sys/resource.h (BSD): [Traditional Scheduling Functions](#).

PRIO\_PROCESS

sys/resource.h (BSD): [Traditional Scheduling Functions](#).

PRIO\_USER

sys/resource.h (BSD): [Traditional Scheduling Functions](#).

char \* program\_invocation\_name  
 errno.h (GNU): [Error Messages](#).

char \* program\_invocation\_short\_name  
 errno.h (GNU): [Error Messages](#).

void psignal (int *signum*, const char \**message*)  
 signal.h (BSD): [Signal Messages](#).

int pthread\_atfork (void (\**prepare*)(void), void (\**parent*)(void), void (\**child*)(void))  
 pthread.h (POSIX): [Threads and Fork](#).

int pthread\_attr\_destroy (pthread\_attr\_t \**attr*)  
 pthread.h (POSIX): [Thread Attributes](#).

int pthread\_attr\_getattr (const pthread\_attr\_t \**obj*, int \**value*)  
 pthread.h (POSIX): [Thread Attributes](#).

int pthread\_attr\_init (pthread\_attr\_t \**attr*)  
 pthread.h (POSIX): [Thread Attributes](#).

int pthread\_attr\_setattr (pthread\_attr\_t \**obj*, int *value*)  
 pthread.h (POSIX): [Thread Attributes](#).

int pthread\_cancel (pthread\_t *thread*)  
 pthread.h (POSIX): [Basic Thread Operations](#).

void pthread\_cleanup\_pop (int *execute*)  
 pthread.h (POSIX): [Cleanup Handlers](#).

void pthread\_cleanup\_pop\_restore\_np (int *execute*)  
 pthread.h (GNU): [Cleanup Handlers](#).

void pthread\_cleanup\_push (void (\**routine*) (void \*), void \**arg*)  
 pthread.h (POSIX): [Cleanup Handlers](#).

void pthread\_cleanup\_push\_defer\_np (void (\**routine*) (void \*), void \**arg*)  
 pthread.h (GNU): [Cleanup Handlers](#).

int pthread\_condattr\_init (pthread\_condattr\_t \**attr*)  
 pthread.h (POSIX): [Condition Variables](#).

int pthread\_cond\_broadcast (pthread\_cond\_t \**cond*)  
 pthread.h (POSIX): [Condition Variables](#).

int pthread\_cond\_destroy (pthread\_cond\_t \**cond*)  
 pthread.h (POSIX): [Condition Variables](#).

int pthread\_cond\_init (pthread\_cond\_t \**cond*, pthread\_condattr\_t \**cond\_attr*)  
 pthread.h (POSIX): [Condition Variables](#).

int pthread\_cond\_signal (pthread\_cond\_t \**cond*)  
 pthread.h (POSIX): [Condition Variables](#).

int pthread\_cond\_timedwait (pthread\_cond\_t \**cond*, pthread\_mutex\_t \**mutex*, const struct timespec \**abstime*)  
 pthread.h (POSIX): [Condition Variables](#).

`int pthread_cond_wait (pthread_cond_t *cond, pthread_mutex_t *mutex)`  
pthread.h (POSIX): [Condition Variables](#).

`int pthread_create (pthread_t * thread, pthread_attr_t * attr, void * (*start_routine)(void *), void * arg)`  
pthread.h (POSIX): [Basic Thread Operations](#).

`int pthread_detach (pthread_t th)`  
pthread.h (POSIX): [Miscellaneous Thread Functions](#).

`int pthread_equal (pthread_t thread1, pthread_t thread2)`  
pthread.h (POSIX): [Miscellaneous Thread Functions](#).

`void pthread_exit (void *retval)`  
pthread.h (POSIX): [Basic Thread Operations](#).

`int pthread_getconcurrency ()`  
pthread.h (POSIX): [Miscellaneous Thread Functions](#).

`int pthread_getschedparam (pthread_t target_thread, int *policy, struct sched_param *param)`  
pthread.h (POSIX): [Miscellaneous Thread Functions](#).

`void * pthread_getspecific (pthread_key_t key)`  
pthread.h (POSIX): [Thread-Specific Data](#).

`int pthread_join (pthread_t th, void **thread_return)`  
pthread.h (POSIX): [Basic Thread Operations](#).

`int pthread_key_create (pthread_key_t *key, void (*destr_function)(void *))`  
pthread.h (POSIX): [Thread-Specific Data](#).

`int pthread_key_delete (pthread_key_t key)`  
pthread.h (POSIX): [Thread-Specific Data](#).

`int pthread_kill (pthread_t thread, int signo)`  
pthread.h (POSIX): [Threads and Signal Handling](#).

`void pthread_kill_other_threads_np (void)`  
pthread.h (GNU): [Miscellaneous Thread Functions](#).

`int pthread_mutexattr_destroy (pthread_mutexattr_t *attr)`  
pthread.h (POSIX): [Mutexes](#).

`int pthread_mutexattr_gettype (const pthread_mutexattr_t *attr, int *type)`  
pthread.h (POSIX): [Mutexes](#).

`int pthread_mutexattr_init (pthread_mutexattr_t *attr)`  
pthread.h (POSIX): [Mutexes](#).

`int pthread_mutexattr_settype (pthread_mutexattr_t *attr, int type)`  
pthread.h (POSIX): [Mutexes](#).

`int pthread_mutex_destroy (pthread_mutex_t *mutex)`  
pthread.h (POSIX): [Mutexes](#).

`int pthread_mutex_init (pthread_mutex_t *mutex, const`

pthread\_mutexattr\_t *\*mutexattr*)  
 pthread.h (POSIX): [Mutexes](#).

int pthread\_mutex\_lock (pthread\_mutex\_t *\*mutex*)  
 pthread.h (POSIX): [Mutexes](#).

int pthread\_mutex\_timedlock (pthread\_mutex\_t *\*mutex*, const struct  
 timespec *\*abstime*)  
 pthread.h (POSIX): [Mutexes](#).

int pthread\_mutex\_trylock (pthread\_mutex\_t *\*mutex*)  
 pthread.h (POSIX): [Mutexes](#).

int pthread\_mutex\_unlock (pthread\_mutex\_t *\*mutex*)  
 pthread.h (POSIX): [Mutexes](#).

int pthread\_once (pthread\_once\_t *\*once\_control*, void (*\*init\_routine*) (void))  
 pthread.h (POSIX): [Miscellaneous Thread Functions](#).

pthread\_t pthread\_self (*void*)  
 pthread.h (POSIX): [Miscellaneous Thread Functions](#).

int pthread\_setcancelstate (int *state*, int *\*oldstate*)  
 pthread.h (POSIX): [Cancellation](#).

int pthread\_setcanceltype (int *type*, int *\*oldtype*)  
 pthread.h (POSIX): [Cancellation](#).

int pthread\_setconcurrency (int *level*)  
 pthread.h (POSIX): [Miscellaneous Thread Functions](#).

int pthread\_setschedparam (pthread\_t *target\_thread*, int *policy*, const  
 struct sched\_param *\*param*)  
 pthread.h (POSIX): [Miscellaneous Thread Functions](#).

int pthread\_setspecific (pthread\_key\_t *key*, const void *\*pointer*)  
 pthread.h (POSIX): [Thread-Specific Data](#).

int pthread\_sigmask (int *how*, const sigset\_t *\*newmask*, sigset\_t  
*\*oldmask*)  
 pthread.h (POSIX): [Threads and Signal Handling](#).

void pthread\_testcancel (*void*)  
 pthread.h (POSIX): [Cancellation](#).

char \* P\_tmpdir  
 stdio.h (SVID): [Temporary Files](#).

ptrdiff\_t  
 stddef.h (ISO): [Important Data Types](#).

char \* ptsname (int *filedes*)  
 stdlib.h (SVID, XPG4.2): [Allocation](#).

int ptsname\_r (int *filedes*, char *\*buf*, size\_t *len*)  
 stdlib.h (GNU): [Allocation](#).

int putc (int *c*, FILE *\*stream*)  
 stdio.h (ISO): [Simple Output](#).



`int putchar (int c)`  
`stdio.h (ISO): Simple Output.`

`int putchar_unlocked (int c)`  
`stdio.h (POSIX): Simple Output.`

`int putc_unlocked (int c, FILE *stream)`  
`stdio.h (POSIX): Simple Output.`

`int putenv (char *string)`  
`stdlib.h (SVID): Environment Access.`

`int putpwent (const struct passwd *p, FILE *stream)`  
`pwd.h (SVID): Writing a User Entry.`

`int puts (const char *s)`  
`stdio.h (ISO): Simple Output.`

`struct utmp * pututline (const struct utmp *utmp)`  
`utmp.h (SVID): Manipulating the Database.`

`struct utmpx * pututxline (const struct utmpx *utmp)`  
`utmpx.h (XPG4.2): XPG Functions.`

`int putw (int w, FILE *stream)`  
`stdio.h (SVID): Simple Output.`

`wint_t putwc (wchar_t wc, FILE *stream)`  
`wchar.h (ISO): Simple Output.`

`wint_t putwchar (wchar_t wc)`  
`wchar.h (ISO): Simple Output.`

`wint_t putwchar_unlocked (wchar_t wc)`  
`wchar.h (GNU): Simple Output.`

`wint_t putwc_unlocked (wchar_t wc, FILE *stream)`  
`wchar.h (GNU): Simple Output.`

`ssize_t pwrite (int filesdes, const void *buffer, size_t size, off_t offset)`  
`unistd.h (Unix98): I/O Primitives.`

`ssize_t pwrite64 (int filesdes, const void *buffer, size_t size, off64_t offset)`  
`unistd.h (Unix98): I/O Primitives.`

`char * qecvt (long double value, int ndigit, int *decpt, int *neg)`  
`stdlib.h (GNU): System V Number Conversion.`

`char * qecvt_r (long double value, int ndigit, int *decpt, int *neg, char *buf, size_t len)`  
`stdlib.h (GNU): System V Number Conversion.`

`char * qfcvt (long double value, int ndigit, int *decpt, int *neg)`  
`stdlib.h (GNU): System V Number Conversion.`

`char * qfcvt_r (long double value, int ndigit, int *decpt, int *neg, char *buf, size_t len)`  
`stdlib.h (GNU): System V Number Conversion.`

char \* qgcvt (long double *value*, int *ndigit*, char \**buf*)  
 stdlib.h (GNU): [System V Number Conversion](#).

void qsort (void \**array*, size\_t *count*, size\_t *size*, comparison\_fn\_t  
*compare*)  
 stdlib.h (ISO): [Array Sort Function](#).

int raise (int *signum*)  
 signal.h (ISO): [Signaling Yourself](#).

int rand (void)  
 stdlib.h (ISO): [ISO Random](#).

int RAND\_MAX  
 stdlib.h (ISO): [ISO Random](#).

long int random (void)  
 stdlib.h (BSD): [BSD Random](#).

int random\_r (struct random\_data \*restrict *buf*, int32\_t \*restrict *result*)  
 stdlib.h (GNU): [BSD Random](#).

int rand\_r (unsigned int \**seed*)  
 stdlib.h (POSIX.1): [ISO Random](#).

void \* rawmemchr (const void \**block*, int *c*)  
 string.h (GNU): [Search Functions](#).

ssize\_t read (int *filedes*, void \**buffer*, size\_t *size*)  
 unistd.h (POSIX.1): [I/O Primitives](#).

struct dirent \* readdir (DIR \**dirstream*)  
 dirent.h (POSIX.1): [Reading/Closing Directory](#).

struct dirent64 \* readdir64 (DIR \**dirstream*)  
 dirent.h (LFS): [Reading/Closing Directory](#).

int readdir64\_r (DIR \**dirstream*, struct dirent64 \**entry*, struct dirent64  
 \*\**result*)  
 dirent.h (LFS): [Reading/Closing Directory](#).

int readdir\_r (DIR \**dirstream*, struct dirent \**entry*, struct dirent \*\**result*)  
 dirent.h (GNU): [Reading/Closing Directory](#).

int readlink (const char \**filename*, char \**buffer*, size\_t *size*)  
 unistd.h (BSD): [Symbolic Links](#).

ssize\_t readv (int *filedes*, const struct iovec \**vector*, int *count*)  
 sys/uio.h (BSD): [Scatter-Gather](#).

void \* realloc (void \**ptr*, size\_t *newsize*)  
 malloc.h, stdlib.h (ISO): [Changing Block Size](#).

\_\_realloc\_hook  
 malloc.h (GNU): [Hooks for Malloc](#).

char \* realpath (const char \*restrict *name*, char \*restrict *resolved*)  
 stdlib.h (XPG): [Symbolic Links](#).

int recv (int *socket*, void \**buffer*, size\_t *size*, int *flags*)

sys/socket.h (BSD): [Receiving Data](#).

int recvfrom (int *socket*, void \**buffer*, size\_t *size*, int *flags*, struct sockaddr \**addr*, socklen\_t \**length-ptr*)

sys/socket.h (BSD): [Receiving Datagrams](#).

int recvmsg (int *socket*, struct msghdr \**message*, int *flags*)

sys/socket.h (BSD): [Receiving Datagrams](#).

int RE\_DUP\_MAX

limits.h (POSIX.2): [General Limits](#).

\_REENTRANT

(GNU): [Feature Test Macros](#).

REG\_BADBR

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_BADPAT

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_BADRPT

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

int regcomp (regex\_t \**compiled*, const char \**pattern*, int *cflags*)

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_EBRACE

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_EBRACK

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_ECOLLATE

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_ECTYPE

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_EESCAPE

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_EPAREN

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_ERANGE

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

size\_t regerror (int *errcode*, regex\_t \**compiled*, char \**buffer*, size\_t *length*)

regex.h (POSIX.2): [Regexp Cleanup](#).

REG\_ESPACE

regex.h (POSIX.2): [Matching POSIX Regexprs](#).

REG\_ESPACE

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

REG\_ESUBREG

regex.h (POSIX.2): [POSIX Regexp Compilation](#).

int regexec (regex\_t \**compiled*, char \**string*, size\_t *nmatch*, regmatch\_t

*matchptr* [], int *eflags*)  
 regex.h (POSIX.2): [Matching POSIX Regexprs.](#)

regex\_t  
 regex.h (POSIX.2): [POSIX Regexp Compilation.](#)

REG\_EXTENDED  
 regex.h (POSIX.2): [Flags for POSIX Regexprs.](#)

void regfree (regex\_t \**compiled*)  
 regex.h (POSIX.2): [Regexp Cleanup.](#)

REG\_ICASE  
 regex.h (POSIX.2): [Flags for POSIX Regexprs.](#)

int register\_printf\_function (int *spec*, printf\_function *handler-function*,  
 printf\_arginfo\_function *arginfo-function*)  
 printf.h (GNU): [Registering New Conversions.](#)

regmatch\_t  
 regex.h (POSIX.2): [Regexp Subexpressions.](#)

REG\_NEWLINE  
 regex.h (POSIX.2): [Flags for POSIX Regexprs.](#)

REG\_NOMATCH  
 regex.h (POSIX.2): [Matching POSIX Regexprs.](#)

REG\_NOSUB  
 regex.h (POSIX.2): [Flags for POSIX Regexprs.](#)

REG\_NOTBOL  
 regex.h (POSIX.2): [Matching POSIX Regexprs.](#)

REG\_NOTEOL  
 regex.h (POSIX.2): [Matching POSIX Regexprs.](#)

regoff\_t  
 regex.h (POSIX.2): [Regexp Subexpressions.](#)

double remainder (double *numerator*, double *denominator*)  
 math.h (BSD): [Remainder Functions.](#)

float remainderf (float *numerator*, float *denominator*)  
 math.h (BSD): [Remainder Functions.](#)

long double remainderl (long double *numerator*, long double *denominator*)  
 math.h (BSD): [Remainder Functions.](#)

int remove (const char \**filename*)  
 stdio.h (ISO): [Deleting Files.](#)

int rename (const char \**oldname*, const char \**newname*)  
 stdio.h (ISO): [Renaming Files.](#)

void rewind (FILE \**stream*)  
 stdio.h (ISO): [File Positioning.](#)

void rewinddir (DIR \**dirstream*)

`dirent.h` (POSIX.1): [Random Access Directory](#).

`char * rindex (const char *string, int c)`

`string.h` (BSD): [Search Functions](#).

`double rint (double x)`

`math.h` (ISO): [Rounding Functions](#).

`float rintf (float x)`

`math.h` (ISO): [Rounding Functions](#).

`long double rintl (long double x)`

`math.h` (ISO): [Rounding Functions](#).

`int RLIM_INFINITY`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_AS`

`sys/resource.h` (Unix98): [Limits on Resources](#).

`RLIMIT_CORE`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_CPU`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_DATA`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_FSIZE`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_MEMLOCK`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_NOFILE`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_NPROC`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_RSS`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIMIT_STACK`

`sys/resource.h` (BSD): [Limits on Resources](#).

`RLIM_NLIMITS`

`sys/resource.h` (BSD): [Limits on Resources](#).

`int rmdir (const char *filename)`

`unistd.h` (POSIX.1): [Deleting Files](#).

`int R_OK`

`unistd.h` (POSIX.1): [Testing File Access](#).

`double round (double x)`

`math.h` (ISO): [Rounding Functions](#).

`float roundf (float x)`

math.h (ISO): [Rounding Functions](#).

long double roundl (long double *x*)

math.h (ISO): [Rounding Functions](#).

int rpmatch (const char \**response*)

stdlib.h (stdlib.h): [Yes-or-No Questions](#).

RUN\_LVL

utmp.h (SVID): [Manipulating the Database](#).

RUN\_LVL

utmpx.h (XPG4.2): [XPG Functions](#).

RUSAGE\_CHILDREN

sys/resource.h (BSD): [Resource Usage](#).

RUSAGE\_SELF

sys/resource.h (BSD): [Resource Usage](#).

int SA\_NOCLDSTOP

signal.h (POSIX.1): [Flags for Sigaction](#).

int SA\_ONSTACK

signal.h (BSD): [Flags for Sigaction](#).

int SA\_RESTART

signal.h (BSD): [Flags for Sigaction](#).

int sbrk (ptrdiff\_t *delta*)

unistd.h (BSD): [Resizing the Data Segment](#).

\_SC\_2\_C\_DEV

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_2\_FORT\_DEV

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_2\_FORT\_RUN

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_2\_LOCALEDEF

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_2\_SW\_DEV

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_2\_VERSION

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_AIO\_LISTIO\_MAX

unistd.h (POSIX.1): [Constants for Sysconf](#).

\_SC\_AIO\_MAX

unistd.h (POSIX.1): [Constants for Sysconf](#).

\_SC\_AIO\_PRIO\_DELTA\_MAX

unistd.h (POSIX.1): [Constants for Sysconf](#).

double scalb (double *value*, int *exponent*)

math.h (BSD): [Normalization Functions](#).

float scalbf (float *value*, int *exponent*)

math.h (BSD): [Normalization Functions](#).

long double scalbl (long double *value*, int *exponent*)

math.h (BSD): [Normalization Functions](#).

long long int scalbln (double *x*, long int *n*)

math.h (BSD): [Normalization Functions](#).

long long int scalblnf (float *x*, long int *n*)

math.h (BSD): [Normalization Functions](#).

long long int scalblnl (long double *x*, long int *n*)

math.h (BSD): [Normalization Functions](#).

long long int scalbn (double *x*, int *n*)

math.h (BSD): [Normalization Functions](#).

long long int scalbnf (float *x*, int *n*)

math.h (BSD): [Normalization Functions](#).

long long int scalbnl (long double *x*, int *n*)

math.h (BSD): [Normalization Functions](#).

int scandir (const char \**dir*, struct dirent \*\*\**namelist*, int (\**selector*)

(const struct dirent \*), int (\**cmp*) (const void \*, const void \*))

dirent.h (BSD/SVID): [Scanning Directory Content](#).

int scandir64 (const char \**dir*, struct dirent64 \*\*\**namelist*, int

(\**selector*) (const struct dirent64 \*), int (\**cmp*) (const void \*, const void \*))

dirent.h (GNU): [Scanning Directory Content](#).

int scanf (const char \**template*, ...)

stdio.h (ISO): [Formatted Input Functions](#).

\_SC\_ARG\_MAX

unistd.h (POSIX.1): [Constants for Sysconf](#).

\_SC\_ASYNCHRONOUS\_IO

unistd.h (POSIX.1): [Constants for Sysconf](#).

\_SC\_ATEXIT\_MAX

unistd.h (GNU): [Constants for Sysconf](#).

\_SC\_AVPHYS\_PAGES

unistd.h (GNU): [Constants for Sysconf](#).

\_SC\_BC\_BASE\_MAX

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_BC\_DIM\_MAX

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_BC\_SCALE\_MAX

unistd.h (POSIX.2): [Constants for Sysconf](#).

\_SC\_BC\_STRING\_MAX

`unistd.h` (POSIX.2): [Constants for Sysconf](#).

`_SC_CHAR_BIT`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_CHARCLASS_NAME_MAX`

`unistd.h` (GNU): [Constants for Sysconf](#).

`_SC_CHAR_MAX`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_CHAR_MIN`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_CHILD_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_CLK_TCK`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_COLL_WEIGHTS_MAX`

`unistd.h` (POSIX.2): [Constants for Sysconf](#).

`_SC_DELAYTIMER_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_EQUIV_CLASS_MAX`

`unistd.h` (POSIX.2): [Constants for Sysconf](#).

`_SC_EXPR_NEST_MAX`

`unistd.h` (POSIX.2): [Constants for Sysconf](#).

`_SC_FSYNC`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_GETGR_R_SIZE_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_GETPW_R_SIZE_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`SCHAR_MAX`

`limits.h` (ISO): [Range of Type](#).

`SCHAR_MIN`

`limits.h` (ISO): [Range of Type](#).

`int sched_getaffinity (pid_t pid, cpu_set_t *cpuset)`

`sched.h` (GNU): [CPU Affinity](#).

`int sched_getparam (pid_t pid, const struct sched_param *param)`

`sched.h` (POSIX): [Basic Scheduling Functions](#).

`int sched_get_priority_max (int *policy);`

`sched.h` (POSIX): [Basic Scheduling Functions](#).

`int sched_get_priority_min (int *policy);`

`sched.h` (POSIX): [Basic Scheduling Functions](#).

`int sched_getscheduler (pid_t pid)`



`sched.h` (POSIX): [Basic Scheduling Functions](#).

`int sched_rr_get_interval (pid_t pid, struct timespec *interval)`

`sched.h` (POSIX): [Basic Scheduling Functions](#).

`int sched_setaffinity (pid_t pid, const cpu_set_t *cpuset)`

`sched.h` (GNU): [CPU Affinity](#).

`int sched_setparam (pid_t pid, const struct sched_param *param)`

`sched.h` (POSIX): [Basic Scheduling Functions](#).

`int sched_setscheduler (pid_t pid, int policy, const struct sched_param *param)`

`sched.h` (POSIX): [Basic Scheduling Functions](#).

`int sched_yield (void)`

`sched.h` (POSIX): [Basic Scheduling Functions](#).

`_SC_INT_MAX`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_INT_MIN`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_JOB_CONTROL`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_LINE_MAX`

`unistd.h` (POSIX.2): [Constants for Sysconf](#).

`_SC_LOGIN_NAME_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_LONG_BIT`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_MAPPED_FILES`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_MB_LEN_MAX`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_MEMLOCK`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_MEMLOCK_RANGE`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_MEMORY_PROTECTION`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_MESSAGE_PASSING`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_MQ_OPEN_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_MQ_PRIO_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_NGROUPS_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_NL_ARGMAX`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_NL_LANGMAX`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_NL_MSGMAX`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_NL_NMAX`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_NL_SETMAX`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_NL_TEXTMAX`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_NPROCESSORS_CONF`

`unistd.h` (GNU): [Constants for Sysconf.](#)

`_SC_NPROCESSORS_ONLN`

`unistd.h` (GNU): [Constants for Sysconf.](#)

`_SC_NZERO`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_OPEN_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_PAGESIZE`

`unistd.h` (GNU): [Constants for Sysconf.](#)

`_SC_PHYS_PAGES`

`unistd.h` (GNU): [Constants for Sysconf.](#)

`_SC_PII`

`unistd.h` (POSIX.1g): [Constants for Sysconf.](#)

`_SC_PII_INTERNET`

`unistd.h` (POSIX.1g): [Constants for Sysconf.](#)

`_SC_PII_INTERNET_DGRAM`

`unistd.h` (POSIX.1g): [Constants for Sysconf.](#)

`_SC_PII_INTERNET_STREAM`

`unistd.h` (POSIX.1g): [Constants for Sysconf.](#)

`_SC_PII_OSI`

`unistd.h` (POSIX.1g): [Constants for Sysconf.](#)

`_SC_PII_OSI_CLTS`

`unistd.h` (POSIX.1g): [Constants for Sysconf.](#)

`_SC_PII_OSI_COTS`

`unistd.h` (POSIX.1g): [Constants for Sysconf.](#)

`_SC_PII_OSI_M`

unistd.h (POSIX.1g): [Constants for Sysconf.](#)

\_SC\_PII\_SOCKET

unistd.h (POSIX.1g): [Constants for Sysconf.](#)

\_SC\_PII\_XTI

unistd.h (POSIX.1g): [Constants for Sysconf.](#)

\_SC\_PRIORITIZED\_IO

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_PRIORITY\_SCHEDULING

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_REALTIME\_SIGNALS

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_RTSIG\_MAX

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_SAVED\_IDS

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_SCHAR\_MAX

unistd.h (X/Open): [Constants for Sysconf.](#)

\_SC\_SCHAR\_MIN

unistd.h (X/Open): [Constants for Sysconf.](#)

\_SC\_SELECT

unistd.h (POSIX.1g): [Constants for Sysconf.](#)

\_SC\_SEMAPHORES

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_SEM\_NSEMS\_MAX

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_SEM\_VALUE\_MAX

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_SHARED\_MEMORY\_OBJECTS

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_SHRT\_MAX

unistd.h (X/Open): [Constants for Sysconf.](#)

\_SC\_SHRT\_MIN

unistd.h (X/Open): [Constants for Sysconf.](#)

\_SC\_SIGQUEUE\_MAX

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_SSIZE\_MAX

unistd.h (X/Open): [Constants for Sysconf.](#)

\_SC\_STREAM\_MAX

unistd.h (POSIX.1): [Constants for Sysconf.](#)

\_SC\_SYNCHRONIZED\_IO

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_ATTR_STACKADDR`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_ATTR_STACKSIZE`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_DESTRUCTOR_ITERATIONS`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_KEYS_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_PRIO_INHERIT`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_PRIO_PROTECT`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_PRIORITY_SCHEDULING`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_PROCESS_SHARED`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREADS`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_SAFE_FUNCTIONS`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_STACK_MIN`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_THREAD_THREADS_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_TIMER_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_TIMERS`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_T_IOV_MAX`

`unistd.h` (POSIX.1g): [Constants for Sysconf.](#)

`_SC_TTY_NAME_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_TZNAME_MAX`

`unistd.h` (POSIX.1): [Constants for Sysconf.](#)

`_SC_UCHAR_MAX`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_UINT_MAX`

`unistd.h` (X/Open): [Constants for Sysconf.](#)

`_SC_UIO_MAXIOV`

`unistd.h` (POSIX.1g): [Constants for Sysconf](#).

`_SC_ULONG_MAX`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_USHRT_MAX`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_VERSION`

`unistd.h` (POSIX.1): [Constants for Sysconf](#).

`_SC_VERSION`

`unistd.h` (POSIX.2): [Constants for Sysconf](#).

`_SC_WORD_BIT`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_CRYPT`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_ENH_I18N`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_LEGACY`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_REALTIME`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_REALTIME_THREADS`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_SHM`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_UNIX`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_VERSION`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_XCU_VERSION`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_XPG2`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_XPG3`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`_SC_XOPEN_XPG4`

`unistd.h` (X/Open): [Constants for Sysconf](#).

`unsigned short int * seed48` (unsigned short int *seed16v*[3])

`stdlib.h` (SVID): [SVID Random](#).

`int seed48_r` (unsigned short int *seed16v*[3], struct *drand48\_data* \**buffer*)

`stdlib.h` (GNU): [SVID Random](#).

`int SEEK_CUR`

stdio.h (ISO): [File Positioning](#).

void seekdir (DIR \**dirstream*, off\_t *pos*)

dirent.h (BSD): [Random Access Directory](#).

int SEEK\_END

stdio.h (ISO): [File Positioning](#).

int SEEK\_SET

stdio.h (ISO): [File Positioning](#).

int select (int *nfds*, fd\_set \**read-fds*, fd\_set \**write-fds*, fd\_set \**except-fds*, struct timeval \**timeout*)

sys/types.h (BSD): [Waiting for I/O](#).

int sem\_destroy (sem\_t \* *sem*)

semaphore.h (POSIX): [POSIX Semaphores](#).

int sem\_getvalue (sem\_t \* *sem*, int \* *sval*)

semaphore.h (POSIX): [POSIX Semaphores](#).

int sem\_init (sem\_t \**sem*, int *pshared*, unsigned int *value*)

semaphore.h (POSIX): [POSIX Semaphores](#).

int sem\_post (sem\_t \* *sem*)

semaphore.h (POSIX): [POSIX Semaphores](#).

int sem\_trywait (sem\_t \* *sem*)

semaphore.h (POSIX): [POSIX Semaphores](#).

int sem\_wait (sem\_t \* *sem*)

semaphore.h (POSIX): [POSIX Semaphores](#).

int send (int *socket*, void \**buffer*, size\_t *size*, int *flags*)

sys/socket.h (BSD): [Sending Data](#).

int sendmsg (int *socket*, const struct msghdr \**message*, int *flags*)

sys/socket.h (BSD): [Receiving Datagrams](#).

int sendto (int *socket*, void \**buffer*, size\_t *size*, int *flags*, struct sockaddr \**addr*, socklen\_t *length*)

sys/socket.h (BSD): [Sending Datagrams](#).

void setbuf (FILE \**stream*, char \**buf*)

stdio.h (ISO): [Controlling Buffering](#).

void setbuffer (FILE \**stream*, char \**buf*, size\_t *size*)

stdio.h (BSD): [Controlling Buffering](#).

int setcontext (const ucontext\_t \**ucp*)

ucontext.h (SVID): [System V contexts](#).

int setdomainname (const char \**name*, size\_t *length*)

unistd.h (???): [Host Identification](#).

int setegid (gid\_t *newgid*)

unistd.h (POSIX.1): [Setting Groups](#).

int setenv (const char \**name*, const char \**value*, int *replace*)

stdlib.h (BSD): [Environment Access](#).

`int seteuid (uid_t neweuid)`  
    unistd.h (POSIX.1): [Setting User ID](#).

`int setfsent (void)`  
    fstab.h (BSD): [fstab](#).

`int setgid (gid_t newgid)`  
    unistd.h (POSIX.1): [Setting Groups](#).

`void setgrent (void)`  
    grp.h (SVID, BSD): [Scanning All Groups](#).

`int setgroups (size_t count, gid_t *groups)`  
    grp.h (BSD): [Setting Groups](#).

`void sethostent (int stayopen)`  
    netdb.h (BSD): [Host Names](#).

`int sethostid (long int id)`  
    unistd.h (BSD): [Host Identification](#).

`int sethostname (const char *name, size_t length)`  
    unistd.h (BSD): [Host Identification](#).

`int setitimer (int which, struct itimerval *new, struct itimerval *old)`  
    sys/time.h (BSD): [Setting an Alarm](#).

`int setjmp (jmp_buf state)`  
    setjmp.h (ISO): [Non-Local Details](#).

`void setkey (const char *key)`  
    crypt.h (BSD, SVID): [DES Encryption](#).

`void setkey_r (const char *key, struct crypt_data * data)`  
    crypt.h (GNU): [DES Encryption](#).

`void setlinebuf (FILE *stream)`  
    stdio.h (BSD): [Controlling Buffering](#).

`char * setlocale (int category, const char *locale)`  
    locale.h (ISO): [Setting the Locale](#).

`int setlogmask (int mask)`  
    syslog.h (BSD): [setlogmask](#).

`FILE * setmntent (const char *file, const char *mode)`  
    mntent.h (BSD): [mtab](#).

`void setnetent (int stayopen)`  
    netdb.h (BSD): [Networks Database](#).

`int setnetgrent (const char *netgroup)`  
    netdb.h (BSD): [Lookup Netgroup](#).

`int setpgid (pid_t pid, pid_t pgid)`  
    unistd.h (POSIX.1): [Process Group Functions](#).

`int setpgrp (pid_t pid, pid_t pgid)`  
    unistd.h (BSD): [Process Group Functions](#).

`int setpriority (int class, int id, int niceval)`  
 sys/resource.h (BSD,POSIX): [Traditional Scheduling Functions](#).

`void setprotoent (int stayopen)`  
 netdb.h (BSD): [Protocols Database](#).

`void setpwent (void)`  
 pwd.h (SVID, BSD): [Scanning All Users](#).

`int setregid (gid_t rgid, gid_t egid)`  
 unistd.h (BSD): [Setting Groups](#).

`int setreuid (uid_t ruid, uid_t euid)`  
 unistd.h (BSD): [Setting User ID](#).

`int setrlimit (int resource, const struct rlimit *rlp)`  
 sys/resource.h (BSD): [Limits on Resources](#).

`int setrlimit64 (int resource, const struct rlimit64 *rlp)`  
 sys/resource.h (Unix98): [Limits on Resources](#).

`void setservent (int stayopen)`  
 netdb.h (BSD): [Services Database](#).

`pid_t setsid (void)`  
 unistd.h (POSIX.1): [Process Group Functions](#).

`int setsockopt (int socket, int level, int optname, void *optval, socklen_t  
optlen)`  
 sys/socket.h (BSD): [Socket Option Functions](#).

`void * setstate (void *state)`  
 stdlib.h (BSD): [BSD Random](#).

`int setstate_r (char *restrict statebuf, struct random_data *restrict  
buf)`  
 stdlib.h (GNU): [BSD Random](#).

`int settimeofday (const struct timeval *tp, const struct timezone *tzp)`  
 sys/time.h (BSD): [High-Resolution Calendar](#).

`int setuid (uid_t newuid)`  
 unistd.h (POSIX.1): [Setting User ID](#).

`void setutent (void)`  
 utmp.h (SVID): [Manipulating the Database](#).

`void setutxent (void)`  
 utmpx.h (XPG4.2): [XPG Functions](#).

`int setvbuf (FILE *stream, char *buf, int mode, size_t size)`  
 stdio.h (ISO): [Controlling Buffering](#).

`SHRT_MAX`  
 limits.h (ISO): [Range of Type](#).

`SHRT_MIN`  
 limits.h (ISO): [Range of Type](#).

`int shutdown (int socket, int how)`



`sys/socket.h` (BSD): [Closing a Socket](#).

`S_IEXEC`

`sys/stat.h` (BSD): [Permission Bits](#).

`S_IFBLK`

`sys/stat.h` (BSD): [Testing File Type](#).

`S_IFCHR`

`sys/stat.h` (BSD): [Testing File Type](#).

`S_IFDIR`

`sys/stat.h` (BSD): [Testing File Type](#).

`S_IFIFO`

`sys/stat.h` (BSD): [Testing File Type](#).

`S_IFLNK`

`sys/stat.h` (BSD): [Testing File Type](#).

`int S_IFMT`

`sys/stat.h` (BSD): [Testing File Type](#).

`S_IFREG`

`sys/stat.h` (BSD): [Testing File Type](#).

`S_IFSOCK`

`sys/stat.h` (BSD): [Testing File Type](#).

`int SIGABRT`

`signal.h` (ISO): [Program Error Signals](#).

`int sigaction (int signum, const struct sigaction *restrict action, struct sigaction *restrict old-action)`

`signal.h` (POSIX.1): [Advanced Signal Handling](#).

`int sigaddset (sigset_t *set, int signum)`

`signal.h` (POSIX.1): [Signal Sets](#).

`int SIGALRM`

`signal.h` (POSIX.1): [Alarm Signals](#).

`int sigaltstack (const stack_t *restrict stack, stack_t *restrict oldstack)`

`signal.h` (XPG): [Signal Stack](#).

`sig_atomic_t`

`signal.h` (ISO): [Atomic Types](#).

`int sigblock (int mask)`

`signal.h` (BSD): [Blocking in BSD](#).

`SIG_BLOCK`

`signal.h` (POSIX.1): [Process Signal Mask](#).

`int SIGBUS`

`signal.h` (BSD): [Program Error Signals](#).

`int SIGCHLD`

`signal.h` (POSIX.1): [Job Control Signals](#).

`int SIGCLD`  
    `signal.h` (SVID): [Job Control Signals](#).

`int SIGCONT`  
    `signal.h` (POSIX.1): [Job Control Signals](#).

`int sigdelset (sigset_t *set, int signum)`  
    `signal.h` (POSIX.1): [Signal Sets](#).

`int sigemptyset (sigset_t *set)`  
    `signal.h` (POSIX.1): [Signal Sets](#).

`int SIGEMT`  
    `signal.h` (BSD): [Program Error Signals](#).

`sighandler_t SIG_ERR`  
    `signal.h` (ISO): [Basic Signal Handling](#).

`int sigfillset (sigset_t *set)`  
    `signal.h` (POSIX.1): [Signal Sets](#).

`int SIGFPE`  
    `signal.h` (ISO): [Program Error Signals](#).

`sighandler_t`  
    `signal.h` (GNU): [Basic Signal Handling](#).

`int SIGHUP`  
    `signal.h` (POSIX.1): [Termination Signals](#).

`int SIGILL`  
    `signal.h` (ISO): [Program Error Signals](#).

`int SIGINFO`  
    `signal.h` (BSD): [Miscellaneous Signals](#).

`int SIGINT`  
    `signal.h` (ISO): [Termination Signals](#).

`int siginterrupt (int signum, int failflag)`  
    `signal.h` (BSD): [BSD Handler](#).

`int SIGIO`  
    `signal.h` (BSD): [Asynchronous I/O Signals](#).

`int SIGIOT`  
    `signal.h` (Unix): [Program Error Signals](#).

`int sigismember (const sigset_t *set, int signum)`  
    `signal.h` (POSIX.1): [Signal Sets](#).

`sigjmp_buf`  
    `setjmp.h` (POSIX.1): [Non-Local Exits and Signals](#).

`int SIGKILL`  
    `signal.h` (POSIX.1): [Termination Signals](#).

`void siglongjmp (sigjmp_buf state, int value)`  
    `setjmp.h` (POSIX.1): [Non-Local Exits and Signals](#).

`int SIGLOST`  
    `signal.h` (GNU): [Operation Error Signals](#).

`int sigmask (int signum)`  
    `signal.h` (BSD): [Blocking in BSD](#).

`sighandler_t signal (int signum, sighandler_t action)`  
    `signal.h` (ISO): [Basic Signal Handling](#).

`int signbit (float-type x)`  
    `math.h` (ISO): [FP Bit Twiddling](#).

`long long int significand (double x)`  
    `math.h` (BSD): [Normalization Functions](#).

`long long int significandf (float x)`  
    `math.h` (BSD): [Normalization Functions](#).

`long long int significandl (long double x)`  
    `math.h` (BSD): [Normalization Functions](#).

`int sigpause (int mask)`  
    `signal.h` (BSD): [Blocking in BSD](#).

`int sigpending (sigset_t *set)`  
    `signal.h` (POSIX.1): [Checking for Pending Signals](#).

`int SIGPIPE`  
    `signal.h` (POSIX.1): [Operation Error Signals](#).

`int SIGPOLL`  
    `signal.h` (SVID): [Asynchronous I/O Signals](#).

`int sigprocmask (int how, const sigset_t *restrict set, sigset_t *restrict oldset)`  
    `signal.h` (POSIX.1): [Process Signal Mask](#).

`int SIGPROF`  
    `signal.h` (BSD): [Alarm Signals](#).

`int SIGQUIT`  
    `signal.h` (POSIX.1): [Termination Signals](#).

`int SIGSEGV`  
    `signal.h` (ISO): [Program Error Signals](#).

`int sigsetjmp (sigjmp_buf state, int savesigs)`  
    `setjmp.h` (POSIX.1): [Non-Local Exits and Signals](#).

`int sigsetmask (int mask)`  
    `signal.h` (BSD): [Blocking in BSD](#).

`SIG_SETMASK`  
    `signal.h` (POSIX.1): [Process Signal Mask](#).

`sigset_t`  
    `signal.h` (POSIX.1): [Signal Sets](#).

`int sigstack (const struct sigstack *stack, struct sigstack *oldstack)`  
    `signal.h` (BSD): [Signal Stack](#).

`int SIGSTOP`  
    `signal.h` (POSIX.1): [Job Control Signals](#).

`int sigsuspend (const sigset_t *set)`  
    `signal.h` (POSIX.1): [Sigsuspend](#).

`int SIGSYS`  
    `signal.h` (Unix): [Program Error Signals](#).

`int SIGTERM`  
    `signal.h` (ISO): [Termination Signals](#).

`int SIGTRAP`  
    `signal.h` (BSD): [Program Error Signals](#).

`int SIGTSTP`  
    `signal.h` (POSIX.1): [Job Control Signals](#).

`int SIGTTIN`  
    `signal.h` (POSIX.1): [Job Control Signals](#).

`int SIGTTOU`  
    `signal.h` (POSIX.1): [Job Control Signals](#).

`SIG_UNBLOCK`  
    `signal.h` (POSIX.1): [Process Signal Mask](#).

`int SIGURG`  
    `signal.h` (BSD): [Asynchronous I/O Signals](#).

`int SIGUSR1`  
    `signal.h` (POSIX.1): [Miscellaneous Signals](#).

`int SIGUSR2`  
    `signal.h` (POSIX.1): [Miscellaneous Signals](#).

`int sigvec (int signum, const struct sigvec *action, struct sigvec *old-action)`  
    `signal.h` (BSD): [BSD Handler](#).

`int SIGVTALRM`  
    `signal.h` (BSD): [Alarm Signals](#).

`int sigwait (const sigset_t *set, int *sig)`  
    `pthread.h` (POSIX): [Threads and Signal Handling](#).

`int SIGWINCH`  
    `signal.h` (BSD): [Miscellaneous Signals](#).

`int SIGXCPU`  
    `signal.h` (BSD): [Operation Error Signals](#).

`int SIGXFSZ`  
    `signal.h` (BSD): [Operation Error Signals](#).

`double sin (double x)`  
    `math.h` (ISO): [Trig Functions](#).

`void sincos (double x, double *sinx, double *cosx)`

math.h (GNU): [Trig Functions](#).

void sincosf (float *x*, float \**sinx*, float \**cosx*)

math.h (GNU): [Trig Functions](#).

void sincosl (long double *x*, long double \**sinx*, long double \**cosx*)

math.h (GNU): [Trig Functions](#).

float sinf (float *x*)

math.h (ISO): [Trig Functions](#).

double sinh (double *x*)

math.h (ISO): [Hyperbolic Functions](#).

float sinhf (float *x*)

math.h (ISO): [Hyperbolic Functions](#).

long double sinhl (long double *x*)

math.h (ISO): [Hyperbolic Functions](#).

long double sinl (long double *x*)

math.h (ISO): [Trig Functions](#).

S\_IREAD

sys/stat.h (BSD): [Permission Bits](#).

S\_IRGRP

sys/stat.h (POSIX.1): [Permission Bits](#).

S\_IROTH

sys/stat.h (POSIX.1): [Permission Bits](#).

S\_IRUSR

sys/stat.h (POSIX.1): [Permission Bits](#).

S\_IRWXG

sys/stat.h (POSIX.1): [Permission Bits](#).

S\_IRWXO

sys/stat.h (POSIX.1): [Permission Bits](#).

S\_IRWXU

sys/stat.h (POSIX.1): [Permission Bits](#).

int S\_ISBLK (mode\_t *m*)

sys/stat.h (POSIX): [Testing File Type](#).

int S\_ISCHR (mode\_t *m*)

sys/stat.h (POSIX): [Testing File Type](#).

int S\_ISDIR (mode\_t *m*)

sys/stat.h (POSIX): [Testing File Type](#).

int S\_ISFIFO (mode\_t *m*)

sys/stat.h (POSIX): [Testing File Type](#).

S\_ISGID

sys/stat.h (POSIX): [Permission Bits](#).

int S\_ISLNK (mode\_t *m*)

`sys/stat.h` (GNU): [Testing File Type](#).

`int S_ISREG (mode_t m)`

`sys/stat.h` (POSIX): [Testing File Type](#).

`int S_ISSOCK (mode_t m)`

`sys/stat.h` (GNU): [Testing File Type](#).

`S_ISUID`

`sys/stat.h` (POSIX): [Permission Bits](#).

`S_ISVTX`

`sys/stat.h` (BSD): [Permission Bits](#).

`S_IWGRP`

`sys/stat.h` (POSIX.1): [Permission Bits](#).

`S_IWOTH`

`sys/stat.h` (POSIX.1): [Permission Bits](#).

`S_IWRITE`

`sys/stat.h` (BSD): [Permission Bits](#).

`S_IWUSR`

`sys/stat.h` (POSIX.1): [Permission Bits](#).

`S_IXGRP`

`sys/stat.h` (POSIX.1): [Permission Bits](#).

`S_IXOTH`

`sys/stat.h` (POSIX.1): [Permission Bits](#).

`S_IXUSR`

`sys/stat.h` (POSIX.1): [Permission Bits](#).

`size_t`

`stddef.h` (ISO): [Important Data Types](#).

`unsigned int sleep (unsigned int seconds)`

`unistd.h` (POSIX.1): [Sleeping](#).

`int snprintf (char *s, size_t size, const char *template, ...)`

`stdio.h` (GNU): [Formatted Output Functions](#).

`SO_BROADCAST`

`sys/socket.h` (BSD): [Socket-Level Options](#).

`int SOCK_DGRAM`

`sys/socket.h` (BSD): [Communication Styles](#).

`int socket (int namespace, int style, int protocol)`

`sys/socket.h` (BSD): [Creating a Socket](#).

`int socketpair (int namespace, int style, int protocol, int filedes[2])`

`sys/socket.h` (BSD): [Socket Pairs](#).

`int SOCK_RAW`

`sys/socket.h` (BSD): [Communication Styles](#).

`int SOCK_RDM`

sys/socket.h (BSD): [Communication Styles](#).

int SOCK\_SEQPACKET

sys/socket.h (BSD): [Communication Styles](#).

int SOCK\_STREAM

sys/socket.h (BSD): [Communication Styles](#).

SO\_DEBUG

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_DONTROUTE

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_ERROR

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_KEEPALIVE

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_LINGER

sys/socket.h (BSD): [Socket-Level Options](#).

int SOL\_SOCKET

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_OOBINLINE

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_RCVBUF

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_REUSEADDR

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_SNDBUF

sys/socket.h (BSD): [Socket-Level Options](#).

SO\_STYLE

sys/socket.h (GNU): [Socket-Level Options](#).

SO\_TYPE

sys/socket.h (BSD): [Socket-Level Options](#).

speed\_t

termios.h (POSIX.1): [Line Speed](#).

int sprintf (char *s*, const char *template*, ...)

stdio.h (ISO): [Formatted Output Functions](#).

double sqrt (double *x*)

math.h (ISO): [Exponents and Logarithms](#).

float sqrtf (float *x*)

math.h (ISO): [Exponents and Logarithms](#).

long double sqrtl (long double *x*)

math.h (ISO): [Exponents and Logarithms](#).

void srand (unsigned int *seed*)

stdlib.h (ISO): [ISO Random](#).

void srand48 (long int *seedval*)

stdlib.h (SVID): [SVID Random](#).

int srand48\_r (long int *seedval*, struct drand48\_data *\*buffer*)

stdlib.h (GNU): [SVID Random](#).

void srandom (unsigned int *seed*)

stdlib.h (BSD): [BSD Random](#).

int srandom\_r (unsigned int *seed*, struct random\_data *\*buf*)

stdlib.h (GNU): [BSD Random](#).

int sscanf (const char *\*s*, const char *\*template*, ...)

stdio.h (ISO): [Formatted Input Functions](#).

sighandler\_t ssignal (int *signum*, sighandler\_t *action*)

signal.h (SVID): [Basic Signal Handling](#).

int SSIZE\_MAX

limits.h (POSIX.1): [General Limits](#).

ssize\_t

unistd.h (POSIX.1): [I/O Primitives](#).

stack\_t

signal.h (XPG): [Signal Stack](#).

int stat (const char *\*filename*, struct stat *\*buf*)

sys/stat.h (POSIX.1): [Reading Attributes](#).

int stat64 (const char *\*filename*, struct stat64 *\*buf*)

sys/stat.h (Unix98): [Reading Attributes](#).

FILE *\* stderr*

stdio.h (ISO): [Standard Streams](#).

STDERR\_FILENO

unistd.h (POSIX.1): [Descriptors and Streams](#).

FILE *\* stdin*

stdio.h (ISO): [Standard Streams](#).

STDIN\_FILENO

unistd.h (POSIX.1): [Descriptors and Streams](#).

FILE *\* stdout*

stdio.h (ISO): [Standard Streams](#).

STDOUT\_FILENO

unistd.h (POSIX.1): [Descriptors and Streams](#).

int stime (time\_t *\*newtime*)

time.h (SVID, XPG): [Simple Calendar Time](#).

char *\* stpcpy* (char *\*restrict to*, const char *\*restrict from*)

string.h (Unknown origin): [Copying and Concatenation](#).

char *\* stpncpy* (char *\*restrict to*, const char *\*restrict from*, size\_t *size*)



string.h (GNU): [Copying and Concatenation](#).

int strcasecmp (const char \**s1*, const char \**s2*)

string.h (BSD): [String/Array Comparison](#).

char \* strchr (const char \**haystack*, const char \**needle*)

string.h (GNU): [Search Functions](#).

char \* strcat (char \**restrict to*, const char \**restrict from*)

string.h (ISO): [Copying and Concatenation](#).

char \* strchr (const char \**string*, int *c*)

string.h (ISO): [Search Functions](#).

char \* strchrnul (const char \**string*, int *c*)

string.h (GNU): [Search Functions](#).

int strcmp (const char \**s1*, const char \**s2*)

string.h (ISO): [String/Array Comparison](#).

int strcoll (const char \**s1*, const char \**s2*)

string.h (ISO): [Collation Functions](#).

char \* strcpy (char \**restrict to*, const char \**restrict from*)

string.h (ISO): [Copying and Concatenation](#).

size\_t strcspn (const char \**string*, const char \**stopset*)

string.h (ISO): [Search Functions](#).

char \* strdup (const char \**s*)

string.h (SVID): [Copying and Concatenation](#).

char \* strdupa (const char \**s*)

string.h (GNU): [Copying and Concatenation](#).

int STREAM\_MAX

limits.h (POSIX.1): [General Limits](#).

char \* strerror (int *errnum*)

string.h (ISO): [Error Messages](#).

char \* strerror\_r (int *errnum*, char \**buf*, size\_t *n*)

string.h (GNU): [Error Messages](#).

char \* strfry (char \**string*)

string.h (GNU): [strfry](#).

size\_t strftime (char \**s*, size\_t *size*, const char \**template*, const struct tm \**broketime*)

time.h (ISO): [Formatting Calendar Time](#).

size\_t strlen (const char \**s*)

string.h (ISO): [String Length](#).

int strncasecmp (const char \**s1*, const char \**s2*, size\_t *n*)

string.h (BSD): [String/Array Comparison](#).

char \* strncat (char \**restrict to*, const char \**restrict from*, size\_t *size*)

string.h (ISO): [Copying and Concatenation](#).

int strncmp (const char \*s1, const char \*s2, size\_t size)

string.h (ISO): [String/Array Comparison](#).

char \* strncpy (char \*restrict to, const char \*restrict from, size\_t size)

string.h (ISO): [Copying and Concatenation](#).

char \* strndup (const char \*s, size\_t size)

string.h (GNU): [Copying and Concatenation](#).

char \* strndupa (const char \*s, size\_t size)

string.h (GNU): [Copying and Concatenation](#).

size\_t strlen (const char \*s, size\_t maxlen)

string.h (GNU): [String Length](#).

char \* strpbrk (const char \*string, const char \*stopset)

string.h (ISO): [Search Functions](#).

char \* strptime (const char \*s, const char \*fmt, struct tm \*tp)

time.h (XPG4): [Low-Level Time String Parsing](#).

char \* strchr (const char \*string, int c)

string.h (ISO): [Search Functions](#).

char \* strsep (char \*\*string\_ptr, const char \*delimiter)

string.h (BSD): [Finding Tokens in a String](#).

char \* strsignal (int signum)

string.h (GNU): [Signal Messages](#).

size\_t strspn (const char \*string, const char \*skipset)

string.h (ISO): [Search Functions](#).

char \* strstr (const char \*haystack, const char \*needle)

string.h (ISO): [Search Functions](#).

double strtod (const char \*restrict string, char \*\*restrict tailptr)

stdlib.h (ISO): [Parsing of Floats](#).

float strttof (const char \*string, char \*\*tailptr)

stdlib.h (ISO): [Parsing of Floats](#).

intmax\_t strtoumax (const char \*restrict string, char \*\*restrict tailptr, int base)

inttypes.h (ISO): [Parsing of Integers](#).

char \* strtok (char \*restrict newstring, const char \*restrict delimiters)

string.h (ISO): [Finding Tokens in a String](#).

char \* strtok\_r (char \*newstring, const char \*delimiters, char \*\*save\_ptr)

string.h (POSIX): [Finding Tokens in a String](#).

long int strtol (const char \*restrict string, char \*\*restrict tailptr, int base)

stdlib.h (ISO): [Parsing of Integers](#).

long double strtold (const char \*string, char \*\*tailptr)

stdlib.h (ISO): [Parsing of Floats](#).

long long int strtoll (const char \*restrict *string*, char \*\*restrict *tailptr*, int *base*)

stdlib.h (ISO): [Parsing of Integers](#).

long long int strtouq (const char \*restrict *string*, char \*\*restrict *tailptr*, int *base*)

stdlib.h (BSD): [Parsing of Integers](#).

unsigned long int strtoul (const char \*restrict *string*, char \*\*restrict *tailptr*, int *base*)

stdlib.h (ISO): [Parsing of Integers](#).

unsigned long long int strtoull (const char \*restrict *string*, char \*\*restrict *tailptr*, int *base*)

stdlib.h (ISO): [Parsing of Integers](#).

uintmax\_t strtoumax (const char \*restrict *string*, char \*\*restrict *tailptr*, int *base*)

inttypes.h (ISO): [Parsing of Integers](#).

unsigned long long int strtouq (const char \*restrict *string*, char \*\*restrict *tailptr*, int *base*)

stdlib.h (BSD): [Parsing of Integers](#).

struct aiocb

aio.h (POSIX.1b): [Asynchronous I/O](#).

struct aiocb64

aio.h (POSIX.1b): [Asynchronous I/O](#).

struct aiocb

aio.h (GNU): [Configuration of AIO](#).

struct argp

argp.h (GNU): [Argp Parsers](#).

struct argp\_child

argp.h (GNU): [Argp Children](#).

struct argp\_option

argp.h (GNU): [Argp Option Vectors](#).

struct argp\_state

argp.h (GNU): [Argp Parsing State](#).

struct dirent

dirent.h (POSIX.1): [Directory Entries](#).

struct exit\_status

utmp.h (SVID): [Manipulating the Database](#).

struct flock

fcntl.h (POSIX.1): [File Locks](#).

struct fstab

fstab.h (BSD): [fstab](#).

struct FTW  
ftw.h (XPG4.2): [Working with Directory Trees](#).

struct \_\_gconv\_step  
gconv.h (GNU): [glibc iconv Implementation](#).

struct \_\_gconv\_step\_data  
gconv.h (GNU): [glibc iconv Implementation](#).

struct group  
grp.h (POSIX.1): [Group Data Structure](#).

struct hostent  
netdb.h (BSD): [Host Names](#).

struct if\_nameindex  
net/if.h (IPv6 basic API): [Interface Naming](#).

struct in6\_addr  
netinet/in.h (IPv6 basic API): [Host Address Data Type](#).

struct in\_addr  
netinet/in.h (BSD): [Host Address Data Type](#).

struct iovec  
sys/uio.h (BSD): [Scatter-Gather](#).

struct itimerval  
sys/time.h (BSD): [Setting an Alarm](#).

struct lconv  
locale.h (ISO): [The Lame Way to Locale Data](#).

struct linger  
sys/socket.h (BSD): [Socket-Level Options](#).

struct mallinfo  
malloc.h (GNU): [Statistics of Malloc](#).

struct mntent  
mntent.h (BSD): [mtab](#).

struct msghdr  
sys/socket.h (BSD): [Receiving Datagrams](#).

struct netent  
netdb.h (BSD): [Networks Database](#).

struct obstack  
obstack.h (GNU): [Creating Obstacks](#).

struct option  
getopt.h (GNU): [Getopt Long Options](#).

struct passwd  
pwd.h (POSIX.1): [User Data Structure](#).

struct printf\_info  
printf.h (GNU): [Conversion Specifier Options](#).

struct protoent

netdb.h (BSD): [Protocols Database](#).

struct random\_data

stdlib.h (GNU): [BSD Random](#).

struct rlimit

sys/resource.h (BSD): [Limits on Resources](#).

struct rlimit64

sys/resource.h (Unix98): [Limits on Resources](#).

struct rusage

sys/resource.h (BSD): [Resource Usage](#).

struct sched\_param

sched.h (POSIX): [Basic Scheduling Functions](#).

struct servent

netdb.h (BSD): [Services Database](#).

struct sgttyb

termios.h (BSD): [BSD Terminal Modes](#).

struct sigaction

signal.h (POSIX.1): [Advanced Signal Handling](#).

struct sigstack

signal.h (BSD): [Signal Stack](#).

struct sigvec

signal.h (BSD): [BSD Handler](#).

struct sockaddr

sys/socket.h (BSD): [Address Formats](#).

struct sockaddr\_in

netinet/in.h (BSD): [Internet Address Formats](#).

struct sockaddr\_un

sys/un.h (BSD): [Local Namespace Details](#).

struct stat

sys/stat.h (POSIX.1): [Attribute Meanings](#).

struct stat64

sys/stat.h (LFS): [Attribute Meanings](#).

struct termios

termios.h (POSIX.1): [Mode Data Types](#).

struct timespec

sys/time.h (POSIX.1): [Elapsed Time](#).

struct timeval

sys/time.h (BSD): [Elapsed Time](#).

struct timezone

sys/time.h (BSD): [High-Resolution Calendar](#).

struct tm

time.h (ISO): [Broken-down Time](#).

struct tms

sys/times.h (POSIX.1): [Processor Time](#).

struct utimbuf

time.h (POSIX.1): [File Times](#).

struct utsname

sys/utsname.h (POSIX.1): [Platform Type](#).

int strverscmp (const char \**s1*, const char \**s2*)

string.h (GNU): [String/Array Comparison](#).

size\_t strxfrm (char \*restrict *to*, const char \*restrict *from*, size\_t *size*)

string.h (ISO): [Collation Functions](#).

int stty (int *filedes*, struct sgttyb \* *attributes*)

sgtty.h (BSD): [BSD Terminal Modes](#).

int S\_TYPEISMQ (struct stat \**s*)

sys/stat.h (POSIX): [Testing File Type](#).

int S\_TYPEISSEM (struct stat \**s*)

sys/stat.h (POSIX): [Testing File Type](#).

int S\_TYPEISSHM (struct stat \**s*)

sys/stat.h (POSIX): [Testing File Type](#).

int SUN\_LEN (*struct sockaddr\_un* \* *ptr*)

sys/un.h (BSD): [Local Namespace Details](#).

\_SVID\_SOURCE

(GNU): [Feature Test Macros](#).

int SV\_INTERRUPT

signal.h (BSD): [BSD Handler](#).

int SV\_ONSTACK

signal.h (BSD): [BSD Handler](#).

int SV\_RESETHAND

signal.h (Sun): [BSD Handler](#).

int swapcontext (ucontext\_t \*restrict *oucp*, const ucontext\_t \*restrict *ucp*)

ucontext.h (SVID): [System V contexts](#).

int swprintf (wchar\_t \**s*, size\_t *size*, const wchar\_t \**template*, ...)

wchar.h (GNU): [Formatted Output Functions](#).

int swscanf (const wchar\_t \**ws*, const char \**template*, ...)

wchar.h (ISO): [Formatted Input Functions](#).

int symlink (const char \**oldname*, const char \**newname*)

unistd.h (BSD): [Symbolic Links](#).

SYMLINK\_MAX

limits.h (POSIX.1): [File Minimums](#).

`int sync (void)`  
`unistd.h (X/Open): Synchronizing I/O.`

`long int syscall (long int sysno, ...)`  
`unistd.h (???): System Calls.`

`long int sysconf (int parameter)`  
`unistd.h (POSIX.1): Sysconf Definition.`

`int sysctl (int *names, int nlen, void *oldval,`  
`sysctl.h (BSD): System Parameters.`

`void syslog (int facility_priority, char *format, ...)`  
`syslog.h (BSD): syslog; vsyslog.`

`int system (const char *command)`  
`stdlib.h (ISO): Running a Command.`

`sighandler_t sysv_signal (int signum, sighandler_t action)`  
`signal.h (GNU): Basic Signal Handling.`

`double tan (double x)`  
`math.h (ISO): Trig Functions.`

`float tanf (float x)`  
`math.h (ISO): Trig Functions.`

`double tanh (double x)`  
`math.h (ISO): Hyperbolic Functions.`

`float tanhf (float x)`  
`math.h (ISO): Hyperbolic Functions.`

`long double tanhl (long double x)`  
`math.h (ISO): Hyperbolic Functions.`

`long double tanl (long double x)`  
`math.h (ISO): Trig Functions.`

`int tcdrain (int filedes)`  
`termios.h (POSIX.1): Line Control.`

`tcflag_t`  
`termios.h (POSIX.1): Mode Data Types.`

`int tcflow (int filedes, int action)`  
`termios.h (POSIX.1): Line Control.`

`int tcflush (int filedes, int queue)`  
`termios.h (POSIX.1): Line Control.`

`int tcgetattr (int filedes, struct termios *termios-p)`  
`termios.h (POSIX.1): Mode Functions.`

`pid_t tcgetpgrp (int filedes)`  
`unistd.h (POSIX.1): Terminal Access Functions.`

`pid_t tcgetsid (int filedes)`  
`termios.h (Unix98): Terminal Access Functions.`

TCSADRAIN

termios.h (POSIX.1): [Mode Functions](#).

TCSAFLUSH

termios.h (POSIX.1): [Mode Functions](#).

TCSANOW

termios.h (POSIX.1): [Mode Functions](#).

TCSASOFT

termios.h (BSD): [Mode Functions](#).int tcsendbreak (int *filedes*, int *duration*)termios.h (POSIX.1): [Line Control](#).int tcsetattr (int *filedes*, int *when*, const struct termios *\*termios-p*)termios.h (POSIX.1): [Mode Functions](#).int tcsetpgrp (int *filedes*, pid\_t *pgid*)unistd.h (POSIX.1): [Terminal Access Functions](#).void \* tdelete (const void *\*key*, void *\*\*rootp*, comparison\_fn\_t *compar*)search.h (SVID): [Tree Search Function](#).void tdestroy (void *\*vroot*, \_\_free\_fn\_t *freefct*)search.h (GNU): [Tree Search Function](#).off\_t telldir (DIR *\*dirstream*)dirent.h (BSD): [Random Access Directory](#).TEMP\_FAILURE\_RETRY (*expression*)unistd.h (GNU): [Interrupted Primitives](#).char \* tempnam (const char *\*dir*, const char *\*prefix*)stdio.h (SVID): [Temporary Files](#).char \* textdomain (const char *\*domainname*)libintl.h (GNU): [Locating gettext catalog](#).void \* tfind (const void *\*key*, void *\*const \*rootp*, comparison\_fn\_t *compar*)search.h (SVID): [Tree Search Function](#).double tgamma (double *x*)math.h (XPG, ISO): [Special Functions](#).float tgammaf (float *x*)math.h (XPG, ISO): [Special Functions](#).long double tgamma1 (long double *x*)math.h (XPG, ISO): [Special Functions](#).time\_t time (time\_t *\*result*)time.h (ISO): [Simple Calendar Time](#).time\_t timegm (struct tm *\*broketime*)time.h (???): [Broken-down Time](#).time\_t timelocal (struct tm *\*broketime*)time.h (???): [Broken-down Time](#).



`clock_t times (struct tms *buffer)`  
`sys/times.h (POSIX.1): Processor Time.`

`time_t`  
`time.h (ISO): Simple Calendar Time.`

`long int timezone`  
`time.h (SVID): Time Zone Functions.`

`FILE * tmpfile (void)`  
`stdio.h (ISO): Temporary Files.`

`FILE * tmpfile64 (void)`  
`stdio.h (Unix98): Temporary Files.`

`int TMP_MAX`  
`stdio.h (ISO): Temporary Files.`

`char * tmpnam (char *result)`  
`stdio.h (ISO): Temporary Files.`

`char * tmpnam_r (char *result)`  
`stdio.h (GNU): Temporary Files.`

`int toascii (int c)`  
`ctype.h (SVID, BSD): Case Conversion.`

`int tolower (int c)`  
`ctype.h (ISO): Case Conversion.`

`int _tolower (int c)`  
`ctype.h (SVID): Case Conversion.`

`tcflag_t TOSTOP`  
`termios.h (POSIX.1): Local Modes.`

`int toupper (int c)`  
`ctype.h (ISO): Case Conversion.`

`int _toupper (int c)`  
`ctype.h (SVID): Case Conversion.`

`wint_t towctrans (wint_t wc, wctrans_t desc)`  
`wctype.h (ISO): Wide Character Case Conversion.`

`wint_t towlower (wint_t wc)`  
`wctype.h (ISO): Wide Character Case Conversion.`

`wint_t towupper (wint_t wc)`  
`wctype.h (ISO): Wide Character Case Conversion.`

`double trunc (double x)`  
`math.h (ISO): Rounding Functions.`

`int truncate (const char *filename, off_t length)`  
`unistd.h (X/Open): File Size.`

`int truncate64 (const char *name, off64_t length)`  
`unistd.h (Unix98): File Size.`

float truncf (float *x*)  
 math.h (ISO): [Rounding Functions](#).

long double truncL (long double *x*)  
 math.h (ISO): [Rounding Functions](#).

TRY\_AGAIN  
 netdb.h (BSD): [Host Names](#).

void \* tsearch (const void \**key*, void \*\**rootp*, comparison\_fn\_t *compar*)  
 search.h (SVID): [Tree Search Function](#).

char \* ttyname (int *filedes*)  
 unistd.h (POSIX.1): [Is It a Terminal](#).

int ttyname\_r (int *filedes*, char \**buf*, size\_t *len*)  
 unistd.h (POSIX.1): [Is It a Terminal](#).

void twalk (const void \**root*, \_\_action\_fn\_t *action*)  
 search.h (SVID): [Tree Search Function](#).

char \* tzname [2]  
 time.h (POSIX.1): [Time Zone Functions](#).

int TZNAME\_MAX  
 limits.h (POSIX.1): [General Limits](#).

void tzset (void)  
 time.h (POSIX.1): [Time Zone Functions](#).

UCHAR\_MAX  
 limits.h (ISO): [Range of Type](#).

ucontext\_t  
 ucontext.h (SVID): [System V contexts](#).

uid\_t  
 sys/types.h (POSIX.1): [Reading Persona](#).

UINT\_MAX  
 limits.h (ISO): [Range of Type](#).

int ulimit (int *cmd*, ...)  
 ulimit.h (BSD): [Limits on Resources](#).

ULONG\_LONG\_MAX  
 limits.h (ISO): [Range of Type](#).

ULONG\_MAX  
 limits.h (ISO): [Range of Type](#).

mode\_t umask (mode\_t *mask*)  
 sys/stat.h (POSIX.1): [Setting Permissions](#).

int umount (const char \**file*)  
 sys/mount.h (SVID, GNU): [Mount-Unmount-Remount](#).

int umount2 (const char \**file*, int *flags*)  
 sys/mount.h (GNU): [Mount-Unmount-Remount](#).

int uname (struct utsname \**info*)

`sys/utsname.h` (POSIX.1): [Platform Type](#).

`int ungetc (int c, FILE *stream)`

`stdio.h` (ISO): [How Unread](#).

`wint_t ungetwc (wint_t wc, FILE *stream)`

`wchar.h` (ISO): [How Unread](#).

`union wait`

`sys/wait.h` (BSD): [BSD Wait Functions](#).

`int unlink (const char *filename)`

`unistd.h` (POSIX.1): [Deleting Files](#).

`int unlockpt (int filedes)`

`stdlib.h` (SVID, XPG4.2): [Allocation](#).

`int unsetenv (const char *name)`

`stdlib.h` (BSD): [Environment Access](#).

`void updwtmp (const char *wtmp_file, const struct utmp *utmp)`

`utmp.h` (SVID): [Manipulating the Database](#).

`USER_PROCESS`

`utmp.h` (SVID): [Manipulating the Database](#).

`USER_PROCESS`

`utmpx.h` (XPG4.2): [XPG Functions](#).

`USHRT_MAX`

`limits.h` (ISO): [Range of Type](#).

`int utime (const char *filename, const struct utimbuf *times)`

`time.h` (POSIX.1): [File Times](#).

`int utimes (const char *filename, struct timeval tv[2])`

`sys/time.h` (BSD): [File Times](#).

`int utmpname (const char *file)`

`utmp.h` (SVID): [Manipulating the Database](#).

`int utmpxname (const char *file)`

`utmpx.h` (XPG4.2): [XPG Functions](#).

`va_alist`

`varargs.h` (Unix): [Old Varargs](#).

`type va_arg (va_list ap, type)`

`stdarg.h` (ISO): [Argument Macros](#).

`void __va_copy (va_list dest, va_list src)`

`stdarg.h` (GNU): [Argument Macros](#).

`va_dcl`

`varargs.h` (Unix): [Old Varargs](#).

`void va_end (va_list ap)`

`stdarg.h` (ISO): [Argument Macros](#).

`va_list`

stdarg.h (ISO): [Argument Macros](#).

void \* valloc (size\_t *size*)

malloc.h, stdlib.h (BSD): [Aligned Memory Blocks](#).

int vasprintf (char \*\**ptr*, const char \**template*, va\_list *ap*)

stdio.h (GNU): [Variable Arguments Output](#).

void va\_start (va\_list *ap*)

varargs.h (Unix): [Old Varargs](#).

void va\_start (va\_list *ap*, *last-required*)

stdarg.h (ISO): [Argument Macros](#).

int VDISCARD

termios.h (BSD): [Other Special](#).

int VDSUSP

termios.h (BSD): [Signal Characters](#).

int VEOF

termios.h (POSIX.1): [Editing Characters](#).

int VEOL

termios.h (POSIX.1): [Editing Characters](#).

int VEOL2

termios.h (BSD): [Editing Characters](#).

int VERASE

termios.h (POSIX.1): [Editing Characters](#).

void verr (int *status*, const char \**format*, va\_list)

err.h (BSD): [Error Messages](#).

void verrx (int *status*, const char \**format*, va\_list)

err.h (BSD): [Error Messages](#).

int versionsort (const void \**a*, const void \**b*)

dirent.h (GNU): [Scanning Directory Content](#).

int versionsort64 (const void \**a*, const void \**b*)

dirent.h (GNU): [Scanning Directory Content](#).

pid\_t vfork (void)

unistd.h (BSD): [Creating a Process](#).

int vfprintf (FILE \**stream*, const char \**template*, va\_list *ap*)

stdio.h (ISO): [Variable Arguments Output](#).

int vfscanf (FILE \**stream*, const char \**template*, va\_list *ap*)

stdio.h (ISO): [Variable Arguments Input](#).

int vfwprintf (FILE \**stream*, const wchar\_t \**template*, va\_list *ap*)

wchar.h (ISO): [Variable Arguments Output](#).

int vfwscanf (FILE \**stream*, const wchar\_t \**template*, va\_list *ap*)

wchar.h (ISO): [Variable Arguments Input](#).

int VINTR

termios.h (POSIX.1): [Signal Characters](#).  
 int VKILL  
 termios.h (POSIX.1): [Editing Characters](#).  
 int vlimit (int *resource*, int *limit*)  
 sys/vlimit.h (BSD): [Limits on Resources](#).  
 int VLNEXT  
 termios.h (BSD): [Other Special](#).  
 int VMIN  
 termios.h (POSIX.1): [Noncanonical Input](#).  
 int vprintf (const char *\*template*, va\_list *ap*)  
 stdio.h (ISO): [Variable Arguments Output](#).  
 int VQUIT  
 termios.h (POSIX.1): [Signal Characters](#).  
 int VREPRINT  
 termios.h (BSD): [Editing Characters](#).  
 int vscanf (const char *\*template*, va\_list *ap*)  
 stdio.h (ISO): [Variable Arguments Input](#).  
 int vsnprintf (char *\*s*, size\_t *size*, const char *\*template*, va\_list *ap*)  
 stdio.h (GNU): [Variable Arguments Output](#).  
 int vsprintf (char *\*s*, const char *\*template*, va\_list *ap*)  
 stdio.h (ISO): [Variable Arguments Output](#).  
 int vsscanf (const char *\*s*, const char *\*template*, va\_list *ap*)  
 stdio.h (ISO): [Variable Arguments Input](#).  
 int VSTART  
 termios.h (POSIX.1): [Start/Stop Characters](#).  
 int VSTATUS  
 termios.h (BSD): [Other Special](#).  
 int VSTOP  
 termios.h (POSIX.1): [Start/Stop Characters](#).  
 int VSUSP  
 termios.h (POSIX.1): [Signal Characters](#).  
 int vswprintf (wchar\_t *\*s*, size\_t *size*, const wchar\_t *\*template*, va\_list  
*ap*)  
 wchar.h (GNU): [Variable Arguments Output](#).  
 int vswscanf (const wchar\_t *\*s*, const wchar\_t *\*template*, va\_list *ap*)  
 wchar.h (ISO): [Variable Arguments Input](#).  
 void vsyslog (int *facility\_priority*, char *\*format*, va\_list *arglist*)  
 syslog.h (BSD): [syslog; vsyslog](#).  
 int VTIME  
 termios.h (POSIX.1): [Noncanonical Input](#).  
 int vtimes (struct vtimes *current*, struct vtimes *child*)

`vtimes.h` (`vtimes.h`): [Resource Usage](#).

`void vwarn (const char *format, va_list)`

`err.h` (BSD): [Error Messages](#).

`void vwarnx (const char *format, va_list)`

`err.h` (BSD): [Error Messages](#).

`int VWERASE`

`termios.h` (BSD): [Editing Characters](#).

`int vwprintf (const wchar_t *template, va_list ap)`

`wchar.h` (ISO): [Variable Arguments Output](#).

`int vwscanf (const wchar_t *template, va_list ap)`

`wchar.h` (ISO): [Variable Arguments Input](#).

`pid_t wait (int *status_ptr)`

`sys/wait.h` (POSIX.1): [Process Completion](#).

`pid_t wait3 (union wait *status_ptr, int options, struct rusage *usage)`

`sys/wait.h` (BSD): [BSD Wait Functions](#).

`pid_t wait4 (pid_t pid, int *status_ptr, int options, struct rusage *usage)`

`sys/wait.h` (BSD): [Process Completion](#).

`pid_t waitpid (pid_t pid, int *status_ptr, int options)`

`sys/wait.h` (POSIX.1): [Process Completion](#).

`void warn (const char *format, ...)`

`err.h` (BSD): [Error Messages](#).

`void warnx (const char *format, ...)`

`err.h` (BSD): [Error Messages](#).

`WCHAR_MAX`

`limits.h` (GNU): [Range of Type](#).

`wint_t WCHAR_MAX`

`wchar.h` (ISO): [Extended Char Intro](#).

`wint_t WCHAR_MIN`

`wchar.h` (ISO): [Extended Char Intro](#).

`wchar_t`

`stddef.h` (ISO): [Extended Char Intro](#).

`int WCOREDUMP (int status)`

`sys/wait.h` (BSD): [Process Completion Status](#).

`wchar_t * wcpcpy (wchar_t *restrict wto, const wchar_t *restrict wfrom)`

`wchar.h` (GNU): [Copying and Concatenation](#).

`wchar_t * wcpncpy (wchar_t *restrict wto, const wchar_t *restrict wfrom, size_t size)`

`wchar.h` (GNU): [Copying and Concatenation](#).

`size_t wctomb (char *restrict s, wchar_t wc, mbstate_t *restrict ps)`

`wchar.h` (ISO): [Converting a Character](#).

`int wcscasecmp (const wchar_t *ws1, const wchar_t *ws2)`  
`wchar.h` (GNU): [String/Array Comparison](#).

`wchar_t * wscat (wchar_t *restrict wto, const wchar_t *restrict wfrom)`  
`wchar.h` (ISO): [Copying and Concatenation](#).

`wchar_t * wcschr (const wchar_t *wstring, int wc)`  
`wchar.h` (ISO): [Search Functions](#).

`wchar_t * wcschrnul (const wchar_t *wstring, wchar_t wc)`  
`wchar.h` (GNU): [Search Functions](#).

`int wscmp (const wchar_t *ws1, const wchar_t *ws2)`  
`wchar.h` (ISO): [String/Array Comparison](#).

`int wscoll (const wchar_t *ws1, const wchar_t *ws2)`  
`wchar.h` (ISO): [Collation Functions](#).

`wchar_t * wcsncpy (wchar_t *restrict wto, const wchar_t *restrict wfrom)`  
`wchar.h` (ISO): [Copying and Concatenation](#).

`size_t wcsncpy (const wchar_t *wstring, const wchar_t *stopset)`  
`wchar.h` (ISO): [Search Functions](#).

`wchar_t * wcsdup (const wchar_t *ws)`  
`wchar.h` (GNU): [Copying and Concatenation](#).

`size_t wcsftime (wchar_t *s, size_t size, const wchar_t *template, const struct tm *broketime)`  
`time.h` (ISO/Amend1): [Formatting Calendar Time](#).

`size_t wcslen (const wchar_t *ws)`  
`wchar.h` (ISO): [String Length](#).

`int wcsncasecmp (const wchar_t *ws1, const wchar_t *s2, size_t n)`  
`wchar.h` (GNU): [String/Array Comparison](#).

`wchar_t * wcsncat (wchar_t *restrict wto, const wchar_t *restrict wfrom, size_t size)`  
`wchar.h` (ISO): [Copying and Concatenation](#).

`int wcsncmp (const wchar_t *ws1, const wchar_t *ws2, size_t size)`  
`wchar.h` (ISO): [String/Array Comparison](#).

`wchar_t * wcsncpy (wchar_t *restrict wto, const wchar_t *restrict wfrom, size_t size)`  
`wchar.h` (ISO): [Copying and Concatenation](#).

`size_t wcsnlen (const wchar_t *ws, size_t maxlen)`  
`wchar.h` (GNU): [String Length](#).

`size_t wcsnrtombs (char *restrict dst, const wchar_t **restrict src, size_t nwc, size_t len, mbstate_t *restrict ps)`  
`wchar.h` (GNU): [Converting Strings](#).

`wchar_t * wcpbrk (const wchar_t *wstring, const wchar_t *stopset)`  
`wchar.h` (ISO): [Search Functions](#).

`wchar_t * wcsrchr (const wchar_t *wstring, wchar_t c)`

wchar.h (ISO): [Search Functions](#).

size\_t wcsrtombs (char \*restrict *dst*, const wchar\_t \*\*restrict *src*, size\_t *len*, mbstate\_t \*restrict *ps*)

wchar.h (ISO): [Converting Strings](#).

size\_t wcsspncpy (const wchar\_t \*wstring, const wchar\_t \*skipset)

wchar.h (ISO): [Search Functions](#).

wchar\_t \* wcsstr (const wchar\_t \*haystack, const wchar\_t \*needle)

wchar.h (ISO): [Search Functions](#).

double wcstod (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*)

wchar.h (ISO): [Parsing of Floats](#).

float wcstof (const wchar\_t \*string, wchar\_t \*\*tailptr)

stdlib.h (ISO): [Parsing of Floats](#).

intmax\_t wcstoimax (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*, int *base*)

wchar.h (ISO): [Parsing of Integers](#).

wchar\_t \* wcstok (wchar\_t \*newstring, const char \*delimiters)

wchar.h (ISO): [Finding Tokens in a String](#).

long int wcstol (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*, int *base*)

wchar.h (ISO): [Parsing of Integers](#).

long double wcstold (const wchar\_t \*string, wchar\_t \*\*tailptr)

stdlib.h (ISO): [Parsing of Floats](#).

long long int wcstoll (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*, int *base*)

wchar.h (ISO): [Parsing of Integers](#).

size\_t wcstombs (char \*string, const wchar\_t \*wstring, size\_t size)

stdlib.h (ISO): [Non-reentrant String Conversion](#).

long long int wcstoq (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*, int *base*)

wchar.h (GNU): [Parsing of Integers](#).

unsigned long int wcstoul (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*, int *base*)

wchar.h (ISO): [Parsing of Integers](#).

unsigned long long int wcstoull (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*, int *base*)

wchar.h (ISO): [Parsing of Integers](#).

uintmax\_t wcstoumax (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*, int *base*)

wchar.h (ISO): [Parsing of Integers](#).

unsigned long long int wcstouq (const wchar\_t \*restrict *string*, wchar\_t \*\*restrict *tailptr*, int *base*)



wchar.h (GNU): [Parsing of Integers](#).

wchar\_t \* wscswcs (const wchar\_t \**haystack*, const wchar\_t \**needle*)

wchar.h (XPG): [Search Functions](#).

size\_t wcsxfrm (wchar\_t \*restrict *wto*, const wchar\_t \**wfrom*, size\_t *size*)

wchar.h (ISO): [Collation Functions](#).

int wctob (wint\_t *c*)

wchar.h (ISO): [Converting a Character](#).

int wctomb (char \**string*, wchar\_t *wchar*)

stdlib.h (ISO): [Non-reentrant Character Conversion](#).

wctrans\_t wctrans (const char \**property*)

wctype.h (ISO): [Wide Character Case Conversion](#).

wctrans\_t

wctype.h (ISO): [Wide Character Case Conversion](#).

wctype\_t wctype (const char \**property*)

wctype.h (ISO): [Classification of Wide Characters](#).

wctype\_t

wctype.h (ISO): [Classification of Wide Characters](#).

int WEOF

wchar.h (ISO): [EOF and Errors](#).

wint\_t WEOF

wchar.h (ISO): [Extended Char Intro](#).

int WEXITSTATUS (int *status*)

sys/wait.h (POSIX.1): [Process Completion Status](#).

int WIFEXITED (int *status*)

sys/wait.h (POSIX.1): [Process Completion Status](#).

int WIFSIGNALED (int *status*)

sys/wait.h (POSIX.1): [Process Completion Status](#).

int WIFSTOPPED (int *status*)

sys/wait.h (POSIX.1): [Process Completion Status](#).

wint\_t

wchar.h (ISO): [Extended Char Intro](#).

wchar\_t \* wmemchr (const wchar\_t \**block*, wchar\_t *wc*, size\_t *size*)

wchar.h (ISO): [Search Functions](#).

int wmemcmp (const wchar\_t \**a1*, const wchar\_t \**a2*, size\_t *size*)

wcjar.h (ISO): [String/Array Comparison](#).

wchar\_t \* wmemcpy (wchar\_t \*restrict *wto*, const wchar\_t \*restrict *wfrom*, size\_t *size*)

wchar.h (ISO): [Copying and Concatenation](#).

wchar\_t \* wmemmove (wchar\_t \**wto*, const wchar\_t \**wfrom*, size\_t *size*)

wchar.h (ISO): [Copying and Concatenation](#).

wchar\_t \* wmempcpy (wchar\_t \*restrict *wto*, const wchar\_t \*restrict *wfrom*, size\_t *size*)

wchar.h (GNU): [Copying and Concatenation](#).

wchar\_t \* wmemset (wchar\_t \**block*, wchar\_t *wc*, size\_t *size*)

wchar.h (ISO): [Copying and Concatenation](#).

int W\_OK

unistd.h (POSIX.1): [Testing File Access](#).

int wordexp (const char \**words*, wordexp\_t \**word-vector-ptr*, int *flags*)

wordexp.h (POSIX.2): [Calling Wordexp](#).

wordexp\_t

wordexp.h (POSIX.2): [Calling Wordexp](#).

void wordfree (wordexp\_t \**word-vector-ptr*)

wordexp.h (POSIX.2): [Calling Wordexp](#).

int wprintf (const wchar\_t \**template*, ...)

wchar.h (ISO): [Formatted Output Functions](#).

WRDE\_APPEND

wordexp.h (POSIX.2): [Flags for Wordexp](#).

WRDE\_BADCHAR

wordexp.h (POSIX.2): [Calling Wordexp](#).

WRDE\_BADVAL

wordexp.h (POSIX.2): [Calling Wordexp](#).

WRDE\_CMDSUB

wordexp.h (POSIX.2): [Calling Wordexp](#).

WRDE\_DOOFFS

wordexp.h (POSIX.2): [Flags for Wordexp](#).

WRDE\_NOCMD

wordexp.h (POSIX.2): [Flags for Wordexp](#).

WRDE\_NOSPACE

wordexp.h (POSIX.2): [Calling Wordexp](#).

WRDE\_REUSE

wordexp.h (POSIX.2): [Flags for Wordexp](#).

WRDE\_SHOWERR

wordexp.h (POSIX.2): [Flags for Wordexp](#).

WRDE\_SYNTAX

wordexp.h (POSIX.2): [Calling Wordexp](#).

WRDE\_UNDEF

wordexp.h (POSIX.2): [Flags for Wordexp](#).

ssize\_t write (int *filedes*, const void \**buffer*, size\_t *size*)

unistd.h (POSIX.1): [I/O Primitives](#).

ssize\_t writev (int *filedes*, const struct iovec \**vector*, int *count*)

`sys/uio.h` (BSD): [Scatter-Gather](#).

`int wscanf` (`const wchar_t *template, ...`)

`wchar.h` (ISO): [Formatted Input Functions](#).

`int WSTOPSIG` (`int status`)

`sys/wait.h` (POSIX.1): [Process Completion Status](#).

`int WTERMSIG` (`int status`)

`sys/wait.h` (POSIX.1): [Process Completion Status](#).

`int X_OK`

`unistd.h` (POSIX.1): [Testing File Access](#).

`_XOPEN_SOURCE`

(X/Open): [Feature Test Macros](#).

`_XOPEN_SOURCE_EXTENDED`

(X/Open): [Feature Test Macros](#).

`double y0` (`double x`)

`math.h` (SVID): [Special Functions](#).

`float y0f` (`float x`)

`math.h` (SVID): [Special Functions](#).

`long double y0l` (`long double x`)

`math.h` (SVID): [Special Functions](#).

`double y1` (`double x`)

`math.h` (SVID): [Special Functions](#).

`float y1f` (`float x`)

`math.h` (SVID): [Special Functions](#).

`long double y1l` (`long double x`)

`math.h` (SVID): [Special Functions](#).

`double yn` (`int n, double x`)

`math.h` (SVID): [Special Functions](#).

`float ynf` (`int n, float x`)

`math.h` (SVID): [Special Functions](#).

`long double ynl` (`int n, long double x`)

`math.h` (SVID): [Special Functions](#).

---

Node: Installation, Next: [Maintenance](#), Previous: [Library Summary](#), Up: [Top](#)

## Installing the GNU C Library

Before you do anything else, you should read the file `FAQ` located at the top level of the source tree. This file answers common questions and describes problems you may experience with compilation and installation. It is updated more frequently than this manual.

Features can be added to GNU Libc via *add-on* bundles. These are separate tar files, which you unpack into the top level of the source tree. Then you give `configure` the `--enable-add-ons` option to activate them, and they will be compiled into the library. As of the 2.2 release, one important component of glibc is distributed as "official" add-ons: the linuxthreads add-on. Unless you are doing an unusual installation, you should get this.

Support for POSIX threads is maintained by someone else, so it's in a separate package. It is only available for GNU/Linux systems, but this will change in the future. Get it from the same place you got the main bundle; the file is `glibc-linuxthreads-VERSION.tar.gz`.

You will need recent versions of several GNU tools: definitely GCC and GNU Make, and possibly others. See [Tools for Compilation](#), below.

- [Configuring and compiling](#): How to compile and test GNU libc.
- [Running make install](#): How to install it once you've got it compiled.
- [Tools for Compilation](#): You'll need these first.
- [Supported Configurations](#): What it runs on, what it doesn't.
- [Linux](#): Specific advice for GNU/Linux systems.
- [Reporting Bugs](#): So they'll get fixed.

---

Node: [Configuring and compiling](#), Next: [Running make install](#), Up: [Installation](#)

## Configuring and compiling GNU Libc

GNU libc can be compiled in the source directory, but we strongly advise building it in a separate build directory. For example, if you have unpacked the glibc sources in `/src/gnu/glibc-2.3`, create a directory `/src/gnu/glibc-build` to put the object files in. This allows removing the whole build directory in case an error occurs, which is the safest way to get a fresh start and should always be done.

From your object directory, run the shell script `configure` located at the top level of the source tree. In the scenario above, you'd type

```
$ ../glibc-2.3/configure args...
```

Please note that even if you're building in a separate build directory, the compilation needs to modify a few files in the source directory, especially some files in the manual subdirectory.

`configure` takes many options, but you can get away with knowing only two: `--prefix` and `--enable-add-ons`. The `--prefix` option tells `configure` where you want glibc installed. This

defaults to `/usr/local`. The `--enable-add-ons` option tells `configure` to use all the add-on bundles it finds in the source directory. Since important functionality is provided in add-ons, you should always specify this option.

It may also be useful to set the `CC` and `CFLAGS` variables in the environment when running `configure`. `CC` selects the C compiler that will be used, and `CFLAGS` sets optimization options for the compiler.

The following list describes all of the available options for `configure`:

`--prefix=directory`

Install machine-independent data files in subdirectories of *directory*. The default is to install in `/usr/local`.

`--exec-prefix=directory`

Install the library and other machine-dependent files in subdirectories of *directory*. The default is to the `--prefix` directory if that option is specified, or `/usr/local` otherwise.

`--with-headers=directory`

Look for kernel header files in *directory*, not `/usr/include`. Glibc needs information from the kernel's private header files. Glibc will normally look in `/usr/include` for them, but if you specify this option, it will look in *DIRECTORY* instead.

This option is primarily of use on a system where the headers in `/usr/include` come from an older version of glibc. Conflicts can occasionally happen in this case. Note that Linux libc5 qualifies as an older version of glibc. You can also use this option if you want to compile glibc with a newer set of kernel headers than the ones found in `/usr/include`.

`--enable-add-ons [=list]`

Enable add-on packages in your source tree. If this option is specified with no list, it enables all the add-on packages it finds. If you do not wish to use some add-on packages that you have present in your source tree, give this option a list of the add-ons that you *do* want used, like this:

```
--enable-add-ons=linuxthreads
```

`--enable-kernel=version`

This option is currently only useful on GNU/Linux systems. The *version* parameter should have the form *X.Y.Z* and describes the smallest version of the Linux kernel the generated library is expected to support. The higher the *version* number is, the less compatibility code is added, and the faster the code gets.

`--with-binutils=directory`

Use the binutils (assembler and linker) in *directory*, not the ones the C compiler would default to. You can use this option if the default binutils on your system cannot deal with all the constructs in the GNU C library. In that case, `configure` will detect the problem and suppress these constructs, so that the library will still be usable, but functionality may be lost--for example, you can't build a shared libc with old binutils.

`--without-fp`

Use this option if your computer lacks hardware floating-point support and your operating system does not emulate an FPU.

these

`--disable-shared`

Don't build shared libraries even if it is possible. Not all systems support shared libraries; you need ELF support and (currently) the GNU linker.

`--disable-profile`

Don't build libraries with profiling information. You may want to use this option if you don't plan to do profiling.

`--enable-omitfp`

Use maximum optimization for the normal (static and shared) libraries, and compile separate static libraries with debugging information and no optimization. We recommend not doing this. The extra optimization doesn't gain you much, it may provoke compiler bugs, and you won't be able to trace bugs through the C library.

`--disable-versioning`

Don't compile the shared libraries with symbol version information. Doing this will make the resulting library incompatible with old binaries, so it's not recommended.

`--enable-static-nss`

Compile static versions of the NSS (Name Service Switch) libraries. This is not recommended because it defeats the purpose of NSS; a program linked statically with the NSS libraries cannot be dynamically reconfigured to use a different name database.

`--without-tls`

By default the C library is built with support for thread-local storage if the used tools support it. By using `--without-tls` this can be prevented though there generally is no reason since it creates compatibility problems.

`--build=build-system``--host=host-system`

These options are for cross-compiling. If you specify both options and *build-system* is different from *host-system*, `configure` will prepare to cross-compile glibc from *build-system* to be used on *host-system*. You'll probably need the `--with-headers` option too, and you may have to override `configure`'s selection of the compiler and/or binutils.

If you only specify `--host`, `configure` will prepare for a native compile but use what you specify instead of guessing what your system is. This is most useful to change the CPU submodel. For example, if `configure` guesses your machine as `i586-pc-linux-gnu` but you want to compile a library for 386es, give `--host=i386-pc-linux-gnu` or just `--host=i386-linux` and add the appropriate compiler flags (`-mcpu=i386` will do the trick) to `CFLAGS`.

If you specify just `--build`, `configure` will get confused.

To build the library and related programs, type `make`. This will produce a lot of output, some of which may look like errors from `make` but isn't. Look for error messages from `make` containing `***`. Those indicate that something is seriously wrong.

The compilation process can take several hours. Expect at least two hours for the default configuration on i586 for GNU/Linux. For Hurd, times are much longer. Some complex modules may take a very long time to compile, as much as several minutes on slower machines. Do not panic if the compiler appears to hang.

If you want to run a parallel `make`, simply pass the `-j` option with an appropriate numeric parameter to `make`. You need a recent GNU `make` version, though.

To build and run test programs which exercise some of the library facilities, type `make check`. If it does not complete successfully, do not use the built library, and report a bug after verifying that the problem is not already known. See [Reporting Bugs](#), for instructions on reporting bugs. Note that some of the tests assume they are not being run by `root`. We recommend you compile and test `glibc` as an unprivileged user.

Before reporting bugs make sure there is no problem with your system. The tests (and later installation) use some pre-existing files of the system such as `/etc/passwd`, `/etc/nsswitch.conf` and others. These files must all contain correct and sensible content.

To format the *GNU C Library Reference Manual* for printing, type `make dvi`. You need a working TeX installation to do this. The distribution already includes the on-line formatted version of the manual, as Info files. You can regenerate those with `make info`, but it shouldn't be necessary.

The library has a number of special-purpose configuration parameters which you can find in `Makeconfig`. These can be overwritten with the file `configparms`. To change them, create a `configparms` in your build directory and add values as appropriate for your system. The file is included and parsed by `make` and has to follow the conventions for makefiles.

It is easy to configure the GNU C library for cross-compilation by setting a few variables in `configparms`. Set `CC` to the cross-compiler for the target you configured the library for; it is important to use this same `CC` value when running `configure`, like this: `CC=target-gcc configure target`. Set `BUILD_CC` to the compiler to use for programs run on the build system as part of compiling the library. You may need to set `AR` and `RANLIB` to cross-compiling versions of `ar` and `ranlib` if the native tools are not configured to work with object files for the target you configured for.

---

Node: Running `make install`, Next: [Tools for Compilation](#), Previous: [Configuring and compiling](#),

Up: [Installation](#)

## Installing the C Library

To install the library and its header files, and the Info files of the manual, type `env LANGUAGE=C LC_ALL=C make install`. This will build things, if necessary, before installing them; however, you should still compile everything first. If you are installing glibc as your primary C library, we recommend that you shut the system down to single-user mode first, and reboot afterward. This minimizes the risk of breaking things when the library changes out from underneath.

If you're upgrading from Linux libc5 or some other C library, you need to replace the `/usr/include` with a fresh directory before installing it. The new `/usr/include` should contain the Linux headers, but nothing else.

You must first build the library (`make`), optionally check it (`make check`), switch the include directories and then install (`make install`). The steps must be done in this order. Not moving the directory before install will result in an unusable mixture of header files from both libraries, but configuring, building, and checking the library requires the ability to compile and run programs against the old library.

If you are upgrading from a previous installation of glibc 2.0 or 2.1, `make install` will do the entire job. You do not need to remove the old includes - if you want to do so anyway you must then follow the order given above.

You may also need to reconfigure GCC to work with the new library. The easiest way to do that is to figure out the compiler switches to make it work again (`-Wl,--dynamic-linker=/lib/ld-linux.so.2` should work on GNU/Linux systems) and use them to recompile gcc. You can also edit the specs file (`/usr/lib/gcc-lib/TARGET/VERSION/specs`), but that is a bit of a black art.

You can install glibc somewhere other than where you configured it to go by setting the `install_root` variable on the command line for `make install`. The value of this variable is prepended to all the paths for installation. This is useful when setting up a chroot environment or preparing a binary distribution. The directory should be specified with an absolute file name.

Glibc 2.2 includes a daemon called `nscd`, which you may or may not want to run. `nscd` caches name service lookups; it can dramatically improve performance with NIS+, and may help with DNS as well.

One auxiliary program, `/usr/libexec/pt_chown`, is installed `setuid root`. This program is invoked by the `grantpt` function; it sets the permissions on a pseudoterminal so it can be used by the calling process. This means programs like `xterm` and `screen` do not have to be `setuid` to get a pty. (There may be other reasons why they need privileges.) If you are using a 2.1 or newer Linux kernel



with the `devptsfs` or `devfs` filesystems providing pty slaves, you don't need this program; otherwise you do. The source for `pt_chown` is in `login/programs/pt_chown.c`.

After installation you might want to configure the timezone and locale installation of your system. The GNU C library comes with a locale database which gets configured with `localedef`. For example, to set up a German locale with name `de_DE`, simply issue the command `localedef -i de_DE -f ISO-8859-1 de_DE`. To configure all locales that are supported by `glibc`, you can issue from your build directory the command `make localedata/install-locales`.

To configure the locally used timezone, set the `TZ` environment variable. The script `tzselect` helps you to select the right value. As an example, for Germany, `tzselect` would tell you to use `TZ='Europe/Berlin'`. For a system wide installation (the given paths are for an installation with `--prefix=/usr`), link the timezone file which is in `/usr/share/zoneinfo` to the file `/etc/localtime`. For Germany, you might execute `ln -s /usr/share/zoneinfo/Europe/Berlin /etc/localtime`.

---

Node: Tools for Compilation, Next: [Supported Configurations](#), Previous: [Running make install](#),  
Up: [Installation](#)

## Recommended Tools for Compilation

We recommend installing the following GNU tools before attempting to build the GNU C library:

- GNU make 3.79 or newer

You need the latest version of GNU make. Modifying the GNU C Library to work with other make programs would be so difficult that we recommend you port GNU make instead. **Really.** We recommend GNU make version 3.79. All earlier versions have severe bugs or lack features.

- GCC 3.2 or newer

The GNU C library can only be compiled with the GNU C compiler family. As of the 2.3 release, GCC 3.2 or higher is required. As of this writing, GCC 3.2 is the compiler we advise to use.

You can use whatever compiler you like to compile programs that use GNU libc, but be aware that both GCC 2.7 and 2.8 have bugs in their floating-point support that may be triggered by the math library.

Check the FAQ for any special compiler issues on particular platforms.

- GNU `binutils` 2.13 or later

You must use GNU `binutils` (as and `ld`) to build the GNU C library. No other assembler or linker has the necessary functionality at the moment.

- GNU `texinfo` 3.12f

To correctly translate and install the Texinfo documentation you need this version of the `texinfo` package. Earlier versions do not understand all the tags used in the document, and the installation mechanism for the info files is not present or works differently.

- GNU `awk` 3.0, or some other POSIX `awk`

`Awk` is used in several places to generate files. The scripts should work with any POSIX-compliant `awk` implementation; `gawk` 3.0 and `mawk` 1.3 are known to work.

- Perl 5

Perl is not required, but it is used if present to test the installation. We may decide to use it elsewhere in the future.

- GNU `sed` 3.02 or newer

`Sed` is used in several places to generate files. Most scripts work with any version of `sed`. The known exception is the script `po2test.sed` in the `intl` subdirectory which is used to generate `msgs.h` for the test suite. This script works correctly only with GNU `sed` 3.02. If you like to run the test suite, you should definitely upgrade `sed`.

If you change any of the `configure.in` files you will also need

- GNU `autoconf` 2.53 or higher

and if you change any of the message translation files you will need

- GNU `gettext` 0.10.36 or later

You may also need these packages if you upgrade your source tree using patches, although we try to avoid this.

## Supported Configurations

The GNU C Library currently supports configurations that match the following patterns:

```
alpha*-*-linux
arm-*-linux
cris-*-linux
hppa-*-linux
ix86-*-gnu
ix86-*-linux
ia64-*-linux
m68k-*-linux
mips*-*-linux
powerpc-*-linux
s390-*-linux
s390x-*-linux
sparc-*-linux
sparc64-*-linux
x86_64-*-linux
```

Former releases of this library (version 2.1 and/or 2.0) used to run on the following configurations:

```
arm-*-linuxaout
arm-*-none
```

Very early releases (version 1.09.1 and perhaps earlier versions) used to run on the following configurations:

```
alpha-dec-osf1
alpha-*-linuxecoff
ix86-*-bsd4.3
ix86-*-isc2.2
ix86-*-isc3.n
ix86-*-sco3.2
ix86-*-sco3.2v4
ix86-*-sysv
ix86-*-sysv4
ix86-force_cpu386-none
ix86-sequent-bsd
i960-nindy960-none
m68k-hp-bsd4.3
m68k-mvme135-none
m68k-mvme136-none
m68k-sony-newsos3
m68k-sony-newsos4
```

```
m68k-sun-sunos4.n  
mips-dec-ultrix4.n  
mips-sgi-irix4.n  
sparc-sun-solaris2.n  
sparc-sun-sunos4.n
```

Since no one has volunteered to test and fix these configurations, they are not supported at the moment. They probably don't compile; they definitely don't work anymore. Porting the library is not hard. If you are interested in doing a port, please contact the glibc maintainers by sending electronic mail to [bug-glibc@gnu.org](mailto:bug-glibc@gnu.org).

Valid cases of `ix86` include `i386`, `i486`, `i586`, and `i686`. All of those configurations produce a library that can run on this processor and newer processors. The GCC compiler by default generates code that's optimized for the machine it's configured for and will use the instructions available on that machine. For example if your GCC is configured for `i686`, `gcc` will optimize for `i686` and might issue some `i686` specific instructions. To generate code for other models, you have to configure for that model and give GCC the appropriate `-march=` and `-mcpu=` compiler switches via `CFLAGS`.

---

Node: Linux, Next: [Reporting Bugs](#), Previous: [Supported Configurations](#), Up: [Installation](#)

## Specific advice for GNU/Linux systems

If you are installing GNU libc on a GNU/Linux system, you need to have the header files from a 2.2 or newer kernel around for reference. For some architectures, like `ia64`, `sh` and `hppa`, you need at least headers from kernel 2.3.99 (`sh` and `hppa`) or 2.4.0 (`ia64`). You do not need to use that kernel, just have its headers where glibc can access at them. The easiest way to do this is to unpack it in a directory such as `/usr/src/linux-2.2.1`. In that directory, run `make config` and accept all the defaults. Then run `make include/linux/version.h`. Finally, configure glibc with the option `--with-headers=/usr/src/linux-2.2.1/include`. Use the most recent kernel you can get your hands on.

An alternate tactic is to unpack the 2.2 kernel and run `make config` as above; then, rename or delete `/usr/include`, create a new `/usr/include`, and make symbolic links of `/usr/include/linux` and `/usr/include/asm` into the kernel sources. You can then configure glibc with no special options. This tactic is recommended if you are upgrading from libc5, since you need to get rid of the old header files anyway.

After installing GNU libc, you may need to remove or rename `/usr/include/linux` and `/usr/include/asm`, and replace them with copies of `include/linux` and `include/asm- $\$$ ARCHITECTURE` taken from the Linux source package which supplied kernel headers for building the library. `ARCHITECTURE` will be the machine architecture for which the library was built, such as `i386`

or `alpha`. You do not need to do this if you did not specify an alternate kernel header source using `--with-headers`. The intent here is that these directories should be copies of, **not** symlinks to, the kernel headers used to build the library.

Note that `/usr/include/net` and `/usr/include/scsi` should **not** be symlinks into the kernel sources. GNU libc provides its own versions of these files.

GNU/Linux expects some components of the libc installation to be in `/lib` and some in `/usr/lib`. This is handled automatically if you configure glibc with `--prefix=/usr`. If you set some other prefix or allow it to default to `/usr/local`, then all the components are installed there.

If you are upgrading from libc5, you need to recompile every shared library on your system against the new library for the sake of new code, but keep the old libraries around for old binaries to use. This is complicated and difficult. Consult the Glibc2 HOWTO at <http://www.imaxx.net/~thrytis/glibc> for details.

You cannot use `nscd` with 2.0 kernels, due to bugs in the kernel-side thread support. `nscd` happens to hit these bugs particularly hard, but you might have problems with any threaded program.

---

Node: Reporting Bugs, Previous: [Linux](#), Up: [Installation](#)

## Reporting Bugs

There are probably bugs in the GNU C library. There are certainly errors and omissions in this manual. If you report them, they will get fixed. If you don't, no one will ever know about them and they will remain unfixed for all eternity, if not longer.

It is a good idea to verify that the problem has not already been reported. Bugs are documented in two places: The file `BUGS` describes a number of well known bugs and the bug tracking system has a WWW interface at <http://www-gnats.gnu.org:8080/cgi-bin/wwwgnats.pl>. The WWW interface gives you access to open and closed reports. A closed report normally includes a patch or a hint on solving the problem.

To report a bug, first you must find it. With any luck, this will be the hard part. Once you've found a bug, make sure it's really a bug. A good way to do this is to see if the GNU C library behaves the same way some other C library does. If so, probably you are wrong and the libraries are right (but not necessarily). If not, one of the libraries is probably wrong. It might not be the GNU library. Many historical Unix C libraries permit things that we don't, such as closing a file twice.

If you think you have found some way in which the GNU C library does not conform to the ISO and

POSIX standards (see [Standards and Portability](#)), that is definitely a bug. Report it!

Once you're sure you've found a bug, try to narrow it down to the smallest test case that reproduces the problem. In the case of a C library, you really only need to narrow it down to one library function call, if possible. This should not be too difficult.

The final step when you have a simple test case is to report the bug. Do this using the `glibcbug` script. It is installed with `libc`, or if you haven't installed it, will be in your build directory. Send your test case, the results you got, the results you expected, and what you think the problem might be (if you've thought of anything). `glibcbug` will insert the configuration information we need to see, and ship the report off to [bugs@gnu.org](mailto:bugs@gnu.org). Don't send a message there directly; it is fed to a program that expects mail to be formatted in a particular way. Use the script.

If you are not sure how a function should behave, and this manual doesn't tell you, that's a bug in the manual. Report that too! If the function's behavior disagrees with the manual, then either the library or the manual has a bug, so report the disagreement. If you find any errors or omissions in this manual, please report them to the Internet address [bug-glibc-manual@gnu.org](mailto:bug-glibc-manual@gnu.org). If you refer to specific sections of the manual, please include the section names for easier identification.

---

Node: Maintenance, Next: [Contributors](#), Previous: [Installation](#), Up: [Top](#)

## Library Maintenance

- [Source Layout](#): How to add new functions or header files to the GNU C library.
- [Porting](#): How to port the GNU C library to a new machine or operating system.

---

Node: Source Layout, Next: [Porting](#), Up: [Maintenance](#)

## Adding New Functions

The process of building the library is driven by the makefiles, which make heavy use of special features of GNU `make`. The makefiles are very complex, and you probably don't want to try to understand them. But what they do is fairly straightforward, and only requires that you define a few variables in the right places.

The library sources are divided into subdirectories, grouped by topic.

The `string` subdirectory has all the string-manipulation functions, `math` has all the mathematical

functions, etc.

Each subdirectory contains a simple makefile, called `Makefile`, which defines a few make variables and then includes the global makefile `Rules` with a line like:

```
include ../Rules
```

The basic variables that a subdirectory makefile defines are:

`subdir`

The name of the subdirectory, for example `stdio`. This variable **must** be defined.

`headers`

The names of the header files in this section of the library, such as `stdio.h`.

`routines`

`aux`

The names of the modules (source files) in this section of the library. These should be simple names, such as `strlen` (rather than complete file names, such as `strlen.c`). Use `routines` for modules that define functions in the library, and `aux` for auxiliary modules containing things like data definitions. But the values of `routines` and `aux` are just concatenated, so there really is no practical difference.

`tests`

The names of test programs for this section of the library. These should be simple names, such as `tester` (rather than complete file names, such as `tester.c`). `make tests` will build and run all the test programs. If a test program needs input, put the test data in a file called `test-program.input`; it will be given to the test program on its standard input. If a test program wants to be run with arguments, put the arguments (all on a single line) in a file called `test-program.args`. Test programs should exit with zero status when the test passes, and nonzero status when the test indicates a bug in the library or error in building.

`others`

The names of "other" programs associated with this section of the library. These are programs which are not tests per se, but are other small programs included with the library. They are built by `make others`.

`install-lib`

`install-data`

`install`

Files to be installed by `make install`. Files listed in `install-lib` are installed in the directory specified by `libdir` in `configparms` or `Makeconfig` (see [Installation](#)). Files listed in `install-data` are installed in the directory specified by `datadir` in `configparms` or `Makeconfig`. Files listed in `install` are installed in the directory specified by `bindir` in `configparms` or `Makeconfig`.

`distribute`

Other files from this subdirectory which should be put into a distribution tar file. You need not

list here the makefile itself or the source and header files listed in the other standard variables. Only define `distribute` if there are files used in an unusual way that should go into the distribution.

#### `generated`

Files which are generated by `Makefile` in this subdirectory. These files will be removed by `make clean`, and they will never go into a distribution.

#### `extra-objs`

Extra object files which are built by `Makefile` in this subdirectory. This should be a list of file names like `foo.o`; the files will actually be found in whatever directory object files are being built in. These files will be removed by `make clean`. This variable is used for secondary object files needed to build `others` or `tests`.

Node: [Porting](#), Previous: [Source Layout](#), Up: [Maintenance](#)

## Porting the GNU C Library

The GNU C library is written to be easily portable to a variety of machines and operating systems. Machine- and operating system-dependent functions are well separated to make it easy to add implementations for new machines or operating systems. This section describes the layout of the library source tree and explains the mechanisms used to select machine-dependent code to use.

All the machine-dependent and operating system-dependent files in the library are in the subdirectory `sysdeps` under the top-level library source directory. This directory contains a hierarchy of subdirectories (see [Hierarchy Conventions](#)).

Each subdirectory of `sysdeps` contains source files for a particular machine or operating system, or for a class of machine or operating system (for example, systems by a particular vendor, or all machines that use IEEE 754 floating-point format). A configuration specifies an ordered list of these subdirectories. Each subdirectory implicitly appends its parent directory to the list. For example, specifying the list `unix/bsd/vax` is equivalent to specifying the list `unix/bsd/vax unix/bsd unix`. A subdirectory can also specify that it implies other subdirectories which are not directly above it in the directory hierarchy. If the file `Implies` exists in a subdirectory, it lists other subdirectories of `sysdeps` which are appended to the list, appearing after the subdirectory containing the `Implies` file. Lines in an `Implies` file that begin with a `#` character are ignored as comments. For example, `unix/bsd/Implies` contains:

```
# BSD has Internet-related things.
unix/inet
```

and `unix/Implies` contains:



posix

So the final list is `unix/bsd/vax unix/bsd unix/inet unix posix`.

`sysdeps` has a "special" subdirectory called `generic`. It is always implicitly appended to the list of subdirectories, so you needn't put it in an `Implies` file, and you should not create any subdirectories under it intended to be new specific categories. `generic` serves two purposes. First, the makefiles do not bother to look for a system-dependent version of a file that's not in `generic`. This means that any system-dependent source file must have an analogue in `generic`, even if the routines defined by that file are not implemented on other platforms. Second, the `generic` version of a system-dependent file is used if the makefiles do not find a version specific to the system you're compiling for.

If it is possible to implement the routines in a `generic` file in machine-independent C, using only other machine-independent functions in the C library, then you should do so. Otherwise, make them stubs. A *stub* function is a function which cannot be implemented on a particular machine or operating system. Stub functions always return an error, and set `errno` to `ENOSYS` (Function not implemented). See [Error Reporting](#). If you define a stub function, you must place the statement `stub_warning (function)`, where *function* is the name of your function, after its definition; also, you must include the file `<stub-tag.h>` into your file. This causes the function to be listed in the installed `<gnu/stubs.h>`, and makes GNU ld warn when the function is used.

Some rare functions are only useful on specific systems and aren't defined at all on others; these do not appear anywhere in the system-independent source code or makefiles (including the `generic` directory), only in the system-dependent `Makefile` in the specific system's subdirectory.

If you come across a file that is in one of the main source directories (`string`, `stdio`, etc.), and you want to write a machine- or operating system-dependent version of it, move the file into `sysdeps/generic` and write your new implementation in the appropriate system-specific subdirectory. Note that if a file is to be system-dependent, it **must not** appear in one of the main source directories.

There are a few special files that may exist in each subdirectory of `sysdeps`:

### Makefile

A makefile for this machine or operating system, or class of machine or operating system. This file is included by the library makefile `Makerules`, which is used by the top-level makefile and the subdirectory makefiles. It can change the variables set in the including makefile or add new rules. It can use GNU make conditional directives based on the variable `subdir` (see above) to select different sets of variables and rules for different sections of the library. It can also set the make variable `sysdep-routines`, to specify extra modules to be included in the library. You should use `sysdep-routines` rather than adding modules to `routines` because the latter is used in determining what to distribute for each subdirectory of the main source tree.

Each makefile in a subdirectory in the ordered list of subdirectories to be searched is included in order. Since several system-dependent makefiles may be included, each should append to `sysdep-routines` rather than simply setting it:

```
sysdep-routines := $(sysdep-routines) foo bar
```

## Subdirs

This file contains the names of new whole subdirectories under the top-level library source tree that should be included for this system. These subdirectories are treated just like the system-independent subdirectories in the library source tree, such as `stdio` and `math`.

Use this when there are completely new sets of functions and header files that should go into the library for the system this subdirectory of `sysdeps` implements. For example, `sysdeps/unix/inet/Subdirs` contains `inet`; the `inet` directory contains various network-oriented operations which only make sense to put in the library on systems that support the Internet.

## Dist

This file contains the names of files (relative to the subdirectory of `sysdeps` in which it appears) which should be included in the distribution. List any new files used by rules in the `Makefile` in the same directory, or header files used by the source files in that directory. You don't need to list files that are implementations (either C or assembly source) of routines whose names are given in the machine-independent makefiles in the main source tree.

## configure

This file is a shell script fragment to be run at configuration time. The top-level `configure` script uses the shell `.` command to read the `configure` file in each system-dependent directory chosen, in order. The `configure` files are often generated from `configure.in` files using `Autoconf`.

A system-dependent `configure` script will usually add things to the shell variables `DEFS` and `config_vars`; see the top-level `configure` script for details. The script can check for `--with-package` options that were passed to the top-level `configure`. For an option `--with-package=value` `configure` sets the shell variable `with_package` (with any dashes in `package` converted to underscores) to `value`; if the option is just `--with-package` (no argument), then it sets `with_package` to `yes`.

## configure.in

This file is an `Autoconf` input fragment to be processed into the file `configure` in this subdirectory. See [Introduction](#), for a description of `Autoconf`. You should write either `configure` or `configure.in`, but not both. The first line of `configure.in` should invoke the m4 macro `GLIBC_PROVIDES`. This macro does several `AC_PROVIDE` calls for

Autoconf macros which are used by the top-level `configure` script; without this, those macros might be invoked again unnecessarily by Autoconf.

That is the general system for how system-dependencies are isolated.

- [Hierarchy Conventions](#): The layout of the `sysdeps` hierarchy.
- [Porting to Unix](#): Porting the library to an average Unix-like system.

---

Node: [Hierarchy Conventions](#), Next: [Porting to Unix](#), Up: [Porting](#)

## Layout of the `sysdeps` Directory Hierarchy

A GNU configuration name has three parts: the CPU type, the manufacturer's name, and the operating system. `configure` uses these to pick the list of system-dependent directories to look for. If the `--nfp` option is *not* passed to `configure`, the directory `machine/ƒpu` is also used. The operating system often has a *base operating system*; for example, if the operating system is `Linux`, the base operating system is `unix/sysv`. The algorithm used to pick the list of directories is simple: `configure` makes a list of the base operating system, manufacturer, CPU type, and operating system, in that order. It then concatenates all these together with slashes in between, to produce a directory name; for example, the configuration `i686-linux-gnu` results in `unix/sysv/linux/i386/i686`. `configure` then tries removing each element of the list in turn, so `unix/sysv/linux` and `unix/sysv` are also tried, among others. Since the precise version number of the operating system is often not important, and it would be very inconvenient, for example, to have identical `irix6.2` and `irix6.3` directories, `configure` tries successively less specific operating system names by removing trailing suffixes starting with a period.

As an example, here is the complete list of directories that would be tried for the configuration `i686-linux-gnu` (with the `crypt` and `linuxthreads` add-on):

```
sysdeps/i386/elf
crypt/sysdeps/unix
linuxthreads/sysdeps/unix/sysv/linux
linuxthreads/sysdeps/pthread
linuxthreads/sysdeps/unix/sysv
linuxthreads/sysdeps/unix
linuxthreads/sysdeps/i386/i686
linuxthreads/sysdeps/i386
linuxthreads/sysdeps/pthread/no-cmpxchg
sysdeps/unix/sysv/linux/i386
sysdeps/unix/sysv/linux
sysdeps/gnu
sysdeps/unix/common
sysdeps/unix/mman
```

```

sysdeps/unix/inet
sysdeps/unix/sysv/i386/i686
sysdeps/unix/sysv/i386
sysdeps/unix/sysv
sysdeps/unix/i386
sysdeps/unix
sysdeps/posix
sysdeps/i386/i686
sysdeps/i386/i486
sysdeps/libm-i387/i686
sysdeps/i386/fpu
sysdeps/libm-i387
sysdeps/i386
sysdeps/wordsize-32
sysdeps/ieee754
sysdeps/libm-ieee754
sysdeps/generic

```

Different machine architectures are conventionally subdirectories at the top level of the `sysdeps` directory tree. For example, `sysdeps/sparc` and `sysdeps/m68k`. These contain files specific to those machine architectures, but not specific to any particular operating system. There might be subdirectories for specializations of those architectures, such as `sysdeps/m68k/68020`. Code which is specific to the floating-point coprocessor used with a particular machine should go in `sysdeps/machine/fpu`.

There are a few directories at the top level of the `sysdeps` hierarchy that are not for particular machine architectures.

#### `generic`

As described above (see [Porting](#)), this is the subdirectory that every configuration implicitly uses after all others.

#### `ieee754`

This directory is for code using the IEEE 754 floating-point format, where the C type `float` is IEEE 754 single-precision format, and `double` is IEEE 754 double-precision format. Usually this directory is referred to in the `Implies` file in a machine architecture-specific directory, such as `m68k/Implies`.

#### `libm-ieee754`

This directory contains an implementation of a mathematical library usable on platforms which use IEEE 754 conformant floating-point arithmetic.

#### `libm-i387`

This is a special case. Ideally the code should be in `sysdeps/i386/fpu` but for various reasons it is kept aside.

#### `posix`

This directory contains implementations of things in the library in terms of POSIX.1 functions.

This includes some of the POSIX.1 functions themselves. Of course, POSIX.1 cannot be completely implemented in terms of itself, so a configuration using just `posix` cannot be complete.

## `unix`

This is the directory for Unix-like things. See [Porting to Unix](#). `unix` implies `posix`. There are some special-purpose subdirectories of `unix`:

### `unix/common`

This directory is for things common to both BSD and System V release 4. Both `unix/bsd` and `unix/sysv/sysv4` imply `unix/common`.

### `unix/inet`

This directory is for `socket` and related functions on Unix systems. `unix/inet/Subdirs` enables the `inet` top-level subdirectory. `unix/common` implies `unix/inet`.

## `mach`

This is the directory for things based on the Mach microkernel from CMU (including the GNU operating system). Other basic operating systems (VMS, for example) would have their own directories at the top level of the `sysdeps` hierarchy, parallel to `unix` and `mach`.

---

Node: Porting to Unix, Previous: [Hierarchy Conventions](#), Up: [Porting](#)

## Porting the GNU C Library to Unix Systems

Most Unix systems are fundamentally very similar. There are variations between different machines, and variations in what facilities are provided by the kernel. But the interface to the operating system facilities is, for the most part, pretty uniform and simple.

The code for Unix systems is in the directory `unix`, at the top level of the `sysdeps` hierarchy. This directory contains subdirectories (and subdirectory trees) for various Unix variants.

The functions which are system calls in most Unix systems are implemented in assembly code, which is generated automatically from specifications in files named `syscalls.list`. There are several such files, one in `sysdeps/unix` and others in its subdirectories. Some special system calls are implemented in files that are named with a suffix of `.S`; for example, `_exit.S`. Files ending in `.S` are run through the C preprocessor before being fed to the assembler.

These files all use a set of macros that should be defined in `sysdep.h`. The `sysdep.h` file in `sysdeps/unix` partially defines them; a `sysdep.h` file in another directory must finish defining them for the particular machine and operating system variant. See `sysdeps/unix/sysdep.h` and the machine-specific `sysdep.h` implementations to see what these macros are and what they should do.

The system-specific makefile for the `unix` directory (`sysdeps/unix/Makefile`) gives rules to generate several files from the Unix system you are building the library on (which is assumed to be the target system you are building the library *for*). All the generated files are put in the directory where the object files are kept; they should not affect the source tree itself. The files generated are `ioctls.h`, `errnos.h`, `sys/param.h`, and `errlist.c` (for the `stdio` section of the library).

---

Node: Contributors, Next: [Free Manuals](#), Previous: [Maintenance](#), Up: [Top](#)

## Contributors to the GNU C Library

The GNU C library was written originally by Roland McGrath, and is currently maintained by Ulrich Drepper. Some parts of the library were contributed or worked on by other people.

- The `getopt` function and related code was written by Richard Stallman, David J. MacKenzie, and Roland McGrath.
- The merge sort function `qsort` was written by Michael J. Haertel.
- The quick sort function used as a fallback by `qsort` was written by Douglas C. Schmidt.
- The memory allocation functions `malloc`, `realloc` and `free` and related code were written by Michael J. Haertel, Wolfram Gloger, and Doug Lea.
- Fast implementations of many of the string functions (`memcpy`, `strlen`, etc.) were written by Torbjörn Granlund.
- The `tar.h` header file was written by David J. MacKenzie.
- The port to the MIPS DECStation running Ultrix 4 (`mips-dec-ultrix4`) was contributed by Brendan Kehoe and Ian Lance Taylor.
- The DES encryption function `crypt` and related functions were contributed by Michael Glad.
- The `ftw` and `nftw` functions were contributed by Ulrich Drepper.
- The startup code to support SunOS shared libraries was contributed by Tom Quinn.
- The `mkttime` function was contributed by Paul Eggert.
- The port to the Sequent Symmetry running Dynix version 3 (`i386-sequent-bsd`) was contributed by Jason Merrill.
- The timezone support code is derived from the public-domain timezone package by Arthur David Olson and his many contributors.
- The port to the DEC Alpha running OSF/1 (`alpha-dec-osf1`) was contributed by Brendan Kehoe, using some code written by Roland McGrath.
- The port to SGI machines running Irix 4 (`mips-sgi-irix4`) was contributed by Tom Quinn.
- The port of the Mach and Hurd code to the MIPS architecture (`mips-anything-gnu`) was contributed by Kazumoto Kojima.
- The floating-point printing function used by `printf` and friends and the floating-point reading function used by `scanf`, `strtod` and friends were written by Ulrich Drepper. The multi-precision integer functions used in those functions are taken from GNU MP, which was contributed by Torbjörn Granlund.

- The internationalization support in the library, and the support programs `locale` and `localedef`, were written by Ulrich Drepper. Ulrich Drepper adapted the support code for message catalogs (`libintl.h`, etc.) from the GNU `gettext` package, which he also wrote. He also contributed the `catgets` support and the entire suite of multi-byte and wide-character support functions (`wctype.h`, `wchar.h`, etc.).
- The implementations of the `nsswitch.conf` mechanism and the files and DNS backends for it were designed and written by Ulrich Drepper and Roland McGrath, based on a backend interface defined by Peter Eriksson.
- The port to Linux i386/ELF (`i386-anything-linux`) was contributed by Ulrich Drepper, based in large part on work done in Hongjiu Lu's Linux version of the GNU C Library.
- The port to Linux/m68k (`m68k-anything-linux`) was contributed by Andreas Schwab.
- The ports to Linux/ARM (`arm-ANYTHING-linuxaout`) and ARM standalone (`arm-ANYTHING-none`), as well as parts of the IPv6 support code, were contributed by Philip Blundell.
- Richard Henderson contributed the ELF dynamic linking code and other support for the Alpha processor.
- David Mosberger-Tang contributed the port to Linux/Alpha (`alpha-anything-linux`).
- The port to Linux on PowerPC (`powerpc-anything-linux`) was contributed by Geoffrey Keating.
- Miles Bader wrote the `argp` argument-parsing package, and the `argz/envz` interfaces.
- Stephen R. van den Berg contributed a highly-optimized `strstr` function.
- Ulrich Drepper contributed the `hsearch` and `drand48` families of functions; reentrant `..._r` versions of the `random` family; System V shared memory and IPC support code; and several highly-optimized string functions for ix86 processors.
- The math functions are taken from `fdlibm-5.1` by Sun Microsystems, as modified by J.T. Conklin, Ian Lance Taylor, Ulrich Drepper, Andreas Schwab, and Roland McGrath.
- The `libio` library used to implement `stdio` functions on some platforms was written by Per Bothner and modified by Ulrich Drepper.
- Eric Youngdale and Ulrich Drepper implemented versioning of objects on the symbol level.
- Thorsten Kukuk provided an implementation for NIS (YP) and NIS+, `securelevel 0, 1 and 2`.
- Andreas Jaeger provided a test suite for the math library.
- Mark Kettenis implemented the `utmpx` interface and an `utmp` daemon.
- Ulrich Drepper added character conversion functions (`iconv`).
- Thorsten Kukuk provided an implementation for a caching daemon for NSS (`nscd`).
- Tim Waugh provided an implementation of the POSIX.2 `wordexp` function family.
- Mark Kettenis provided a Hesiod NSS module.
- The Internet-related code (most of the `inet` subdirectory) and several other miscellaneous functions and header files have been included from 4.4 BSD with little or no modification. The copying permission notice for this code can be found in the file `LICENSES` in the source distribution.
- The random number generation functions `random`, `srandom`, `setstate` and `initstate`, which are also the basis for the `rand` and `srand` functions, were written by Earl T. Cohen for the University of California at Berkeley and are copyrighted by the Regents of the University of

California. They have undergone minor changes to fit into the GNU C library and to fit the ISO C standard, but the functional code is Berkeley's.

- The DNS resolver code is taken directly from BIND 4.9.5, which includes copyrighted code from UC Berkeley and from Digital Equipment Corporation. See the file `LICENSES` for the text of the DEC license.
- The code to support Sun RPC is taken verbatim from Sun's RPCSRC-4.0 distribution; see the file `LICENSES` for the text of the license.
- Some of the support code for Mach is taken from Mach 3.0 by CMU; the file `if_ppp.h` is also copyright by CMU, but under a different license; see the file `LICENSES` for the text of the licenses.
- Many of the IA64 math functions are taken from a collection of "Highly Optimized Mathematical Functions for Itanium" that Intel makes available under a free license; see the file `LICENSES` for details.
- The `getaddrinfo` and `getnameinfo` functions and supporting code were written by Craig Metz; see the file `LICENSES` for details on their licensing.
- Many of the IEEE 64-bit double precision math functions (in the `sysdeps/ieee754/dbl-64` subdirectory) come from the IBM Accurate Mathematical Library, contributed by IBM.

---

Node: Free Manuals, Next: [Copying](#), Previous: [Contributors](#), Up: [Top](#)

## Free Software Needs Free Documentation

The biggest deficiency in the free software community today is not in the software--it is the lack of good free documentation that we can include with the free software. Many of our most important programs do not come with free reference manuals and free introductory texts. Documentation is an essential part of any software package; when an important free software package does not come with a free manual and a free tutorial, that is a major gap. We have many such gaps today.

Consider Perl, for instance. The tutorial manuals that people normally use are non-free. How did this come about? Because the authors of those manuals published them with restrictive terms--no copying, no modification, source files not available--which exclude them from the free software world.

That wasn't the first time this sort of thing happened, and it was far from the last. Many times we have heard a GNU user eagerly describe a manual that he is writing, his intended contribution to the community, only to learn that he had ruined everything by signing a publication contract to make it non-free.

Free documentation, like free software, is a matter of freedom, not price. The problem with the non-free manual is not that publishers charge a price for printed copies--that in itself is fine. (The Free Software Foundation sells printed copies of manuals, too.) The problem is the restrictions on the use of the manual. Free manuals are available in source code form, and give you permission to copy and modify.



Non-free manuals do not allow this.

The criteria of freedom for a free manual are roughly the same as for free software. Redistribution (including the normal kinds of commercial redistribution) must be permitted, so that the manual can accompany every copy of the program, both on-line and on paper.

Permission for modification of the technical content is crucial too. When people modify the software, adding or changing features, if they are conscientious they will change the manual too--so they can provide accurate and clear documentation for the modified program. A manual that leaves you no choice but to write a new manual to document a changed version of the program is not really available to our community.

Some kinds of limits on the way modification is handled are acceptable. For example, requirements to preserve the original author's copyright notice, the distribution terms, or the list of authors, are ok. It is also no problem to require modified versions to include notice that they were modified. Even entire sections that may not be deleted or changed are acceptable, as long as they deal with nontechnical topics (like this one). These kinds of restrictions are acceptable because they don't obstruct the community's normal use of the manual.

However, it must be possible to modify all the *technical* content of the manual, and then distribute the result in all the usual media, through all the usual channels. Otherwise, the restrictions obstruct the use of the manual, it is not free, and we need another manual to replace it.

Please spread the word about this issue. Our community continues to lose manuals to proprietary publishing. If we spread the word that free software needs free reference manuals and free tutorials, perhaps the next person who wants to contribute by writing documentation will realize, before it is too late, that only free manuals contribute to the free software community.

If you are writing documentation, please insist on publishing it under the GNU Free Documentation License or another free documentation license. Remember that this decision requires your approval--you don't have to let the publisher decide. Some commercial publishers will use a free license if you insist, but they will not propose the option; it is up to you to raise the issue and say firmly that this is what you want. If the publisher you are dealing with refuses, please try other publishers. If you're not sure whether a proposed license is free, write to [licensing@gnu.org](mailto:licensing@gnu.org).

You can encourage commercial publishers to sell more free, copylefted manuals and tutorials by buying them, and particularly by buying copies from the publishers that paid for their writing or for major improvements. Meanwhile, try to avoid buying non-free documentation at all. Check the distribution terms of a manual before you buy it, and insist that whoever seeks your business must respect your freedom. Check the history of the book, and try reward the publishers that have paid or pay the authors to work on it.

The Free Software Foundation maintains a list of free documentation published by other publishers, at <http://www.fsf.org/doc/other-free-books.html>.

---

Node: Copying, Next: [Documentation License](#), Previous: [Free Manuals](#), Up: [Top](#)

# GNU Lesser General Public License

Version 2.1, February 1999

Copyright © 1991, 1999 Free Software Foundation, Inc.  
59 Temple Place -- Suite 330, Boston, MA 02111-1307, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the *Lesser* General Public License because it does *Less* to protect the user's freedom than the ordinary General Public License. It also provides other free software developers *Less* of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of

people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that

refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
  - a. The modified work must itself be a software library.
  - b. You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
  - c. You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
  - d. If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this

License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this

object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a. Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b. Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c. Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d. If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e. Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed

(in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:
  - a. Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
  - b. Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.
10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.



If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.
15. **BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR**

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
one line to give the library's name and an idea of what it does.  
Copyright (C) year name of author
```

```
This library is free software; you can redistribute it and/or modify it  
under the terms of the GNU Lesser General Public License as published by  
the Free Software Foundation; either version 2.1 of the License, or (at  
your option) any later version.
```

```
This library is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.
```

```
You should have received a copy of the GNU Lesser General Public  
License along with this library; if not, write to the Free Software  
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307,  
USA.
```

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the library
`Frob' (a library for tweaking knobs) written by James Random Hacker.
```

```
signature of Ty Coon, 1 April 1990
Ty Coon, President of Vice
```

That's all there is to it!

---

Node: Documentation License, Next: [Concept Index](#), Previous: [Copying](#), Up: [Top](#)

## GNU Free Documentation License

Version 1.1, March 2000

Copyright © 2000 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other written document *free* in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed

book. We recommend this License principally for works whose purpose is instruction or reference.

## 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you".

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (For example, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, whose contents can be viewed and edited directly and straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup has been designed to thwart or discourage subsequent modification by readers is not Transparent. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML designed for human modification. Opaque formats include PostScript, PDF, proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-

generated HTML produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

## 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

## 3. COPYING IN QUANTITY

If you publish printed copies of the Document numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a publicly-accessible computer-network location containing a complete Transparent copy of the Document, free of added material, which the general network-using public has access to download anonymously at no charge using public-standard network protocols. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus

accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

#### 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has less than five).
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
  - I. Preserve the section entitled "History", and its title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives

permission.

- K. In any section entitled "Acknowledgments" or "Dedications", preserve the section's title, and preserve in the section all the substance and tone of each of the contributor acknowledgments and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section as "Endorsements" or to conflict in title with any Invariant Section.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end

of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections entitled "History" in the various original documents, forming one section entitled "History"; likewise combine any sections entitled "Acknowledgments", and any sections entitled "Dedications". You must delete all sections entitled "Endorsements."

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, does not as a whole count as a Modified Version of the Document, provided no compilation copyright is claimed for the compilation. Such a compilation is called an "aggregate", and this License does not apply to the other self-contained works thus compiled with the Document, on account of their being thus compiled, if they are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one quarter of the entire aggregate, the Document's Cover Texts may be placed on covers that surround only the Document within the aggregate. Otherwise they must appear on covers around the whole aggregate.

## 8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License provided that you also include the original English version of this License. In case of a disagreement between the translation and the original English version of



this License, the original English version will prevail.

## 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

## **ADDENDUM: How to use this License for your documents**

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```
Copyright (C) year your name.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.1
or any later version published by the Free Software Foundation;
with the Invariant Sections being list their titles, with the
Front-Cover Texts being list, and with the Back-Cover Texts being list.
A copy of the license is included in the section entitled ``GNU
Free Documentation License''.
```

If you have no Invariant Sections, write "with no Invariant Sections" instead of saying which ones are invariant. If you have no Front-Cover Texts, write "no Front-Cover Texts" instead of "Front-Cover Texts being *list*"; likewise for Back-Cover Texts.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

---

Node: [Concept Index](#), Next: [Type Index](#), Previous: [Documentation License](#), Up: [Top](#)

## Concept Index

- `/etc/hostname`: [Host Identification](#)
- `/etc/nsswitch.conf`: [NSS Configuration File](#)
- 4.n BSD Unix: [Berkeley Unix](#)
- `__va_copy`: [Copying and Concatenation](#)
- `_POSIX_OPTION_ORDER` environment variable.: [Standard Environment](#)
- `_POSIX_SAVED_IDS`: [How Change Persona](#)
- abort signal: [Program Error Signals](#)
- aborting a program: [Aborting a Program](#)
- absolute file name: [File Name Resolution](#)
- absolute priority: [Absolute Priority](#)
- absolute value functions: [Absolute Value](#)
- accepting connections: [Accepting Connections](#)
- access permission for a file: [Access Permission](#)
- access, testing for: [Testing File Access](#)
- accessing directories: [Accessing Directories](#)
- address of socket: [Socket Addresses](#)
- address space: [Program Basics](#), [Memory Subsystem](#)
- alarm signal: [Alarm Signals](#)
- alarms, setting: [Setting an Alarm](#)
- alignment (in obstacks): [Obstacks Data Alignment](#)
- alignment (with `malloc`): [Aligned Memory Blocks](#)
- `alloca` disadvantages: [Disadvantages of Alloca](#)
- `alloca` function: [Variable Size Automatic](#)
- allocating pseudo-terminals: [Allocation](#)
- allocation (obstacks): [Allocation in an Obstack](#)
- allocation debugging: [Allocation Debugging](#)
- allocation hooks, for `malloc`: [Hooks for Malloc](#)
- allocation of memory with `malloc`: [Basic Allocation](#)
- allocation size of string: [Representation of Strings](#)
- allocation statistics: [Statistics of Malloc](#)

- alphabetic character: [Classification of Wide Characters](#), [Classification of Characters](#)
- alphanumeric character: [Classification of Wide Characters](#), [Classification of Characters](#)
- append-access files: [File Position](#)
- argc (program argument count): [Program Arguments](#)
- argp (program argument parser): [Argp](#)
- argp parser functions: [Argp Parser Functions](#)
- ARGV\_HELP\_FMT environment variable: [Argp User Customization](#)
- argument parsing with argp: [Argp](#)
- argument promotion: [Calling Variadics](#)
- argument vectors, null-character separated: [Argz and Envz Vectors](#)
- arguments (variadic functions): [Receiving Arguments](#)
- arguments, how many: [How Many Arguments](#)
- arguments, to program: [Program Arguments](#)
- argv (program argument vector): [Program Arguments](#)
- argz vectors (string vectors): [Argz and Envz Vectors](#)
- arithmetic expansion: [Expansion Stages](#)
- array comparison functions: [String/Array Comparison](#)
- array copy functions: [Copying and Concatenation](#)
- array search function: [Array Search Function](#)
- array sort function: [Array Sort Function](#)
- ASCII character: [Classification of Characters](#)
- assertions: [Consistency Checking](#)
- attributes of a file: [Attribute Meanings](#)
- automatic freeing: [Variable Size Automatic](#)
- automatic memory allocation: [Memory Allocation and C](#)
- automatic storage class: [Memory Allocation and C](#)
- automatic storage with variable size: [Variable Size Automatic](#)
- background job: [Concepts of Job Control](#)
- background job, launching: [Foreground and Background](#)
- backtrace: [Backtraces](#)
- backtrace\_fd: [Backtraces](#)
- backtrace\_symbols: [Backtraces](#)
- base (of floating point number): [Floating Point Concepts](#)
- baud rate: [Line Speed](#)
- Berkeley Unix: [Berkeley Unix](#)
- Bessel functions: [Special Functions](#)
- bias (of floating point number exponent): [Floating Point Concepts](#)
- big-endian: [Byte Order](#)

- binary I/O to a stream: [Block Input/Output](#)
- binary search function (for arrays): [Array Search Function](#)
- binary stream: [Binary Streams](#)
- binding a socket address: [Socket Addresses](#)
- blank character: [Classification of Wide Characters](#), [Classification of Characters](#)
- block I/O to a stream: [Block Input/Output](#)
- blocked signals: [Delivery of Signal](#)
- blocked signals, checking for: [Checking for Pending Signals](#)
- blocking signals: [Blocking Signals](#)
- blocking signals, in a handler: [Blocking for Handler](#)
- bootstrapping, and services: [Actions in the NSS configuration](#)
- break condition, detecting: [Input Modes](#)
- break condition, generating: [Line Control](#)
- breaking a string into tokens: [Finding Tokens in a String](#)
- broken pipe signal: [Operation Error Signals](#)
- broken-down time: [Broken-down Time](#), [Calendar Time](#)
- BSD compatibility library: [Process Group Functions](#)
- BSD compatibility library.: [Feature Test Macros](#)
- BSD Unix: [Berkeley Unix](#)
- buffering of streams: [Stream Buffering](#)
- buffering, controlling: [Controlling Buffering](#)
- bugs, reporting: [Reporting Bugs](#)
- bus error: [Program Error Signals](#)
- butterfly: [Misc FP Arithmetic](#)
- byte order conversion, for socket: [Byte Order](#)
- byte stream: [Socket Concepts](#)
- C++ streams: [Streams and I18N](#)
- calendar time: [Time Basics](#)
- calendar time and broken-down time: [Broken-down Time](#)
- calendar, Gregorian: [Calendar Time](#)
- calling variadic functions: [Calling Variadics](#)
- canonical input processing: [Canonical or Not](#)
- capacity limits, POSIX: [General Limits](#)
- carrier detect: [Control Modes](#)
- case conversion of characters: [Case Conversion](#)
- catching signals: [Delivery of Signal](#)
- categories for locales: [Locale Categories](#)
- change working directory: [Working Directory](#)

- changing the locale: [Setting the Locale](#)
- changing the size of a block (malloc): [Changing Block Size](#)
- changing the size of a block (obstacks): [Growing Objects](#)
- channels: [Stream/Descriptor Precautions](#)
- character case conversion: [Case Conversion](#)
- character predicates: [Classification of Characters](#)
- character testing: [Classification of Characters](#)
- checking for pending signals: [Checking for Pending Signals](#)
- child process: [Process Creation Concepts](#), [Processes](#), [Processor Time](#)
- child process signal: [Job Control Signals](#)
- chunks: [Obstack Chunks](#)
- classes, floating-point: [Floating Point Classes](#)
- classification of characters: [Classification of Characters](#)
- cleaning up a stream: [Linked Channels](#)
- clearing terminal input queue: [Line Control](#)
- client: [Connections](#)
- clock ticks: [Processor And CPU Time](#)
- clock, high accuracy: [High Accuracy Clock](#)
- close-on-exec (file descriptor flag): [Descriptor Flags](#)
- closing a file descriptor: [Opening and Closing Files](#)
- closing a socket: [Closing a Socket](#)
- closing a stream: [Closing Streams](#)
- collating strings: [Collation Functions](#)
- combining locales: [Choosing Locale](#)
- command argument syntax: [Argument Syntax](#)
- command arguments, parsing: [Parsing Program Arguments](#)
- command line arguments: [Program Arguments](#)
- command substitution: [Expansion Stages](#)
- communication style (of a socket): [Socket Concepts](#)
- comparing strings and arrays: [String/Array Comparison](#)
- Comparison Function: [Comparison Functions](#)
- compiling: [Configuring and compiling](#)
- complex exponentiation functions: [Exponents and Logarithms](#)
- complex logarithm functions: [Exponents and Logarithms](#)
- complex numbers: [Complex Numbers](#)
- complex trigonometric functions: [Trig Functions](#)
- concatenating strings: [Copying and Concatenation](#)
- configurations, all supported: [Supported Configurations](#)

- configuring: [Configuring and compiling](#)
- conjugate complex numbers: [Operations on Complex](#)
- connecting a socket: [Connecting](#)
- connection: [Connections](#)
- consistency checking: [Consistency Checking](#)
- consistency checking, of heap: [Heap Consistency Checking](#)
- constants: [Mathematical Constants](#), [Memory Concepts](#)
- continue signal: [Job Control Signals](#)
- control character: [Classification of Wide Characters](#), [Classification of Characters](#)
- control operations on files: [Control Operations](#)
- controlling process: [Controlling Terminal](#)
- controlling terminal: [Concepts of Job Control](#)
- controlling terminal, access to: [Access to the Terminal](#)
- controlling terminal, determining: [Identifying the Terminal](#)
- controlling terminal, setting: [Open-time Flags](#)
- conversion specifications (`printf`): [Formatted Output Basics](#)
- conversion specifications (`scanf`): [Formatted Input Basics](#)
- converting byte order: [Byte Order](#)
- converting case of characters: [Case Conversion](#)
- converting file descriptor to stream: [Descriptors and Streams](#)
- converting floats to integers: [Rounding Functions](#)
- converting group ID to group name: [Lookup Group](#)
- converting group name to group ID: [Lookup Group](#)
- converting host address to name: [Host Names](#)
- converting host name to address: [Host Names](#)
- converting network name to network number: [Networks Database](#)
- converting network number to network name: [Networks Database](#)
- converting port number to service name: [Services Database](#)
- converting service name to port number: [Services Database](#)
- converting string to collation order: [Collation Functions](#)
- converting strings to numbers: [Parsing of Numbers](#)
- converting user ID to user name: [Lookup User](#)
- converting user name to user ID: [Lookup User](#)
- cookie, for custom stream: [Streams and Cookies](#)
- copy-on-write page fault: [Locked Memory Details](#)
- copying strings and arrays: [Copying and Concatenation](#)
- cpu priority: [Priority](#)
- CPU time: [Processor Time](#), [Processor And CPU Time](#), [Time Basics](#)

- create on open (file status flag): [Open-time Flags](#)
- creating a directory: [Creating Directories](#)
- creating a FIFO special file: [FIFO Special Files](#)
- creating a pipe: [Creating a Pipe](#)
- creating a pipe to a subprocess: [Pipe to a Subprocess](#)
- creating a process: [Process Creation Concepts](#)
- creating a socket: [Creating a Socket](#)
- creating a socket pair: [Socket Pairs](#)
- creating special files: [Making Special Files](#)
- cube root function: [Exponents and Logarithms](#)
- currency symbols: [Currency Symbol](#)
- current limit: [Limits on Resources](#)
- current working directory: [Working Directory](#)
- custom streams: [Custom Streams](#)
- customizing `printf`: [Customizing Printf](#)
- data loss on sockets: [Socket Concepts](#)
- databases: [Name Service Switch](#)
- datagram socket: [Datagrams](#)
- datagrams, transmitting: [Sending Datagrams](#)
- date: [Time Basics](#)
- Daylight Saving Time: [Broken-down Time](#)
- decimal digit character: [Classification of Characters](#)
- decimal-point separator: [General Numeric](#)
- declaration (compared to definition): [Header Files](#)
- declaring variadic functions: [Calling Variadics](#)
- decompose complex numbers: [Operations on Complex](#)
- default action (for a signal): [Delivery of Signal](#)
- default action for a signal: [Basic Signal Handling](#)
- default argument promotions: [Calling Variadics](#)
- default value, and NSS: [Notes on NSS Configuration File](#)
- defining new `printf` conversions: [Customizing Printf](#)
- definition (compared to declaration): [Header Files](#)
- delayed suspend character: [Signal Characters](#)
- deleting a directory: [Deleting Files](#)
- deleting a file: [Deleting Files](#)
- delivery of signals: [Delivery of Signal](#)
- descriptors and streams: [Stream/Descriptor Precautions](#)
- digit character: [Classification of Wide Characters](#), [Classification of Characters](#)

- directories, accessing: [Accessing Directories](#)
- directories, creating: [Creating Directories](#)
- directories, deleting: [Deleting Files](#)
- directory: [Directories](#)
- directory entry: [Directories](#)
- directory hierarchy: [Working with Directory Trees](#)
- directory stream: [Accessing Directories](#)
- disadvantages of `alloca`: [Disadvantages of Alloca](#)
- DISCARD character: [Other Special](#)
- division by zero: [FP Exceptions](#)
- DNS: [Host Identification](#)
- DNS server unavailable: [Actions in the NSS configuration](#)
- domain (of socket): [Socket Concepts](#)
- domain error: [Math Error Reporting](#)
- domain name: [Host Identification](#)
- Domain Name System: [Host Identification](#)
- dot notation, for Internet addresses: [Abstract Host Addresses](#)
- DSUSP character: [Signal Characters](#)
- duplicating file descriptors: [Duplicating Descriptors](#)
- dynamic memory allocation: [Memory Allocation and C](#)
- EBCDIC: [Extended Char Intro](#)
- echo of terminal input: [Local Modes](#)
- effective group ID: [Process Persona](#)
- effective user ID: [Process Persona](#)
- efficiency and `malloc`: [Efficiency and Malloc](#)
- efficiency and obstacks: [Extra Fast Growing](#)
- efficiency of chunks: [Obstack Chunks](#)
- EINTR, and restarting interrupted primitives: [Interrupted Primitives](#)
- elapsed time: [Elapsed Time](#), [Time Basics](#)
- encryption: [Trivial Encryption](#)
- end of file, on a stream: [EOF and Errors](#)
- end-of-file, on a file descriptor: [I/O Primitives](#)
- environment: [Environment Variables](#)
- environment access: [Environment Access](#)
- environment representation: [Environment Access](#)
- environment variable: [Environment Variables](#)
- environment vectors, null-character separated: [Argz and Envz Vectors](#)
- envz vectors (environment vectors): [Argz and Envz Vectors](#)



- EOF character: [Editing Characters](#)
- EOL character: [Editing Characters](#)
- EOL2 character: [Editing Characters](#)
- epoch: [Simple Calendar Time](#)
- ERASE character: [Editing Characters](#)
- errno: [System Calls](#)
- error codes: [Error Reporting](#)
- error messages, in argp: [Argp Helper Functions](#)
- error reporting: [Error Reporting](#)
- errors, mathematical: [Math Error Reporting](#)
- establishing a handler: [Signal Actions](#)
- ethers: [NSS Basics](#)
- EUC: [Extended Char Intro](#)
- EUC-JP: [glibc iconv Implementation](#)
- exception: [Program Error Signals](#), [FP Exceptions](#)
- exclusive lock: [File Locks](#)
- exec functions: [Executing a File](#)
- execing a program: [Memory Concepts](#)
- executable: [Memory Concepts](#)
- executing a file: [Executing a File](#)
- exit status: [Exit Status](#)
- exit status value: [Program Termination](#)
- exiting a program: [Memory Concepts](#)
- expansion of shell words: [Word Expansion](#)
- exponent (of floating point number): [Floating Point Concepts](#)
- exponentiation functions: [Exponents and Logarithms](#)
- extending printf: [Customizing Printf](#)
- extracting file descriptor from stream: [Descriptors and Streams](#)
- fcntl function: [Control Operations](#)
- FDL, GNU Free Documentation License: [Documentation License](#)
- feature test macros: [Feature Test Macros](#)
- field splitting: [Expansion Stages](#)
- FIFO special file: [Pipes and FIFOs](#)
- file access permission: [Access Permission](#)
- file access time: [File Times](#)
- file attribute modification time: [File Times](#)
- file attributes: [Attribute Meanings](#)
- file creation mask: [Setting Permissions](#)

- file descriptor flags: [Descriptor Flags](#)
- file descriptor sets, for `select`: [Waiting for I/O](#)
- file descriptors, standard: [Descriptors and Streams](#)
- file locks: [File Locks](#)
- file modification time: [File Times](#)
- file name: [File Names](#)
- file name component: [Directories](#)
- file name errors: [File Name Errors](#)
- file name resolution: [File Name Resolution](#)
- file name translation flags: [Open-time Flags](#)
- file names, multiple: [Hard Links](#)
- file owner: [File Owner](#)
- file permission bits: [Permission Bits](#)
- file pointer: [Streams](#)
- file position: [File Position](#)
- file positioning on a file descriptor: [File Position Primitive](#)
- file positioning on a stream: [File Positioning](#)
- file status flags: [File Status Flags](#)
- files, accessing: [Memory Concepts](#)
- filtering i/o through subprocess: [Pipe to a Subprocess](#)
- flag character (`printf`): [Output Conversion Syntax](#)
- flag character (`scanf`): [Input Conversion Syntax](#)
- flags for `sigaction`: [Flags for Sigaction](#)
- flags, file name translation: [Open-time Flags](#)
- flags, open-time action: [Open-time Flags](#)
- floating point: [Floating Point Numbers](#)
- floating point, IEEE: [IEEE Floating Point](#)
- floating type measurements: [Floating Type Macros](#)
- floating-point classes: [Floating Point Classes](#)
- floating-point exception: [Program Error Signals](#)
- flow control, terminal: [Line Control](#)
- flushing a stream: [Flushing Buffers](#)
- flushing terminal output queue: [Line Control](#)
- foreground job: [Concepts of Job Control](#)
- foreground job, launching: [Foreground and Background](#)
- forking a process: [Process Creation Concepts](#)
- format string, for `printf`: [Formatted Output](#)
- format string, for `scanf`: [Formatted Input](#)

- formatted input from a stream: [Formatted Input](#)
- formatted messages: [Formatted Messages](#)
- formatted output to a stream: [Formatted Output](#)
- FP arithmetic: [FP Bit Twiddling](#)
- FQDN: [Host Identification](#)
- frame, real memory: [Memory Concepts](#)
- free documentation: [Free Manuals](#)
- freeing (obstacks): [Freeing Obstack Objects](#)
- freeing memory: [Memory Concepts](#)
- freeing memory allocated with `malloc`: [Freeing after Malloc](#)
- fully buffered stream: [Buffering Concepts](#)
- function prototypes (variadic): [Variadic Prototypes](#)
- gamma function: [Special Functions](#)
- `gcvt_r`: [System V Number Conversion](#)
- `gencat`: [The gencat program](#)
- generation of signals: [Signal Generation](#)
- generic i/o control operations: [IOCTLs](#)
- globbing: [Globbing](#)
- graphic character: [Classification of Wide Characters](#), [Classification of Characters](#)
- Gregorian calendar: [Calendar Time](#)
- group: [NSS Basics](#)
- group database: [Group Database](#)
- group ID: [User and Group IDs](#)
- group name: [User and Group IDs](#)
- group owner of a file: [File Owner](#)
- grouping of digits: [General Numeric](#)
- growing objects (in obstacks): [Growing Objects](#)
- handling multiple signals: [Merged Signals](#)
- hangup signal: [Termination Signals](#)
- hard limit: [Limits on Resources](#)
- hard link: [Hard Links](#)
- header files: [Header Files](#)
- heap consistency checking: [Heap Consistency Checking](#)
- heap, dynamic allocation from: [Unconstrained Allocation](#)
- heap, freeing memory from: [Freeing after Malloc](#)
- hexadecimal digit character: [Classification of Wide Characters](#), [Classification of Characters](#)
- hidden bit (of floating point number mantissa): [Floating Point Concepts](#)
- hierarchy, directory: [Working with Directory Trees](#)

- high-priority data: [Out-of-Band Data](#)
- high-resolution time: [Calendar Time](#)
- holes in files: [File Position Primitive](#)
- home directory: [Standard Environment](#)
- HOME environment variable: [Standard Environment](#)
- hook functions (of custom streams): [Hook Functions](#)
- host address, Internet: [Abstract Host Addresses](#)
- host name: [Host Identification](#)
- hostname: [Host Identification](#)
- hosts: [NSS Basics](#)
- hosts database: [Host Names](#)
- how many arguments: [How Many Arguments](#)
- hyperbolic functions: [Hyperbolic Functions](#)
- identifying terminals: [Is It a Terminal](#)
- IEEE 754: [Floating Point Numbers](#)
- IEEE floating point: [Floating Point Numbers](#)
- IEEE floating point representation: [IEEE Floating Point](#)
- IEEE Std 1003.1: [POSIX](#)
- IEEE Std 1003.2: [POSIX](#)
- ignore action for a signal: [Basic Signal Handling](#)
- illegal instruction: [Program Error Signals](#)
- impossible events: [Consistency Checking](#)
- independent channels: [Independent Channels](#)
- inexact exception: [FP Exceptions](#)
- infinity: [Infinity and NaN](#)
- initial signal actions: [Initial Signal Actions](#)
- inode number: [Attribute Meanings](#)
- input available signal: [Asynchronous I/O Signals](#)
- input conversions, for `scanf`: [Table of Input Conversions](#)
- input from multiple files: [Waiting for I/O](#)
- installation tools: [Tools for Compilation](#)
- installing: [Running make install](#)
- integer: [Integers](#)
- integer division functions: [Integer Division](#)
- integer type range: [Range of Type](#)
- integer type width: [Width of Type](#)
- interactive signals, from terminal: [Local Modes](#)
- interactive stop signal: [Job Control Signals](#)

- internal representation: [Extended Char Intro](#)
- internationalization: [Locales](#)
- Internet host address: [Abstract Host Addresses](#)
- Internet namespace, for sockets: [Internet Namespace](#)
- interprocess communication, with FIFO: [FIFO Special Files](#)
- interprocess communication, with pipes: [Creating a Pipe](#)
- interprocess communication, with signals: [Kill Example](#)
- interprocess communication, with sockets: [Sockets](#)
- interrupt character: [Signal Characters](#)
- interrupt signal: [Termination Signals](#)
- interrupt-driven input: [Interrupt Input](#)
- interrupting primitives: [Interrupted Primitives](#)
- interval: [Time Basics](#)
- interval timer, setting: [Setting an Alarm](#)
- INTR character: [Signal Characters](#)
- invalid exception: [FP Exceptions](#)
- inverse complex hyperbolic functions: [Hyperbolic Functions](#)
- inverse complex trigonometric functions: [Inverse Trig Functions](#)
- inverse hyperbolic functions: [Hyperbolic Functions](#)
- inverse trigonometric functions: [Inverse Trig Functions](#)
- invocation of program: [Program Arguments](#)
- IOCTLs: [IOCTLs](#)
- ISO 10646: [Extended Char Intro](#)
- ISO 2022: [Extended Char Intro](#)
- ISO 6937: [Extended Char Intro](#)
- ISO C: [ISO C](#)
- ISO-2022-JP: [glibc iconv Implementation](#)
- ISO/IEC 9945-1: [POSIX](#)
- ISO/IEC 9945-2: [POSIX](#)
- job: [Job Control](#)
- job control: [Job Control](#)
- job control functions: [Functions for Job Control](#)
- job control is optional: [Job Control is Optional](#)
- job control signals: [Job Control Signals](#)
- job control, enabling: [Initializing the Shell](#)
- Kermit the frog: [Search/Sort Example](#)
- kernel call: [System Calls](#)
- kernel header files: [Linux](#)

- KILL character: [Editing Characters](#)
- kill signal: [Termination Signals](#)
- killing a process: [Signaling Another Process](#)
- Korn Shell: [Wildcard Matching](#)
- LANG environment variable: [Standard Environment](#)
- LANG environment variable: [The catgets Functions](#)
- launching jobs: [Launching Jobs](#)
- LC\_ALL environment variable: [Standard Environment](#)
- LC\_ALL environment variable: [The catgets Functions](#)
- LC\_COLLATE environment variable: [Standard Environment](#)
- LC\_CTYPE environment variable: [Standard Environment](#)
- LC\_MESSAGES environment variable: [Standard Environment](#)
- LC\_MESSAGES environment variable: [The catgets Functions](#)
- LC\_MONETARY environment variable: [Standard Environment](#)
- LC\_NUMERIC environment variable: [Standard Environment](#)
- LC\_TIME environment variable: [Standard Environment](#)
- leap second: [Broken-down Time](#)
- length of string: [Representation of Strings](#)
- level, for socket options: [Socket Options](#)
- LGPL, Lesser General Public License: [Copying](#)
- library: [Introduction](#)
- limit: [Limits on Resources](#)
- limits on resource usage: [Limits on Resources](#)
- limits, file name length: [Limits for Files](#)
- limits, floating types: [Floating Type Macros](#)
- limits, integer types: [Range of Type](#)
- limits, link count of files: [Limits for Files](#)
- limits, number of open files: [General Limits](#)
- limits, number of processes: [General Limits](#)
- limits, number of supplementary group IDs: [General Limits](#)
- limits, pipe buffer size: [Limits for Files](#)
- limits, POSIX: [General Limits](#)
- limits, program argument size: [General Limits](#)
- limits, terminal input queue: [Limits for Files](#)
- limits, time zone name length: [General Limits](#)
- line buffered stream: [Buffering Concepts](#)
- line speed: [Line Speed](#)
- lines (in a text file): [Binary Streams](#)

- link: [Directories](#)
- link, hard: [Hard Links](#)
- link, soft: [Symbolic Links](#)
- link, symbolic: [Symbolic Links](#)
- linked channels: [Linked Channels](#)
- listening (sockets): [Listening](#)
- literals: [Memory Concepts](#)
- little-endian: [Byte Order](#)
- LNEXT character: [Other Special](#)
- load average: [Processor Resources](#)
- local namespace, for sockets: [Local Namespace](#)
- local network address number: [Abstract Host Addresses](#)
- local time: [Calendar Time](#)
- locale categories: [Locale Categories](#)
- locale, changing: [Setting the Locale](#)
- locales: [Locales](#)
- locking pages: [Locking Pages](#)
- logarithm functions: [Exponents and Logarithms](#)
- login name: [User and Group IDs](#)
- login name, determining: [Who Logged In](#)
- LOGNAME environment variable: [Standard Environment](#)
- long jumps: [Non-Local Exits](#)
- long-named options: [Argument Syntax](#)
- longjmp: [Advantages of Alloca](#)
- loss of data on sockets: [Socket Concepts](#)
- lost resource signal: [Operation Error Signals](#)
- lower-case character: [Classification of Wide Characters](#), [Classification of Characters](#)
- macros: [Obstack Functions](#)
- main function: [Program Arguments](#)
- malloc debugger: [Allocation Debugging](#)
- malloc function: [Unconstrained Allocation](#)
- mantissa (of floating point number): [Floating Point Concepts](#)
- matching failure, in scanf: [Formatted Input Basics](#)
- math errors: [Errors in Math Functions](#)
- mathematical constants: [Mathematical Constants](#)
- maximum: [Misc FP Arithmetic](#)
- maximum field width (scanf): [Input Conversion Syntax](#)
- maximum limit: [Limits on Resources](#)

- maximum possible integer: [Integers](#)
- measurements of floating types: [Floating Type Macros](#)
- memory allocation: [Memory](#)
- memory lock: [Locking Pages](#)
- memory mapped file: [Memory Concepts](#)
- memory mapped I/O: [Memory Concepts](#)
- memory page: [Memory Subsystem](#)
- merging of signals: [Merged Signals](#)
- MIN termios slot: [Noncanonical Input](#)
- minimum: [Misc FP Arithmetic](#)
- minimum field width (`printf`): [Output Conversion Syntax](#)
- minimum possible integer: [Integers](#)
- mixing descriptors and streams: [Stream/Descriptor Precautions](#)
- modem disconnect: [Control Modes](#)
- modem status lines: [Control Modes](#)
- monetary value formatting: [The Lame Way to Locale Data](#)
- multi-threaded application: [Streams and Threads](#)
- multibyte character: [Extended Char Intro](#)
- multibyte character string: [Representation of Strings](#)
- multibyte string: [Representation of Strings](#)
- multiple names for one file: [Hard Links](#)
- multiplexing input: [Waiting for I/O](#)
- multiply-add: [Misc FP Arithmetic](#)
- name of running program: [Error Messages](#)
- name of socket: [Socket Addresses](#)
- Name Service Switch: [Name Service Switch](#)
- name space: [Reserved Names](#)
- names of signals: [Standard Signals](#)
- namespace (of socket): [Socket Concepts](#)
- NaN: [FP Bit Twiddling](#), [Infinity and NaN](#)
- Netgroup: [Netgroup Data](#)
- netgroup: [NSS Basics](#)
- network byte order: [Byte Order](#)
- network number: [Abstract Host Addresses](#)
- network protocol: [Socket Concepts](#)
- networks: [NSS Basics](#)
- networks database: [Networks Database](#)
- NIS: [Host Identification](#)



- NIS domain name: [Host Identification](#)
- nisplus, and booting: [Actions in the NSS configuration](#)
- nisplus, and completeness: [Actions in the NSS configuration](#)
- NLSPATH environment variable: [Standard Environment](#)
- NLSPATH environment variable: [The catgets Functions](#)
- non-blocking open: [Open-time Flags](#)
- non-local exit, from signal handler: [Longjmp in Handler](#)
- non-local exits: [Non-Local Exits](#)
- noncanonical input processing: [Canonical or Not](#)
- normalization functions (floating-point): [Normalization Functions](#)
- normalized floating point number: [Floating Point Concepts](#)
- not a number: [Infinity and NaN](#)
- NSS: [Name Service Switch](#)
- `nsswitch.conf`: [NSS Configuration File](#)
- null character: [Representation of Strings](#)
- null pointer constant: [Null Pointer Constant](#)
- null wide character: [Representation of Strings](#)
- number of arguments passed: [How Many Arguments](#)
- number syntax, parsing: [Parsing of Numbers](#)
- numeric value formatting: [The Lame Way to Locale Data](#)
- obstack status: [Status of an Obstack](#)
- obstacks: [Obstacks](#)
- open-time action flags: [Open-time Flags](#)
- opening a file: [I/O Concepts](#)
- opening a file descriptor: [Opening and Closing Files](#)
- opening a pipe: [Creating a Pipe](#)
- opening a pseudo-terminal pair: [Pseudo-Terminal Pairs](#)
- opening a socket: [Creating a Socket](#)
- opening a socket pair: [Socket Pairs](#)
- opening a stream: [Opening Streams](#)
- Optimization: [FP Function Optimizations](#)
- optimizing NSS: [Notes on NSS Configuration File](#)
- option parsing with `argp`: [Argp](#)
- optional arguments: [Variadic Functions](#)
- optional POSIX features: [System Options](#)
- orientation, stream: [Streams and I18N](#), [Opening Streams](#)
- orphaned process group: [Orphaned Process Groups](#)
- out-of-band data: [Out-of-Band Data](#)

- output conversions, for `printf`: [Table of Output Conversions](#)
- output possible signal: [Asynchronous I/O Signals](#)
- overflow exception: [FP Exceptions](#)
- owner of a file: [File Owner](#)
- packet: [Socket Concepts](#)
- page boundary: [Aligned Memory Blocks](#)
- page fault: [Memory Concepts](#)
- page fault, copy-on-write: [Locked Memory Details](#)
- page frame: [Memory Concepts](#)
- page, memory: [Memory Subsystem](#)
- page, virtual memory: [Memory Concepts](#)
- paging: [Locking Pages](#), [Memory Concepts](#)
- parameter promotion: [String/Array Conventions](#)
- parent directory: [File Name Resolution](#)
- parent process: [Process Creation Concepts](#), [Processes](#)
- parity checking: [Input Modes](#)
- parsing a template string: [Parsing a Template String](#)
- parsing numbers (in formatted input): [Parsing of Numbers](#)
- parsing program arguments: [Parsing Program Arguments](#)
- parsing tokens from a string: [Finding Tokens in a String](#)
- passwd: [NSS Basics](#)
- password database: [User Database](#)
- PATH environment variable: [Standard Environment](#)
- pause function: [Waiting for a Signal](#)
- peeking at input: [Unreading](#)
- pending signals: [Delivery of Signal](#)
- pending signals, checking for: [Checking for Pending Signals](#)
- period of time: [Time Basics](#)
- permission to access a file: [Access Permission](#)
- persona: [Process Persona](#)
- physical address: [Memory Subsystem](#)
- physical memory: [Memory Subsystem](#)
- pi (trigonometric constant): [Trig Functions](#)
- pipe: [Pipes and FIFOs](#)
- pipe signal: [Operation Error Signals](#)
- pipe to a subprocess: [Pipe to a Subprocess](#)
- port number: [Ports](#)
- positioning a file descriptor: [File Position Primitive](#)

- positioning a stream: [File Positioning](#)
- positive difference: [Misc FP Arithmetic](#)
- POSIX: [POSIX](#)
- POSIX capacity limits: [General Limits](#)
- POSIX optional features: [System Options](#)
- POSIX.1: [POSIX](#)
- POSIX.2: [POSIX](#)
- power functions: [Exponents and Logarithms](#)
- precision (of floating point number): [Floating Point Concepts](#)
- precision (`printf`): [Output Conversion Syntax](#)
- predicates on arrays: [String/Array Comparison](#)
- predicates on characters: [Classification of Characters](#)
- predicates on strings: [String/Array Comparison](#)
- preemptive scheduling: [Absolute Priority](#)
- primitives, interrupting: [Interrupted Primitives](#)
- printing character: [Classification of Wide Characters](#), [Classification of Characters](#)
- priority of a process: [Priority](#)
- priority, absolute: [Absolute Priority](#)
- process: [Processes](#), [Program Basics](#)
- process completion: [Process Completion](#)
- process group functions: [Functions for Job Control](#)
- process group ID: [Launching Jobs](#)
- process group leader: [Launching Jobs](#)
- process groups: [Job Control](#)
- process ID: [Process Creation Concepts](#)
- process image: [Process Creation Concepts](#)
- process lifetime: [Process Creation Concepts](#)
- process priority: [Priority](#)
- process signal mask: [Process Signal Mask](#)
- process termination: [Program Termination](#)
- processor time: [Processor Time](#), [Time Basics](#)
- profiling alarm signal: [Alarm Signals](#)
- profiling timer: [Setting an Alarm](#)
- program: [Program Basics](#)
- program argument syntax: [Argument Syntax](#)
- program arguments: [Program Arguments](#)
- program arguments, parsing: [Parsing Program Arguments](#)
- program error signals: [Program Error Signals](#)

- program name: [Error Messages](#)
- program startup: [Program Arguments](#)
- program termination: [Program Termination](#)
- program termination signals: [Termination Signals](#)
- programming your own streams: [Custom Streams](#)
- project complex numbers: [Operations on Complex](#)
- protocol (of socket): [Socket Concepts](#)
- protocol family: [Socket Concepts](#)
- protocols: [NSS Basics](#)
- protocols database: [Protocols Database](#)
- prototypes for variadic functions: [Variadic Prototypes](#)
- pseudo-random numbers: [Pseudo-Random Numbers](#)
- pseudo-terminals: [Pseudo-Terminals](#)
- punctuation character: [Classification of Wide Characters](#), [Classification of Characters](#)
- pushing input back: [Unreading](#)
- quick sort function (for arrays): [Array Sort Function](#)
- QUIT character: [Signal Characters](#)
- quit signal: [Termination Signals](#)
- quote removal: [Expansion Stages](#)
- race conditions, relating to job control: [Launching Jobs](#)
- race conditions, relating to signals: [Signals in Handler](#)
- radix (of floating point number): [Floating Point Concepts](#)
- raising signals: [Generating Signals](#)
- random numbers: [Pseudo-Random Numbers](#)
- random-access files: [File Position](#)
- range error: [Math Error Reporting](#)
- range of integer type: [Range of Type](#)
- read lock: [File Locks](#)
- reading from a directory: [Accessing Directories](#)
- reading from a file descriptor: [I/O Primitives](#)
- reading from a socket: [Transferring Data](#)
- reading from a stream, by blocks: [Block Input/Output](#)
- reading from a stream, by characters: [Character Input](#)
- reading from a stream, formatted: [Formatted Input](#)
- ready to run: [Absolute Priority](#)
- real group ID: [Process Persona](#)
- real user ID: [Process Persona](#)
- real-time timer: [Setting an Alarm](#)

- realtime CPU scheduling: [Absolute Priority](#)
- realtime processing: [Why Lock Pages](#)
- realtime scheduling: [Realtime Scheduling](#)
- receiving datagrams: [Receiving Datagrams](#)
- record locking: [File Locks](#)
- redirecting input and output: [Duplicating Descriptors](#)
- reentrant functions: [Nonreentrancy](#)
- reentrant NSS functions: [NSS Module Names](#)
- relative file name: [File Name Resolution](#)
- removal of quotes: [Expansion Stages](#)
- removing a file: [Deleting Files](#)
- removing macros that shadow functions: [Macro Definitions](#)
- renaming a file: [Renaming Files](#)
- reporting bugs: [Reporting Bugs](#)
- reporting errors: [Error Reporting](#)
- REPRINT character: [Editing Characters](#)
- reserved names: [Reserved Names](#)
- resource limits: [Limits on Resources](#)
- restarting interrupted primitives: [Interrupted Primitives](#)
- restrictions on signal handler functions: [Nonreentrancy](#)
- root directory: [File Name Resolution](#)
- Rot13: [Trivial Encryption](#)
- rpc: [NSS Basics](#)
- runnable process: [Absolute Priority](#)
- running a command: [Running a Command](#)
- saved set-group-ID: [How Change Persona](#)
- saved set-user-ID: [How Change Persona](#)
- scanning the group list: [Scanning All Groups](#)
- scanning the user list: [Scanning All Users](#)
- scatter-gather: [Scatter-Gather](#)
- scheduling, traditional: [Traditional Scheduling](#)
- search function (for arrays): [Array Search Function](#)
- search functions (for strings): [Search Functions](#)
- seed (for random numbers): [Pseudo-Random Numbers](#)
- seeking on a file descriptor: [File Position Primitive](#)
- seeking on a stream: [File Positioning](#)
- segmentation violation: [Program Error Signals](#)
- sending a datagram: [Sending Datagrams](#)

- sending signals: [Generating Signals](#)
- sequential-access files: [File Position](#)
- server: [Connections](#)
- services: [NSS Basics](#)
- services database: [Services Database](#)
- session: [Concepts of Job Control](#), [Job Control](#)
- session leader: [Concepts of Job Control](#)
- setting an alarm: [Setting an Alarm](#)
- setuid programs: [How Change Persona](#)
- setuid programs and file access: [Testing File Access](#)
- severity class: [Adding Severity Classes](#), [Printing Formatted Messages](#)
- sgettext: [GUI program problems](#)
- shadow: [NSS Basics](#)
- shadowing functions with macros: [Macro Definitions](#)
- shared lock: [File Locks](#)
- shared memory: [Memory Subsystem](#)
- shell: [Concepts of Job Control](#)
- shift state: [Keeping the state](#)
- Shift\_JIS: [Extended Char Intro](#)
- shrinking objects: [Growing Objects](#)
- shutting down a socket: [Closing a Socket](#)
- sigaction flags: [Flags for Sigaction](#)
- sigaction function: [Advanced Signal Handling](#)
- SIGCHLD, handling of: [Stopped and Terminated Jobs](#)
- sign (of floating point number): [Floating Point Concepts](#)
- signal: [Signal Handling](#), [FP Exceptions](#)
- signal action: [Delivery of Signal](#)
- signal actions: [Signal Actions](#)
- signal flags: [Flags for Sigaction](#)
- signal function: [Basic Signal Handling](#)
- signal handler function: [Defining Handlers](#)
- signal mask: [Process Signal Mask](#)
- signal messages: [Signal Messages](#)
- signal names: [Standard Signals](#)
- signal number: [Standard Signals](#)
- signal set: [Signal Sets](#)
- signals, generating: [Generating Signals](#)
- signedness: [Integers](#)

- significand (of floating point number): [Floating Point Concepts](#)
- SIGTTIN, from background job: [Access to the Terminal](#)
- SIGTTOU, from background job: [Access to the Terminal](#)
- simple time: [Calendar Time](#)
- single-byte string: [Representation of Strings](#)
- size of string: [Representation of Strings](#)
- SJIS: [Extended Char Intro](#)
- socket: [Sockets](#)
- socket address (name) binding: [Socket Addresses](#)
- socket domain: [Socket Concepts](#)
- socket namespace: [Socket Concepts](#)
- socket option level: [Socket Options](#)
- socket options: [Socket Options](#)
- socket pair: [Socket Pairs](#)
- socket protocol: [Socket Concepts](#)
- socket shutdown: [Closing a Socket](#)
- socket, client actions: [Connecting](#)
- socket, closing: [Closing a Socket](#)
- socket, connecting: [Connecting](#)
- socket, creating: [Creating a Socket](#)
- socket, initiating a connection: [Connecting](#)
- sockets, accepting connections: [Accepting Connections](#)
- sockets, listening: [Listening](#)
- sockets, server actions: [Listening](#)
- soft limit: [Limits on Resources](#)
- soft link: [Symbolic Links](#)
- sort function (for arrays): [Array Sort Function](#)
- sparse files: [File Position Primitive](#)
- special files: [Making Special Files](#)
- special functions: [Special Functions](#)
- specified action (for a signal): [Delivery of Signal](#)
- speed of execution: [Why Lock Pages](#)
- square root function: [Exponents and Logarithms](#)
- stable sorting: [Array Sort Function](#)
- standard dot notation, for Internet addresses: [Abstract Host Addresses](#)
- standard environment variables: [Standard Environment](#)
- standard error file descriptor: [Descriptors and Streams](#)
- standard error stream: [Standard Streams](#)

- standard file descriptors: [Descriptors and Streams](#)
- standard input file descriptor: [Descriptors and Streams](#)
- standard input stream: [Standard Streams](#)
- standard output file descriptor: [Descriptors and Streams](#)
- standard output stream: [Standard Streams](#)
- standard streams: [Standard Streams](#)
- standards: [Standards and Portability](#)
- START character: [Start/Stop Characters](#)
- startup of program: [Program Arguments](#)
- stateful: [glibc iconv Implementation](#), [iconv Examples](#), [Generic Conversion Interface](#), [Converting Strings](#), [Converting a Character](#), [Keeping the state](#)
- static memory allocation: [Memory Allocation and C](#)
- static storage class: [Memory Allocation and C](#)
- STATUS character: [Other Special](#)
- status codes: [Error Reporting](#)
- status of a file: [Attribute Meanings](#)
- status of obstack: [Status of an Obstack](#)
- sticky bit: [Permission Bits](#)
- STOP character: [Start/Stop Characters](#)
- stop signal: [Job Control Signals](#)
- stopped job: [Concepts of Job Control](#)
- stopped jobs, continuing: [Continuing Stopped Jobs](#)
- stopped jobs, detecting: [Stopped and Terminated Jobs](#)
- storage allocation: [Memory](#)
- stream (sockets): [Socket Concepts](#)
- stream orientation: [Streams and I18N](#), [Opening Streams](#)
- stream, for I/O to a string: [String Streams](#)
- streams and descriptors: [Stream/Descriptor Precautions](#)
- streams, and file descriptors: [Descriptors and Streams](#)
- streams, C++: [Streams and I18N](#)
- streams, standard: [Standard Streams](#)
- string: [Representation of Strings](#)
- string allocation: [Representation of Strings](#)
- string collation functions: [Collation Functions](#)
- string comparison functions: [String/Array Comparison](#)
- string concatenation functions: [Copying and Concatenation](#)
- string copy functions: [Copying and Concatenation](#)
- string length: [Representation of Strings](#)



- string literal: [Representation of Strings](#)
- string search functions: [Search Functions](#)
- string stream: [String Streams](#)
- string vectors, null-character separated: [Argz and Envz Vectors](#)
- string, representation of: [Representation of Strings](#)
- style of communication (of a socket): [Socket Concepts](#)
- subshell: [Initializing the Shell](#)
- substitution of variables and commands: [Expansion Stages](#)
- successive signals: [Merged Signals](#)
- summer time: [Broken-down Time](#)
- SunOS: [Berkeley Unix](#)
- supplementary group IDs: [Process Persona](#)
- SUSP character: [Signal Characters](#)
- suspend character: [Signal Characters](#)
- SVID: [SVID](#)
- swap space: [Memory Concepts](#)
- symbolic link: [Symbolic Links](#)
- symbolic link, opening: [Open-time Flags](#)
- synchronizing: [Synchronizing AIO Operations](#), [Synchronizing I/O](#)
- syntax error messages, in argp: [Argp Helper Functions](#)
- syntax, for program arguments: [Argument Syntax](#)
- syntax, for reading numbers: [Parsing of Numbers](#)
- sysconf: [Processor Resources](#), [Query Memory Parameters](#)
- system call: [System Calls](#)
- system call number: [System Calls](#)
- System V Unix: [SVID](#)
- TCP (Internet protocol): [Protocols Database](#)
- template, for `printf`: [Formatted Output](#)
- template, for `scanf`: [Formatted Input](#)
- TERM environment variable: [Standard Environment](#)
- terminal flow control: [Line Control](#)
- terminal identification: [Is It a Terminal](#)
- terminal input queue: [I/O Queues](#)
- terminal input queue, clearing: [Line Control](#)
- terminal input signal: [Job Control Signals](#)
- terminal line control functions: [Line Control](#)
- terminal line speed: [Line Speed](#)
- terminal mode data types: [Mode Data Types](#)

- terminal mode functions: [Mode Functions](#)
- terminal modes, BSD: [BSD Terminal Modes](#)
- terminal output queue: [I/O Queues](#)
- terminal output queue, flushing: [Line Control](#)
- terminal output signal: [Job Control Signals](#)
- terminated jobs, detecting: [Stopped and Terminated Jobs](#)
- termination signal: [Termination Signals](#)
- testing access permission: [Testing File Access](#)
- testing exit status of child process: [Process Completion](#)
- text stream: [Binary Streams](#)
- thrashing: [Memory Subsystem](#)
- thread of control: [Program Basics](#)
- threads: [Streams and Threads](#)
- ticks, clock: [Processor And CPU Time](#)
- tilde expansion: [Expansion Stages](#)
- time: [Time Basics](#)
- TIME termios slot: [Noncanonical Input](#)
- time zone: [TZ Variable](#)
- time zone database: [TZ Variable](#)
- time, elapsed: [Time Basics](#)
- time, high precision: [High Accuracy Clock](#)
- timer, profiling: [Setting an Alarm](#)
- timer, real-time: [Setting an Alarm](#)
- timer, virtual: [Setting an Alarm](#)
- timers, setting: [Setting an Alarm](#)
- timespec: [Elapsed Time](#)
- timeval: [Elapsed Time](#)
- timing error in signal handling: [Remembering a Signal](#)
- TMPDIR environment variable: [Temporary Files](#)
- tokenizing strings: [Finding Tokens in a String](#)
- tools, for installing library: [Tools for Compilation](#)
- transmitting datagrams: [Sending Datagrams](#)
- tree, directory: [Working with Directory Trees](#)
- triangulation: [glibc iconv Implementation](#)
- trigonometric functions: [Trig Functions](#)
- type measurements, floating: [Floating Type Macros](#)
- type measurements, integer: [Width of Type](#)
- type modifier character (`printf`): [Output Conversion Syntax](#)

- type modifier character (`scanf`): [Input Conversion Syntax](#)
- typeahead buffer: [I/O Queues](#)
- TZ environment variable: [Standard Environment](#)
- UCS-2: [Extended Char Intro](#)
- UCS-4: [Extended Char Intro](#)
- ulps: [Errors in Math Functions](#)
- umask: [Setting Permissions](#)
- unbuffered stream: [Buffering Concepts](#)
- unconstrained memory allocation: [Unconstrained Allocation](#)
- undefining macros that shadow functions: [Macro Definitions](#)
- underflow exception: [FP Exceptions](#)
- Unicode: [Extended Char Intro](#)
- Unix, Berkeley: [Berkeley Unix](#)
- Unix, System V: [SVID](#)
- unlinking a file: [Deleting Files](#)
- unordered comparison: [FP Comparison Functions](#)
- unreading characters: [Unreading](#)
- upgrading from libc5: [Linux](#)
- upper-case character: [Classification of Wide Characters](#), [Classification of Characters](#)
- urgent data signal: [Asynchronous I/O Signals](#)
- urgent socket condition: [Out-of-Band Data](#)
- usage limits: [Limits on Resources](#)
- usage messages, in `argp`: [Argp Helper Functions](#)
- user accounting database: [User Accounting Database](#)
- user database: [User Database](#)
- user ID: [User and Group IDs](#)
- user ID, determining: [Who Logged In](#)
- user name: [User and Group IDs](#)
- user signals: [Miscellaneous Signals](#)
- usual file name errors: [File Name Errors](#)
- UTF-16: [Extended Char Intro](#)
- UTF-7: [Extended Char Intro](#)
- UTF-8: [Extended Char Intro](#)
- `va_copy`: [Copying and Concatenation](#)
- variable number of arguments: [Variadic Functions](#)
- variable substitution: [Expansion Stages](#)
- variable-sized arrays: [GNU C Variable-Size Arrays](#)
- variadic function argument access: [Receiving Arguments](#)

- variadic function prototypes: [Variadic Prototypes](#)
- variadic functions: [Variadic Functions](#)
- variadic functions, calling: [Calling Variadics](#)
- virtual time alarm signal: [Alarm Signals](#)
- virtual timer: [Setting an Alarm](#)
- volatile declarations: [Nonreentrancy](#)
- waiting for a signal: [Waiting for a Signal](#)
- waiting for completion of child process: [Process Completion](#)
- waiting for input or output: [Waiting for I/O](#)
- WERASE character: [Editing Characters](#)
- whitespace character: [Classification of Wide Characters](#), [Classification of Characters](#)
- wide character: [Extended Char Intro](#)
- wide character string: [Representation of Strings](#)
- width of integer type: [Width of Type](#)
- wildcard expansion: [Expansion Stages](#)
- wint\_t: [String/Array Conventions](#)
- word expansion: [Word Expansion](#)
- working directory: [Working Directory](#)
- write lock: [File Locks](#)
- writing to a file descriptor: [I/O Primitives](#)
- writing to a socket: [Transferring Data](#)
- writing to a stream, by blocks: [Block Input/Output](#)
- writing to a stream, by characters: [Simple Output](#)
- writing to a stream, formatted: [Formatted Output](#)
- YP: [Host Identification](#)
- YP domain name: [Host Identification](#)
- zero divide: [FP Exceptions](#)

---

Node: Type Index, Next: [Function Index](#), Previous: [Concept Index](#), Up: [Top](#)

## Type Index

- `__ftw64_func_t`: [Working with Directory Trees](#)
- `__ftw_func_t`: [Working with Directory Trees](#)
- `__nftw64_func_t`: [Working with Directory Trees](#)
- `__nftw_func_t`: [Working with Directory Trees](#)
- `blkcnt64_t`: [Attribute Meanings](#)

- blkcnt\_t: [Attribute Meanings](#)
- cc\_t: [Mode Data Types](#)
- clock\_t: [CPU Time](#)
- comparison\_fn\_t: [Comparison Functions](#)
- cookie\_close\_function: [Hook Functions](#)
- cookie\_io\_functions\_t: [Streams and Cookies](#)
- cookie\_read\_function: [Hook Functions](#)
- cookie\_seek\_function: [Hook Functions](#)
- cookie\_write\_function: [Hook Functions](#)
- cpu\_set\_t: [CPU Affinity](#)
- dev\_t: [Attribute Meanings](#)
- DIR: [Opening a Directory](#)
- div\_t: [Integer Division](#)
- enum mcheck\_status: [Heap Consistency Checking](#)
- fd\_set: [Waiting for I/O](#)
- FILE: [Streams](#)
- fpos64\_t: [Portable Positioning](#)
- fpos\_t: [Portable Positioning](#)
- gid\_t: [Reading Persona](#)
- glob64\_t: [Calling Glob](#)
- glob\_t: [Calling Glob](#)
- iconv\_t: [Generic Conversion Interface](#)
- imaxdiv\_t: [Integer Division](#)
- ino64\_t: [Attribute Meanings](#)
- ino\_t: [Attribute Meanings](#)
- jmp\_buf: [Non-Local Details](#)
- ldiv\_t: [Integer Division](#)
- lldiv\_t: [Integer Division](#)
- mbstate\_t: [Keeping the state](#)
- mode\_t: [Attribute Meanings](#)
- nlink\_t: [Attribute Meanings](#)
- off64\_t: [File Position Primitive](#)
- off\_t: [File Position Primitive](#)
- pid\_t: [Process Identification](#)
- printf\_arginfo\_function: [Defining the Output Handler](#)
- printf\_function: [Defining the Output Handler](#)
- ptrdiff\_t: [Important Data Types](#)
- regex\_t: [POSIX Regexp Compilation](#)

- `regmatch_t`: [Regexp Subexpressions](#)
- `regoff_t`: [Regexp Subexpressions](#)
- `sig_atomic_t`: [Atomic Types](#)
- `sighandler_t`: [Basic Signal Handling](#)
- `sigjmp_buf`: [Non-Local Exits and Signals](#)
- `sigset_t`: [Signal Sets](#)
- `size_t`: [Important Data Types](#)
- `speed_t`: [Line Speed](#)
- `ssize_t`: [I/O Primitives](#)
- `stack_t`: [Signal Stack](#)
- `struct __gconv_step`: [glibc iconv Implementation](#)
- `struct __gconv_step_data`: [glibc iconv Implementation](#)
- `struct aiocb`: [Asynchronous I/O](#)
- `struct aiocb64`: [Asynchronous I/O](#)
- `struct aioinit`: [Configuration of AIO](#)
- `struct argp`: [Argp Parsers](#)
- `struct argp_child`: [Argp Children](#)
- `struct argp_option`: [Argp Option Vectors](#)
- `struct argp_state`: [Argp Parsing State](#)
- `struct dirent`: [Directory Entries](#)
- `struct ENTRY`: [Hash Search Function](#)
- `struct exit_status`: [Manipulating the Database](#)
- `struct flock`: [File Locks](#)
- `struct fstab`: [fstab](#)
- `struct FTW`: [Working with Directory Trees](#)
- `struct group`: [Group Data Structure](#)
- `struct hostent`: [Host Names](#)
- `struct if_nameindex`: [Interface Naming](#)
- `struct in6_addr`: [Host Address Data Type](#)
- `struct in_addr`: [Host Address Data Type](#)
- `struct iovec`: [Scatter-Gather](#)
- `struct itimerval`: [Setting an Alarm](#)
- `struct lconv`: [The Lame Way to Locale Data](#)
- `struct linger`: [Socket-Level Options](#)
- `struct mallinfo`: [Statistics of Malloc](#)
- `struct mntent`: [mntab](#)
- `struct netent`: [Networks Database](#)
- `struct ntptimeval`: [High Accuracy Clock](#)

- struct obstack: [Creating Obstacks](#)
- struct option: [Getopt Long Options](#)
- struct passwd: [User Data Structure](#)
- struct printf\_info: [Conversion Specifier Options](#)
- struct protoent: [Protocols Database](#)
- struct random\_data: [BSD Random](#)
- struct rlimit: [Limits on Resources](#)
- struct rlimit64: [Limits on Resources](#)
- struct rusage: [Resource Usage](#)
- struct sched\_param: [Basic Scheduling Functions](#)
- struct servent: [Services Database](#)
- struct sgttyb: [BSD Terminal Modes](#)
- struct sigaction: [Advanced Signal Handling](#)
- struct sigstack: [Signal Stack](#)
- struct sigvec: [BSD Handler](#)
- struct sockaddr: [Address Formats](#)
- struct sockaddr\_in: [Internet Address Formats](#)
- struct sockaddr\_in6: [Internet Address Formats](#)
- struct sockaddr\_un: [Local Namespace Details](#)
- struct stat: [Attribute Meanings](#)
- struct stat64: [Attribute Meanings](#)
- struct termios: [Mode Data Types](#)
- struct timespec: [Elapsed Time](#)
- struct timeval: [Elapsed Time](#)
- struct timex: [High Accuracy Clock](#)
- struct timezone: [High-Resolution Calendar](#)
- struct tm: [Broken-down Time](#)
- struct tms: [Processor Time](#)
- struct utimbuf: [File Times](#)
- struct utmp: [Manipulating the Database](#)
- struct utmpx: [XPG Functions](#)
- struct utsname: [Platform Type](#)
- struct vtimes: [Resource Usage](#)
- tcflag\_t: [Mode Data Types](#)
- time\_t: [Simple Calendar Time](#)
- ucontext\_t: [System V contexts](#)
- uid\_t: [Reading Persona](#)
- union wait: [BSD Wait Functions](#)

- `va_list`: [Argument Macros](#)
  - `VISIT`: [Tree Search Function](#)
  - `wchar_t`: [Extended Char Intro](#)
  - `wctrans_t`: [Wide Character Case Conversion](#)
  - `wctype_t`: [Classification of Wide Characters](#)
  - `wint_t`: [Extended Char Intro](#)
  - `wordexp_t`: [Calling Wordexp](#)
- 

Node: [Function Index](#), Next: [Variable Index](#), Previous: [Type Index](#), Up: [Top](#)

## Function and Macro Index

- `__fbufsize`: [Controlling Buffering](#)
- `__flbf`: [Controlling Buffering](#)
- `__fpending`: [Controlling Buffering](#)
- `__fpurge`: [Flushing Buffers](#)
- `__freadable`: [Opening Streams](#)
- `__freading`: [Opening Streams](#)
- `__fsetlocking`: [Streams and Threads](#)
- `__fwritable`: [Opening Streams](#)
- `__fwriting`: [Opening Streams](#)
- `__va_copy`: [Argument Macros](#)
- `_Exit`: [Termination Internals](#)
- `_exit`: [Termination Internals](#)
- `_flushlbf`: [Flushing Buffers](#)
- `_tolower`: [Case Conversion](#)
- `_toupper`: [Case Conversion](#)
- `a64l`: [Encode Binary Data](#)
- `abort`: [Aborting a Program](#)
- `abs`: [Absolute Value](#)
- `accept`: [Accepting Connections](#)
- `access`: [Testing File Access](#)
- `acos`: [Inverse Trig Functions](#)
- `acosf`: [Inverse Trig Functions](#)
- `acosh`: [Hyperbolic Functions](#)
- `acoshf`: [Hyperbolic Functions](#)
- `acoshl`: [Hyperbolic Functions](#)



- `acosl`: [Inverse Trig Functions](#)
- `addmntent`: [mtab](#)
- `addseverity`: [Adding Severity Classes](#)
- `adjtime`: [High-Resolution Calendar](#)
- `adjtimex`: [High-Resolution Calendar](#)
- `aio_cancel`: [Cancel AIO Operations](#)
- `aio_cancel64`: [Cancel AIO Operations](#)
- `aio_error`: [Status of AIO Operations](#)
- `aio_error64`: [Status of AIO Operations](#)
- `aio_fsync`: [Synchronizing AIO Operations](#)
- `aio_fsync64`: [Synchronizing AIO Operations](#)
- `aio_init`: [Configuration of AIO](#)
- `aio_read`: [Asynchronous Reads/Writes](#)
- `aio_read64`: [Asynchronous Reads/Writes](#)
- `aio_return`: [Status of AIO Operations](#)
- `aio_return64`: [Status of AIO Operations](#)
- `aio_suspend`: [Synchronizing AIO Operations](#)
- `aio_suspend64`: [Synchronizing AIO Operations](#)
- `aio_write`: [Asynchronous Reads/Writes](#)
- `aio_write64`: [Asynchronous Reads/Writes](#)
- `alarm`: [Setting an Alarm](#)
- `alloca`: [Variable Size Automatic](#)
- `alphasort`: [Scanning Directory Content](#)
- `alphasort64`: [Scanning Directory Content](#)
- `argp_error`: [Argp Helper Functions](#)
- `argp_failure`: [Argp Helper Functions](#)
- `argp_help`: [Argp Help](#)
- `argp_parse`: [Argp](#)
- `argp_state_help`: [Argp Helper Functions](#)
- `argp_usage`: [Argp Helper Functions](#)
- `argz_add`: [Argz Functions](#)
- `argz_add_sep`: [Argz Functions](#)
- `argz_append`: [Argz Functions](#)
- `argz_count`: [Argz Functions](#)
- `argz_create`: [Argz Functions](#)
- `argz_create_sep`: [Argz Functions](#)
- `argz_delete`: [Argz Functions](#)
- `argz_extract`: [Argz Functions](#)

- `argz_insert`: [Argz Functions](#)
- `argz_next`: [Argz Functions](#)
- `argz_replace`: [Argz Functions](#)
- `argz_stringify`: [Argz Functions](#)
- `asctime`: [Formatting Calendar Time](#)
- `asctime_r`: [Formatting Calendar Time](#)
- `asin`: [Inverse Trig Functions](#)
- `asinf`: [Inverse Trig Functions](#)
- `asinh`: [Hyperbolic Functions](#)
- `asinhf`: [Hyperbolic Functions](#)
- `asinh1`: [Hyperbolic Functions](#)
- `asinl`: [Inverse Trig Functions](#)
- `asprintf`: [Dynamic Output](#)
- `assert`: [Consistency Checking](#)
- `assert_perror`: [Consistency Checking](#)
- `atan`: [Inverse Trig Functions](#)
- `atan2`: [Inverse Trig Functions](#)
- `atan2f`: [Inverse Trig Functions](#)
- `atan2l`: [Inverse Trig Functions](#)
- `atanf`: [Inverse Trig Functions](#)
- `atanh`: [Hyperbolic Functions](#)
- `atanhf`: [Hyperbolic Functions](#)
- `atanh1`: [Hyperbolic Functions](#)
- `atanl`: [Inverse Trig Functions](#)
- `atexit`: [Cleanups on Exit](#)
- `atof`: [Parsing of Floats](#)
- `atoi`: [Parsing of Integers](#)
- `atol`: [Parsing of Integers](#)
- `atoll`: [Parsing of Integers](#)
- `backtrace`: [Backtraces](#)
- `backtrace_symbols`: [Backtraces](#)
- `backtrace_symbols_fd`: [Backtraces](#)
- `basename`: [Finding Tokens in a String](#)
- `bcmp`: [String/Array Comparison](#)
- `bcopy`: [Copying and Concatenation](#)
- `bind`: [Setting Address](#)
- `bind_textdomain_codeset`: [Charset conversion in gettext](#)
- `bindtextdomain`: [Locating gettext catalog](#)

- brk: [Resizing the Data Segment](#)
- bsearch: [Array Search Function](#)
- btowc: [Converting a Character](#)
- bzero: [Copying and Concatenation](#)
- cabs: [Absolute Value](#)
- cabsf: [Absolute Value](#)
- cabsl: [Absolute Value](#)
- cacos: [Inverse Trig Functions](#)
- cacosf: [Inverse Trig Functions](#)
- cacosh: [Hyperbolic Functions](#)
- cacoshf: [Hyperbolic Functions](#)
- cacoshl: [Hyperbolic Functions](#)
- cacosl: [Inverse Trig Functions](#)
- calloc: [Allocating Cleared Space](#)
- canonicalize\_file\_name: [Symbolic Links](#)
- carg: [Operations on Complex](#)
- cargf: [Operations on Complex](#)
- cargl: [Operations on Complex](#)
- casin: [Inverse Trig Functions](#)
- casinf: [Inverse Trig Functions](#)
- casinh: [Hyperbolic Functions](#)
- casinhf: [Hyperbolic Functions](#)
- casinhl: [Hyperbolic Functions](#)
- casinl: [Inverse Trig Functions](#)
- catan: [Inverse Trig Functions](#)
- catanf: [Inverse Trig Functions](#)
- catanh: [Hyperbolic Functions](#)
- catanhf: [Hyperbolic Functions](#)
- catanhl: [Hyperbolic Functions](#)
- catanl: [Inverse Trig Functions](#)
- catclose: [The catgets Functions](#)
- catgets: [The catgets Functions](#)
- catopen: [The catgets Functions](#)
- cbc\_crypt: [DES Encryption](#)
- cbrt: [Exponents and Logarithms](#)
- cbrtf: [Exponents and Logarithms](#)
- cbrtl: [Exponents and Logarithms](#)
- ccos: [Trig Functions](#)

- `ccosf`: [Trig Functions](#)
- `ccosh`: [Hyperbolic Functions](#)
- `ccoshf`: [Hyperbolic Functions](#)
- `ccoshl`: [Hyperbolic Functions](#)
- `ccosl`: [Trig Functions](#)
- `ceil`: [Rounding Functions](#)
- `ceilf`: [Rounding Functions](#)
- `ceill`: [Rounding Functions](#)
- `cexp`: [Exponents and Logarithms](#)
- `cexpf`: [Exponents and Logarithms](#)
- `cexpl`: [Exponents and Logarithms](#)
- `cfgetispeed`: [Line Speed](#)
- `cfgetospeed`: [Line Speed](#)
- `cfmakeraw`: [Noncanonical Input](#)
- `cfree`: [Freeing after Malloc](#)
- `cfsetispeed`: [Line Speed](#)
- `cfsetospeed`: [Line Speed](#)
- `cfsetspeed`: [Line Speed](#)
- `chdir`: [Working Directory](#)
- `chmod`: [Setting Permissions](#)
- `chown`: [File Owner](#)
- `cimag`: [Operations on Complex](#)
- `cimagf`: [Operations on Complex](#)
- `cimagl`: [Operations on Complex](#)
- `clearenv`: [Environment Access](#)
- `clearerr`: [Error Recovery](#)
- `clearerr_unlocked`: [Error Recovery](#)
- `clock`: [CPU Time](#)
- `clog`: [Exponents and Logarithms](#)
- `clog10`: [Exponents and Logarithms](#)
- `clog10f`: [Exponents and Logarithms](#)
- `clog10l`: [Exponents and Logarithms](#)
- `clogf`: [Exponents and Logarithms](#)
- `clogl`: [Exponents and Logarithms](#)
- `close`: [Opening and Closing Files](#)
- `closedir`: [Reading/Closing Directory](#)
- `closelog`: [closelog](#)
- `confstr`: [String Parameters](#)

- conj: [Operations on Complex](#)
- conjf: [Operations on Complex](#)
- conjl: [Operations on Complex](#)
- connect: [Connecting](#)
- copysign: [FP Bit Twiddling](#)
- copysignf: [FP Bit Twiddling](#)
- copysignl: [FP Bit Twiddling](#)
- cos: [Trig Functions](#)
- cosf: [Trig Functions](#)
- cosh: [Hyperbolic Functions](#)
- coshf: [Hyperbolic Functions](#)
- coshl: [Hyperbolic Functions](#)
- cosl: [Trig Functions](#)
- cpow: [Exponents and Logarithms](#)
- cpowf: [Exponents and Logarithms](#)
- cpowl: [Exponents and Logarithms](#)
- cproj: [Operations on Complex](#)
- cprojf: [Operations on Complex](#)
- cprojl: [Operations on Complex](#)
- CPU\_CLR: [CPU Affinity](#)
- CPU\_ISSET: [CPU Affinity](#)
- CPU\_SET: [CPU Affinity](#)
- CPU\_ZERO: [CPU Affinity](#)
- creal: [Operations on Complex](#)
- crealf: [Operations on Complex](#)
- creall: [Operations on Complex](#)
- creat: [Opening and Closing Files](#)
- creat64: [Opening and Closing Files](#)
- crypt: [crypt](#)
- crypt\_r: [crypt](#)
- csin: [Trig Functions](#)
- csinf: [Trig Functions](#)
- csinh: [Hyperbolic Functions](#)
- csinhf: [Hyperbolic Functions](#)
- csinhl: [Hyperbolic Functions](#)
- csinl: [Trig Functions](#)
- csqrt: [Exponents and Logarithms](#)
- csqrtf: [Exponents and Logarithms](#)

- `csqrtl`: [Exponents and Logarithms](#)
- `ctan`: [Trig Functions](#)
- `ctanf`: [Trig Functions](#)
- `ctanh`: [Hyperbolic Functions](#)
- `ctanhf`: [Hyperbolic Functions](#)
- `ctanhl`: [Hyperbolic Functions](#)
- `ctanl`: [Trig Functions](#)
- `ctermid`: [Identifying the Terminal](#)
- `ctime`: [Formatting Calendar Time](#)
- `ctime_r`: [Formatting Calendar Time](#)
- `cuserid`: [Who Logged In](#)
- `dcgettext`: [Translation with gettext](#)
- `dcngettext`: [Advanced gettext functions](#)
- `DES_FAILED`: [DES Encryption](#)
- `des_setparity`: [DES Encryption](#)
- `dgettext`: [Translation with gettext](#)
- `difftime`: [Elapsed Time](#)
- `dirfd`: [Opening a Directory](#)
- `dirname`: [Finding Tokens in a String](#)
- `div`: [Integer Division](#)
- `dngettext`: [Advanced gettext functions](#)
- `drand48`: [SVID Random](#)
- `drand48_r`: [SVID Random](#)
- `drem`: [Remainder Functions](#)
- `dremf`: [Remainder Functions](#)
- `dreml`: [Remainder Functions](#)
- `DTTOIF`: [Directory Entries](#)
- `dup`: [Duplicating Descriptors](#)
- `dup2`: [Duplicating Descriptors](#)
- `ecb_crypt`: [DES Encryption](#)
- `ecvt`: [System V Number Conversion](#)
- `ecvt_r`: [System V Number Conversion](#)
- `encrypt`: [DES Encryption](#)
- `encrypt_r`: [DES Encryption](#)
- `endfsent`: [fstab](#)
- `endgrent`: [Scanning All Groups](#)
- `endhostent`: [Host Names](#)
- `endmntent`: [mtab](#)

- endnetent: [Networks Database](#)
- endnetgrent: [Lookup Netgroup](#)
- endprotoent: [Protocols Database](#)
- endpwent: [Scanning All Users](#)
- endservent: [Services Database](#)
- endutent: [Manipulating the Database](#)
- endutxent: [XPG Functions](#)
- envz\_add: [Envz Functions](#)
- envz\_entry: [Envz Functions](#)
- envz\_get: [Envz Functions](#)
- envz\_merge: [Envz Functions](#)
- envz\_strip: [Envz Functions](#)
- erand48: [SVID Random](#)
- erand48\_r: [SVID Random](#)
- erf: [Special Functions](#)
- erfc: [Special Functions](#)
- erfcf: [Special Functions](#)
- erfcl: [Special Functions](#)
- erff: [Special Functions](#)
- erfl: [Special Functions](#)
- err: [Error Messages](#)
- error: [Error Messages](#)
- error\_at\_line: [Error Messages](#)
- errx: [Error Messages](#)
- execl: [Executing a File](#)
- execl\_e: [Executing a File](#)
- execlp: [Executing a File](#)
- execv: [Executing a File](#)
- execve: [Executing a File](#)
- execvp: [Executing a File](#)
- exit: [Normal Termination](#)
- exp: [Exponents and Logarithms](#)
- exp10: [Exponents and Logarithms](#)
- exp10f: [Exponents and Logarithms](#)
- exp10l: [Exponents and Logarithms](#)
- exp2: [Exponents and Logarithms](#)
- exp2f: [Exponents and Logarithms](#)
- exp2l: [Exponents and Logarithms](#)

- expf: [Exponents and Logarithms](#)
- expl: [Exponents and Logarithms](#)
- expm1: [Exponents and Logarithms](#)
- expm1f: [Exponents and Logarithms](#)
- expm1l: [Exponents and Logarithms](#)
- fabs: [Absolute Value](#)
- fabsf: [Absolute Value](#)
- fabsl: [Absolute Value](#)
- fchdir: [Working Directory](#)
- fchmod: [Setting Permissions](#)
- fchown: [File Owner](#)
- fclean: [Cleaning Streams](#)
- fclose: [Closing Streams](#)
- fcloseall: [Closing Streams](#)
- fcntl: [Control Operations](#)
- fcvt: [System V Number Conversion](#)
- fcvt\_r: [System V Number Conversion](#)
- FD\_CLR: [Waiting for I/O](#)
- FD\_ISSET: [Waiting for I/O](#)
- FD\_SET: [Waiting for I/O](#)
- FD\_ZERO: [Waiting for I/O](#)
- fdatsync: [Synchronizing I/O](#)
- fdim: [Misc FP Arithmetic](#)
- fdimf: [Misc FP Arithmetic](#)
- fdiml: [Misc FP Arithmetic](#)
- fdopen: [Descriptors and Streams](#)
- feclearexcept: [Status bit operations](#)
- fedisableexcept: [Control Functions](#)
- feenableexcept: [Control Functions](#)
- fegetenv: [Control Functions](#)
- fegetexcept: [Control Functions](#)
- fegetexceptflag: [Status bit operations](#)
- fegetround: [Rounding](#)
- feholdexcept: [Control Functions](#)
- feof: [EOF and Errors](#)
- feof\_unlocked: [EOF and Errors](#)
- ferror: [EOF and Errors](#)
- ferror: [EOF and Errors](#)



- `ferror_unlocked`: [EOF and Errors](#)
- `fesetenv`: [Control Functions](#)
- `fesetexceptflag`: [Status bit operations](#)
- `fesetround`: [Rounding](#)
- `fetestexcept`: [Status bit operations](#)
- `feupdateenv`: [Control Functions](#)
- `fflush`: [Flushing Buffers](#)
- `fflush_unlocked`: [Flushing Buffers](#)
- `fgetc`: [Character Input](#)
- `fgetc_unlocked`: [Character Input](#)
- `fgetgrent`: [Scanning All Groups](#)
- `fgetgrent_r`: [Scanning All Groups](#)
- `fgetpos`: [Portable Positioning](#)
- `fgetpos64`: [Portable Positioning](#)
- `fgetpwent`: [Scanning All Users](#)
- `fgetpwent_r`: [Scanning All Users](#)
- `fgets`: [Line Input](#)
- `fgets_unlocked`: [Line Input](#)
- `fgetwc`: [Character Input](#)
- `fgetwc_unlocked`: [Character Input](#)
- `fgetws`: [Line Input](#)
- `fgetws_unlocked`: [Line Input](#)
- `fileno`: [Descriptors and Streams](#)
- `fileno_unlocked`: [Descriptors and Streams](#)
- `finite`: [Floating Point Classes](#)
- `finitef`: [Floating Point Classes](#)
- `finitel`: [Floating Point Classes](#)
- `flockfile`: [Streams and Threads](#)
- `floor`: [Rounding Functions](#)
- `floorf`: [Rounding Functions](#)
- `floorl`: [Rounding Functions](#)
- `fma`: [Misc FP Arithmetic](#)
- `fmaf`: [Misc FP Arithmetic](#)
- `fmal`: [Misc FP Arithmetic](#)
- `fmax`: [Misc FP Arithmetic](#)
- `fmaxf`: [Misc FP Arithmetic](#)
- `fmaxl`: [Misc FP Arithmetic](#)
- `fmemopen`: [String Streams](#)

- `fmin`: [Misc FP Arithmetic](#)
- `fminf`: [Misc FP Arithmetic](#)
- `fminl`: [Misc FP Arithmetic](#)
- `fmod`: [Remainder Functions](#)
- `fmodf`: [Remainder Functions](#)
- `fmodl`: [Remainder Functions](#)
- `fmtmsg`: [Printing Formatted Messages](#)
- `fnmatch`: [Wildcard Matching](#)
- `fopen`: [Opening Streams](#)
- `fopen64`: [Opening Streams](#)
- `fopencookie`: [Streams and Cookies](#)
- `fork`: [Creating a Process](#)
- `forkpty`: [Pseudo-Terminal Pairs](#)
- `fpathconf`: [Pathconf](#)
- `fpclassify`: [Floating Point Classes](#)
- `fprintf`: [Formatted Output Functions](#)
- `fputc`: [Simple Output](#)
- `fputc_unlocked`: [Simple Output](#)
- `fputs`: [Simple Output](#)
- `fputs_unlocked`: [Simple Output](#)
- `fputwc`: [Simple Output](#)
- `fputwc_unlocked`: [Simple Output](#)
- `fputws`: [Simple Output](#)
- `fputws_unlocked`: [Simple Output](#)
- `fread`: [Block Input/Output](#)
- `fread_unlocked`: [Block Input/Output](#)
- `free`: [Freeing after Malloc](#)
- `freopen`: [Opening Streams](#)
- `freopen64`: [Opening Streams](#)
- `frexp`: [Normalization Functions](#)
- `frexpf`: [Normalization Functions](#)
- `frexpl`: [Normalization Functions](#)
- `fscanf`: [Formatted Input Functions](#)
- `fseek`: [File Positioning](#)
- `fseeko`: [File Positioning](#)
- `fseeko64`: [File Positioning](#)
- `fsetpos`: [Portable Positioning](#)
- `fsetpos64`: [Portable Positioning](#)

- `fstat`: [Reading Attributes](#)
- `fstat64`: [Reading Attributes](#)
- `fsync`: [Synchronizing I/O](#)
- `ftell`: [File Positioning](#)
- `ftello`: [File Positioning](#)
- `ftello64`: [File Positioning](#)
- `ftruncate`: [File Size](#)
- `ftruncate64`: [File Size](#)
- `ftrylockfile`: [Streams and Threads](#)
- `ftw`: [Working with Directory Trees](#)
- `ftw64`: [Working with Directory Trees](#)
- `funlockfile`: [Streams and Threads](#)
- `futimes`: [File Times](#)
- `fwide`: [Streams and I18N](#)
- `fwprintf`: [Formatted Output Functions](#)
- `fwrite`: [Block Input/Output](#)
- `fwrite_unlocked`: [Block Input/Output](#)
- `fwscanf`: [Formatted Input Functions](#)
- `gamma`: [Special Functions](#)
- `gammaf`: [Special Functions](#)
- `gammal`: [Special Functions](#)
- `gcvt`: [System V Number Conversion](#)
- `get_avphys_pages`: [Query Memory Parameters](#)
- `get_current_dir_name`: [Working Directory](#)
- `get_nprocs`: [Processor Resources](#)
- `get_nprocs_conf`: [Processor Resources](#)
- `get_phys_pages`: [Query Memory Parameters](#)
- `getc`: [Character Input](#)
- `getc_unlocked`: [Character Input](#)
- `getchar`: [Character Input](#)
- `getchar_unlocked`: [Character Input](#)
- `getcontext`: [System V contexts](#)
- `getcwd`: [Working Directory](#)
- `getdate`: [General Time String Parsing](#)
- `getdate_r`: [General Time String Parsing](#)
- `getdelim`: [Line Input](#)
- `getdomainname`: [Host Identification](#)
- `getegid`: [Reading Persona](#)

- getenv: [Environment Access](#)
- geteuid: [Reading Persona](#)
- getfsent: [fstab](#)
- getfsfile: [fstab](#)
- getfsspec: [fstab](#)
- getgid: [Reading Persona](#)
- getgrent: [Scanning All Groups](#)
- getgrent\_r: [Scanning All Groups](#)
- getgrgid: [Lookup Group](#)
- getgrgid\_r: [Lookup Group](#)
- getgrnam: [Lookup Group](#)
- getgrnam\_r: [Lookup Group](#)
- getgrouplist: [Setting Groups](#)
- getgroups: [Reading Persona](#)
- gethostbyaddr: [Host Names](#)
- gethostbyaddr\_r: [Host Names](#)
- gethostbyname: [Host Names](#)
- gethostbyname2: [Host Names](#)
- gethostbyname2\_r: [Host Names](#)
- gethostbyname\_r: [Host Names](#)
- gethostent: [Host Names](#)
- gethostid: [Host Identification](#)
- gethostname: [Host Identification](#)
- getitimer: [Setting an Alarm](#)
- getline: [Line Input](#)
- getloadavg: [Processor Resources](#)
- getlogin: [Who Logged In](#)
- getmntent: [mtab](#)
- getmntent\_r: [mtab](#)
- getnetbyaddr: [Networks Database](#)
- getnetbyname: [Networks Database](#)
- getnetent: [Networks Database](#)
- getnetgrent: [Lookup Netgroup](#)
- getnetgrent\_r: [Lookup Netgroup](#)
- getopt: [Using Getopt](#)
- getopt\_long: [Getopt Long Options](#)
- getopt\_long\_only: [Getopt Long Options](#)
- getpagesize: [Query Memory Parameters](#)

- `getpass`: [getpass](#)
- `getpeername`: [Who is Connected](#)
- `getpgid`: [Process Group Functions](#)
- `getpgrp`: [Process Group Functions](#)
- `getpid`: [Process Identification](#)
- `getppid`: [Process Identification](#)
- `getpriority`: [Traditional Scheduling Functions](#)
- `getprotobyname`: [Protocols Database](#)
- `getprotobynumber`: [Protocols Database](#)
- `getprotoent`: [Protocols Database](#)
- `getpt`: [Allocation](#)
- `getpwent`: [Scanning All Users](#)
- `getpwent_r`: [Scanning All Users](#)
- `getpwnam`: [Lookup User](#)
- `getpwnam_r`: [Lookup User](#)
- `getpwuid`: [Lookup User](#)
- `getpwuid_r`: [Lookup User](#)
- `getrlimit`: [Limits on Resources](#)
- `getrlimit64`: [Limits on Resources](#)
- `getrusage`: [Resource Usage](#)
- `gets`: [Line Input](#)
- `getservbyname`: [Services Database](#)
- `getservbyport`: [Services Database](#)
- `getservent`: [Services Database](#)
- `getsid`: [Process Group Functions](#)
- `getsockname`: [Reading Address](#)
- `getsockopt`: [Socket Option Functions](#)
- `getsubopt`: [Suboptions](#)
- `gettext`: [Translation with gettext](#)
- `gettimeofday`: [High-Resolution Calendar](#)
- `getuid`: [Reading Persona](#)
- `getumask`: [Setting Permissions](#)
- `getutent`: [Manipulating the Database](#)
- `getutent_r`: [Manipulating the Database](#)
- `getutid`: [Manipulating the Database](#)
- `getutid_r`: [Manipulating the Database](#)
- `getutline`: [Manipulating the Database](#)
- `getutline_r`: [Manipulating the Database](#)

- `getutmp`: [XPG Functions](#)
- `getutmpx`: [XPG Functions](#)
- `getutxent`: [XPG Functions](#)
- `getutxid`: [XPG Functions](#)
- `getutxline`: [XPG Functions](#)
- `getw`: [Character Input](#)
- `getwc`: [Character Input](#)
- `getwc_unlocked`: [Character Input](#)
- `getwchar`: [Character Input](#)
- `getwchar_unlocked`: [Character Input](#)
- `getwd`: [Working Directory](#)
- `glob`: [Calling Glob](#)
- `glob64`: [Calling Glob](#)
- `globfree`: [More Flags for Globbing](#)
- `globfree64`: [More Flags for Globbing](#)
- `gmtime`: [Broken-down Time](#)
- `gmtime_r`: [Broken-down Time](#)
- `grantpt`: [Allocation](#)
- `gsignal`: [Signaling Yourself](#)
- `gtty`: [BSD Terminal Modes](#)
- `hasmntopt`: [mtab](#)
- `hcreate`: [Hash Search Function](#)
- `hcreate_r`: [Hash Search Function](#)
- `hdestroy`: [Hash Search Function](#)
- `hdestroy_r`: [Hash Search Function](#)
- `hsearch`: [Hash Search Function](#)
- `hsearch_r`: [Hash Search Function](#)
- `htonl`: [Byte Order](#)
- `htons`: [Byte Order](#)
- `hypot`: [Exponents and Logarithms](#)
- `hypotf`: [Exponents and Logarithms](#)
- `hypotl`: [Exponents and Logarithms](#)
- `iconv`: [Generic Conversion Interface](#)
- `iconv_close`: [Generic Conversion Interface](#)
- `iconv_open`: [Generic Conversion Interface](#)
- `if_freenameindex`: [Interface Naming](#)
- `if_indextoname`: [Interface Naming](#)
- `if_nameindex`: [Interface Naming](#)

- `if_nametoindex`: [Interface Naming](#)
- `IFTODT`: [Directory Entries](#)
- `ilogb`: [Exponents and Logarithms](#)
- `ilogbf`: [Exponents and Logarithms](#)
- `ilogbl`: [Exponents and Logarithms](#)
- `imaxabs`: [Absolute Value](#)
- `imaxdiv`: [Integer Division](#)
- `index`: [Search Functions](#)
- `inet_addr`: [Host Address Functions](#)
- `inet_aton`: [Host Address Functions](#)
- `inet_lnaof`: [Host Address Functions](#)
- `inet_makeaddr`: [Host Address Functions](#)
- `inet_netof`: [Host Address Functions](#)
- `inet_network`: [Host Address Functions](#)
- `inet_ntoa`: [Host Address Functions](#)
- `inet_ntop`: [Host Address Functions](#)
- `inet_pton`: [Host Address Functions](#)
- `initgroups`: [Setting Groups](#)
- `initstate`: [BSD Random](#)
- `initstate_r`: [BSD Random](#)
- `innetgr`: [Netgroup Membership](#)
- `ioctl`: [IOCTLS](#)
- `isalnum`: [Classification of Characters](#)
- `isalpha`: [Classification of Characters](#)
- `isascii`: [Classification of Characters](#)
- `isatty`: [Is It a Terminal](#)
- `isblank`: [Classification of Characters](#)
- `iscntrl`: [Classification of Characters](#)
- `isdigit`: [Classification of Characters](#)
- `isfinite`: [Floating Point Classes](#)
- `isgraph`: [Classification of Characters](#)
- `isgreater`: [FP Comparison Functions](#)
- `isgreaterequal`: [FP Comparison Functions](#)
- `isinf`: [Floating Point Classes](#)
- `isinff`: [Floating Point Classes](#)
- `isinfl`: [Floating Point Classes](#)
- `isless`: [FP Comparison Functions](#)
- `islessequal`: [FP Comparison Functions](#)

- `islessgreater`: [FP Comparison Functions](#)
- `islower`: [Classification of Characters](#)
- `isnan`: [Floating Point Classes](#)
- `isnanf`: [Floating Point Classes](#)
- `isnanl`: [Floating Point Classes](#)
- `isnormal`: [Floating Point Classes](#)
- `isprint`: [Classification of Characters](#)
- `ispunct`: [Classification of Characters](#)
- `isspace`: [Classification of Characters](#)
- `isunordered`: [FP Comparison Functions](#)
- `isupper`: [Classification of Characters](#)
- `iswalnum`: [Classification of Wide Characters](#)
- `iswalpha`: [Classification of Wide Characters](#)
- `iswblank`: [Classification of Wide Characters](#)
- `iswcntrl`: [Classification of Wide Characters](#)
- `iswctype`: [Classification of Wide Characters](#)
- `iswdigit`: [Classification of Wide Characters](#)
- `iswgraph`: [Classification of Wide Characters](#)
- `iswlower`: [Classification of Wide Characters](#)
- `iswprint`: [Classification of Wide Characters](#)
- `iswpunct`: [Classification of Wide Characters](#)
- `iswspace`: [Classification of Wide Characters](#)
- `iswupper`: [Classification of Wide Characters](#)
- `iswxdigit`: [Classification of Wide Characters](#)
- `isxdigit`: [Classification of Characters](#)
- `j0`: [Special Functions](#)
- `j0f`: [Special Functions](#)
- `j0l`: [Special Functions](#)
- `j1`: [Special Functions](#)
- `j1f`: [Special Functions](#)
- `j1l`: [Special Functions](#)
- `jn`: [Special Functions](#)
- `jnf`: [Special Functions](#)
- `jnl`: [Special Functions](#)
- `jrand48`: [SVID Random](#)
- `jrand48_r`: [SVID Random](#)
- `kill`: [Signaling Another Process](#)
- `killpg`: [Signaling Another Process](#)



- l64a: [Encode Binary Data](#)
- labs: [Absolute Value](#)
- lcong48: [SVID Random](#)
- lcong48\_r: [SVID Random](#)
- ldexp: [Normalization Functions](#)
- ldexpf: [Normalization Functions](#)
- ldexpl: [Normalization Functions](#)
- ldiv: [Integer Division](#)
- lfind: [Array Search Function](#)
- lgamma: [Special Functions](#)
- lgamma\_r: [Special Functions](#)
- lgammaf: [Special Functions](#)
- lgammaf\_r: [Special Functions](#)
- lgammal: [Special Functions](#)
- lgammal\_r: [Special Functions](#)
- link: [Hard Links](#)
- lio\_listio: [Asynchronous Reads/Writes](#)
- lio\_listio64: [Asynchronous Reads/Writes](#)
- listen: [Listening](#)
- llabs: [Absolute Value](#)
- lldiv: [Integer Division](#)
- llrint: [Rounding Functions](#)
- llrintf: [Rounding Functions](#)
- llrintl: [Rounding Functions](#)
- llround: [Rounding Functions](#)
- llroundf: [Rounding Functions](#)
- llroundl: [Rounding Functions](#)
- localeconv: [The Lame Way to Locale Data](#)
- localtime: [Broken-down Time](#)
- localtime\_r: [Broken-down Time](#)
- log: [Exponents and Logarithms](#)
- log10: [Exponents and Logarithms](#)
- log10f: [Exponents and Logarithms](#)
- log10l: [Exponents and Logarithms](#)
- log1p: [Exponents and Logarithms](#)
- log1pf: [Exponents and Logarithms](#)
- log1pl: [Exponents and Logarithms](#)
- log2: [Exponents and Logarithms](#)

- `log2f`: [Exponents and Logarithms](#)
- `log2l`: [Exponents and Logarithms](#)
- `logb`: [Exponents and Logarithms](#)
- `logbf`: [Exponents and Logarithms](#)
- `logbl`: [Exponents and Logarithms](#)
- `logf`: [Exponents and Logarithms](#)
- `login`: [Logging In and Out](#)
- `login_tty`: [Logging In and Out](#)
- `logl`: [Exponents and Logarithms](#)
- `logout`: [Logging In and Out](#)
- `logwtmp`: [Logging In and Out](#)
- `longjmp`: [Non-Local Details](#)
- `lrand48`: [SVID Random](#)
- `lrand48_r`: [SVID Random](#)
- `lrint`: [Rounding Functions](#)
- `lrintf`: [Rounding Functions](#)
- `lrintl`: [Rounding Functions](#)
- `lround`: [Rounding Functions](#)
- `lroundf`: [Rounding Functions](#)
- `lroundl`: [Rounding Functions](#)
- `lsearch`: [Array Search Function](#)
- `lseek`: [File Position Primitive](#)
- `lseek64`: [File Position Primitive](#)
- `lstat`: [Reading Attributes](#)
- `lstat64`: [Reading Attributes](#)
- `lutimes`: [File Times](#)
- `madvise`: [Memory-mapped I/O](#)
- `main`: [Program Arguments](#)
- `makecontext`: [System V contexts](#)
- `mallinfo`: [Statistics of Malloc](#)
- `malloc`: [Basic Allocation](#)
- `mallopt`: [Malloc Tunable Parameters](#)
- `matherr`: [FP Exceptions](#)
- `mblen`: [Non-reentrant Character Conversion](#)
- `mbrlen`: [Converting a Character](#)
- `mbrtowc`: [Converting a Character](#)
- `mbsinit`: [Keeping the state](#)
- `mbsnrtowcs`: [Converting Strings](#)

- `mbsrtowcs`: [Converting Strings](#)
- `mbstowcs`: [Non-reentrant String Conversion](#)
- `mbtowc`: [Non-reentrant Character Conversion](#)
- `mcheck`: [Heap Consistency Checking](#)
- `memalign`: [Aligned Memory Blocks](#)
- `memcpy`: [Copying and Concatenation](#)
- `memchr`: [Search Functions](#)
- `memcmp`: [String/Array Comparison](#)
- `memcpy`: [Copying and Concatenation](#)
- `memfrob`: [Trivial Encryption](#)
- `memmem`: [Search Functions](#)
- `memmove`: [Copying and Concatenation](#)
- `mempcpy`: [Copying and Concatenation](#)
- `memrchr`: [Search Functions](#)
- `memset`: [Copying and Concatenation](#)
- `mkdir`: [Creating Directories](#)
- `mkdtemp`: [Temporary Files](#)
- `mkfifo`: [FIFO Special Files](#)
- `mknod`: [Making Special Files](#)
- `mkstemp`: [Temporary Files](#)
- `mktemp`: [Temporary Files](#)
- `mktIME`: [Broken-down Time](#)
- `mlock`: [Page Lock Functions](#)
- `mlockall`: [Page Lock Functions](#)
- `mmap`: [Memory-mapped I/O](#)
- `mmap64`: [Memory-mapped I/O](#)
- `modf`: [Rounding Functions](#)
- `modff`: [Rounding Functions](#)
- `modfl`: [Rounding Functions](#)
- `mount`: [Mount-Unmount-Remount](#)
- `mprobe`: [Heap Consistency Checking](#)
- `rand48`: [SVID Random](#)
- `rand48_r`: [SVID Random](#)
- `mremap`: [Memory-mapped I/O](#)
- `msync`: [Memory-mapped I/O](#)
- `mtrace`: [Tracing malloc](#)
- `munlock`: [Page Lock Functions](#)
- `munlockall`: [Page Lock Functions](#)

- munmap: [Memory-mapped I/O](#)
- muntrace: [Tracing malloc](#)
- nan: [FP Bit Twiddling](#)
- nanf: [FP Bit Twiddling](#)
- nanl: [FP Bit Twiddling](#)
- nanosleep: [Sleeping](#)
- nearbyint: [Rounding Functions](#)
- nearbyintf: [Rounding Functions](#)
- nearbyintl: [Rounding Functions](#)
- nextafter: [FP Bit Twiddling](#)
- nextafterf: [FP Bit Twiddling](#)
- nextafterl: [FP Bit Twiddling](#)
- nexttoward: [FP Bit Twiddling](#)
- nexttowardf: [FP Bit Twiddling](#)
- nexttowardl: [FP Bit Twiddling](#)
- nftw: [Working with Directory Trees](#)
- nftw64: [Working with Directory Trees](#)
- ngettext: [Advanced gettext functions](#)
- nice: [Traditional Scheduling Functions](#)
- nl\_langinfo: [The Elegant and Fast Way](#)
- notfound: [Actions in the NSS configuration](#)
- nrand48: [SVID Random](#)
- nrand48\_r: [SVID Random](#)
- ntohl: [Byte Order](#)
- ntohs: [Byte Order](#)
- ntp\_adjtime: [High Accuracy Clock](#)
- ntp\_gettime: [High Accuracy Clock](#)
- obstack\_1grow: [Growing Objects](#)
- obstack\_1grow\_fast: [Extra Fast Growing](#)
- obstack\_alignment\_mask: [Obstacks Data Alignment](#)
- obstack\_alloc: [Allocation in an Obstack](#)
- obstack\_base: [Status of an Obstack](#)
- obstack\_blank: [Growing Objects](#)
- obstack\_blank\_fast: [Extra Fast Growing](#)
- obstack\_chunk\_alloc: [Preparing for Obstacks](#)
- obstack\_chunk\_free: [Preparing for Obstacks](#)
- obstack\_chunk\_size: [Obstack Chunks](#)
- obstack\_copy: [Allocation in an Obstack](#)

- `obstack_copy0`: [Allocation in an Obstack](#)
- `obstack_finish`: [Growing Objects](#)
- `obstack_free`: [Freeing Obstack Objects](#)
- `obstack_grow`: [Growing Objects](#)
- `obstack_grow0`: [Growing Objects](#)
- `obstack_init`: [Preparing for Obstacks](#)
- `obstack_int_grow`: [Growing Objects](#)
- `obstack_int_grow_fast`: [Extra Fast Growing](#)
- `obstack_next_free`: [Status of an Obstack](#)
- `obstack_object_size`: [Status of an Obstack](#), [Growing Objects](#)
- `obstack_printf`: [Dynamic Output](#)
- `obstack_ptr_grow`: [Growing Objects](#)
- `obstack_ptr_grow_fast`: [Extra Fast Growing](#)
- `obstack_room`: [Extra Fast Growing](#)
- `obstack_vprintf`: [Variable Arguments Output](#)
- `offsetof`: [Structure Measurement](#)
- `on_exit`: [Cleanups on Exit](#)
- `open`: [Opening and Closing Files](#)
- `open64`: [Opening and Closing Files](#)
- `open_memstream`: [String Streams](#)
- `open_obstack_stream`: [Obstack Streams](#)
- `opendir`: [Opening a Directory](#)
- `openlog`: [openlog](#)
- `openpty`: [Pseudo-Terminal Pairs](#)
- `parse_printf_format`: [Parsing a Template String](#)
- `pathconf`: [Pathconf](#)
- `pause`: [Using Pause](#)
- `pclose`: [Pipe to a Subprocess](#)
- `perror`: [Error Messages](#)
- `pipe`: [Creating a Pipe](#)
- `popen`: [Pipe to a Subprocess](#)
- `posix_memalign`: [Aligned Memory Blocks](#)
- `pow`: [Exponents and Logarithms](#)
- `pow10`: [Exponents and Logarithms](#)
- `pow10f`: [Exponents and Logarithms](#)
- `pow10l`: [Exponents and Logarithms](#)
- `powf`: [Exponents and Logarithms](#)
- `powl`: [Exponents and Logarithms](#)

- `pread`: [I/O Primitives](#)
- `pread64`: [I/O Primitives](#)
- `printf`: [Formatted Output Functions](#)
- `printf_size`: [Predefined Printf Handlers](#)
- `printf_size_info`: [Predefined Printf Handlers](#)
- `psignal`: [Signal Messages](#)
- `pthread_atfork`: [Threads and Fork](#)
- `pthread_attr_destroy`: [Thread Attributes](#)
- `pthread_attr_getattr`: [Thread Attributes](#)
- `pthread_attr_getdetachstate`: [Thread Attributes](#)
- `pthread_attr_getguardsize`: [Thread Attributes](#)
- `pthread_attr_getinheritsched`: [Thread Attributes](#)
- `pthread_attr_getschedparam`: [Thread Attributes](#)
- `pthread_attr_getschedpolicy`: [Thread Attributes](#)
- `pthread_attr_getscope`: [Thread Attributes](#)
- `pthread_attr_getstack`: [Thread Attributes](#)
- `pthread_attr_getstackaddr`: [Thread Attributes](#)
- `pthread_attr_getstacksize`: [Thread Attributes](#)
- `pthread_attr_init`: [Thread Attributes](#)
- `pthread_attr_setattr`: [Thread Attributes](#)
- `pthread_attr_setdetachstate`: [Thread Attributes](#)
- `pthread_attr_setguardsize`: [Thread Attributes](#)
- `pthread_attr_setinheritsched`: [Thread Attributes](#)
- `pthread_attr_setschedparam`: [Thread Attributes](#)
- `pthread_attr_setschedpolicy`: [Thread Attributes](#)
- `pthread_attr_setscope`: [Thread Attributes](#)
- `pthread_attr_setstack`: [Thread Attributes](#)
- `pthread_attr_setstackaddr`: [Thread Attributes](#)
- `pthread_attr_setstacksize`: [Thread Attributes](#)
- `pthread_cancel`: [Basic Thread Operations](#)
- `pthread_cleanup_pop`: [Cleanup Handlers](#)
- `pthread_cleanup_pop_restore_np`: [Cleanup Handlers](#)
- `pthread_cleanup_push`: [Cleanup Handlers](#)
- `pthread_cleanup_push_defer_np`: [Cleanup Handlers](#)
- `pthread_cond_broadcast`: [Condition Variables](#)
- `pthread_cond_destroy`: [Condition Variables](#)
- `pthread_cond_init`: [Condition Variables](#)
- `pthread_cond_signal`: [Condition Variables](#)

- `pthread_cond_timedwait`: [Condition Variables](#)
- `pthread_cond_wait`: [Condition Variables](#)
- `pthread_condattr_destroy`: [Condition Variables](#)
- `pthread_condattr_init`: [Condition Variables](#)
- `pthread_create`: [Basic Thread Operations](#)
- `pthread_detach`: [Miscellaneous Thread Functions](#)
- `pthread_equal`: [Miscellaneous Thread Functions](#)
- `pthread_exit`: [Basic Thread Operations](#)
- `pthread_getconcurrency`: [Miscellaneous Thread Functions](#)
- `pthread_getschedparam`: [Miscellaneous Thread Functions](#)
- `pthread_getspecific`: [Thread-Specific Data](#)
- `pthread_join`: [Basic Thread Operations](#)
- `pthread_key_create`: [Thread-Specific Data](#)
- `pthread_key_delete`: [Thread-Specific Data](#)
- `pthread_kill`: [Threads and Signal Handling](#)
- `pthread_kill_other_threads_np`: [Miscellaneous Thread Functions](#)
- `pthread_mutex_destroy`: [Mutexes](#)
- `pthread_mutex_init`: [Mutexes](#)
- `pthread_mutex_lock`: [Mutexes](#)
- `pthread_mutex_timedlock`: [Mutexes](#)
- `pthread_mutex_trylock`: [Mutexes](#)
- `pthread_mutex_unlock`: [Mutexes](#)
- `pthread_mutexattr_destroy`: [Mutexes](#)
- `pthread_mutexattr_gettype`: [Mutexes](#)
- `pthread_mutexattr_init`: [Mutexes](#)
- `pthread_mutexattr_settype`: [Mutexes](#)
- `pthread_once`: [Miscellaneous Thread Functions](#)
- `pthread_self`: [Miscellaneous Thread Functions](#)
- `pthread_setcancelstate`: [Cancellation](#)
- `pthread_setcanceltype`: [Cancellation](#)
- `pthread_setconcurrency`: [Miscellaneous Thread Functions](#)
- `pthread_setschedparam`: [Miscellaneous Thread Functions](#)
- `pthread_setspecific`: [Thread-Specific Data](#)
- `pthread_sigmask`: [Threads and Signal Handling](#)
- `pthread_testcancel`: [Cancellation](#)
- `ptsname`: [Allocation](#)
- `ptsname_r`: [Allocation](#)
- `putc`: [Simple Output](#)

- `putc_unlocked`: [Simple Output](#)
- `putchar`: [Simple Output](#)
- `putchar_unlocked`: [Simple Output](#)
- `putenv`: [Environment Access](#)
- `putpwent`: [Writing a User Entry](#)
- `puts`: [Simple Output](#)
- `pututline`: [Manipulating the Database](#)
- `pututxline`: [XPG Functions](#)
- `putw`: [Simple Output](#)
- `putwc`: [Simple Output](#)
- `putwc_unlocked`: [Simple Output](#)
- `putwchar`: [Simple Output](#)
- `putwchar_unlocked`: [Simple Output](#)
- `pwrite`: [I/O Primitives](#)
- `pwrite64`: [I/O Primitives](#)
- `qecvt`: [System V Number Conversion](#)
- `qecvt_r`: [System V Number Conversion](#)
- `qfcvt`: [System V Number Conversion](#)
- `qfcvt_r`: [System V Number Conversion](#)
- `qgcvt`: [System V Number Conversion](#)
- `qsort`: [Array Sort Function](#)
- `raise`: [Signaling Yourself](#)
- `rand`: [ISO Random](#)
- `rand_r`: [ISO Random](#)
- `random`: [BSD Random](#)
- `random_r`: [BSD Random](#)
- `rawmemchr`: [Search Functions](#)
- `read`: [I/O Primitives](#)
- `readdir`: [Reading/Closing Directory](#)
- `readdir64`: [Reading/Closing Directory](#)
- `readdir64_r`: [Reading/Closing Directory](#)
- `readdir_r`: [Reading/Closing Directory](#)
- `readlink`: [Symbolic Links](#)
- `readv`: [Scatter-Gather](#)
- `realloc`: [Changing Block Size](#)
- `realpath`: [Symbolic Links](#)
- `recv`: [Receiving Data](#)
- `recvfrom`: [Receiving Datagrams](#)



- regcomp: [POSIX Regexp Compilation](#)
- regerror: [Regexp Cleanup](#)
- regexec: [Matching POSIX Regexprs](#)
- regfree: [Regexp Cleanup](#)
- register\_printf\_function: [Registering New Conversions](#)
- remainder: [Remainder Functions](#)
- remainderf: [Remainder Functions](#)
- remainderl: [Remainder Functions](#)
- remove: [Deleting Files](#)
- rename: [Renaming Files](#)
- rewind: [File Positioning](#)
- rewinddir: [Random Access Directory](#)
- rindex: [Search Functions](#)
- rint: [Rounding Functions](#)
- rintf: [Rounding Functions](#)
- rintl: [Rounding Functions](#)
- rmdir: [Deleting Files](#)
- round: [Rounding Functions](#)
- roundf: [Rounding Functions](#)
- roundl: [Rounding Functions](#)
- rpmatch: [Yes-or-No Questions](#)
- S\_ISBLK: [Testing File Type](#)
- S\_ISCHR: [Testing File Type](#)
- S\_ISDIR: [Testing File Type](#)
- S\_ISFIFO: [Testing File Type](#)
- S\_ISLNK: [Testing File Type](#)
- S\_ISREG: [Testing File Type](#)
- S\_ISSOCK: [Testing File Type](#)
- S\_TYPEISMQ: [Testing File Type](#)
- S\_TYPEISSEM: [Testing File Type](#)
- S\_TYPEISSHM: [Testing File Type](#)
- sbrk: [Resizing the Data Segment](#)
- scalb: [Normalization Functions](#)
- scalbf: [Normalization Functions](#)
- scalbl: [Normalization Functions](#)
- scalbln: [Normalization Functions](#)
- scalblnf: [Normalization Functions](#)
- scalblnl: [Normalization Functions](#)

- scalbn: [Normalization Functions](#)
- scalbnf: [Normalization Functions](#)
- scalbnl: [Normalization Functions](#)
- scandir: [Scanning Directory Content](#)
- scandir64: [Scanning Directory Content](#)
- scanf: [Formatted Input Functions](#)
- sched\_get\_priority\_max: [Basic Scheduling Functions](#)
- sched\_get\_priority\_min: [Basic Scheduling Functions](#)
- sched\_getaffinity: [CPU Affinity](#)
- sched\_getparam: [Basic Scheduling Functions](#)
- sched\_getscheduler: [Basic Scheduling Functions](#)
- sched\_rr\_get\_interval: [Basic Scheduling Functions](#)
- sched\_setaffinity: [CPU Affinity](#)
- sched\_setparam: [Basic Scheduling Functions](#)
- sched\_setscheduler: [Basic Scheduling Functions](#)
- sched\_yield: [Basic Scheduling Functions](#)
- seed48: [SVID Random](#)
- seed48\_r: [SVID Random](#)
- seekdir: [Random Access Directory](#)
- select: [Waiting for I/O](#)
- sem\_destroy: [POSIX Semaphores](#)
- sem\_getvalue: [POSIX Semaphores](#)
- sem\_init: [POSIX Semaphores](#)
- sem\_post: [POSIX Semaphores](#)
- sem\_trywait: [POSIX Semaphores](#)
- sem\_wait: [POSIX Semaphores](#)
- send: [Sending Data](#)
- sendto: [Sending Datagrams](#)
- setbuf: [Controlling Buffering](#)
- setbuffer: [Controlling Buffering](#)
- setcontext: [System V contexts](#)
- setdomainname: [Host Identification](#)
- setegid: [Setting Groups](#)
- setenv: [Environment Access](#)
- seteuid: [Setting User ID](#)
- setfsent: [fstab](#)
- setgid: [Setting Groups](#)
- setgrent: [Scanning All Groups](#)

- setgroups: [Setting Groups](#)
- sethostent: [Host Names](#)
- sethostid: [Host Identification](#)
- sethostname: [Host Identification](#)
- setitimer: [Setting an Alarm](#)
- setjmp: [Non-Local Details](#)
- setkey: [DES Encryption](#)
- setkey\_r: [DES Encryption](#)
- setlinebuf: [Controlling Buffering](#)
- setlocale: [Setting the Locale](#)
- setlogmask: [setlogmask](#)
- setmntent: [mtab](#)
- setnetent: [Networks Database](#)
- setnetgrent: [Lookup Netgroup](#)
- setpgid: [Process Group Functions](#)
- setpgrp: [Process Group Functions](#)
- setpriority: [Traditional Scheduling Functions](#)
- setprotoent: [Protocols Database](#)
- setpwent: [Scanning All Users](#)
- setregid: [Setting Groups](#)
- setreuid: [Setting User ID](#)
- setrlimit: [Limits on Resources](#)
- setrlimit64: [Limits on Resources](#)
- setservent: [Services Database](#)
- setsid: [Process Group Functions](#)
- setsockopt: [Socket Option Functions](#)
- setstate: [BSD Random](#)
- setstate\_r: [BSD Random](#)
- settimeofday: [High-Resolution Calendar](#)
- setuid: [Setting User ID](#)
- setutent: [Manipulating the Database](#)
- setutxent: [XPG Functions](#)
- setvbuf: [Controlling Buffering](#)
- shutdown: [Closing a Socket](#)
- sigaction: [Advanced Signal Handling](#)
- sigaddset: [Signal Sets](#)
- sigaltstack: [Signal Stack](#)
- sigblock: [Blocking in BSD](#)

- sigdelset: [Signal Sets](#)
- sigemptyset: [Signal Sets](#)
- sigfillset: [Signal Sets](#)
- siginterrupt: [BSD Handler](#)
- sigismember: [Signal Sets](#)
- siglongjmp: [Non-Local Exits and Signals](#)
- sigmask: [Blocking in BSD](#)
- signal: [Basic Signal Handling](#)
- signbit: [FP Bit Twiddling](#)
- significand: [Normalization Functions](#)
- significandf: [Normalization Functions](#)
- significandl: [Normalization Functions](#)
- sigpause: [Blocking in BSD](#)
- sigpending: [Checking for Pending Signals](#)
- sigprocmask: [Process Signal Mask](#)
- sigsetjmp: [Non-Local Exits and Signals](#)
- sigsetmask: [Blocking in BSD](#)
- sigstack: [Signal Stack](#)
- sigsuspend: [Sigsuspend](#)
- sigvec: [BSD Handler](#)
- sigwait: [Threads and Signal Handling](#)
- sin: [Trig Functions](#)
- sincos: [Trig Functions](#)
- sincosf: [Trig Functions](#)
- sincosl: [Trig Functions](#)
- sinf: [Trig Functions](#)
- sinh: [Hyperbolic Functions](#)
- sinhf: [Hyperbolic Functions](#)
- sinhl: [Hyperbolic Functions](#)
- sinl: [Trig Functions](#)
- sleep: [Sleeping](#)
- snprintf: [Formatted Output Functions](#)
- socket: [Creating a Socket](#)
- socketpair: [Socket Pairs](#)
- sprintf: [Formatted Output Functions](#)
- sqrt: [Exponents and Logarithms](#)
- sqrtf: [Exponents and Logarithms](#)
- sqrtl: [Exponents and Logarithms](#)

- srand: [ISO Random](#)
- srand48: [SVID Random](#)
- srand48\_r: [SVID Random](#)
- srandom: [BSD Random](#)
- srandom\_r: [BSD Random](#)
- sscanf: [Formatted Input Functions](#)
- signal: [Basic Signal Handling](#)
- stat: [Reading Attributes](#)
- stat64: [Reading Attributes](#)
- stime: [Simple Calendar Time](#)
- stpcpy: [Copying and Concatenation](#)
- stpncpy: [Copying and Concatenation](#)
- strcasecmp: [String/Array Comparison](#)
- strcasestr: [Search Functions](#)
- strcat: [Copying and Concatenation](#)
- strchr: [Search Functions](#)
- strchrnul: [Search Functions](#)
- strcmp: [String/Array Comparison](#)
- strcoll: [Collation Functions](#)
- strcpy: [Copying and Concatenation](#)
- strcspn: [Search Functions](#)
- strdup: [Copying and Concatenation](#)
- strdupa: [Copying and Concatenation](#)
- strerror: [Error Messages](#)
- strerror\_r: [Error Messages](#)
- strfmon: [Formatting Numbers](#)
- strfry: [strfry](#)
- strftime: [Formatting Calendar Time](#)
- strlen: [String Length](#)
- strncasecmp: [String/Array Comparison](#)
- strncat: [Copying and Concatenation](#)
- strncmp: [String/Array Comparison](#)
- strncpy: [Copying and Concatenation](#)
- strndup: [Copying and Concatenation](#)
- strndupa: [Copying and Concatenation](#)
- strnlen: [String Length](#)
- strpbrk: [Search Functions](#)
- strptime: [Low-Level Time String Parsing](#)

- strchr: [Search Functions](#)
- strsep: [Finding Tokens in a String](#)
- strsignal: [Signal Messages](#)
- strspn: [Search Functions](#)
- strstr: [Search Functions](#)
- strtod: [Parsing of Floats](#)
- strttof: [Parsing of Floats](#)
- strtoumax: [Parsing of Integers](#)
- strtok: [Finding Tokens in a String](#)
- strtok\_r: [Finding Tokens in a String](#)
- strtol: [Parsing of Integers](#)
- strtold: [Parsing of Floats](#)
- strtoll: [Parsing of Integers](#)
- strtouq: [Parsing of Integers](#)
- strtoul: [Parsing of Integers](#)
- strtoull: [Parsing of Integers](#)
- strtoumax: [Parsing of Integers](#)
- strtouq: [Parsing of Integers](#)
- strverscmp: [String/Array Comparison](#)
- strxfrm: [Collation Functions](#)
- stty: [BSD Terminal Modes](#)
- success: [Actions in the NSS configuration](#)
- SUN\_LEN: [Local Namespace Details](#)
- swapcontext: [System V contexts](#)
- swprintf: [Formatted Output Functions](#)
- swscanf: [Formatted Input Functions](#)
- symlink: [Symbolic Links](#)
- sync: [Synchronizing I/O](#)
- syscall: [System Calls](#)
- sysconf: [Sysconf Definition](#)
- sysctl: [System Parameters](#)
- syslog: [syslog; vsyslog](#)
- system: [Running a Command](#)
- sysv\_signal: [Basic Signal Handling](#)
- tan: [Trig Functions](#)
- tanf: [Trig Functions](#)
- tanh: [Hyperbolic Functions](#)
- tanhf: [Hyperbolic Functions](#)

- tanhl: [Hyperbolic Functions](#)
- tanl: [Trig Functions](#)
- tcdrain: [Line Control](#)
- tcflow: [Line Control](#)
- tcflush: [Line Control](#)
- tcgetattr: [Mode Functions](#)
- tcgetpgrp: [Terminal Access Functions](#)
- tcgetsid: [Terminal Access Functions](#)
- tcsendbreak: [Line Control](#)
- tcsetattr: [Mode Functions](#)
- tcsetpgrp: [Terminal Access Functions](#)
- tdelete: [Tree Search Function](#)
- tdestroy: [Tree Search Function](#)
- telldir: [Random Access Directory](#)
- TEMP\_FAILURE\_RETRY: [Interrupted Primitives](#)
- tempnam: [Temporary Files](#)
- textdomain: [Locating gettext catalog](#)
- tfind: [Tree Search Function](#)
- tgamma: [Special Functions](#)
- tgammaf: [Special Functions](#)
- tgammal: [Special Functions](#)
- time: [Simple Calendar Time](#)
- timegm: [Broken-down Time](#)
- timelocal: [Broken-down Time](#)
- times: [Processor Time](#)
- tmpfile: [Temporary Files](#)
- tmpfile64: [Temporary Files](#)
- tmpnam: [Temporary Files](#)
- tmpnam\_r: [Temporary Files](#)
- toascii: [Case Conversion](#)
- tolower: [Case Conversion](#)
- toupper: [Case Conversion](#)
- towctrans: [Wide Character Case Conversion](#)
- towlower: [Wide Character Case Conversion](#)
- towupper: [Wide Character Case Conversion](#)
- trunc: [Rounding Functions](#)
- truncate: [File Size](#)
- truncate64: [File Size](#)

- truncf: [Rounding Functions](#)
- trunc1: [Rounding Functions](#)
- tryagain: [Actions in the NSS configuration](#)
- tsearch: [Tree Search Function](#)
- ttyname: [Is It a Terminal](#)
- ttyname\_r: [Is It a Terminal](#)
- twalk: [Tree Search Function](#)
- tzset: [Time Zone Functions](#)
- ulimit: [Limits on Resources](#)
- umask: [Setting Permissions](#)
- umount: [Mount-Unmount-Remount](#)
- umount2: [Mount-Unmount-Remount](#)
- uname: [Platform Type](#)
- unavail: [Actions in the NSS configuration](#)
- ungetc: [How Unread](#)
- ungetwc: [How Unread](#)
- unlink: [Deleting Files](#)
- unlockpt: [Allocation](#)
- unsetenv: [Environment Access](#)
- updwtmp: [Manipulating the Database](#)
- utime: [File Times](#)
- utimes: [File Times](#)
- utmpname: [Manipulating the Database](#)
- utmpxname: [XPG Functions](#)
- va\_alist: [Old Varargs](#)
- va\_arg: [Argument Macros](#)
- va\_dcl: [Old Varargs](#)
- va\_end: [Argument Macros](#)
- va\_start: [Old Varargs](#), [Argument Macros](#)
- valloc: [Aligned Memory Blocks](#)
- vasprintf: [Variable Arguments Output](#)
- verr: [Error Messages](#)
- verrx: [Error Messages](#)
- versionsort: [Scanning Directory Content](#)
- versionsort64: [Scanning Directory Content](#)
- vfork: [Creating a Process](#)
- vfprintf: [Variable Arguments Output](#)
- vfscanf: [Variable Arguments Input](#)



- `vwprintf`: [Variable Arguments Output](#)
- `vfwscanf`: [Variable Arguments Input](#)
- `vlimit`: [Limits on Resources](#)
- `vprintf`: [Variable Arguments Output](#)
- `vscanf`: [Variable Arguments Input](#)
- `vsprintf`: [Variable Arguments Output](#)
- `vsnprintf`: [Variable Arguments Output](#)
- `vsprintf`: [Variable Arguments Output](#)
- `vsscanf`: [Variable Arguments Input](#)
- `vswprintf`: [Variable Arguments Output](#)
- `vswscanf`: [Variable Arguments Input](#)
- `vsyslog`: [syslog; vsyslog](#)
- `vtimes`: [Resource Usage](#)
- `vwarn`: [Error Messages](#)
- `vwarnx`: [Error Messages](#)
- `vwprintf`: [Variable Arguments Output](#)
- `vwsscanf`: [Variable Arguments Input](#)
- `wait`: [Process Completion](#)
- `wait3`: [BSD Wait Functions](#)
- `wait4`: [Process Completion](#)
- `waitpid`: [Process Completion](#)
- `warn`: [Error Messages](#)
- `warnx`: [Error Messages](#)
- `WCOREDUMP`: [Process Completion Status](#)
- `wcpcpy`: [Copying and Concatenation](#)
- `wcpncpy`: [Copying and Concatenation](#)
- `wcrtomb`: [Converting a Character](#)
- `wcscasecmp`: [String/Array Comparison](#)
- `wcscat`: [Copying and Concatenation](#)
- `wcschr`: [Search Functions](#)
- `wcschrnul`: [Search Functions](#)
- `wcscmp`: [String/Array Comparison](#)
- `wcscoll`: [Collation Functions](#)
- `wcscpy`: [Copying and Concatenation](#)
- `wcscspn`: [Search Functions](#)
- `wcsdup`: [Copying and Concatenation](#)
- `wcsftime`: [Formatting Calendar Time](#)
- `wcslen`: [String Length](#)
- `wcsncasecmp`: [String/Array Comparison](#)

- wcsncat: [Copying and Concatenation](#)
- wcsncmp: [String/Array Comparison](#)
- wcsncpy: [Copying and Concatenation](#)
- wcsnlen: [String Length](#)
- wcsnrtoombs: [Converting Strings](#)
- wcsrchr: [Search Functions](#)
- wcsrtombs: [Converting Strings](#)
- wcsspn: [Search Functions](#)
- wcsstr: [Search Functions](#)
- wcstod: [Parsing of Floats](#)
- wcstof: [Parsing of Floats](#)
- wcstoimax: [Parsing of Integers](#)
- wcstok: [Finding Tokens in a String](#)
- wcstol: [Parsing of Integers](#)
- wcstold: [Parsing of Floats](#)
- wcstoll: [Parsing of Integers](#)
- wcstombs: [Non-reentrant String Conversion](#)
- wcstoq: [Parsing of Integers](#)
- wcstoul: [Parsing of Integers](#)
- wcstoull: [Parsing of Integers](#)
- wcstoumax: [Parsing of Integers](#)
- wcstouq: [Parsing of Integers](#)
- wswcs: [Search Functions](#)
- wcsxfrm: [Collation Functions](#)
- wctob: [Converting a Character](#)
- wctomb: [Non-reentrant Character Conversion](#)
- wctrans: [Wide Character Case Conversion](#)
- wctype: [Classification of Wide Characters](#)
- WEXITSTATUS: [Process Completion Status](#)
- WIFEXITED: [Process Completion Status](#)
- WIFSIGNALED: [Process Completion Status](#)
- WIFSTOPPED: [Process Completion Status](#)
- wmemchr: [Search Functions](#)
- wmemcmp: [String/Array Comparison](#)
- wmemcpy: [Copying and Concatenation](#)
- wmemmove: [Copying and Concatenation](#)
- wmemcpy: [Copying and Concatenation](#)

- wmemset: [Copying and Concatenation](#)
- wordexp: [Calling Wordexp](#)
- wordfree: [Calling Wordexp](#)
- wprintf: [Formatted Output Functions](#)
- write: [I/O Primitives](#)
- writev: [Scatter-Gather](#)
- wscanf: [Formatted Input Functions](#)
- WSTOPSIG: [Process Completion Status](#)
- WTERMSIG: [Process Completion Status](#)
- y0: [Special Functions](#)
- y0f: [Special Functions](#)
- y0l: [Special Functions](#)
- y1: [Special Functions](#)
- y1f: [Special Functions](#)
- y1l: [Special Functions](#)
- yn: [Special Functions](#)
- ynf: [Special Functions](#)
- ynl: [Special Functions](#)

---

Node: [Variable Index](#), Next: [File Index](#), Previous: [Function Index](#), Up: [Top](#)

## Variable and Constant Macro Index

- (\*\_\_gconv\_end\_fct): [glibc iconv Implementation](#)
- (\*\_\_gconv\_fct): [glibc iconv Implementation](#)
- (\*\_\_gconv\_init\_fct): [glibc iconv Implementation](#)
- \_\_free\_hook: [Hooks for Malloc](#)
- \_\_malloc\_hook: [Hooks for Malloc](#)
- \_\_malloc\_initialize\_hook: [Hooks for Malloc](#)
- \_\_memalign\_hook: [Hooks for Malloc](#)
- \_\_realloc\_hook: [Hooks for Malloc](#)
- \_BSD\_SOURCE: [Feature Test Macros](#)
- \_Complex\_I: [Complex Numbers](#)
- \_FILE\_OFFSET\_BITS: [Feature Test Macros](#)
- \_GNU\_SOURCE: [Feature Test Macros](#)
- \_IOFBF: [Controlling Buffering](#)
- \_IOLBF: [Controlling Buffering](#)

- `_IONBF`: [Controlling Buffering](#)
- `_ISOC99_SOURCE`: [Feature Test Macros](#)
- `_LARGEFILE64_SOURCE`: [Feature Test Macros](#)
- `_LARGEFILE_SOURCE`: [Feature Test Macros](#)
- `_PATH_FSTAB`: [Mount Information](#)
- `_PATH_MNTTAB`: [Mount Information](#)
- `_PATH_MOUNTED`: [Mount Information](#)
- `_PATH_UTMP`: [Manipulating the Database](#)
- `_PATH_WTMP`: [Manipulating the Database](#)
- `_POSIX2_C_DEV`: [System Options](#)
- `_POSIX2_C_VERSION`: [Version Supported](#)
- `_POSIX2_FORT_DEV`: [System Options](#)
- `_POSIX2_FORT_RUN`: [System Options](#)
- `_POSIX2_LOCALEDEF`: [System Options](#)
- `_POSIX2_SW_DEV`: [System Options](#)
- `_POSIX_C_SOURCE`: [Feature Test Macros](#)
- `_POSIX_CHOWN_RESTRICTED`: [Options for Files](#)
- `_POSIX_JOB_CONTROL`: [System Options](#)
- `_POSIX_NO_TRUNC`: [Options for Files](#)
- `_POSIX_SAVED_IDS`: [System Options](#)
- `_POSIX_SOURCE`: [Feature Test Macros](#)
- `_POSIX_VDISABLE`: [Options for Files](#), [Special Characters](#)
- `_POSIX_VERSION`: [Version Supported](#)
- `_REENTRANT`: [Feature Test Macros](#)
- `_SC_2_C_DEV`: [Constants for Sysconf](#)
- `_SC_2_FORT_DEV`: [Constants for Sysconf](#)
- `_SC_2_FORT_RUN`: [Constants for Sysconf](#)
- `_SC_2_LOCALEDEF`: [Constants for Sysconf](#)
- `_SC_2_SW_DEV`: [Constants for Sysconf](#)
- `_SC_2_VERSION`: [Constants for Sysconf](#)
- `_SC_AIO_LISTIO_MAX`: [Constants for Sysconf](#)
- `_SC_AIO_MAX`: [Constants for Sysconf](#)
- `_SC_AIO_PRIO_DELTA_MAX`: [Constants for Sysconf](#)
- `_SC_ARG_MAX`: [Constants for Sysconf](#)
- `_SC_ASYNCHRONOUS_IO`: [Constants for Sysconf](#)
- `_SC_ATEXIT_MAX`: [Constants for Sysconf](#)
- `_SC_AVPHYS_PAGES`: [Constants for Sysconf](#), [Query Memory Parameters](#)
- `_SC_BC_BASE_MAX`: [Constants for Sysconf](#)

- `_SC_BC_DIM_MAX`: [Constants for Sysconf](#)
- `_SC_BC_SCALE_MAX`: [Constants for Sysconf](#)
- `_SC_BC_STRING_MAX`: [Constants for Sysconf](#)
- `_SC_CHAR_BIT`: [Constants for Sysconf](#)
- `_SC_CHAR_MAX`: [Constants for Sysconf](#)
- `_SC_CHAR_MIN`: [Constants for Sysconf](#)
- `_SC_CHARCLASS_NAME_MAX`: [Constants for Sysconf](#)
- `_SC_CHILD_MAX`: [Constants for Sysconf](#)
- `_SC_CLK_TCK`: [Constants for Sysconf](#)
- `_SC_COLL_WEIGHTS_MAX`: [Constants for Sysconf](#)
- `_SC_DELAYTIMER_MAX`: [Constants for Sysconf](#)
- `_SC_EQUIV_CLASS_MAX`: [Constants for Sysconf](#)
- `_SC_EXPR_NEST_MAX`: [Constants for Sysconf](#)
- `_SC_FSYNC`: [Constants for Sysconf](#)
- `_SC_GETGR_R_SIZE_MAX`: [Constants for Sysconf](#)
- `_SC_GETPW_R_SIZE_MAX`: [Constants for Sysconf](#)
- `_SC_INT_MAX`: [Constants for Sysconf](#)
- `_SC_INT_MIN`: [Constants for Sysconf](#)
- `_SC_JOB_CONTROL`: [Constants for Sysconf](#)
- `_SC_LINE_MAX`: [Constants for Sysconf](#)
- `_SC_LOGIN_NAME_MAX`: [Constants for Sysconf](#)
- `_SC_LONG_BIT`: [Constants for Sysconf](#)
- `_SC_MAPPED_FILES`: [Constants for Sysconf](#)
- `_SC_MB_LEN_MAX`: [Constants for Sysconf](#)
- `_SC_MEMLOCK`: [Constants for Sysconf](#)
- `_SC_MEMLOCK_RANGE`: [Constants for Sysconf](#)
- `_SC_MEMORY_PROTECTION`: [Constants for Sysconf](#)
- `_SC_MESSAGE_PASSING`: [Constants for Sysconf](#)
- `_SC_MQ_OPEN_MAX`: [Constants for Sysconf](#)
- `_SC_MQ_PRIO_MAX`: [Constants for Sysconf](#)
- `_SC_NGROUPS_MAX`: [Constants for Sysconf](#)
- `_SC_NL_ARGMAX`: [Constants for Sysconf](#)
- `_SC_NL_LANGMAX`: [Constants for Sysconf](#)
- `_SC_NL_MSGMAX`: [Constants for Sysconf](#)
- `_SC_NL_NMAX`: [Constants for Sysconf](#)
- `_SC_NL_SETMAX`: [Constants for Sysconf](#)
- `_SC_NL_TEXTMAX`: [Constants for Sysconf](#)
- `_SC_NPROCESSORS_CONF`: [Constants for Sysconf](#), [Processor Resources](#)

- `_SC_NPROCESSORS_ONLN`: [Constants for Sysconf](#), [Processor Resources](#)
- `_SC_NZERO`: [Constants for Sysconf](#)
- `_SC_OPEN_MAX`: [Constants for Sysconf](#)
- `_SC_PAGESIZE`: [Constants for Sysconf](#), [Query Memory Parameters](#), [Memory-mapped I/O](#)
- `_SC_PHYS_PAGES`: [Constants for Sysconf](#), [Query Memory Parameters](#)
- `_SC_PII`: [Constants for Sysconf](#)
- `_SC_PII_INTERNET`: [Constants for Sysconf](#)
- `_SC_PII_INTERNET_DGRAM`: [Constants for Sysconf](#)
- `_SC_PII_INTERNET_STREAM`: [Constants for Sysconf](#)
- `_SC_PII_OSI`: [Constants for Sysconf](#)
- `_SC_PII_OSI_CLTS`: [Constants for Sysconf](#)
- `_SC_PII_OSI_COTS`: [Constants for Sysconf](#)
- `_SC_PII_OSI_M`: [Constants for Sysconf](#)
- `_SC_PII_SOCKET`: [Constants for Sysconf](#)
- `_SC_PII_XTI`: [Constants for Sysconf](#)
- `_SC_PRIORITIZED_IO`: [Constants for Sysconf](#)
- `_SC_PRIORITY_SCHEDULING`: [Constants for Sysconf](#)
- `_SC_REALTIME_SIGNALS`: [Constants for Sysconf](#)
- `_SC_RTSIG_MAX`: [Constants for Sysconf](#)
- `_SC_SAVED_IDS`: [Constants for Sysconf](#)
- `_SC_SCHAR_MAX`: [Constants for Sysconf](#)
- `_SC_SCHAR_MIN`: [Constants for Sysconf](#)
- `_SC_SELECT`: [Constants for Sysconf](#)
- `_SC_SEM_NSEMS_MAX`: [Constants for Sysconf](#)
- `_SC_SEM_VALUE_MAX`: [Constants for Sysconf](#)
- `_SC_SEMAPHORES`: [Constants for Sysconf](#)
- `_SC_SHARED_MEMORY_OBJECTS`: [Constants for Sysconf](#)
- `_SC_SHRT_MAX`: [Constants for Sysconf](#)
- `_SC_SHRT_MIN`: [Constants for Sysconf](#)
- `_SC_SIGQUEUE_MAX`: [Constants for Sysconf](#)
- `_SC_STREAM_MAX`: [Constants for Sysconf](#)
- `_SC_SYNCHRONIZED_IO`: [Constants for Sysconf](#)
- `_SC_T_IOV_MAX`: [Constants for Sysconf](#)
- `_SC_THREAD_ATTR_STACKADDR`: [Constants for Sysconf](#)
- `_SC_THREAD_ATTR_STACKSIZE`: [Constants for Sysconf](#)
- `_SC_THREAD_DESTRUCTOR_ITERATIONS`: [Constants for Sysconf](#)
- `_SC_THREAD_KEYS_MAX`: [Constants for Sysconf](#)
- `_SC_THREAD_PRIO_INHERIT`: [Constants for Sysconf](#)

- `_SC_THREAD_PRIO_PROTECT`: [Constants for Sysconf](#)
- `_SC_THREAD_PRIORITY_SCHEDULING`: [Constants for Sysconf](#)
- `_SC_THREAD_PROCESS_SHARED`: [Constants for Sysconf](#)
- `_SC_THREAD_SAFE_FUNCTIONS`: [Constants for Sysconf](#)
- `_SC_THREAD_STACK_MIN`: [Constants for Sysconf](#)
- `_SC_THREAD_THREADS_MAX`: [Constants for Sysconf](#)
- `_SC_THREADS`: [Constants for Sysconf](#)
- `_SC_TIMER_MAX`: [Constants for Sysconf](#)
- `_SC_TIMERS`: [Constants for Sysconf](#)
- `_SC_TTY_NAME_MAX`: [Constants for Sysconf](#)
- `_SC_TZNAME_MAX`: [Constants for Sysconf](#)
- `_SC_UCHAR_MAX`: [Constants for Sysconf](#)
- `_SC_UINT_MAX`: [Constants for Sysconf](#)
- `_SC_UIO_MAXIOV`: [Constants for Sysconf](#)
- `_SC_ULONG_MAX`: [Constants for Sysconf](#)
- `_SC_USHRT_MAX`: [Constants for Sysconf](#)
- `_SC_VERSION`: [Constants for Sysconf](#)
- `_SC_WORD_BIT`: [Constants for Sysconf](#)
- `_SC_XOPEN_CRYPT`: [Constants for Sysconf](#)
- `_SC_XOPEN_ENH_I18N`: [Constants for Sysconf](#)
- `_SC_XOPEN_LEGACY`: [Constants for Sysconf](#)
- `_SC_XOPEN_REALTIME`: [Constants for Sysconf](#)
- `_SC_XOPEN_REALTIME_THREADS`: [Constants for Sysconf](#)
- `_SC_XOPEN_SHM`: [Constants for Sysconf](#)
- `_SC_XOPEN_UNIX`: [Constants for Sysconf](#)
- `_SC_XOPEN_VERSION`: [Constants for Sysconf](#)
- `_SC_XOPEN_XCU_VERSION`: [Constants for Sysconf](#)
- `_SC_XOPEN_XPG2`: [Constants for Sysconf](#)
- `_SC_XOPEN_XPG3`: [Constants for Sysconf](#)
- `_SC_XOPEN_XPG4`: [Constants for Sysconf](#)
- `_SVID_SOURCE`: [Feature Test Macros](#)
- `_THREAD_SAFE`: [Feature Test Macros](#)
- `_XOPEN_SOURCE`: [Feature Test Macros](#)
- `_XOPEN_SOURCE_EXTENDED`: [Feature Test Macros](#)
- `ABDAY_1`: [The Elegant and Fast Way](#)
- `ABDAY_2`: [The Elegant and Fast Way](#)
- `ABDAY_3`: [The Elegant and Fast Way](#)
- `ABDAY_4`: [The Elegant and Fast Way](#)

- `ABDAY_5`: [The Elegant and Fast Way](#)
- `ABDAY_6`: [The Elegant and Fast Way](#)
- `ABDAY_7`: [The Elegant and Fast Way](#)
- `ABMON_1`: [The Elegant and Fast Way](#)
- `ABMON_10`: [The Elegant and Fast Way](#)
- `ABMON_11`: [The Elegant and Fast Way](#)
- `ABMON_12`: [The Elegant and Fast Way](#)
- `ABMON_2`: [The Elegant and Fast Way](#)
- `ABMON_3`: [The Elegant and Fast Way](#)
- `ABMON_4`: [The Elegant and Fast Way](#)
- `ABMON_5`: [The Elegant and Fast Way](#)
- `ABMON_6`: [The Elegant and Fast Way](#)
- `ABMON_7`: [The Elegant and Fast Way](#)
- `ABMON_8`: [The Elegant and Fast Way](#)
- `ABMON_9`: [The Elegant and Fast Way](#)
- `ACCOUNTING`: [Manipulating the Database](#)
- `AF_FILE`: [Address Formats](#)
- `AF_INET`: [Address Formats](#)
- `AF_LOCAL`: [Address Formats](#)
- `AF_UNIX`: [Address Formats](#)
- `AF_UNSPEC`: [Address Formats](#)
- `aliases`: [NSS Basics](#)
- `ALT_DIGITS`: [The Elegant and Fast Way](#)
- `ALTWERASE`: [Local Modes](#)
- `AM_STR`: [The Elegant and Fast Way](#)
- `ARG_MAX`: [General Limits](#)
- `argp_err_exit_status`: [Argp Global Variables](#)
- `ARGP_ERR_UNKNOWN`: [Argp Parser Functions](#)
- `ARGP_HELP_BUG_ADDR`: [Argp Help Flags](#)
- `ARGP_HELP_DOC`: [Argp Help Flags](#)
- `ARGP_HELP_EXIT_ERR`: [Argp Help Flags](#)
- `ARGP_HELP_EXIT_OK`: [Argp Help Flags](#)
- `ARGP_HELP_LONG`: [Argp Help Flags](#)
- `ARGP_HELP_LONG_ONLY`: [Argp Help Flags](#)
- `ARGP_HELP_POST_DOC`: [Argp Help Flags](#)
- `ARGP_HELP_PRE_DOC`: [Argp Help Flags](#)
- `ARGP_HELP_SEE`: [Argp Help Flags](#)
- `ARGP_HELP_SHORT_USAGE`: [Argp Help Flags](#)



- `ARGP_HELP_STD_ERR`: [Argp Help Flags](#)
- `ARGP_HELP_STD_HELP`: [Argp Help Flags](#)
- `ARGP_HELP_STD_USAGE`: [Argp Help Flags](#)
- `ARGP_HELP_USAGE`: [Argp Help Flags](#)
- `ARGP_IN_ORDER`: [Argp Flags](#)
- `ARGP_KEY_ARG`: [Argp Special Keys](#)
- `ARGP_KEY_ARGS`: [Argp Special Keys](#)
- `ARGP_KEY_END`: [Argp Special Keys](#)
- `ARGP_KEY_ERROR`: [Argp Special Keys](#)
- `ARGP_KEY_FINI`: [Argp Special Keys](#)
- `ARGP_KEY_HELP_ARGS_DOC`: [Argp Help Filter Keys](#)
- `ARGP_KEY_HELP_DUP_ARGS_NOTE`: [Argp Help Filter Keys](#)
- `ARGP_KEY_HELP_EXTRA`: [Argp Help Filter Keys](#)
- `ARGP_KEY_HELP_HEADER`: [Argp Help Filter Keys](#)
- `ARGP_KEY_HELP_POST_DOC`: [Argp Help Filter Keys](#)
- `ARGP_KEY_HELP_PRE_DOC`: [Argp Help Filter Keys](#)
- `ARGP_KEY_INIT`: [Argp Special Keys](#)
- `ARGP_KEY_NO_ARGS`: [Argp Special Keys](#)
- `ARGP_KEY_SUCCESS`: [Argp Special Keys](#)
- `ARGP_LONG_ONLY`: [Argp Flags](#)
- `ARGP_NO_ARGS`: [Argp Flags](#)
- `ARGP_NO_ERRS`: [Argp Flags](#)
- `ARGP_NO_EXIT`: [Argp Flags](#)
- `ARGP_NO_HELP`: [Argp Flags](#)
- `ARGP_PARSE_ARGV0`: [Argp Flags](#)
- `argp_program_bug_address`: [Argp Global Variables](#)
- `argp_program_version`: [Argp Global Variables](#)
- `argp_program_version_hook`: [Argp Global Variables](#)
- `ARGP_SILENT`: [Argp Flags](#)
- `B0`: [Line Speed](#)
- `B110`: [Line Speed](#)
- `B115200`: [Line Speed](#)
- `B1200`: [Line Speed](#)
- `B134`: [Line Speed](#)
- `B150`: [Line Speed](#)
- `B1800`: [Line Speed](#)
- `B19200`: [Line Speed](#)
- `B200`: [Line Speed](#)

- B230400: [Line Speed](#)
- B2400: [Line Speed](#)
- B300: [Line Speed](#)
- B38400: [Line Speed](#)
- B460800: [Line Speed](#)
- B4800: [Line Speed](#)
- B50: [Line Speed](#)
- B57600: [Line Speed](#)
- B600: [Line Speed](#)
- B75: [Line Speed](#)
- B9600: [Line Speed](#)
- BC\_BASE\_MAX: [Utility Limits](#)
- BC\_DIM\_MAX: [Utility Limits](#)
- BC\_SCALE\_MAX: [Utility Limits](#)
- BC\_STRING\_MAX: [Utility Limits](#)
- BOOT\_TIME: [XPG Functions](#), [Manipulating the Database](#)
- BRKINT: [Input Modes](#)
- BUFSIZ: [Controlling Buffering](#)
- CCTS\_OFLOW: [Control Modes](#)
- CHAR\_MAX: [Range of Type](#)
- CHAR\_MIN: [Range of Type](#)
- CHILD\_MAX: [General Limits](#)
- CIGNORE: [Control Modes](#)
- CLK\_TCK: [CPU Time](#)
- CLOCAL: [Control Modes](#)
- CLOCKS\_PER\_SEC: [CPU Time](#)
- CODESET: [The Elegant and Fast Way](#)
- COLL\_WEIGHTS\_MAX: [Utility Limits](#)
- COREFILE: [Program Error Signals](#)
- CPU\_SETSIZE: [CPU Affinity](#)
- CREAD: [Control Modes](#)
- CRNCYSTR: [The Elegant and Fast Way](#)
- CRTS\_IFLOW: [Control Modes](#)
- CS5: [Control Modes](#)
- CS6: [Control Modes](#)
- CS7: [Control Modes](#)
- CS8: [Control Modes](#)
- CSIZE: [Control Modes](#)

- CSTOPB: [Control Modes](#)
- CURRENCY\_SYMBOL: [The Elegant and Fast Way](#)
- D\_FMT: [The Elegant and Fast Way](#)
- D\_T\_FMT: [The Elegant and Fast Way](#)
- DAY\_1: [The Elegant and Fast Way](#)
- DAY\_2: [The Elegant and Fast Way](#)
- DAY\_3: [The Elegant and Fast Way](#)
- DAY\_4: [The Elegant and Fast Way](#)
- DAY\_5: [The Elegant and Fast Way](#)
- DAY\_6: [The Elegant and Fast Way](#)
- DAY\_7: [The Elegant and Fast Way](#)
- daylight: [Time Zone Functions](#)
- DBL\_DIG: [Floating Point Parameters](#)
- DBL\_EPSILON: [Floating Point Parameters](#)
- DBL\_MANT\_DIG: [Floating Point Parameters](#)
- DBL\_MAX: [Floating Point Parameters](#)
- DBL\_MAX\_10\_EXP: [Floating Point Parameters](#)
- DBL\_MAX\_EXP: [Floating Point Parameters](#)
- DBL\_MIN: [Floating Point Parameters](#)
- DBL\_MIN\_10\_EXP: [Floating Point Parameters](#)
- DBL\_MIN\_EXP: [Floating Point Parameters](#)
- DEAD\_PROCESS: [XPG Functions, Manipulating the Database](#)
- DECIMAL\_POINT: [The Elegant and Fast Way](#)
- DES\_DECRYPT: [DES Encryption](#)
- DES\_ENCRYPT: [DES Encryption](#)
- DES\_HW: [DES Encryption](#)
- DES\_SW: [DES Encryption](#)
- DESERR\_BADPARAM: [DES Encryption](#)
- DESERR\_HWERROR: [DES Encryption](#)
- DESERR\_NOHWDEVICE: [DES Encryption](#)
- DESERR\_NONE: [DES Encryption](#)
- DT\_BLK: [Directory Entries](#)
- DT\_CHR: [Directory Entries](#)
- DT\_DIR: [Directory Entries](#)
- DT\_FIFO: [Directory Entries](#)
- DT\_REG: [Directory Entries](#)
- DT\_SOCK: [Directory Entries](#)
- DT\_UNKNOWN: [Directory Entries](#)

- E2BIG: [Error Codes](#)
- EACCES: [Error Codes](#)
- EADDRINUSE: [Error Codes](#)
- EADDRNOTAVAIL: [Error Codes](#)
- EADV: [Error Codes](#)
- EAFNOSUPPORT: [Error Codes](#)
- EAGAIN: [Error Codes](#)
- EALREADY: [Error Codes](#)
- EAUTH: [Error Codes](#)
- EBACKGROUND: [Error Codes](#)
- EBADE: [Error Codes](#)
- EBADF: [Line Control](#), [Error Codes](#)
- EBADFD: [Error Codes](#)
- EBADMSG: [Error Codes](#)
- EBADR: [Error Codes](#)
- EBADRPC: [Error Codes](#)
- EBADRQC: [Error Codes](#)
- EBADSLT: [Error Codes](#)
- EBFONT: [Error Codes](#)
- EBUSY: [Error Codes](#)
- ECANCELED: [Error Codes](#)
- ECHILD: [Error Codes](#)
- ECHO: [Local Modes](#)
- ECHOCTL: [Local Modes](#)
- ECHOE: [Local Modes](#)
- ECHOK: [Local Modes](#)
- ECHOKE: [Local Modes](#)
- ECHONL: [Local Modes](#)
- ECHOPRT: [Local Modes](#)
- ECHRNG: [Error Codes](#)
- ECOMM: [Error Codes](#)
- ECONNABORTED: [Error Codes](#)
- ECONNREFUSED: [Error Codes](#)
- ECONNRESET: [Error Codes](#)
- ED: [Error Codes](#)
- EDEADLK: [Error Codes](#)
- EDEADLOCK: [Error Codes](#)
- EDESTADDRREQ: [Error Codes](#)

- EDIED: [Error Codes](#)
- EDOM: [Error Codes](#)
- EDOTDOT: [Error Codes](#)
- EDQUOT: [Error Codes](#)
- EEXIST: [Error Codes](#)
- EFAULT: [Error Codes](#)
- EFBIG: [Error Codes](#)
- EFTYPE: [Error Codes](#)
- EGRATUITOUS: [Error Codes](#)
- EGREGIOUS: [Error Codes](#)
- EHOSTDOWN: [Error Codes](#)
- EHOSTUNREACH: [Error Codes](#)
- EIDRM: [Error Codes](#)
- EIEIO: [Error Codes](#)
- EILSEQ: [Error Codes](#)
- EINPROGRESS: [Error Codes](#)
- EINTR: [Error Codes](#)
- EINVAL: [Line Control](#), [Error Codes](#)
- EIO: [Error Codes](#)
- EISCONN: [Error Codes](#)
- EISDIR: [Error Codes](#)
- EISNAM: [Error Codes](#)
- EL2HLT: [Error Codes](#)
- EL2NSYNC: [Error Codes](#)
- EL3HLT: [Error Codes](#)
- EL3RST: [Error Codes](#)
- ELIBACC: [Error Codes](#)
- ELIBBAD: [Error Codes](#)
- ELIBEXEC: [Error Codes](#)
- ELIBMAX: [Error Codes](#)
- ELIBSCN: [Error Codes](#)
- ELNRNG: [Error Codes](#)
- ELOOP: [Error Codes](#)
- EMEDIUMTYPE: [Error Codes](#)
- EMFILE: [Error Codes](#)
- EMLINK: [Error Codes](#)
- EMPTY: [XPG Functions](#), [Manipulating the Database](#)
- EMSGSIZE: [Error Codes](#)

- EMULTIHOP: [Error Codes](#)
- ENAMETOOLONG: [Error Codes](#)
- ENAVAIL: [Error Codes](#)
- ENEEDAUTH: [Error Codes](#)
- ENETDOWN: [Error Codes](#)
- ENETRESET: [Error Codes](#)
- ENETUNREACH: [Error Codes](#)
- ENFILE: [Error Codes](#)
- ENOANO: [Error Codes](#)
- ENOBUFS: [Error Codes](#)
- ENOCSI: [Error Codes](#)
- ENODATA: [Error Codes](#)
- ENODEV: [Error Codes](#)
- ENOENT: [Error Codes](#)
- ENOEXEC: [Error Codes](#)
- ENOLCK: [Error Codes](#)
- ENOLINK: [Error Codes](#)
- ENOMEDIUM: [Error Codes](#)
- ENOMEM: [Error Codes](#)
- ENOMSG: [Error Codes](#)
- ENONET: [Error Codes](#)
- ENOPKG: [Error Codes](#)
- ENOPROTOPT: [Error Codes](#)
- ENOSPC: [Error Codes](#)
- ENOSR: [Error Codes](#)
- ENOSTR: [Error Codes](#)
- ENOSYS: [Error Codes](#)
- ENOTBLK: [Error Codes](#)
- ENOTCONN: [Error Codes](#)
- ENOTDIR: [Error Codes](#)
- ENOTEMPTY: [Error Codes](#)
- ENOTNAM: [Error Codes](#)
- ENOTSOCK: [Error Codes](#)
- ENOTSUP: [Error Codes](#)
- ENOTTY: [Line Control](#), [Error Codes](#)
- ENOTUNIQ: [Error Codes](#)
- environ: [Environment Access](#)
- ENXIO: [Error Codes](#)

- EOF: [EOF and Errors](#)
- EOPNOTSUPP: [Error Codes](#)
- EOVERFLOW: [Error Codes](#)
- EPERM: [Error Codes](#)
- EPFNOSUPPORT: [Error Codes](#)
- EPIPE: [Error Codes](#)
- EPROCLIM: [Error Codes](#)
- EPROCUNAVAIL: [Error Codes](#)
- EPROGMISMATCH: [Error Codes](#)
- EPROGUNAVAIL: [Error Codes](#)
- EPROTO: [Error Codes](#)
- EPROTONOSUPPORT: [Error Codes](#)
- EPROTOTYPE: [Error Codes](#)
- EQUIV\_CLASS\_MAX: [Utility Limits](#)
- ERA: [The Elegant and Fast Way](#)
- ERA\_D\_FMT: [The Elegant and Fast Way](#)
- ERA\_D\_T\_FMT: [The Elegant and Fast Way](#)
- ERA\_T\_FMT: [The Elegant and Fast Way](#)
- ERA\_YEAR: [The Elegant and Fast Way](#)
- ERANGE: [Error Codes](#)
- EREMCHG: [Error Codes](#)
- EREMOTE: [Error Codes](#)
- EREMOTEIO: [Error Codes](#)
- ERESTART: [Error Codes](#)
- EROFS: [Error Codes](#)
- ERPCMISMATCH: [Error Codes](#)
- errno: [Checking for Errors](#)
- error\_message\_count: [Error Messages](#)
- error\_one\_per\_line: [Error Messages](#)
- error\_print\_progname: [Error Messages](#)
- ESHUTDOWN: [Error Codes](#)
- ESOCKTNOSUPPORT: [Error Codes](#)
- ESPIPE: [Error Codes](#)
- ESRCH: [Error Codes](#)
- ESRMNT: [Error Codes](#)
- ESTALE: [Error Codes](#)
- ESTRPIPE: [Error Codes](#)
- ethers: [NSS Basics](#)

- ETIME: [Error Codes](#)
- ETIMEDOUT: [Error Codes](#)
- ETOOMANYREFS: [Error Codes](#)
- ETXTBSY: [Error Codes](#)
- EUCLEAN: [Error Codes](#)
- EUNATCH: [Error Codes](#)
- EUSERS: [Error Codes](#)
- EWOULDBLOCK: [Error Codes](#)
- EXDEV: [Error Codes](#)
- EXFULL: [Error Codes](#)
- EXIT\_FAILURE: [Exit Status](#)
- EXIT\_SUCCESS: [Exit Status](#)
- EXPR\_NEST\_MAX: [Utility Limits](#)
- EXTA: [Line Speed](#)
- EXTB: [Line Speed](#)
- F\_DUPFD: [Duplicating Descriptors](#)
- F\_GETFD: [Descriptor Flags](#)
- F\_GETFL: [Getting File Status Flags](#)
- F\_GETLK: [File Locks](#)
- F\_GETOWN: [Interrupt Input](#)
- F\_OK: [Testing File Access](#)
- F\_RDLCK: [File Locks](#)
- F\_SETFD: [Descriptor Flags](#)
- F\_SETFL: [Getting File Status Flags](#)
- F\_SETLK: [File Locks](#)
- F\_SETLKW: [File Locks](#)
- F\_SETOWN: [Interrupt Input](#)
- F\_UNLCK: [File Locks](#)
- F\_WRLCK: [File Locks](#)
- FD\_CLOEXEC: [Descriptor Flags](#)
- FD\_SETSIZE: [Waiting for I/O](#)
- FE\_DFL\_ENV: [Control Functions](#)
- FE\_DIVBYZERO: [Status bit operations](#)
- FE\_DOWNWARD: [Rounding](#)
- FE\_INEXACT: [Status bit operations](#)
- FE\_INVALID: [Status bit operations](#)
- FE\_NOMASK\_ENV: [Control Functions](#)
- FE\_OVERFLOW: [Status bit operations](#)



- FE\_TONEAREST: [Rounding](#)
- FE\_TOWARDZERO: [Rounding](#)
- FE\_UNDERFLOW: [Status bit operations](#)
- FE\_UPWARD: [Rounding](#)
- FILENAME\_MAX: [Limits for Files](#)
- FLT\_DIG: [Floating Point Parameters](#)
- FLT\_EPSILON: [Floating Point Parameters](#)
- FLT\_MANT\_DIG: [Floating Point Parameters](#)
- FLT\_MAX: [Floating Point Parameters](#)
- FLT\_MAX\_10\_EXP: [Floating Point Parameters](#)
- FLT\_MAX\_EXP: [Floating Point Parameters](#)
- FLT\_MIN: [Floating Point Parameters](#)
- FLT\_MIN\_10\_EXP: [Floating Point Parameters](#)
- FLT\_MIN\_EXP: [Floating Point Parameters](#)
- FLT\_RADIX: [Floating Point Parameters](#)
- FLT\_ROUNDS: [Floating Point Parameters](#)
- FLUSHO: [Local Modes](#)
- FOPEN\_MAX: [Opening Streams](#)
- FP\_FAST\_FMA: [Misc FP Arithmetic](#)
- FP\_ILOGB0: [Exponents and Logarithms](#)
- FP\_ILOGBNAN: [Exponents and Logarithms](#)
- FP\_INFINITE: [Floating Point Classes](#)
- FP\_NAN: [Floating Point Classes](#)
- FP\_NORMAL: [Floating Point Classes](#)
- FP\_SUBNORMAL: [Floating Point Classes](#)
- FP\_ZERO: [Floating Point Classes](#)
- FPE\_DECOVF\_TRAP: [Program Error Signals](#)
- FPE\_FLTDIV\_TRAP: [Program Error Signals](#)
- FPE\_FLTOVF\_TRAP: [Program Error Signals](#)
- FPE\_FLTUND\_TRAP: [Program Error Signals](#)
- FPE\_INTDIV\_TRAP: [Program Error Signals](#)
- FPE\_INTOVF\_TRAP: [Program Error Signals](#)
- FPE\_SUBRNG\_TRAP: [Program Error Signals](#)
- FRAC\_DIGITS: [The Elegant and Fast Way](#)
- FSETLOCKING\_BYCALLER: [Streams and Threads](#)
- FSETLOCKING\_INTERNAL: [Streams and Threads](#)
- FSETLOCKING\_QUERY: [Streams and Threads](#)
- FSTAB: [Mount Information](#)

- FSTAB\_RO: [fstab](#)
- FSTAB\_RQ: [fstab](#)
- FSTAB\_RW: [fstab](#)
- FSTAB\_SW: [fstab](#)
- FSTAB\_XX: [fstab](#)
- FTW\_ACTIONRETVAL: [Working with Directory Trees](#)
- FTW\_CHDIR: [Working with Directory Trees](#)
- FTW\_D: [Working with Directory Trees](#)
- FTW\_DEPTH: [Working with Directory Trees](#)
- FTW\_DNR: [Working with Directory Trees](#)
- FTW\_DP: [Working with Directory Trees](#)
- FTW\_F: [Working with Directory Trees](#)
- FTW\_MOUNT: [Working with Directory Trees](#)
- FTW\_NS: [Working with Directory Trees](#)
- FTW\_PHYS: [Working with Directory Trees](#)
- FTW\_SL: [Working with Directory Trees](#)
- FTW\_SLN: [Working with Directory Trees](#)
- getdate\_err: [General Time String Parsing](#)
- GLOB\_ABORTED: [Calling Glob](#)
- GLOB\_ALTDIRFUNC: [More Flags for Globbing](#)
- GLOB\_APPEND: [Flags for Globbing](#)
- GLOB\_BRACE: [More Flags for Globbing](#)
- GLOB\_DOOFFS: [Flags for Globbing](#)
- GLOB\_ERR: [Flags for Globbing](#)
- GLOB\_MAGCHAR: [More Flags for Globbing](#)
- GLOB\_MARK: [Flags for Globbing](#)
- GLOB\_NOCHECK: [Flags for Globbing](#)
- GLOB\_NOESCAPE: [Flags for Globbing](#)
- GLOB\_NOMAGIC: [More Flags for Globbing](#)
- GLOB\_NOMATCH: [Calling Glob](#)
- GLOB\_NOSORT: [Flags for Globbing](#)
- GLOB\_NOSPACE: [Calling Glob](#)
- GLOB\_ONLYDIR: [More Flags for Globbing](#)
- GLOB\_PERIOD: [More Flags for Globbing](#)
- GLOB\_TILDE: [More Flags for Globbing](#)
- GLOB\_TILDE\_CHECK: [More Flags for Globbing](#)
- group: [NSS Basics](#)
- GROUPING: [The Elegant and Fast Way](#)

- `h_errno`: [Host Names](#)
- `HOST_NOT_FOUND`: [Host Names](#)
- `hosts`: [NSS Basics](#)
- `HUGE_VAL`: [Math Error Reporting](#)
- `HUGE_VALF`: [Math Error Reporting](#)
- `HUGE_VALL`: [Math Error Reporting](#)
- `HUPCL`: [Control Modes](#)
- `I`: [Complex Numbers](#)
- `ICANON`: [Local Modes](#)
- `ICRNL`: [Input Modes](#)
- `IEXTEN`: [Local Modes](#)
- `IFNAMSIZ`: [Interface Naming](#)
- `IGNBRK`: [Input Modes](#)
- `IGNCR`: [Input Modes](#)
- `IGNPAR`: [Input Modes](#)
- `IMAXBEL`: [Input Modes](#)
- `in6addr_any`: [Host Address Data Type](#)
- `in6addr_loopback`: [Host Address Data Type](#)
- `INADDR_ANY`: [Host Address Data Type](#)
- `INADDR_BROADCAST`: [Host Address Data Type](#)
- `INADDR_LOOPBACK`: [Host Address Data Type](#)
- `INADDR_NONE`: [Host Address Data Type](#)
- `INFINITY`: [Infinity and NaN](#)
- `INIT_PROCESS`: [XPG Functions, Manipulating the Database](#)
- `INLCR`: [Input Modes](#)
- `INPCK`: [Input Modes](#)
- `INT_CURR_SYMBOL`: [The Elegant and Fast Way](#)
- `INT_FRAC_DIGITS`: [The Elegant and Fast Way](#)
- `INT_MAX`: [Range of Type](#)
- `INT_MIN`: [Range of Type](#)
- `INT_N_CS_PRECEDES`: [The Elegant and Fast Way](#)
- `INT_N_SEP_BY_SPACE`: [The Elegant and Fast Way](#)
- `INT_N_SIGN_POSN`: [The Elegant and Fast Way](#)
- `INT_P_CS_PRECEDES`: [The Elegant and Fast Way](#)
- `INT_P_SEP_BY_SPACE`: [The Elegant and Fast Way](#)
- `INT_P_SIGN_POSN`: [The Elegant and Fast Way](#)
- `IPPORT_RESERVED`: [Ports](#)
- `IPPORT_USERRESERVED`: [Ports](#)

- ISIG: [Local Modes](#)
- ISTRIP: [Input Modes](#)
- ITIMER\_PROF: [Setting an Alarm](#)
- ITIMER\_REAL: [Setting an Alarm](#)
- ITIMER\_VIRTUAL: [Setting an Alarm](#)
- IXANY: [Input Modes](#)
- IXOFF: [Input Modes](#)
- IXON: [Input Modes](#)
- L\_ctermid: [Identifying the Terminal](#)
- L\_cuserid: [Who Logged In](#)
- L\_INCR: [File Positioning](#)
- L\_SET: [File Positioning](#)
- L\_tmpnam: [Temporary Files](#)
- L\_XTND: [File Positioning](#)
- LANG: [Locale Categories](#)
- LANGUAGE: [Locale Categories](#)
- LC\_ALL: [Locale Categories](#)
- LC\_COLLATE: [Locale Categories](#)
- LC\_CTYPE: [Locale Categories](#)
- LC\_MESSAGES: [Locale Categories](#)
- LC\_MONETARY: [Locale Categories](#)
- LC\_NUMERIC: [Locale Categories](#)
- LC\_TIME: [Locale Categories](#)
- LDBL\_DIG: [Floating Point Parameters](#)
- LDBL\_EPSILON: [Floating Point Parameters](#)
- LDBL\_MANT\_DIG: [Floating Point Parameters](#)
- LDBL\_MAX: [Floating Point Parameters](#)
- LDBL\_MAX\_10\_EXP: [Floating Point Parameters](#)
- LDBL\_MAX\_EXP: [Floating Point Parameters](#)
- LDBL\_MIN: [Floating Point Parameters](#)
- LDBL\_MIN\_10\_EXP: [Floating Point Parameters](#)
- LDBL\_MIN\_EXP: [Floating Point Parameters](#)
- LINE\_MAX: [Utility Limits](#)
- LINK\_MAX: [Limits for Files](#)
- LIO\_NOP: [Asynchronous I/O](#)
- LIO\_READ: [Asynchronous I/O](#)
- LIO\_WRITE: [Asynchronous I/O](#)
- LOG\_ALERT: [syslog; vsyslog](#)

- LOG\_AUTH: [syslog; vsyslog](#)
- LOG\_AUTHPRIV: [syslog; vsyslog](#)
- LOG\_CRIT: [syslog; vsyslog](#)
- LOG\_CRON: [syslog; vsyslog](#)
- LOG\_DAEMON: [syslog; vsyslog](#)
- LOG\_DEBUG: [syslog; vsyslog](#)
- LOG\_EMERG: [syslog; vsyslog](#)
- LOG\_ERR: [syslog; vsyslog](#)
- LOG\_FTP: [syslog; vsyslog](#)
- LOG\_INFO: [syslog; vsyslog](#)
- LOG\_LOCAL0: [syslog; vsyslog](#)
- LOG\_LOCAL1: [syslog; vsyslog](#)
- LOG\_LOCAL2: [syslog; vsyslog](#)
- LOG\_LOCAL3: [syslog; vsyslog](#)
- LOG\_LOCAL4: [syslog; vsyslog](#)
- LOG\_LOCAL5: [syslog; vsyslog](#)
- LOG\_LOCAL6: [syslog; vsyslog](#)
- LOG\_LOCAL7: [syslog; vsyslog](#)
- LOG\_LPR: [syslog; vsyslog](#)
- LOG\_MAIL: [syslog; vsyslog](#)
- LOG\_NEWS: [syslog; vsyslog](#)
- LOG\_NOTICE: [syslog; vsyslog](#)
- LOG\_SYSLOG: [syslog; vsyslog](#)
- LOG\_USER: [syslog; vsyslog](#)
- LOG\_UUCP: [syslog; vsyslog](#)
- LOG\_WARNING: [syslog; vsyslog](#)
- LOGIN\_PROCESS: [XPG Functions](#), [Manipulating the Database](#)
- LONG\_LONG\_MAX: [Range of Type](#)
- LONG\_LONG\_MIN: [Range of Type](#)
- LONG\_MAX: [Range of Type](#)
- LONG\_MIN: [Range of Type](#)
- M\_1\_PI: [Mathematical Constants](#)
- M\_2\_PI: [Mathematical Constants](#)
- M\_2\_SQRTPI: [Mathematical Constants](#)
- M\_E: [Mathematical Constants](#)
- M\_LN10: [Mathematical Constants](#)
- M\_LN2: [Mathematical Constants](#)
- M\_LOG10E: [Mathematical Constants](#)

- M\_LOG2E: [Mathematical Constants](#)
- M\_PI: [Mathematical Constants](#)
- M\_PI\_2: [Mathematical Constants](#)
- M\_PI\_4: [Mathematical Constants](#)
- M\_SQRT1\_2: [Mathematical Constants](#)
- M\_SQRT2: [Mathematical Constants](#)
- MAP\_ANON: [Memory-mapped I/O](#)
- MAP\_ANONYMOUS: [Memory-mapped I/O](#)
- MAP\_FIXED: [Memory-mapped I/O](#)
- MAP\_PRIVATE: [Memory-mapped I/O](#)
- MAP\_SHARED: [Memory-mapped I/O](#)
- MAX\_CANON: [Limits for Files](#)
- MAX\_INPUT: [Limits for Files](#)
- MAXNAMLEN: [Limits for Files](#)
- MAXSYMLINKS: [Symbolic Links](#)
- MB\_CUR\_MAX: [Selecting the Conversion](#)
- MB\_LEN\_MAX: [Selecting the Conversion](#)
- MDMBUF: [Control Modes](#)
- MINSIGSTKSZ: [Signal Stack](#)
- MM\_APPL: [Printing Formatted Messages](#)
- MM\_CONSOLE: [Printing Formatted Messages](#)
- MM\_ERROR: [Printing Formatted Messages](#)
- MM\_FIRM: [Printing Formatted Messages](#)
- MM\_HALT: [Printing Formatted Messages](#)
- MM\_HARD: [Printing Formatted Messages](#)
- MM\_INFO: [Printing Formatted Messages](#)
- MM\_NOSEV: [Printing Formatted Messages](#)
- MM\_NRECOV: [Printing Formatted Messages](#)
- MM\_NULLACT: [Printing Formatted Messages](#)
- MM\_NULLLBL: [Printing Formatted Messages](#)
- MM\_NULLMC: [Printing Formatted Messages](#)
- MM\_NULLSEV: [Printing Formatted Messages](#)
- MM\_NULLTAG: [Printing Formatted Messages](#)
- MM\_NULLTXT: [Printing Formatted Messages](#)
- MM\_OPYSYS: [Printing Formatted Messages](#)
- MM\_PRINT: [Printing Formatted Messages](#)
- MM\_RECOVER: [Printing Formatted Messages](#)
- MM\_SOFT: [Printing Formatted Messages](#)

- MM\_UTIL: [Printing Formatted Messages](#)
- MM\_WARNING: [Printing Formatted Messages](#)
- MNTOPT\_DEFAULTS: [mtab](#)
- MNTOPT\_NOAUTO: [mtab](#)
- MNTOPT\_NOSUID: [mtab](#)
- MNTOPT\_RO: [mtab](#)
- MNTOPT\_RW: [mtab](#)
- MNTOPT\_SUID: [mtab](#)
- MNTTAB: [Mount Information](#)
- MNTTYPE\_IGNORE: [mtab](#)
- MNTTYPE\_NFS: [mtab](#)
- MNTTYPE\_SWAP: [mtab](#)
- MON\_1: [The Elegant and Fast Way](#)
- MON\_10: [The Elegant and Fast Way](#)
- MON\_11: [The Elegant and Fast Way](#)
- MON\_12: [The Elegant and Fast Way](#)
- MON\_2: [The Elegant and Fast Way](#)
- MON\_3: [The Elegant and Fast Way](#)
- MON\_4: [The Elegant and Fast Way](#)
- MON\_5: [The Elegant and Fast Way](#)
- MON\_6: [The Elegant and Fast Way](#)
- MON\_7: [The Elegant and Fast Way](#)
- MON\_8: [The Elegant and Fast Way](#)
- MON\_9: [The Elegant and Fast Way](#)
- MON\_DECIMAL\_POINT: [The Elegant and Fast Way](#)
- MON\_GROUPING: [The Elegant and Fast Way](#)
- MON\_THOUSANDS\_SEP: [The Elegant and Fast Way](#)
- MOUNTED: [Mount Information](#)
- MS\_ASYNC: [Memory-mapped I/O](#)
- MS\_SYNC: [Memory-mapped I/O](#)
- MSG\_DONTROUTE: [Socket Data Options](#)
- MSG\_OOB: [Socket Data Options](#)
- MSG\_PEEK: [Socket Data Options](#)
- N\_CS\_PRECEDES: [The Elegant and Fast Way](#)
- N\_SEP\_BY\_SPACE: [The Elegant and Fast Way](#)
- N\_SIGN\_POSN: [The Elegant and Fast Way](#)
- NAME\_MAX: [Limits for Files](#)
- NAN: [Infinity and NaN](#)

- NCCS: [Mode Data Types](#)
- NDEBUG: [Consistency Checking](#)
- NEGATIVE\_SIGN: [The Elegant and Fast Way](#)
- netgroup: [NSS Basics](#)
- networks: [NSS Basics](#)
- NEW\_TIME: [XPG Functions](#), [Manipulating the Database](#)
- NGROUPS\_MAX: [General Limits](#)
- NL\_ARGMAX: [Output Conversion Syntax](#)
- NO\_ADDRESS: [Host Names](#)
- NO\_RECOVERY: [Host Names](#)
- NOEXPR: [The Elegant and Fast Way](#)
- NOFLSH: [Local Modes](#)
- NOKERNINFO: [Local Modes](#)
- NOSTR: [The Elegant and Fast Way](#)
- NSIG: [Standard Signals](#)
- NSS\_STATUS\_NOTFOUND: [NSS Modules Interface](#)
- NSS\_STATUS\_SUCCESS: [NSS Modules Interface](#)
- NSS\_STATUS\_TRYAGAIN: [NSS Modules Interface](#)
- NSS\_STATUS\_UNAVAIL: [NSS Modules Interface](#)
- NULL: [Null Pointer Constant](#)
- O\_ACCMODE: [Access Modes](#)
- O\_APPEND: [Operating Modes](#)
- O\_ASYNC: [Operating Modes](#)
- O\_CREAT: [Open-time Flags](#)
- O\_EXCL: [Open-time Flags](#)
- O\_EXEC: [Access Modes](#)
- O\_EXLOCK: [Open-time Flags](#)
- O\_FSYNC: [Operating Modes](#)
- O\_IGNORE\_CTTY: [Open-time Flags](#)
- O\_NDELAY: [Operating Modes](#)
- O\_NOATIME: [Operating Modes](#)
- O\_NOCTTY: [Open-time Flags](#)
- O\_NOLINK: [Open-time Flags](#)
- O\_NONBLOCK: [Operating Modes](#), [Open-time Flags](#)
- O\_NOTRANS: [Open-time Flags](#)
- O\_RDONLY: [Access Modes](#)
- O\_RDWR: [Access Modes](#)
- O\_READ: [Access Modes](#)



- O\_SHLOCK: [Open-time Flags](#)
- O\_SYNC: [Operating Modes](#)
- O\_TRUNC: [Open-time Flags](#)
- O\_WRITE: [Access Modes](#)
- O\_WRONLY: [Access Modes](#)
- obstack\_alloc\_failed\_handler: [Preparing for Obstacks](#)
- OLD\_TIME: [XPG Functions](#), [Manipulating the Database](#)
- ONLCR: [Output Modes](#)
- ONOEOT: [Output Modes](#)
- OPEN\_MAX: [General Limits](#)
- OPOST: [Output Modes](#)
- optarg: [Using Getopt](#)
- opterr: [Using Getopt](#)
- optind: [Using Getopt](#)
- OPTION\_ALIAS: [Argp Option Flags](#)
- OPTION\_ARG\_OPTIONAL: [Argp Option Flags](#)
- OPTION\_DOC: [Argp Option Flags](#)
- OPTION\_HIDDEN: [Argp Option Flags](#)
- OPTION\_NO\_USAGE: [Argp Option Flags](#)
- optopt: [Using Getopt](#)
- OXTABS: [Output Modes](#)
- P\_CS\_PRECEDES: [The Elegant and Fast Way](#)
- P\_SEP\_BY\_SPACE: [The Elegant and Fast Way](#)
- P\_SIGN\_POSN: [The Elegant and Fast Way](#)
- P\_tmpdir: [Temporary Files](#)
- PA\_CHAR: [Parsing a Template String](#)
- PA\_DOUBLE: [Parsing a Template String](#)
- PA\_FLAG\_LONG: [Parsing a Template String](#)
- PA\_FLAG\_LONG\_DOUBLE: [Parsing a Template String](#)
- PA\_FLAG\_LONG\_LONG: [Parsing a Template String](#)
- PA\_FLAG\_MASK: [Parsing a Template String](#)
- PA\_FLAG\_PTR: [Parsing a Template String](#)
- PA\_FLAG\_SHORT: [Parsing a Template String](#)
- PA\_FLOAT: [Parsing a Template String](#)
- PA\_INT: [Parsing a Template String](#)
- PA\_LAST: [Parsing a Template String](#)
- PA\_POINTER: [Parsing a Template String](#)
- PA\_STRING: [Parsing a Template String](#)

- PARENB: [Control Modes](#)
- PARMRK: [Input Modes](#)
- PARODD: [Control Modes](#)
- passwd: [NSS Basics](#)
- PATH\_MAX: [Limits for Files](#)
- PENDIN: [Local Modes](#)
- PF\_CCITT: [Misc Namespaces](#)
- PF\_FILE: [Local Namespace Details](#)
- PF\_IMPLINK: [Misc Namespaces](#)
- PF\_INET: [Internet Namespace](#)
- PF\_INET6: [Internet Namespace](#)
- PF\_ISO: [Misc Namespaces](#)
- PF\_LOCAL: [Local Namespace Details](#)
- PF\_NS: [Misc Namespaces](#)
- PF\_ROUTE: [Misc Namespaces](#)
- PF\_UNIX: [Local Namespace Details](#)
- PI: [Mathematical Constants](#)
- PIPE\_BUF: [Limits for Files](#)
- PM\_STR: [The Elegant and Fast Way](#)
- POSITIVE\_SIGN: [The Elegant and Fast Way](#)
- PRIO\_MAX: [Traditional Scheduling Functions](#)
- PRIO\_MIN: [Traditional Scheduling Functions](#)
- PRIO\_PGRP: [Traditional Scheduling Functions](#)
- PRIO\_PROCESS: [Traditional Scheduling Functions](#)
- PRIO\_USER: [Traditional Scheduling Functions](#)
- program\_invocation\_name: [Error Messages](#)
- program\_invocation\_short\_name: [Error Messages](#)
- PROT\_EXEC: [Memory-mapped I/O](#)
- PROT\_READ: [Memory-mapped I/O](#)
- PROT\_WRITE: [Memory-mapped I/O](#)
- protocols: [NSS Basics](#)
- PWD: [Working Directory](#)
- R\_OK: [Testing File Access](#)
- RADIXCHAR: [The Elegant and Fast Way](#)
- RAND\_MAX: [ISO Random](#)
- RE\_DUP\_MAX: [General Limits](#)
- RLIM\_INFINITY: [Limits on Resources](#)
- RLIM\_NLIMITS: [Limits on Resources](#)

- RLIMIT\_AS: [Limits on Resources](#)
- RLIMIT\_CORE: [Limits on Resources](#)
- RLIMIT\_CPU: [Limits on Resources](#)
- RLIMIT\_DATA: [Limits on Resources](#)
- RLIMIT\_FSIZE: [Limits on Resources](#)
- RLIMIT\_NOFILE: [Limits on Resources](#)
- RLIMIT\_OFILE: [Limits on Resources](#)
- RLIMIT\_RSS: [Limits on Resources](#)
- RLIMIT\_STACK: [Limits on Resources](#)
- rpc: [NSS Basics](#)
- RUN\_LVL: [XPG Functions, Manipulating the Database](#)
- S\_IEXEC: [Permission Bits](#)
- S\_IFBLK: [Testing File Type](#)
- S\_IFCHR: [Testing File Type](#)
- S\_IFDIR: [Testing File Type](#)
- S\_IFIFO: [Testing File Type](#)
- S\_IFLNK: [Testing File Type](#)
- S\_IFMT: [Testing File Type](#)
- S\_IFREG: [Testing File Type](#)
- S\_IFSOCK: [Testing File Type](#)
- S\_IREAD: [Permission Bits](#)
- S\_IRGRP: [Permission Bits](#)
- S\_IROTH: [Permission Bits](#)
- S\_IRUSR: [Permission Bits](#)
- S\_IRWXG: [Permission Bits](#)
- S\_IRWXO: [Permission Bits](#)
- S\_IRWXU: [Permission Bits](#)
- S\_ISGID: [Permission Bits](#)
- S\_ISUID: [Permission Bits](#)
- S\_ISVTX: [Permission Bits](#)
- S\_IWGRP: [Permission Bits](#)
- S\_IWOTH: [Permission Bits](#)
- S\_IWRITE: [Permission Bits](#)
- S\_IWUSR: [Permission Bits](#)
- S\_IXGRP: [Permission Bits](#)
- S\_IXOTH: [Permission Bits](#)
- S\_IXUSR: [Permission Bits](#)
- SA\_NOCLDSTOP: [Flags for Sigaction](#)

- SA\_ONSTACK: [Flags for Sigaction](#)
- SA\_RESTART: [Flags for Sigaction](#)
- SC\_SSIZE\_MAX: [Constants for Sysconf](#)
- SCHAR\_MAX: [Range of Type](#)
- SCHAR\_MIN: [Range of Type](#)
- SEEK\_CUR: [File Positioning](#)
- SEEK\_END: [File Positioning](#)
- SEEK\_SET: [File Positioning](#)
- SEM\_VALUE\_MAX: [POSIX Semaphores](#)
- services: [NSS Basics](#)
- shadow: [NSS Basics](#)
- SHRT\_MAX: [Range of Type](#)
- SHRT\_MIN: [Range of Type](#)
- SIG\_BLOCK: [Process Signal Mask](#)
- SIG\_DFL: [Basic Signal Handling](#)
- SIG\_ERR: [Basic Signal Handling](#)
- SIG\_IGN: [Basic Signal Handling](#)
- SIG\_SETMASK: [Process Signal Mask](#)
- SIG\_UNBLOCK: [Process Signal Mask](#)
- SIGABRT: [Program Error Signals](#)
- SIGALRM: [Alarm Signals](#)
- SIGBUS: [Program Error Signals](#)
- SIGCHLD: [Job Control Signals](#)
- SIGCLD: [Job Control Signals](#)
- SIGCONT: [Job Control Signals](#)
- SIGEMT: [Program Error Signals](#)
- SIGFPE: [Program Error Signals](#)
- SIGHUP: [Termination Signals](#)
- SIGILL: [Program Error Signals](#)
- SIGINFO: [Miscellaneous Signals](#)
- SIGINT: [Termination Signals](#)
- SIGIO: [Asynchronous I/O Signals](#)
- SIGIOT: [Program Error Signals](#)
- SIGKILL: [Termination Signals](#)
- SIGLOST: [Operation Error Signals](#)
- signgam: [Special Functions](#)
- SIGPIPE: [Operation Error Signals](#)
- SIGPOLL: [Asynchronous I/O Signals](#)

- SIGPROF: [Alarm Signals](#)
- SIGQUIT: [Termination Signals](#)
- SIGSEGV: [Program Error Signals](#)
- SIGSTKSZ: [Signal Stack](#)
- SIGSTOP: [Job Control Signals](#)
- SIGSYS: [Program Error Signals](#)
- SIGTERM: [Termination Signals](#)
- SIGTRAP: [Program Error Signals](#)
- SIGTSTP: [Job Control Signals](#)
- SIGTTIN: [Job Control Signals](#)
- SIGTTOU: [Job Control Signals](#)
- SIGURG: [Asynchronous I/O Signals](#)
- SIGUSR1: [Miscellaneous Signals](#)
- SIGUSR2: [Miscellaneous Signals](#)
- SIGVTALRM: [Alarm Signals](#)
- SIGWINCH: [Miscellaneous Signals](#)
- SIGXCPU: [Operation Error Signals](#)
- SIGXFSZ: [Operation Error Signals](#)
- SOCK\_DGRAM: [Communication Styles](#)
- SOCK\_RAW: [Communication Styles](#)
- SOCK\_STREAM: [Communication Styles](#)
- SOL\_SOCKET: [Socket-Level Options](#)
- SS\_DISABLE: [Signal Stack](#)
- SS\_ONSTACK: [Signal Stack](#)
- SSIZE\_MAX: [General Limits](#)
- stderr: [Standard Streams](#)
- STDERR\_FILENO: [Descriptors and Streams](#)
- stdin: [Standard Streams](#)
- STDIN\_FILENO: [Descriptors and Streams](#)
- stdout: [Standard Streams](#)
- STDOUT\_FILENO: [Descriptors and Streams](#)
- STREAM\_MAX: [General Limits](#)
- SV\_INTERRUPT: [BSD Handler](#)
- SV\_ONSTACK: [BSD Handler](#)
- SV\_RESETHAND: [BSD Handler](#)
- sys\_siglist: [Signal Messages](#)
- T\_FMT: [The Elegant and Fast Way](#)
- T\_FMT\_AMP: [The Elegant and Fast Way](#)

- TCIFLUSH: [Line Control](#)
- TCIOFF: [Line Control](#)
- TCIOFLUSH: [Line Control](#)
- TCION: [Line Control](#)
- TCOFLUSH: [Line Control](#)
- TCOOFF: [Line Control](#)
- TCOON: [Line Control](#)
- TCSADRAIN: [Mode Functions](#)
- TCSAFLUSH: [Mode Functions](#)
- TCSANOW: [Mode Functions](#)
- TCSASOFT: [Mode Functions](#)
- THOUSANDS\_SEP: [The Elegant and Fast Way](#)
- THOUSEP: [The Elegant and Fast Way](#)
- timezone: [Time Zone Functions](#)
- TMP\_MAX: [Temporary Files](#)
- TOSTOP: [Local Modes](#)
- TRY\_AGAIN: [Host Names](#)
- tzname: [Time Zone Functions](#)
- TZNAME\_MAX: [General Limits](#)
- UCHAR\_MAX: [Range of Type](#)
- UINT\_MAX: [Range of Type](#)
- ULONG\_LONG\_MAX: [Range of Type](#)
- ULONG\_MAX: [Range of Type](#)
- USER\_PROCESS: [XPG Functions](#), [Manipulating the Database](#)
- USHRT\_MAX: [Range of Type](#)
- VDISCARD: [Other Special](#)
- VDSUSP: [Signal Characters](#)
- VEOF: [Editing Characters](#)
- VEOL: [Editing Characters](#)
- VEOL2: [Editing Characters](#)
- VERASE: [Editing Characters](#)
- VINTR: [Signal Characters](#)
- VKILL: [Editing Characters](#)
- VLNEXT: [Other Special](#)
- VMIN: [Noncanonical Input](#)
- VQUIT: [Signal Characters](#)
- VREPRINT: [Editing Characters](#)
- VSTART: [Start/Stop Characters](#)

- VSTATUS: [Other Special](#)
- VSTOP: [Start/Stop Characters](#)
- VSUSP: [Signal Characters](#)
- VTIME: [Noncanonical Input](#)
- VWERASE: [Editing Characters](#)
- W\_OK: [Testing File Access](#)
- WCHAR\_MAX: [Range of Type](#), [Extended Char Intro](#)
- WCHAR\_MIN: [Extended Char Intro](#)
- WEOF: [EOF and Errors](#), [Extended Char Intro](#)
- X\_OK: [Testing File Access](#)
- YESEXPR: [The Elegant and Fast Way](#)
- YESSTR: [The Elegant and Fast Way](#)

---

Node: File Index, Previous: [Variable Index](#), Up: [Top](#)

## Program and File Index

- -lbsd-compat: [Process Group Functions](#), [Feature Test Macros](#)
- /etc/group: [Group Database](#)
- /etc/hosts: [Host Names](#)
- /etc/localtime: [TZ Variable](#)
- /etc/networks: [Networks Database](#)
- /etc/passwd: [User Database](#)
- /etc/protocols: [Protocols Database](#)
- /etc/services: [Services Database](#)
- /share/lib/zoneinfo: [TZ Variable](#)
- argp.h: [Argp](#)
- argz.h: [Argz Functions](#)
- arpa/inet.h: [Host Address Functions](#)
- assert.h: [Consistency Checking](#)
- bsd-compat: [Process Group Functions](#), [Feature Test Macros](#)
- cd: [Working Directory](#)
- chgrp: [File Owner](#)
- chown: [File Owner](#)
- complex.h: [Operations on Complex](#), [Complex Numbers](#), [Mathematics](#)
- ctype.h: [Case Conversion](#), [Classification of Characters](#), [Character Handling](#)
- dirent.h: [Random Access Directory](#), [Reading/Closing Directory](#), [Opening a Directory](#),

[Directory Entries, Reserved Names](#)

- `envz.h`: [Envz Functions](#)
- `errno.h`: [Error Codes](#), [Checking for Errors](#), [Error Reporting](#)
- `execinfo.h`: [Backtraces](#)
- `fcntl.h`: [Interrupt Input](#), [File Locks](#), [File Status Flags](#), [Descriptor Flags](#), [Duplicating Descriptors](#), [Control Operations](#), [Opening and Closing Files](#), [Reserved Names](#)
- `float.h`: [Floating Point Parameters](#)
- `fnmatch.h`: [Wildcard Matching](#)
- `gcc`: [ISO C](#)
- `gconv.h`: [glibc iconv Implementation](#)
- `grp.h`: [Group Data Structure](#), [Setting Groups](#), [Reserved Names](#)
- `hostid`: [Host Identification](#)
- `hostname`: [Host Identification](#)
- `iconv.h`: [Generic Conversion Interface](#)
- `kill`: [Termination Signals](#)
- `ksh`: [Wildcard Matching](#)
- `langinfo.h`: [The Elegant and Fast Way](#)
- `limits.h`: [Width of Type](#), [Limits for Files](#), [General Limits](#), [Selecting the Conversion](#), [Reserved Names](#)
- `locale`: [Setting the Locale](#)
- `locale.h`: [The Lame Way to Locale Data](#), [Setting the Locale](#)
- `localtime`: [TZ Variable](#)
- `ls`: [File Attributes](#)
- `malloc.h`: [Statistics of Malloc](#), [Hooks for Malloc](#), [Malloc Tunable Parameters](#)
- `math.h`: [Rounding Functions](#), [Normalization Functions](#), [Absolute Value](#), [Floating Point Classes](#), [Mathematics](#)
- `mcheck.h`: [Heap Consistency Checking](#)
- `mkdir`: [Creating Directories](#)
- `netdb.h`: [Networks Database](#), [Protocols Database](#), [Services Database](#), [Host Names](#)
- `netinet/in.h`: [Byte Order](#), [Ports](#), [Host Address Data Type](#), [Internet Address Formats](#)
- `obstack.h`: [Creating Obstacks](#)
- `printf.h`: [Conversion Specifier Options](#), [Registering New Conversions](#)
- `pwd.h`: [User Data Structure](#), [Reserved Names](#)
- `setjmp.h`: [Non-Local Exits and Signals](#), [Non-Local Details](#)
- `sh`: [Running a Command](#)
- `signal.h`: [BSD Signal Handling](#), [Checking for Pending Signals](#), [Process Signal Mask](#), [Signal Sets](#), [Signaling Another Process](#), [Signaling Yourself](#), [Flags for Sigaction](#), [Advanced Signal Handling](#), [Basic Signal Handling](#), [Standard Signals](#), [Reserved Names](#)



- `stdarg.h`: [Argument Macros](#), [Receiving Arguments](#)
- `stddef.h`: [Important Data Types](#)
- `stdint.h`: [Integers](#)
- `stdio.h`: [Who Logged In](#), [Identifying the Terminal](#), [Signal Messages](#), [Temporary Files](#), [Deleting Files](#), [Descriptors and Streams](#), [Streams and Cookies](#), [String Streams](#), [Controlling Buffering](#), [Flushing Buffers](#), [Portable Positioning](#), [File Positioning](#), [Formatted Input Functions](#), [Variable Arguments Output](#), [Formatted Output Functions](#), [Block Input/Output](#), [Character Input](#), [Simple Output](#), [Opening Streams](#), [Standard Streams](#), [Streams](#)
- `stdlib.h`: [Running a Command](#), [Aborting a Program](#), [Exit Status](#), [Environment Access](#), [Parsing of Floats](#), [Parsing of Integers](#), [Absolute Value](#), [Integer Division](#), [SVID Random](#), [BSD Random](#), [ISO Random](#), [Allocation](#), [Temporary Files](#), [Array Sort Function](#), [Array Search Function](#), [Non-reentrant Character Conversion](#), [Selecting the Conversion](#), [Variable Size Automatic](#), [Aligned Memory Blocks](#), [Allocating Cleared Space](#), [Changing Block Size](#), [Freeing after Malloc](#), [Basic Allocation](#)
- `string.h`: [Signal Messages](#), [Trivial Encryption](#), [Finding Tokens in a String](#), [Search Functions](#), [Collation Functions](#), [String/Array Comparison](#), [Copying and Concatenation](#), [String Length](#)
- `sys/param.h`: [Host Identification](#)
- `sys/resource.h`: [Traditional Scheduling Functions](#), [Limits on Resources](#), [Resource Usage](#)
- `sys/socket.h`: [Socket-Level Options](#), [Socket Option Functions](#), [Sending Datagrams](#), [Socket Data Options](#), [Receiving Data](#), [Sending Data](#), [Socket Pairs](#), [Closing a Socket](#), [Creating a Socket](#), [Internet Namespace](#), [Local Namespace Details](#), [Reading Address](#), [Setting Address](#), [Address Formats](#), [Communication Styles](#)
- `sys/stat.h`: [FIFO Special Files](#), [Making Special Files](#), [Setting Permissions](#), [Permission Bits](#), [Testing File Type](#), [Attribute Meanings](#), [Creating Directories](#), [Reserved Names](#)
- `sys/time.h`: [Setting an Alarm](#), [High-Resolution Calendar](#), [File Times](#)
- `sys/times.h`: [Processor Time](#), [Reserved Names](#)
- `sys/timex.h`: [High Accuracy Clock](#)
- `sys/types.h`: [Setting Groups](#), [Setting User ID](#), [Reading Persona](#), [Terminal Access Functions](#), [Process Group Functions](#), [Process Identification](#), [Waiting for I/O](#)
- `sys/un.h`: [Local Namespace Details](#)
- `sys/utsname.h`: [Platform Type](#)
- `sys/vlimit.h`: [Limits on Resources](#)
- `sys/vtimes.h`: [Resource Usage](#)
- `sys/wait.h`: [BSD Wait Functions](#), [Process Completion Status](#), [Process Completion](#)
- `termios.h`: [Terminal Modes](#), [Reserved Names](#)
- `time.h`: [TZ Variable](#), [Formatting Calendar Time](#), [Simple Calendar Time](#), [CPU Time](#), [File Times](#)
- `ulimit.h`: [Limits on Resources](#)

- `umask`: [Setting Permissions](#)
- `unistd.h`: [Options for Files](#), [System Options](#), [Host Identification](#), [Who Logged In](#), [Setting Groups](#), [Setting User ID](#), [Reading Persona](#), [Terminal Access Functions](#), [Process Group Functions](#), [Executing a File](#), [Creating a Process](#), [Process Identification](#), [Termination Internals](#), [Using Getopt](#), [Setting an Alarm](#), [Is It a Terminal](#), [Creating a Pipe](#), [Testing File Access](#), [File Owner](#), [Deleting Files](#), [Symbolic Links](#), [Hard Links](#), [Working Directory](#), [Duplicating Descriptors](#), [Descriptors and Streams](#), [I/O Primitives](#), [Opening and Closing Files](#)
- `utime.h`: [File Times](#)
- `utmp.h`: [Logging In and Out](#), [Manipulating the Database](#)
- `utmpx.h`: [XPG Functions](#)
- `varargs.h`: [Old Varargs](#)
- `wchar.h`: [Parsing of Integers](#), [Character Input](#), [Simple Output](#), [Converting Strings](#), [Converting a Character](#), [Keeping the state](#), [Extended Char Intro](#), [Collation Functions](#), [Copying and Concatenation](#)
- `wctype.h`: [Wide Character Case Conversion](#), [Classification of Wide Characters](#)
- `zoneinfo`: [TZ Variable](#)

## Short Contents

- [Main Menu](#)
- [Introduction](#)
- [Error Reporting](#)
- [Virtual Memory Allocation And Paging](#)
- [Character Handling](#)
- [String and Array Utilities](#)
- [Character Set Handling](#)
- [Locales and Internationalization](#)
- [Message Translation](#)
- [Searching and Sorting](#)
- [Pattern Matching](#)
- [Input/Output Overview](#)
- [Input/Output on Streams](#)
- [Low-Level Input/Output](#)
- [File System Interface](#)
- [Pipes and FIFOs](#)
- [Sockets](#)
- [Low-Level Terminal Interface](#)
- [Syslog](#)

- [Mathematics](#)
- [Arithmetic Functions](#)
- [Date and Time](#)
- [Resource Usage And Limitation](#)
- [Non-Local Exits](#)
- [Signal Handling](#)
- [The Basic Program/System Interface](#)
- [Processes](#)
- [Job Control](#)
- [System Databases and Name Service Switch](#)
- [Users and Groups](#)
- [System Management](#)
- [System Configuration Parameters](#)
- [DES Encryption and Password Handling](#)
- [Debugging support](#)
- [POSIX Threads](#)
- [C Language Facilities in the Library](#)
- [Summary of Library Facilities](#)
- [Installing the GNU C Library](#)
- [Library Maintenance](#)
- [Contributors to the GNU C Library](#)
- [Free Software Needs Free Documentation](#)
- [GNU Lesser General Public License](#)
- [GNU Free Documentation License](#)
- [Concept Index](#)
- [Type Index](#)
- [Function and Macro Index](#)
- [Variable and Constant Macro Index](#)
- [Program and File Index](#)

## Table of Contents

- [Main Menu](#)
- [Introduction](#)
  - [Getting Started](#)
  - [Standards and Portability](#)
    - [ISO C](#)
    - [POSIX \(The Portable Operating System Interface\)](#)

- [Berkeley Unix](#)
- [SVID \(The System V Interface Description\)](#)
- [XPG \(The X/Open Portability Guide\)](#)
- [Using the Library](#)
  - [Header Files](#)
  - [Macro Definitions of Functions](#)
  - [Reserved Names](#)
  - [Feature Test Macros](#)
- [Roadmap to the Manual](#)
- [Error Reporting](#)
  - [Checking for Errors](#)
  - [Error Codes](#)
  - [Error Messages](#)
- [Virtual Memory Allocation And Paging](#)
  - [Process Memory Concepts](#)
  - [Allocating Storage For Program Data](#)
    - [Memory Allocation in C Programs](#)
      - [Dynamic Memory Allocation](#)
    - [Unconstrained Allocation](#)
      - [Basic Memory Allocation](#)
      - [Examples of `malloc`](#)
      - [Freeing Memory Allocated with `malloc`](#)
      - [Changing the Size of a Block](#)
      - [Allocating Cleared Space](#)
      - [Efficiency Considerations for `malloc`](#)
      - [Allocating Aligned Memory Blocks](#)
      - [Malloc Tunable Parameters](#)
      - [Heap Consistency Checking](#)
      - [Memory Allocation Hooks](#)
      - [Statistics for Memory Allocation with `malloc`](#)
      - [Summary of `malloc`-Related Functions](#)
    - [Allocation Debugging](#)
      - [How to install the tracing functionality](#)
      - [Example program excerpts](#)
      - [Some more or less clever ideas](#)
      - [Interpreting the traces](#)
    - [Obstacks](#)
      - [Creating Obstacks](#)

- [Preparing for Using Obstacks](#)
- [Allocation in an Obstack](#)
- [Freeing Objects in an Obstack](#)
- [Obstack Functions and Macros](#)
- [Growing Objects](#)
- [Extra Fast Growing Objects](#)
- [Status of an Obstack](#)
- [Alignment of Data in Obstacks](#)
- [Obstack Chunks](#)
- [Summary of Obstack Functions](#)
- [Automatic Storage with Variable Size](#)
  - [alloca Example](#)
  - [Advantages of `alloca`](#)
  - [Disadvantages of `alloca`](#)
  - [GNU C Variable-Size Arrays](#)
- [Resizing the Data Segment](#)
- [Locking Pages](#)
  - [Why Lock Pages](#)
  - [Locked Memory Details](#)
  - [Functions To Lock And Unlock Pages](#)
- [Character Handling](#)
  - [Classification of Characters](#)
  - [Case Conversion](#)
  - [Character class determination for wide characters](#)
  - [Notes on using the wide character classes](#)
  - [Mapping of wide characters.](#)
- [String and Array Utilities](#)
  - [Representation of Strings](#)
  - [String and Array Conventions](#)
  - [String Length](#)
  - [Copying and Concatenation](#)
  - [String/Array Comparison](#)
  - [Collation Functions](#)
  - [Search Functions](#)
    - [Compatibility String Search Functions](#)
  - [Finding Tokens in a String](#)
  - [strfry](#)
  - [Trivial Encryption](#)

- [Encode Binary Data](#)
- [Argz and Envz Vectors](#)
  - [Argz Functions](#)
  - [Envz Functions](#)
- [Character Set Handling](#)
  - [Introduction to Extended Characters](#)
  - [Overview about Character Handling Functions](#)
  - [Restartable Multibyte Conversion Functions](#)
    - [Selecting the conversion and its properties](#)
    - [Representing the state of the conversion](#)
    - [Converting Single Characters](#)
    - [Converting Multibyte and Wide Character Strings](#)
    - [A Complete Multibyte Conversion Example](#)
  - [Non-reentrant Conversion Function](#)
    - [Non-reentrant Conversion of Single Characters](#)
    - [Non-reentrant Conversion of Strings](#)
    - [States in Non-reentrant Functions](#)
  - [Generic Charset Conversion](#)
    - [Generic Character Set Conversion Interface](#)
    - [A complete `iconv` example](#)
    - [Some Details about other `iconv` Implementations](#)
    - [The `iconv` Implementation in the GNU C library](#)
      - [Format of `gconv-modules` files](#)
      - [Finding the conversion path in `iconv`](#)
      - [`iconv` module data structures](#)
      - [`iconv` module interfaces](#)
- [Locales and Internationalization](#)
  - [What Effects a Locale Has](#)
  - [Choosing a Locale](#)
  - [Categories of Activities that Locales Affect](#)
  - [How Programs Set the Locale](#)
  - [Standard Locales](#)
  - [Accessing Locale Information](#)
    - [`localeconv`: It is portable but ...](#)
      - [Generic Numeric Formatting Parameters](#)
      - [Printing the Currency Symbol](#)
      - [Printing the Sign of a Monetary Amount](#)
    - [Pinpoint Access to Locale Data](#)

- [A dedicated function to format numbers](#)
- [Yes-or-No Questions](#)
- [Message Translation](#)
  - [X/Open Message Catalog Handling](#)
    - [The `catgets` function family](#)
    - [Format of the message catalog files](#)
    - [Generate Message Catalogs files](#)
    - [How to use the `catgets` interface](#)
      - [Not using symbolic names](#)
      - [Using symbolic names](#)
      - [How does to this allow to develop](#)
  - [The Uniform approach to Message Translation](#)
    - [The `gettext` family of functions](#)
      - [What has to be done to translate a message?](#)
      - [How to determine which catalog to be used](#)
      - [Additional functions for more complicated situations](#)
      - [How to specify the output character set `gettext` uses](#)
      - [How to use `gettext` in GUI programs](#)
      - [User influence on `gettext`](#)
    - [Programs to handle message catalogs for `gettext`](#)
- [Searching and Sorting](#)
  - [Defining the Comparison Function](#)
  - [Array Search Function](#)
  - [Array Sort Function](#)
  - [Searching and Sorting Example](#)
  - [The `hsearch` function.](#)
  - [The `tsearch` function.](#)
- [Pattern Matching](#)
  - [Wildcard Matching](#)
  - [Globbing](#)
    - [Calling `glob`](#)
    - [Flags for Globbing](#)
    - [More Flags for Globbing](#)
  - [Regular Expression Matching](#)
    - [POSIX Regular Expression Compilation](#)
    - [Flags for POSIX Regular Expressions](#)
    - [Matching a Compiled POSIX Regular Expression](#)
    - [Match Results with Subexpressions](#)

- [Complications in Subexpression Matching](#)
- [POSIX Regexp Matching Cleanup](#)
- [Shell-Style Word Expansion](#)
  - [The Stages of Word Expansion](#)
  - [Calling `wordexp`](#)
  - [Flags for Word Expansion](#)
  - [`wordexp` Example](#)
  - [Details of Tilde Expansion](#)
  - [Details of Variable Substitution](#)
- [Input/Output Overview](#)
  - [Input/Output Concepts](#)
    - [Streams and File Descriptors](#)
    - [File Position](#)
  - [File Names](#)
    - [Directories](#)
    - [File Name Resolution](#)
    - [File Name Errors](#)
    - [Portability of File Names](#)
- [Input/Output on Streams](#)
  - [Streams](#)
  - [Standard Streams](#)
  - [Opening Streams](#)
  - [Closing Streams](#)
  - [Streams and Threads](#)
  - [Streams in Internationalized Applications](#)
  - [Simple Output by Characters or Lines](#)
  - [Character Input](#)
  - [Line-Oriented Input](#)
  - [Unreading](#)
    - [What Unreading Means](#)
    - [Using `ungetc` To Do Unreading](#)
  - [Block Input/Output](#)
  - [Formatted Output](#)
    - [Formatted Output Basics](#)
    - [Output Conversion Syntax](#)
    - [Table of Output Conversions](#)
    - [Integer Conversions](#)
    - [Floating-Point Conversions](#)



- [Other Output Conversions](#)
- [Formatted Output Functions](#)
- [Dynamically Allocating Formatted Output](#)
- [Variable Arguments Output Functions](#)
- [Parsing a Template String](#)
- [Example of Parsing a Template String](#)
- [Customizing `printf`](#)
  - [Registering New Conversions](#)
  - [Conversion Specifier Options](#)
  - [Defining the Output Handler](#)
  - [`printf` Extension Example](#)
  - [Predefined `printf` Handlers](#)
- [Formatted Input](#)
  - [Formatted Input Basics](#)
  - [Input Conversion Syntax](#)
  - [Table of Input Conversions](#)
  - [Numeric Input Conversions](#)
  - [String Input Conversions](#)
  - [Dynamically Allocating String Conversions](#)
  - [Other Input Conversions](#)
  - [Formatted Input Functions](#)
  - [Variable Arguments Input Functions](#)
- [End-Of-File and Errors](#)
- [Recovering from errors](#)
- [Text and Binary Streams](#)
- [File Positioning](#)
- [Portable File-Position Functions](#)
- [Stream Buffering](#)
  - [Buffering Concepts](#)
  - [Flushing Buffers](#)
  - [Controlling Which Kind of Buffering](#)
- [Other Kinds of Streams](#)
  - [String Streams](#)
  - [Obstack Streams](#)
  - [Programming Your Own Custom Streams](#)
    - [Custom Streams and Cookies](#)
    - [Custom Stream Hook Functions](#)
- [Formatted Messages](#)

- [Printing Formatted Messages](#)
- [Adding Severity Classes](#)
- [How to use `fmtmsg` and `addseverity`](#)
- [Low-Level Input/Output](#)
  - [Opening and Closing Files](#)
  - [Input and Output Primitives](#)
  - [Setting the File Position of a Descriptor](#)
  - [Descriptors and Streams](#)
  - [Dangers of Mixing Streams and Descriptors](#)
    - [Linked Channels](#)
    - [Independent Channels](#)
    - [Cleaning Streams](#)
  - [Fast Scatter-Gather I/O](#)
  - [Memory-mapped I/O](#)
  - [Waiting for Input or Output](#)
  - [Synchronizing I/O operations](#)
  - [Perform I/O Operations in Parallel](#)
    - [Asynchronous Read and Write Operations](#)
    - [Getting the Status of AIO Operations](#)
    - [Getting into a Consistent State](#)
    - [Cancellation of AIO Operations](#)
    - [How to optimize the AIO implementation](#)
  - [Control Operations on Files](#)
  - [Duplicating Descriptors](#)
  - [File Descriptor Flags](#)
  - [File Status Flags](#)
    - [File Access Modes](#)
    - [Open-time Flags](#)
    - [I/O Operating Modes](#)
    - [Getting and Setting File Status Flags](#)
  - [File Locks](#)
  - [Interrupt-Driven Input](#)
  - [Generic I/O Control operations](#)
- [File System Interface](#)
  - [Working Directory](#)
  - [Accessing Directories](#)
    - [Format of a Directory Entry](#)
    - [Opening a Directory Stream](#)

- [Reading and Closing a Directory Stream](#)
- [Simple Program to List a Directory](#)
- [Random Access in a Directory Stream](#)
- [Scanning the Content of a Directory](#)
- [Simple Program to List a Directory, Mark II](#)
- [Working with Directory Trees](#)
- [Hard Links](#)
- [Symbolic Links](#)
- [Deleting Files](#)
- [Renaming Files](#)
- [Creating Directories](#)
- [File Attributes](#)
  - [The meaning of the File Attributes](#)
  - [Reading the Attributes of a File](#)
  - [Testing the Type of a File](#)
  - [File Owner](#)
  - [The Mode Bits for Access Permission](#)
  - [How Your Access to a File is Decided](#)
  - [Assigning File Permissions](#)
  - [Testing Permission to Access a File](#)
  - [File Times](#)
  - [File Size](#)
- [Making Special Files](#)
- [Temporary Files](#)
- [Pipes and FIFOs](#)
  - [Creating a Pipe](#)
  - [Pipe to a Subprocess](#)
  - [FIFO Special Files](#)
  - [Atomicity of Pipe I/O](#)
- [Sockets](#)
  - [Socket Concepts](#)
  - [Communication Styles](#)
  - [Socket Addresses](#)
    - [Address Formats](#)
    - [Setting the Address of a Socket](#)
    - [Reading the Address of a Socket](#)
  - [Interface Naming](#)
  - [The Local Namespace](#)

- [Local Namespace Concepts](#)
- [Details of Local Namespace](#)
- [Example of Local-Namespace Sockets](#)
- [The Internet Namespace](#)
  - [Internet Socket Address Formats](#)
  - [Host Addresses](#)
    - [Internet Host Addresses](#)
    - [Host Address Data Type](#)
    - [Host Address Functions](#)
    - [Host Names](#)
  - [Internet Ports](#)
  - [The Services Database](#)
  - [Byte Order Conversion](#)
  - [Protocols Database](#)
  - [Internet Socket Example](#)
- [Other Namespaces](#)
- [Opening and Closing Sockets](#)
  - [Creating a Socket](#)
  - [Closing a Socket](#)
  - [Socket Pairs](#)
- [Using Sockets with Connections](#)
  - [Making a Connection](#)
  - [Listening for Connections](#)
  - [Accepting Connections](#)
  - [Who is Connected to Me?](#)
  - [Transferring Data](#)
    - [Sending Data](#)
    - [Receiving Data](#)
    - [Socket Data Options](#)
  - [Byte Stream Socket Example](#)
  - [Byte Stream Connection Server Example](#)
  - [Out-of-Band Data](#)
- [Datagram Socket Operations](#)
  - [Sending Datagrams](#)
  - [Receiving Datagrams](#)
  - [Datagram Socket Example](#)
  - [Example of Reading Datagrams](#)
- [The `inetd` Daemon](#)

- [inetd Servers](#)
- [Configuring inetd](#)
- [Socket Options](#)
  - [Socket Option Functions](#)
  - [Socket-Level Options](#)
- [Networks Database](#)
- [Low-Level Terminal Interface](#)
  - [Identifying Terminals](#)
  - [I/O Queues](#)
  - [Two Styles of Input: Canonical or Not](#)
  - [Terminal Modes](#)
    - [Terminal Mode Data Types](#)
    - [Terminal Mode Functions](#)
    - [Setting Terminal Modes Properly](#)
    - [Input Modes](#)
    - [Output Modes](#)
    - [Control Modes](#)
    - [Local Modes](#)
    - [Line Speed](#)
    - [Special Characters](#)
      - [Characters for Input Editing](#)
      - [Characters that Cause Signals](#)
      - [Special Characters for Flow Control](#)
      - [Other Special Characters](#)
    - [Noncanonical Input](#)
  - [BSD Terminal Modes](#)
  - [Line Control Functions](#)
  - [Noncanonical Mode Example](#)
  - [Pseudo-Terminals](#)
    - [Allocating Pseudo-Terminals](#)
    - [Opening a Pseudo-Terminal Pair](#)
- [Syslog](#)
  - [Overview of Syslog](#)
  - [Submitting Syslog Messages](#)
    - [openlog](#)
    - [syslog, vsyslog](#)
    - [closelog](#)
    - [setlogmask](#)

- [Syslog Example](#)
- [Mathematics](#)
  - [Predefined Mathematical Constants](#)
  - [Trigonometric Functions](#)
  - [Inverse Trigonometric Functions](#)
  - [Exponentiation and Logarithms](#)
  - [Hyperbolic Functions](#)
  - [Special Functions](#)
  - [Known Maximum Errors in Math Functions](#)
  - [Pseudo-Random Numbers](#)
    - [ISO C Random Number Functions](#)
    - [BSD Random Number Functions](#)
    - [SVID Random Number Function](#)
  - [Is Fast Code or Small Code preferred?](#)
- [Arithmetic Functions](#)
  - [Integers](#)
  - [Integer Division](#)
  - [Floating Point Numbers](#)
  - [Floating-Point Number Classification Functions](#)
  - [Errors in Floating-Point Calculations](#)
    - [FP Exceptions](#)
    - [Infinity and NaN](#)
    - [Examining the FPU status word](#)
    - [Error Reporting by Mathematical Functions](#)
  - [Rounding Modes](#)
  - [Floating-Point Control Functions](#)
  - [Arithmetic Functions](#)
    - [Absolute Value](#)
    - [Normalization Functions](#)
    - [Rounding Functions](#)
    - [Remainder Functions](#)
    - [Setting and modifying single bits of FP values](#)
    - [Floating-Point Comparison Functions](#)
    - [Miscellaneous FP arithmetic functions](#)
  - [Complex Numbers](#)
  - [Projections, Conjugates, and Decomposing of Complex Numbers](#)
  - [Parsing of Numbers](#)
    - [Parsing of Integers](#)

- [Parsing of Floats](#)
- [Old-fashioned System V number-to-string functions](#)
- [Date and Time](#)
  - [Time Basics](#)
  - [Elapsed Time](#)
  - [Processor And CPU Time](#)
    - [CPU Time Inquiry](#)
    - [Processor Time Inquiry](#)
  - [Calendar Time](#)
    - [Simple Calendar Time](#)
    - [High-Resolution Calendar](#)
    - [Broken-down Time](#)
    - [High Accuracy Clock](#)
    - [Formatting Calendar Time](#)
    - [Convert textual time and date information back](#)
      - [Interpret string according to given format](#)
      - [A More User-friendly Way to Parse Times and Dates](#)
    - [Specifying the Time Zone with TZ](#)
    - [Functions and Variables for Time Zones](#)
    - [Time Functions Example](#)
  - [Setting an Alarm](#)
  - [Sleeping](#)
- [Resource Usage And Limitation](#)
  - [Resource Usage](#)
  - [Limiting Resource Usage](#)
  - [Process CPU Priority And Scheduling](#)
    - [Absolute Priority](#)
      - [Using Absolute Priority](#)
    - [Realtime Scheduling](#)
    - [Basic Scheduling Functions](#)
    - [Traditional Scheduling](#)
      - [Introduction To Traditional Scheduling](#)
      - [Functions For Traditional Scheduling](#)
    - [Limiting execution to certain CPUs](#)
  - [Querying memory available resources](#)
    - [Overview about traditional Unix memory handling](#)
    - [How to get information about the memory subsystem?](#)
  - [Learn about the processors available](#)

- [Non-Local Exits](#)
  - [Introduction to Non-Local Exits](#)
  - [Details of Non-Local Exits](#)
  - [Non-Local Exits and Signals](#)
  - [Complete Context Control](#)
- [Signal Handling](#)
  - [Basic Concepts of Signals](#)
    - [Some Kinds of Signals](#)
    - [Concepts of Signal Generation](#)
    - [How Signals Are Delivered](#)
  - [Standard Signals](#)
    - [Program Error Signals](#)
    - [Termination Signals](#)
    - [Alarm Signals](#)
    - [Asynchronous I/O Signals](#)
    - [Job Control Signals](#)
    - [Operation Error Signals](#)
    - [Miscellaneous Signals](#)
    - [Signal Messages](#)
  - [Specifying Signal Actions](#)
    - [Basic Signal Handling](#)
    - [Advanced Signal Handling](#)
    - [Interaction of `signal` and `sigaction`](#)
    - [`sigaction` Function Example](#)
    - [Flags for `sigaction`](#)
    - [Initial Signal Actions](#)
  - [Defining Signal Handlers](#)
    - [Signal Handlers that Return](#)
    - [Handlers That Terminate the Process](#)
    - [Nonlocal Control Transfer in Handlers](#)
    - [Signals Arriving While a Handler Runs](#)
    - [Signals Close Together Merge into One](#)
    - [Signal Handling and Nonreentrant Functions](#)
    - [Atomic Data Access and Signal Handling](#)
      - [Problems with Non-Atomic Access](#)
      - [Atomic Types](#)
      - [Atomic Usage Patterns](#)
  - [Primitives Interrupted by Signals](#)



- [Generating Signals](#)
  - [Signaling Yourself](#)
  - [Signaling Another Process](#)
  - [Permission for using `kill`](#)
  - [Using `kill` for Communication](#)
- [Blocking Signals](#)
  - [Why Blocking Signals is Useful](#)
  - [Signal Sets](#)
  - [Process Signal Mask](#)
  - [Blocking to Test for Delivery of a Signal](#)
  - [Blocking Signals for a Handler](#)
  - [Checking for Pending Signals](#)
  - [Remembering a Signal to Act On Later](#)
- [Waiting for a Signal](#)
  - [Using `pause`](#)
  - [Problems with `pause`](#)
  - [Using `sigsuspend`](#)
- [Using a Separate Signal Stack](#)
- [BSD Signal Handling](#)
  - [BSD Function to Establish a Handler](#)
  - [BSD Functions for Blocking Signals](#)
- [The Basic Program/System Interface](#)
  - [Program Arguments](#)
    - [Program Argument Syntax Conventions](#)
    - [Parsing Program Arguments](#)
  - [Parsing program options using `getopt`](#)
    - [Using the `getopt` function](#)
    - [Example of Parsing Arguments with `getopt`](#)
    - [Parsing Long Options with `getopt\_long`](#)
    - [Example of Parsing Long Options with `getopt\_long`](#)
  - [Parsing Program Options with `Argp`](#)
    - [The `argp\_parse` Function](#)
    - [Argp Global Variables](#)
    - [Specifying Argp Parsers](#)
    - [Specifying Options in an Argp Parser](#)
      - [Flags for Argp Options](#)
    - [Argp Parser Functions](#)
      - [Special Keys for Argp Parser Functions](#)

- [Functions For Use in Argp Parsers](#)
- [Argp Parsing State](#)
- [Combining Multiple Argp Parsers](#)
- [Flags for `argp\_parse`](#)
- [Customizing Argp Help Output](#)
  - [Special Keys for Argp Help Filter Functions](#)
- [The `argp\_help` Function](#)
- [Flags for the `argp\_help` Function](#)
- [Argp Examples](#)
  - [A Minimal Program Using Argp](#)
  - [A Program Using Argp with Only Default Options](#)
  - [A Program Using Argp with User Options](#)
  - [A Program Using Multiple Combined Argp Parsers](#)
- [Argp User Customization](#)
  - [Parsing of Suboptions](#)
  - [Parsing of Suboptions Example](#)
- [Environment Variables](#)
  - [Environment Access](#)
  - [Standard Environment Variables](#)
- [System Calls](#)
- [Program Termination](#)
  - [Normal Termination](#)
  - [Exit Status](#)
  - [Cleanups on Exit](#)
  - [Aborting a Program](#)
  - [Termination Internals](#)
- [Processes](#)
  - [Running a Command](#)
  - [Process Creation Concepts](#)
  - [Process Identification](#)
  - [Creating a Process](#)
  - [Executing a File](#)
  - [Process Completion](#)
  - [Process Completion Status](#)
  - [BSD Process Wait Functions](#)
  - [Process Creation Example](#)
- [Job Control](#)
  - [Concepts of Job Control](#)

- [Job Control is Optional](#)
- [Controlling Terminal of a Process](#)
- [Access to the Controlling Terminal](#)
- [Orphaned Process Groups](#)
- [Implementing a Job Control Shell](#)
  - [Data Structures for the Shell](#)
  - [Initializing the Shell](#)
  - [Launching Jobs](#)
  - [Foreground and Background](#)
  - [Stopped and Terminated Jobs](#)
  - [Continuing Stopped Jobs](#)
  - [The Missing Pieces](#)
- [Functions for Job Control](#)
  - [Identifying the Controlling Terminal](#)
  - [Process Group Functions](#)
  - [Functions for Controlling Terminal Access](#)
- [System Databases and Name Service Switch](#)
  - [NSS Basics](#)
  - [The NSS Configuration File](#)
    - [Services in the NSS configuration File](#)
    - [Actions in the NSS configuration](#)
    - [Notes on the NSS Configuration File](#)
  - [NSS Module Internals](#)
    - [The Naming Scheme of the NSS Modules](#)
    - [The Interface of the Function in NSS Modules](#)
  - [Extending NSS](#)
    - [Adding another Service to NSS](#)
    - [Internals of the NSS Module Functions](#)
- [Users and Groups](#)
  - [User and Group IDs](#)
  - [The Persona of a Process](#)
  - [Why Change the Persona of a Process?](#)
  - [How an Application Can Change Persona](#)
  - [Reading the Persona of a Process](#)
  - [Setting the User ID](#)
  - [Setting the Group IDs](#)
  - [Enabling and Disabling Setuid Access](#)
  - [Setuid Program Example](#)

- [Tips for Writing Setuid Programs](#)
- [Identifying Who Logged In](#)
- [The User Accounting Database](#)
  - [Manipulating the User Accounting Database](#)
  - [XPG User Accounting Database Functions](#)
  - [Logging In and Out](#)
- [User Database](#)
  - [The Data Structure that Describes a User](#)
  - [Looking Up One User](#)
  - [Scanning the List of All Users](#)
  - [Writing a User Entry](#)
- [Group Database](#)
  - [The Data Structure for a Group](#)
  - [Looking Up One Group](#)
  - [Scanning the List of All Groups](#)
- [User and Group Database Example](#)
- [Netgroup Database](#)
  - [Netgroup Data](#)
  - [Looking up one Netgroup](#)
  - [Testing for Netgroup Membership](#)
- [System Management](#)
  - [Host Identification](#)
  - [Platform Type Identification](#)
  - [Controlling and Querying Mounts](#)
    - [Mount Information](#)
      - [The `fstab` file](#)
      - [The `mtab` file](#)
      - [Other \(Non-libc\) Sources of Mount Information](#)
    - [Mount, Unmount, Remount](#)
  - [System Parameters](#)
- [System Configuration Parameters](#)
  - [General Capacity Limits](#)
  - [Overall System Options](#)
  - [Which Version of POSIX is Supported](#)
  - [Using `sysconf`](#)
    - [Definition of `sysconf`](#)
    - [Constants for `sysconf` Parameters](#)
    - [Examples of `sysconf`](#)

- [Minimum Values for General Capacity Limits](#)
- [Limits on File System Capacity](#)
- [Optional Features in File Support](#)
- [Minimum Values for File System Limits](#)
- [Using `pathconf`](#)
- [Utility Program Capacity Limits](#)
- [Minimum Values for Utility Limits](#)
- [String-Valued Parameters](#)
- [DES Encryption and Password Handling](#)
  - [Legal Problems](#)
  - [Reading Passwords](#)
  - [Encrypting Passwords](#)
  - [DES Encryption](#)
- [Debugging support](#)
  - [Backtraces](#)
- [POSIX Threads](#)
  - [Basic Thread Operations](#)
  - [Thread Attributes](#)
  - [Cancellation](#)
  - [Cleanup Handlers](#)
  - [Mutexes](#)
  - [Condition Variables](#)
  - [POSIX Semaphores](#)
  - [Thread-Specific Data](#)
  - [Threads and Signal Handling](#)
  - [Threads and Fork](#)
  - [Streams and Fork](#)
  - [Miscellaneous Thread Functions](#)
- [C Language Facilities in the Library](#)
  - [Explicitly Checking Internal Consistency](#)
  - [Variadic Functions](#)
    - [Why Variadic Functions are Used](#)
    - [How Variadic Functions are Defined and Used](#)
      - [Syntax for Variable Arguments](#)
      - [Receiving the Argument Values](#)
      - [How Many Arguments Were Supplied](#)
      - [Calling Variadic Functions](#)
      - [Argument Access Macros](#)

- [Example of a Variadic Function](#)
  - [Old-Style Variadic Functions](#)
- [Null Pointer Constant](#)
- [Important Data Types](#)
- [Data Type Measurements](#)
  - [Computing the Width of an Integer Data Type](#)
  - [Range of an Integer Type](#)
  - [Floating Type Macros](#)
    - [Floating Point Representation Concepts](#)
    - [Floating Point Parameters](#)
    - [IEEE Floating Point](#)
  - [Structure Field Offset Measurement](#)
- [Summary of Library Facilities](#)
- [Installing the GNU C Library](#)
  - [Configuring and compiling GNU Libc](#)
  - [Installing the C Library](#)
  - [Recommended Tools for Compilation](#)
  - [Supported Configurations](#)
  - [Specific advice for GNU/Linux systems](#)
  - [Reporting Bugs](#)
- [Library Maintenance](#)
  - [Adding New Functions](#)
  - [Porting the GNU C Library](#)
    - [Layout of the `sysdeps` Directory Hierarchy](#)
    - [Porting the GNU C Library to Unix Systems](#)
- [Contributors to the GNU C Library](#)
- [Free Software Needs Free Documentation](#)
- [GNU Lesser General Public License](#)
  - [Preamble](#)
  - [How to Apply These Terms to Your New Libraries](#)
- [GNU Free Documentation License](#)
  - [ADDENDUM: How to use this License for your documents](#)
- [Concept Index](#)
- [Type Index](#)
- [Function and Macro Index](#)
- [Variable and Constant Macro Index](#)
- [Program and File Index](#)

## Footnotes

1. Additions are welcome. Send appropriate information to [bug-glibc-manual@gnu.org](mailto:bug-glibc-manual@gnu.org).
  2. Actually, the terminal-specific functions are implemented with IOCTLs on many platforms.
  3. Now you might ask why this information is duplicated. The answer is that we want to make it possible to link directly with these shared objects.
  4. There is a second explanation: we were too lazy to change the Makefiles to allow the generation of shared objects not starting with `lib` but don't tell this to anybody.
-